

N^o 2
60

SUBDIVISIONS

T. 30 N.

R. 1 E.

No. 599

Jacobs

4-671

FIELD NOTES
GENERAL LAND OFFICE

599

BOOK 599

No. 599

61

- 7.64 Road bears N. and S.
9.00 Leave wash.
40.03 Set a limestone 18x12x6 ins
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N. face,
from which,
A cedar 18 ins. diam. bears
S. $63\frac{1}{2}^{\circ}$ 24.81 lbs dist. marked
 $\frac{1}{4}$ S. 33 B.T.
A cedar 14 ins. diam bears
N. 7° 24.86 lbs dist. marked
 $\frac{1}{4}$ S. 28 B.T.
80.06 The cor. of secs 28, 29, 32 and 33.
Land, rolling.
Soil 3rd and 4th rate.
Timber cedar and pine.
Heavily timbered 80.06 chs.
-
- N. 00-3 N. bet. secs. 28 and 29.

BOOK 599

62

40.00

No other tree within limits.

Set a limestone $18 \times 16 \times 6$ ins.

12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, from which

A fence 18 ins. diam. bears
 $7.5\frac{1}{4}^{\circ}E$. 137 lbs dist. marked

$14.8.28$ B.T.

No other tree within limits. Pith unpracticable.

80.00

Set a limestone $20 \times 12 \times 4$ ins

15 ins. in the ground for cor
 of secs 20.21 , 28 and 29 , marked
 with 2 notches on S and 4
 notches on E edges, from
 which

A cedar 12 ins. diam bears

$7.11^{\circ}E$. 137 lbs dist. marked

7.30 $7.9.1.E.8.2$, B.T.

A cedar 8 ins. diam. bears

$8.24\frac{1}{4}^{\circ}E$. 184 lbs dist. marked

7.30 $7.9.1.E.8.28$ B.T.

6.3

A cedar, 2 ins. diam. bears
S. $69\frac{1}{2}^{\circ}$ N. 76 lbs. dist. marked
T 30 N. R. E. S. 29 B.T.
A pine, 4 ins. diam. bears
N. $62\frac{1}{2}^{\circ}$ N. 132 lbs. dist marked
T 30 N. R. E. S. 20 B.T.

Land, rolling.

Soil 4th rate.

Timber cedar and pine
and dense undergrowth -
Heavily timbered, 80. chs.

S. $89^{\circ} 00'$ E. on a random line
bet. secs. 21 and 28.

40.00 Set temp. $1\frac{1}{2}$ sec cor.
60.00 Intersect N. and S. line at
N. of the cor. of secs. 21, 22, 27
and 28.

Thence I run.

N. $89^{\circ} 48' W.$ on a true line

64

bct. secs. 21 and 28.

40.00 Set a limestone $20 \times 10 \times 12$
ins. 18 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N.
face, from which,

A pine 18 ins. diam. bears
 $S. 39\frac{3}{4}^{\circ} E.$ 30 lbs. dist. marked
 $\frac{1}{4}$ S. 28 B.T.

A pine 10 ins. diam. bears
 $N. 45\frac{1}{2}^{\circ} W.$ 15 lbs. dist. marked
 $\frac{1}{4}$ S. 21 B.T.

80.00 The cor. of secs. 20, 21, 28 and
29.

Land rolling.

Soil 3rd date.

Timber, pine and cedar

Heavily timbered 80 chs.

October 10 1900.

- 65 -

N. $0^{\circ} 3'$ W. bet. secs. 20 and 21.

40.00 Set a limestone $18 \times 12 \times 4$ ins.
 12 ins in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ on N. face, from
 which,

A cedar 10 ins. diam. bears
 8.8° E. 192 lks dist. marked
 $\frac{1}{4} 8.2$, B.T.

A cedar 4 ins. diam. bears
 $7.63\frac{1}{4}^{\circ}$ W. 48 lks dist. marked
 $\frac{1}{4} 8.20$ B.T.

80.00 Set a limestone $20 \times 12 \times 6$ ins.
 10 ins. in the ground for cor. of
 secs. 16, 17, 20 and 21, marked
 with 3 notches on S and 4
 notches on E edges, from which,

A cedar 14 ins. diam. bears
 7.02° E. 11 lks dist. marked
 $\frac{1}{4} 30$ N. R. E. 8.6 B.T.

66

A cedar 12 ins. diam. bears
 S. $32^{\circ} E$ 23 lks dist. marked
 T. 30 N. R. 16. S. 21 B.T.

A pine 10 ins. diam. bears
 S. $16\frac{1}{4}^{\circ} W$ 57 lks dist. marked
 T. 30 N. R. 16. S. 20 B.T.

A pine 14 ins. diam. bears
 N. $76^{\circ} W$ 33 lks dist. marked
 T. 30 N. R. 16. S. 17 B.T.

Land rolling.

Soil 3rd and 4th rate.

Timber, cedar and pine.

Heavily timbered 80. chs.

S. 89° 48' E on a random line
 bet. secs. 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line. 9 lks

S. of cor. of secs 15, 16, 21 and 22.

Thence I run.

67

N. 89°02' W. on a true line
bet. secs. 16 and 21.

40.02 Set a limestone 18X16X6 ins.
12 ins. in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N. face
from which

A pine 12 ins. diam bears
N. 30°34' E. 20 lks dist. marked.

$\frac{1}{2}$ S. 16 B.T.

A pine 12 ins. diam. bears
S. 36° E. 09 lks dist. marked
 $\frac{1}{4}$ S. 21 B.T.

80.04 The cor of secs 16, 17, 20 and 21
Land rolling.
Soil rocky & thin.
Timber, pine and cedar
Heavily timbered 80.04 cha.

N. 0°3' W. bet. secs 16 and 17.

BOOK 599

68

6.51

A pine 24 ins. diam on line 2
mark with 2 notches on N and S.
sides.

40.00

Set a limestone 18x16x4 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
cor marked $\frac{1}{4}$ on N. face, from
which

A pine 14 ins. diam. bears
 $7.89^{\circ} E$. 07 like dist. marked
 $\frac{1}{4} 8.16$ B.T.

A cedar 18 ins. diam bears
 $844\frac{1}{2}^{\circ} N$ 76 like dist. marked
 $\frac{1}{4} 8.17$ B.T.

80.00

Set a limestone 20x16x3
ins. 10 ins. in the ground for
Cor of secs. 8, 9, 16 and 17.
marked with 4 notches on
S and E edges, from which.
A pine 12 ins. diam. bears

N. $47\frac{1}{2}^{\circ}$ E. 64 lks dist. marked

T. 30 N. R. 1 E. S. 9 B.T.

A cedar 16 ins. diam. bears

S. $19\frac{1}{2}^{\circ}$ E. 21 lks. dist. marked

T. 30 N. R. 1 E. S. 16 B.T.

A pine 16 ins. diam. bears

S. 86° N. 8 lks dist. marked

T. 30 N. R. 1 E. S. 17 B.T.

A pine 10 ins. diam. bears

N. $9\frac{3}{4}^{\circ}$ N. 40 lks dist. marked

T. 30 N. R. 1 E. S. 8 B.T.

Land rolling.

Soil, 4th rate.

Timber, pine and cedar.

Heavily timbered so chs.

S. $89^{\circ} 52'$ E on a random line
bet. secs 9 and 16.

Set. temp. $\frac{1}{4}$ sec. cor.

BOOK 599

70

80.02

Intersect N. and S. line
 34 lbs. S. of cor. of secs. 9, 10
 15 and 16.

Thence I run,

S. $89^{\circ} 0' 0''$ W. on a true line
 bet. secs. 9 and 16.

7.22.

Road bears N. and S.

40.01

Set a limestone $18 \times 12 \times 8$ ins.
 12 ins. in the ground for $\frac{1}{4}$ at
 sec. cor. marked $\frac{1}{4}$ on N.
 face, from which.

A pine 16 ins. diam bears
 N. $10^{\circ} 34' E$ 45 lbs. dist marked
 $\frac{1}{4} 89 BT$.

A cedar 30 ins. diam bears
 S. $26^{\circ} 27' 7$ lbs. dist marked
 $\frac{1}{4} 8.16 BT$.

80.02

The cor. of secs. 8, 9, 16 and 17.
 Land rolling.

No. 599

71

Soil 2nd and 4th rate.

Timber, cedar and pine.

Heavily timbered 80.02 chs.

October 16th 1900.

N. 0° 3' N. bet. secs. 8 and 9.

40.00 Set a limestone 20x16x4 ins.
 18 ins. in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ on $\frac{1}{4}$ face
 from which.

A pine 12 ins. diam. bears
 S. 79° E. 9 lbs. dist. marked
 $\frac{1}{4}$ S. 9 B.T.

A pine 12 ins. diam. bears
 S. 88 $\frac{1}{2}$ ° N. 47 lbs. dist. marked
 $\frac{1}{4}$ S. 8 B.T.

80.00 Set a sandstone 18x10x3 ins.
 12 ins. in the ground for cor of
 secs. 4, 5, 8 and 9. marked with

72

5 notches on S and 4 notches
on E edges, from which.
A cedar 6 ins. diam. bears
 $97.58\frac{1}{2}^{\circ}$ E. 29 lbs. dist. marked
T. 30 N. R. 1 E. 8 4 BT.

A cedar 18 ins. diam. bears
 $8.78\frac{1}{2}^{\circ}$ E. 94 lbs. dist. marked
T. 30 N. R. 1 E. 8 9 BT.

A cedar 10 ins. diam. bears
 $8.80\frac{3}{4}^{\circ}$ N. 87 lbs. dist. marked
T. 30 N. R. 1 E. 8 8 BT.

A cedar 12 ins. diam. bears
 3.49° N. 72 lbs. dist. marked
T. 30 N. R. 1 E. 8 5 BT.

Land rolling.

Soil 3rd rate.

Timber cedar and pine.

Heavily timbered 80. chs.

N $89^{\circ} 55' E$ on a random line
bet. secs. 4 and 9.

40.00 Set temp $\frac{1}{4}$ sec. cor.

79.95 Intersect N. and S. line 24
lbs. N. of cor. of secs 3, 4, 9 and 10.
Thence down.

N $89^{\circ} 55' W$ on a true line

bet. secs. 4 and 9.

~~24.45~~ Road b/w S.E. and ~~N.W.~~

39.97 $\frac{1}{2}$ Set a limestone 18x12x4 ins.

12 ins in the ground for $\frac{1}{4}$ sec.

cor. marked $\frac{1}{4}$ on N. face, from
which,

A pine 12 ins. diam. bears
 $8.9^{\circ} E.$ 13 1/2 lbs. dist. marked
 $\frac{1}{4}$ S. 4 B.T.

A cedar 12 ins. diam. bears
 $7.65^{\circ} N.$ 10 1/2 lbs. dist. marked
 $\frac{1}{4}$ S. 4 B.T.

79.95 The cor. of secs 4, 5, 8 and 9.

74

Land, rolling.

Soil 3rd and 4th rate

Timber cedar and pine.

Heavily timbered 79.95 cha.

$79.0^{\circ} 3' N$ on a random
line bet. secs 4 and 5.

40.00 Set temp. 1/4 sec. cor.

79.81 Intersect N. body of Tp 20
lks. W. of the cor. of secs.

40, 32 and 33.

Thence down. $80^{\circ} 12' W.$
on a true line bet. secs.
4 and 5.

~~39.81~~
~~39.95~~

Set a Sandstone 18x12x4
ins 12 ins. in the ground
for 1/4 sec. cor. marked 1/4 on
N. face from which,
a cedar 6 ins. diam. bears

N. $26\frac{1}{4}^{\circ}$ E. 129 lbs. dist. marked
 $\frac{1}{4}$ S. 4 B.T.

A pine 8 ins. diam. bears
S. $36\frac{1}{2}^{\circ}$ N. 293 lbs. dist. marked

$\frac{1}{4}$ S. 5 B.T.
Road lies S. 60° E and N. 60° N.
The cor. of secs 4, 5, 8 and 9.

Land rolling.

Soil 4 thrate.

Timber pine and cedar.

Heavily timbered 79, 81 chs.

October 17th 1900.

From the cor. of secs. 5, 6,
3 and 32 which is a limestone
6' x 10' x 8 ins above the ground
previously set by me &
run

N. $0^{\circ} 3'$ N. bet secs 31 and
32.

76

40.00

Set a limestone $18 \times 10 \times 4$
 ins. 12 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
 on N. face, from which
 A pine 18 ins. diam. bears
 $N. 59\frac{1}{2}^{\circ} E.$ 86 lks. dist. marked
 $\frac{1}{4}$ S. 32 R.T.

A cedar 12 ins. diam.
 bears S. $63^{\circ} N.$ 48 lks. dist
 marked $\frac{1}{4}$ S. 31 R.T.

80.00

Set a limestone $18 \times 14 \times 12$ ins
 2 ins. in the ground for cor. of
 secs 29, 30, 31 and 32, marked
 with 1 notch on south and
 3 notches on Edges, from
 which,

A cedar 12 ins. diam. bears
 $N. 32\frac{1}{2}^{\circ} E.$ 69 lks. dist. marked
 $N. 30 N.$ R.G.S. 29 R.T.

277

A cedar 10 ins. diam. bears
S. $37\frac{1}{2}^{\circ}$ E. 60 lks. dist. marked
T. 30 N. R. 1 E. S. 32 B.T.

A cedar 12 ins. diam. bears
S. $58\frac{1}{2}^{\circ}$ E. 12 lks. dist. marked
T. 30 N. R. 1 E. S. 31 B.T.

A cedar 16 ins. diam. bears
T. 48th 138 lks. dist. marked
T. 30 N. R. 1 E. S. 30 B.T.

Land rolling.

Soil 2nd rate.

Timber cedar and pine

Heavily timbered so. cha.

S. $89^{\circ} 5' 0''$ E on a random line
bet. secs. 29 and 32.

40.00 Set. temp $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line 7 lks

N. of the cor. of secs 28, 29, 32 and
33.

78

Thence I run

$N. 89^{\circ} 47' W.$ on a true line
bet. secs. 29 and 32

40.02 Set a limestone $20 \times 16 \times 6$ ins.
15 ins. in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N. face.
from which,

A cedar 10 ins. diam. bears
 $N. 66^{\circ} 14' E.$ 177 lbs. dist. marked
 $\frac{1}{4}$ S. 29 B.T.

A cedar 12 ins. diam bears
 $84^{\circ} 4' W.$ 234 lbs. dist. marked
 $\frac{1}{4}$ S. 32 B.T.

80.04 The cor. of secs. 29, 30, 31 and 32.
Land, rolling.

Soil rocky 4th rate.

Timber, cedar and pine.

Heavily timbered 80.04 chs.

N. $89^{\circ}50'W$ on a random
line bet. secs. 30 and 31

40.00 Set temp $\frac{1}{4}$ sec. cor.

79.26 Intersect Meridian 22 like
N. of co. of secs. 25; 30 31 and 36
which is a limestone $8 \times 24 \times 6$ ins
above ground, firmly set in
mound of stone and marked
and witnessed as described
by the surveyor or general.
Hence from

S. $89^{\circ}59'E$ on a true line
bet. secs. 30 and 31

39.26 Set a limestone $24 \times 12 \times 6$ ins
 18 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face from
which

A cedar 12 ins. diam. bears
N. $36^{\circ}E$. 30 like dist. marked

80

1/4 S. 30 B.T.

A cedar 10 ins. diam bears
 $8.16\frac{3}{4}^{\circ}$ N. 192 lbs. dist marked

1/4 S. 31 B.T.

79.26 The cor. of secs. 29, 30, 31 and 32.

Land rolling.

Soil rocky & th rate

Timber cedar and pine.

Heavily timbered, 79.26 chs.

No. 3' N. bet. secs 29 and 30.

Over rolling land.

40.00 Set a limestone 18x8x4 ins.
 12 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
 N. face, from which,

A cedar 14 ins. diam bears
 $8.54\frac{3}{4}^{\circ}$ E. 61 lbs. dist. marked

1/4 S. 29 B.T.

A cedar 14 ins. diam. bears
N. 37° W. 63 lbs dist. marked
1/4 S. 30 B.T.

80.00 Set a limestone 24x12x4 ins
18 ins. in the ground for cor
of secs. 19, 20, 29 and 30,
marked with 2 notches
on S and 5 notches on E
edges, from which,
A pine 18 ins. diam. bears
N. 46 1/2° E. 13 lbs dist. marked
T. 30 N. R. 1 E. S. 20 B.T.

A cedar 18 ins. diam. bears
S. 36 3/4° E. 16 4 lbs dist. marked
T. 30 N. R. 1 E. S. 29 B.T.

A cedar 12 ins. diam. bears
S. 37° W. 34 lbs dist. marked
T. 30 N. R. 1 E. S. 30 B.T.

A cedar 12 ins. diam. bears

82

$\frac{3}{4} 55 \frac{1}{2}^{\circ} N.$ 103 lks dist. marked

T. 30 N. R. 1 E. S. 19 D. T.

Land, rolling.

Soil 4th rate.

Timber, cedar and pine.

Heavily timbered 80 chs.

October 18th, 1900

S. 89° 47' E. on a random
line bet. secs. 20 and 29

40.00 Set temp. 1/4 sec cor.

80.14 Intersect N. and S. line

7 lks. N. of cor of secs 20, 21,
28 and 29.

Thence down

N. 89° 44' W. on a true

line bet. secs 20 and 29.

40.07 Set a limestone 18x8x4 ins
1/2 ms. in the ground for

1/4 sec. cov. marked 1/4 on N
face, from which,

A cedar 18 ins. diam bears
N. $63\frac{3}{4}^{\circ}$ E. 219 lbs. dist. marked
1/4 S. 20 R.T.

A cedar 12 ins. diam. bears
S. $39\frac{3}{4}^{\circ}$ W. 76 lbs. dist. marked
1/4 S. 29 R.T.

80.14 The cov of secs. 19, 20, 29 and
30

Land rolling.

Soil 2nd and 4th rate

Timber cedar and pine.

Heavily timbered 80^{1/4} chs.

N. $89^{\circ} 59' 37''$ W. on a random
line bet. secs. 19 and 30.

40.00 Set. temp 1/4 sec. cov.

79.26 Intersect meridian 32 lbs.

N. of cor. of secs. 19, 24, 25 and
30 which is a limestone
 $6 \times 8 \times 6$ ins. above ground
firmly set in mound of
stone and marked and
witnessed as described
by the surveyor general
Thence down.

N. $89^{\circ}46' E.$ on a true line
bet. secs. 19 and 30.

4.26

Descend.

10.76

Gulch, course S. W. ascend.

16.25

Ridge bears N.E. and S.W.

24.20

Gulch course S. W. ascend

38.30

Top of bank.

39.26

Set a limestone $20 \times 12 \times 4$
ins. 15 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N.
face, from which

A pine 20 ins. diam. bears
N. $64\frac{1}{2}$ ° E. 87 lbs. dist marked
 $\frac{1}{4}$ S. 19 B.T.

A pine 1 1/4 ins. diam. bears
S. 60 ° E. 68 lbs. dist marked
 $\frac{1}{4}$ S. 30 B.T.

79.26 The cor. of secs. 19, 20, 29 and 30.
Land mountainous
Soil, rocky. 4th rate
Timber cedar and pine
Heavily timbered 7926 cha.

N. $0^{\circ} 8'$ W. bet. secs. 19 and 20
Gulch course N.
Set a limestone $2\frac{1}{4} \times 1\frac{1}{2} \times 6$ ins.
8 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face,
from which
A pine, 10 ins. diam. bears

86

$\eta\ 68\frac{3}{4}^{\circ}\ E$ 43 lbs. dist. marked

$\frac{1}{4}$ 8.20 B.T.

A pine 18 in. diam. bears

$\eta. 44\frac{3}{4}^{\circ}\ N$ 62 lbs. dist. marked

$\frac{1}{4}$ 8.19 B.T.

Descend.

62.00 Gulch course S. W.

Ascend

67.00 Top of bank.

80.00 Set a limestone 20x12x5
in 15 in. in the ground
for cor. of secs 17, 18, 19 and 20
marked with 3 notches
on S and 3-notches on E
edges, from which,

A pine. 24 in. diam. bears

$\eta. 80\frac{1}{2}^{\circ}\ E.$ 177 lbs. dist. marked

$\frac{1}{4}$.30 $\eta. R. 16.8. 17$ B.T.

A cedar 12 in. diam. bears

S. $42\frac{1}{2}^{\circ}$ E. 64 lbs. dist. marked

¶. 30 N. R., E. S. 20 B.T.

A pine 14 ins. diam. bears

S. $38\frac{1}{4}^{\circ}$ W. 32 lbs. dist. marked

¶. 30 N. R., E. S. 19 B.T.

A cedar 10 ins. diam. bears

N. 45° W. 136 lbs. dist. marked

¶. 30 N. R., E. S. 18 B.T.

Land rolling.

Soil, 4th rate

Timber pine and cedar.

Heavily timbered 80. chs.

S 89° 44' E on a random line
bet. sec's. 17 and 20.

40.00 Set. temp $\frac{1}{4}$ sec cor.

80. 18 Intersect N. and S line

38 lbs N. of cor. of sec's. 16, 17,
20 and 21.

88

Thence down.

$7.89^{\circ}37' W.$ on a true line
bet. secds. 17 and 20.

40.09 Set a limestone $16 \times 12 \times 4$ ins
10 ins in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N.

face from which,
A pine 18 ins. diam. bears
 $7.27\frac{1}{2}^{\circ} E.$ 40 lbs. dest. marked
 $\frac{1}{4} S. 7 B. T.$

A cedar 12 ins. diam. bears
 $8.38^{\circ} E.$ 6 lbs. dest. marked
 $\frac{1}{4} S. 20 B. T.$

80.18 The cor of sec 17, 18, 19 and 20.

Land rolling.

Soil 3rd rate.

Timber cedar and pine.
Heavily timbered 80.18 Cha
October 19th, 1900.

S. $89^{\circ}46'$ N on a random line
bet. secs. 18 and 19.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.26 Intersect meridian 9 blks.
S. of the cor. of sec 13, 18, 19 and
24, which is a limestone
 $5 \times 10 \times 6$ ins. above ground
marked and witnessed as
described by the surveyor
general.

Thence I run

N. $89^{\circ}50'$ E on a true line
bet. secs. 18 and 19.

39.26 Set a limestone $18 \times 10 \times 8$ ins
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face
from which,

A pine 8 ins. diam. beam
S. $10\frac{1}{2}^{\circ}$ N. 10 blks. dist. marked

90

1/4 S. 19 B.T.

A cedar 8 ins. diam bears
 7.00° N. 42 lbs. det. marked

1/4 S. 18 B.T.

Descend.

44.70 Gulch course S.E.

Ascend

52.20 Ridge bears S.E. and N.W.

66.30 Wash. course S.W. ascend

79.26 The cor. of secs 17, 18, 19 and 20.

Land, rolling.

Soil 4th rate,

Timber cedar and pine.

Heavily timbered 79.26 chs.

 7.00° N. bet. secs 17 and 18.

Descend

20.00 Wash course S.W.

A fine 10 ins. diam on line I mark

with 2 notches on 7 and 8 sides.

40.00 Set a limestone $18 \times 12 \times 5$ ins
12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face,
from which,

A cedar, 12 ins. diam. bears
 $7.57\frac{1}{2}^{\circ}$ E 19 lbs. dist. marked
 $\frac{1}{4}$ S. 17 B.T.

A pine 16 ins. diam. bears
 $8.71\frac{1}{4}^{\circ}$ N. 10 lbs. dist. marked
 $\frac{1}{4}$ S. 18 B.T.

80.00 Set a sandstone $24 \times 14 \times 4$ ins
18 ins. in the ground for cor of
secs 7, 8, 17 and 18, marked
with 4 notches) or sand 5-
notches on E. edges. Dig pile.
 $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft
dist and raise a mound of
earth 4 ft. base 2 ft high

92

W. of cor.

Land, rolling.

Soil 2nd and 4th rate.

Timber pine and cedar.

Heavily timbered or dense
undergrowth 80 cha.

S. 89° 31' E on a random
line bet. secs. 8 and 17.

40.00 Set temp. 1/4 sec. cor.

80.24 Intersect N. and S line

at the W. of the cor. of secs 8, 9,
16 and 17.

Thence I drew.

N. 89° 29' W. on a true line
bet. secs. 8 and 17.

40.12 Set a limestone 18x12x8 in.

12 in. in the ground for 1/4 sec.
cor. marked 1/4 on N. face

93

from which,

A pine 18 ins. diam. bears
8.2 2 1/4 ft. 63 lbs. dist marked
148.17 B.T.

A pine 16 ins. diam. bears
7.17 1/2 ft. 43 lbs. dist marked.
148.8 B.T.

80.24 The cor. of secs. 7, 8, 17 and 18.

Land, rolling

Soil 3rd rate.

Timber pine and cedar.

Heavily timbered 80.24 ch.

8.89950 ft. on a random line
bet. secs. 7 and 18

40.00 Set. temp 14 sec cor.

79.18 Intersect meridian 28 lbs
8 of the cor. of secs. 7, 12, 13
and 18 which is a line.

94

stone 6x10x5 ins. above ground
in mound of stone, marked
and witnessed as described
by the surveyor general.

Thence I run

East. on a true line bet.
secs. 7 and 18.

39.18 Set a limestone 18x12x4
ins. 12 ins. in the ground for
 $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ 7 on
N. and 18 on S faces. Dig
pits 18x18x12 ins. E and N.
of stone 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft.
base $1\frac{1}{2}$ ft. high. N. of cor.

79.18 The cor. of secs 7, 8, 17 and 18.
Land rolling.
Soil, 4th date.
Timber, cedar and pine

95

Dense undergrowth 79.180 cu.

Oct. 20 1900

N. 0° 3' N. bet. secs. 7 and 8.

40.00 Set a limestone $18 \times 12 \times 10$ ins
ins. 12 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ 7 on N.
face. Dig pits $18 \times 18 \times 12$ ins
N. and S. of stone 3 ft. dist.
and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high N. of
cor.

80.00 Set a sandstone $18 \times 12 \times 4$ ins
12 ins. in the ground for the
cor. of secs. 5; 6, 7 and 8
marked with 5-notches on
Sand E edges. Dig pits.
 $18 \times 18 \times 12$ ins. in each sec.
 $5\frac{1}{2}$ ft. dist. and raise a

96

mound of earth 4 ft. base
2 ft. high. N. of cor.

Land rolling.

Soil 2nd and 3rd rate.

Timber cedar and pine.

Dense undergrowth socha.

S. $89^{\circ} 29' E$ on a random line
bet. secs. 8 and 8.

40.00 Set temp 1/4 sec. cor.

80.28 Intersect N. and S. line
20 lps. S. of cor of secs 4, 5,
8 and 9.

Hence Drift.

N. $89^{\circ} 38' W$ on a true line
bet. secs. 8 and 8.

40.14 Set a sandstone 24x12x6
ins. 18 ins. in the ground
for 1/4 sec. cor. marked 1/4 on

N. face, from which
A cedar 18 in. diam. bears
N. 4° E. 202 lbs. dist. marked
 $\frac{1}{4}$ S. of B.T. - no more trees
within limits. Dig pits 18 x 18 x 12
in. E and $\frac{1}{2}$ of stone 3 ft. dist.
and raise a mound of earth
 $3\frac{1}{2}$ ft. base: $1\frac{1}{2}$ ft. high N of
cor.

80.28 The cor. of secs 5, 6, 7 and 8.
Land rolling.
Soil 3rd rate
Timber cedar and pine.
Dense undergrowth 80.28 chs.

Weston a random line bet.
secs. 6 and 7.

40.00 Set. temp $\frac{1}{4}$ sec. cor.
79.22 Intersect meridian 7 lbs.

98

S. of the cor of secs 1, 6, 7
and 12 which is a limestone
8x12x3 ins. above the ground,
marked and witnessed as
described by the surveyor
general.

Thence I run.

S. $89^{\circ} 07'$ E on a true line
bet. secs. 6 and 7.

39.22

Set a limestone 18x12x3 ins
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N.
face, from which,

A cedar, 10 ins. diam. bears
 $N. 34^{\circ} W.$ 318 lbs. dist marked
 $\frac{1}{4}$ S. 6 D. T. - no more trees
within limits. Dig pits
18x18x12 ins E and N. of stone
3 ft. dist. and raise a

99

mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of cor.

79.22 N. the cor. of secs. 5, 6, 7 and 8.

Land rolling

Soil & thrale.

Timber pine and cedar.

Dense undergrowth 79.22 sch.

N. 0°3' N. on a random line
bet. secs. 5 and 6.

40.00 Set. temp. 1/4 sec. cor.

80.00 Intersect N. bdy of Tp. 38 like
N. of the cor. of secs. 5, 6, 31 and 32.
which is a limestone ex 12 x
10 m above ground, marked
and witnessed by me.

Thence I run.

S. 0°13' E. on a true line bet.
secs. 5 and 6.

BOOK 599

100

40.00

Set a limestone 20x8x6 ins
in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ 6 on N.
face. Dig pits 18x18x12 ins
N. and S. of stone 3 ft. dist.
and raise a mound of earth
 $3\frac{1}{2}$ ft. base $2\frac{1}{2}$ ft. high N. of
cor.

80.00

The cor. of sec. 5, 6, 7 and 8.

Land, rolling.

Soil 3rd rate.

Timber cedar and pine.

Dense undergrowth 80. chs.

October 21, 1900.

General Description

This township contains very little good land.

The surface is either covered with rock or gravel.

The eastern half is covered with a dense growth of pine and cedar timber. The western half with cedar and pine timber. -

The South east part of the Twp. is cut with many canons and is mountainous. -

The Twp. is entirely destitute of water and has no settlers.

Francis B. Jacobs
U.S. Deputy Surveyor

APPROVAL. BOOK 599
OFFICE OF THE U. S. SURVEYOR GENERAL. 102
Tucson, Arizona, Mar 1, 1901.

The foregoing field notes of the survey
of The Subdivisional Lines of
T. 30 N. R. 1 E.

Gila and Salt River Meridian,
executed by Francis S. Jacobs.
Under his contract No. 73, dated 6/13/1900,
having been critically examined, and the
necessary corrections and explanations
made, the said field notes, and the sur-
veys they describe, are hereby approved.

George L. Hatch
U. S. Surveyor General for Arizona.