

No. 614

Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

BOOK 614

Township 3 S. Range 3 E.

Gila and Salt River Base and Meridian

ARIZONA.

By Theodore F. White, D. S.

under contract dated Dec. 6, 1875.

Survey commenced Feb. 26, 1876.

Survey completed March 1, 1876.

614

Preliminary Oaths of Assistants.

We, Urban Bessard
and R. A. Vasquez
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Urban Bessard
R. A. Vasquez

Sworn to and subscribed before me, this 7
day of January, 1876

William J. Osborn
Notary Public

BOOK 614 1B

We, Fred. C. Jones and
Wright H. Aubury —
do solemnly swear that we will well and truly per-
form the duties of Assessor and
Almanac, respectively,
according to instructions given us, and to the best
of our skill and ability.

Fred. C. Jones
Wright H. Aubury.

Sworn to and subscribed before me this 7
day of January, 1876

William A. Brown
Notary Public



No. 614 BOOK 614

4 10

1C

D

D

in

C.

Bam

BOOK 614

Township 3 South R. 3 East

Gila and Salt River Meridian.

6	57	5	34	4	22	3	+	2	+	1
50	49		32		21		+		+	
7	48	8	31	9	19	10	+	11	+	12
47	46		30		18		+		+	
18	45	17	29	16	17	15	+	14	+	13
44	43		28		16		+		+	
19	42	20	27	21	15	22	10	23	5	24
41	40		26		14		9		4	
30	89	29	25	28	13	27	0	26	3	25
30	37		24		12		7		2	
31	36	32	23	33	11	34	0	35	1	36

No. 614

BOOK 614

10

Township 3 S. Range 3 E.
Gila & Salt River Meridian

February 26, 1876.

Fr. Beginning on the S. boundary at Cor. to sec. 35 & 36. Span
Nor th between sec. 35 & 36,

var. 14° 30' East

After East Boundary

Start Set a post, marked $\frac{1}{4}$ S. off E long, flat
leaved 3 in wide, 1 ft in the ground,
drive charred stake $\frac{1}{2}$ build mound of
earth 2 ft high, with pit 1 ft. deep, 2 ft. clay,
1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near
80.00 Set a post, marked & notched, 4 ft. long, 3 in.
sqd. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with
pit 1 ft. deep, 2 ft. long, 1 ft wide, as per in-
structions, for cor. to sec. 25, 26, 35 & 36, from which
Amesquite, 3 in. dia. loc. S. 88 1/4° E. 96 lbs. dist.

do. 3 " " N. 1° W. 30 "

do. 4 " " S. 7 1/4° E. 197 "

do. 4 " " S. 61 1/4° E. 260 "

Land flat Scattering trees & brush.
Soil & rate.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Sec. East by random line between secs 25 & 36
var. 14° 30' East

40.00 Set temporary 1/4 sec. cor.

80.16 Intersect E. boundary 10 lbs. N. of an.
to secs. 25 & 36. from which cor. true
N. 89° 56' W.

Continue line between secs 25 & 36.
var. 14° 30' East

40.08 Set post, marked $\frac{1}{4}$ S. 84 ft long, flat
tined 3 in. wide, 1 ft in the ground, driven
charred stake & build mound of
earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruction
for $\frac{1}{4}$ sec. cor. from which
Anasquita, 8 in. dia. brs. N. 31 $\frac{3}{4}$ ° E. 104 lbs. did
No other trees near.

80.16 Cor. to secs. 25 & 26. 35 & 36.
Land flat. Soil very
Scattering trees and brush.

Township 3 S Range 3 E
Gila & Salt River Meridian

Sec. North between sec. 25 & 26.
qr. nr. 14 30' East

40.00 Set a post, marked "4 S. upblng, flattened 3
in. wide, 1 ft in the ground, due charred state
and build mound of earth 2 ft high, with pit
of depth 1 ft long, 1 ft wide, as per instruction for
4 sec. cor. No trees near.

65.00 Stage road to Maricopa Wells, br. 31.
80.00 On S. slope, near foot of rocky ridge.
Set a post, marked "notched, upblng, 3 in sq'd.
1 ft in the ground, due charred state and build
mound of stones 2 ft high, as per instruc-
tions, for cor. to secs. 13, 24, 25 and
26, from which

Mt Verde, 3 in. dia. br. S. 69 1/2° E. 135 Len. dist.
do. 3 " " S. 29 1/2° E. 192 " "

No other trees near.

Descending S. slope of Sierra Blanca,
on N. end. Mostly flat. Scattering trees.
Soil poor.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

S. East

Outline between sec. 24 & 25.

var. 114°30' East

33.76 Intersect S. boundary Pima and Maricopa Indian Reservation at 30.54
deg. westly from Post 11 N. Set
1 post, raised 14 ft long, 3 in. sqd., 1 ft in
the ground, drive charred staves and build
around of earth 3 ft high, with pit 1 ft
deep 2 ft long, 1 1/2 ft wide, as per in-
structions for clearing cor. to fraction
al sec. 24 & 25, from which
Amasquile, 4 miles, loc. N. 2 1/2 W. 212 land dist.

No. 5 " " A. 18 3/4 E. 228 "

Land, - along S. slope of rocky
ridge and then into plain
Soil poor. Scattering trees.

Township 3 S. Range 3 E.
Gila Salt River Meridian

Sec. North between sec. 7 3/4 N.
Lat. 34° 30' East.

9.40 Intersect S. boundary Line and
Mamcopia Indian Reservation X
at 65.58 chs. mostly from
Post 11 N. Set a post, marked,
4 ft long, 3 in. sqd. 1 ft in the ground
and build around it stones
3 ft high, as per instructions
for closing cor. to frac-
tional sec., 7 3/4 N., bounded
Atale Verde, 4 mi due west N. 5° W. 48 le. dist.

do. 5 " " N. 30° W. 62 "

This is on steep S.E. slope of rocky
ridge of the Sierra Blanca.

Land steep and rocky.
Soil worthless.

Prairie 3 S. Range 3 E.

Glat Salt River Meridian

Run North between sec. 34 & 35.

var. 111° 30' East.

40.00 Set post, marked $\frac{1}{4}$ S. off flat, long flat
tied 3 ft wide, 1 ft in the ground, discharged
stone & build monadnock earth $\frac{1}{2}$ high, with
fib 1 ft deep, 3 ft long, 1 ft wide, as per instructions
for this section. Notice near

50.00 Set post, marked $\frac{1}{4}$ notched up long 3 in. sq.,
1 ft in the ground, discharged stone and build
monadnock earth $\frac{1}{2}$ high, with fib 1 ft deep, 3 ft
long, 1 ft wide, as per instructions, for cr. to sec.
26. 27. 34 & 35, from which

Anasquale, 12 mi. due N. 10° E. 66 less dist.

do. 6 " " N. 56° E. 68 " "

do. 8 " " S. 68° E. 49 " "

do. 12 " " S. 41° 27' N. 22° 27" "

Land flat Soil sterile.

Scattering mesquite and brush.

Township 3 S. Range 3 E.
Gila Salt River Meridian

~~S. E. corner~~ line between sec. 16 & 35.
var. 14° 30' East

4000 Set temporary 1/4 sec. cor.

79.89 Julian sect. N. 3 S. line 14th, S. of cor
to sec. 15, 26, 35 and 36, from
which cor. from
S. 89° 54' W.

Outline line between sec. 16 & 35.
var. 14° 30' East

39.95 Set post marked 1/4 S. of long, flattened
3 in. wide, flat on the ground, dark charred stake
and built monadnock style, 7 ft. high, with post,
1 ft. dia., 1 ft. long, 1 ft. wide as per instructions
for 1/4 sec. cor. from which
Amesquite, 7 mi. due N. S. 62 1/4° E. 148 land dist.
No other trees near

79.89 Cor to sec. 26, 27, 34 & 35.

Land flat, soil 2 in. thick, scattering
trees and brush.

Downship 3 S. Range 3 E.
Gila & Salt River Meridian

Ch. North between sec. 26 & 27
var. 144° 30' East

40.00 Stake post, marked 1/2 S. 4 ft long, flattened
3 in. wide. 1 ft in the ground, and build
stake & build mound earth 2 ft high,
with pile of old ap. 2 ft long, placed, as per
instructions, for 1/4 sec. cor. Notices near
70.00 Stage Road line, N.

80.00 Stake post marked 1/2 notched, 4 ft long, 3
in. sqd. 1 ft in the ground, and build
mound of stakes 2 ft high, as per in-
structions for cor. to Secs. 22, 23, 26
and 27, from which

A Pale Verde, 4 in. dia. in S. 66 1/2 W. 82 loc. dist.

do. 3 " " 8.48 1/4 E. 44 " "

do. 3 " " 8.60 1/2 E. 62 " "

A Mesquite, 6 " " N. 18 1/2 E. 159 " "

This cor. is on N. slope of low hill, S. W. of
Sierra Blanca. - Land some uneven. Soil
brute. A few trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

1st East

Our random line between sec. 23 & 26.

var. 14° 30' East.

Ascend ridge of Sierra Blanca, and run along slope of the mountain.

40.00 Set temporary 1/4 Sec. cor.

80. 74 Intersect N. 3 S. line 19 hrs. S. of cor. to sec.

22.24.25 & N. from which condense
S. 89° 52' W.

Catline line between sec. 23 & 26.

var. 14° 30' East.

110.12 Set a post, marked 1/4 S. 44 ft. long, flat
tuned 3 in. wide, 1 ft. in the ground, and
build around it stones 2 ft. high, as per
instruction for 1/4 sec. cor. No trees near
On S. slope of Sierra Blanca.

80. 74 Cor. to sec. 22, 23, 26 & 27.

Land - along steep slopes on N., rocky.
No timber.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Pt. North between secs. 22 & 23

var. $14^{\circ} 30'$ East.

Discord low hill.

2.00 Leave hill.

8.00 Dry stream, 50 la. mile, bus. N. 31.

31. 1st Intersect S. boundary Pima & Maricopa
Indian Reservation, at 2.90 chs. eastly
from S. W. cor. of reservation. Set
a post, mudded, 4 ft long, 3 in. sqd.
1 ft in the ground, due charred stone
and build mound beneath 3 ft high,
with pits 1 ft deep, 2 ft long, $1\frac{1}{2}$ ft wide
as per instructions, for closing ex.
to fractional sec. 22 & 23 from which
a Mesquite, 6 in. dia. in N. 49 & S. 26 glands
No other trees near.

Sand flat. Soil dry.
Scattering trees.

February 26. 1876.

Township 3 S Range 3 E.

Gila & Salt River Mts.

Ps. North between sec. 33 & 34.
var. $14^{\circ} 30'$ East

40.00 Setapost, micaed & upl. long, flattened 3 in.,
wide, often the ground, dark charred slate
and build mound of earth 2 ft. high, with
hole 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruc-
tions, for 2 sec. cor. No trees near.

80.00 Setapost, micaed & notched, upl. long, 3 in.,
sqd. often the ground, dark charred slate
and build mound of earth 2 ft. high, with
hole 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
structions, for cor. to secs. 27, 28, 33 and
34, from which

Anasquite, 4 in. dia. by S. $17^{\circ} E$ 154' less dist
do. 7 " . . . S. $37^{\circ} E$ 194 " "

do. 6 " . . . S. $75^{\circ} E$ 220 " "

do. 4 " . . . N. $87\frac{1}{2}^{\circ} E$ 158 " "

Land flat. Soil 2" rate.
Scattering trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Ps. East random line betw. 27 $\frac{1}{2}$ 3 $\frac{1}{4}$
var. 14° 30' East

40.00 Settiahorang $\frac{1}{4}$ sec. cor.

79.98 Intersect N. $\frac{1}{4}$ Sline 13 hrs. before
to sec. 26. 27.34 3 $\frac{1}{4}$ sec. from which cor. from
S. 89 $\frac{1}{2}$ 34' W.

On true line between sec. 27 $\frac{1}{2}$ 3 $\frac{1}{4}$
var. 14° 30' East.

39.99 It is a post, marked $\frac{1}{4}$ S. 4 $\frac{1}{2}$ long flat-
topped 3 in. wide, 1 ft. in the ground. Dine
charred state & built mound beneath
2 ft. high, with pits 1 ft. deep. 2 ft. long.
1 ft. wide, as per instructions, for $\frac{1}{4}$ sec.
cor. from which

Acacia, 15 in. dia. has N. 26 $\frac{1}{2}$ E. 473 hrs. dist
do. 4 " " S. 13 $\frac{1}{2}$ W. 266 " "

79.98 Cor. to sec. 27. 28. 33 3 $\frac{1}{4}$ sec.
Sand flat. Soil 2" rate. Scattering
trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Sec. North between sec 27 & 28.
var. 114° 30' East.

40.00 Seta post, marred by S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, dried charred stone & build mound of earth 3 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to sec. 21. 22. 27 & 28, from which Arroyoquite, 3 in. dia. bar, 4.63% E. 84 bardest

do. 8 " " S. 29° E. 84 " "

do. 8 " " S. 41 $\frac{1}{2}$ ° E. 114 " "

do. 4 " " S. 40 $\frac{1}{2}$ ° N. 250 " "

Land flat Soil erate.
Scattering trees.

Township 3 S. Range 3 E
Gila & Salt River Meander

Sec. East random line between sec. 22 & 27
var. 14° 30' East

40.00 Set temporary 1/4 sec. cor.
62.00 Stage road to Monache Wells, sec. N.W.
73.00 Dry stream bed, S.W.
77.00 Second low hill
80.09 Intercept N.E.S. line 7/8 sec. off cor. to secs. 22, 23,
26 & 27, from which an iron
S. 89° 57' W.
Sataco line between secs. 22 & 27,
var. 14° 30' East

140.04 Set post, marked 1/4 S. 11th long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stake & build mound of earth 1 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions
for 1/4 sec. cor. from which
Amesquite, 6 miles N. 22 W. 1/2 sec. dist.
do. 12 " " A. 84° 2' W. 239 " "
80.09 Cor. to secs. 21, 22, 27 & 28
Silicate, sandy. Scattering trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

R. North between secs. 21 & 22,
var. 14° 30' East.

40.00 Set a post, marked $\frac{1}{4}$ sq. ft. long, flattened
3 in. wide, 1 ft. in the ground, dust charred
stake & build mound of earth 2 ft. high
with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for tree cor. Notice near

50.00 Set a post, marked & notched, 4 ft. long
3 in. sq. ft. in the ground, dust charred
stake & build mound of earth 2 ft. high
with pit 1 ft. deep, 2 ft. long, 1 ft. wide as
per instructions, for cor. to secs. 15, 16,
31 & 32, from which

Acacia, 12 in. dia. at East, 13 lbs. dict.

do. 10 " " \$43 $\frac{3}{4}$ W. 42 " "

do. 9 " " East 6 " "

No other tree near.

Soil 2 rate. Scattering trees.

Township 3 S. Range 3 E.
Sec. 15 & 22 Salt River Meridian

On East on tree line between sec. 15 & 22,
var. 114°30' East

40.00 Set a post marked 40.0, 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charr'd
stake and build mound of earth 2 ft high, with
pit 1 ft. deep. 2 ft long, 1 ft wide, as far intodue
for 1/4 sec. on. No trees near.

61.04 Intersect the W. end boundary of Pine
and Maricopa Indian Reservation at 2935
ch. Southerly from Post 1 N. Set a post,
marked, 4 ft long, 3 in. sqd. 1 ft in
the ground, drive charr'd
stake and build mound of
earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 1/2 ft wide, for closing
corner to fractional secs. 15 and
22. No trees near.

Land flat. Soil sterile.
No timber of consequence.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Ch. North between sec 15 & 16.
Var. 14° 30' East.

40.00 Setapost, macead 1/4 in. long, flattened. 3 in. wide,
1/8 in. thickened, like charred stake & build round
of earth & high, with pile of debris, 2 ft long, of brads,
as per instruction, for 1/4 sec cor. from which
Mesquite, 12 in. dia. S. 34 $\frac{3}{4}$ E. 267 ft dist. ~~L.~~

do. 5 " " S. 44 $\frac{1}{4}$ E. 211 " "

60.00 Road bas. N. W.

62.00 Bank bas. N. E. & S. W.

80.00 Setapost, macead 1/4 in. thick, 1/4 in. long, 3 in. sqd.
1/8 in. thickened, like charred stake & build
round of earth & high, with pile of debris, 2 ft
long, of brads, as per instruction, for cor. to sec
9, 10, 15 and 16, from which
Mesquite, 2 1/2 in. dia. S. 37W. 122 ft dist.

do. 3 " " S. 72 $\frac{1}{2}$ E. 153 " "

do. 14 " " N. 76W. 82 " "

Land level. Soil good. Some mesquite
timber.

Township 3 S., Range 3 E.
Gila & Salt River Meridian

Sec. East

Latitude lies between sec. 10 & 15.

var. $14^{\circ}30' \text{ East}$.

34.07 Intersect W. end boundary of Pima
and Maricopa Indian Reservation
at N. 91 chs. S. of Post 2 N. Set a
post, marked, 14 ft long. 3 in. sqd.
stn in the ground, due charred
stake & build round about 3 ft high,
with posts about 2 ft long, 10 ft wide,
as per instructions, for closing out to
fractional secs. 10 & 15.

Notice near.

Land, - through some cultivated
fields. Soil good.

No timber.

19
 Township 3 S. Range 3 E.
 Gila & Salt River Meridian

- P. North between sec. 9 & 10.
 var. 1430 East.
- 13.00 Road bns. N.E.
- 19.00 Old road bns. N.W.
- 44.00 Set post, marked 44 S. 14 E. long, flat
 tined 3 in. wide, set in the ground, driven
 charred stake & build mound of earth
 2 ft high, with pile of debris & fl. long. Stake
 as per instructions, for 1/4 sec., cor. bounded
 Mesquite, 3 in. dia. bns. N. 63 1/2 W. 17 less dist.
 A Cottonwood, 7 " " S. 40 3/4 W. 141 "
- 42.30 Road from Maricopa to McDowell sec.
- 72.13 Intersect the Gila River, bns. N.W. Set a
 post, marked, 4 ft. long. 3 in. sqd. set in the
 ground, driven charred stake and build
 mound of earth 2 ft high, taken
 from one pit on line S. for cor. to
 fractional secs. 9 & 10. No trees near.
 I now set a flag on line on opposite
 bank of river and measure

Township 38. Range 8 E.
Gila & Salt River Meridian

- Obs. off a base 100. lns. N. to a point where flag poles. N. 10 $\frac{1}{4}$ E. which give distance across of 5. 28 chs. or at 77. 41 Opposite bank of river. Set post, marked, 4 ft long, 3 in. sqd, 1 ft in the ground, dark charred stake & build mound of earth 3 ft high with outfit N. on line for cor. to frac. sec. 9 & 10. No trees near.
80. 00 Set post, marked & notched, 4 ft long, 3 in. sqd, 1 ft in the ground, dark charred stake & build mound of earth 3 ft high, with pit 1 ft. deep, 2 ft long, 1 ft wide, a few inches apart, for cor. to secs. 3, 4, 9 & 10, from which A Cottonwood, 12 inches. N. 19 $\frac{1}{4}$ W. 131 lns. dist
de. 104 " " . N. 62 $\frac{1}{4}$ E. 154 " "
A Mesquite, 6 " " . S. 63 $\frac{1}{4}$ E. 90 " "
de. 7 " " . A. 23 $\frac{1}{4}$ E. 162 " "
Morgan's Station 6s. N. 11 $\frac{1}{4}$ W. about 200 lns. dist. Soil good. Timber & brush along river

Township 3 S. Range 8 E.
Gila & Salt River Meridian

Ch. East

Outline line between sec. 3 & 10
var. $14^{\circ}30'$ East.

7.10 Started N. end Boundary of
Pima and Maricopa Indian
Reservation at 20.00 chs south-
easterly from large monument in
front of Morgan's Station.
Set a post, marked. 4 ft long, 3 in.
sqd. after in the ground, drove charred
stake and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long
 $1\frac{1}{2}$ wide, as per instruction for
closing cor. to fractional sec. 3
and 10, from which

Cottonwood, 9 in. dia. loc. S. 54° W. 61 lbs. dist
Mesquite, 6 " " " N. $19\frac{1}{2}$ ° E. 108 "
Soil good. Timber and brush in
places.

Pownship 3 S. Range 3 E.
Gila & Salt River Meridian

Ch. North on true line betw. sec. 3 & 4.
var. 14° 30' East

4.00 Road hrs. N. W.

18.00 Morgan's Station about 4 chs. W. of line

19.00 Road hrs. N. E.

21.06 Intersect N. end boundary of Pinia & Mar-

icopa Indian Reservation at 2.22 chs
northerly from large monument in front -
of Morgan's Station. It is a post marked
4 ft. long, 3 in. sqd., 1 ft. in the ground, dark
charred stain & build mound of earth
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft.
wide, for closing cov. to fractional
sec. 3 & 4, from which
Amerquite, 5 in. diam. A. 59° W. 222 hrs. dist
No other trees near.

Land flat. Soil good. Some
timber on S. end.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Ls. North between secs 32 & 33
var. $14^{\circ}30'$ East

40.00 Set apart, marked 4 ft. sq. long, flattened
3 in. wide, 1 ft. in the ground, charred stone
and build around earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
structions, for 1/4 sec. cor. Notes near.

20.00 Set apart, marked & notched, sq. - long,
3 in. sqd. 1 ft. in the ground, charred
stone and build around earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for 1/4 sec.
18.19.32 & 33 from which

Anasquale, 9 in. diameter, S. 47 $^{\circ}$ E. 227 ft. dist.
do. 14° " " N. 63 $^{\circ}$ W. 290 "

No other trees near.

Land level. Soil coarse. Scattering
trees.

February 28, 1876.

Township 3 S. Range 3 E
Gila & Salt River Meridian

Ch. East random line betw. 28 $\frac{1}{2}$ 33
var. 14° 30' East

20.00 Dry stream, 50 ft. wide, bearing N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

54.00 Road bear. S. W.

80.16 Intersect N. 4 S. line 12 les. N. of cor. to sec.
27, 28, 33 & 34, from which cor. I run
N. 89° 55' W.

On true line between sec. 28 $\frac{1}{2}$ 33,

var. 14° 30' East

40.08 Set post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3
in. wide, 1 ft. in the ground, dark charred stave
and build around it earth 2 ft. high, with pit 1 ft.
deep & along 1 ft. wide, as per instructions, for $\frac{1}{4}$
sec. cor. from which

An acquite, 8 in. dia. less S. 59° W. no less dist.
do. 8. - - N. 82° W. 132 a -

80.16 Cor. to sec. 18, 29, 32 & 33

Soil sandy, gravel scattering mes-
quite timber.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Br. North between sec. 28 & 29.
var. 14° 30' East

40.00 Set a post marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, charred stake and built mound of earth 7 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, charred stake and built mound of earth 7 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor to secs. 20, 21, 28 and 29.

No trees near.

Soil sandy, 2^o ratio.
Scattering trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

On East random line betw. sec. 21 & 28.

var. 14°30' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N. & S. line 6 1/2 ft. S. of cor. to sec. 21, 22, 27 & 28, from which cor. form
 $S.89^{\circ}57'N.$

On true line between secs. 21 & 28

var. 14°30' East

39.96 Set post marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, driven chipped
stone and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for
 $\frac{1}{4}$ sec. cor. from which
A mesquite, 20 in. dia. at 64 $\frac{1}{2}$ ft. 169 has. dist.

do. 5 " " . 82 $\frac{3}{4}$ ft. 356 "

79.91 Cont. to secs. 20, 21, 28 & 29.

Land flat. Soil sandy & sterile. Much
alkali on W. end. Scattering mesquite and
brush on E. end.

Poornship 3 S Range 3 E
Gila & Salt River Meridian

Sec. North between sec. 20 & 21.
Var. 111° 30' East.

110.00 Setapost, marked 4 S. 4¹/₂ ft. long, flat
tailed 3 in. wide, stic in the ground, dark
charred stake & build mound of earth 3 ft
high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide
as per instructions, for 1¹/₂ sec. cor. No trees near

80.00 Setapost, marked & notched, 4 ft. long,
3 in. sqd. stic in the ground, dark charred
stake & build mound of earth 3 ft
high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide
as per instructions, for cor. to sec. 16.
17, 20 & 21, from which

mesquite, 4 in. dia. N. 5 1³/₄ W. 191 land dist.

do. 4 " " N. 29° E. 297 "

No other trees near.

Land mostly level.

Soil poor, sandy. A few
trees.

Township 3 S. Range 3 E.
Gila & Salt River Mts.

Pr East boundary line between sec. 16 & 21,
var. 114° 30' East

77.00 Gully, 2.5 km wide, runs N. 77°.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.92 Intersect N. & S. line 11 km S. of cor. to sec.

15. 16 & 21 & 22, from which cor. drawn
S. 89° 55' W.

Outline line between sec. 16 & 21.

var. 114° 30' East

39.96 Set post, marked $\frac{1}{4}$ S. of long, flat-
topped 3 m. wide, open in the ground, dried
charred stalk & build mound after burnt
stems with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec. cor. from which
comes quite, 4 m. distance S. 73° 1' E. 82 km. dist.

do. 4 " " S. 73° 1' E. 92 " "

79.92 Cor. to Secs. 16, 17, 20 & 21.

Land flat. Mesquite timber & brush.

Township 3 S Range 3 E.
Gila & Salt River Meridian.

Ch. North between sec. 16 & 17
var. 14° 30' East.

35.30 Road from Maricopa Wells to Morgan's Station, McDowell, sec. line N.E.

40.00 Set apart, marked with 4 ft. long flattened 3 in. wide
slabs in the ground, dressed stone & built man made earth
3 ft. high, with pits 4 ft. deep & long flared, as per instruc-
tions, for 4 sec. cor. No trees near.

80.00 Set apart, marked & matched, 4 ft. long, 3 in. sq. 4 ft.
slab in the ground, dressed stone & build around
of earth 3 ft. high, with pits 4 ft. deep, 4 ft.
long flared, as per instructions, for cor. to
sec. 8. 9. 16 & 17. from which

Amesquite, 10 in. dia. at 8. 17 N. 333 sec. dist.

do. 8. " A. 80 1/2 N. 515 " "

No other trees near.

Land flat. Soil good. Arable.
Scattering mesquite.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Dist East from random line bds. 9 $\frac{1}{2}$ 16.
var. 114° 30' East

40.00 Set temporary 1 $\frac{1}{4}$ sec. cor.

43.00 Road bds. S. W.

43.00 Road bds. N. E.

45.00 Descend bank bds. N. E.

79.87 Intersect N. E. S. line 11 bds. S. of cor.
to secs. 9, 10, 15 and 16, from which
cor. I run

S. 89° 55' W.

On true line between secs. 9 $\frac{1}{2}$ 16.

var. 114° 30' East

39.94 Set post, marked 1 $\frac{1}{4}$ S. 4 $\frac{1}{2}$ ft long, flattened 3 in.
wide, 1 $\frac{1}{2}$ in. thick, driven into the ground, drove charred stake and
built mound of earth 3 ft. high, with pit 1 $\frac{1}{2}$ deg. deep
at top, outside, a firm structure, for 1 $\frac{1}{4}$ sec. cor.
No trees near.

79.87 Cut to sec. 8, 9, 16 & 17.

Land flat. Soil good. Scattering
trees and brush.

Township 3 S. Range 3 E.
Gila & Salt River Median

Ls. North between sec. 8 $\frac{4}{5}$ & 9
var. 1st 30' East

110.00 Setapost, maceid & whitened, 4 ft long, flattened
3 in. wide, 1 ft in the ground, dis charged
stone & build around earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide as per instruc-
tions, for corner sec. 4. 5. 8 $\frac{4}{5}$ & 9, from which
Scattered, 4 mi. due W. S. 54 $\frac{1}{2}$ E. 167 lac. dist
do 3 " " S. 54 $\frac{1}{2}$ W. 110 " "

80.00 Setapost, maceid & whitened, 1 ft long, 3
in. sqd. 1 ft in the ground, dis charged
stone & build around earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide as per instruc-
tions, for corner sec. 4. 5. 8 $\frac{4}{5}$ & 9, from which
Amarquite, 2 1/2 mi. due W. S. 44 $\frac{1}{2}$ E. 69 lac. dist
No other trees near.

Land level. Soil good.
Some timber and brush.

Township 3 S Range 3 E
Gila & Salt River Meridian

Rs East or random line between 4^q 9^r.
var. 14° 30' East

40.00 Second bank, 10 ft. high, bes. N.W.
40.00 Set temporary 1/4 sec. cor. Cross river and set
80.19 Intersect N. and S. line 16 blks. S. of cor. to sec.
3.4.9 & 10, from which cor. I run
S. 89° 53' W.

Outline line between sec. 4^q 9^r.
var. 14° 30' East

41.70 Right bank of Gila river. Set a post marked
14° 30' long, 3 in sqd. 1 ft in the ground, drive
charred stake and build mound
of earth 2 ft high, with spot on line
E, for cor. to fractional secs 4
and 9. No trees near.

The river runs nearly N. along the line
for some distance. So I cross the river
S. to an offset, as follows: Set
a flag on S. bank of river, S. of this
point; measure offset 100 ft E.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

1. 00 to point whence flag has S. 11° 28' W.
giving distance, 44.90 chs., continue
S. 10 deg. further, and then run N. However,
on this offset, 12 chs., then N. to line or
16.70 Online near river bank. Set a post marked
1 ft long, 3 in sqd. open the ground, drive
charred stake & build mound of earth 3 ft high,
with pit on line N. for cor. to fraction sec. N 99.
No trees near. Continue on line 16.
- 40.09 Set a post marked 1/4 S. 1 ft long, flat-
tined 3 in. wide, open the ground, drive
charred stake & build mound of
earth 3 ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, as per instructions for
1/4 sec. cor. No trees near.
- 80.19 Cor. to Sec. - H. 5 + 8 and 9.
Good bottom land along river.
Brush and some trees.

Township 3 S. Range 3 E
Gila & Salt River Median

Loc. North random line between 4 $\frac{1}{2}$ 5.
var. 114° 30' East
40000 Set boundary line sec. cor.
79.844 Intersect N. boundary 12 lac. E. of cor. to
sec. 4 $\frac{1}{2}$ 5, from which cor. turn
S. 0° 5' E. cut true line between 4 $\frac{1}{2}$ 5.
var. 114° 30' East
39.844 Set a post, marked 1 $\frac{1}{4}$ S. 1 $\frac{1}{2}$ ft.
long, flattened 3 in. wide, 1 ft.
in the ground, dry charred stalk
and build mound of earth 2 ft
high, with pits 1 ft. deep, 2 ft long
1 ft. wide, as per instructions
for 1 $\frac{1}{4}$ section, from which
Scottwood, 10 miles W. S. 66 $\frac{1}{4}$ E. 365 lac. dist.

Loc. 3 - - - N. 11 $\frac{1}{2}$ W. 102 -
41.50 Right bank of Gila river;
flows N. W. Set a post, marked,
4 ft. long, 3 in. sqd. often in the
ground, dry charred stalk

No. 614

BOOK 614

35

Prairie 3 S. Range 8 E.
Gila & Salt River Meander

79.81 and build mound of earth 7 ft
high with 1 pit on line N. for cor.
to fractional sec. 44 1/2.

No trees near.

Set flag on line on S side of river, and
measure off at base 100 chs. E. to point
whence flag br. S. 116° W. which
gives distance across, 4.01 chs., or at
45.51 left bank of river in line. Set a post,
marked, 14 ft long, 3 in. sqd. often
the ground, dust charred stake
and build mound of earth 7 ft
high with 1 pit on line S. for cor to
fractional sec. 44 1/2.

No trees near.

79.84 Cor. to sec. 4. 5. 8 and 9.
Land, river bottom.
Soil good. Some timber.

District 3 S. Range 3 E.
Gila & Salt River Meridian

Sec. North between sec. 31 & 32.

Var. 14° 30' East

40.00 Setapost, marked 4 in. sqd., 1 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for 1/4 sec. cor.
No trees near.

80.00 Setapost, marked 4 notched, 1 ft
long, 3 in. sqd., 1 ft in the ground, drive
charred stake & build mound of
earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for cor to sec 29, 30, 31
and 32. No trees near.

Land level. Soil & rate.
Scattering trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

~~Sec.~~ East

On random line between sec. 29 & 32,

var. 14° 30' East.

40000 Set temporary 1/4 sec. cor. -

80.15 Intersect N. & S. line 8 sec. N. of
cor. to secs. 28, 29, 32 & 33, from
which cor. I run

N. 89° 57' W.

On true line between secs. 29 & 32,

var. 14° 30' East.

40.07 Stake marked 1/4 S. 4 ft. long, flat
tined 3 in. wide, 1 ft. in the ground,
driven charred stake & build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instructions
for 1/4 sec. cor. No trees near.

80.15 Cor. to secs. 29, 30, 31 and 32.
Land flat. Alkal. Brush.
No timber.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Pr. West boundary line sec. 30 & 31.
var. 14° 30' East

- 8.00 Road line N.W. 8. S.E.
 40.00 Set temporary 74 sec. cor.
 49.00 Dry stream, 25 hrs wide, has. N.W.
 82.00 Intersect W. boundary 18 hrs. S. of cor. to
 sec. 30 & 31, from which cor. down
 S. 89° 52' E. until line bet. sec. 30 & 31.
 var. 14° 30' East

42.00 Set a post, marked $\frac{1}{4}$ S. 48 E. long, flat
 topped 3 in. wide, 1 ft. from the ground, drove in chisel
 stake & build mound of earth 6 ft. high, with
 pit 1 ft. deep, 2 ft. long. Stake, as per in-
 structions for 74 sec. cor. from which
 mesquite, 8 in. diameter S. 48 1/4 E. 90 hrs dist.

do. 12 " . . A. 64° E 127 " "

82.00 Cor. to sec. 29, 30, 31 and 32
 Land flat. Considerable alkali.
 Sacaton grass some mesquite on
 middle of line. February 29, 1876.

Township 3 S Range 3 E.
Gila & Salt River Meridian

Sec. North between secs 29 & 30.
var. 14° 30' East.

110.00 Set a post marked 74 S. 4 ft long, flat
tined 3 in. wide, 1 ft in the ground, divide
chained stake & build mound of earth
2 ft high, with pit 1 ft. deep, 2 ft. long,
1 ft wide, as per instructions, for 1/4
sec. No trees near.

80.00 Set a post, marked & notched, 4 ft long
3 in. sqd. 1 ft in the ground, divide
chained stake and build mound of
earth 2 ft high, with pit 1 ft. deep,
2 ft long, 1 ft wide, as per instructions
for cor to secs 19, 20, 29 and 30.
No trees near.

Land flat. Alkali soil.
Sacaton grass. No timber.

Prairie 3 S. Range 3 E.
Gila & Salt River Mts.

Ch. East or random line betw. sec. 20 & 29
var. 14° 30' East

- 40.00 Set temporary 1/4 sec. cor.
63.00 Dry bed of stream, 100 yards, bearing N.W.
80.13 Intersect N. & S. line 10 km. N. of town
secs. 20, 21, 28 & 29, from which cor. down
N. 89° 56' W.

Outline line between secs. 20 & 29.
var. 14° 30' East

- 140.06 Sta post marked 1/4 sec. long, flattened
3 in. wide, 1 ft. in the ground, due north and
stake 3 build mound of earth 2 ft. high, with
pit 1 ft. diam. 2 ft. long, 1 ft. wide, as per in-
structions, for 1/4 sec. cor. from which
Analogous, 4 in. dia. bar S. 48° W. 209 km dist.
do. 6 " " , S. 40° W. 343 " "

- 80.13 Conto Secs. 19, 20, 29 and 30.
Land flat. Much alkali. Sacaton
grass. No timber.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Sec. West

On random line between sec 19 & 30.
var. $114^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

81.90 Intersect W. boundary 15 land of
cont. sec. 19 and 30. from
which con. diame
 $N.89^{\circ}54' E.$

Outline line between sec. 19 & 30.
var. $114^{\circ}30'$ East

41.90 Set a post marked 448.4 ft long, flat
tined 3 in wide, 1 ft in the ground,
dark charred stake and build
runned a fence 7 ft high with posts
1 ft apart, 2 ft long, 1 ft wide, asphalt
structures for $\frac{1}{4}$ sec. cor. Not true new

81.90 Cont. to sec. 19, 20, 29 and 30.
Land level. Soil 2" rate.
No timber.

Parish 3 S Range 3 E.
Gila Salt River Meridian

Lat. North between sec. 19 & 20.

Var. 114° 30' East

40.00 Set a post, marked "U.S. 4 ft long, flat
topd. 3 in wide, 1 ft. in the ground, driven hard
into ground of earth & high with pit
1 ft. deep, 2 ft long, 1 ft wide, as per instructions
for cor. to sec. 17. 18. 19 & 20, from which
Amaragile, 5 mi. dist. N. 70° E. 559 ch. dist.
No trees near.

80.00 Set a post, marked "notched, 4 ft long, 3 in.
sqd. 1 ft in the ground, driven hard into
ground of earth & high with pit
1 ft. deep, 2 ft long, 1 ft wide, as per instructions
for cor. to sec. 17. 18. 19 & 20, from which
Amaragile, 5 mi. dist. N. 70° E. 559 ch. dist.
No other trees near.

The S.W. corner of the highest portion of house,-

Standing in an angle of the remainder of the
buildings, - at Maricopa Well Station, bns.
N. 43 $\frac{3}{4}$ E. 11.86 ch. dist.

Land unoccupied. Soil sandy. Some grass.
No timber.

Township 3 S Range 3 E.
Gila & Salt River Meridian

St. East boundary line between 1st & 2nd sec.
var. 14° 30' East.

32.00 Road lies S.E. and N.W.

40.00 Set temporary 1/4 sec. cor.

79.97 Between N. & S. line 9 lbs. N. of cont. sec.
16.17. 20 & 21. from which cor. I run
N. 89° 56' W.

Int. line between secs. 1st & 2nd
var. 14° 30' East

39.99 Set a post, marked 1/4 S. of long, flattened
3 in. wide, 1 ft. in the ground, due charged stake
and build mound of earth 2 ft. high, with pit 1 ft.
deep, 2 ft. long, 1 ft. wide, as per instructions, for 1/4
sec. cor. from each side

An aquate, 3 in. dia. by 8.18" W. 68 lbs. dist.

do. 3 " " N. 82° W. 126 "

79.97 Cor. to 5 sec. 17, 18, 19 and 20

Hillocks on N. end; level E. a few trees
and brush.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Pr. West Boundary line bet. sec. 18 & 19,
var. 104°30' East

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 50.00 Road bar S.W. 1/4 N. E.
 52.00 Road bar S.W. 1/4 N. E.
 81.86 Dated Wednesday 8 dec. S. of cor. to sec. 18 & 19.
 The post at this cor. was lying on the ground and
 mound nearly obliterated. So I reset the post and
 build mound of earth of high, with pd. $1 \times 2 \times 1$ ft for
 cor. from which
 A mesquite, 6 in. dia. bar 4.65 $\frac{1}{2}$ E. 118 dec. dist
 From which cor. I run
 8.8957° E. entrance line bet. sec. 18 & 19.
 var. 104°30' East.

- 41.86 Set post marked $\frac{1}{4}$ S. of long, flattened 3 in. wide, 1 ft high
 ground, due N. charred stake 3 ft. mound of earth of high, with
 pd. of 1 ft. dia. of long, 1 ft. wide, for $\frac{1}{4}$ sec. cor. No trees near.
 81.86 Cor. to sec. 17. 18. 19 & 20
 Land level. Soil good, but containing alkali grass.
 Scattering trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

L. North between sec. 17 & 18.

sav. 14° 30' East.

5.00 Road has S.W.

40.00 Set a post, marked W.S. off long, flattened 3 in. side, 1 ft. in the ground, discharred steel & build around a post 3 ft. high, with pile of broken & long gravel, as per instructions, for $\frac{1}{4}$ sec. cor. from which Mesquite, 5 inches dia. S. 57° W. 106 land dist.
do. 4 " " S. 23° W. 81 " "

80.00 Set a post, marked & notched, off long. 3 in. sqd. 1 ft. in the ground, discharred steel & build around a post 3 ft. high, with pile of broken & long gravel, as per instructions, for cor. to sec. 7, 8, 17 and 18, from which Mesquite, 4 inches dia. N. 15° W. 38 land dist.
do. 6 " " S. 81 1/4° E 164 " "

do. 3 " " N. 37 1/2° W. 123 " "
Land flat. Soil good. Some grass
Mesquite timber & brush.

Prairie 3 S. Range 3 E.
Gila & Salt Rivers Medium

- | | | |
|-------|---|-------------------------------|
| | Line East boundary between sec. | $8 \frac{3}{4} 1^{\text{st}}$ |
| | | var. 145°30' East. |
| 15.00 | Road bet. S.W. | |
| 40.00 | Set temporary 1/4 sec. cor. | |
| 79.90 | Intersection N. & S. line 15 land. of sec. 6
sec. 8, 9, 16 & 17, from which cor. I run
S. 89°51' W. | |
| | Outline line between sec. | $8 \frac{3}{4} 1^{\text{st}}$ |
| | | var. 145°30' East |
| 39.95 | Set post, marked 145.4 ft long, flattened
in order that it may be seen in the ground. A piece charred stone
and build around a feather of the post with
bits of debris, 2 ft long, otherwise, as far as
structures, for 1/4 sec. cor. from which
Mesquite, gau. dia. bet. S. 46°2' W. 17 land dist.
No other trees near | |
| 79.90 | Cor. to sec. 7. 8. 17 and 18.
Land flat. Soil good. Some grass.
Mesquite trees and brush. | |

Township 3 S. Range 3 E.

Gila & Salt River Meridian

S. N.E.

On random line bet. sec. 7 & 18.
var. $111^{\circ}30'$ East.

40.00 Set temporary 1/4 sec. cor.

81.56 Dated east N. boundary at cor. 6 sec. 7 and
18, from which cor. drawn

EAST

On true line between sec. 7 & 18.
var. $111^{\circ}30'$ East

41.56 Set post marked 7/4 S. 1/4 E. long.
flattened 3 in. wide, flat on the
ground, dry charred state and
built mounds of earth of height
with pits of depth of long. flared
as per instructions, for 1/4 sec. cor.
No trees near

81.56 Cor. to sec. 7, 8, 17 and 18.
Land level. Soil good.
Scattering trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Dir. North between sec. 7 & 8,
var. 114° 30' East

40.00 Set post, marked 74.5, 4 ft long, flattened 3 in.
wide, 1 ft in the ground, dry charred stake and
build mound of earth 3 ft high, with pit 1 ft. deep.
4 ft long, 1 ft wide, as per instruction for Sonoran pruned
Mesquite, 6 in. dia. N. 34 $\frac{1}{4}$ ° E. 203 lads dist.

Do. 4 " " N. 22 $\frac{1}{4}$ ° W. 260 "

72.00 Road loc. N.W.

80.00 Set post, marked & notched, 14 ft. long, 3 in. sq'd,
1 ft in the ground, dry charred stake & build
mound of earth 3 ft high, with pit 1 ft. deep.
4 ft long, 1 ft wide, as per instruction for
cortosceas, 6.6.7 $\frac{1}{2}$.8. from coked
Scotia wood, 15 in. dia. N. 84 $\frac{1}{4}$ ° W. 251 lads dist
Mesquite, 4 " " 8.53° E. 310 "

No other trees near.

Land level. Soil good. Scattering
trees.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

P. East random timber line 5th S.
var. 114°30' East.

40.00 Set temporary tree cor.

79.86 Intersect N. 4 S. line 17 hrs. N. ascents
secrs 4, 6, 8 and 9, from which
condemned
1,895 3' W.

On true line between secrs 5th S.

var. 114°30' East

39.9.3 Stake post marked 4th S. off long, flattened
side, flat on the ground, dark charred stake
and build mound of earth & flings, with pit
16 dia., 7 flings, 1 ft wide, asphalt structure,
for 4 sec cor. from which
mesquite, 5 in. dia. tree, 8.72 1/4 E. 300 heads.
No other trees near.

79.86 Cor. to secs. 5, 6, 7 and 8.
Land level. Soil good. Scattering
trees.

Township 3 S. Range 3 E.
Gila & Salt River Meudian

Sec. 6 East random line lots sec. 6 1/4 N.
var. 14° 30' East.

114.00 Road line N. W.

40.00 Set temporary 1/4 sec. cor.

80.89 Intersect N. boundary 40 lbs. N. of center.
sec. 6 1/4 from which cor. true
N. 89° 41' E.

Outline line between sec. 6 1/4 N.
var. 14° 30' East.

40.89 Sets post, marked 1/4 S. off long, flattened
3 in wide, flat on the ground, drive charred
stake & build mound of earth 3 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide a perim-
eter for 1/4 sec. cor. from which
Amequite, 22 in. dia. 8 1/2' N. 153 lbs. dist.

do 114° 30' S. 66° E 54° .

80.89 Cor. to secs. 5, 6, 7 and 8.

Land flat Soil good. Considerable
mesquite timber and brush.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Post North

Paradise line between sec. 5 & 6.

var. 114°30' East

40.00 Contemporary 1/4 sec. cor.

79.88 Intersect N. boundary 15 hrs. E. of cor. to
secs. 5 & 6 from which cor. turns
S. 0°6' E.

Outline line between sec. 5 & 6.

var. 114°30' East

6.80 Right bank of Gila river, flows N. W.

Set a post, marked, 11 ft. long. Towed by
1 ft. in the ground, due charred
stake and build mound of earth
2 ft. high, with 1 pt. on line N. for
cont. fractional secs. 5 & 6.

No trees near.

Set flag on line on S. bank of river
and measure off base c. 100 hrs.
E. to point whence flag lies.

S. 18°23' W. giving distance across

Township 3 S. Range 3 E.
Gila & Salt River Meridian

Dis. river 3.01 chs. or at

981 South bank of river. Set a post, marked, 11 ft long, 3 in. sqd. 1/4 in
in the ground, dirt charred stake
and build mound of earth 2 ft high
with pit on line S. for cor. to fractional
secs. 5 and 6. No trees near.

39.88 Set a post, marked 1/4 S. 11 ft long,
flattened 3 in. wide, 1/4 in. the ground,
dirt charred stake and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for 1/4 sec. cor. from which
Mesquit, 10 in. dia., 8.67° E. 134 lbs. dist.
to 6 " " N. 117° E. 196 " "

79.88 Cor. to secs. 5, 6, 7 and 8.

Land flat. Soil good.

Mesquit timber and brush

March 1. 1876.

Township 3 S. Range 3 E.
Gila & Salt River Meridian

his General Description.

This township lies to the S. of, and along the W. end of the Pima and Maricopa Indian Reservation. The Gila river runs through the northern portion of the township. Along the river is good bottom land. The flat in the western portion is covered with sacaton grass. Here the soil is good, but contains much alkali.

There is considerable scattered mesquite throughout the township.

Theodore F. White,
U.S. Deputy Surveyor.

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision

Lines of Township 3 S.
Range 3 E^g. of the Gila
Salt River Meridian
Arizona.

Showing the respective capacities in which they
acted.

Urban Bassard - Chainman.

R. A. Vasquez - Chainman,

Fred C. Jones - Axeman.

Wright H. Aubury - Flagman.

55 BOOK 614
P13 2008

Final Oath of Assistants.

We hereby certify that we assisted Theodore F. White, U. S. Deputy Surveyor, in surveying the Subdivision lines of Township 3 S. Range 3 E., of the Gila & Salt River Mountain, Arizona.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Urbain Beward Chainman.

R. A. Vargas Chainman,

Theod. C. Jones Axeman.

Wright H. Aubrey Flagman.

Sworn to and subscribed before me, this 18
day of March, 1876

William J. O'Brien
Notary Public

Final Oath of Deputy Surveyor.

I, Theodore F. White,

U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bearing

date the Sixth day of December

1875. I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-General,
the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the Subdivision lines of Town-
ships, 3d S. Range 9 E^g of
the Gila & Salt River Me-
ridian, Arizona.

as are repre-
sented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 15
day of March, 1876

William J. Osham
Notary Public

58
BOOK 614

U. S. Surveyor General's Office,

TUCSON ARIZONA, September 17, 1876.

The foregoing Field Notes of the Survey of the

Subdivision lines of
Township 3 South
Range 3 East.

of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Theodore F. White,

Deputy Surveyor, under his contract of the sixth
day of December, 1875, having been
critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Nassau
Surveyor General.