

No. 623

BOOK 623

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 4 S. Range 8 E.

Gila and Salt River Base and Meridian

623

ARIZONA.

By Theodore F. White, D. S.

under contract dated Dec. 6, 1875.

Survey commenced Jan. 24, 1876.

Survey completed Jan. 31, 1876.

No. 623

1A

BOOK 623

Township 4, South R. 8 East

Gila and Salt River Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

13

Preliminary Oaths of Assistants.

We, Urban Bessard
 and R. A. Vasquez
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Urban Bessard
R. A. Vasquez

Sworn to and subscribed before me, this 7
 day of January, 1876

William J. Gibson
Notary Public



We, Fred. C. Jones and
Wright H. Aubury
do solemnly swear that we will well and truly per-
form the duties of Aceman and
Flagman, respectively
according to instructions given us, and to the best
of our skill and ability.

Fred. C. Jones
Wright H. Aubury

Sworn to and subscribed before me this 7
day of January, 1876

William H. Brown
Notary Public



No. 623

BOOK 623

10

Township 4 S. Range 8 E.
Gila & Salt River Meridian

January 24. 1876.

Res. Beginning on S. boundary, at the cor. to sec. 35 & 36. from

North between sec. 35 & 36.

var. $14^{\circ} 35'$ East

As per Bart's improved & solar compass:

40.00 Set a post, ^{marked 44 ft.} 14 ft long flattened 3 in. wide 1 ft in
the ground, drive charred stake and build
mound of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per instructions
for 14 sec. cor. No trees near.

80.00 Set a post, 14 ft long, 3 in sq'd. marked and
notched, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to sec. 25, 26,
35 & 36. from which

Armesquite, 3 in dia. bus. West, 18 lvs. dist.

do. 5 " " " N. $57\frac{1}{4}^{\circ}$ W. 145 " "

do. 4 " " " N. $71\frac{1}{2}^{\circ}$ E. 110 " "

do. 3 " " " S. 39° E. 92 " "

Land descends a little S. W. Soil 3rd rate. A few trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian
No. East

Our random line between sec. 25 & 36.
var. $14^{\circ}35'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.10 Intersect E. boundary 40.00 S. of cor.
to sec. 25 & 36, from which cor. True
 $S. 89^{\circ}43' W.$

On true line between sec. 25 & 36.
var. $14^{\circ}35'$ East.

39.55 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drill charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.10 Cor. to sec. 25, 26, 35 and 36.
Land flat
Soil 2^d rate.

Scattering trees & brush.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. North between sec. 25 & 26.

var. 14° 35' East.

40.00 Set a post, marked 74 S. 4 ft long, flat-topped 3 in wide, 4 ft in the ground, drive charred stake & build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. from which
Amesquite, 6 in dia. br. N. 30 1/4° E. 85 lbs. dist.

do. 7 " " " S. 5° N. 101 " "

80.00 Set a post, 4 ft long 3 in. sqd. marked and notched, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to sec. 23, 24, 25 & 26.
from which

Amesquite, 5 in dia. br. S. 52 3/4° N. 263 lbs. dist.

do. 3 " " " S. 14 1/2° E. 249 " "

No other trees near. Land flat.
Soil 2nd rate. Scattering trees & brush.

Township 4 S. Range 8 East
Gila Salt River Meridian

No. EAST.

On random line between sec. 24 & 25.
var. $14^{\circ}35'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.90 Intersect E. boundary 50 lks. S. of cor.
to sec. 24 & 25 from which cor. Run
 $889^{\circ}39'$ W.

On true line between sec. 24 & 25.
var. $14^{\circ}35'$ East

39.45 Set a post, marked $\frac{1}{4}$ S. of fl. long. flat
lined 3 in. wide, 1 ft in the ground, drive
charred stake & build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
1 ft wide, as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

78.90 Cor. to sec. 23, 24, 25 & 26.
Land mostly flat.
Soil 2nd rate. Some brush.

Township 4 S. Range 8 E.
 Gila Salt River Meridian

Ch. North between sec. 23 & 24.
 var. $14^{\circ}35'$ East

40.00 Set a post, marked 44 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake
 and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions
 for 1/4 sec. cor. No trees near.

80.00 Set a post, marked and notched,
 4 ft long, 3 in. sqd. 1 ft in the
 ground, drive charred stake
 and build mound of earth
 1 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions
 for cor. to sec. 13, 14, 23 and
 24. No trees near.
 Land rising a little N.
 Some brush. No timber.

Township 4 S. R. 7 E.
 6th Salt River Meridian
 S. East

On random line between secs 13 & 14 N.

var. $114^{\circ}35'$ East

140.00 Set temporary $\frac{1}{4}$ sec. cor.

75.80 Intersect E. boundary 57 lvs. S. of
 cor. to sec. 13 & 14 N. from which cor. run
 $S. 89^{\circ}36' N.$

On true line between secs. 13 & 14 N.

var. $114^{\circ}35'$ East

39.40 Set a post, marked "4 S. 4 ft long. flat-
 tened 3 in. wide, 1 ft in the ground,
 drive charred stake & build mound
 of earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per
 instructions, for $\frac{1}{4}$ sec. cor. from which
 A Mesquite, 7 in. dia. lvs. S. $35^{\circ} E.$ 290 lvs. dist

do. 6 " " " S. $39\frac{1}{2}^{\circ} E.$ 365 " "

75.80 Cor. to secs. 13, 14, 23 and 24 N.

Soil 2nd & 3rd rate. Some brush,
 a few trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

hs. North between secs. 13 & 14.
var. 14° 35' East

- 11.00 Foot of rocky ridge, bet. E. and W.
- 17.00 Top of the same.
- 24.00 Leave N. base of Ridge.
- 40.00 Set a post, 4 ft. long, flattened 3 in. wide, marked
N.S. 1 ft. in the ground, drive charred stake &
build mound of earth 2 ft. high with pit 1 ft.
deep, 2 ft. long, 1 ft. wide, as per instructions for
1/4 sec. cor. from which
A Mesquite 4 in. dia. bet. S. 9° N. 201 lbs. dist.
No other trees near.
- 80.00 Set a post, marked & notched, 4 ft. long, 3 in. sq. 1 ft.
in the ground, drive charred stake & build mound
of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions, for cor. to secs. 11,
12, 13 and 14, from which
A mesquite 4 in. dia. bet. S. 9° N. 56 lbs. dist.
No other trees near.
Land, passes over rocky ridge. Soil poor.
November.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. East.

On random line between sec. 12 & 13.

var. $14^{\circ}35'$ East,

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.95 Intersect E. boundary 39 $\frac{1}{2}$ ls. S. of cor. to sec.
12 & 13, from wheel cor. Run
S. $89^{\circ}43'$ N.

On true line between sec. 12 & 13.

var. $14^{\circ}35'$ East.

39.48 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

78.95 Cor. to Secs. 11, 12, 13 and 14.
Land mostly flat. Soil poor. Some
brush. No timber.

Township 4 S. Range 8 E.
 6th Salt River Meridian

Sec. North between sec. 11 & 12.
 var. 140° 35' East

40.00 Set a post, marked 1/4 S. 4 ft. long,
 flattened 3 in. wide, 1 ft. in the ground,
 drive charred stake and build
 mound of earth 2 ft. high with pits
 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
 structions, for 1/4 sec. cor.
 No trees near.

50.00 Set a post, marked & notched, 4 ft.
 long, 3 in. sq. d., 1 ft. in the ground,
 drive charred stake & build mound
 of earth 2 ft. high, with pits 1 ft.
 deep, 2 ft. long, 1 ft. wide, as per
 instructions, for cor. to secs.
 1, 2, 11 and 12.
 No trees near.

Land mostly flat. Soil poor
 Some brush. No timber.

Township 4 S. Range 8 E.
Gila & Salt River Meridian
Ln. East

On random line between secs. 1 & 12.
var. $14^{\circ}35'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.20 Intersect E. boundary 30 lbs. N. of
cor. to secs. 1 & 12, from which cor. Run
 $N. 89^{\circ}44' W.$

On true line between secs. 1 & 12.
var. $14^{\circ}35'$ East

39.60 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
duri charred stake and build
mound of earth 2 ft. high, with pit
1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.20 Cor. to secs. 1, 2, 11 & 12.

Land ascends a little E. Branch
Soil poor. No timber.

January 25, 1876

Township 4 S. Range 8 E.
Gila & Salt River Meridian

No. North

Curandom line between secs. 1 & 2.
var. $14^{\circ}35'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

49.35 Intersect N. boundary 55 lbs E.
from sec. 1 & 2. from which cor. down
S. $0^{\circ}24'$ E.

Outline line between secs. 1 & 2.
var. $14^{\circ}35'$ East.

39.35 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.35 Cor to secs. 1, 2, 11 and 12.
Land ascends slightly N. Salt River.
Brush. No timber.

Township 4 S. Range 8 E.
 Gila Salt River Meridian

Sec. North between sec. 34 & 35.
 var. 14° 35' East.

40.00 Set a post, marked 4 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake & build
 mound of earth 2 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions, for 1/4 sec.
 cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in.
 sqd. 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
 structions, for cor. to sec. 26, 27, 34 and
 35, from which

Amesquite, 5 in. dia. (w. S. 38° E. 260 l. dist.)

do. 7 " " " S. 27 1/4° E. 244 " "

do. 5 " " " S. 12° N. 177 " "

do. 3 " " " N. 9 1/4° N. 63 " "

Land ascending N. Soil 2 rate.

Scattering tree.

Township 4 S. Range 8 E.
Tela & Salt River Meridian

No. East

On random line between secs. 26 & 35.
var. $114^{\circ} 35'$ East

40.00 Set temporary 1/4 sec. cor.
43.00 Dry stream 25 hrs. mile, runs S. E.
56.00 Road crs. N. W.

79.84 Date west N. 28. line 8 hrs. N. of cor. to Secs.
25. 26. 35 36. from which cor. run
N. $89^{\circ} 50'$ W.

On true line between secs. 26 & 35.
var. $114^{\circ} 35'$ East.

39.92 Set post, marked 4 S. 4 ft. long, flattened 3
in wide, 1 ft. in the ground, drive charred stake
and build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions
for 1/4 sec. cor. from which

A mesquite, 4 in dia crs. N. 34° E. 90 hrs. dist
do. 4 " " " S. $15\frac{1}{2}^{\circ}$ E. 75 " "

79.84 Cor. to secs. 26. 27. 34 and 35.

Land uneven. Soil 2 rate. Scattering trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Ln. North between sec. 26 & 27
var. $14^{\circ} 35'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. $1\frac{1}{2}$ ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a post, marked and notched, $1\frac{1}{2}$
ft. long, 3 in. sqd., 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instruc-
tions for cor. to sec. 22, 23,
26, and 27.

No trees near.
Land uneven. Soil poor. Brush
Scattering trees.

Township 4 S. Range 8 E.

6thth Salt River Meridian

1/2 Sec. East on random line bet. sec. 23 & 26.
var. $114^{\circ}35'$ East.

38.00 Road to Phoenix, from Sanford, bet. N. W.

40.00 Set temporary 1/4 sec. cor.

49.89 Intersect N. and S. line 5 lks. S. of cor.
to sec. 23, 24, 25 and 26. from
which cor. Draw
 $S. 89^{\circ}58' N.$

On true line between sec. 23 & 26.

var. $111^{\circ}35'$ East.

39.95 Set a post, marked 1/4 S. 1/4 E. long. flat
lined 3 in. wide, 1 ft. in the ground, driven charred
stave & build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions, for 1/4 sec. cor. from which
Amesquite, 7 in. dia bet. N. $55^{\circ}12' E.$ 239 lks. dist.

do. 8 " " " N. $81^{\circ}4' N.$ 214 " "

49.89 Cor. to sec. 22, 23, 26, and 27.

Land flat. Soil 3 mile. Scattering trees.

16
Township 4 S. Range 8 E.
Gila Salt River Meridian

- 40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ fl. long.
var. $114^{\circ}35'$ East
flattened 3 in wide, 1 ft in the ground,
drive charred stake and build mound
around it 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tion, for $\frac{1}{4}$ sec. cor. No trees near.
- 50.00 Set a post, marked $\frac{1}{4}$ notched, $\frac{1}{4}$ fl.
long, 3 in. sq. 1 ft in the ground, and
build mound of stones 2 ft high
as per instructions for cor. to sec.
14, 15, 22 and 23. From which
- | | | | | | | | | |
|-----|---|---|---|---|-----------------------|----|---|---|
| do. | 3 | " | " | " | N. 64° W. | 61 | " | " |
| do. | 5 | " | " | " | N. $82^{\circ}34'$ E. | 41 | " | " |
| do. | 5 | " | " | " | S. 5° E. | 22 | " | " |
| do. | 6 | " | " | " | N. 65° W. | 45 | " | " |
- Land uneven, passes over ridge on N.
Scattering Pale Verde trees & brush.

Township 4 S. Range 8 E.
 Gila & Salt River Meridian

Sec. East

On random line between sec. 14 & 23.
 var. $14^{\circ}35'$ East.

36.00 Road runs N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S. line 13 lks. S. of cor. to
 sec. 13, 14, 23 and 24, from which
 cor. drawn
 $889.54'$ N.

On true line between sec. 14 & 23.

var. $14^{\circ}35'$ East.

39.98 Set a post, marked 4 S. 4 E. long, flat-
 tened 3 in. wide, 4 ft. in the ground. Drive
 charred stake & build mound of earth
 2 ft. high, with pits 1 ft. deep, 2 ft.
 long, 1 ft. wide, as for instanc-
 tion's, for $\frac{1}{4}$ sec. cor. No trees near.

79.96 Cor. to sec. 14, 15, 22 and 23.

Sand descends hill on N. end. Soil poor.

November.

Township H. S. Range 8 E.
Gila Salt River Meridian

Chs. North between sec. 14 & 15.
var. $14^{\circ} 35'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long,
flattened 3 in. wide, $\frac{1}{2}$ ft in the ground,
drum charred stake & build mound
of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked & notched, $\frac{1}{4}$
ft long, 3 in. sq. d. $\frac{1}{2}$ ft in the ground,
drum charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to Secs.
10, 11, 14 and 15.

No trees near.

Land uneven, then flat Soil
poor. No timber.

Township 4 S. Range 8 E.
T14³ Salt River Meridian
T. 10 S.

Curandm line between sees. 11 & 14.
var. 14° 35' East.

24.00 Road hrs. N. W.

40.00 Set temporary 1/4 sec. cor.

50.11 Intersect N. and S. line 9 hrs. S.
of cor. to sees. 11, 12, 13 and 14.
from which cor. Drum
S. 89° 56' W.

On true line between sees. 11 & 14.
var. 14° 35' East

40.06 Set a post, 14 ft long, flattened 3 in.
wide, marked 1/4 S. 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec. cor.
No trees near.

50.11 Cor. to sees. 10, 11, 14 and 15.

Land flat. Soil poor. No timber.

Township 4 S. Range 8 E.
Tela² Salt River Meridian

hs. North between sec. 10 & 11.
var. $14^{\circ}35'$ East

40.00 Set a post, marked 4×8 ft
long, flattened 3 in. wide, 1 ft in
the ground, drive charred stake
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as for instruction
for 4×8 sec. cor. No trees near.

80.00 Set a post, 4 ft long, 3 in. sq'd,
marked and notched, 1 ft in the
ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as for instruc-
tions, for cor. to sec. 2, 3, 10
and 11. No trees near.
Land flat. Soil poor.
No timber.

Township 4 S. Range 8 E.
 Tola³ Salt River Herdman
 Co. East

On random line between sec. 2 & 11.
 var. $14^{\circ} 35'$ East.

9.00 Road hrs. N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect N. & S. line 9 hrs. S. of cor.
 to sec. 1, 2, 11 and 12, from which

cor. I run
 $S. 89^{\circ} 56' W.$

On true line between sec. 2 & 11.
 var. $14^{\circ} 35'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
 flattened 3 in. wide, 1 ft. in the ground,
 driven charred stake and build
 mound of earth 2 ft. high, with pit
 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
 structions for $\frac{1}{4}$ sec. cor. No trees near.

79.95 Cor. to Secs. 2, 3, 10 and 11.

Land flat. Soil poor. No timber.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. North

On random line between secs. 2 & 3.
var. $14^{\circ}35'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.51 Intersect N. boundary 45 lbs. E. of
cor. to secs. 2 & 3. from which cor. Run
S. $0^{\circ}19'$ E.

On true line between secs. 2 & 3.
var. $14^{\circ}35'$ East

39.51 Set a post, marked $\frac{1}{4}$ S. 4 ft. long
flattened 3 in wide, 1 ft. in the
ground, driven charred stake
and build mound of earth
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.51 Cor. to secs. 2, 3, 10 and 11.
Land flat. Soil 3rd rate. Brush
No timber.

January 26, 1876.

Township 4 S. Range 8 E.
Gila Salt River Meridian

hs. North between sec. 33 & 34
var. 14° 35' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground, drive
charred stake $\frac{1}{2}$ build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor. from which

Annesquite, 6 in. dia. has. S. 88° E. 184 lbs. dist

A Pale Verde, 7 " " " S. 12° E. 349 " "

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. 1
ft in the ground, drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for cor. to sec. 27, 28,
33 and 34, from which

A Pale Verde, 4 in. dia. has. N. 43° 4' E. 40 lbs. dist

do. 3 " " " North 6 " "

do. 5 " " " S. 14° N. 80 " "

do. 4 " " " S. 70° N. 76 " "

Land ascending toward E. Soil 2° rate.

Scattered trees & brush.

Township 4 S. Range 8 E.
Gila & Salt River Meridian
T. East

On random line between sec. 27 & 34
var. $14^{\circ}35'$ East.

- 4.00 Dry stream, 40 lbs. wide, flows S. W.
33.00 Dry stream, 50 " " " S. W.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.07 Set west N. & S. line 10 lbs. N. of cor. to
secs. 26, 27, 34 and 35, from which cor.
Drawn
N. $89^{\circ}56'$ W.

On true line between sec. 27 & 34
var. $14^{\circ}35'$ East.

- 40.03 Set a post, marked $\frac{1}{4}$ S. 14 ft. long, flattened 3
in. wide, 1 ft. in the ground, drive charred stakes
and build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
A Pale Verde, 8 in. dia., has S. 36° E. 175' land dist.
do. " 6 " " " N. $21\frac{1}{2}^{\circ}$ E. 126 " "
80.07 Cor. to Secs. 27, 28, 33 and 34
Land ascending S. The line passes N. of end
of ridge, extending N. and S. Soil 3rd rate. Scatter
trees.

Township H. S. Range 8 E.
 Gila & Salt River Meridian

Co. North between sec. 27 & 28.
 var. $114^{\circ} 35'$ East.

110.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ flong, flat-
 tened 3 in. wide, 1 ft. in the ground,
 driven charred stake and build mound
 of earth 2 ft. high, with pits 1 ft. deep, 2 ft.
 long, 1 ft. wide, as per instructions for $\frac{1}{4}$
 sec. cor. No trees near.

80.00 Set a post, marked and notched,
 $\frac{1}{4}$ flong, 3 in. sq. d. 1 ft. in the ground,
 driven charred stake and build mound
 of earth 2 ft. high, with pits 1 ft. deep, 2
 ft. long, 1 ft. wide, as per instructions for cor-
 to sec. 21, 22, 27 and 28. from which

of Pale Verde, 4 in. dia. bas. S. 48° E. 30	lev. dist.
do. 3 " " " S. 55° N. 49	" "
do. 4 " " " N. $39\frac{1}{2}^{\circ}$ E. 65	" "
do. 3 " " " N. $86\frac{1}{2}^{\circ}$ N. 60	" "

Land flat Soil 3rd rate

Scattered Pale Verde trees & brush

Township 4 S. Range 8 E.
 7th Salt River Meridian

Chs. Elk. or random line bet. sec. 22 & 27
 var. $14^{\circ} 35'$ East.

13.00 Dry stream, 50 lbs. wide, runs S.W.

40.00 Set temporary 1/4 sec. cor.

69.00 Dry stream, 40 lbs. wide, runs S.E.

80.08 Intersect N. and S. line 13 lbs. S. of cor. to
 sec. 22, 23, 26, & 27, from which bearing
 $S. 89^{\circ} 54' N.$

Outline line between sec. 22 & 27
 var. $14^{\circ} 35'$ East.

40.04 Set a post marked 1/4 S. 4 ft. long,
 flattened 3 in. wide, 1 ft. in the ground
 and built mound of stones 2 ft.
 high, as per instructions for 1/4 sec.
 cor. from which

A Pale Verde, 3 in. dia. br. N. $23\frac{1}{2}^{\circ} N.$ 99 lbs. dist.

do. 4 " " " N. $40^{\circ} E.$ 140 " "

80.08 Cor. to Secs. 21, 22, 24 and 28.

A solitary round hill, stands N. of the center of this line.

Soil 3rd rate. No timber.

Township 4 S. Range 8 E.
 T14 Salt River Meridian

to North between secs. 21 & 22.
 var. $14^{\circ}35'$ East.

40.00 Set a post, marked "4 S. 4 flong,
 flattened 3 in. wide, 1 ft in the ground,
 drive charred stake & build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for the sec. cor. Notice near.

50.00 Set a post, marked "3 notched, 4 flong,
 3 in. sq. id. 1 ft. in the ground, drive charred
 stake and build mound of stones 2
 ft high, as per instructions, for
 cor. to secs. 15, 16, 21 and 22.

from which

A Pale Verde, 3 in. dia. hrs. N. 44° E. 68 hrs. dist.

do. 4 " " " N. $9\frac{1}{2}^{\circ}$ W. 94 " "

do. 6 " " " N. 60° W. 89 " "

do. 4 " " " S. $7\frac{1}{2}^{\circ}$ E. 149 " "

Land uneven. Soil poor. Scattered
 Pale Verde trees and brush.

Township H. S. Range 8 E.
Gila & Salt River Meridian

Ch. East on random line between sec. 15⁹ 17.

Var. 14° 35' East

4.00 In stream, 40 lbs. wide, runs S. W.

40.00 Set temporary 1/4 sec. cor.

79.83 Intersect. N. & S. line 11 lbs. S. of cor. to
secs. 14. 15. 21. & 22. from which cor. Draw.
S 89° 55' W.

Continue line between sec. 15⁹ 22.

Var. 14° 35' East.

39.97 Set a post, marked 1/4 S. 4 ft. long, flattened
3 in wide, 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instruction, for 1/4 sec. cor. from which
A pale Verde, 6 in dia. cor. N. 30° W. 41 lbs. dist.
do. 5 " " S. 88 1/2° W. 89 " "

79.83 Cor. to secs. 15. 16. 21 and 22.

Land uneven, soil poor. No timber
of consequence.

Township 4 S. Range 8 E.
Sila S. Salt River Meridian

Sec. North between secs. 15 & 16.
var. 14° 35' East.

40.00 Set a post, marked 1/4 S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per instructions
for 1/4 sec. cor. No trees near.

80.00 Set a post, marked 3/4 notched, 4 ft. long,
3 in. sq. d. 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for cor. to Secs. 9, 10, 15 & 16. from which

- A pale verde, 3 in. dia. bearing S. 44° N. 34 lns. dist
- do. 4 " " " S. 46 1/2° E. 35 " "
- do. 4 " " " North. 77 " "
- do. 3 " " " N. 44° N. 90 " "

Land uneven. Soil poor.
No timber of consequence.

Township 4 S. Range 8 E.
Gila Co., Salt River Meridian

10.00 East on random line between secs. 10 & 15
var. $14^{\circ}35'$ East

26.00 Dry stream, 50 lbs. wide, runs S.W.

35.00 do. 40 " " " S.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.88 Intersect N. & S. line 20 lbs. S. of cor. to
secs. 10, 11, 14 & 15. from which cor. True
S. $89^{\circ}51'$ W.

On true line between secs. 10 & 15
var. $14^{\circ}35'$ E.

39.94 Set a post, 4 ft. long, flattened 3 in. wide
marked $\frac{1}{4}$ S, 1 ft. in the ground, drive
charred stake & build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which
Apalefeira, 12 in. dia. lbs. N. 9° W. 31 lbs. dist.

do. 10 " " " S. $58\frac{1}{2}^{\circ}$ E. 121 " "

79.88 Cor. to secs. 9, 10, 15 & 16.

Land uneven. Soil poor. a few
scattering trees.

No. 623

BOOK

3131
623

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Chs. North between secs. 9 & 10

var. $14^{\circ}35'$ East

40.00 Set a post, marked $1/4$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $1/4$ sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to sec. 3. 1/4. and 10. from which

a Pale Verde, 7 in. dia. br. S. $15\frac{1}{2}^{\circ}$ N. 276 lbs. dist

No. 7 " " S. $8\frac{1}{2}^{\circ}$ E. 351 "

No other trees near.

Land uncrum. Soil poor. A few trees

Township 4 S. Range 8 E.
Gila Salt River Meridian
S. East

On random line between sec. 3 & 10.

var. $14^{\circ}35'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.10 Intersect N. and S. line 15 lks. S. of cor.
to sec. 2, 3, 10 & 11. from which cor. line
S. $89^{\circ}54'$ W.

On true line between sec. 3 & 10.

var. $14^{\circ}35'$ East

40.05 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ P. long,
flattened 3 in. wide, 1 ft in the ground,
and charred stake & build mound
of earth 2 ft high, with pile 4 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near

80.10 Cor. to Secs. 3, 4, 9 and 10.

Land flat Soil 2nd rate.

Brush. No trees.

Township 4 S. Range 8 E.
Gila Salt River Meridian
Ch. North

On random line between sec. 3 & 4
var. $14^{\circ}35'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.42 Intersect N. boundary 30 ft. E.
of cor. to Secs. 3 & 4, from which cor. run
S. $0^{\circ}13'$ E.

On true line between sec. 3 & 4
var. $14^{\circ}35'$ East.

39.42 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground. Drive charred stake
and build mound of earth
2 ft. high, with pit 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instructions,
for $\frac{1}{4}$ sec. cor. No trees near.

79.42 Cor. to Secs. 3, 4, 9 and 10.

Land flat Soil 2nd rate.

No timber

January 27, 1896.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Line North between sec. 32 & 33

400 r; $14^{\circ}35'$ East.

- 12.53 Bank of Gila River, ^{and main} N. Branch, hrs. N.W. Set a post, marked, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake & build mound of earth 2 ft. high, taken from pit on line south, for cor. to fractional sec. 32 & 33. No trees near. I took measure off a base 100 lbs. N. to a point from which a flag previously placed on line of survey, on opposite bank of river, hrs. N. $16^{\circ}20'$ E, measuring distance across stream 3.41 chs. and at
- 15.94 Right bank of stream. Set a post, marked, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with 2 ft. on line S. and N. for cor. to frac. sec. 32 & 33. No trees near.
- St. 36 Swampy place.
- 27.33 Acacia hrs. N.W.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake & build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Set a post, marked & notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to sec. 28, 29, 32 and 33, from which at
- | | | | | |
|-------------|-------------|-------------------------------------|----------|------|
| A mesquite, | 13 in. dia. | hrs. S. $75^{\circ} \frac{1}{2}$ N. | 153 lbs. | dist |
| do. | 6 " " | " N. $76^{\circ} \frac{1}{4}$ N. | 214 " " | " " |
| do. | 11 " " | " N. 45° N. | 210 " " | " " |
| do. | 6 " " | " N. 48° E. | 135 " " | " " |
- Good soil along river bottom.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

40.01 East on random line bet sec. 28 & 33.
var. $14^{\circ}35'$ East.

40.01 Set temporary $\frac{1}{4}$ sec. cor.
80.12 Intersect N. & S. line 1766 S. of cor. to sec.
27.28.33 & 34, from which cor. true
S. $89^{\circ}53'$ N.

On true line between sec. 28 & 33
var. $14^{\circ}35'$ East.

40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground
drive charred stake & build mound
of earth 2 ft high, with pits 1 ft deep
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. from which
A pale verde, 6 in. dia. cor. S. $66^{\circ}\frac{3}{4}'$ E. 196 lbs. dist.
do. 5 " " N. 59° N. 98 " "

80.12 Cor. to Secs. 28.29.32 & 33.
Land unrun. Soil & rate.
Scattering trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Line North between secs 28 & 29
var. $114^{\circ}35'$ East

17.00 Dry bed of stream, 50 lbs. wide, brs. S. N.

40.00 Stake post, marked by S. 1 ft long, flattened 3 in.
wide, 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per instructions for
1/4 sec. cor. from which
A Pale Verde, 5 in. dia. brs. N. $56^{\circ}1/2'$ W. 89 lbs. dist
do. 5 " " " S. 50° W. 184 " "

46.00 Dry stream, 40 lbs. wide, brs. S. N.

80.00 Stake post, marked & notched, 1 ft long, 3 in. sq. d.
1 ft in the ground, drive charred stake & build
mound of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions for cor. to
secs. 20, 21, 28 & 29. from which
A Pale Verde, 7 in. dia. brs. N. $7^{\circ}1/4'$ E. 125 lbs. dist
do 6 " " " S. 53° E. 72 " "
do 5 " " " S. 40° W. 228 " "

A Mesquite, 6 " " " S. $6^{\circ}1/2'$ E. 21 " "
Land covered soil poor. Scattering trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

73.00 On random line bet sec. 21 & 28.

var. $114^{\circ}35'$ East.

73.00 Dry bed of stream, 40 lbs wide, Cor. S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 14 lbs. N. of
cor. to secs. 21, 22, 27 and 28. from
which cor. from

N. $89^{\circ}34'$ N.

On true line between secs. 21 & 28.

var. $114^{\circ}35'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 14 ft long, flat-
tired 3 in. wide, 1 ft in the ground, drive
charred stake & build mound of earth
2 ft high with pile 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which
A. pale verde, 4 in. dia. Cor. S. 70° E. 104 lbs dist.

do. 6 " " " N. $50\frac{1}{2}^{\circ}$ N. 94 " "

79.90 Cor. to secs. 20, 21, 28 & 29.

Land uneven. Soil poor. Scattering trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

- Line North between sees 20 & 21.
var. $14^{\circ}35'$ East.
- 17.00 Dry stream, 40 lbs. wide, brs. S. W.
- 35.00 Top of knoll and descend.
- 40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened
3 in. wide, 1 ft in the ground, and build mound
of stones 2 ft high, for $\frac{1}{4}$ sec. cor. from which
A pale verde, 3 in. dia. brs. N. $48\frac{1}{2}^{\circ}$ W. 70 lbs. dist.
do. 4 " " " S. 49° W. 44 " "
- 60.00 Dry stream, 50 lbs wide, brs. N. W.
- 65.00 do. 100 " " " N. W.
- 80.00 Set a post, marked $\frac{3}{4}$ notched, $\frac{1}{4}$ ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive a shared
stake $\frac{3}{4}$ build mound of earth 2 ft high, with pile
 $\frac{1}{4}$ ft deep, $\frac{1}{2}$ ft long, 1 ft wide, as for structures
for cor. to sees. 16, 17, 20 & 21, from which
A Pale Tierra, 12 in. dia. brs. N. $3\frac{1}{2}^{\circ}$ W. 69 lbs. dist.
A mesquite, 3 " " " N. $34\frac{1}{2}^{\circ}$ W. 156 " "
A Pale Verde, 6 " " " S. 51° E. 135 " "
do. 3 " " " S. $22\frac{1}{2}^{\circ}$ E. 216 " "
- Land uneven. Soil poor. Some trees & brush.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. East on random line bet. secs. 16 & 21.

var. $14^{\circ}35'$ East.

3.00 Dry bed of stream, 40 ft wide, low S.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N. & S. line of Sec. S. of cor. to
secs. 15, 16, 21 & 22, from which continue
S. $89^{\circ}57'N$.

On true line between secs. 16 & 21.

var. $14^{\circ}35'$ East.

40.06 Set a post, marked $\frac{1}{4}$ S. of blong,
flattened 3 in. wide, 1 ft in the ground,
and built mound of stones 2 ft
high, as per instructions, for $\frac{1}{4}$
sec. cor. from which
a Pale verde, 6 in. diam., N. $9^{\circ}41'N$, 86 and dist.
do. 6 " " " S. $55^{\circ}E$, 51 " "

80.13 Cor. to Secs. 16, 17, 20 & 21.

Land uneven. Soil poor.

Some trees & brush.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

- Sec. North between secs. 16 & 17
var. $114^{\circ}35'$ East
- 40.00 Set a post, 4 ft long, flattened 3 in wide,
1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with
fibs 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for 14 sec. cor. No trees near.
- 80.00 Set a post, marked & notched, 4 ft long,
3 in sqd, 1 ft in the ground, drive
charred stake & build mound of earth
2 ft high, with fibs 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for cor. to Secs
8, 9, 16, and 17, from which
- Amesquite, 5 in. dia. br. N. $69^{\circ}42'$ N. 244 l. dist.
do. 4 " " " N. $83^{\circ}14'$ E. 187 " "
do. 4 " " " S. 57° E. 183 " "
Paloverde, 6 " " " S. $18^{\circ}14'$ E. 248 " "
Land uncov. Soil 3" rate. Scattering
trees and brush.

Township 4 S. Range 5 E.

Gila & Salt River Meridian

1/2 E. East our random line bet. secs. 9 & 16.

var. $14^{\circ}35'$ East

21.00 Dry stream, 60 lbs. wide, Ers. S. W.

35.00 do. 40 " " " S. W.

40.00 Set temporary 1/4 sec. cor.

80.12 Intersect N. and S. line 5 lbs. S. of cor.
to secs. 9, 10, 15 and 16, from which

cor. from

$S. 89^{\circ}58' N.$

On true line between secs. 9 & 16,

var. $14^{\circ}35'$ East

40.06 Set a post, marked 1/4 S. 4 ft. long, flattened
3 in wide. 1 ft in the ground, two charred
stake & build mound of earth 4 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as per instruc-
tions for 1/4 sec. cor. from which

A Pale Furia, 10 inches br. N. $6\frac{1}{2}' N.$ 66 lbs. dist.

A Pale Verde, 3 " " " S. $73\frac{1}{2}' E.$ 65 " "

80.12 Cor. to Secs. 8, 9, 16, and 17.

Land uneven. Soil 3" red. Scattering
trees & brush.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. North between sec. 8 & 9

var. 14° 35' East

40.00 Set a post, marked 4 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, and build mound
of stones 2 ft. high, as per instructions
for 4th sec. cor. from which

A Pale Verde, 4 in. dia. by S. 11 1/2° N. 64 lks. dist

do. 3 " " " S. 6 1/2° E. 44 " "

80.00 Set a post, marked & notched, 1 ft. long,
3 in. sq. 1 ft. in the ground, drive charred
stake & build mound of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for cor. to Secs. 4, 5, 8 & 9.
from which

A Pale Fiorra, 8 in. dia. by N. 52 1/2° E. 52 lks. dist

A Pale Verde, 4 " " " N. 47 1/2° N. 113 " "

A Pale Fiorra, 4 " " " S. 87 1/2° N. 134 " "

do. 4 " " " S. 49° E. 119 " "

Land moun. Soil 3rd rate. A few
trees. January 28. 1876

Township 4 S. Range 8 E.
Gila & Salt River Meridian

1st East random line bet. secs. 4 & 9.
var. $114^{\circ}35'$ East.

40.00 Set temporary 1/4 sec. cor.

67.00 Dry stream, 40 lbs. midg. br. S. W.

80.05 Intersect N. & S. line 12 lbs. N. of cor. to sec.
3, 4, 9 & 10. from which cor. from
N. $89^{\circ}55'$ W.

Outline line between secs. 4 & 9.
var. $114^{\circ}35'$ East

40.02 Set a post, marked 1/4 S. 4 ft long, flat-
tened 3 in. wide, 1 ft in the ground, axis
charred stake & build mound of
earth 1 ft high, with pit 1 ft deep, 2 ft 6
long, 1 ft wide, as per instructions for
1/4 sec. cor. from which

A Pale Verde, 4 in. dia. br. N. 80° W. 45 lbs. dist.

A Pale Fioria 10 " " " S. 15° W. 16 " "

80.05 Cor. to Secs. 4, 5, 8 and 9.

Land uneven. Soil 3rd rate. A few trees.

Township 4 S. Range 8 E.
 6th Salt River Meridian

Sec. North

On random line bet sec. 4 & 5.

var. $14^{\circ}35'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.60 Intersect N. boundary 40 lvs. E. of cor.
 to sec. 4 & 5, from which cor. Run
 $S. 0^{\circ}17' E.$

Continue line between sec. 4 & 5.

var. $14^{\circ}35'$ East

39.60 Set a post, marked $\frac{1}{4}$ S. $1\frac{1}{2}$ ft long, flat-
 tined 3 in. wide, 1 ft in the ground,
 driven charred stakes and build
 mound of earth 2 ft high with
 pits 1 ft deep, 2 ft long, 1 ft wide
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.60 Cor. to sec. 4, 5, 8 and 9.
 Land hilly on N. end. Soil
 frate. Scattering trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. North between sec. 31 & 32.

var. 14° 35' East

110.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 4 sec. cor. from which
A Cottonwood, 12 in dia. br. N. 57° E. 117 lbs. dist
do. " " " N. 3 3/4° W. 79 " "

67.26 Bank of Gila river, main branch. Set a post, marked, $\frac{1}{4}$ ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, from 1 pit on line, S. for cor. to frac. line sec. 31 & 32. No trees near.

68.39 Set a flag on line, on opposite bank of river, and measure of a base 100 lbs N. to a point whence flag pos. N. 13° 36' E., making dist. across, 4.13 chs. and at opposite bank of river. Set a post, marked, $\frac{1}{4}$ ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with 1 pit on line N. for cor. to frac. sec. 31 and 32. No trees near.

80.00 Set a post, marked & notched, $\frac{1}{4}$ ft long, 3 in. sq. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 29, 30, 31 & 32. From which
An acorn tree, 30 in dia. br. S. 66 1/2° W. 173 lbs dist
No other trees near.
Land mostly flat cultivated field N. of river. Very brushy S.

Township 4 S. Range 8 E.

Sec. 4 Salt River Meridian

Ch. E. on random line between secs. 29 & 32,
var. $14^{\circ}35'$ East

18.00 Ditch runs N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

45.00 Fence hrs. N. and S.

80.15 Intersect N. and S. line 9 hrs. N. of cor. to
secs. 28, 29, 32 & 33, from which cor. run
N. $89^{\circ}56'$ W.

On true line between secs. 29 & 32.
var. $14^{\circ}35'$ E.

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tened 3 in. wide, 1 ft in the ground,
dure charred stave & build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor. from which
a Tiesote, 7 in. dia. hrs. S. $51\frac{1}{2}^{\circ}$ E. 229 hrs. dist
Hoocher trees near.

80.15 Cor. to Secs. 29, 30, 31 and 32,
land level. Soil good. Cultivated field
on N. half; ascending mesa on E. end.
Some mesquite timber on E. end.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Pro. Not a random line betweens. 30 & 31.

var. $14^{\circ}35'$ East.

46.00 Set temporary 14 sec. cor. - And crossing river at

60.00 Ditch runs N.

66.00 Fence runs N. and S.

71.00 Ditch runs N. W.

72.00 Fence runs N. and S.

79.18 Intersect W. boundary of the 20 acs. N. of cor. to

secs. 30 and 31, from which cor. drawn

N. $89^{\circ}51'$ E. entire line between secs. 30 & 31.

Var. $14^{\circ}35'$ East.

27.46 Part of Gila river, main branch, brs. N. W. set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stakes and build mound of earth 2 ft high, with 1 pit N. of cor to frac. secs. 30 and 31. No trees near.

Set a flag on opposite bank of river, and measure off a base 100 lvs. N. to a point whence flag brs. $5.62\frac{1}{2}^{\circ}$ E.

making distance across river, 1.92 chs. and at

29.38 Opposite bank of river. Set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stakes and build mound of earth 2 ft high, with 1 pit on line E. for cor. to frac. secs. 30 & 31. No trees near.

39.18 Set a post, marked 4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stakes and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as for vi-
structures, for 1/4 sec. cor. from which
Acottonwood, 10 in dia. brs. S. $49\frac{1}{2}^{\circ}$ N. 120 lvs. dist.
do. " " " S. $60\frac{1}{2}^{\circ}$ E. 151 " "

49.18 Cor. to secs. 29. 30. 31 and 32.

Land level. Soil good. Pass through cultivated fields. Timber and brush along river.

Township 4 S. Range 8 E
Gila & Salt River Meridian

Rs. North between sec. 29 & 30
var. $140^{\circ}35' E$

40.00 Set a post, marked 4 S. 4 ft long, flattened 3
in. wide, 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions for
1/4 sec. cor. No trees near.

49.00 Fence cor. E. and W.

53.00 Old road cor. S. E.

49.00 Dry stream, 40 lbs. wide, runs S. W.

80.00 Set a post, (alongside big wash,) marked and
notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred
stake & build mound of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions, for cor. to sec.
19, 20, 29 and 30. from which

Apple Verde, 12 in. dia. cor. S. $38^{\circ} E$. 13 lbs. dist.

do. 12 " " " S. $60^{\circ} \frac{1}{2} W$. 56 " "

Amesquite, 8 " " " N. $26^{\circ} \frac{1}{2} W$. 40 " "

do. 5 " " " S. $22^{\circ} W$. 135 1/2 " "

Land uneven. Soil 2nd rate. Scattering trees.

Township 4 S Range 8 E.
Gila Salt River Meridian

N. East

On random line between secs. 20 & 29.
var. $14^{\circ} 35'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. & S. line 21 lbs. N. of cor.
to secs. 20, 21, 28 & 29, from which cor.
run

N. $89^{\circ} 51'$ W.

On true line between secs. 20 & 29.
var. $14^{\circ} 35'$ East

39.90 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ block, flat-
tined 3 in. wide, 1 ft. in the ground,
duri charred stake and build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

79.80 Cor. to secs. 19, 20, 29 & 30.
Land unrun. Soil poor.
Scattering trees.

Township 4 S. Range 8 E.
Tela & Salt River Meridian

Chs. West. on random line between secs. 19 & 30
var. $14^{\circ}35'$ East.

- 6.00 Dry bed of stream, 50 lbs. wide, runs S. W.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
47.00 Old road runs N. W.
52.00 Ditch runs N. W.
79.05 Intersect N. boundary 12 lbs. N. of cor.
to secs. 19 and 30, from which cor. run
N. $89^{\circ}35'$ E. on true line bet. secs. 19 & 30
var. $14^{\circ}35'$ East

39.05 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in wide, 1 ft in the ground, drive charred
stake & build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, as for construc-
tion, for $\frac{1}{4}$ sec. cor. from which
Amesquite, 8 in dia. br. S. 51° W. 37 lbs. dist.

do. 12 " " " N. 29° E. 109 " "

79.05 Cor. to secs. 19, 20, 29 and 30.
Land uncom. Soil poor. Scattering
trees.

Township 4 S Range 8 E
 Gila & Salt River Meridian

Co. North between secs. 19 & 20.

var. 14° 35' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long flat
 tined 3 in. wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 2 ft high with pit 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4
 ft long, 3 in. sq. 1 ft in the ground, drive
 charred stake & build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions, for cor. to secs
 17, 18, 19 and 20. from which
 A Paletoke, 3 in diameter, N. 80° E. 65 lbs. dist.

do. 5 " " " N. 44½° W. 89 " "

No other trees near.

Land uneven. Soil poor.

Scattering trees.

Township 4 S. Range 8 E.
 Gila Salt River Meridian
 T. East.

On random line bet. sec. 17 & 20.

var. $14^{\circ}35'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect N. and S. line 19 lvs. N. of
 cor. to secs. 16, 17, 20 & 21, from which
 cor. run

N. $89^{\circ}52'$ W.

On true line between sec. 17 & 20.

var. $14^{\circ}35'$ East.

39.92 Set a post, marked "4 S. 4 ft. long,
 flattened 3 in. wide, 1 ft. in the ground,
 drive charred stake & build mound of earth
 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.
 wide, as per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

79.84 Cor. to sec. 17, 18, 19 and 20.

Land uneven. Soil poor. A few
 trees.

January 29, 1876.

Township 4 S Range 8 E.
Gila Salt River Meridian

E. West on random line bet. secs. 18 & 19.

var. $14^{\circ} 35'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.21 Intersect N. boundary 15 Sec. S. of cor.
to sec. 18 & 19, from which cor. I run
 $S. 89^{\circ} 54' E.$

On true line between secs. 18 & 19.

var. $14^{\circ} 35'$ East.

39.21 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long,
flattened 3 in. wide, upon the ground, drive
charred stake & build mound of earth
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions, for $\frac{1}{4}$ sec. cor.
from which

A Palo Verde, 7 in. dia. tr. N. $60\frac{1}{4}^{\circ} E.$ 2444 cordist.

No other trees near.

79.21 Cor. to Secs. 17, 18, 19 and 20.

Land uncom. Soil poor. A few
scattering trees.

Township 4 S. Range 8 E.
6th & Salt River Meridian

Co. North between secs 17 & 18.

var. $14^{\circ} 35'$ East

40.00 Set a post, 4 ft long, flattened 3 in wide, marked "4 S. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 4 ft wide, as per instructions, for 1/4 sec. cor. No trees near.

Along and over high rocky ridge.

80.00 Set a post, marked & notched, 4 ft long, 3 in sqd. 1 ft in the ground, and build mound of stone 2 ft high, as per instructions, for cor. to secs. 7, 8, 17 and 18, from which a Pale Verde, 3 in dia. tree, S. 40° E. 57 ft. dist. No other trees near. Cor. on N.W. slope of rocky hill. Land, hilly on N. End. No timber of any consequence.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Ch. East on random line bet. secs. 8 & 17
var. $14^{\circ}35'$ East

Pass over rocky ridge.

- 5.00 Top of ridge and descend
33.00 Pass over N. point of hill.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
78.00 Old road runs N. W.
80.31 Intersect N. & S. line 16 hrs. N. of cor. to Secs

8.9. 16 & 17. from which cor. run
N. $89^{\circ}53'$ W.

On true line bet. sec. 8 & 17.
var. $14^{\circ}35'$ East

- 40.16 Set a post, marked $\frac{1}{4}$ S. 14 ft long, flattened
3 in. wide, 1 ft in the ground, drive charr'd
stake & build mound a foot $\frac{1}{2}$ ft high, with
pit $\frac{1}{2}$ ft deep, 2 ft long, 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
A. Pale Verde, 4 in. dia. has N. $28^{\circ}4'$ E. 40 chad. dist.
do. 3 " " " South, 88 " "

- 80.31 Cor. to secs. 7. 8. 17 & 18.
Land hilly and uneven. Soil poor. Scattered
trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

- 79.18 West corner random line bet sees. 7 & 18.
var. $14^{\circ}35'$ East
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 56.00 Dry bed of stream, 75 lbs. wide, runs N.W.
- 79.18 Intersect N. boundary 8 lbs. S. of cor. to
sees. 7 & 18. from which cor. True
 $S. 89^{\circ}57' E.$
- Outline line between sees. 7 & 18.
var. $14^{\circ}35'$ East.
- 39.18 Set apart, marked W.S. 4 ft long, flattened
and 3 in wide, 1 ft in the ground, drive charred
stake & build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, a few
institutions, for $\frac{1}{4}$ sec. cor. from which
N Pale Point, 7 in. dia. line, N. $35^{\circ} E.$ 146 lbs. dist.
do. 5 " " " S. $3\frac{1}{2}^{\circ} W.$ 105 " "
- 79.18 Conto sees. 7, 8, 17 and 18
Land uneven. Passing along rocky
ridge on E. end. Soil poor. A
few trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. North between secs. 7 & 8.

var. 114° 35' East

40.00 Set a post, marked "H S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drill charred stake & built mound of earth
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for "H sec. cor. No. two near.

89.00 Set a post, marked & notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drill charred
stake and built mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to secs. 5, 6, 7
and 8. from which

1 Pale Ferra, 3 in. dia. bar. N. 68½° W. 37 lbs. dist.

do. 4 " " S. 81° E. 80 " "

1 Pale Verde, 4 " " S. 50½° E. 64 " "

1 Pale Ferra, 6 " " S. 35½° W. 69 " "

Land uneven. Soil poor.

Scattering trees & brush.

Township 4 S. Range 8 E.
Gila Salt River Meridian

Co. East random line bet secs. 5 & 8.

var. $144^{\circ}35'$ East.

16.00 Dry bed of stream, 50 lks. wide, bet. S. 7.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

66.00 Dry bed of stream 40 lks. wide, bet. S. 7.

69.00 do. 40 " " " S. 7.

80.10 Intersect N. & S. line 7 lks. S. of cor.

to secs. 4, 5, 8 and 9, from which cor. drawn
S. $89^{\circ}57'$ N.

On true line between secs. 5 & 8.

var. $144^{\circ}35'$ East.

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat

tined 3 in wide, 1 ft. in the ground, drive
charred stake & build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft

wide, as per instructions, for $\frac{1}{4}$ sec. cor. from

Alta Tierra, 5 in. dia. bet. N. $50^{\circ}42'$ W. 59 lks. dist.

do. 6 " " " S. $48^{\circ}12'$ E. 79 " "

80.10 Cor. to Secs. 5, 6, 7 and 8.

Land uneven, gravelly. Brush & some trees.

Township 4 S Range 8 E.
Gila & Salt River Meridian

- Co's Nest on random line bet. secs. 6 & 7.
var. $114^{\circ} 35'$ East.
- 46.00 Set temporary $\frac{1}{4}$ sec. cor.
- 58.00 Dry stream, 50 lbs. wide, bet. S. 7.
- 79.37 Intersect N. boundary 11 lbs. S. of cor. to
secs. 6 & 7 from which cor. run
S. $89^{\circ} 55'$ E.
- On true line between secs. 6 & 7.
var. $114^{\circ} 35'$ East
- 39.37 Set a post marked "4 S. 4 ft long, flattened 3
in. wide 1 ft in the ground, driven charred
stave & build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor. from which
A Palo Firra, 3 in. dia. br. N. 45° W. 48 lbs. dist.
A Palo Verde, 3 " " " S. 55° E. 122 " "
- 79.32 Cor. to secs. 5, 6, 7 and 8.
Land unweeded. Soil gravelly.
Brush and some trees.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

Sec. North

On random line between secs. 5 & 6,
var. $14^{\circ}35'$ East.

40.00 Top of low hill.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

49.10 Intersect N. boundary 30 lbs. E. of cor. to
secs. 5 & 6, from which cor. Run
 $S. 0^{\circ}13' E.$

On true line between secs. 5 & 6,
var. $14^{\circ}35'$ East

39.10 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ long, flat-
tined 3 in. wide, 1 ft in the ground,
driv charred stake & build mound
of earth 2 ft high, with pit 4 ft deep, 2 ft
long, 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

49.10 Cor. to secs 5, 6, 7 and 8.
Land uneven & hilly. Soil poor.
Scattering trees & brush.

January 31, 1876.

Township 4 S. Range 8 E.
Gila & Salt River Meridian

General Description.

This township lies N. of the Gila river for the most part, the river passing through the S. W. corner.

Along the river is some good bottom land. The balance of the township has poor or second rate lands, with scattering trees and brush, and, in places, some grass growing on the surface.

The face of the country is flat in the north-east corner, and uneven and occasionally hilly in the balance.

Theodore F. White
U.S. Deputy Surveyor.

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision
Line of Township 14 S.
Range 8 E. of the Gila
3 Salt River Meridian,
Arizona.

Showing the respective capacities in which they
acted.

Urban Bessard Chainman.
R. A. Vasquez Chainman,
Fred C. Jones Axeman.
Wright H. Aubrey Flagman.

63

Final Oath of Assistants.

We hereby certify that we assisted Theodore
S. White U. S. Deputy Surveyor, in
 surveying the Subdivision Line
of township 4 S. Range
8 E., of the Gila & Salt
River Meridian, Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

- Urbain Bernard Chainman.
- R. A. Yaquez Chainman,
- Fred C. Jones Axeman.
- Wright H. Aubrey Flagman.

Sworn to and subscribed before me, this 18
 day of March, 1876

William J. Osborn
 Notary Public

Final Oath of Deputy Surveyor.

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the Seventh day of December

1872. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision Line of
Township 4 S. Range
8 E. of the Gila and
Salt River Meridian,
Arizona.

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

65 tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White
 Deputy Surveyor.

Sworn to and subscribed before me, this 18
 day of March, 1876

William J. Osborn
 Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA,

September 17, 1876

The foregoing Field Notes of the Survey of the

Subdivision lines of
Township 4 South,
Range 8 East.

Of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore F. White Deputy Surveyor, under his contract of the sixth day of December, 1875, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Mason
Surveyor General.