

No. 635

BOOK 635

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

635

— OF —

Township 5^{S.} Range 23^{E.}

Gila and Salt River Base and Meridian

ARIZONA.

By Theodore F. White D. S.

under contract dated June 25, 1875.

Survey commenced Nov. 1, 1875.

Survey completed Nov. 4, 1875.

No. 635

Preliminary Oaths of Assistants.

We, Urbain Pessard
and R. A. Vasquez
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Urbain Pessard

R. A. Vasquez

Sworn to and subscribed before me, this 18
day of October, 1875

John H. Harris
Asst Surveyor
Arizona.

W^o, B. Palmer and Wright
R. Auburn

do solemnly swear that we will well and truly per-
form the duties of Almanac and
Flagman, respectively
according to instructions given us, and to the best
of our skill and ability.

B. Palmer

Wright R. Auburn

Sworn to and subscribed before me this 18th
day of October, 1875

John H. Ward,
Asst Secyamp.
Arch.



4-674.

Township 5S, R.23E., S. & S.R.B. & M.

BOOK 635

1C

| | | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|----|----|
| 6 | 60 | 5 | 44 | 4 | 33 | 3 | 22 | 2 | 11 | 1 |
| 59 | 58 | — | 43 | — | 32 | — | 21 | — | 10 | — |
| 7 | 57 | 8 | 42 | 9 | 31 | 10 | 20 | 11 | 9 | 12 |
| 56 | 55 | — | 41 | — | 30 | — | 19 | — | 8 | — |
| 18 | 54 | 17 | 40 | 16 | 29 | 15 | 18 | 14 | 7 | 13 |
| 53 | 52 | — | 39 | — | 28 | — | 17 | — | 6 | — |
| 19 | 51 | 20 | 38 | 21 | 27 | 22 | 16 | 23 | 5 | 24 |
| 50 | 49 | — | 37 | — | 26 | — | 15 | — | 4 | — |
| 30 | 48 | 29 | 36 | 28 | 25 | 27 | 14 | 26 | 3 | 25 |
| 47 | 46 | — | 35 | — | 24 | — | 13 | — | 2 | — |
| 31 | 45 | 32 | 34 | 33 | 23 | 34 | 12 | 35 | 1 | 36 |

Possession 5 S Range 23 E.
Gila & Salt River Meridian

Subdivision commenced Nov. 6 1875.
Tombstone to sec. 35 & 36 on S. boundary from
North, between sec. 35 & 36.
Var. $14^{\circ} 15'$ East.

- As per east boundary.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for cor to 1/1 sec. Notices near.
- 80.00 Set a post, marked and notched,
4 ft long, 3 in. sqd. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
sits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for cor. to
secs. 25, 26, 35 and 36.
Notices near.

Some broken land on S. end.
Soil poor. No timber

No. 635 BOOK 635

2
Township 5 S. Range 23 E.
Gila & Salt River Meridian

Pt. East on random line between sec. 25 & 36
var. 14° 15' East.

40.00 Set temporary 44 sec. cor.
79.67 Intersect E. boundary 20 rods S.
of cor. to sec. 25 & 36 from which
cor. turns
S. 89° 51' W.

On true line between sec. 25 & 36,
var. 14° 15' East

39.84 On top of high bluff hill, near extreme
N. end; bluff about 75 ft high. Set a
post, marked 44 S. 4 ft long, flattened 63
in wide, open in the ground, driven charred
stake and built mound around it
ft high, with pits 1 ft. deep, 2 ft long
1 ft wide, as per instruction for 1st
sec. cor. No trees near

79.67 Cor. to sec. 25, 26, 35 and 36.
Land mostly flat. Some good soil
No timber.

Pownship 5 S Range 23 E
Gila & Salt River Moundam

Ch. North between secs 25 & 26.
Var. 14° 15' East.

40.00 Set a post, marked $\frac{1}{4}$ in. S. 4 ft long, flat
tied 3 in. wide, 1 ft in the ground,
drive charred stake & build mound
of earth 2 ft high, with pit 1 ft deep
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq'd. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for cor. to secs. 23.

24, 25 and 26.

No trees near.

Land descending a little N. and
E. Soil good. No timber.
Much grass.

Township 5 S. Range 23 E.
Gila & Salt River Mexican

P. East boundary line sec. 24 & 25
Var. 111°15' East.

40.00 Set temporary 1/4 sec. cor.

79.73 Intercept E. boundary 1/4 sec. N.
of cor. to secs. 24 and 25, from
which cor. runs
N. 89°35' W.

Outline line between sec. 24 & 25.
Var. 111°15' East

39.87 Set a post, marked U. S. 4 ft. long,
flattened 3 in. wide, after in the ground,
drive charred stake and build
mound of earth 2 ft. high, with pit
4 ft. deep, 2 ft. long, 4 ft. wide, as per
instructions, for 1/4 sec. cor.

No trees near.

79.73 Cor. to sec. 23. N. 15°30' E.
Land descends N. and E.
Soil good. No timber.

Township 5 S. Range 23 E.
Gila Salt River Mexican

Rs. North between secs 2, 3 & 24,
var. 1475 East.

40.00 Set a post, marked 44 S. 4 ft. long.
flattened 3 in. wide, 1 ft. in the ground.
drove charred stake and build mound
of earth 2 ft. high, with pit 1 ft. deep.
2 ft. long, 1 ft. wide, as per instructions
for 1/4 sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sqd. 1 ft. in the ground,
drove charred stake and build
mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to Secs
13, 14, 15 and 24.

No trees near.

Land descends N.

Soil good. Grass.

No timber.



Prairiehip 5 S.R. 23 E.
Gila & Salt River Mexican

R. East or random line bet. sec. 13 & 24.
var. $14^{\circ} 15'$ East

- 6.00 Ascend mesa, hrs. N. and S.
29.00 Top of hill and descend.
30.00 Bottom of same and enter flat
40.00 Set temporary tree cor.
61.00 Road down valley, hrs. N.W.
80.06 Intersect E. boundary, 11 hrs. S. of cor.
to sec. 13 & 24, from which cor. from
S. 89° 55' W. contour line bet. sec. 13 & 24.
var. $14^{\circ} 15'$ East

40.03 Set post marked W. S. 4 ft. long, flattened 3 in. wide,
flat top ground, don't charred stake & build around
feather high, with fits of deep, flinty, gravel,
as foundations for tree cor. from which
Amerquite, 10 in. leaves, N. 13° E. 108 hrs. dark
do. 9 " " S. 8° W. 231 "

80.06 Cor. to sec. 13, 14, 23 and 24.
Across ridge on line. Soil mostly good.
No timber.

Township 5 S.R. 23 E.

Gila & Salt River Indian

R. North between sec. 13 & 14

var. 14° 15' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pit 1 ft. deep, 2 ft. long, 1 ft wide, as
per instructions for this co. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sqd, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pit 1 ft. deep,
2 ft long, 1 ft wide as per instructions
for co. to secs 11, 12, 13 and 14,
from which

mosquitos, 8 in dia. loc S. $\frac{1}{2}$ E. 475 ft dist.
No other trees near.

Land flat on N. end, hilly S.
Soil poor S., good N.
No timber.

Prairie 5 S.R. 23 E.

Gila & Salt River Meridian

S.S. East boundary lots sec. 12 & 13.
Var. 14° 15' East

74.00 Road down valley, bas. N.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect E. boundary 17 lbs S. of
cor. to secs. 12 and 13, from which
cor. down
 $889^{\circ} 53' W.$

On true line between secs. 12 & 13.

Var. 14° 15' East

39.95 Set a post, marked $\frac{1}{4}$ sec. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor. from which
Anisquide. 3 m. dis. bcs. S. $55\frac{1}{2}' W.$ 219 lbs. dist
No other trees near.

79.90 Cor. to secs. 11, 12, 13 and 14.

Sand flat. Soil good. A few trees.

9

Township 5 S.R. 23 E.
 Gila & Salt River Meridian

Ls. North between sec. 11 & 12,
 1 var., 14° 15' East.

- 40.00 Set a post, marked 3/4 S. from ft long,
 flattened 3 in. wide, after the ground,
 driven charred stake and build around
 a feather 2 ft high, with pits 1 ft deep, 2
 ft long, 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.
- 45.00 Road down valley.
- 80.00 Set a post, marked 3 notched, 4 ft
 long, 3 in. sq. d. after the ground, driven
 charred stake and build around a feather
 2 ft high with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions, for cor. to sec.
 12, 11 and 12, from which
 A mesquite, 7 in. dia. has N. 25° W. 195 ft dist.
 do. 8 " " S. 83° 47' W. 355 "
- No other trees near.
- Sand flat soil good.
 A few trees.

Pownship 5 S.R. 23 E.
Gila & Salt River Moundian

St. East on random line betw. sec. 18 & 12.
Var. $14^{\circ} 15'$ East.

- 40.00 Set temporary 1/4 sec. cor. — Cross river and at
79.85 Intersect boundary 18th R. N. of cor. to sec. 18 & 12,
from which eq. from —
 $N. 89^{\circ} 52' W.$ on true line between sec. 1 & 12
Var. $14^{\circ} 15'$ East.
- 2.40 Right bank of Gila river; Set a post, marked,
4 ft long, 3 in. sqd. off the ground, drove charred stake
and build mound of earth 2 ft high, taken from 1 pt
on line E. for cor. to fac. sec. 1 and 12. No trees near.
Snow set flag on line on opposite bank of river and
measure off a base, 1 ch. N. to point from which flag
was. S. $68^{\circ} 36' W.$ which gives distance across, 2.55 ch,
and at
- 4.95 The left bank of river. Set a post, marked 4 ft long,
3 in. sqd. off in the ground, drove charred stake and
build mound of earth 2 ft high, taken from 1 pt on
line W. for cor. to fac. sec. 1 and 12.
No trees near.
- 39.93 Set a post, marked 1/4 ch. 4 ft long, flattened 3 in wide off
into the ground, drove charred stake & build mound east
2 ft high with pit of depth 1 ft long. 4 ft wide, for 1/4 sec.
cor. from which
A line quite to mid. betw. N. $38^{\circ} 42' W.$ 33 sec. dist
do. " " " S. $39^{\circ} 37' W.$ 39 " "
- 79.85 Cr. to secs 1, 2, 11 and 12.
Land, rich bottom. Timber along river.
Much grass.

Township 5 S.R. 23 E.

Gila & Salt River Meridian

Line North, ^{random line} between secs. 102,
var. 14°15' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

56.00 Road line N.W.

65.00 Clanton's dam.

79.90 Intersect N. boundary 8 lbs. E. from to
secs. 1 $\frac{1}{4}$ 2, from which con down
S. 0°3' E.

Outline between secs. 1 $\frac{1}{4}$ 2,

var. 14°15' East

39.90 Set a post, marked 44 S. 44 ft long, flattened
3 in. wide, 1 ft in the ground, drove chord
stake and build mound after 2
ft. high, with pit 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.90 Cor to secs. 12, 11 and 12.

Land good bottom. Brush and
timber along river.

Pownship 5 S.R. 2.3 E.
Gila & Salt River Mexican

Loc. North between secs. 34 & 35.
var. 14 & 15 East

40.00 Set a granite stone, 12x7x7 in. $\frac{1}{3}$ in
the ground, marked 14, and on N. build
mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per instruc-
tions, for tree cor. No trees near.

51.00 Dry bed of stream, Holcomb, runs S.E.

80.00 Set a post, marked and notched, 1 ft
long. 3 in. sq'd. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to sec.

26, 27, 34 and 35.

No trees near.

Land descends N. Soil poor.
No timber.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Ls. East in random line between sec. 26 & 35.
Var. $14^{\circ}15' E.$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.31 Intersect N. and S. line 22 less S. of cor.
to sec. 25, 26, 35 & 36, from which continue
S. $89^{\circ}51' W.$

Outline line between sec. 26 & 35.

Var. $14^{\circ}15' E.$ East

40.15 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft. in the ground,
dark charred stake and build
mound of earth 2 ft high, with
post 1 ft deep, 2 ft long. 1 ft wide, as per
instruction for $\frac{1}{4}$ sec. cor.
No trees near.

80.31 Cor to secs 26, 27, 34 and 35.
Land, desert N. and E.
Soil poor. No timber.

Pawnee 5 S.R. 23 E.
Gila & Salt River Meridian

Sec. North between secs. 26 & 27
var. 14° 15' East

25.00 Dry bed of stream, 10 hrs. wide, loc. S.E.

40.00 Set a post, marked S. 4 ft long. Flat-
tened 3 in wide, 4 ft in the ground.

drive charred stake and build mound
of earth 2 ft high with pits 4 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions for 1/4 sec. co. No trees near.

44.00 Dry bed of stream, 30 hrs. wide, loc. S.E.

80.00 Set a flatir rock, 12x8x6 inches, 2/3 in
the ground, notched S. and E. and
out. build mound of earth 2 ft
high with pits 4 ft deep, 2 ft long,
1 ft wide, as per instructions, for
cor. to secs. 22, 23, 26 and 27.
No trees near.

Land descends N. Salt rate.
No timber. November 1. 1875.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Pr. East boundary line bet. sec. 23 & 26,
var. $14^{\circ}15'$ East

40.00 Set temporary tree. cor.

80.411 Intersect N. & S. line 18 le. S. of sec. to
sec. 23. 24. 25 & 26, from which I can find
S. 89 $^{\circ}$ 52' W.

Outline line between sec. 23 & 26,

var. $14^{\circ}15'$ East

40.20 Set a post, marked 44.8 ft long, flat-
tened 3 in. wide, driven the ground, driven
sharpened stake and build mound of
earth 2 ft high, with pit 1 ft. deep,
2 ft long, 1 ft wide, as per instruction
for tree. cor.

No trees near.

80.41 Cor to sec. 22, 23, 26 & 27.
Land flat. Soil good.
No timber. Much grass.

Township 5 S.R. 23 E.
Gila and Salt River Mexican

Sis North between sec. 22 & 23.

var. 14° 15' East

40.00 Drive charred stake and build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No stone or timber.

80.00 Set a post, milled and notched,
4 ft long, 3 in sqd. set in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for cor. to sec.
14, 15, 22 and 23.

No trees near.

Land ascends a little S.

Soil poor.

No timber. Some grass.

Township 5 S.R. 23 E.
Gila & Salt River Mts.

Sec. 14, East on random line bet. sec. 14 & 23
var. 14° 15' East.

40.00 Set temporary tree. cor.

80.11 Intersect N. and S. line 6 hrs. S.
of cont. secs. 13, 14, 23 and
W. from which cor. down
S. 89° 57' W.

On true line between sec. 14 & 23.
var. 14° 15' East.

40.05 Set a post, marked 44 S. 44 ft. long, flat-
tened 3 in. wide, driven the ground,
drive a wooden stake and build mound
of earth 2 ft. high, with pit 1 ft. deep,
2 ft. long, 1 ft. wide, as per instruction
for 1/4 sec. cor. 16 trees near.

80.11 Cor. to sec. 14, 15, 22 & 23.
Land ascends a little S.
Soil good. No timber. Gras.

Township 5 S. R. 23 E.
Gila and Salt River Mexican

Sec. North between sec. 14 & 15.

Var. $44^{\circ} 15'$ East

- 40.00 Set a granite stone 12 x 8 x 7 inches,
 $\frac{1}{3}$ in the ground, marked 1st,
 and on N. build mound of earth
 2 ft. high, with pit 1 ft. deep,
 2 ft. long, 1 ft. wide, as per instruc-
 tions for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Set a post, unmarked and notched,
 4 ft. long. Tries 9d. 1 ft. in the ground,
 drive charred stake and
 build mound of earth 2 ft.
 high, with pit 1 ft. deep, 2 ft.
 long, 1 ft. wide, as per instruc-
 tions, for cor. to secs. 10, 11, 14
 and 15. Notice near
 sand, hilly and broken.
 Soil 3° rate. No timber.

Pownship 5 S.R. 23. E.

Gila & Salt River Meridian

Sec. East. on random line between 11 $\frac{3}{4}$ 14,
Var. 14°15' East

40.00 Set temporary tree cor. cor.

79.87 Intercept land line 5 sec. S. of
cor. to secs. 11, 12, 13 and 14,
from which cor. I run
S. 89°58' W.

Outline line between sec. 11 $\frac{3}{4}$ 14,

Var. 14°15' East.

39.94 Set post marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, driven the ground
drive charred stake and build
monadnock 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, a
few instructions for $\frac{1}{4}$ sec. cor.

79.87 Cor. to secs. 10, 11, 14 and 15.
Land descends N. and E.
Soil good. No timber
Good grass.

Pariship 5 S.R. 23 E.
Gila & Salt River Mexican

Sec. North between sec. 10 & 11.
Var. 14° 15' East.

40.00 Set apart, marked 14° S. 4 ft. long, flattened 3 in. wide, flat on the ground, dark charred state and build mound about 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruction for 1/4 sec. cor. from which

A Desote, 6 in. dia. has. S. 44° W. 93 hrs. dist.
A Mesquite, 12 " " A. 18° E. 122 " "

80.00 Set apart, marked & notched, 4 ft. long 3 in. sq'd. flat on the ground, dark charred state and build mound about 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruction for cor. to sec. 2, 3, 10 and 11, from which

A Desote, 10 in. dia. has. S. 13° 47' W. 34 hrs. dist.

A Mesquite, 3 " " A. 76° W. 43 " "

A Desote, 3 " " North. 65 " "

A Mesquite, 7 " " A. 75° 12' E. 72 " "

Land uneven. Salt flat. Very Brushy.
Sometimes quite tree.

Prairie 5 S.R. 23 E.
Gila & Salt River Moundan

Sec. East boundary line betw. 2 & 11
var. $11^{\circ}15'$ East

2.00 By bed of stream, 15 km. N.E.

40.00 Set temporary tree cor. var.

47.00 Road bet. N.W. and S.E.

61.00 Road bet. N.W. and S.E.

80.05 Intersect N.E. line 2 km. S. of cor. to sec. 1, 2, 11.
and 12, from which cor. drawn

$8.89^{\circ}59'$ N. of true line betw. 2 & 11.

var. $11^{\circ}15'$ East

40.02 Set post, marked W.S. 4 ft. long, flattened 3 in.
wide at the ground, dried charred stake & built
round of earth 3 ft. high, with fits of lead,
4 ft. long, 1 ft. wide, as permanent marker for
tree cor. from which

Amesquite, 5 in. dia. 100 ft. N. $78\frac{1}{2}$ E., 98 km. N.E.

do. 6 " " . N. $39\frac{1}{2}$ E., 39 " "

80.05 Cor. to secs. 2, 3, 10 and 11.

Land broken and hilly on N. - descended
gently S. and E., yet E. Soil good E.

Mesquite timber & brush.

Pownship 5 S.R. 23 E.
Gila and Salt River Moundian

Per North Boundary line between 2 $\frac{1}{2}$ 3
var. 144°15' East

40.00 Set temporary 1/4 sec. cor.

147.00 Dry bed of stream, 300 mds. land S.E.

86.07 Intersect N. boundary 13 mds. W. of cor to sec.

2 $\frac{1}{2}$ 3. from which cor. I run

S. 8° 6' W. in true line between 2 $\frac{1}{2}$ 3.

var. 144°15' East.

110.07 Stake past marked 1/4 S. off. long. flattened
3 in. wide, open in the ground, driven chawed
stake and build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, ft. wide
as per instruction for 1/4 sec. cor.
from which

Absolute 7 in. stakes S. 81° 45' W. 116 mds. dist.

do. 3 " " S. 19° E. 114 " "

80.07 Cor. to sec., 2. 3. 10 & 11.

Land uneven. Soil poor.
Some trees. Brush.

Pownship 5 S. R. 23 E.
Gila & Salt River Boundary

Line North between secs. 33 & 34^t
Lat. 44° 15' East.

- 3.00 Dry bed of stream 54 cm wide, to N.E.
 19.00 Dry bed of stream 30 cm wide, to N.E.
 30.00 Dry bed of stream 40 cm wide to N.E.
 40.00 Set a post marked U.S. 44 ft long, flat-
 tened 3 in. wide, 1 ft in the ground,
 one charred stake & build mound
 of earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for this sec. co. No trees near.
 80.00 Set a post, marked and notched, 1 ft
 long, 3 in. sq'd, 1 ft in the ground, one
 charred stake & build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions, for con to
 secs 24, 28, 33 and 34, No trees near.
 Land, uneven Soil poor, Brush,
 No timber.

Township 5 S.R. 73. E.
Gila & Salt River Mexican

Lat. East or random line bet. sec. 27ⁿ & 34^s
var. 14° 15' East.

40.00 Set temporary Musco cor.

49.00 Dry bed of stream 25 hrs. mile, br. N.W.

51.00 Dry bed of stream, 25 hrs. mile, br. N.W.

79.61 Subsæt N. & S. line 27 hrs. N. of cor. tree
26.27.34 & 35. from which cor. tree
N. 89° 48' W.

On true line between trees 27ⁿ & 34^s
var. 14° 15' East

39.81 Set a post marked N. & S. 4 ft. long, flat-
tined 3 in. wide, plan the ground, drove
charred stake & built around a flat
2 ft. high, with pit 4 ft. deep, 2 ft. long, 1 ft.
wide, as preparation for 1/4 sec.
cor. No trees near.

79.61 Cor. to trees. 27.28.33 and 34.
Land ascends S. & W. Soil 2° & 3° steele
Some grass. No timber.

Township 5 S.R. 23 E.
Gila & Salt River Mendenhall

Pr. North between sec. 27 & 28.

var. 14° 15' East.

73.00 Drifted off stream, 70 ft. wide, bas. N.E.

40.00 Set a post marked 74 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drove charred
stake & build mound of earth 2 ft high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
struction, for 74 sec. c. co. No trees near

80.00 Set a post marked & notched, 4 ft long,
3 in sq'd. 1 ft in the ground, drove charred
stake & build mound of earth 2 ft high
with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to sec. 21.

27. 27 and 28. from which
A mesquite, 6 in. diameter, N. 78° W. 181 lbs. dist

do. 5. . . N. 38° E. 96. . .

No other trees near

Gaultheria & holly. Soil poor.
Some trees and brush.

- Pawnee 5 S.R. 23 E.
 Pila and Salt River Meridian
 Sec. East. on random line bet sec. 22 & 27
 var. $14^{\circ}15'$ East.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.12 Intersect N. and S. line 9 deg N.
 after to sec. 22, 23, 26. and 27,
 from which cor. I run
 $1.89^{\circ}56' W.$
 On true line between sec. 22 & 27
 var. $14^{\circ}15'$ East.
- 40.06 Set apart, marked $\frac{1}{4}$ sec. 4 ft long,
 flattened 3 in. wide, flat in the ground,
 drive charred stake and build mound
 at earth's height, with pit 1 ft deep,
 2 ft long, 1 ft wide, as per instruction
 for $\frac{1}{4}$ sec. cor. No trees near.
- 80.12 Cor. to sec. 21, 22, 24 and 28.
 Some hill on N. end of line.
 Soil erratic. Brush.
 A few trees.

Pawnee 5 S.R. 23 E.
Gila and Salt River Mexican
To North between sec. 21 & 22,
var. $14^{\circ} 15'$ East.

- 40.00 Totapost, marked H.S. 4 ft. long, flattened 63
in. wide, st. in the ground, base charred tan
and build mound of earth 2 ft. high, with pit
1 ft. deep, 2 ft. long, 1 ft. wide, as for mastication
for 1/4 sec. cor. from which
A mesquite, 8 in. dia. has S. $66\frac{1}{2}$ ° E. 152 land dist.
Hawthorn trees near.
- 80.00 Totapost, marked & notched, 4 ft. long, 3 in.
sqd., st. in the ground, base charred tan and
build mound of earth 2 ft. high, with pit 1 ft.
deep, 2 ft. long, 1 ft. wide, as for mastication, for
cor. to secs. 15, 16, 21 & 22, from which
A mesquite, 4 in. dia. has S. $77\frac{1}{2}$ ° E. 72 land dist.
do. 6 . . . S. 50° E. 65" "
do. 4 . . . S. $42\frac{1}{2}$ ° N. 88" "
Totapost. 4 . . . N. 15° W. 50" "
Land uneven surface, Soil crevile.
Mesquite timber and brush

Pawnee 5 S.R. 23. E.
Plains Salt River Mexican

No. East Boundary line lies sec. 15 & 22
var. 14° 15' East

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect N. and S. line 14 sec. S. of cor.
to sec. 14, 15, 22 & 23, from which
cor. runs
S. 89° 54' W.

Outline line between secs 15 & 22.

var. 14° 15' East

39.95 Set a post, marked 1/4 S. of pt long, flat
tuned 3 in. wide, 1 ft in the ground, drive
charred stake $\frac{1}{4}$ build around left earth
2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions for 1/4 sec.
cor. No trees near

79.90 Cor. to secs. 15, 16, 21 and 22.
Land broken and hilly
Soil poor. Brush, Some grass.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Run North between secs 15 & 16,
var. 14° 15' East

40.00 Stake post, marked $\frac{1}{4}$ S. 4 $\frac{1}{2}$ E. long, flattened
3 in. wide, from the ground, drove charred
stake and build mound of earth 3 ft. high,
with pits 1 ft. deep. 2 ft. long. 1 ft. wide, a
few instructions for the surveyor from which
Mesquite 6 miles. lat. N. 57 $\frac{3}{4}$ W. 100 dist.

do. 7" " S. 3 $\frac{1}{2}$ E. 52 "

69.00 Dry bed of stream, 50 hrs. wide, has. N.E.

73.00 Dry bed of stream, 20 hrs. wide, has. N.E.

80.00 Stake post marked & notched, 4 ft. long. 3 in. sq'd.
from the ground, drove charred stake & build mound
of earth 3 ft. high, with pits 1 ft. deep. 2 ft. long. 1 ft.
wide, as per instructions for cor. to sec. - 9.

10.15 & 16. from which
A Desote 3 mi. dist. lat. N. 44 $\frac{3}{4}$ W. 100 dist.

do. 3" " S. 39° 25' 28" "

A Mesquite. 3" " S. 27 $\frac{1}{2}$ E. 54" "

A Desote. 4" " S. 87° E. 75" "

Land uneven. Soil poor. Much brush.
Some Mesquite timber.

Prairiehip 5 S.R. 23 E.
Gila & Salt River Meridian

S.E. East. on random line bet sec. 10 & 15.
var. $144^{\circ}15'$ East

5.00 Lybed of stream, 60 ft. wide, has. N.E.

6.00 Ascend high bank, has. N.E. and S.W.

140.00 Set temporary $\frac{1}{4}$ sec. cor.

79.78 Intersect A. and B. line 12 hrs. N. of cor. to
sec. 10, 11, 14 & 15, from which cor. run
N. 89 5.5° W. in true line bet sec. 10 & 15.

var. $144^{\circ}15'$ East

39.89 Stake past, marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide, placed in the ground,
and build round of stones 2 ft
high, as per instruction for $\frac{1}{4}$ sec.
from which

A. Resote, 11 in. dia. A. 83 $7\frac{1}{2}$. 113 hrs. dist.

1 Mesquite, 12 " " S. 8 0° W. 142 " "

79.78 Cor. to sec. 9, 10, 15 and 16.
Land uneven. Soil poor.
Mesquite timber & brush.

November 2, 1875.

Pawneehip 5 S Range 23 E.

Gila and Salt River Meridian

R. North between sec. 9 & 10

Var. 14° 15' East.

7.00 Dry bed of stream.

40.00 Set a post, marked $\frac{1}{4}$ ft. long, flattened
3 in wide. Stick in the ground, drive charred stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long. Stake, as per instruction for
 $\frac{1}{4}$ sec. cor. from which

Mesquite. 5 inches S. 60° E. 29 lbs. dist.

A Bassett. 11 " " . S. 29° E. 89 " "

80.00 Set a post, marked & notched, 4 ft long, 3 in eg'd.
1 ft in the ground, drive charred stake & build
mound of earth 2 ft high with pit of depth 2 ft
long. Stake, as per instruction for cor. to
secs. 3, 4, 9 & 10. from which

Mesquite. 7 inches S. 45 1/2 W. 109 lbs. dist
do. 6 " " . S. 52° E. 111 " .

do. 8 " " . N. 48 1/2 E. 126 " .

do. 12 " " . N. 83 1/2 E. 176 " .

Land surveyor. Sulfur. Mesquite timber & brush.

Downsiph 5 S. Range 23 E.
Gila & Salt River Meridian

S. East on random line 66 sec. 3 $\frac{3}{4}$ 10.
4 mi. 14° 15' East.

40.00 Set temporary 7 $\frac{1}{4}$ sec. cor.

79.84 Intersect N. & S. line 13 sec. Surface to
sec. 2. 3. 10 & 11 from which cor. down
S. 89° 54' W. onto line 66 sec. 3 $\frac{3}{4}$ 10.

4 mi. 14° 15' East.

39.92 Set apart, marked 7 $\frac{1}{4}$ S. 4 ft long flat
tended 3 in. out of ft in the ground, drove
charred stake and build mound of earth
2 ft high, with hole 1 ft deep, 2 ft long,
1 ft wide, as per instructions for 1st
sec. cor. from which

A Basote 8 in. dia. box N. 45° 12' W. 5° lundist.
do. 3 " " S. 77° 56' W. 27 " "

79.84 Cor. to sec. 3, 4, 9 and 10.
Land uneven. Soil good and
2nd rate. Mesquite trees and brush.

Township 5 S.R. 23 E.
Sec. 4 Salt River Mexican

Dis. North boundary line sec. 3 $\frac{3}{4}$ N.
var. 14°15' East.

40.00 Set temporary tree cor.

80.09 Intersect N. boundary 13 hrs. W. of
an to sec. 3 $\frac{3}{4}$ N. from which cor. drawn
S. 0° 6' W.

Outline line between sec. 3 $\frac{3}{4}$ N.

Mr. 14°15' East

40.09 Stake past, marked 7 ft. S. of pole long, flat-
tened 3 in. wide, driven in the ground, drove
charred stake & built mound of
earth 2 ft. high, with pole 4 ft. deep,
2 ft. long, 1 ft. wide, as per instructions
for tree cor. from which
Mesquite 5 in. dia has N. 86°4' E. 147 ft. east
No other trees near.

80.09 Cor. to sec. 3. N. 4. 9 $\frac{3}{4}$ E.

Land uneven. Soil poor. Grass,
Mesquite timber & brush.

Township 5 S.R. 23 E.

Gila and Salt River Meridian

Sec. North between sec. 37 & 33
Lat. 44° 15' East.

73.00 Dry bed of stream, 20 ft wide, runs N.E.
34.00 Dry bed of stream, 50 ft wide, runs N.E.
40.00 Seta post, marked $\frac{1}{4}$ S. 14 ft long, flat
tended 3 in. wide, off in the ground, drive
charred stake, & build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide as per instruc-
tions, for 5 sec. cor. from which
Mesquite 5 in. dia. 10. S. 73 1/2 E. 157 sec. dist.
No other trees near.

80.00 Seta post, marked & notched, 4 ft long, 3 in. sqd,
off in the ground, drive charred stake and build
mound of earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instruction for cor. to 5 sec.
28.29.32.33. from which

Mesquite, 10. in. dia. 10. S. 59 1/2 W. 165 sec. dist.

do. 4. " . S. 65° W. 65 " "

No other tree near.

Land uneven. Soil poor. Scattering trees.

Brush. Some grass.

Township 5 S.R. 23 E.
Gila and Salt River Meridian.

Sec. East, a random line bet. secs. 28 & 33,
var. $14^{\circ} 15'$ East

12.00 Dug bed of stream 100 ft wide, has N.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.63 Intersect N. $\frac{1}{4}$ S. line 21 las. N. of cor. to
secs. 27, 28, 33 & 34, from which cor. runs
N. $89^{\circ} 51'$ W.

Outline line between secs. 28 & 33.

var. $14^{\circ} 15'$ East

39.82 Set a post, marked $\frac{1}{4}$ sec. S. 14 ft long,
flattened 3 in. wide, 1 ft in the ground,
driven charred stake $\frac{3}{4}$ build around
a earth 2 ft high, with posts 1 ft deep
2 ft long, 1 ft. wide, as per instructions,
for $\frac{1}{4}$ sec. cor. 16 trees were.

79.63 Cor. to secs. 28, 29, 32 and 33.

Sandstone.

Soil poor. No timber.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Lat. North between sec. 28 & 29
Long. $114^{\circ} 15'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 1 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for tree to see. from which A mesquite 3 in dia. has S. $118^{\circ} N.$ 59° E. dist. No other trees near.

80.00 Set a post, marked & notched, 1 ft long, 3 in sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for tree to see 20, 21, 28 & 29, from which A mesquite 4 in. dia. has S. $59^{\circ} E.$ 181 lbs. dist. No other trees near.

Land uneven. Soil poor.
Scattering trees.

Pownship 5 S.R. 23 E.
 Gila & Salt River Meridian
 R.R. East, or random line betw. sec. 21 & 28.
 var. 14°15' East.

40.00 Set temporary posts, cor.

80.13 Intersect N. 48 line & start of com. to sec. 21.
 22.24 28, from which cor. I run
 A. 89° 56' W.

Out true line between secs. 21 & 28.

var. 14°15' East

40.06 Set a post, marked N. 8. 14 ft long, flat-
 tened 3 mi. wide, 1 ft in the ground, drove
 charred stake and build mound of
 earth 2 ft high, with pit of depth,
 2 ft long, 1 ft wide, as per instructions
 for Posts, cor.

No trees near.

80.13 Cor. to secs. 20, 21, 28 & 29.
 Land uneven.
 Soil poor. No timber.

Township 5 S.R. 23 E.
Gila & Salt River Mexican

On North between sec. 20 & 21
W.W.R. 14° 15' East.

40.00 Set post, marked 4 ft long, sattened 3 in.
wide, open the ground, drive charred stake
and build mound of earth 2 ft high, with pit
of depth 2 ft long, 1 ft wide, as per instructions for
sec. cor. from which

A Posto, 6 in. dia. 8.43° E. 134 ft less dist.

do. 14° . . . 8.62° E. 181 . . .

80.00 Set post, marked & notched, 4 ft long, 3 in.
sqd. open the ground, drive charred stake and
build mound of earth 2 ft high, with pit of
depth 2 ft long, 1 ft wide, as per instructions for
cor. to sec. 16. 17. 20 & 21. from which
Anasazite, 6 in. dia. bar. A. 144° 26'. 195 ft. dist
A Posto, 7" . . . 8.33 7/11° E. 151 . . .
No other trees near.

Land uneven; Some broken.
Some trees. Brushy.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Sec. East boundary line bet. sec. 16 & 21
var. $14^{\circ}15'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.63 Intersect N. and S. line 28 hrs N. of cor.
to sec. 15, 16, 21 & 22, from which cor. imm.
N. $89^{\circ}48' W.$

Outline line between sec. 16 & 21.

var. $14^{\circ}15'$ East.

3982 Set a post marked $\frac{1}{4}$ sec. S. off long. flattened
3 mi. wide, 1 ft. in the ground, driven through
stake and build mound of earth 2 ft. high,
with pit 1 ft. deep, 2 ft. long, of sand, w/ a few
instructions, for $\frac{1}{4}$ sec. cor. from which
line square, 8 in. dia. to S. $77\frac{1}{2}' E.$ 33 hrs dist.
do. 12 " " " A. $83^{\circ} W. 81$ "

79.63 Cor to sec. 16, 17, 20 and 21.
Land uneven and broken.
Soil poor. Brush. Some grass.

Township 5 S.R. 23 E.
Gila & Salt River Mexican

Lat. North between sec. 16 & 17.
Var. 14° 15' East

40.00 Set a post marked 4, 8. 14 ft long, flat
tucked 3 in. wide off from the ground, drove charred
stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for tree cor. furnished
A mesquite 8 in. dia loc. N. 19 1/2 E. 297 ft. dist.
No other trees near.

80.00 Set a post marked 8 notched, 14 ft long,
3 in. sqd. 1 ft from the ground, drove charred
stake and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to sec. 8, 9, 16 and
17.

No trees near.

Land uneven, Soil poor.
Scattering trees.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Sec. East. on random line bet. sec. 9 & 16
Var. $14^{\circ}15'$ East

40.00 Set temporary 4 $\frac{1}{2}$ sec. cor.

79.60 Intersect N. and S. line 9 & 16.

N. as cor. to secs. 9, 10, 15 and
16, from which cor. I drew
N. $89^{\circ}56'$ W.

Outline line between secs. 9 & 16.

Var. $14^{\circ}15'$ East

39.80 Set a post, marked 4 $\frac{1}{2}$ S. 14 ft.
long, flattened 3 in. wide, if thin
in the ground, and build mound
of stones 2 ft high as far in -
stinctive for 4 $\frac{1}{2}$ sec. cor.
No trees near.

79.60 Cor. to secs. 8, 9, 16 and 17.
Land uneven. Soil poor.
Scattering trees. Brush.
Some grass.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Rd. North between secs. 8 & 9.
Mar. 14th 15' East.

40.00 Seta post, marked 14.5 ft long, flat
tined 3 in wide, 1 ft in the ground, dark
charred stake & build around a post 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions, for 1/4 sec. cor. from which
Anesquile, 9 mi. due East N. 10 $\frac{1}{2}$ E. 102 sec. dist
do. 7 " " N. 81 $\frac{1}{2}$ W. 173 "

49.00 Dry bed of stream, 40 ft wide, bar. N.W.

80.00 Seta post, marked & notched, 14 ft long,
3 in sqd. 1 ft in the ground, dark charred
stake & build around a post 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to secs. 11.5.8
and 9.

No trees near.

Land uneven. Soil poor.
Scattering trees.

Township 5 S.R. 23 E.
Gila & Salt River Mendian

Pos. Easton random line 66 sec. 4 $\frac{2}{3}$ G
var. 14° 15' East

39.00 Dry bed of stream 40 hrs. wide, bes. N.E.

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect N. & S. line 7 hrs. N. of point to
secs. 3, 4, 9 & 10, from which condm
N. 89° 57' W.

Outline line between secs. 4 $\frac{2}{3}$ G.
var. 14° 15' East.

40.05 Sta post, marked W.S. 4 ft long, flattened
3 in wide, off in the ground, dim charcoal streak
and build round a feather 2 ft high, with
silt 1 ft deep. 2 ft long. 1 ft wide, as per
instructions, for 1/4 sec. cor. from which
mesquite 2 1/2 in dia. bes. N. 84° E. 39 hrs. dist.
No other trees near.

80.11 Cor. to secs. 4, 5, 8 and 9.

Land uneven. Soil poor.

Brush. A few trees.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

On North boundary bet. secos. 4 & 5.
var. 14° 15' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect N. boundary 8 hrs. East
to secos 4 and 5, from which cor. 8 m.
S. 0° 3' E.

On line between secos. 4 & 5.
var. 14° 15' East.

39.84 Set granite stone 14 x 8 x 6 inches,
 $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$, and
on S. build mound a gash
2 ft. high, with pit 1 ft. deep, 2
ft. long, 1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

79.84 Cor. to secos. 4. 5. 8 and 9.
Land descends N. Salt mostly 2°
rate. No timber.

45

Township 5 S.R. 23 E.
Gila & Salt River Mexican

Do North between secs 31 & 32.
var. $14^{\circ} 15'$ East

40.00 Set a post, mared $\frac{1}{4}$ & 4 ft long, flat
tended 3 in. wide, driven in the ground, drive
charred stake & build mound of earth 2
ft high with pit 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for $\frac{1}{4}$ sec. cor.
from which
A Mesquite, 5 in. dia. lies N. $6 \frac{1}{4}$ E. 150 lbs. dist
do. 6 " " West 165.

80.00 Set a post, mared mared & notched,
4 ft long, 3 in. sqd. 1 ft in the ground, drive
charred stake and build mound of earth 2
ft high with pit 1 ft deep, 2 ft long, 1 ft wide
as per instructions for cor. to secs. 29, 30,
31 and 32.

No tree near.

Land very broken. Soil poor.

Some grass. No timber of consequence.

November 3, 1875.

Downship 5 S.R. 23 E.
Gila & Salt River Mountain

Ls. East. on random line bet. sec. 29 & 32.
var. 14° 15' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

67.00 Dry bed of stream, 40 ft. wide, bearing N.E.

78.50 Dry bed of stream, 75 " " " N.E.

79.89 Intersect at. & line 13 lies S. of cor. to sec.

28, 29, 32 and 33, from which cor. drawn
S. 89° 54' W.

On true line between sec. 29 & 32,

var. 14° 15' East

39.95 Set a post, marked 14 ft. off long, flat
tined 3 in. wide, ft. in the ground, driven
charred stake & build mound of earth
2 ft. high with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as foundations for
 $\frac{1}{4}$ sec. cor. No trees near.

79.89 Cor. to sec. 29, 30, 31 and 32.
Land uneven. Soil poor.
Scattering trees and brush.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

P. West on random line betw. sec. 30 & 31,
var. $144^{\circ}15'$ East.

40.00 Set temporary 1/4 sec. cor.

80.16 Intersect W. boundary 28 lbs. A. report
secs. 30 & 31, from which cor. from
 $N.89^{\circ}48'$ E.

On true line between secs. 30 & 31.
var. $144^{\circ}15'$ East.

40.16 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
driv charred stake and build
mound of earth 2 ft. high with
sits 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions for 1/4 sec. cor.
No trees near.

80.16 Cor. to sec. 29, 30, 31 and 32.
Land broken. Soil very
No timber.

Township 5 S.R. 23 E.
Sec. 8 Salt River Meridian
R. North between sec 29 & 30.
var. $114^{\circ} 15'$ East.

40.00 Set a post, marked 4 ft long, flattened
3 in. wide, split in the ground, drove charred stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions for
1/4 sec. cor. from which

Anesquile, 5 mi. dia. sec. S. 46° E. 298 lea. dist.
do. 5 " " S. 60° E. 301 "

80.00 Set a post, marked & notched, 4 ft long, 3
in. sqd. split in the ground, drove charred stake
and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, as per instruc-
tions for cor. to secs. 19, 20, 29 & 30, from which
An Ash, 10 mi. dia. sec. S. 63° W. 17 lea. dist.
Avesate, 5 " " N. 79° W. 37 " "
do. 14 " " N. 53° 34' W. 105 "

Asariso. 3 " " N. 77° 14' W. 118 " "
Land somewhat broken. N. end of line falls in small
valley, coming down from W.
Soil mostly 2 rods. Some trees & brush.

Township 5 S.R. 23 E.
Gila & Salt River Median

Ch. East random line sec. 20 & 29
var. $14^{\circ} 15'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor

79.87 Intersect N. and Sline 11 hrs. N. of cor.
to sec. 20, 21, 28 and 29, from which an iron
 $4.89^{\circ} 55'$ W.

On true line between secs. 20 & 29.
var. $14^{\circ} 15'$ East.

39.94 Set a post marked $\frac{1}{4}$ S. 44 $\frac{1}{2}$ ft long, flattened
3 in. wide, after the ground, drive charred
stake and build mounds straight up
high, with pit 4 ft deep, 2 ft long, 4 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor. from which
An iron quite 4 in. dia. bar. S. 69 $\frac{1}{2}$ W. 97 hrs. dist.
A Post. 4 " " A. 26 $\frac{1}{2}$ E 125 " "

79.87 Cor. to secs. 19, 20, 29 and 30.
Land uneven.

Soil poor. Scattering trees. Grass.

Township 5 S.R. 23 E.
Gila & Salt River Median

Pr. West boundary line between sec. 19 & 30,
var. $14^{\circ} 15'$ East.

40.00 Set temporary post sec. cor.

80.11 Intercept W. boundary 18 hrs. N. of sec. to
secs. 19 & 30, from which cor. down
 $N. 89^{\circ} 52' E.$

Outline line between secs. 19 & 30,
var. $14^{\circ} 15'$ East

40.11 Set post marked $\frac{1}{4}$ S. 4 ft. long. flattened
3 sides, set in the ground, due charred stalk
and build mound of earth 2 ft. high, with
pit 1 ft. deep 2 ft. long. 1 ft. wide as far in-
struction for $\frac{1}{4}$ sec. cor. from which
An Ash 13 in. dia. loc. S. $45^{\circ} E.$ 119 bushels
do. 3 " " " $N. 24\frac{1}{2}^{\circ} E.$ 60 "

80.11 Cor. to sec. 19, 20, 29 and 30.

This line runs along in small valley, coming
down from W. Soil good in places, but mostly
coarse gravel and sand. Cottonwood, Ash and
Mesquite in valley.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Lat. North between sec. 19 & 20,
var. 14° 15' East.

40.00 Set a post, marked $\frac{1}{4}$ in. dia. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for 1/4 sec. cor. No trees near.

80.00 Set a post, marked ~~notched~~, 4 ft. long,
3 in. sqd. 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to sec. 17, 18.
19 and 20. from which

Amesquite, 5 in. dia. bas. N. 18° E. 168 ft. dist
do. 7 " . N. 54° 42' E. 180 "

No other trees near.

Land uneven, somewhat broken.

Soil poor and stony.

Grass. Scattering trees.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Sec. East on random line sec. 17 1/2 20,
var. N $4^{\circ}15'$ East.

40.00 Set temporary 1/4 sec. cor.

79.91 Intersect N. & S. line 13 hrs. N. after
trees 16, 17, 20 and 21, from which
cor. drawn
N. 89° 52' W.

Outline line between sec. 17 1/2 20.
var. 14° 15' East.

39.96 Set a post marked 1/4 S. 4 ft long, flat
tended 3 in. wide, 1 ft in the ground, drive
charred stake and build mound
of earth 2 ft. high, with post 1 ft. deep,
2 ft long, 1 ft wide, as per instruction
for 1/4 sec. cor.

No trees near

79.91 Cor. to sec. 17, 18, 19 and 20.

Land uneven. Somewhat broken.
Not timber on N. some trees on E. end in
little valley running N.E.

Pownship 5 S.R. 23 E.
Gila & Salt River Meridian

Sp. Weston random line betw. sec. 18 & 19
var. $144^{\circ}15'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.22 Intersect W. boundary 19 lbs. S. of
cor to sec. 18 and 19, from which
cor I run.

$S.89^{\circ}52' E.$

On true line between sec. 18 & 19.

var. $144^{\circ}15'$ East

40.22 Set a post, marked $\frac{1}{4}$ S. of boundary
flattened 3 in wide, 1 ft. in the ground,
drive charred stake and build
monadefault 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.22 Cor. to secs. 17, 18, 19 and 20.
Land uneven. Soil Estate
Grass. A few trees.

Township 5 S.R. 23 E.
Gila & Salt River Meridian
Ls. North between sec. 17 & 18

var. 14° 15' East.

40.00 Set a post, marked 74 S. 14 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft. long, 1 ft.
wide, as per instructions, for cor. to sec.
cor. No trees near.

80.00 Set a post, marked and notched,
14 ft long, 3 in. sq'd. 1 ft in the
ground, and build mound
of stones 2 ft. high, as per
instructions, for cor. to sec.
7, 8, 17 and 18.

No trees near.

Land uneven and hilly
Soil good for grass.
No timber.

- To Township 5 S.R. 23 E.
Gila & Salt River Meridian
Ls East from random line bet. sec. 8 & 17
var. $14^{\circ}15'$ East.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.65 Intersect N. and S. line 10 hrs. S.
of cor. to secs. 8, 9, 16 and 17
from which cor. I run
 $S.89^{\circ}56'W.$
Outline line between sec. 8 & 17
var. $14^{\circ}15'$ East.
39.83 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft. in
the ground, and build mound
of stones 2 ft high, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.
79.65 Cor. to secs 7, 8, 17 and 18.
Land uneven and hilly.
Soil poor and stony. Grass.
No timber.

Township 5 S.R. 23 E.
Gila & Salt River Mexican

Ps. West or random line betw. sec. 7 & 18.
var. 14° 15' East.

40.00 Set temporary 1/4 sec. cor.

79.92 Intersect W. boundary 17 lbs. N. of
cor. to sec. 7 & 18, from which cor. turns
N. 89° 53' E.

On true line between sec. 7 & 18.
var. 14° 15' East.

39.92 Set a post, marked 4x8. 4 ft. long, flat
tined 3 in. wide, 1 ft. in the ground, drove
charred stake and build mound of
earth 7 ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as foundations, for
1/4 sec. cor. from which
Amequide 5 in. dia. 862 $\frac{1}{2}$ ft. 100 ft. dist
No other trees near.

79.92 Cor. to sec. 7, 8, 17 and 18.
Land uneven and hilly. Consider-
able grass. Scattering trees.

<sup>5th Township 5 S.R. 23 E.
Gila & Salt River Meridian</sup>

Rs. North between sec. 7 & 8,
var. $14^{\circ} 15'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S,
4ft long, flattened 3 in. wide,
flat in the ground, and build
around it stones 2 ft high, as
per instructions, for $\frac{1}{4}$ sec. cor.
No tree near.

80.00 Set a post, marked and notched,
4ft long, 3 in. sqd. flat in the
ground, and build around
it stones 2 ft high, as per in-
struction, for cor. to sections
5, 6, 7 and 8.

No trees near,

Fine runs over high hills, very
broken.

Some grass.

No timber.

Township 5 S.R. 23 E.

Gila & Salt River Meridian

R. East boundary line betw. sec. 5 & 8.

Var. 14° 15' East.

40.00 Set temporary post cor.

79.72 Intersect N. and S. line 17 lbs.

S. a few. to secs. 4, 5, 8 and
9, from which cor. form
S. 89° 53' W.

On true line between sec. 5 & 8.

Var. 14° 15' East.

39.86 Set a post, marked 74 S. 44 ft. long,
flattened 3 in. wide, driven in the ground,
drive charred stake and build
around of earth & staves with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for 74 sec. cor.
No trees near.

79.72 Cor. to secs. 5, 6, 7 and 8.

Land uneven. Soil sterile.
No timber.

Township 5 S.R. 23 E.
Gila & Salt River Meridian

Pr. West boundary line bet sec. 6^{3/4} &
sec. 14^{1/2} East.

40.00 Set temporary 1/4 sec. cor.

79.87 Intercept W. boundary 11 hrs. S. of
cor. to sec. 6 and 7. from which
cor. I run
S. 89° 55' E.

On true line between sec. 6^{3/4} &
sec. 14^{1/2} East

39.87 Set a post, marked 1x8.4 ft long,
flattened 3 in wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
sides 1/8 dep., 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec. cor.
Notes near.

79.87 Cor. to sec. 5, 6, 7 and 8.
Land broken.
Soil poor. No timber.

Pawnee 5 S.R. 23 E.
Gila & Salt River Meridian

Sec. North. on mid line between 5 & 6.
Var. $144^{\circ}15'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.82 Intercept N. boundary gds. E. of

cor. to secs. 5 & 6. from which
con. line

S. $0^{\circ}4'$ E.

On true line between sec. 5 & 6

Var. $144^{\circ}15'$ East

39.82 Set a post, marked $\frac{1}{4}$ S. 14 ft.
long, flattened 3 in. wide, from the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft. deep, 2 ft long, 1 ft wide,
as per instruction, for $\frac{1}{4}$ sec. cor
Notes near

79.82 Cor. to secs. 5, 6, 7 and 8.
Land mostly flat. Soil good on
N. end. No timber.

November 4. 1875.

Township 5 S.R. 23 E.
Gila & Salt River Meridian
General Description

This Township covers mostly grazing land. The N.E. corner lies along the Gila river and contains some very rich bottom land.

The northern & N.E. portions slope gently and smoothly to the N.E. The S. and S.W. portions are more or less hilly but are mostly covered with an abundance of grass.

Theodore F. White
U.S. Deputy Surveyor.

List of Names.

BOOK

62

635

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of The Subdivision

Lines of Township 5 S.

Range 73 East of the
Gila & Salt River Me-
ridian, Arizona.

Showing the respective capacities in which they
acted.

Urban Bassard Chainman.

R. A. Vasquez Chainman,

B. Palmer Axeman.

Might H. Aubrey Flagman.

63

Final Oath of Assistants.

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying the Subdivision lines of Township 5 S. Range 73 East, of the Gila and Salt River Mountain Arizona.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Urbain Bessard Chainman.

R. A. Argues Chainman,

B. Palmer Axeman.

Wright Shultz Flagman.

Sworn to and subscribed before me, this 3rd day of January, 1876

John H. Harris
Asst Secretary
Arizona

Final Oath of Deputy Surveyor.

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 15th day of June

1872 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision lines of town
ship 5 S. Range 23 East
of the Gila and Salt River
Meridian, Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

BOOK 635

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 3rd
day of January, 1876

John H. Harri
asst. Secretary
Arizona

U. S. Surveyor General's Office,
Tucson, Arizona, January 24, 1876

The foregoing Field Notes of the survey of the

Subdivision lines of

Township 5 S.

Range 23 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the 25th day of
June, 1875, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

J. W. Mason

Surveyor General.