

No. 672

John L. Harris Deputy Surveyor.
T. 6 South R. 16 East
Gila and Salt River Meridian.

672

BOOK 672
FIELD NOTES

OF

The Subdivision Lines of
Township 6 South Range 16 East.
Gila and Salt River Meridian.

BY

John L. Harris No. 672
Deputy Surveyor.
under his Contract of July 1st. 1877.
Survey commenced December 11, 1877.
Survey completed December 15, 1877.

Platted,

Copied for Washington, J.R.F. a. b.

Transcript sent to Commissioner,

BOOK 672

No. 672

John L. Harris Deputy Surveyor.
T. 6 South R. 16 East
Gila and Salt River Meridian.

FIELD NOTES

OF

The Subdivision Lines of
Township 6 South Range 16 East
Gila and Salt River Meridian.

BY

John L. Harris, Deputy Surveyor.
under his Contract of July 1, 1877.
Survey commenced December 11, 1877.
Survey completed December 15, 1877.

Platted,
Copied for Washington,
Transcript sent to Commissioner,

township 6 South Range 16 East
 Gila and Salt River Meridian.
 BOOK 672

6	40	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	54	8	42	9	31	10	20	11	9	12
56		53		41		30		19		8
18	57	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	57	20	38	21	27	22	16	23	5	24
58		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Preliminary Oaths of Assistants.


We, Lynn Wakefield
and Chas B. Warren
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Lynn Wakefield

Chas B. Warren

Sworn to and subscribed before me, this 29
day of September, 1877

William Brown
Tobey Ruble



We, Fred. C. Jones and
J. P. Chenevert
do solemnly swear that we will well and truly per-
form the duties of Clerkman
and Flagman respectively
according to instructions given us, and to the best
of our skill and ability.

Fred C. Jones
J. P. Chenevert

Sworn to and subscribed before me this 29
day of September, 1877

William Wilson
Notary Public



D Township 6 South Range 16 East

Gila and Salt River

Meridian.

BOOK 672

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary I ran

North, between Sections 35 and 36.

Variation $14^{\circ}40'$ East.

As per Eastern Budry.

40.00 Sepa granite stone $11 \times 8 \times 7$ in. $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$, and on the W. build end. of earth abt high with sets 1 ft. deep, 2 ft. long & $\frac{1}{2}$ ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees

80.00 Set an igneous stone $12 \times 10 \times 8$ in. $\frac{1}{3}$ in the ground, notched S. & E, and on the W. build end. of stone abt high as per instructions for the cor. to secs. 25, 16, 35 & 36 No trees.

Rolling hills, good grazing
No timber

Township 6 South Range 16 East 2
 Gila and Salt River Meridian.
 BOOK 672.

Chains East, on a random line between Sections 25 and 36.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 79.94 Intercepted the E. boundary of the town-
 ship 12th sec. N. of the cor. to secs. 25, 30
 31 & 36, from which I made
 M. 89⁵⁵' on a true line between secs. 25 & 36
 Var. $14^{\circ}40'E$,
 39.94 Set a conglomerate stone $14 \times 12 \times 8$ in., $\frac{2}{3}$
 in. thick, marked $\frac{1}{4}$, and on
 the W. build end. of stones $\frac{2}{3}$ ft.
 high as per instructions for $\frac{1}{4}$ sec.
 cor. No trees
 79.94 The cor. to secs. 25, 26, 35 & 36

Rolling hills. Good pasture
 No timber

3 Township 6 South Range 16 East
Gila and Salt River Meridian.
BOOK 672

Chains North, between Sections 25 and 26.

Variation 140 40' East.

- 40.00 Sile granite stone 16x15x12 in., $\frac{4}{3}$ in
the ground, marked $\frac{1}{4}$, and
on the W. build red, a flat
2 ft. high with pits 1 ft. deep,
2 ft. long & 1 ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor.,
No trees.
- 80.00 Sile conglomerate stone 16x15x12 in.
 $\frac{4}{3}$ in the ground, notched S. E.,
and on the W. build red & stones
2 ft. high, with as per instruc-
tions for the cor. to sec. 23, 24,
25 & 26. No trees.

Rolling, good pastureland
No timber.

12

Township

6 South Range 16 East 4

BOOK 672

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation 14040° East.

- 40.00 Subtemporary $\frac{1}{4}$ sec. cor.
80, 13 Intersect by E. boundary of the townships 20 lbs. N. of the cor. to secs 19, 24, 25 & 30, from which I ran N. 89° 51' W. on a true line between secs. 24 & 25
Var. 14040° E.
40.07 Large granite stone 11 x 9 x 8 in., $\frac{1}{3}$ in. in the ground, marked $\frac{1}{4}$, and on the W. build mud of earth 3 ft. high with jets 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
80, 13 The cor. to secs. 23, 24, 25 & 26

Rolling hills. Good for grazing
No timber

5
Township 6 South Range 16 East
Gila and Salt River Meridian.

BOOK 672

Chains North, between Sections 23 and 24.

Variation $14^{\circ} 40'$ East.

- 10.00 Set a granite stone $12 \times 10 \times 5$ in. $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$, and on the N. build mid. of earth abt. high, with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Set an igneous stone $18 \times 16 \times 12$ in. $\frac{3}{4}$ in the ground, notched S. & E. and on the N. build mid. of earth $\frac{2}{3}$ ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. & sides 13, 14, 23 & 24. No trees near.

Rolling hills. Good grazing land! No timber.

Township

6 South

Range

16 East

6

BOOK 672

2

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation 140°40' East.

- 40.00 Separating $\frac{1}{4}$ sec. cor.
80.18 Intercept the E. boundary of the township $\frac{2}{3}$ sec. N. of the cor. to secs. 13, 18, 19 & 24, from which I ran W. 89°48' W. on a true line between secs. 13 & 24
Var. 14°40' E.
40.09 Schistose stone $11 \times 8 \times 7$ in. $\frac{2}{3}$ in. the ground, marked $\frac{1}{4}$, and on the W. boundary of earth $1\frac{1}{2}$ ft. high, with parts 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees.
80.18 Cor. to secs. 13, 14, 23 and 24.

Rolling hills. Good grazing.
No timber.

Township 6 South Range 16 East
Gila and Salt River Meridian.

BOOK 672

Chains North, between Sections 13 and 14.

Variation 14° 40' East.

- 40.00 Set an igneous stone $13 \times 12 \times 9$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the N. build end. of stones
 $2\frac{1}{2}$ ft. high as per instructions for
4 sec. cor. No trees near.
- 80.00 Set an igneous stone $16 \times 16 \times 12$ in.
 $\frac{2}{3}$ in the ground, notched S. 8 E.
and on the N. build end. of stones
 $2\frac{1}{2}$ ft. high as per instructions for
the cor. to secs. 11, 12, 13 & 14.
No trees near.

Rolling hills. Good grazing
No timber

Township 6 South Range 16 East 8
BOOK 672
Meridian.
Ida and Salt River

Chains East, on a random line between Sections 12 and 13.

Variation $140^{\circ} 40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.10 Satinpet the E. boundary of the township
31 1/2 sec. N. of the cor. to secs. 11, 12, 13 & 14
from which I ran
 $11.89^{\circ} 47' W.$ on a true line between secs. 12 & 13
Var. $140^{\circ} 40' E.$
40.05 Set a granite stone $11 \times 10 \times 6$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$. build
mud of earth 2 ft. high with posts
1 ft. apart, 2 ft. long & 1 ft. wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees.
80.10 The cor. to secs. 11, 12, 13 & 14

Rolling & broken hills. Grass
No timber.

Dec. 11, 1877

9

Township 6 South Range 16 East
 Glaz and Salt River Meridian.
 BOOK 672

Chains North, between Sections 11 and 12.

Variation $14^{\circ}40'$ East.

40.00 Schuy igneous stone $12 \times 12 \times 10$ in $\frac{2}{3}$
 in the ground, marked '4, and
 on the N. build and upstones aft. high
 as per instructions for '4 sec. cor.
 No trees.

80.00 Schy granite stone $18 \times 12 \times 9$ in. $\frac{3}{4}$ in
 the ground, notched S & E and
 on the N. build and. upstones aft.
 high as per instructions for the
 cor. to secs. 1, 2, 11 & 12
 No trees near.

Rough & broken surface,
 grass. No trees.

Aug 1 12

Township 6 South Range 16 East 10
Gila and Salt River BOOK 672
Meridian.

Chains East, on a random line between Sections 1 and 12.

Variation $14^{\circ}40'$ East.

40.00 Set a stone $\frac{1}{4}$ sec. cor.
79.90 Intersect the E. boundary of the town-
ship 15 lbs. W. of the cor. to secs
16, 17 & 12 from which I run
W. $89^{\circ}54'W.$ on a true line between secs. 18 &
Var. $14^{\circ}40'E.$

39.95 Set an igneous stone $14 \times 12 \times 6$ in. $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on
the W. build end of stones $2\frac{1}{2}$ ft. high
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.90 The cor. to secs. 1, 2, 11 & 12

Rolling & broken. Some grass,
No timber

11

Township

6 South Range 16 East

Gila and Salt River Meridian.

BOOK 672

Chains

North, on a ~~random~~ ^{true} line between Sections 1 and 2.

Variation 14° 0' 40" East.

40,10 Sepia granite stone 11x10x5 in. $\frac{2}{3}$ in.
the ground, marked $\frac{1}{4}$, and on the
W. build end. of earth 2 ft. high with
pits 1 ft. deep, 2 ft. long & 1 ft. wide as
per instructions for No. 1 sec. cor.
No trees near.

80,15 Intersect the 1st Standard Parallel
South: 8, 45 chs. W. of the Standard
Cor., to secs. 36 & 36, Set Closing Cor.
Sepian igneous rock 17x14x12 in. $\frac{2}{3}$ in.
the ground, notched and on the
S. build end. of stones at high
as per instructions for the closing
Cor., to secs. 1&2, No trees.

High broken hills, grass
No timber.

Township 6 South Range 16 East ¹²
Gila and Salt River ⁴
BOOK 672 ⁷²
Meridian.

Chains North, between Sections 34 and 35.

Variation $14^{\circ}40'$ East.

- 45.00 Set a granite stone $13 \times 10 \times 6$ in;
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on the N. build mid. of
earth aff. high with flats $\frac{1}{2}$ ft.
deep, 2 ft. long & 1 ft. wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees.
- 80.00 Set a conglomerate stone $12 \times 10 \times 8$,
 $\frac{2}{3}$ in the ground, notched S. & E.,
and on the N. build mid. of stones,
 $\frac{1}{2}$ ft. high as per instructions for
the cor. to sides. 26, 27, 34 & 35.
No trees

Rolling hills. Good grazing
land. No timber

13

Township

6 South Range 16 East

Gila and Salt River

Meridian.

BOOK 672

Chains

East, on a random line between Sections 26 and 35.

Variation 14° 40' East.

40.00 Set at temporary $\frac{1}{4}$ sec. cor.
 80.08 Intercept the N. & S. line 14 lbs.
 N. of the cor. to secs. 25, 26, 35
 & 36, from which I run
 N. 89° 54' W. on a true line between secs. 26 & 35
 Var. 14° 40' E.

40.04 Set a post 14 ft. long, flattened
 3 in. wide, marked $\frac{1}{4}$ & 1 ft. in
 the ground, drive charred stake
 and build mud, of stones, etc.,
 high as per instructions for $\frac{1}{4}$ sec.
 cor. No trees.

80.08 The cor. to secs. 26, 27, 34 & 35

Rolling, good grazing land,
 No timber.

Township 6 South Range 16 East 14
Gila and Salt River BOOK 672
Meridian.

Chains North, between Sections 26 and 27.

Variation $14^{\circ} 40'$ East.

- 40.00 ~~Sierra granite stone~~ $10 \times 8 \times 8$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the W. build end, of earth bank
high, with feet 1 ft. deep, 2 ft long
& 1 ft wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees.
- 68.50 Dry wash 40 ft. wide runs NW,
80.00 ~~Sierra granite stone~~ $16 \times 14 \times 10$ in. $\frac{2}{3}$
in the ground, notched S. & E.,
and on the W. build end, of stones
2 ft high, as per instructions for
the cor. to secs. 22, 23, 26 & $\frac{1}{2}$ 27
(No trees near.)

Rolling hills. Good pasturage.
Not timbered

15

Township 6 South Range 16 East
 BOOK 672 Gila and Salt River Meridian.

Chains East, on a random line between Sections 23 and 26.

Variation $14^{\circ}40'$ East.

40.00 Set a bunt for one $\frac{1}{4}$ sec. cor.
 79.81 Intersect the $11, 8, 5$, line 13 lbs.
~~N. of the cor. to secs. 23, 24, 25 & 26~~
~~from which I run~~
~~W. $89^{\circ}54'W.$ on a true line between secs. 23 & 26~~
~~Var $14^{\circ}40'E.$~~

39.91 Set a igneous stone $12 \times 12 \times 12$ in. $\frac{2}{3}$
 in the ground, marked $\frac{1}{4}$, and
 on the W. side and a peartree off
 high, with pets, 1 ft. up, 2 ft. long
 & 1 ft. wide as per instructions for
 $\frac{1}{4}$ sec. cor. Motus.
 79.81 The cor. to secs. 22, 23, 26 & 27

Rolling hills. Grass.
 No timber

Township 6 South Range 16 East ¹⁶
BOOK 672
Gila and Salt River Meridian.

Chains North, between Sections 22 and 23.

Variation $140^{\circ} 40'$ East.

110.00 Set a granite stone $11 \times 10 \times 6$ in. $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on the
W. build end. of stones earth aft. high
with posts 1 ft. apart, 2 ft. long & 1 ft. wide
as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a granite stone $17 \times 14 \times 14$ in. $\frac{2}{3}$ in
the ground, notched S. & E., and
on the W. build end. as stages aft.
high as per instructions for the
cor. to secs. 14, 15, 22 & 23.
No trees near.

Rolling hills. Good grazing
No timber

17

Township

6 South Range

16 East

Gila and Salt River Meridian.

BOOK 672

Chains

East, on a random line between Sections 14 and 23.

Variation 140°40' East.

31.50 Dry wash 40 ft. wide runs W.
 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 79.86 Extended the $\frac{1}{4}$ S. line 9 ft.
 S. of the cor. to secs. 13, 14, 23 & 24
 from which I run
 $5.89^{\circ}56'W$, and a true line between secs. 14 & 23
 Var. 14°40'E.

39.93 Set a granite stone $18 \times 16 \times 10$ in. $\frac{3}{4}$ in.
 in the ground, marked $\frac{1}{4}$, and
 on the W. build red, esp. stones at
 high as per instructions for $\frac{1}{4}$ sec.
 cor., from which
 a Mesquith tree 8 in. diam. has $539^{\circ}W$. 56 ft. dist.
 do 6.. " " $84^{\circ}E. 62^{\circ}$ " "
 79.86 The cor. to secs. 14, 15, 22 & 23

Rolling hills, good grazing
 land. Scattered trees

Township 6 South Range 16 East ^{'18}
Gila and Salt River BOOK 672
Meridian.

Chains North, between Sections 14 and 15.

Variation $14^{\circ}40'$ East.

40.00 Set a granite stone $14 \times 10 \times 8$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the N. build end of stones $2\frac{1}{2}$ ft. high
as per instructions for $\frac{1}{4}$ sec. cor.
No trees

80.00 Set a granite stone $20 \times 12 \times 10$ in. $\frac{3}{4}$
in the ground, notched S. & E. and
on the N. build end of stones $2\frac{1}{2}$ ft.
high as per instructions for the
cor. to secs. 10, 11, 14 & 15, from which
a pale verde 8 in. diam. bns 834° E. $\frac{1}{2}$ lbs. dist.
do 6 " " " 870 W. 6 " "
No other trees near.

Rolling, grass Not timber
of consequence.

19

Township

6 South Range 16 East

Gila and Salt River

Meridian

BOOK 672

Chains

East, on a random line between Sections 11 and 14.

Variation 14°40' East.

40.00 Set a temporary 4 sec. cor.
 80.24 Subs. of the N & S. line 21 ft.,
 S of the cor. to secs. 11, 12, 13 & 14
 from which I run
 S. 89°51' W. on a true line between secs. 11 & 14
 Var. 14°40' E.

40.12 Set a granite stone 12 x 10 x 5 in. $\frac{2}{3}$
 in the ground, marked "4", and
 on the N. build up of earth app.
 high with pits 1 ft. deep app. long
 $\frac{1}{2}$ ft. wide as per instructions for
 4 sec. cor. No trees near.
 80.24 The cor. to secs. 10, 11, 14 & 15

Rolling hills, some broken
 grass, volunteer

Township 6 South Range 16 East ²⁰
 Gila and Salt River BOOK 672
 Meridian.

Chains North, between Sections 10 and 11.

Variation $14^{\circ} 40'$ East.

- 21.00 Dry wash 60 ft. wide runs W.
 40.00 Sch granite stone $14 \times 12 \times 10$ in., $\frac{4}{3}$ in
 the ground, marked '4, laid on top
 & build mid. of stones $\frac{2}{3}$ ft. high as
 per instructions for 4 sec. cor. foundation
 A paloverde 6 in. diam. bns N 60 W, 140 ft. dist.
 No other trees near.
- 51.50 Dry wash 40 ft. wide runs W.
 80.00 Sch granite stone $16 \times 10 \times 8$ in., $\frac{4}{3}$ in
 the ground, marked S. & E. and build
 mid. of stones $\frac{2}{3}$ ft. high with fits $\frac{1}{4}$ ft.
 deep. $\frac{2}{3}$ ft. long & provide as per instruc-
 tions for 4th cor. to size 2, 3, 10 & 11
 from which
 A paloverde 5 in. diam. bns S 87 $\frac{1}{2}$ E. 37 ft. dist.
 No other trees near.

Rolling hills. Good pasture
 No winter

21

Township

6 South Range 16 East

Gila and Salt River Meridian

BOOK 672

Chains East, on a random line between Sections 2 and 11.

Variation 14040' East.

- 40.00 Set a timber on my $\frac{1}{4}$ sec. cor.
 80.17 Subs. at the W. & 22 lbs. S. of the
 cor. to secs. 1, 2, 11 & 12 from which
 I run
 $58^{\circ}57'W.$ on a true line between Secs. 2 & 11
 Var. 14040' E.
- 40.09 Set a granite stone $11 \times 9 \times 6$ in. $\frac{7}{3}$ in.
 thy ground, marked $\frac{1}{4}$, and on
 the W. build and. of earth after high
 with pits 1 ft. deep, 2 ft. long & $1\frac{1}{2}$ ft.
 wide as per instructions for the
 $\frac{1}{4}$ sec. cor. No trees.
- 80.17 The cor. to secs. 2, 3, 10 & 11.

Rolling hills. Good grazing
 No timber.

Dec. 12, 1877

Township 6 South Range 16 East ²²
Gila and Salt River BOOK 672
Meridian.

Chains North, on a ~~random~~ true line between Sections 2 and 3.

Variation $110^{\circ}40'$ East.

- 40.00 Set a granite stone $14 \times 10 \times 6$ in. $\frac{3}{3}$
in the ground, marked $\frac{1}{4}$, and on
the N. build end. Stones $\frac{1}{2}$ ft. high
as per instructions for $\frac{1}{4}$ sec. cor.
from which
A full circle 3 in. diameter 9.69 in. 42 lbs. dist.
 $\text{do } 6 \frac{9}{16}^{\prime\prime} 82.98. 65^{\prime\prime} \text{ "}$
80.30 Intersected the 1^{st} Standard Parallel
South 8.04° sh. W. of the Standard
Cor. to Secs. 34 & 35. Set Closing
Cor. Set a granite stone $20 \times 16 \times 14$ in.
 $\frac{3}{4}$ in. in the ground, notched $\frac{1}{4}$ in. on the
S. build end. of stones $\frac{1}{2}$ ft. high as
per instructions for Closing Cor.
to Secs. 2 & 3 from which
A full circle true 4 in. diameter 9.29 in. 52 lbs. dist.
No other trees near.

Rolling grassland.
No timber of any consequence.

23

Township

6 South Range 16 East

BOOK 672

Gila and Salt River

Meridian

Chains

North, between Sections 33 and 34.

Variation 14° 40'

East.

- 40.00 Siba post 4 ft long, flattened 3 in. wide marked 4 p. 1 ft. in the ground drive charred stake and build end. of earth 2 ft. high with posts 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for 4 sec. cor. from which a pole extends 4 in. diam. brs 935E, 118Ks dist.
to 5" " " 9300, 84" "
- 80.00 Siba post 4 pp. long, sqd 3 in. marked & notched, 1 ft. in the ground, drive charred stake and build end. of earth stones as high as per instructions for the cor. to secs. 27, 28, 33 & 34
No trees

Rolling grazing land,
Salverde trees

Township 6 South Range 16 East ²⁴
Gila and Salt River BOOK 672
Meridian.

Chains East, on a random line between Sections 27 and 34.

Variation $14^{\circ}40'$ East.

40.00 ~~Sedatunpaory~~ $\frac{1}{4}$ sec. cor.,
80.08 intersect the N. & S. line 12 lbs. N.
of the cor. to secs. 26, 27, 34 & 35 from
which I run
 $N.89^{\circ}55'W.$ on a true line between secs. 27 & 34
Var. $14^{\circ}40'$ E.

40.04 Sepa granite stone $10 \times 8 \times 7$ in. $\frac{4}{3}$ in
the ground, marked $\frac{1}{4}$, and on
the W. build mud & earth up high
with flats 1 ft. deep, 2 ft. long & 1 ft.
wide as per instructions for $\frac{1}{4}$ sec.
cor. No trees.

80.08 The cor. to secs. 27, 28, 33 & 34

Rolling. Good grazing
No timber

Township 6 South Range 16 East
 Gila and Salt River Meridian
 BOOK 672

Chains

North, between Sections 27 and 28.

Variation 14040' East.

40.00

Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 $\frac{1}{2}$ E. in the ground. Drive charred stake, and build mud, of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. from which a Mesquit tree 3 in. diam. bns 50 w. 64 lbs. dist.

do 3 " " 1128 E. 53" "

80.00

Set a post 4 ft. long, sqd 3 in. marked & notched, 1 ft. in the ground. Drive charred stake and build mud, of stones, 2 ft. high as per instructions for the cor. to secs. 21, 22, 27 & 28, from which a paloverde tree 5 in. diam. bns 824 E. 20 lbs. dist.

do 3 " " 1158 W. 12" "

do 4 " " 1111 E. 90" "

No other near.

Over points of high mesa.
 Good for grazing.
 Paloverde trees

Township 6 South Range 16 East ²⁶
BOOK 672
Gila and Salt River Meridian.

Chains East, on a random line between Sections 22 and 27.

Variation 14040' East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.19 Subs. sect. the W. 1/4 S., line 15 bks. N.
of the cor. to secs. 22, 23, 26 & 27, from which
I run
 $91.89^{\circ} 54' W.$ on a true line between secs. 22 & 27
Var. $14^{\circ} 40' E.$
40.10 Set a post 4 ft. long, flattened 3 in. wide
marked $\frac{1}{4}$ S. 1 ft. in the ground, drive
chained stake & build mud & earth
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruction
for $\frac{1}{4}$ sec. cor. No trees
80.19 The cor. to secs. 21, 22, 27 & 28

Mesa land Good grass land
No timber

27
Township 6 South Range 16 East
Gila and Salt River Meridian
BOOK 672

Chains North, between Sections 21 and 22.

Variation $14^{\circ}40'$ East.

- | | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 20.50 | Drywash 40 ft. wide runs W,
Suba volcanic stone $12 \times 10 \times 5$ in. $\frac{2}{3}$ in.
th ground, marked $\frac{1}{4}$ and on top
W. build mid. of stones 2 ft. high, as
per instructions for "sec. cor.", from which
a Mesquite tree 3 in. diam. bds 840 w. 20 ft. dist. |
| | $\text{do } 4 "$ " $\$398.57$ " |
| 46.00 | Dressing with small canon runs W,
Suba post 4 ft. long, sq'd 3 in.,
marked & notched, 1 ft. in ground,
drive charred, spike and build mid.
of earth 2 ft. high with pits 1 ft. deep
1 ft. long & 1 ft. wide as per instructions
for the sec. cor. & sec. 15, 16, 21 & 22
no trees near
This is in bottom of small canon
between high ridges of mesa. |

Mesa land, somewhat broken
Scattering trees

Township

6 South Range 16 East²⁸

BOOK 672

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation $14^{\circ} 40'$ East.

40.00 Set a corner $\frac{1}{4}$ sec. cor.
80.24 Subs. of the N. & S. line 19 lbs. of
the cor. to secs. 14, 15, 22 & 23
from which I run
 $118^{\circ} 57' W.$ on a true line between Secs. 15 & 22
Var. $14^{\circ} 40' E.$

40.12 Set a granite stone $12 \times 9 \times 5$ in. $\frac{4}{3}$
in the ground, marked $\frac{1}{4}$, and on
the W. side end, a spar 2 ft. high
with pits 1 ft. deep, 2 ft. long
& 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees
80.24 The cor. to secs. 15, 16, 21 & 22

Polling. Good grazing land
No timber.

29
Township 6 South Range 16 East
Gila and Salt River Meridian.
BOOK 672

Chains North, between Sections 15 and 16.

Variation $14^{\circ}40'$ East.

- 40,00 Sepia granite stone $12 \times 9 \times 8$ in - $\frac{2}{3}$ in
the ground, marked 44, and
on the N. build up a earth 2 ft.
high with fits 1 ft. deep, & along
2 ft. wide as per instructions
for 4 sec. cor. Holman
- 80,000 Sepia conglomerate stone $14 \times 10 \times 8$ in $\frac{2}{3}$
in the ground, notched S, E,
and on the N. build up stones
2 ft. high as per instructions
for the cor. to secs. 9, 10, 15 & 16
from which
A Mesquite tree 4 in diam. in #15 ro. 53 tks. dist.
No other trees near,

Rolling hills. Good for grazing
Scattering trees

Township 6 South Range 16 East ³⁰
Gila and Salt River BOOK 672
Meridian.

Chains East, on a random line between Sections 10 and 15.

Variation $14^{\circ}40'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.20 Intercept the N. 1/4 S. line 12 rods S.,
at the cor. to secs. 10, 11, 14 & 15 from
which I run
 $5.89^{\circ}55'W.$ on a true line between Secs 10 & 15
Var. $14^{\circ}40'E.$

40.10 Subgranite stone $13 \times 8 \times 5$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and one
thick, build mid. of earth 2 ft. high
with posts 1 ft. apart, 2 ft. long & 1 ft.
wide as per instructions for $\frac{1}{4}$
sec. cor. No trees
80.20 Th cor. to secs. 9, 10, 15 & 16

Raffling grass
Potentilla

No. 672

31

Township

6 South

Range

16 East

Gila and Salt Rivers

Meridian.

BOOK 672

Chains North, between Sections 9 and 10.

Variation 14° 40'

East.

- 140.00 Gila granite stone 14x14x19 in $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the N. build end, of stones
as high as per instructions
for $\frac{1}{4}$ sec. cor. No trees.
- 80.00 Gila granite stone 16x12x8 in $\frac{2}{3}$
in the ground, notched S. & E.,
and by the N. build end of stones
as high as per instructions
for the cor. to Secs. 3, 4, 9 & 10
from which
A pale wood 4 in. diam. brs N. 20 E. 80 lbs. dict.
do 5 " " \$448.63 "
do 4 " " \$290.80 "
do 4 " " \$800.72 "

Rolling hills. Grass
silver-color timber

Township 6 South Range 16 East ³²
Gila and Salt River BOOK 672
Meridian.

Chains East, on a random line between Sections 3 and 10.

Variation $14^{\circ}40'$ East.

- 40.00 Set at temporary $\frac{1}{4}$ sec. cor.
80.22 I passed the N. & S. line 18 ft.,
so of the cor. to secs. 2, 3, 10 & 11 from
which I run
 $5.89^{\circ}57'W.$ on a true line between Secs. 3 & 10
Var. $14^{\circ}48'E.$
- 40.11 Set a granite stone $10 \times 8 \times 8$ in $\frac{1}{3}$
in the ground, marked $\frac{1}{4}$, and
on the E. build up of earth after
high with posts 1 ft. apart, 2 ft. long
& 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees
80.27 The cor. to secs. 3, 4, 9 & 10

Rolling, good grazing land,
November

33
Township 6 South Range 16 East.

Gila and Salt River Meridian.
BOOK 672

Chains North, on a ^{true} ~~random~~ line between Sections 3 and 4.

Variation 14° 40' East.

40.00 Schist granite stone $12 \times 9 \times 7$ in. $\frac{1}{3}$
in the ground, marked $\frac{1}{4}$ S, and
on the N. build end, a post 2 ft.
high with pits 1 ft. deep, 2 ft. long
 $\frac{1}{2}$ ft. wide, as per instructions for
the $\frac{1}{4}$ sec. cor. No trees

80.44 Intercept the Finish Standard Parallel
South 8.05 chs. W. of the Standard Cor.
to secs. 33 & 34. Set Closing Cor. Set
a granite stone $24 \times 14 \times 10$ in. $\frac{3}{4}$ in the
ground, notched, and on the S. build
end, a stone 2 ft. high as per instruc-
tions for Closing Cor. to secs. 3 & 4
No trees near.

Rolling, good grazing land
No timber

Dec. 13, 1877

Township 6 South Range 16 East ³⁴
 Gila and Salt River BOOK 672
 Meridian.

Chains North, between Sections 32 and 33.

Variation $14^{\circ} 40'$ East.

- 39.00 San Pedro River 50 lbs. wide runs E. of N.
 Siba post 4 ft. long, flattened 3 in.,
 wide, marked $\frac{1}{4}$ S. 1 ft. in the ground
 drive charred stake and build end of
 earth 2 ft high with posts 1 ft. deep, 2 ft.
 long & 1 ft wide as per instruc-
 tions for 1/4 sec. cor., from which
 a T-shaped but 13 in. diam. bns 32 $\frac{1}{2}$ E. 90 $\frac{1}{2}$ dist.
 A Cottonwood tree 35" " 17 $\frac{1}{2}$ E. 198" "
 43.00 Koff's house bears East about 23. chs. dist.
 70.00 San Pedro River 50 lbs. wide runs. W. of N.
 72.00 Road to Dodson's bns W.
 75.35 San Pedro River 50 lbs. wide runs E. of N.
 80.00 Siba post 4 ft. long, sq'd 3 in. mark-
 ed and pointed, drive charred stake
 and build end of earth 2 ft high,
 with posts 1 ft. deep, 2 ft. long & 1 ft.
 wide as per instructions for the
 cor. to secs. 28, 29, 32 & 33
 from which
 A Mesquite tree 30 in. diam., bns 1145 $\frac{1}{2}$ E. 44 lbs. dist.
 A Cottonwood 30" " 85 E. 220" "
 Hootler trees near
 Rich bottom land, Cottonwood &
 mesquite timber along river

Township 6 South Range 16 East

35 Gila and Salt River

BOOK 672

Meridian

Chains East, on a random line between Sections 28 and 33.

Variation $14^{\circ}40'$ East.

- 0.15 Leave Dodson's cornfield bns W. & S.
2.25 Saw Pedro River 50 lbs, wide runs W,
29.00 McVeigh's house bears South 17.50 cho. dist
40.00 Set a temporary $\frac{1}{4}$ sec. cor.
41.60 Saw Pedro Road bns, W,
63.50 Leave Saw Pedro bottom land,
79.90 Intersect the W. & S. line 13 lbs, S.
of the cor., to Secs. 27, 28, 33 & 34
know which I run
\$1.89 $3\frac{1}{4}$ ' W. on a true line between Secs. 28 & 33

Variation $14^{\circ}40'$ E.

- 39.95 Set a post 4' off long, flattened 3 in.,
wide, marked $\frac{1}{4}$ S., $\frac{1}{4}$ N. in the ground
drive charred stakes and build sides of
earth 2 ft high with posts 1 ft. deep,
ash. long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trees near.
79.90 The cor. to Secs. 28, 29, 32 & 33

Rich bottom land. Brush
& some trees.

Township 6 South Range 16 East 36
 Gila and Salt River BOOK 672
 Meridian. 72 an

Chains North, between Sections 28 and 29.

Variation 14° 04' East.

40.00 This falls in a wash, so I set a witness cor. 45 lbs. S. of this point. Post 4 ft. long, flattened 3 in wide, marked $\frac{1}{4}$ in. 1 ft. in the ground, drive charred stake and build mud of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. from which a Cottonwood tree 40 in. diam. has $5\frac{1}{2}^{\circ}$ E. 181 lbs. A Yerajo tree 11 " " " $48\frac{1}{2}^{\circ}$ E. 180 " "

80.00 This falls in wash, so I set witness cor. 66 lbs. S. of this point. Set post 4 ft. long, sqd 3 in. marked & notched, 1 ft. in the ground, drive charred stake and build mud of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 20, 21, 28 & 29, from which a Mesquite tree 12 in. diam. has $5\frac{1}{2}^{\circ}$ E. 118 lbs. No other trees near.

Rich bottom land, some timber along river

Township 6 South Range 16 East

37 Gila and Salt River Meridian.

BOOK 672

Chains East, on a random line between Sections 21 and 28.

Variation $14^{\circ}40'$ East.

4,00 San Pedro river 50kds. wide runs W. of R.
12,80 Another bed of the river 50kds. wide runs N.
23,60 San Pedro Road brs W. of R.
40,00 Set at one post $\frac{1}{4}$ sec. cor.,
80,23 Intercept the N. S. line 10 kds.
S. of the cor. to Secs. 21, 22, 28 & 29
from which I run

$8.89^{\circ}51'W$ on a true line between Secs. 21 & 28

Variation $14^{\circ}40'E.$

40,12 Set a post 4 ft long, flattened 3 in.
wide, marked $\frac{1}{4}$ sec. 1 ft in the ground
drive chafed stake and build end,
of earth 2 ft. high, with posts 1 ft.
dip. 2 ft. length & 1 ft. wide as per
instructions for $\frac{1}{4}$ sec. cor.
from which

At Mesquite 70 in claim brs S 33 E. 41 kds. dist.
Lg. 9" " " 8560, 228" "

80,23 The cor. to Secs. 20, 21, 28 & 29,

Rich bottom land
Mesquite timber.

Township

6 South Range 16 East 38

Gila and Salt River

BOOK 672
Meridian.

Chains

North, between Sections 20 and 21.

Variation 140°40' East.

- 5.75 Salt River 200 ft. wide runs N.W.,
then immediately turns & runs N.E.,
cross bend of river
- 32.00 Silt a foot 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ ft. S. 1 ft. in the ground,
drive charred stake and build mud
of earth 2 ft. high with feet 1 ft. deep
2 ft. long & 1 ft. wide as per in-
structions for 4 sec. cor. from which
a Cottonwood tree 40 in. diam. has 41.23 W. 48 ft. dia.
do. 10. " " 485 $\frac{1}{2}$ W. 150 " "
- 47.50 Salt River 160 ft. wide, runs W. of N.
and then E. of N.
- 65.15 Ditch runs N.W.
- 80.00 Silt a foot 4 ft. long, sqd 3 in.
marked & notched, 1 ft. in the ground
drive charred stake and build mud
of earth 2 ft. high with feet 1 ft.
deep, as above & 1 ft. wide as per
instructions for 4 sec. the cor.
to secs. 16, 17, 20 & 21, from which
a Mesquite tree 6 in. diam. has 41.75 E. 93 ft. dia.
No other trees near.
- Passes 8 Lytle's brush houses has 53°W. 11.50 ch. dia.
Rich bottom soil. Some timber

Township 6 South Range 16 East

39

BOOK

672

Gila and Salt River

Meridian.

Chains East, on a random line between Sections 16 and 21.

Variation 14040'

East.

- 11.60 Sun Rd. no road runs W.
31.60Leave bottom of valley
40.00 Sub-tum-porary $\frac{1}{4}$ sec. cor.,
79.87 Intersect the W. & S. line talk. S. of
the cor. to secs. 16, 16, 21 & 22 from
which I ran
S. 89° 5.5' W. on a true line between secs. 16 & 21
Var. 14040° E.
39.94 Sub-apast 14 ft. long, flattened 3 mi.
wide, marked $\frac{1}{4}$, and on the
W. build. end. of stones 2 ft. high
as per instructions for $\frac{1}{4}$ sec.
cor. from which
A pale verd. G. Indian has. Worth 98 lbs. doz.
to 10" " " \$100. 74" "
79.87 The cor. to secs. 16, 17, 20 & 21.
The $\frac{1}{4}$ sec. cor. is on top of high
mesa.

Broad misaligned. Grass
Scattering timber

Township 6 South Range 16 East ⁴⁰
BOOK 672
Gila and Salt River Meridian.

Chains North, between Sections 16 and 17.

Variation 140 40' East.

40.00 Siba post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ s. 1 ft. in the ground, drive charred stake and build end. earth 2 ft. high with posts 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 4 sec. cor. No trees
This is on the middle of valley.

146.00 San Pedro Road, hrs 10. of M.
80.00 Siba post 14 ft. long, sqd 3 in., marked and notched, 1 ft. in the ground, drive charred stake and build end. with 2 ft. high with posts 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to sec. 8, T. 16 S. 17, front which

A Mesquite tree 10 in. diam. hrs. 870 E. 130 lbs. list.
do 15" " " \$2.90, 94" "
do 12" " " 44.47 W. 104" "
do 9" " " 41.72 E. 125" "

Good bottom land.
Mesquite timber

Township 6 South Range 16 East
41 Gila and Salt River Meridian.
BOOK 672

Chains East, on a random line between Sections 9 and 16.

Variation $14^{\circ}44'W$ East.

- 40.00 Schistose porphyry $\frac{1}{4}$ sec, cor.,
80.25 Intersect the W. & S. line 300ks.
S. of the cor. to secs. 9, 10, 15 & 16
from which I measured
5.89 $47'W$, on a true line between secs. 9 & 16
Var, $14^{\circ}40'E$.
- 140.13 Schistose stone $14 \times 12 \times 10$ in. $\frac{1}{3}$
in the ground, marked $\frac{1}{4}$, and
on the W. build end of stones
 $\frac{1}{2}$ ft. high as per instructions for $\frac{1}{4}$
sec. cor., from which
A pale verdura tree 5 in. diam. lies west 660ks dist.
No other tree near.
- 80.25 The cor. to secs. 8, 9, 16 & 17

Rolling, good pasture lands
Some paloverde trees

Township 6 South Range 16 East 42
Gila and Salt River BOOK 672
Meridian.

Chains North, between Sections 8 and 9.

Variation 14° 40' East.

11.00 Leave bottom land
40.00 Set a post 4 ft. long, flattened 3 in. wide
marked $\frac{1}{4}$, S. 1 ft. in the ground,
drive charred stakes and build mud
of stones 2 ft. high as per instruc-
tions for 1st sec. cor. from which
A pale verd 4 in diam. bns. \$376.87 lbs. dist.
No other tree near.

This is on W. slope of low point of mtn.

45.25 Dry wash crosses. wide, runs N.W.
80.00 Set a post, 4 ft. long, sqd 3 in., mark
end & notched, 1 ft. in the ground, drive
charred stakes and build mud of stones
2 ft. high as per instructions for
the cor. to secs. 4, 5, 8 & 9 from which
A pale verd tree 4 in diam. bns. \$280.15 lbs. dist.

do 4" " " \$328.198" "
No other trees near.

Rolling hills. Good grazing
Scattering trees

Township 6 South Range 16 East
43 Gila and Salt River Meridian.
BOOK 672

Chains East, on a random line between Sections 4 and 9.

Variation $14^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.82 Intersect the W. & S. line 20 ft. S. of
the cor. to secs. 3, 4, 9 & 10 from which draw
a line N. 89° 57' W. on a true line between secs. 4 & 9
Var. $14^{\circ}40'$ E.
39.91 Set a granite stone $11 \times 8 \times 7$ in. $\frac{1}{4}$ in.
in the ground, marked $\frac{1}{4}$, and
on the top build up a earth app.
high with pits 1 ft. deep. 2 ft long
& 2 ft wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.
79.82 The cor. to secs. 4, 5, 8 & 9

Rolling grazing land.
Volunter

Township 6 South Range 16 East ⁴⁴
 Gila and Salt River ^{BOOK 672} Meridian.

Chains	North, on a ^{true} random line between Sections 4 and 5.	Variation ^{14° 40'} East.
7.00	Enter little valley runs W.	
7.55	Drywash 25 fms. wide runs W,	
38.00	Leave little valley	
40.00	Set an Igneous Stone 13x10x6 in. ⁴³ in the ground, marked '4, and on the N. build red. of stones aft. high as per instructions for "4 sec. cor. front wheel a pale verde 3 in. diam. brs 41.29 E. 79 Merid. dist. do 5 " " \$340.50 "	
80.11	Intersect the 1 st Standard Line South 7.99 Chs. W. of the cor. to secos 32 & 33 Set Closing Cor. Set a post 4 ft. long sq'd 3 in. marked & notched, drive Channed slate I build red. of stones aft. high as per instructions for the Closing Cor. to secos. 4 & 5, from which a pale verde 4 in. diam. brs 41.74 W. 107 fms. dist. do 5 " " 41.28 E. 94 " " do. 3 " " \$480.75 " " No other line.	

Rolling hills, good grazing
pale verde trees

Township 6 South Range 16 East

45

Gila and Salt River

Meridian.

BOOK 672

Chains North, between Sections 31 and 32.

Variation 140 140'

East.

- 40.00 Set a post 4 ft long flattened 3 in. wide marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred stake and build mud
of earth 2 ft. high with posts 1 ft. deep,
2 ft. long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a palo verde 6 in. diam. lbs 588. 87 lbs. dist.
do 4 " " " 9148 W. 75 " "
80.00 Set a post 4 ft. long, sqd 3 in.,
marked & notched 1 ft. in the ground,
drive charred stake & build mud,
of earth 2 ft. high with posts 1 ft.
deep, 2 ft. long & 1 ft. wide as per
instructions for the cor. to secs.
29, 30, 31 & 32 from which
a palo verde tree 4 in. diam. lbs 9157 W. 108 lbs. dist.

do 10 " " " 861 1/2 W. 98 " "

do. 5 " " " 942 1/2 E. 167 " "

No other tree near,

Some good land. Scattering
timber.

Township 6 South Range 16 East ⁴⁶
 BOOK 672
 Gilcrease and Salt River Meridian.

Chains East, on a random line between Sections 29 and 32.

Variation $14^{\circ} 40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 50.00 Corral immediately S. of place
^{51.60} Road from Dodson's house valley two points bns. #1,
 53.00 Dodson's house bns. 834W, 51.60 chs. dist.
 54.50 Acquia runs W.
 68.25 do " "
 74.40 do " "
 74.60 Road branching from main road to
 Dodson's bro. NW.
 79.91 Intersect the W. & S. line 13 lks. #1
 of the cor. to secs. 28, 29, 32 & 33
 from which I run
 $11.89^{\circ} 54' W.$ on a true line between secs. 29 & 32
 Var. $14^{\circ} 40' E^{\circ}$
 39.96 Set a post 4 ft. long, flattened 3 in.,
 wide, marked $\frac{1}{4}$ S. 1 ft. in the
 ground, drive charred stake and
 build m. of earth 2 ft. high with
 feet 1 ft. deep, 2 ft. long & 1 ft. wide
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which
 A Mesquite tree 13 in. diam. bns. #187E. 19 lks. dist.
 do. 3 " " 548W. 33 " "
 79.91 The cor. to secs. 29, 30, 31 & 32
 Rich bottom land. Considerable
 mesquite timber D.C. 14, 18th

Township 6 South Range 16 East
47 Gila and Salt River Meridian
BOOK 672

Chains West, on a random line between Sections 30 and 31.

Variation $14^{\circ} 40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.31 Intersect the W boundary of the
township 11 lbs. N. of the cor. to
secs. 25, 30, 31 & 36 from which I run
 $W. 89^{\circ} 35' E.$ on a true line between secs. 30 & 31
Var. $14^{\circ} 40' E.$
39.31 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground. Drive charred stakes and
build mud & earth 2 ft. high with pits
1 ft. deep all long & 1 ft. wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees.
79.31 The cor. to secs. $29^{\circ} 30, 31 \& 32$

Rolling grass land
No timber

Township 6 South Range 16 East 48
Gila and Salt River BOOK 672
Meridian.

Chains North, between Sections 29 and 30.

Variation $14^{\circ}40'$ East.

40.00 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred stake and build mud, of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor.
No trees

80.00 Set a granite stone $16 \times 14 \times 12$ in. $\frac{1}{3}$ in the ground, notched S. & E. and on the W. build mud, of stones 2 ft. high as per instructions for the cor. to secs. 19, 20, 29 & 30. No trees.

Rolling. Good grazed land
No timber of consequence.

Township 6 South Range 16 East

49 Gila and Salt River

Meridian

BOOK 672

Chains

East, on a random line between Sections 20 and 29.

Variation $14^{\circ}40'$ East.

- 40.00 Separating temporary $\frac{1}{4}$ sec. cor.
60.00 Road from Dodson's down valley back N.
79.80 Intersect the W. & S. line 41 lbs. N.
of the cor. to secs. 20, 21, 28 & 29
from which I run
 $W.89^{\circ}42'W.$ on a true line between secs. 20 & 29
Var. $14^{\circ}40'E.$
89.90 Set a post 4 ft long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1 ft. in the ground
drive charred stake and buried end
so north as high with pits 1 ft. deep,
2 ft long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a Mesquite tree stands S. 50 E. 52 lbs. dist.
do 10 " " " $W.77^{\circ}W.$ 86 " "
79.80 The cor. to secs. 19, 20, 29 & 30

Some good land, good pasture,
etc. Some mesquite trees

Township 6 South Range 16 East ⁵⁰
Gila and Salt River BOOK 672
Meridian.

Chains West, on a random line between Sections 19 and 30.

Variation 14040' East.

- 40.00 Temporary $\frac{1}{4}$ sec. cor.
79.28 Subs. of the W. boundary of the lower
strip 24 fks. N. of the cor. to sec.
19, 24, 25 & 30, from which I run
N. 89° 50' E. on a true line between Secs. 19 & 30
Var. 14040' E.
39.28 Set a granite stone $14 \times 7 \times 6$ in. $\frac{1}{3}$
in the ground, marked $\frac{1}{4}$ and
on the E. build mid. of earth 2 ft
high with pits 1 ft. dep. 2 ft long
1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.
79.28 The cor. to secs. 19, 20, 29 & 30.

Rolling grass land,
No timber

Township 6 South Range 16 East

51

BOOK

672

Gila and Salt River

Meridian

Chains

North, between Sections 19 and 20.

Variation $14^{\circ}40'$ East.

- 37.50 Dry wash 40 lks. wide runs E.
40.00 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. and 1 ft. in the ground, drive charred stake and build end. of stones 2 ft. high as per instructions for $\frac{1}{4}$ sec. cor. from which a pale over 6 in. diam. brs S 71 E. 87 lks. dist.
do 5 " " 845 E. 92 " "
76.50 Dry wash 100 lks. wide runs E.
80.00 Set a post 4 ft. long, sqd 3 in. marked & notched, 1 ft. in the ground drive charred stake and build end. of stones 2 ft. high as per instructions for the cor. to sec.
17, 18, 19 & 20, from which a Mesquith 10 in. diam. brs S. 3 W. 28 lks dist.
a pale over 5 " " N. 38 W. 78 " "
No trees near besides these.

Rolling gravel pasture land,
Scattering trees

52

Township 6 South Range 16 East
 Gila and Salt River BOOK 672
 Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}40'$ East.

- 20.00 Dry wash 30 lbs. wide near W. C.
 40.00 Shallow porous $\frac{1}{4}$ sec. cor.
 46.55 Trail bars W. & S.
 57.00 Road to Dodsons hrs. S.
 52.30 Bed of San Pedro River 60 lbs. wide near E. of M.
 56.00 Second bed of San Pedro River 73 lbs. wide near M.
 68.00 Leave cor ruffed.
 79.92 Intersect W. & S. line 14 lbs. S.
 of the cor. to secs. 16, 17, 18 & 21, from
 which I run
 $S.89^{\circ}54'W$, on a true line between secs. 17 & 20
 Var. $14^{\circ}40'E$.
 39.96 Shallow $\frac{1}{4}$ ft. long, flattened 3 in. with
 marked $\frac{1}{4}$ in. in the ground,
 drive charred sticks and build rud.
 of stones 3 ft. high as per instruc-
 tions for $\frac{1}{4}$ sec. cor. No trees
 This is on low point of mesa on W. edge
 of valley.
 79.92 The cor. to secs. 17, 18, 19 & 20.

Rich bottom land. Some timber

Township 6 South Range 16 East
53 Gila and Salt River Meridian,
BOOK 672

Chains West, on a random line between Sections 18 and 19.

Variation $14^{\circ} 40'$ East.

40.00 Set a stone corner $\frac{1}{4}$ sec. cor.

79.18 In line at the W. boundary of the
township 17 sec. No. off the cor.
to secs. 13, 18, 19 & 24, from which I ran
W. $89^{\circ} 33'$ E. out a true line between Secs.

18 & 19 $\frac{1}{4}$ sec. cor.

39.18 Set a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1 ft. in the ground,
drive charred stakes & build end of post
2 ft. high with posts 1 ft. deep 2 ft. long
& 1 ft. wide as per instructions for
 $\frac{1}{4}$ sec. cor. No trees.

79.18 Th cor. to secs. 17, 18, 19 & 20

1 Rolling grass land,
No timber

Township 6 South Range 16 East 54
Gila and Salt River BOOK 672
Meridian.

Chains North, between Sections 17 and 18.

Variation 14040' East.

- 40.00 Set a post 4 ft. long, flattened 3 in wide, marked $\frac{1}{4}$ sec. 1 ft. in the ground, drive charred stake and build end, of stones 2 ft high as per instructions for "4 sec. cor." from which Apal Verde 5 in. diam. brs 810E. 84 lbs. dist.
do 4 " " " 949E. 104 " "
68.10 Dry wash 80 lbs. wide runs N.E.
80.00 Set a post 4 ft. long. 89 ft 3 in. wide marked & notched, 1 ft. in the ground, drive charred stake and build end, of earth 2 ft. high with pits 1 ft. deep, 2 ft long & 1 ft wide as per instructions for sec. cor. 7, 8, 17 & 18, from which
A Mesquite tree 9 in. diam. brs 832E. 44 lbs. dist.
do 6 " " " \$15W. 61 " "
No other trees near.

Some good land.
Mesquites & pale verde trees

Township 6 South Range 16 East
55
 BOOK 672 *Gila and Salt River*

Meridian

Chains East, on a random line between Sections 8 and 17.

Variation $14^{\circ}40'$ East.

- 25.40 Road from Dodson's down the valley
lens. #1. This road runs into main road
in sec. 8, W. spruce
Set temporary $\frac{1}{4}$ sec. cor.
 53.00 Saw Pedro River looks wide runs N.
 58.60 Saw Pedro Road has. #1. This road
crosses river in middle of sec. 8, and
then continues down W. side
 79.88 Intersect the N. & S. line 10th sec. #1 of
the cor. to secs. 8, 9, 16 & 17 from
which I run
 $91.89^{\circ}56'W$ on a true line between Secs. 8 & 17
 Var. $14^{\circ}40'E.$
 39.94 Stake at 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1 ft. in the ground
drive charred stake and build up
of earth 2 ft. high, with pits 1 ft. deep
2 ft. long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a Cottonwood tree 43 in. diam. has #1. 70 E. 148 ft. dist.
 do 40 " " 30 E. 425 " "
 79.88 The cor. to secs. 7, 8, 11 & 18.

Flood valley land,
Cottonwood & mesquite timber

Township 6 South Range 16 East 5
Gila and Salt River BOOK 672
Meridian.

Chains West, on a random line between Sections 7 and 18.

Variation $140^{\circ}40'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.,
79.25 In line with the W. boundary of the town-
ship 26th sec. S. of the cor. to secs.
7, 12, 13 & 18, from which I run
 $8.89^{\circ}49' E.$ on a true line between secs. 7 & 18
Var. $140^{\circ}40' E.$
39.25 Set a post 14 ft. long, flattened
8 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground, drive channeled stakes and
build up of earth 2 ft. high with
posts 1 ft. apart, 8 ft. long & 1 ft. wide as
per instructions for $\frac{1}{4}$ sec. cor.
Notes,
79.25 The cor. to secs. 7, 8, 17 & 18.

Rolling, some broken
some good land.
No timber.

Township 6 South Range 16 East
57 Gila and Salt River Meridian.

BOOK 672 Chains North, between Sections 7 and 8.

Variation 14° 40' East.

- 40.00 Set a post 4 ft. long, flattened 3 in wide marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred stake and build end of earth 1 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. from which a Mesquit tree 18 in. diam. bds #85 W. 118 Kms dist.
do 15 " " S 27 E. 92 " "
44.00 Say Pedro Road, bds. W. of H.
80.00 Set a post 4 ft. long. sqd 3 in. marked & notched, 1 ft. in the ground drive charred stake and build end of earth 1 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 5, 6, 7 & 8, from which a Mesquit tree 15 in. diam. bds S 118 E. 232 Kms dist. a Cottonwood 45 in. " " N 42 E. 361 " "
No other trees near.

Sandy good soil, Cottonwood and mesquit timber.

Township 6 South Range 16 East ⁵⁸
Gila and Salt River BOOK 672
Meridian.

Chains East, on a random line between Sections 5 and 8.

Variation $14^{\circ}40'$ East.

- 11.25 San Pedro River 65 ft. wide w. of W.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
44.75 Dry wash 100 ft. wide runs S.W.
56.50 Leave San Pedro bottom bns. W.W.
80.17 Intercept the H. & S. 15 fms. off of the
Cor. to secs. 4, 5, 8 & 9 from which I run
W. 89° 34' W. and true line between Secs. 5 & 8
Var. $14^{\circ}40'$ E.
40.09 Set a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1/2 E. in the ground,
drive charred slate and build mud
against 2 ft. high with posts 1 ft. deep, 2 ft.
long & 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. from which
a Mesquite tree 4 in. diam. bns. 65° E. 72 lbs. dist.
do. 3 " " " 41.10 E. 16 " "
80.17 Th. cor. to secs. 5, 6, 7 & 8

Good soil. Considerable mesquit
timber.

Township 6 South Range 16 East

59

Gila and Salt River

Meridian

BOOK 672

Chains

West, on a random line between Sections 6 and 7,

Variation 14° 40' East.

- 11.50 San Pedro Road bns. #1.
40.00 Set at temporary $\frac{1}{4}$ sec. cor.
79.21 Subsided the W. boundary of the township
31/2 bs. S. of the cor. to secs. 1, 6, 7 & 8 1/2
from which I run
 $589^{\frac{1}{4}}\text{ft. E.}$ on a true line between secs. 6 & 7
Var. 14° 40' E.
39.21 Set a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ sec. 1 ft. in the ground
dove charged stake & build mid. of earth
2 ft. high with pits 1 ft. dep. 2 ft. long
& 1 ft. wide as per instructions for
 $\frac{1}{4}$ sec. cor. from which
a Moquithua 10 in. diam. bns. 4144 ft. w. 107 ft. d.
to 12 " " " South 63 " "
79.21 The cor. to secs. 5, 6, 7 & 8

Some rich soil. Scattering
mesquite timber

ownership 6 South Range 16 East 60
Gila and Salt River BOOK 672
Meridian.

Chains

North on a ~~random~~^{bill} line between Sec's 5 and 6.

Variation *14040'* East.

Goodbottom land, some trees
Dec. 15, 1877

To

61

Township 6 S. R. 16 E. Gila & Salt River

BOOK

Ch

672

General Description:

This township lies along the San Pedro valley, the San Pedro River running through the western portion of it. Along the river is rich bottom land. There is water in the river for irrigating purposes. On either side of the bottom the surface is rolling & hilly, and in the N. E. corner rough & broken. This rolling land is covered with natural grasses furnishing good grazing. There is Cottonwood Willow and mesquite timber along the river and paloverde on the hills.

John L. Harris
U. S. Deputy Surveyor

Dec. 15, 1877

List of Names.

BOOK 672

BOOK 672

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the subdivision
lands of township 6 South
of Range 16 East of the Gila
and Salt River Meridian

Showing the respective capacities in which they
acted.

Lynn and Waterfield Chainman.

Chas B. Warren Chainman,

Frodle, Jones Axeman.

J. P. Lehman with Flagman.

63

Final Oath of Assistants.

BOOK 672

We hereby certify that we assisted

John H. Harris U. S. Deputy Surveyor, in
surveying the Subdivision lines
of Township 6 South of Range
16 East of the Gila and Salt
River Meridian.

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

Lynn Waseyld Chainman.

Charl B. Marus Chainman,

Freel James Axeman.

J. P. Phenoweth Flagman.

Sworn to and subscribed before me, this 8th
day of January, 1878.

William J. Robson
Notary Public

Final Oath of Deputy Surveyor.

BOOK 672

I, John L. Harris

U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-

ing date the 1st day of July,

1879 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-General,
the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the subdivision lines of town-
ship 6 South of Range 16 East
of the Gila and Salt River
Meridian

as are repre-
sented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

BOOK 672

65

tained in circular instructions from the U. S.
Surveyor-General for Arizona, dated September
1, 1873, regarding the establishment of corner
boundaries of public surveys, and that the fore-
going are the true and original Field Notes of
such surveys.

John L. Harris
Deputy Surveyor.

Sworn to and subscribed before me, this 8th
day of January, 1878.

William P. Brown
Notary Public

66

BOOK 672

U. S. Surveyor General's Office,

TUCSON ARIZONA, February 28, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 6 South
Range 16 East.

Of the Gila and Salt River Base and Meridian, Arizona, executed by

John L. Harris,
Deputy Surveyor, under his contract of the 1st ^{July}.

day of July, 1877, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John M. Hasson,
Surveyor General.