

No. 674

BOOK 674

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 6 S. Range 211 E.

Gila and Salt River Base and Meridian

ARIZONA. No. 674

By Theodore J. White D. S.

under contract dated Nov. 5 1874.

Survey commenced Feby 10 1875.

Survey completed Feby 16 1875.

674

A
BOOK 674

PRELIMINARY OATHS OF ASSISTANTS.

WE, R. A. Vasquez
and L. D. Burton
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

R. A. Vasquez
L. D. Burton

Sworn to and subscribed before me, this 11th
day of December, 1874

J. C. W^m Gaffey
Notary Public

WE, Barnabe Palme
and W. H. Aubury
do solemnly swear that we will well and truly per-
form the duties of Axeman and Flagman
respectively _____
according to instructions given us, and to the best
of our skill and ability.

Barnabe Palme
W. H. Aubury.

Sworn to and subscribed before me this 11th-
day of December 1874

J. C. W. Caffey
Notary Public

10
4-674.

Township 68, R.248, S. & S. R. B. & M.

BOOK 674

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	5-7	8	42	9	31	10	20	11	9	12
5-1		55		41		30		16		8
18	5-4	17	40	16	29	15	18	14	7	13
53		5-7		30		28		17		6
19	5-1	20	38	21	27	22	16	23	5-	24
5-0		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

members of Kila River pages 61-65.
98615m9-01

Township 6 S. Range 24 E.
Gila and Salt River Meridian

February 10, 1875.

This Beginning on the Boundary, at Cents Secs. 35 & 36 At run
North between Secs. 35 & 36

Variation 13° 45' East
as per East Boundary.

40.00 Set a post, marked '25, 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake, and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long & 1 ft wide as per
instructions for 1/4 sec. cor.

No trees near.

80.00 Set a post marked and notched, 4 ft long 3 in. sqd, 1 ft
^{drive opposite} in ground, and build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions
for the cor. bsecs. 25, 26, 35 & 36. No trees near.

Surface somewhat uneven, some grass and
brush. No timber of any consequence.

BOOK 674

Township 6 S. Range 24 E.

Pila and Salt River Meridian

Obs. East on a random line between Secs. 25 & 36
Var. $13^{\circ}45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect E. boundary 13 lbs. S. of the cor. to Secs. 25 & 36
from which cor. I run
S. 89 $\frac{1}{2}$ W. on a true line between Secs. 25 & 36
Var. $13^{\circ}45'$ East

40.05 Set post marked 45, 4 ft long, flattened 3 in. wide, 1 ft
inground, drive charred stakes and build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft long and 1 ft wide
as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.10 Cor. to Secs. 25, 26, 35 & 36

Surface uneven, soil very rate
scattering trash and brush.

No. 674 BOOK 674

3

Township 6 S. Range 24 E.

Gila and Salt River Meridian

Chs. North between Secs. 25 & 26

Var. 13° 45' East

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft
in the ground, driven charred stake, and build a mound of earth
with pits 1 ft deep, 2 ft long and 1 ft wide
2 ft high, as per instructions for 1/4 sec. cor. from which
A Mesquite 4 in. diam brs S 26 4 E 53 lbs dist.
do 5" " N 75 W 169 "

55.00 Cottonwood Creek 50 lbs wide bearing N E

80.00 Set a post, marked and notch, 4 ft long, 3 in. sq'd, 1 ft
in ground, driven charred stake, and build a mound
~~of earth~~
2 ft high, with pits 1 ft deep 2 ft long & 1 ft wide
as per instructions for the cor. to secs. 23, 24, 25 & 26
No trees near.

Uneven surface Soil in rocks
Scattering trees.

Township 6S Range 24 E.
 Gila and Salt River Meridian

Obs. East on a random line between Secs. 24 & 25
 Var. $13^{\circ}45'$ East

- 40.00 Set temporary 4 sec. cor.
 45.00 Cottonwood Creek 50 ft. wide running N.E.
 80.06 Intersect the E. boundary 9 lbs. W. of the cor.
 to Secs 24 & 25, from which cor I ran
 N. $89^{\circ}56'$ W. on true line between Secs. 24 & 25
 Var $13^{\circ}45'$ East

- 40.03 Set a post marked 4 $\frac{1}{2}$, 14 ft long, flattened 3 in wide,
 1 $\frac{1}{4}$ in the ground, and build a mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long & 1 ft wide, as per instructions
 for 4 sec. cor. from which
 O Faraid true 4 in. diam. lies N $89^{\circ}W$. 110 lbs dist.
 O Isote " 6 " " " S 3 E. 106 " "

80.06 Cor. to Secs 23 24 25 & 26

Surface somewhat uneven. Soil 2 rats
 very brushy scattering trees. Cottonwood
 along the creek.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. North between Secs. 23 & 24

Var. $13^{\circ}45'$ East

40.00 Set a post, marked 45, 4 ft long, flattened 3 in. wide
1 ft in the ground, drive charred stake, and build a mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long & 1 ft
wide as per instructions for 1/4 Sec. cor., from which
a Mesquite tree 5 in. diam. bns W. 11 E. 113 lks. dist.

do. 6 " " $81\frac{1}{2}$ E. 147 " "

80.00 Set a post, marked and notched, 4 ft. long, 3 in.
sqd. 1 ft. in ground, and charred stake, and build
mound of earth 2 ft high, with pits 1 ft deep
2 ft long, & 1 ft wide as per instructions for the cor.
to secs. 13, 14, 23 & 24

No trees near.

Surface somewhat uneven, Soil very
Scattering trees and brushy.

BOOK 674

Township 6 S. Range 24 E.
Gila and Salt River Meridians

- Obs. East on a random line between Secs. 13 & 24
Var. $13^{\circ}45'$ East
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
70.00 Road running down the valley from Publ. topo to Godwin bearing N. W. & S.E.
80.04 Intersect the E. boundary 11 lbs W. of the cor. bcs. 13 & 24 from which cor. I run N. 89.55 W. on a true line between secs 13 & 24
Var. $13^{\circ}45'$ East
- 140.02 Set a post marked 45. 4 ft long, flattened 3 in. wide 1 ft in the ground, driven charred stake, and build a mound of earth 2 ft high with posts 1 ft deep, 2 ft long & 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which
A Mesquite 3 in. diam. bns N 17 1/4 W 50 2 lbs dist.
do 4. " " N 21 E. 22 4 " "
80.04 The cor. bcs. 13, 14, 23 & 24
Surface a little uneven. Soil good on E. end, 2nd ration on W. Mesquite timber on the E. portion.

Township A.S. Range 24 E.

Gila and Salt River Meridian

Obs. North between secs. 13 & 14

Var. 13° 45' East

- 40.00 Set post marked 1/8, 4 ft long flattened 3 in wide
1 ft in the ground, driven charred stake, and build mound
of earth 2 ft high, with pits 1 ft deep, 1 ft long & 1 ft wide
as per instructions for 1/8 sec. cor. from which
A Mesquite tree 5 in diam. bns 83 $\frac{1}{2}$ E. 591ks dist.
A Ysote - 12. " " 114 $\frac{1}{2}$ W 109" "
- 45.00 Road down the valley bearing N.W. by S.E.
- 50.00 Set post marked and notched. 4 ft long 3 in. sq'd 1 ft.
in the ground, drive charred stake ^{and} build mound earth
2 ft high, with pits 1 ft deep 2 ft long & 1 ft wide as per
instructions for the cor to secs. 11, 12, 13 & 14, from which
A Mesquite 5 in diam. bns 111 $\frac{1}{2}$ E 1741ks dist.
" Ysote 3 " " 1156 $\frac{1}{2}$ E 119 " "
" 10. " " 1189 $\frac{1}{2}$ W 2170 " "
" 7 " " 1172W. 2175 " "
- Mesa land, Soil poor
Some mesquite timber.

Township 6 S. Range 24 E.
Pila and Salt River Meridian

Obs. East on a random line between Secs. 12 & 13
Var. $13^{\circ}45'$ East

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.92 Intersect the E. boundary 16 lbs. S. of cor. to
 secs. 13 & 14, from which cor I run
 S 89.53 W. on a true line between secs. 12 & 13
 Var. $13^{\circ}45'$ East
 39.96 Set post marked red, 4 ft long, flattened 3 in wide
 set in the ground, drive charred stake and build mound
 of earth 2 ft high, with posts 1 ft apart 2 ft long & 1 ft wide
 as per instructions for $\frac{1}{4}$ sec. cor. from which
 a Merquity 9 in diam. has 4874 ft 595 lbs dist.
 the other tree near.
 79.92 the cor. to Secs. 11, 12, 13 & 14

Rich bottom land.
 A few scattering trees

Township 6 S. Range 24 E.

Gila and Salt River Meridian

R.S. North between Secs. 11 & 12

Var. 13° 45' East

40.00 Set post marked 4⁵. 1^{ft} long flattened 3in. wide
1^{ft} in the ground, drive charred stake and build
mound of earth 2^{ft} high with pits 1^{ft} dep. 2^{ft}
long & 1^{ft} wide as per instructions for 4⁵ sec. cor. from which
a Willow tree 4in. diam. bns. 8674 E. 19 lbs dist.

do 3 " " S 47 E 28 "

5173 Intersect the left bank of the Gila River. Set post properly marked 4^{ft} long
3in. sqd. 1^{ft} in ground. Drive charred stake & build mound of earth 2^{ft} high
taken from pit in line S of cor. for cor. to frac. Secs. 11 & 12. from which
A Willow tree 4in. diam. bns. 7422 W 49 lbs dist.; A Cottonwood 24 in. diam. bns. 8574 W 230 lbs dist.

I set a flag on line on the opposite bank and measure off base line 50 ft to N of a point
where a willow tree 4in. diam. bns. 7481 E. which gives distance to line 3.48 chds. or

55.21 Right bank of river. Set post in place of flag, not properly marked, 4^{ft} long
3in. sqd. 1^{ft} in ground. Drive charred stake and build mound of earth 2^{ft} high
taken from pit in line North for cor. to frac. Secs. 11 & 12. from which
A Cottonwood tree diam. bns. 7782 E. 19 lbs dist.

do 14 " " " 711 E. 34 "

80.00 Set post, marked and notched, 4⁵ long, 3in. sqd. 1^{ft} in the ground
drive charred stake, and build mound of earth 2^{ft} high with
pits 1^{ft} dep. 2^{ft} long & 1^{ft} wide as per instructions for the cor. to 12, 11 & 12 from which
A Mesquite tree diam. bns. 7744 W 357 lbs dist.

do 8 " " " W 5 E 274 " "

do 5 " " " 7674 E 286 " "

No other tree near.

In bottom. Level. Soil mostly good
Some mesquite timber

Township 6 S. Range 24 E
 Gila and Salt River Meridian

Sec. 1 East in a random line between Secs. 1 & 12

Var. $13^{\circ}45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect the E. boundary 7 lks. W. of the cor to 1 & 12
 from which cor. I ran

St. 895 7 W. on a true line between Secs. 1 & 12

Var. $13^{\circ}45'$ East

40.05 Set a post marked '45. 4 ft long flattened 3 in wide, 1 ft.
 in the ground, drive charred stakes and build mound
 of earth 2 ft high, with pits 1 ft deep, 2 ft long & 1 ft wide
 as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.10 Th cor. to Secs. 1, 2, 11 & 12

Rich bottom land

Mesquite timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

North on a true line between Secs. 18 & 21

Var. 13° 45' East

- 40.00 Set a post marked 4S. 4 ft long, flattened 3 in. 1 ft in the ground, drive charred stake, and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long 8 ft wide, as per instructions, for 4 sec. or from which
 A Mesquite tree diam. brs 847W 12.5 lbs. dist.
 do 9" " " 831W 250" "

- 79.89 Intersect the N. boundary, which is the First Standard Parallel South, 27.85 chs. W. of the cor. to Secs. 35 & 36
 2 $\frac{1}{2}$ S. R. 24 E. Set a post at this point, marked and notched, 4 ft long, 3 in. sqd. 1 ft in ground, drive charred stake, and build mound of earth 2 ft high, with pits 1 ft deep 2 in. ft long 8 1/2 ft wide, for closing corner to Secs. 18 & 21, as per instructions, from this
 A Mesquite tree 3 in. diam. brs 917 $\frac{1}{2}$ E. 135 lbs dist
 do 3" " " W 2348 230" "

No other tree near.

Level. Soil good. Scattering timber.

February 10, 1875

Township 6 S. Range 24 E.
Gila and Salt River Meridian

North between Secs. 34 & 35

Tar. 13° 45' East

- 9.00 Cottonwood Creek 50 ft wide running N.E.
40.00 Set a granite rock 16x10x7 in. $\frac{2}{3}$ in the ground
marked $\frac{1}{4}$ and on N. build mound of earth 2 ft
high, ^{with pits 1/4 dep. 2 ft long & 1/4 wide} as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 80.00 Set a post marked and notched 4 ft long
3 in sqd. 1 ft in the ground, drive charred
staked and build mound of earth 2 ft high
with pits 1 ft dep. 2 ft long and $\frac{1}{4}$ wide
as per instructions for the cor. to Secs 26, 27,
34 & 35

No trees near.

Uneven surface, Soil 2nd rate
Scattering trees along the creek.

Township 6 S. Range 24 E.
 Gila and Salt River Meridian

East on a random line between Secs. 26 & 35 -
 Var. 13° 45' East

- 25.00 Leave hills & enter flat extending N.E.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 50.00 Cottonwood Creek 100 ft. wide running E. of R.
 80.09 Intersect the N. & S. line 12 ft. N. of the cor. to Secs.
 25, 26, 35 & 36. from which cor. I run
 A. 8955 W. on a true line between Secs. 26 & 35 -
 Var. 13° 45' East

- 40.04 Set a post marked $\frac{1}{4}$ S. 1 ft. long, flattened
 3 in. wide, 1 ft. in the ground, drive charred
 stake and build mound of earth 2 ft. high
 with pits 1 ft. deep, 2 ft. long and 1 ft. wide
 as per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

80.09 The cor. to Secs. 26 & 34 & 35

Uneven surface. Good soil along creek.
 Brush and a few scattering trees

Township 6 S Range 24 E.
Pila and Salt River Meridian

Obs. North between Secs. 26 & 27

Var $13^{\circ}45'$ East

140.00 Set a post marked "U.S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake, and build mound of earth 2 ft high, with pits 1 ft. dep. 2 ft. long and 1 ft. wide as per instructions for 1/4 sec. cor. from which a Mesquite tree 4 in. diam. lies W 41° 54' E. dist.

do 5 " " $588\frac{1}{2}$ 7896" "

63.00 Dry bed of stream 40 ft. wide running N.E.
80.00 Set a granite stone 14x12x6 in. $\frac{1}{2}$ in. the ground notched S. 8 E. and on the N. build a mound of earth 2 ft high, with pits 1 ft. dep. 2 ft. long and 1 ft. wide as per instructions for the cor. to Secs. 22, 23, 26 & 27. Its true near

Broken surface. Soil poor.
No timber.

Township 6 S. Range 24 E.

Gila and Salt River Meridian

East on a random line between Secs. 23 & 26
Var. 13° 45' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

63.00 Top of hill and descended E.

79.90 Intercepted the 9th S. line 12 ft. W. of the cor.
borders. 23 24, 25 & 26, from which cor I ran
A 89.55 W. on a true line between Secs. 23 & 26

Var. 13° 45' East.

39.95 Set a granite stone 12 x 12 x 6 in. $\frac{2}{3}$ in ground
marked $\frac{1}{4}$ and on W. build a mound
of stones, ^{2 ft. high} as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.90 The cor. to Secs. 22, 23, 26 & 27

Uneven surface, mesa land.

Soil gravelly and poor.
Brush, but no timber.

Township 6 S. Range 24 E
Gila and Salt River Meridian

Obs. North between Secs. 22 & 23

Var. 13° 45' East

- 40.00 Set a granite stone 16 x 12 x 7 in. $\frac{2}{3}$ in ground, marked $\frac{1}{4}$, and on the N. build a mound of earth 2 ft high, with pits 1 ft deep 2 ft long and 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor. No trees near
- 80.00 Set a post, marked and notched. 4 ft long 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide as per instructions for the cor. 5, secs 14, 15, 22 & 23, from which

A Mesquite tree 3 in. diam. bxs 749W 73 lbs dist.

do	3 "	"	77 $\frac{3}{4}$ W 118 "
"	2 $\frac{1}{2}$ "	"	889W 12.9 "
"	2 $\frac{1}{2}$ "	"	87 $\frac{3}{4}$ W 63 "

Uneven mesa land. Soil poor.

Brush. No timber of any consequence

Friendship C.S. Range 24 E.
Pila and Salt River Meridian

Dir. East on a random line between Secs. 14 & 23
Var. 13° 45' East

- 2.00 Ascend bluff N. S.
40.00 Set temporary 1/4 sec. cor.
55.00 Dry bed of stream 40 ft. wide running N.E.
80.11 Intersect the N. S. line 20 ft. S. of cor.
13, 14, 23 & 24, from which cor. I run
S. 89° 57' W. on a true line between Secs. 14 & 23
Var. 13° 45' East

- 40.05 Set a post marked 1/4 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive
charred stakes and build mound of earth
2 ft. high, with posts 1 ft. deep, 2 ft. long
and 1 ft. wide as per instructions for 1/4 sec. cor.
No trees near.

- 80.11 The cor. to Secs. 14, 15, 22 & 23.

Uneven mesa land, Soil poor
No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. North between secs. 14 & 15

Var. 13° 45' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long flattened 3 in. wide, 6 ft. in the ground, drive charred stake, and build mound of earth 2 ft. high with pits 1 ft. dep. 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No tree near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd., 1 ft. in the ground, drive charred stake and build mound open at 2 ft. high, with pits 1 ft. dep. 2 ft. long and 1 ft. wide, as per instructions for the cor. to secs 10, 11, 14 & 15
 from which
 A Mesquite tree 10 in. diam. bbs. S 67 E 172 lbs. dist.

do 7" " " 91364 E 90" "

do 3" " " 99 $\frac{3}{4}$ E 106" "

do 5" " " S 81 W 49" "

Unknown surface; mesa land. Soil poor
 No timber.

Fewoshup & S. Range 24 E.
 Gila and Salt River Meridian

Obs. East over random line between secs. 11 & 14
 Var. 13° 45' East

19.00 Road down the valley, bearing NW 1/8 E.

40.00 Set temporary "4 sec. cor.

53.00 Old road bearing NW 1/8 E.

79.93 Intersect the N. & S. line 9 1/2ks N. of the cor.
 11, 12, 13 & 14, from which cor. I run

N 89° 56' W. over true line between secs. 11 & 14

Var. 13° 11.5' East

39.97 Set a post marked 4 S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drove
 charred stake, and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long and
 1 ft wide, as per instructions for 4 sec. cor.
 from which

A Mesquite tree 14 in. diam. lies N 65° W 165 1/2ks dist.

de 4" " " N 20° E 180" "

79.93 The cor. to secs. 10, 11, 14 & 15-

Flat surface Good soil Mesquite timber & brush.

Township 6 S. Range 24 E.^o

Gila and Salt River Meridian

Obs. North between Secs. 10 & 11

Var. 13° 45' East

- 10.00 Road down the valley, bearing NW & SE
 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long
 flattened 3 in. wide, 1 ft in the ground
 drive charred stakes and build mound
 of earth 2 ft high with pits 1 ft. dep.
 2 ft long and 1 ft wide as per instruc-
 tions for $\frac{1}{4}$ sec. cor. from which
 a Mesquite tree 7 in. diam. by 479 $\frac{1}{2}$ W 167 lbs. dist.
 do 5 " " 33 E. 240 " "
 do 6 " " 423 W 107 lbs. dist.
 62.00 Old road bearing NW & SE
 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq'd
 1 ft in the ground, drive charred stakes, and build
 mound of earth 2 ft high with pits 1 ft. dep. 2 ft long
 and 1 ft wide as per instructions for the cor. to Secs. 2, 3, 10 & 11, from which
 a Cottonwood tree 10 in. diam. by 532 E. 24 lbs. dist.
 do 10 " " 479 W 57 " "
 do 5 " " 432 $\frac{1}{2}$ W 97 " "
 do 8 " " 423 W 84 " "
 Level surface good soil.
 Mesquite and Cottonwood timber.

Township 6 S. Range 11 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs. 2 & 11

Var. $13^{\circ} 44' 5''$ East
Cross the river and set post temporarily at the points of intersection
Set temporary $\frac{1}{4}$ sec. cor.
Intersection N. 88 line 7180 ft. dist. to Secs. 13, 11 & 12 from which cor. drawn
 $5.895^{\circ} W.$ on a true line between Secs. 2 & 11

Var. $13^{\circ} 44' 5''$ East
40.00 Set a post marked $\frac{1}{4}$ sec. 4 ft long flattened 3 in. wide, from the ground drive
charred stake, and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long
and 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor. from which
a Cottonwood 24 in. diam. bns. 847 $\frac{1}{4}$ ft 173 lbs. dist.

74.80 Right bank of Gila River, Set a post, marked, 4 ft long, 3 in. sq'd 1 ft in
the ground, drive charred stake, and build mound of earth 2 ft. high
taken from 1 pit on line E. for cor. to frac. sec. 2 & 11 from which

Cottonwood 10 in. diam. bns. 849 $\frac{1}{4}$ E. 31 lbs. dist.; Cottonwood 12 in. diam. bns. 712 W. 69 lbs. dist.
Set a flag on line on the opposite bank and measure of a base line 100 lbs. S. to a point
where the flag bears N. 73 $\frac{1}{2}$ 36' W. which gives the dist. across 3.40 chs. or
to left bank of river. Set a post in place of flag, properly marked
4 ft. long, 3 in. sq'd 1 ft in ground, drive charred stake;
and build mound of earth 2 ft high, taken from 1 pit
on line W. as per instructions for the cor. to frac. sec.
2 & 11 from which

A Willow tree 5 in. diam. bns. 825 $\frac{1}{4}$ E. 10 lbs. dist.

do 4 " " N 46 E 3 "

80.03 The cor. to Secs. 2, 3, 10 & 11

Land. Rich bottom land
Cottonwood timber along the river

Township 6 S. Range 24 E
Gila and Salt River Meridian

Obs. North or a true line between secs. 2 & 3
Var. $13^{\circ}45'$ East

- 3.37 Intersect the left bank of the Gila River, set a post properly marked 4ft long 3 in sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high taken from 1 pt. on line S. for cor. to frac. secs. 2 & 3 from which A Willow tree 4 in. diam. bns 635 $\frac{1}{2}$ E 10 lbs. dist.
do. 7 " " 652 $\frac{1}{2}$ W 12 " "
Set a flag on line on opposite bank and measure off a base line 50 lbs W. to a point which flag bears N 13° 03' E. which gives dist. across 2.16 chs. or.
- 5.53 To Right bank of river, Set a post, properly marked 4ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high taken from 1 pt on line W. for cor. to frac. secs. 2 & 11, from which A Willow 3 in. diam. bns 210 $\frac{1}{2}$ W 31 lbs. dist.
- 40.00 A Cottonwood 9 " " 782 $\frac{1}{2}$ E 74 " "
Set a post, marked 4/5, 4 ft. long flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pts 1 ft deep, 2 ft long & 1 ft wide as per instructions for 1/4 sec. cor from which. A Mesquite tree 7 in. diam. bns N 80 $\frac{1}{2}$ E 203 lbs dist.

- 79.86 Intersect the N. boundary which is the 1st Standard Parallel South 2 $\frac{1}{2}$ 70 chs. W. of the cor. to secs. 34 & 35 T. 5 S. R. 24 E.
Set at this point a volcanic rock 12 x 8 x 7 in. 3/4 in the ground notched on the E. N. & S. edges and on the S. build a mound of stone 2 ft high as per instructions for the Closing corner to Secs 2 & 3.

No trees near.

Plowed on the N. end. Good bottom land on the S. end.

Cottonwood and willow timber along the river

February 11, 1845

No. 674 BOOK 674

2.3

Township 16 S. Range 24 E.
Gila and Salt River Meridian

North between Secs. 33 & 34

Var. 13°45' East

40 Set a post marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of stone 2 ft high
as per instructions for $\frac{1}{4}$ sec. cor.

No trees near

811.00 Set a granite rock 16 x 12 x 5 in. $\frac{2}{3}$ in ground
notched E & S. and on N. build mound of
stone 2 ft high as per instructions for the cor.
to Secs. 27, 28, 33 & 34.

No trees near.

Surface uneven, soil poor
No timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

- Obs. East on a random line between Secs. 27 & 34
 Var. $13^{\circ}45'$ East
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.93 Intersect the A. & S. line 13 mds. N. of the
 cor. to Secs. 26, 27, 34 & 35, from which cor. I run
 N. 89°54' W. on a true line between Secs. 27 & 34
 • Var. $13^{\circ}45'$ East
- 39.97 Set a granite stone $12 \times 12 \times 7$ in. $\frac{3}{3}$ in ground
 marked $\frac{1}{4}$, and on W. build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long and
 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.
- 79.93 The cor. to Secs. 27, 28, 33 & 34 -

Firly broken surface, stony and poor
 No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

North between Secs. 27 & 28

Var. 13°45' East.

40.00 Set granite rock 16 x 10 x 7 in., $\frac{1}{3}$ in ground
marked $\frac{1}{4}$; and on N. build mound of
stones 2 ft high as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long
3 in. sq'd, 1 ft in the ground; drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long and
1 ft wide, as per instructions for the
cor. to Secs. 21, 22, 27 & 28.

No trees near.

Universal surface soil poor
No timber.

Township 6 S. Range 24 E
Gila and Salt River Meridian

^E East on a random line between Secs. 22 & 27
Var. 13° 45' E.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.90 Intersect the N. & S. line 14 lbs. N. from
 the cor. to Secs. 22, 23, 26 & 27 from which I run
 N. 89° 54' W. on a true line between Secs. 22 & 27
 • Var. 13° 11' 5" E.
 39.95 Set a granite stone $16 \times 18 \times 6$ in. $\frac{2}{3}$ in ground
 marked $\frac{1}{4}$, and on W. build mound of
 stones 2 ft. high as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.
 79.90 The cor. to Secs. 21, 22, 27 & 28

Surface broken, and stony. Soil poor
 No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

North between Secs. 21 & 22

Var. 13 4.5 E.

40.00 Set a granite stone 16 x 12 x 8 in., $\frac{2}{3}$ in
ground, marked $\frac{1}{4}$, and on N. build
a mound of stones 2 ft high as per
instructions for $\frac{1}{4}$ Sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sqd, 1 ft in the ground, and
drive charred stakes, and build mound of
earth 2 ft high, with pits 1 ft. dep, 2 ft
long and 1 ft wide, as per instructions
for the cor. to Secs. 15, 16, 21 & 22, from which
A Mesquite tree 7 in. diam. brs. N 31 $\frac{1}{2}$ E 309 ft dist.
No other trees near.

Surface uneven and stony, Soil poor.
No timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

East on a random line between Secs. 15 & 22
Var. $13^{\circ}45'$ E.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
 79.00 Dry bed of stream 40 lbs. wide running N.E.
 79.95 Intersect the N.E. S. line 11 lbs. S. of the
 cor. to Secs. 14, 15, 22 & 23, from which cor I ran
 S. 89°35' W. on a true line between Secs. 15 & 22
 Var. $13^{\circ}45'$ East
 39.98 Set a granite stone $14 \times 11 \times 6$ in. $\frac{2}{3}$ in ground
 marked $\frac{1}{4}$, and on the W. build a mound
 of stones 2 ft high as per instructions for
 $\frac{1}{4}$ Sec. cor. from which
 A Mesquite tree 3 m. diam. brs N 70 W. 147 lbs. dist.
 No other tree near
 79.95 The cor. to Secs. 15, 16, 21 & 22

Uneven mesa land, poor. Some grass
 No timber of any consequence.

Township 6 S. Range 24 E.
 Gila and Salt River Meridian

North between Secs. 15 & 16

Var. 13° 45' E.

- 40.00 Set a post, marked 45, 4 ft long,
 flattened 3 in. wide, 1 ft in the ground
 drive charred stakes, and build mound
 of earth 2 ft high, with pits 1 ft deep
 2 ft long and 1 ft wide, as per instructions
 for 4 sec. cor. No trees near.
- 80.00 Set a post, marked and notched, 4 ft long
 3 in. sqd. 1 ft in the ground, drive charred
 stakes, and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long and 1 ft wide
 as per instructions for the cor. sec. 9, 10, 15 & 16 from which.
 A mesquite tree 12 in diam. bns 91538 15 lbs. dist
 do 6 " " " 95711 82 " "
 do 3 " " " 8278 70 " "
 do 5 " " " 8195 8 183 " "

Unwatered land. Soil poor.
 No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs 10 & 15
 Var. $13^{\circ}45' E.$

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 69.00 Dry bed of stream 30 ftas. wide running N.W.
 80.11 Intersect the St. 8 S. line 15 ftas. W. of the
 cor. to Secs. 10, 11, 14 & 15 from which cor.
 I run
 St. 8954 W. on a true line between Secs. 10 & 15
 Var. $13^{\circ}45' E.$
- 40.05 Set a post marked 445, 4 ft long, flattened
 at 3 in. wide, 1 ft in the ground, drive
 sharp stakes, and build around a earth
 4 ft high, with pits 1 ft deep, 2 ft long and
 1 ft wide, as per instructions, for the $\frac{1}{4}$ sec.
 cor. from which
 A Mesquite tree 5 in. diam. was N 36 $^{\circ}$ E 63 ftas dist.

80.11 do 4 " " S 11 $^{\circ}4$ W. 53 " "
 The cor. to Secs. 9, 10, 15 & 16.
 Surface uneven, Soil 2nd rate
 Brush before timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

North between Secs. 9 & 10

Var. 13° 45' E.

- 40.00 Sets post, marked W.S., 4 ft long, flattened
at 3 ft wide, 1 ft in the ground. Drive
charred stake and build mound of earth 2 ft
high, with pits, 1 ft deep, 2 ft long and 1 ft
wide for 4 sec. cor. from which
A Mesquite 5 in. diam. bns. N 45° E. 42 lbs dist.
do 6" " S 13½ E 62" "
59.00 Road down the valley bearing N W 1 S E
68.00 Old road bearing W W 1 S E
80.00 Sets post, marked and notched. 4 ft. long, 3 in. sqd. 1 ft
in the ground, drive charred stake, and build mound of earth
2 ft. high, with pits, 1 ft deep 3 ft long and 1 ft wide, as
per instructions for the cor. sec. 3, 4, 9 & 10, from which
A Mesquite tree 7 in. diam. bns. S 45° E. 72 lbs. dist.
do 10" " S 39½ W 106" "
do 8" " " N 57½ W 153" "
do 10" " " N 53 W 203" "

Unknown surface on S. incl. Good soil on W. incl.
Scattering trees.

Township 6 S. Range 24 E.
Placaud Salt River Meridian

Obs. Eastward a random line between Secs. 3 & 10
Var. $13^{\circ}45' E.$

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.03 Intersect the N. & S. line, 13 lbs. Sop.
cor. to Secs. 2, 3, 10 & 11 from which cor. I run
S. 89.547 W. on a true line between Secs. 3 & 10
Var. $13^{\circ}11.5' E.$

- 40.01 Set a post, marked 45, 4 ft. long
flattened 3 in. wide 1 ft. in the ground
drive charred stake, and build mound
of earth 2 ft high, with pits. 1 ft deep
2 ft long and 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

- 80.03 Ths cor. to Secs. 3, 4, 9 & 10

Level. Soil good.
Scattering trees.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Secs. North between Secs. 3 & 4

Var. 13° 45' E.

- 31.82 Intersect the left bank of the Gila River. Set a post properly marked 4 ft long, 3 in. sqd. 1 ft in the ground driving charred stakes and build mound of earth 2 ft high taken from pit on line S. as per instructions for the cor. to sec. Secs. 3 & 4. from which
 A Cottonwood tree 14 in. diam. b.s. 637 $\frac{1}{2}$ ft 70 lbs. dist.
 do 20 " " 823 $\frac{3}{4}$ ft 100 "
- I set a flag on line on opposite bank, and measure off a base line 50 lbs. East, to a point, whence the flag b.s. at 13° 45' W. which gives the dist. across 2.08 chs. or To Right bank of river. Set a post in place of flag properly marked. 4 ft long, 3 in. sqd. 1 ft in ground driving charred stakes and build mound of earth 2 ft high, taking from pit on line N. as per instructions for the cor. to sec. Secs. 3 & 4 from which
 A Willow tree 6 in. diam. b.s. 887 $\frac{1}{2}$ ft 185 lbs. dist.
 " Cottonwood 3 " " North 4 " " 14 " " 219 " " 31 $\frac{1}{2}$ ft 219 "
- 40.00 Set a post, marked '4 S. 4 ft long, flattened 3 in wide 1 ft in the ground, driving charred stakes, and build a mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long and 1 ft wide as per instructions for 4 sec. cor. from which a Cottonwood tree 18 in. diam. b.s. 2114 $\frac{1}{4}$ ft. 162 lbs. dist.

- 80.04 Intersect the N. boundary of the township, which is the First Standard Parallel Sixth 2 $\frac{1}{2}$ m. 43 chs. W. of the Standard Cor. to Secs. 3 & 34 2 $\frac{1}{2}$ m. 5 d. 44 R. 24 E. Set at this point a pile of rock 14 x 12 x 12 in. 3 $\frac{1}{2}$ in. the ground notched down the E. w. & S. edges and on the S. build a mound of stones 2 ft high as per instructions for the Closing Corner to Secs. 3 & 4. No trees near.

Mostly good bottom land. Timber along river

February 12, 1875

Township 6 S. Range 24 E.
Gila and Salt River Meridians

Obs. North between Secs. 32 & 33

Var. $13^{\circ}45' E.$

24.00 Dry bed of stream 60 ft. running N.E.

40.00 Set a granite rock $24 \times 16 \times 10$ in. $\frac{3}{4}$ in ground
marked $\frac{1}{4}$, and on N. build mound of stone
 $\frac{2}{3}$ ft. high as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a granite rock $15 \times 7 \times 6$ in. $\frac{2}{3}$ in. the
ground, notched on the E. & S. edges, and on
N. build mound of earth $\frac{2}{3}$ ft. high with
pits 1 ft. deep, 2 ft. long and 1 ft. wide, as
per instructions for the cor. to secs. 28, 29,
32 & 33. No trees near.

Surface very broken. Land worthless

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs. 28 & 33
Var. 13° 45' E.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 55.00 Dry bed of stream 60 lks. wide running N.W.
 79.89 Intersect the N. & S. line 12 lks. S. of the
 cor. to Secs. 27, 28, 33 & 34, from which cor I run
 S. 89 55' W. on a true line between Secs. 28 & 33
 Var. 13° 45' East.

- 39.95 Set a post, marked 'a.s. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive channel
 stake and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long and 1 ft wide
 as per instructions for $\frac{1}{4}$ sec. cor. No trees near
 79.89 The cor. to Secs. 28, 29, 32 & 33

Surface mostly broken, the $\frac{1}{4}$ sec. cor is
 in a flat with broken hills on either side
 Soil poor No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian
Chs. North between Secs. 28 & 29
Twp 13° 15' East

40.00 Set a post, marked "S.", 4 ft long, flattened 3 in. wide, 1 ft in ground, drive charred stake, and build mound of earth 2 ft high, with pits 1 ft. dep. 2 ft long and 1 ft wide, as per instructions for 4 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long 3 in. sqd. 1 ft in ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft dep. 2 ft long, and 1 ft wide, as per instructions, for the cor. to Secs. 20, 21, 28, 29.
No trees near.

Surface broken Soil poor
No timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs 21 & 28
Var. 13° 41.5' East

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 71.00 Dry ditch running N.E.
 80.06 Intersect the N. & S. line 10 ft. W. of the
 cor. to Secs. 21, 22, 27 & 28, from which extend
 A. 8956 ft. W. on a true line between Secs 21 & 28
 Var. 13° 41.5' East
 40.03 Set a granite stone 15 x 10 x 7 in. $\frac{2}{3}$ in ground
 marked $\frac{1}{4}$; and on it build mound of stone
 2 ft. high as per instructions for $\frac{1}{4}$ sec. cor.
 No trees near
 80.06 Th. cor. to Secs. 20, 21, 28 & 29.

Surface much broken. The $\frac{1}{4}$ sec. cor
 stands in a flat. Soil poor. No timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. North between Secs. 20 & 21

Var. $13^{\circ}45'$ East

40.00 This is remote from timber and there
are no stones procurable, so I drove charred
stakes and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long and 1 ft wide
as per instructions for 1/4 sec. cor.

No trees near. The cor. stands in a flat
80.00 Set a post, marked and notched, 4 ft long
3 in. sqd. 1 ft in the ground, drive charred
stakes and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long and 1 ft wide, as
per instructions for the cor. to secs. 16 17 20 & 21
No trees near.

Partly flat. Some good soil
No timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs. 16 & 21
Var. $13^{\circ}45'$ East

10.00 Dry bed of stream 40 ft. wide, running N.E.

30.00 do 30 " " "

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.04 Intersect the N. & S. line 10 ft. N. of cor. to secs.
15, 16, 21 & 22, from which cor. I run
N. 89°56' W. on a true line between Secs. 16 & 21

Var. $13^{\circ}45'$ East

40.02 Set a granite stone $14 \times 8 \times 6$ in., $\frac{2}{3}$ in ground,
marked $\frac{1}{4}$, and on W. build mounds of earth
2 ft high with pits 1 ft deep, 2 ft long and 1 ft
wide, as per instructions for $\frac{1}{4}$ sec. cor.
The trees near.

80.04 Thw cor. to Secs. 16, 17, 20 & 21

Broken on the E. end then flat.
Soil 2 & 3 rate. No timber

110
Township 6 S. Range 24 E.
Gila and Salt River Meridian

Chs. North between Secs. 16 & 17

Tar. 13° 41.5' E.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. 1 ft in the ground; drive charred stake, and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide as per instructions for 4 Sec. cor. No trees near.

69.00 Road from Camp Grant to the settlements bearing N.E. & S.W.

78.00 Second road running into the other N.E.

80.00 Set a post, marked and notched, 4 ft long 3 in. sq'd, 1 ft in the ground; drive charred stake and build mound of earth 2 ft high, with pits 1 ft. dep. 2 ft long and 1 ft wide, as per instructions, for the cor. to Secs. 8, 9, 16 & 17. No trees near. Surface mostly flat. Some good soil. No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Chs.	East on a random line between Secs. 9 & 16 Var. 13° 45' E.
3.00	Road to Camp Grant bearing S 18°
22.00	do " " "
40.00	Set temporary 1/4 sec. cor.
47.00	Leave flat and ascend hills, 41 22 51 W
80.11	Intersect the N. & S. line 6 ths. S. of the cor. to Secs. 9, 10, 15 & 16, from which cor. I ran S. 89 57' W. on a true line between Secs. 9 & 16 Var. 13° 45' E.
40.05	Set post, marked 1/4 S. 4 ft long, flattened at 3 in. 1 ft in the ground. driven charred stake, and build mound of earth 2 ft high with pits 1 ft deep, 1/2 ft long and 1 ft wide as per instructions for 1/4 sec. cor. from which a Mesquite tree 4 in. diam. was 882 E 149 ft dist.
	do 3 " " \$537 12.4 " "
80.11	This cor. stands near the road to the W. of the cor. The cor. to Secs. 8, 9, 16 & 17 Flat on W. end, hilly on E. soil & rate 96 timber of any consequence.

Township 6 S. Range 24 E.

Gila and Salt River Meridian

Ons North between Secs. 8 & 9

Var. 13° 11' 5" E.

40.00 Set a post, marked 1¹/₂S., 4 ft long, flattened 3 in. wide, 1 ft in ground, drive channeled stakes, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions for 4 S. 6 E. cor. from which a Mesquite 3 in diam. lies 141¹/₂ 87 ft. dist.
do 3 " " S 66² W 88 " "

80.00 Set a post, marked and notched, 4 ft long 3 in. sqd, 1 ft in ground, drive channeled stakes, and build mound of earth, 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions for the cor to Secs. 4, 5, 8 & 9, from which a Mesquite 7 in diam. lies N 29¹/₂ E 288 ft dist.

do 5 " " North 270 " "

do 4 " " N 85² E 372 " "
no other tree near.

Mostly flat. Some good soil. Scattering timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs. 4 & 9
Var. $13^{\circ}45' E.$

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
 144.00 Road along the valley bearing NW 88°
 46.00 do running NW into first road
 79.87 Intersect the N & S. line 10 lks. S. of the cor.
 to Secs. 3, 4, 9 & 18, from which cor. I run
 S. 89°56' W. on a true line between Secs. 4 & 9
 Var. $13^{\circ}45' E.$

- 39.94 Set a post marked $\frac{1}{4}$ S., 4 ft. long, flattened
 3 in. wide, drive charred stake, and build
 mound of earth 2 ft high, with pits 1 ft
 deep, 2 ft long and $\frac{1}{2}$ ft wide, as per instruc-
 tions for $\frac{1}{4}$ Sec. cor. from which
 a Mesquite 4 in. diam. brs N 77° 34' W 200 lbs dist.
 do 3. " " 876 W 300 " "

- 79.87 The cor. to Secs. 4, 5, 8 & 9

Discerning E. & W. Good Soil. Some mesquit timber

444

Township 6 S. Range 24 E.
 Gila and Salt River Meridian
 Chs. North between Secs. 4 & 5

Var. 13° 45' E.

- 40.00 Set a post, marked "45, 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive channeled stake, and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft long and 1 ft wide, as per instructions for "4 sec. cor. from which a Mesquite 9 in. diam. has S 68° W 105° ths dist do 7" " " S 27° E 190" "
- 49.00 Road along the valley bearing N. 15° E. S.E.
- 79.73 Intersect the N. boundary of the township which is the First Standard Parallel South 27.70 Chs. W. of the Standard Cor. to Secs 32 & 33 4 p. 5 S.R. 24 E. Set at this point a post marked and notched, 4 ft long 3 in. sq'd 1 ft in the ground, drive channeled stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft long and 1 ft wide, as per instructions for closing Cor. to Secs 4 & 5, from which an Ash tree 16 in. diam. has N 5° E. 154 ths dist a Cottonwood 18" " " S. 9° 45' W 68" " No other trees were descending N. Good soil, grass & some timber.

February 13, 1875

Township 6 Range 24 E.
Gila and Salt River Meridian

Obs. North between Secs. 31 & 32

Var. $13^{\circ}45' E.$

- 40.00 Set a granite rock $13 \times 12 \times 7$ in $\frac{2}{3}$ in ground
marked $\frac{1}{4}$, and on N. build a mound of earth
2 ft high, with pits 1 ft deep, 2 ft long and
1 ft wide, as per instructions for U.S. G. C.
No trees near.
- 80.00 Set a granite rock $12 \times 8 \times 8$ in. $\frac{2}{3}$ in the ground,
marked ^{and notched in N.}, and build a mound of earth
2 ft high, with pits 1 ft deep 2 ft long and
1 ft wide, as per instructions to Secs. 29, 30
31 & 32. No trees near.

Surface broken, Soil poor
No timber.

Township 6 S. Range 24 E.^o

Gila and Salt River Meridian

- Obs. East on a random line between Secs. 29 & 32
Var. 13° 45' E.
- 37.00 Top of ridge extending N. E. I descend.
40.00 Set temporary $\frac{1}{4}$ Sec. cor.
80.13 Intersect the N. & S. line of Secs. S. of the cor.
to Secs. 28, 29, 32 & 33, from which cor. I run
S. 89° 56' W. on a true line between Secs. 29 & 32
Var. 13° 45' E.
- 40.06 Set a granite rock 18 x 12 x 8 in. $\frac{3}{4}$ in the
ground, marked $\frac{1}{4}$ and on the W. build
a mound of stones $\frac{2}{3}$ high as per instruc-
tions for $\frac{1}{4}$ Sec. cor. No trees near.
- 80.13 The cor. to Secs. 29, 30, 31 & 32.

Surface broken, soil poor
No timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

- Cho. Westow a random line between Secs. 30 & 31
Var. $13^{\circ}45' E.$
- 40.00 Set temporary $\frac{1}{4}$ Sec. cor.
- 78.15 Intersect the W. boundary 11 lks. S. of the
cor. to secs. 30 & 31, from which cor. I run
 $1.89^{\circ}55' E$ on a true line between secs. 30 & 31
Var. $13^{\circ}45' E.$
- 38.15 This cor. is remote from timber, and there
are no stones procurable. So I drive a charred
stake, and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long and 1 ft wide
as per instructions for $\frac{1}{4}$ Sec. cor.
The trees
- 78.15 Th' cor. to Secs. 29, 30, 31 & 32.

Surface flat. Soil 2 rate
No timber.

Township C.S. Range 24th E.
Gila and Salt River Meridian

Chs. North between Secs. 29 & 30
Lat. 35° 45' E.

40.00 This is remote from timber and there
are no stones procurable, so I drove a
charred stake, and build a mound of
earth 2 ft high, with pits 1 ft deep
2 ft long and 1 ft wide as per in-
structions for 4 sec. cor. No trees.

80.00 Set a granite stone 14×8×7 in. $\frac{3}{4}$ in
the ground, and on the N. build a
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, and 1 ft wide, as
per instructions, for the cor. to Secs. 19, 20,

29 & 30 The trees near.

Surface flat. Some good soil
No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs. 20 & 29
Var. 13° 45' E.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.
80.10 Intersect the N. & S. line 11 lks. S. of
the cor. to Secs. 20, 21, 28 & 29, from which I run
S. 89° 55' W. on a true line between Secs. 20 & 29
Var. 13° 45' E.

40.05 Set a granite rock $12 \times 9 \times 7$ in. $\frac{1}{3}$ in the
ground, marked $\frac{1}{4}$, and on the N.
build a mound of earth 2 ft high, with
sides 1 ft deep, 2 ft long and 1 ft wide
as per instructions, for $\frac{1}{4}$ Sec. cor.
Its true mark.

80.10 The cor. to Secs. 19, 20, 29 & 30.

Flat surface, some good soil No timber

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. West on a random line between Secs 19 & 30
Var. $13^{\circ}45' E.$

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

78.19 Intercept the W. boundary 13 lbs N. of
the cor. to Secs. 19 & 30, from which cor. draw
A $89.54' E.$ on a true line between Secs. 19 & 30
Var. $13^{\circ}45' E.$

38.19 Set a granite rock $12 \times 12 \times 6$ in. 3 fm. into the
ground, marked $\frac{1}{4}$, and on the east build
a mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, and 1 ft wide, as per
instructions, for $\frac{1}{4}$ Sec. cor. No trees

78.19 The cor. to Secs. 19, 20, 29 & 30

Surface flat. Good soil, some grass. No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Sec. North between Secs. 19 & 20

Var. 13° 45' E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, and 1 ft wide as per instructions
for $\frac{1}{4}$ Sec. cor. Sto trees.

80.00 This is remote from timber and there
are no stones procurable, so I drive
charred stakes and build mound of earth
2 ft high, with pits 1 ft. deep, 2 ft long
and 1 ft wide and in the S. E. pit I
set a stake, marked and notched, 2 ft long
2 in. sqd. 1 ft in the ground, all as per
instructions for the cor to Secs. 17, 18, 19 & 20
Sto trees.

Flat some good soil No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Obs. East on a random line between Secs. 17 & 20
Var. $13^{\circ}45' E.$

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 70.00 Leave the valley & ascend mesa bearing N.E.
 79.88 Intersect the N. & S. line 9 lbs. It. of
 the cor. to Secs. 16, 17, 20 & 21, from which cor.
 I ran.
 It. $89^{\circ}56' W.$ on a true line between Secs. 17 & 20
 Var. $13^{\circ}45' E.$

39.94 Set a post, marked 4x5, 4 ft long, flatten-
 ed 3 in wide, 1 ft in the ground, drive
 charred stake and build mound of earth-
 2 ft high, with pits 1 ft. dep. 2 ft long
 and 1 ft wide, as per instructions for 1/4 sec. cor.
 No trees near.

79.88 The cor. to Secs. 17, 18, 19 & 20

Surface flat, soil good. No timber.

Township 6 S. Range 24 E.
Gila and Salt River Meridian

- Ass. West on a random line between Secs. 18 & 19
 Var. $13^{\circ}45' E.$
- 15.00 Road from Pueblo Vijo to Camp Grant bearing $SW \frac{1}{4} NE \frac{1}{4}$
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 78.00 Intersect the W. boundary 29 lbs. N. of the
 cor. to Secs. 18 & 19, from which cor. I run
 $N 89^{\circ}48' E.$ on a true line between Secs. 18 & 19
 Var. $13^{\circ}45' E.$
- 38.00 Set a granite rock $14 \times 10 \times 6$ in, $\frac{2}{3}$ in the
 ground, marked $\frac{1}{4}$, and on the E. build
 a mound of earth 2 ft high, with faces
 1 ft deep, $\frac{1}{2}$ ft long and 1 ft wide, as per
 instructions for $\frac{1}{4}$ sec. cor. No trees near
- 78.00 The cor. to Secs. 17, 18, 19 & 20

Surface level, except that the line
 crosses 1 ridge. Some good soil
 No timber

Township 6 S. Range 24 E.
 Gila and Salt River Meridian

Chs North between Secs. 17 & 18

- 12.00 Road from public right to grant bearing SW & NE
 40.00 Set a granite rock 18 x 12 x 8 in. $\frac{1}{4}$ in
 the ground, marked $\frac{1}{4}$ in. and on the N.
 build mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long and 1 ft wide
 as per instructions for 4th Sec. cor. No trees
 80.00 Set a post, marked and notched, 4 ft
 long, 3 in. sqd. 1 ft in the ground, drive
 charred stake, and build mound of
 earth 2 ft high, with pits 1 ft deep, 2 ft
 long, and 1 ft wide as per instructions
 for the cor. to Secs. 7, 8, 17 & 18, from which
 a Mesquite tree 9 in. diam. lies 444⁴E 140 ft dist
 do 8 " " " 428⁴E 187" "

No other trees near.

Land. Soil poor. Timber & game consequent

Township 6 S. Range 24 E.

Gila and Salt River Meridian

- Chs. East on a random line between Secs. 8 & 17
Var. $13^{\circ}45' E.$
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.87 Intersect the N. & S. line of Sec. W. of the
cor. to Secs. 8, 9, 16 & 17, from which cor. I run
N. 89 $56'$ W. on a true line between Secs. 8 & 17
Var. $13^{\circ}45' E.$
- 39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flatten-
ed 3 in. wide, 1 ft in the ground. Drive
charred stake and build mound of earth
2 ft high, with pits 1 ft deep. Cut long and
wide as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 79.87 The cor. to Secs. 7, 8, 17 & 18

Surface broken. Soil poor. No timber.

Township 6 S. Range 24 E.

Pita and Salt River Meridians

Obs. Distow a random line between Secs. 7 & 18
Var. 13° 45' E.

40.00 Set a temporary $\frac{1}{4}$ sec. cor

78.05 Intersect the W. boundary 14 lbs. N. of
the cor. to Secs. 7 & 18 from which I run
N. 89° 54' E. on a true line between Secs. 7 & 18
Var. 13° 45' E.

38.05 Set a post marked 4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long and 1 ft wide
as per instructions for $\frac{1}{4}$ sec. cor.
And trees near.

78.05 The cor. to Secs. 7, 8, 17 & 18.

Surface flat. Soil poor. No timber

Township 6 S. Range 24 E.

Salt and Salt River Meridian

Sec. North between Secs. 7 & 8

Var. 13° 45' E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long and 1 ft wide, as per instructions for 1/4 Sec. cor. from which

A Mesquit tree 5 in. diam. has 8647 or 300 lbs. dist.

do 4 " " 89.647 or 331 " "

80.00 Set a post, marked and notched, 4 ft long 3 in. sqd. 1 ft in the ground. Drive charred stake, and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide as per instructions for the cor. to Secs. 5, 6, 7 & 8.
No trees near

Uneven surface. Soil poor. Scattering trees.

February 15, 1875

Township 6 S. Range 24 E.^o

Pila and Salt River Meridian

Obs. East on a random line between Secs. 5 & 8
Var. 13° 45' E.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.

80.06 Intersect the St. & S. line 11 1/2ks. N. of
the cor. to Secs. 4, 5, 8 & 9, from which cor. draw
St. 89 55 11. on a true line between Secs. 5 & 8
Var. 13° 45' E.

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
1 1/2 in wide, 1 ft in the ground, drive
charred stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
and 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from which

a Moquith Cen. diam. bxs S 52 1/4 E 253 1/2 ks dist.
do 12 " " " N 24 1/2 E 164 " "

80.06 The cor. to Secs. 5, 6, 7 & 8

Descending a little E. Pools of sand and
Brush & scattering trees on this end.

53

Township 6 S. Range 24 E.

Gila and Salt River Meridian

- | | |
|--------|--|
| Chs | West on a random line between Secs. 6 & 7
Var. $13^{\circ}45'6''$ |
| 140.00 | Set a temporary $\frac{1}{4}$ sec. cor. |
| 78.00 | Intersect the W. boundary 100 ft. N. of
the cor. to Secs. 6 & 7, from which cor. I ran
N. 89 $56'E$. on a true line between Secs. 6 & 7
Var. $13^{\circ}45'6''$ |
| 38.00 | Set a post, marked W.S. 4 ft long, flatten-
ed 3 in. wide, 1 ft in the ground, driven
charred stake, and build mound of
earth $\frac{1}{2}$ ft high, with feet 1 ft deep, 2 ft
long and 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near. |
| 78.00 | The cor. to Secs. 5, 6, 7 & 8 |

Ascending W. & S. smooth. Grass
Brush and few scattering trees

Township 6 S. Range 24 E.
 Pila and Salt River Meridian

Obs. North on a tree line between Secs. 5 & 6.
 Var. 13° 45' E.

40,00 Set a post, marked 4 S. 4 ft long
 flattened 3 in. wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 2 ft high with pits 1 ft deep,
 2 ft long and 1 ft wide, as per instruc-
 tions for 1/4 Sec. cor. from which
 A Mesquite tree 5 in. diam. bns 82 1/2 E 239 lbs. dist.
 No other tree near.

79,91 Intersect the W. boundary of the township, which
 is the First Standard Parallel South. 27° 68' chs
 W. of the Standard Cor. to Secs. 31 & 32

79,58 R. 24 E. Set at this point a post, marked
 and notched, 4 ft long 3 in. sq'd. 1 ft in the ground, drive
 charred stake and build mound of earth 2 ft high with
 pits 1 ft deep, 2 ft long and 1 ft wide as per instructions
 for the Closing Cor. to the Secs. 5 & 6, from which
 A Mesquite 4 in. diam. bns 76 65 N. 48 lbs. dist.

do	6 "	"	854 N 58 "	"
do	3 "	"	834 E 49 "	"
do	8 "	"	957 E 182 "	"

Smooth, grass & brush and scattering trees.

~~Township 6 S. Range 24 E.
Gila and Salt River Meridian~~

~~Meanders of the Gila River through the Twp.~~

I begin at the cor. to fractional secs. 4 & 33 on the N. boundary of the Township and on the right bank of the river, and run thence upstream as follows:

In Sec. 4

1 24 E.	13.30 chs.
1 15 E	7.10 "
1 70 E	5.00 "
1 81 E	3.20 "
1 71 E	14.80 ..
1 58 E	6.10 ..
1 65 E	3.10 ..
1 94 E	11.30 ..
1 81 E	4.00 ..
1 49 E	7.60
1 58 3/4 E	5.50

Cottonwood & Willow timber
along the floodbank

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Manders of the Gila River (Continued)
In Sec. 4. (continued)

N 81 1/4 E.	14.70 chs.	
N 79 1/2 E.	0.80 "	To the meander point between secs. 3 & 4

Shrub in Sec. 3.

S 55 3/4 E.	10.20 chs	
S 49 E.	5.00 "	
S 84 E.	6.40 "	Sand Cottonwood
N 11 3/4 E.	4.50 "	
N 44 1/2 E.	8.20 "	and
N 28 1/2 E.	5.30 "	
N 74 1/4 E.	5.00 "	Willow timber
N 50 E.	6.40 "	
N 78 1/2 E	4.50 "	
S 43 1/2 E	6.40 "	
S 48 1/4 E	2.90 "	
S 64 1/2 E	10.80 "	

Township 6 S. Range 24 E.
Gila and Salt River Meridian

Meanders of the Gila River
In Sec. 3 (continued)

S. 46 E	2.00 chs.	
S. 62 E.	11.60 "	
S. 0 $\frac{3}{4}$ E	14.50 "	
S. 36 E	2.10 "	
S. 62 E	8.20 "	
S. 54 $\frac{1}{4}$ E	2.60 "	To cor. to fractional secs. 283.

Thence in Sec. 2,

S. 43 $\frac{3}{4}$ E	7.57 chs.	To cor to fractional secs. 2811
-----------------------	-----------	------------------------------------

Thence in Sec. 11

S. 11 $\frac{3}{4}$ W	8.70 chs.	
S. 3 $\frac{1}{2}$ W	6.40 "	
S. 17 $\frac{1}{2}$ E	1.70 "	
S. 65 $\frac{3}{4}$ E	2.50 "	
S. 86 $\frac{1}{4}$ E	7.30 "	
S. 80 E	7.00 "	

Township 6 S. Range 24 E.

Gila and Salt River Meridian

Meanders of the Gila River
In Sec. 11 (continued)

S. 89 $\frac{1}{2}$ E. 1.60 chs.

S. 83 $\frac{1}{2}$ E. 1.40 "

S. 85E. 3.10 "

S. 65 $\frac{3}{4}$ E. 15.00 "

N. 85 $\frac{1}{2}$ E. 4.40 "

N. 78E. 3.40 "

N. 47 $\frac{1}{2}$ E. 4.70 "

N. 57 $\frac{1}{4}$ E. 8.60 "

S. 88E. 6.60 "

N. 79 $\frac{3}{4}$ E. 2.40 "

S. 57E. 10.10 "

S. 45 $\frac{3}{4}$ E. 3.70 "

Cottonwood and Willow
bordering the banks

To cor. to fractional
Secs. 11 & 12

Thence in Sec. 12

S. 18 $\frac{1}{4}$ E. 8.40 chs.

S. 45 $\frac{1}{2}$ E. 2.20 "

Township 6 S Range 24 East

Gila and Salt River Meridian

Meanders of the Gila River
In Sec. 17 (continued)

S₈₂ 1/4 E 11.60 chs.

S₈₀ E 3.80 "

S₃₂ 1/2 E 5.40 "

N. 71 E 5.20 "

S₈₀ E 3.70 "

W₄₇ 3/4 E 9.00 "

S₅₉ 1/2 E 7.60 "

South 9.50 "

S₃₉ E. 2.70 "

S₅₄ 1/2 E 4.20 "

S₇₁ 3/4 E 4.10 "

S₇₉ 1/2 E 3.40 "

S₅₃ E 13.00 "

S₇₅ E 7.80 "

S₂₅ 3/4 E 3.70 "

S₅₈ 1/2 E 3.20 "

S₆₄ E 0.80 "

February 16, 1875 \$

Cottonwood and Willow timber

and brush

To cor. to frac. sec. 12 & 7 on the
E. boundary of the Township

Township 6 S. Range 24 East
Gila and Salt River Meridian

General Description:

The Gila River runs through the N. E. part of the township, along this on either side for a width of from one to two miles the land is a rich bottom, which can be easily irrigated from the river. Cottonwood Creek crosses the S. E. cor. of the township and there is some good land along it; but the most of the southern part is a broken mesa with poor soil. Along the western part are flats with soil of good quality. There is cottonwood and willow timber along the river and mesquite in the bottom.

Theodore F. White
U.S. Deputy Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision lines of Township 6 South of Range 24 East of the Gila and Salt River Meridian

Showing the respective capacities in which they acted.

R. A Vasquez Chainman.

L. D. Burton Chainman.

Barnabas Palm Axeman.

W. H. Aubrey Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted _____
Theodore F. White U. S. Deputy Surveyor, in
surveying the subdivision lines & boundaries
of Township 6 South of Range
24 East of the Gila and Salt
River Meridian _____

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monu-
ments planted according to the instructions fur-
nished by the Surveyor-General.

R. A. Varguez Chairman.

S. D. Bryant Chairman.

Barnabe Palm Axeman.

W. H. Aubrey Flagman.

Sworn to and subscribed before me, this 6th
day of March, 1875

J. C. W. Gaffey
Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White,

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 5th day of November

1874 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the subdivision lines, and meanders of
the Gila River through the township, of
Township 6 South of Range 24 East
of the Gila and Salt River Meridians

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

WE
Thos.
surve
if
24
Re
—
and
the b
faith
ment
nishi

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 6th
day of March, 1875

J. C. McFaffy
Notary Public

Su
day

U. S. Surveyor General's Office,
Tucson, Arizona, June 26, 1875

The foregoing Field Notes of the survey of
The Subdivision & meander line
of Township 6 S. Range
21st E.

of the Gila and Salt River Base and Meridian, Arizona
executed by Theodore F. White
D. S., under his contract of the Fifteenth day
November, 1874, having been critically examined
and the necessary corrections and explanations made,
the said Field Notes and the surveys they describe,
are hereby approved.

John Hasson

Surveyor General