

No. 699

John L. Harris Deputy Surveyor.
T. *8 South* R. *17 East*
Gila & Salt River Meridian.

699

BOOK 699

FIELD NOTES

OF

The *Subdivision* Lines of
Township *8 South* Range *17 East*
Gila & Salt River Meridian.

BY

John L. Harris Deputy Surveyor.
under his Contract of *July 1st* 18*77*.
Survey commenced *November 17*, 1877.
Survey completed *November 22*, 1877.

Platted,
Copied for Washington, *J.L.H. a. b.*
Transcript sent to Commissioner,

No. 699

ECOK 699

No. 699

John L. Harris Deputy Surveyor.
T. 8 South R. 17 East
Gila & Salt River Meridian.

FIELD NOTES

OF

The *Subdivision* Lines of
Township *8 South* Range *17 East*,
Gila & Salt River Meridian.

BY

John L. Harris Deputy Surveyor.
under his Contract of *July 17* 1877.
Survey commenced *November 17*, "
Survey completed *November 22*, "

Platted,
Copied for Washington,
Transcript sent to Commissioner,

Township 8 South Range 17 East 1A

Gila and Salt River Meridian.

BOOK 699

6	<u>60</u>	5	<u>44</u>	4	<u>33</u>	3	<u>22</u>	2	<u>11</u>	1
<u>57</u>		<u>58</u>		<u>43</u>		<u>32</u>		<u>21</u>		<u>10</u>
7	<u>57</u>	8	<u>42</u>	9	<u>31</u>	10	<u>20</u>	11	<u>9</u>	12
<u>56</u>		<u>55</u>		<u>41</u>		<u>30</u>		<u>19</u>		<u>8</u>
18	<u>54</u>	17	<u>40</u>	16	<u>29</u>	15	<u>18</u>	14	<u>7</u>	13
<u>53</u>		<u>52</u>		<u>39</u>		<u>28</u>		<u>17</u>		<u>6</u>
19	<u>51</u>	20	<u>38</u>	21	<u>27</u>	22	<u>16</u>	23	<u>5</u>	24
<u>50</u>		<u>49</u>		<u>37</u>		<u>26</u>		<u>15</u>		<u>4</u>
30	<u>48</u>	29	<u>36</u>	28	<u>26</u>	27	<u>14</u>	26	<u>3</u>	25
<u>47</u>		<u>46</u>		<u>35</u>		<u>24</u>		<u>13</u>		<u>2</u>
31	<u>45</u>	32	<u>34</u>	33	<u>23</u>	34	<u>12</u>	35	<u>1</u>	36

699

Preliminary Oaths of Assistants.

We, *Lyman Wakefield*
and *Chas. B. Warren*
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Lyman Wakefield
Chas. B. Warren

Sworn to and subscribed before me, this *29*
day of *September*, 187*7*

William J. Osborn
Notary Public

We, *Fred. C. Jones*

J. P. Chenoweth

do solemnly swear that we will well and truly perform the duties of *Axman* and *Magman* according to instructions given us, and to the best of our skill and ability.

Fred. C. Jones

J. P. Chenoweth

Sworn to and subscribed before me this *29* day of *September*, 187*7*

William J. Gibson
Notary Public



Township S South Range 17 East

Gila and Salt River

Meridian.

BOOK 699

Chains

From the corner to Sections 35, 36, 1 and 2 on the South

boundary I ran

North, between Sections 35 and 36.

Variation 14°30' East.

As per E. boundary.
40.00 Set a post 4 ft. long, flattened
3 in. wide, marked 4 S. 1 ft. in
the ground, drive charred stake
and build up of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long and
1 ft. wide as per instructions for
4 sec. cor. The trap near

0.00 Set a post 4 ft. long, 3/4 in
marked and notched, 1 ft. in
the ground, drive charred stake
and build up of earth 2 ft
high with pits 1 ft. deep, 2 ft.
long and 1 ft. wide as per
instructions for the cor. to
secs. 25, 26, 35 & 36.

Rolling & prokew good pasture
land. Some brush to timber

W^{ns}hip 8 South Range 17th East. BOOK 699
Gila and Salt River Meridian.

ins East, on a random line between Sections 25 and 36.

Variation $14^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.
0.07 Intersect the N. & S. line 10 lbs.
S. of the cor. to secs. 25, 30, 31 & 36
from which I run
 $S89^{\circ}56'W$, and a true line between secs.
25 & 36. Var. $14^{\circ}30'E$.

40.04 Set a granite stone $14 \times 12 \times 8$ in,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build wd. of stones
2 ft. high as per instructions for
the $\frac{1}{4}$ Sec. cor. No trees near.
0.07 The cor. to secs. 25, 26, 35 & 36

Rolling broken. Grass. No timber

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains North, between Sections 25 and 26.

Variation $14^{\circ} 30'$ East.

40.00 Seta granite $10 \times 9 \times 6$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$ and
on the N. build, not. of earth
2 ft high with pits, 1 ft deep
2 ft long and 1 ft wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees.

00.00 Seta granite $16 \times 10 \times 6$ in. $\frac{2}{3}$
in the ground, marked S. & E.
and on the N. build end. of
stones 2 ft high as per an
structions for the cor. to
secs. 23, 24, 25 & 26. No trees

Somewhat broken. Good
grass. Brush. No timber

Township 8 South Range 17 East.

Gila and Salt River

BOOK 699
Meridian.

Chains East, on a random line between Sections 24 and 25.
Variation 14°30' East.

40.00 Set a temporary 1/4 sec. cor.
80.13 Intersect the E. boundary of the township 9 lks S. of the cor. to secs. 19, 24, 25 & 30 from which I run S 89°56' W, on a true line between Secs. 24 & 25
Var. 14°30' E.

40.07 Set a granite stone 9x8x7 in. 2/3 in the ground, marked 1/4 and on the W. build a pile of earth 2 ft high with pits 1 ft deep 2 ft long & 1 ft wide as per instructions for 1/4 sec. cor. No trees near.

80.13 The cor. to secs. 23, 24, 25 & 26.

Rolling hills. Good grass land.
No timber.

Township 8 South Range 17 East
Gila and Salt River Meridian.
BOOK 699

Chains North, between Sections 23 and 24.

Variation 14°30' East.

- 40.00 Set a granite stone $11 \times 9 \times 6$ in.
 $\frac{3}{4}$ in in the ground. Marked
 $\frac{1}{4}$ and on the $\frac{1}{4}$ build mound of
earth 2 ft. high with pits 1 ft.
deep, 2 ft. long and 1 ft. wide
as per instructions for the cor.
the $\frac{1}{4}$ Sec. cor. $\frac{1}{4}$ trees.
- 50.00 Set a post 4 ft. long, $3 \frac{1}{2}$ in.
marked and notched, 1 ft. in the
ground, drive charred stake
and build mound of earth 2 ft.
high with pits 1 ft. deep, 2 ft.
long and 1 ft. wide as per in-
structions for the cor. & Secs.
13, 14, 23 & 24, from which
a pole very 10 in. diam. brs $\frac{1}{2}$ to w. 160 lbs. dist.
No other trees near.

Rolling hills, good grass
No timber of consequence.

Township 8 South Range 17 East
Gila and Salt River BOOK 699
 Meridian.

Chains East, on a random line between Sections 13 and 24.

Variation $14^{\circ}30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor. around foothills.
- 80.14 Intersect the E. boundary of the township 20 kcs. S. of the cor. to Secs. 13, 18, 19 & 24, from which I run $S. 89^{\circ}57' W.$ on a true line between Secs. 13 & 24. Var. $14^{\circ}30' E.$
- 40.07 Set a granite stone $16 \times 10 \times 4$ in. $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on the W. build quad. of stones 2 ft high as per instructions for the $\frac{1}{4}$ sec. cor. No trees near.
- 80.14 The cor. to Secs. 13, 14, 23 & 24

Somewhat broken & rolling
 Good grass land.
 No timber.

Township 8 South Range 17 East

BOOK 699 Gila and Salt River Meridian.

Chains North, between Sections 13 and 14.

Variation $14^{\circ} 30'$ East.

40.00 Set a granite stone $11 \times 9 \times 6$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on the N. build $\frac{1}{2}$ rd. of earth
2 ft. high with pits 1 ft. deep,
2 ft. long and 1 ft. wide as per
instructions for $\frac{1}{4}$ Sec. cor.
No trees near.

80.00 Set a granite stone $16 \times 14 \times 10$ in.
 $\frac{2}{3}$ in the ground, notched S. & E.
and on the N. build $\frac{1}{2}$ rd. of stone
2 ft. high as per instructions for
the cor. to Secs. 11, 12, 13 & 14.
No trees.

High & rolling. No timber
Good grass.

Township 8 South Range 17 East
Gila and Salt River BOOK 699 Meridian.

Chains East, on a random line between Sections 12 and 13.
Variation 14°30' East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 79.92 Intersect the E. boundary 15 lks.
N. of the cor. to Secs. 7, 12, 13 & 18
from which I run
N. 89°54' W. on a true line between
Secs. 12 & 13 Var. 14°30' E.
- 39.96 Set a granite stone 14 x 10 x 5 in.
2/3 in the ground, marked $\frac{1}{4}$ and
on the W. build out of stones 2 ft.
high as per instructions for $\frac{1}{4}$
Sec. cor. No trees near.
- 79.92 The cor. to Secs. 11, 12, 13 & 14

High rolling hills. Good
pasturage. No timber.

Township 8 South Range 17 East

Gila and Salt River

Meridian.

BOOK 699

Chains North, between Sections 11 and 12.

Variation $14^{\circ}30'$ East.

40.00 Set a granite $11 \times 10 \times 6$ in. $\frac{2}{3}$ in the ground, marked '4' and on the N. build wd. of stones 2 ft. high as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a granite stone $12 \times 10 \times 4$ in. $\frac{2}{3}$ in the ground, notched S. & E. and on the N. build wd. of stones 2 ft. high as per instructions for the cor. to secs. 1, 2, 11 & 12

High & rolling. Good for Grass
No hunter.

Township 8 South Range 17 East. 10
Gila and Salt River BOOK 699
Meridian.

Chains	East, on a random line between Sections 1 and 12.
	Variation $14^{\circ}30'$ East.
40.00	Set a temporary $\frac{1}{4}$ sec. cor.
80.16	Intersect the E. boundary of the township 23 lks. S. of the cor. to sec. 16.7 & $\frac{1}{2}$ from which I run $S. 89^{\circ}50' W.$ on a true line between Sec. 18 & 12. Cor. $14^{\circ}30' E$
40.08	Set a granite stone $12 \times 10 \times 6$ in, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and set the $W.$ build and set stones 2 ft high as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
80.16	The cor. to sec. 12, 11 & 12.

High rolling hills. Good pasturage
 No hunter.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains

North, on a random line between Sections 1 and 2.

Variation $14^{\circ}30'$ East.

- 140.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.19 Intersect the N. boundary 15 lbs
W. of the cor. to secs. 1, 2, 3 & 36
from which I run
 $50^{\circ}06'$ W. on a true line between Secs. 1 & 2
Var. $14^{\circ}30'$ E.
40.19 Set a granite stone $13 \times 8 \times 7$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on the S. build up of earth
2 ft. high with pits 1 ft. deep
2 ft. long and 1 ft. wide as per instruc-
tions for the $\frac{1}{4}$ sec. cor. to lines
80.19 The cor. to secs 1, 2, 11 & 12

Rolling high hills. Consider-
able grass No timber.

Nov. 17, 1877

Township 8 South Range 17 East 12
Gila and Salt River BOOK 699 Meridian.

Chains North, between Sections 34 and 35.

Variation 14°30' East.

40.00 Set a post 4 ft. long, flattened 3 in. wide, marked 40. 1 ft. in the ground. Drive charred stake and build end of earth 2 ft. high with pits 1 ft. deep 2 ft. long and 1 ft. wide as per instructions for 1/4 sec. cor. No trees near.

80.00 Set a post 4 ft., sq'd 3 in., marked and notched, 1 ft. in the ground. Drive charred stake and build end of earth 2 ft. high with pits 1 ft. deep 2 ft. long and 1 ft. wide as per instructions for the cor. to secs. 26, 27, 34 & 35. From which a Mesquite 8 in. diam, brs N. 20 W. 150 ft. dist.
do. 9 " " " S 40 W. 150 " "
No other trees near.

Rolling, good pasture
Scattered trees

Township 8. South Range 17 East
Gila and Salt River Meridian.

BOOK
Chains

699

East, on a random line between Sections 26 and 35.

Variation 14°30' East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 80.09 Intersect the N. & S. line 13 kps.
N. of the cor. to secs. 25, 26, 33 & 36
from which I ran
N. $89^{\circ}54'W$ on a true line between
secs. 26 & 35. $\text{Cor. } 14^{\circ}30' E.$
- 40.05 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground; drive charged stakes and
build end of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long & 1 ft.
wide as per instructions for the
 $\frac{1}{4}$ sec. cor. No trees.
- 80.09 The cor. to secs. 26, 27, 34 & 35

Rolling & some broken
good grass. Scattering trees.

Township 8 South Range 17 East 14
Gila and Salt River BOOK 699
Meridian.

Chains North, between Sections 26 and 27.

Variation $14^{\circ}30'$ East.

40.00 Set a post, 4 ft. long flattened
3 in wide, marked $\frac{1}{4}$ S, 1 ft. in
the ground, drive charred stakes
and build pad, of earth 2 ft
high, with pits $\frac{1}{4}$ ft. deep 2 ft
long and 1 ft. wide as per in-
structions for the $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a granite stone $20 \times 14 \times 8$ in,
 $\frac{3}{4}$ in the ground, notched S. & E.
and on the N. build pad. of stones
as per instructions for the
cor. to secs. 22, 23, 26 & 27, from which
a pale verde boulders, bro 8468, $\frac{1}{2}$ 7/8ths. dist
No other trees near.

Rolling prairie land,
Brush & scattering trees.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains East, on a random line between Sections 23 and 26.

Variation $14^{\circ}30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
0.17 Inscribed the N. & S. line 14 lks.
S. of the cor. to secs. 23, 24, 25 & 26
from which I run
 $S. 89^{\circ}34' W$, on a true line between secs.
23 & 26. Var. $14^{\circ}30' E$.
- 40.09 Set a granite stone $13 \times 10 \times 8$ in
in the ground, marked $\frac{1}{4}$
and on the W. side, mid. of earth
2 ft. high with pits 1 ft. deep
2 ft. long and 1 ft. wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 80.17 The cor. to secs. 22, 23, 26 & 27

Rolling, good pasture land,
No timber of consequence.

Township 8 South Range 17 East 16
 Gila and Salt River BOOK 699 Meridian.

Chains North, between Sections 22 and 23.

Variation 14°30' East.

40.00 Set a granite stone 14x10x8 in.
 2/3 in the ground, marked 1/4,
 and on the N. by a pile of earth
 2 ft. high with pits 1 ft. deep
 2 ft. long and 1 ft. wide as
 per instructions for 1/4 sec. cor.
 No trees near.

80.00 Set a post, 4 ft. long of solid
 pine, marked & notched, 1 ft. in
 the ground, drive charred
 stakes and build pile of earth
 2 ft. high with pits 1 ft. deep
 2 ft. long & 1 ft. wide as per in-
 structions for the cor. to secs.
 14, 15, 22 & 23. No trees near.

Rolling & somewhat broken.
 Good grazing scattering trees

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains East, on a random line between Sections 14 and 23.

Variation $14^{\circ}30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
7991 Intersect the N. & S. line 22 lks.
S. of the cor. to Secs. 13, 14, 23 & 24
from which I run
58937 W. on a true line between
Secs. 14 & 23. Var. $14^{\circ}30'$ E.
3996 Set a post 4 ft. long flattened 3
in wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground, drive charred spikes
and build up of earth 2 ft.
high with pits 1 ft. deep, 2 ft
long and 1 ft wide as per in-
structions for $\frac{1}{4}$ Sec. Cor. from which
a paloverde Pin. stands $54\frac{1}{2}$ E. 60 lks. dist.
No other tree near.
7991 The cor. to Secs. 14, 15, 22 & 23.

Rolling & broken
good grazing land. Scattering
trees

Township 8 South Range 17 East 18

Gila and Salt River

BOOK 699

Meridian.

Chains

North, between Sections 14 and 15.

Variation $14^{\circ}30'$ East.

40.00 Set a granite stone $12 \times 9 \times 6$ in.,
 $\frac{3}{4}$ in. marked '4, and on the N. build mid. of earth 2 ft. high
with pits 1 ft. deep 2 ft. long
and 1 ft. wide as per instruc-
tions for '4 Sec. Cor. No trees
near.

80.00 Set a granite $16 \times 10 \times 10$ in. ¹⁴₀₀
in the ground, notched S. & E.
and on the N. build mid. of stones
2 ft. high as per instructions
for the cor. to Secs. 10, 11, 14 & 15
No trees near.

Rolling & broken. Grass
No timber.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains East, on a random line between Sections 11 and 14.

Variation $14^{\circ} 30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
80.24 Intersect the M. & S. line 1800 ft.
S. of the cor. to secs. 11, 12, 13 & 14
from which I run
S. $89^{\circ} 52' W.$ on a true line between
secs. 11 & 14. Var. $14^{\circ} 30' E.$
40.12 Set a granite stone $14 \times 10 \times 8$ in,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build. end. of stone
2 ft. high as per instructions
for $\frac{1}{4}$ Sec. Cor. No true mar.
80.24 The cor. to Secs. 10, 11, 14 & 15

High rolling hills. Good
pasturage. No timber.

Township 8 South Range 17 East 20

Gila and Salt River BOOK 699 Meridian.

Chains North, between Sections 10 and 11.

Variation 14°30' East.

- 40.00 Set a granite 14 x 10 x 6 in. $\frac{1}{4}$ in the ground, marked $\frac{1}{4}$ and on the N. build rd. of stones 2 ft. high as per instructions for the $\frac{1}{4}$ sec. cor. No trees.
- 80.00 Set a granite stone 16 x 12 x 10 in. $\frac{2}{3}$ in the ground, notched S. & E. and on the N. build rd. of stones 2 ft high as per instructions for the cor. to Secs. 2, 3, 10 & 11. No trees near.

High rolling. Grass
No timber.

Township 8 South Range 17 East

Gila and Salt River

Meridian.

BOOK 699

Chains East, on a random line between Sections 2 and 11.

Variation $14^{\circ} 30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.26 Intersection of the N. & S. line 2 1/2 lbs.
N. of the cor. to Secs. 1, 2, 11 & 12
from which I run
N. $89^{\circ} 51' W$, on a true line between Secs. 2 & 11
Var. $14^{\circ} 30' E$.
- 40.13 Set a granite stone $11 \times 9 \times 6$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the W. build. end. of earth 2 ft.
high with pits 1 ft. deep, 2 ft. long
& 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees.
- 80.26 The cor. to Secs. 2, 3, 10 & 11

High rolling hills. Good
pasturage. No timber.

Township 8 South Range 17 East 22

Gila and Salt River BOOK 699 Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation $14^{\circ}30'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.76 Intersect the N. boundary of the township $3\frac{1}{2}$ lbs. W. of the cor. to secs. 2, 3, 34 & 35, from which I run
 $S 0^{\circ}13' W$ on a true line between Secs. 2 & 3
Var. $14^{\circ}30' E$.
- 39.76 Set a granite stone $10 \times 9 \times 7$ in $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on the S. side ind. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees
- 79.76 That cor. to secs. 2, 3, 10 & 11.

High & rolling. Good grass land. No timber

No. 699

Township 8 South Range 17 East

Gila and Salt River

Meridian.

BOOK 699

Chains North, between Sections 33 and 34.

Variation $14^{\circ}30'$ East.

40.00

Set a granite stone $11 \times 9 \times 6$ in $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on the N. build ^{earth-} mnd. of stones 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ Sec. cor. No trees near.

80.00

Set a granite $16 \times 14 \times 8$ in. $\frac{2}{3}$ in the ground, notched S. & E., and on the N. build mnd. of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for cor. to Secs. 27, 28 33 and 34. No trees near.

Rolling & somewhat broken
good grass. No timber

Township 8 South Range 17 East ²⁴
Gila and Salt River BOOK 699
Meridian.

Chains East, on a random line between Sections 27 and 34.

Variation $14^{\circ}30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
78.00 Enter about of San Pedro valley, hrs SW,
80.21 Intersected the H. & S. line 10 kcs. S. of
the cor. to secs. 26, 27, 34 & 35, from
which I run
 $S 89^{\circ}36' W.$ on a true line between secs. 27 & 34
Dist. $14^{\circ}30' E.$
- 40.11 Set a granite stone $12 \times 10 \times 5$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$ ft. and
on top we build out of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long,
& 1 ft. wide as per instructions for
the $\frac{1}{4}$ sec. cor. from which
a Mesquite tree S.W. dist. hrs $S 70^{\circ} E.$ 115 kcs. dist.
No other tree near.
- 80.21 The cor. to secs. 27, 28, 33 & 34

Somewhat broken considerable
grass. No timber of consequence

Nov. 19, 1877

Township 8 South Range 17 East

Gila and Salt River

Meridian

BOOK 699

Chains North, between Sections 27 and 28.

Variation $14^{\circ}30'$ East.

40.00 Seta granite stone $12 \times 8 \times 6$ in.,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build. mid. of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trees

80.00 Seta granite stone $18 \times 10 \times 6$ in. $\frac{3}{4}$
in the ground, protected S. & E.
and on the N. build. mid. of stones
2 ft. high as per instructions
for the cor. to secs. 21, 22, 27
& 28. No trees near.

This on the N. side of a small
cañon.

Rolling broken hills
good land for grazing
No timber of consequence

Township 8 South Range 17 East ²⁶
Gila and Salt River BOOK 699 Meridian.

Chains East, on a random line between Sections 22 and 27.

Variation $14^{\circ}30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.87 Intersect the N. & S. line 17 lbs. S.
of the cor. to secs. 22, 23, 26 & 27
from which I run
 $S 89^{\circ}53'W$, on a true line between
secs. 22 & 27 Var. $14^{\circ}30' E$.
- 39.94 Set a granite stone $14 \times 12 \times 8$, in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on the W. build md. of stones
2 ft high as per instructions
for $\frac{1}{4}$ sec. cor. No trees
This is in a small canon
79.87 the cor. to secs. 21, 22, 27 & 28.

Rolling & broken. Good
grazing land. Scattering trees

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699
Chains North, between Sections 21 and 22.

- Variation 14° 30' East.
- 17.50 Dry wash 25 lbs. wide runs W
 - 31.80 do 50 " " " W
 - 40.00 Set a granite stone 18 x 12 x 10 in
3/4 in the ground, marked 1/4, and
on the N. build end. of stone 2 ft
high as per instructions for the
1/4 sec. cor. from which
a pale verde 6 in diam. brs N 60 W. 46 lbs. dist.
No other tree near.
 - 80.00 Set a granite stone 15 x 12 x 9 in.
3 in the ground, notched S. E. C.
and on the N. build end. of earth-
2 ft high with feet 1/4 ft deep 2 ft
long & 1 ft wide as per instruc-
tions for the cor. to secs. 15, 16
& 18 & 22. from which
a pale verde 8 in diam. brs N 57 1/2 W 93 lbs. dist.
do. 4 " " " S 49 1/4 W. 100 " "
 - No other trees near.

Somewhat broken. Good
pass. Scattered trees.

Township 8 South Range 17 East 28
Gila and Salt River BOOK 699
Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation 14° 30' East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 80.22 Intersect the N. & S. line 32 lks. S. of the
Cor. to secs. 14, 15, 22 & 23, from
which I run
S. 89° 46' W. on a true line between Secs.
15 & 22. Var. 14° 30' E.
- 40.11 Set a granite stone 11 x 8 x 7 in.
3 in the ground, marked "4", and
on the W. build wd. of earth
2 ft. high with pits 1 ft. deep
2 ft. long and 1 ft. wide as per
instructions for $\frac{1}{4}$ sec. Cor.
No trees near.
- 80.22 The cor. to secs. 15, 16, 21 & 22.

Rolling hills somewhat broken
good grass. No timber.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains North, between Sections 15 and 16.

Variation $14^{\circ} 30'$ East.

40.00 Set a granite $14 \times 12 \times 8$ in $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$ and on
southern N. build end, square the north
high with pits $1 \frac{1}{2}$ ft. deep $2 \frac{1}{2}$ ft.
long and $1 \frac{1}{2}$ ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor. from which
a salverge, in diam bro S45E of the det.
No other tree near.

80.00 Set a granite stone $16 \times 12 \times 8$ in
 $\frac{2}{3}$ in the ground, notched S, S, E,
and on the N. build end of stone
 $2 \frac{1}{2}$ ft. high as per instructions for
the cor. to secs. 9, 10, 15 & 16

No trees

This is in S. side of small ravine
bearing S.W.

Rolling & broken Good grazing
land. Scattered trees.

Township 8 South Range 17 East 30
Gila and Salt River BOOK 699
Meridian.

ains East, on a random line between Sections 10 and 15.

Variation $14^{\circ}30'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.17 by the N. & S. line 27 lbs.
S. of the cor. to secs. 10, 11, 14 & 15
from which I run
 $S 89^{\circ}48' W$ on a true line between Secs. 10 & 15
Var. $14^{\circ}30' E$.

40.09 Set a granite stone $10 \times 9 \times 7$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and, on the W. build out of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long and 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trees near.
80.14 The cor. to sec. 9, 10, 15 & 16.

Rolling, broken hills. Good
grass. No timber.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains North, between Sections 9 and 10.

Variation 14°30' East.

40.00 Set a granite 11 x 8 x 6 in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$
and on the N. build $\frac{1}{2}$ of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long and 1 ft. wide as per in-
structions for the cor. $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a granite stone 17 x 10 x 8 in.
 $\frac{2}{3}$ in the ground, of setchid S. & E.
and on the N. build $\frac{1}{2}$ of stones
2 ft. high as per instructions
for the cor. to secs. 3, 4, 9 & 10
No trees near.

Rolling & broken,
good grass land. No timber.

Township 8 South Range 17 East ³²
 Gila and Salt River BOOK 699 Meridian.

Chains East, on a random line between Sections 3 and 10.
 Variation 14°30' East.

- 40.00 Set a temporary 1/4 sec. cor.
- 79.85 Intersect the N. & S. line 21.1631
 W. of the cor. to Secs. 2, 3, 10 & 11
 from which I run
 589.57 W. on a true line between
 Secs. 3 & 10. Var. 14°30' E.
- 39.93 Set a granite stone 14x10x6 in.
 1/3 in the ground, marked 1/4
 and on the W. build end. of stones
 2 ft. high as per instructions
 for 1/4 sec. cor. from which
 a salverde 4 in. diam brs S 37 1/2 E. 1600 ft. dist.
 No other true mar.
- 79.85 The cor to Secs. 3, 4, 9 & 10.

Rolling hills. Good pasture
 lands. No timber.

Township 8 South Range 17 East

BOOK 699 Gila and Salt River Meridian.

Chains North, on a random line between Sections 3 and 4.

Variation 14°30' East.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
179.81 Intersect the N. boundary of the township 18 hrs. E. of the cor. to Secs. 3, 4, 33 & 34, from which I run $50^{\circ}08'$ E. on a true line between Secs. 3 & 4 Var. 14°30' E.

39.81 Set a granite stone 13 x 9 x 6 in. $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on the S. part of each of stones 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide as per instructions for the cor. $\frac{1}{4}$ Sec. Cor. No traps near.

179.81 The cor. to Secs. 3, 4, 9 & 10.

High rolling. Good pasturage.
No timber

Township 8 South Range 17 East ³⁴
BOOK 699
Gila and Salt River Meridian.

Chains

North, between Sections 32 and 33.

Variation 14°30' East.

- 36.50 San Pedro River 50 lbs. iron pins N.W.
40.00 Set a post 4 ft. long, flattened 3 in.
wide, marked "4 B", 1 ft. in the
ground, drive charred stake
and build out of earth 2 ft high
with pits 1 ft deep 2 ft long
and 1 ft wide as per instructions
for "4 sec. cor. No trees. This
is in the brush on the E. side of river.
- 80.00 Set a post 4 ft. long sq'd 3 in.
marked & notched, 1 ft. in the ground,
drive charred stake and build
out of earth 2 ft high with
pits 1 ft. deep 2 ft long and 1 ft.
wide as per instructions for
the cor to secs. 28, 29, 32 & 33
No trees near.
Fuller's house brs. S.E. 46½° about
30 chs. dist.

Good bottom land, Consider-
able brush along river. Scattering
trees.

Township 8 South Range 17 East

Gila and Salt River

Meridian.

BOOK 699

Chains East, on a random line between Sections 28 and 33.

Variation $14^{\circ}30'$ East.

- 8.40 Say Pedro Road hrs N.W.
30.00 Leave the bottom land & ascend.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.13 Intersect the N. & S. line of lks.
S. of the cor. to secs. 27, 28, 33 & 34
from which cor. I run
S. $89^{\circ}56'W.$ on a true line between
secs. 28 & 33. (Var. $14^{\circ}30' E.$)
40.07 Set a post 4 ft. long, flattened,
3 in wide, marked $\frac{1}{4}$ S. 1 ft. in the
ground; drive charred stake and
build of earth 2 ft high with pits
1 ft deep, 2 ft long and 1 ft wide
as per instructions for $\frac{1}{4}$ sec.
cor. No trees near.
80.13 The cor. to secs. 28, 29, 32 and 33.

Partly good bottom land.
Some timber in the bottom.

Township 8 South Range 17 East 36

Gila and Salt River Meridian.

Chains North, between Sections 28 and 29. BOOK 699
Variation $14^{\circ}30'$ East.

- 13.60 San Pedro Road hrs N. W.
- 40.00 Set a post 4 ft long, flattened 3 in. wide, marked "4 S", 1 ft. in the ground, drive charred spate and build up of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the "4 S. E. cor. No trees near.
- 80.00 Set a post 4 ft long, sq'd 3 in. marked & notched, 1 ft. in the ground, drive charred spate and build up of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to Secs. 20, 21, 28 & 29 from which
10 Mesquite tree in diam. hrs S 52 $\frac{1}{2}$ W, 213 hrs. dist.
No other trees near.
This is immediately at foot of hills E. side of valley.

Good bottom land. Grass
scattering trees.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains

East, on a random line between Sections 21 and 28.

Variation 14°30' East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
- 80.16 Intersect the N. & S. line 20 lbs. S. of the cor. to Secs. 21, 22, 27 & 28 from which I run S. 89°51'10" on a bearing between Secs. 21 & 28
Var. 14°30' E.
- 40.08 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground; drive 3 pruned stakes and build yard. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 80.16 The cor. to Secs. 20, 21, 28 & 29

Rolling, good grazing land
No timber of any consequence

Nov. 20, 1877

Township 8 South Range 17 East ³⁸

Gila and Salt River Meridian.

BOOK 699

Chains North, between Sections 20 and 21.

Variation 14°30' East.

- 40.00 Set a post 4 ft. long flattened
3 in. wide, marked $\frac{1}{4}$ S, 1 ft. in the
ground. Drive charred stakes and
build and of earth 2 ft. high, with
pits 1 ft. deep 2 ft. long and 1 ft.
wide as per instructions for $\frac{1}{4}$
sec. cor. No trees near.
- 80.00 Set a granite stone 15 x 12 x 7 in.
 $\frac{2}{3}$ in the ground, ~~marked~~ notched
S. & E. and on the N. build and
of earth 2 ft. high with pits
2 ft. deep 2 ft. long and 1 ft. wide
as per instructions for the
cor. to secs. 16, 17, 20 & 21. No trees.
This is on N. side of small cañon.

Rolling & broken. Good
pasturage No timber of
consequence.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains East, on a random line between Sections 16 and 21.

Variation $14^{\circ} 30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.78 Supersede the N. & S. line 28 fms.
S. of the cor. to secs. 15, 16, 21 & 22
from which I run
S. $89^{\circ} 48' W$. on a true line between Secs. 16
& 21. Var. $14^{\circ} 30' E$.
- 39.89 Set a granite stone $10 \times 9 \times 6$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build incl. of earth
2 ft. high with pits 1 ft. deep
2 ft. long and 1 ft wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 79.78 The cor. to secs. 16, 17, 20 & 21

Rolling, broken hills, good
grass No timber

Township 8 South Range 17th East 40
Gila and Salt River Meridian. BOOK 699

Chains North, between Sections 16 and 17.

Variation 14° 30' East.

40.00 Set a granite stone 14 x 10 x 8 in.
 $\frac{2}{3}$ in the ground, marked '4', and
on the N. build end of earth
2 ft high with pits 1 ft. deep 2 ft. long
and 1 ft. ~~long~~^{wide} as per instructions
for the '4 sec. cor. No trees near.

80.00 Set a granite stone 14 x 10 x 8 in.
 $\frac{2}{3}$ in the ground, marked S. & E.
and on the N. build end of stone
2 ft high as per instructions for
the cor. to Sec. 8, 9, 16 & 17
from which
O Mesquite 6 in diam. has S 75 E 125 lbs. best.
No other trees near.

Rolling & somewhat broken
good pasture lands. Some
brush & scattering trees

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains East, on a random line between Sections 9 and 16.

Variation 14°30' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.15 Intersect the N. & S. line 2 1/2 krs
N. of the cor. to secs 9, 10, 15 & 16
from which I run
N. 89°51' W. on a true line between
secs. 9 & 16. Var 14°30' E.
- 40.08 Set a granite stone 16x10x6 in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build mid. of stone
2 ft. high as per instructions for
 $\frac{1}{4}$ sec. cor. from which
a pale verde 5 in. diam. bore South 150 krs dist
No other tree near
- 80.15 the cor. to secs. 8, 9, 16 & 17

Rolling hills somewhat
broken. Scattering trees

Township 8 South Range 17 East 42
Gila and Salt River Meridian. BOOK 699

Chains North, between Sections 8 and 9.
Variation 14° 30' East.

40.00 Set a post 4 ft. long, flattened 3 in. wide, marked 4 S. 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No trees near.

80.00 Set a post 4 ft. long, sq'd 3 in marked & notched, 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions. No trees near. This is on S.W. slope of hill, & for cont. to sec. 4, 5, 8 and 9.

Rolling broken hills. Good pasture land. Scattering trees.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains East, on a random line between Sections 4 and 9.
Variation $14^{\circ}30'$ East.

140.00 Set a temporary $\frac{1}{4}$ Sec. cor.
80.17 Intersect the N. & S. line 25 lks.
S. of the cor. to secs. 3, 4, 9 & 10
from which I run
S. 89°49' W. on a true line between
secs. 4 & 9. Tap. $14^{\circ}30'$ E.

140.09 Set a post, 4 ft. long, flattened
3 in. wide, marked "4 S. and
set 1 ft. in the ground. Drive char-
red stakes and build mound of earth
2 ft. high with pits 1 ft. deep
2 ft. long and 1 ft. wide as per
instructions for $\frac{1}{4}$ Sec. Cor.
No true marks

80.17 The cor. to secs. 4, 5, 8 & 9.

Rolling broken hills.
No timber good grass.

Township 8 South Range 17 East ⁴⁴
Gila and Salt River Meridian. BOOK 699

Chains North, on a random line between Sections 4 and 5.
 Variation 14°30' East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
- 80.19 Intersect the N. boundary of the township 35 lbs. W. of the cor. to secs. 4, 5, 8 & 9, from which I run, $S0^{\circ}15'W$ on a true line between Secs. 4 & 5 Var. $14^{\circ}30'E$.
- 40.19 Set a post 4 ft. long, flattened, 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred stake and build wd. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for the $\frac{1}{4}$ sec. cor. No trees near.
- 80.19 The cor. to secs. 4, 5, 8 & 9

Rolling & some broken.
 Good grass. No timber.

45 Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699
Chains North, between Sections 31 and 32.

Variation $14^{\circ}30'$ East.

- 40.00 Set a post 4 ft. long, flattened 3 in. wide marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred stake, and build up mid. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, & 1 ft. deep as per instructions for $\frac{1}{4}$ sec. cor from which
- 36.25 a peaked 6 in. diam. on S 75 W, 63 lbs. dist
Enter little valley
- 80.00 Set a granite $16 \times 12 \times 10$ in. $\frac{2}{3}$ in the ground, notched S & E, and on the N. build up mid. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft wide as per instructions for the cor. to Secs. 29, 30, 31 & 32.
No trees near.
This is in a little valley, making in from S. of W. bearing N. of E.

Rolling Good pasture land.
Brush No timber

Township 8 South Range 17 East 46
Gila and Salt River BOOK 699
Meridian.

Chains	East, on a random line between Sections 29 and 32.
	Variation <u>14°30'</u> East.
0.40	Dry wash 25 lks. wide runs E.
40.00	Set a temporary $\frac{1}{4}$ Sec. cor.
45.00	San Pedro River 33 lks. wide runs N.W.
79.70	Intersect the N. & S. line 10 lks. S. of the cor. to secs. 28, 29, 32 & 33 from which I run.
	S $89^{\circ}56'$ W. on a true line between Secs. 29 & 32. Lat. $14^{\circ}30'$ E.
39.85	This comes in a wash so I set it 25 lks. East on the bank. Set a post 4 ft. long, flattened 3 in wide, marked $\frac{1}{4}$ S. ^{W.C.} 1 ft. in the ground, drive charred slate, and build mg. of earth 2 ft. high with pits 1 ft. deep 2 ft. long and 1 ft. wide, as per instructions for $\frac{1}{4}$ Sec. cor. from which a Mesquite tree 10 in diam. bears $N 80^{\circ} E. 21$ lks. dist.
	do 39. " " " South 27 " "
79.70	The Cor. to Secs. 29, 30, 31 & 32.

Rolling. Good pasture land.
 No timber of consequence.

47 Township 8 South Range 17 East
Gila and Salt River Meridian.
BOOK 699

Chains West, on a random line between Sections 30 and 31.

Variation $14^{\circ}30'$ East.

- 13.50 Dry wash, 80 yds. wide runs N.E.
40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.80 Intersect the W. boundary, 13 yds.
S. of the cor. to secs. 25, 30, 31 & 36
from which I run
S. $89^{\circ}54'$ E. on a true line between secs. 30 & 31
Cor. $14^{\circ}30'$ East.
39.80 Set a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1 ft. in the ground.
drive charred stake and build wd. of
sawp. 2 ft. high with pits 1 ft. deep
2 ft. long and 1 ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor. No trees.
79.80 The cor. to secs. 29, 30, 31 & 32.

Rolling grassy hills. Brush
No timber

Chains North, between Sections 29 and 30.

40.00 Variation $14^{\circ}30'$ East.
 Set a post 4 ft. long, flattened 3 in. wide, marked "45. 1 ft. in the ground. Drive charred stake and build mud of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ Sec. cor. from which a pole 4 in. diam. brs $N 2 \frac{3}{4}^{\circ} E$. 90 lbs. dist. No other trees near.

80.00 Set a post 4 ft. long, sq'd 3 in. marked & notched 1 ft. in the ground. Drive charred stake, and build mud of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for the cor. to secs. 19, 20, 29 & 30. From which a *Yucca* tree 12 in. diam. brs $N 81^{\circ} E$. 48 lbs. dist.
 a *Mesquite* " 24 in " " $S 35^{\circ} E$. 74 " "
 a *Yucca* " 13 in " " $S 30 \frac{1}{2}^{\circ} W 78$ " "
 In dense mesquite brush on W. side of valley.

Rolling hills. and then good bottom lands. Considerable mesquite timber.

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains East, on a random line between Sections 20 and 29.

Variation $14^{\circ}30'$ East.

22.00 San Pedro River 50 lks. wide runs N.W.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

^{43.80}
77.90 San Pedro Road ~~planned~~
Intersect the N. & S. line 15 lks.

N. of the cor. to Secs. 20, 21, 28 & 29

from which I run

$N. 89^{\circ}54' W.$ on a true line between Secs. 20 & 29

Cor. $14^{\circ}30' E.$

39.95 Set a post 4 ft long, flattened 3

in. wide, marked $\frac{1}{4}$ S. 1 ft. in

the ground, drive charred stakes

and build $\frac{1}{2}$ cord of earth 2 ft.

high with pits 1 ft. deep 2 ft.

long and 1 ft. wide as per in-

structions for $\frac{1}{4}$ sec. cor. No true

map.

77.90 The cor. to Secs. 19, 20, 29 & 30

Rich bottom land. Grass
scattering trees along river

Township 8 South Range 17 East 50
Gila and Salt River BOOK 699 Meridian.

Chains West, on a random line between Sections 19 and 30.

Variation $14^{\circ}30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.85 Intersect the W. boundary of the town-
ship 17 lks. S. of the cor. to secs.
19, 24, 30 & 25 from which I run
 $S89^{\circ}53'E$ on a true line between secs. 19 & 30
Dist $14^{\circ}30'E$.
39.85 Set a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$ S. 1 ft. in the ground.
Drive charred stakes and build and
off earth 2 ft. high, with pits 1 ft. deep
2 ft. long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a caliber of 5 in. diam. has $S50^{\circ}E$, 98 lks. dist.
No other true near.
79.80 The cor. 19, 20, 29 & 30.

Rolling. Good land for grazing
Brushy Scattering trees.

Nov. 21, 1877

Township 8 South Range 17 East

Gila and Salt River Meridian.

BOOK 699

Chains North, between Sections 19 and 20.

Variation 14° 30' East.

35.00 Bed of San Pedro River 50 fms. wide runs W. of 91° .

40.00 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground. Drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ Sec. cor. from which

A Cottonwood tree in diam. brs S 19° W. 85 fms. dist.

do 34 in " " N 63° E. 125 " "

Kirkpatrick's Shanty brs N 49° W. 570 fms. dist.

42.00 Another bed of the San Pedro River 50 fms. wide brs N.W.

80.00 Set a post 4 ft. long, flattened 3 in. wide, marked and notched, 1 ft. in the ground. Drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for ~~$\frac{1}{4}$ Sec.~~ cor. No true cor. to secy. 17, 18, 19 & 20. Good bottom land, similar along the river

Township 8 South Range 17 East 52
Gila and Salt River BOOK 699
Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation 14°30' East.

3.50 San Pedro Road bns. N.W.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect the N. & S. line 16 kcs. N. of the cor. to secs. 16, 17, 20 & 21 from which I run

N. $89^{\circ}53'W$, on a true line between Secs. 17 & 20
 Cor. $14^{\circ}30'$

40.06 Set a post 4 ft. long, flattened 3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in the ground, drive charred slats and build of earth 2 ft high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. from which

A Mesquite tree 4 in. diam. bns. N35W, 30 kcs. dist.

do. " " " N76W, 33 " "

80.11 The cor. to secs. 17, 18, 19 & 20

Good bottom land. Some mesquite timber.

Township 8 South Range 17 East

Gila and Salt River

Meridian.

BOOK 699

Chains

West, on a random line between Sections 18 and 19.

Variation $14^{\circ} 30'$ East.

34.00 Saw Pedro River 50 lbs. wide runs N.W.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

79.78 Intersect the W. boundary of the township 18 lbs. S. of the cor. to Secs. 18, 19 & 24. From which I ran $S. 89^{\circ} 52' E.$ on a true line between Secs. 18 & 19
Cor. $14^{\circ} 30' E.$

39.78 Ho set a post 4 ft. long, flattened 3 in wide, marked $\frac{1}{4}$ S. Drive 1 ft. in the ground; drive charred stakes and build end. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. from which a M. square Riv. diam. br $S. 5^{\circ} E.$ 23 lbs. dist.
do. 15 " " " $N. 30^{\circ} E.$ 63 " "

79.78 The cor. to Secs. 17, 18, 19 & 20.

Some good bottom land.
Grass & some timber

Township 8 South Range 17 East 34
Gila and Salt River BOOK 699
Meridian.

Chains North, between Sections 17 and 18.

Variation $14^{\circ}30'$ East.

- 7.25 San Pedro Road bears $\text{N}10^{\circ}40'$ W,
140.00 Set a post 4 ft. long, flattened 3 in,
wide, marked '48', 1 ft. in the ground.
Drive charred stake and build
md. of earth 2 ft. high with pits
1 ft. deep, 2 ft. long and 1 ft. wide
as per instructions for '4 Sec. cor.
from which
A $\text{N}10^{\circ}40'$ W 14 in. diam. brs. $\text{N}10^{\circ}40'$ E, 87 yds. dist.
do. 10 " " " $\text{N}31^{\circ}34'$ W, 233 " "
- 62.00 Leave bottom land & ascend.
80.00 Set a granite stone $16 \times 12 \times 10$ in.
3 in the ground, notched S & E,
and on the N. build md. of stones
2 ft high as per instructions
for the cor. to secs. 7, 8, 17 & 18
No trees near.
This on steep N. slope on S. side
of small canon a little E. of valley.

Mostly good bottom land.
Some timber in the bottom

55 Township 8 South Range 17 East

BOOK 699 Gila and Salt River Meridian.

Chains East, on a random line between Sections 8 and 17.

Variation $14^{\circ}30'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
80.18 Intersect the N. & S. line
28 lbs. S. of the cor. to secs.
8, 9, 16 & 17 from which I run
S. $89^{\circ}48'00''$, on a true line between Secs. 8 & 17
Var. $14^{\circ}30'$ East.
- 40.09 Set a post 4 ft long, flattened
3 in. wide, marked $\frac{1}{4}$ S. ft. in the
ground. Drive charred stake and
build and spearth 2 ft high with
pits 1 ft. deep, 2 ft. long & 1 ft.
wide as per instructions for
 $\frac{1}{4}$ Sec. cor. To true
80.18 The cor. to secs. 7, 8, 17 & 18

Mostly rolling grass land.
No timber of consequence.

Township 8 South Range 17 East 56
BOOK 699
Gila and Salt River Meridian.

Chains	West, on a random line between Sections 7 and 18.	Variation	14° 30'	East.
2.50	Enter bottom land.			
26.10	Dry wash 40 lbs. wide runs SW			
40.00	Temporary 1/4 sec. cor.			
41.50	San Pedro Road bns N.W.			
73.00	San Pedro River 100 lbs. wide runs N.W.			
79.81	Intersect the W. boundary of the town- ship 12 lbs. S. of the cor. to Secs. 7, 12, 13 & 18. from which I run S. 89° 55' E. on a true line between Secs. 7 & 18 Var. 14° 30' E.			
39.81	Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 ft. 1 ft. in the ground. drive charred stakes and build and of depth 2 ft. high with posts 1 ft. deep 2 ft. long and 1 ft. wide as per instructions for 1/4 sec. cor. from which W. Mesquite tree 12 in. diam. bns N. Cor. 78 lbs. dist. do 13 " " " S 38 E. 132 " "			
79.81	The cor to Secs. 7, 8, 17 & 18			

Good bottom land. Some timber

5ⁿ Township 8 South Range 17th East
Gila and Salt River Meridian.

BOOK 699

Chains North, between Sections 7 and 8.

Variation 140° 30' East.

- 40.00 Set a post 4 ft. long flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft.
in the ground, drive charred
stake and build ind. of earth
2 ft. high with pits 1 ft. deep
2 ft. long and 1 ft. wide as per
instructions for the $\frac{1}{4}$ Sec. cor.
No trees near.
- 80.00 Set a post 4 ft. long, sq'd 3 in.
marked & notched, 1 ft. in the
ground, drive charred stake
and build ind. of earth 2 ft.
high with pits 1 ft. deep 2 ft.
long & 1 ft. wide as per instruc-
tions for the cor. to secs. 5, 6, 7
& 8. From which
a Mesquite tree 5 in. diam. was set to 200 yds. dist.
No other trees near.

Rolling & somewhat broken.
Good pasturage. No timber
of consequence.

Township 8 South Range 17th East 58
Gila and Salt River BOOK 699
Meridian.

Chains East, on a random line between Sections 5 and 8.
 Variation 14°30' East.

- 30.00 Ascend out of cañon
- 40.10 Set a temporary $\frac{1}{4}$ sec. cor.
- 80.15 Intersect the N. & S. line 22 lbs, S. of the cor. to secs. 4, 5, 8 & 9, from which I run S 89°51' W on a true line between secs. 5 & 8, Var. 14°30' E.
- 140.08 Set a granite stone 15 x 10 x 6 in, $\frac{2}{3}$ in. in the ground, marked $\frac{1}{4}$ and on the W. build rd. of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor. No pins near.
- 80.15 The cor. 5, 6, 7 & 8

Rolling & broken.
 Good pasturage. Scattering trees

Township 8 South Range 17 East
Gila and Salt River Meridian.

BOOK 699

Chains West, on a random line between Sections 6 and 7.

Variation $14^{\circ}30'$ East.

140.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.74 Intersect the W. boundary of
the township 14 $\frac{1}{2}$ pds. S. of the
cor. to secs. 1, 6, 7 & 12 from which

I run
 $S 89^{\circ}54' E$ on a true line between secs.
6 & 7. Var. $14^{\circ}30' E$.

39.74 Set a post 4 ft. long, flattened
3 in. wide, marked $\frac{1}{4}$ S. 1 ft. in
the ground, drive charred stakes
and build, and of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long
and 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. from which
to set a 4 in diam. iron $S 77^{\circ} \frac{3}{4} W$, 133 pds. dist.

to 4 " " " $S 14^{\circ} E$ 106. " "

79.74 The cor. to secs. 5, 6, 7 and 8.

Rolling & some broken.
Scattering trees & grass.

Township 8 South Range 17 East 60
Gila and Salt River BOOK 699
Meridian.

Chains North on a random line between Sec's 5 and 6.
Variation 14°30' East.

- 40.00 Set a temporary 1/4 sec. cor.
- 80.18 Intersect the N. boundary at 20 pks. W. of the cor. to secs. 5, 6, 31 & 32 from which I run S0°09'20" on a true line between secs. 5 & 6. Var. 14°30' E.
- 40.18 Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 S. 1 ft in the ground, drive charred stake and build up of earth 2 ft high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No trees.
- 80.18 The cor. to secs. 5, 6, 7 & 8.

Rolling. Good pasturage
No timber of consequence.

Nov. 22, 1877

General Description:

This township lies along the San Pedro Valley, the San Pedro River passing through the western portion of the township. Along the river is rich bottom land and water for irrigating purposes. On either side of the bottom of the valley the surface is rolling and hilly in the E. Eastern portion. These rolling lands are covered with grass furnishing excellent grazing. There is some lumber along the river and some scattering trees elsewhere.

John L. Harris

Nov. 22, 1877.

U.S. Deputy Sur.

List of Names.

BOOK 699

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *the subdivision*
lines of township 8 South
of Range 17 E. of the Gila
and Salt River Meridian

Showing the respective capacities in which they
acted.

Lyman Wakefield Chainman.

Chas. B. Warren Chainman,

Fred. C. Jones Axeman.

J. P. Chenoweth Flagman.

63
Final Oath of Assistants.

BOOK 699

We hereby certify that we assisted.....

John L. Harris U. S. Deputy Surveyor, in
surveying *the subdivision*
lines of township 8 South
of Range 17 East of the
Gila & Salt River Meridian

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

Lyman W. Shepard Chainman.
Chas B. Mason Chainman,
Fred. C. Jones Axeman.
J. P. Stenoweth Flagman.

Sworn to and subscribed before me, this *8th*
day of *January*, 187*8*

William J. Osborn
Notary Public

Final Oath of Deputy Surveyor.

I, *John L. Harris*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the..... day of.....

187... I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of.....

the subdivision lines of township 8 South of Range 17 East of the Gila and Salt River Meridian.

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

John L. Harris

Deputy Surveyor.

Sworn to and subscribed before me, this 8th day of January, 1878

William J. Osborn
Notary Public

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

February 28, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
 Township 8 South,
 Range 17 East,

*Of the Gila and Salt River Base and Meridian, Arizona, execu-**ted by*

John L. Harris,

*Deputy Surveyor, under his**four*

17th

day of

July

, 1877,

*having been**critically examined and the necessary corrections and explana-**tions made, the said Field Notes and the surveys they describe**are hereby approved.*

John Mason,
 Surveyor General.