

PRELIMINARY OATHS OF ASSISTANTS.

WE, R. A. Vasquez
and L. D. Burton
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

R. A. Vasquez
L. D. Burton

Sworn to and subscribed before me, this 11th
day of December, 1874

J. C. Wth baffy
Notary Public

1B

BOOK 702

WE, Barnabe Palm and
W. H. Aubrey
do solemnly swear that we will well and truly per-
form the duties of Avemar and
flagman respectively.

according to instructions given us, and to the best
of our skill and ability.

Barnabe Palm
W. H. Aubrey

Sworn to and subscribed before me this 11th
day of December 1871

J. C. W^m Laffay
Notary Public

1C

BOOK 702

Book 702

4-674.

Township 8S. R. 21E. G.R.S.P.B&M.

6	60	5	44	4	33	3	22	2	11	1
59	58		43		32		21		10	
7	37	8	42	9	31	10	20	11	9	12
58	55		41		30		14		8	
18	54	17	40	16	29	15	18	14	7	13
53	52		39		28		17		6	
19	57	20	38	21	27	22	16	23	5	24
50	49		51		26		15		4	
30	48	29	36	28	25	27	14	26	3	25
47	46		35		24		13		2	
31	45	32	34	33	23	34	15	35	1	36

Township 8 S.R. 26 E.

Gila & Salt River Mendian

December 28. 1874.

Its Beginning on the S. boundary of sec. 35 & 36. from
North. between sec. 35 & 36.

W.L. 13° 50' East.

As per E. Boundary

40.00 Set a post marked $\frac{1}{4}$ S. 4 $\frac{1}{2}$ ft. long. flattened
3 in. wide, 1 $\frac{1}{2}$ in. thick, driven
into the ground, drove charred
stake & build mound of earth 2 ft. high with
1 $\frac{1}{2}$ ft. deep, 2 ft. long, 1 ft. wide, as per instructions
for 40. sec. from which

A mesquite 3 in. dia. bearing N. 75° E. 100 ft. dist.

do. 2 . . . N. 60° 15' W. 100 . .

80.00 Set a post, marked $\frac{1}{4}$ matched, 4 ft long, 3 in.
sqd. 1 $\frac{1}{2}$ in. thick in the ground, drove charred stake
and build mound of earth 2 ft. high with
1 $\frac{1}{2}$ ft. deep, 2 ft. long, 1 ft. wide, as per in-
structions for cor. to sec. 25. 26. 35 & 36. from which
A Mesquite 5 in. dia. bearing S. 72° E. 189 ft. dist.

No other trees near Land, sandy soil.
Some grass. Brush and a few trees.

Township 8 S.R. 26 E.

Gila & Salt River Mountain

Sec. East on random line bet sec. 15 & 36.

az. 13° 50' East

10.00 Set temporary tree cor.

80.03 Intersect E. boundary 31 lbs. S. of cor. to
secs. 15 & 36, from which cor. I run
S. 89° 47' W.

On true line between secs. 15 & 36.

az. 13° 50' East.

40.01 Set a post, marked 148.4 ft long, flat-
tened 3 in. wide, 1 ft in the ground, drove charred
stake & build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as fur or
structure for tree cor. from which
A Mesquite 3 in dia. 6 in. N. 31½° E. 67 lbs. last.
do. 3 " " " N. 32½° W. 76. "

80.03 Cor. to secs. 15, 26, 35 and 36.

Land flat. Brushy.

Scattered trees. Some grass.

Township 8 S.R. 26 E.

Gila & Salt River Moundian

S. North between sec. 25 & 26.
var. 13° 50' East

40.00 Set a post marked 4 ft. 4 ft long, flat
tined 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for this sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft
long, 3 in sqd. 1 ft in the ground, drive
charred stake and build mound of
earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for cor. to secs. 23, 24, 25,
and 26.

No trees near.

Land flat. Considerable grass
Brush. No timber.

Township 8 S.R. 26 E

Gila & Salt River Meridian

Sec. East

Parcudom line between sec. 24 & 25.

or at $13^{\circ}50'$ East.

40.00 Set temporary 7x200.00.

80.08 Intersect E. boundary 13th sec. S. of sec.
to sec. 24 & 25. from which cor. turn
 $S.89^{\circ}50' W.$

Outline line between sec. 24 & 25.

or. $13^{\circ}50'$ East.

40.04 Set post marked 7x3. 11 ft long. flat-
tined 3 in wide, 1 ft in the ground.
Dove charred stake and build a
mound of earth 2 ft high. with posts
1 ft. deep. 2 ft long. 1 ft wide as per instruc-
tions for 7x200.00.

Notices meas.

80.08 Cor. to sec. 23, 24, 25 and 26.

Land uneven. Soil poor.
Some grass. No timber.

Prairie & S.R. 26 E.

Gila & Salt River Mexican

L. Koch between sec. 23 & 24.
Lat. 34° 50' East

40.00 Set a post, marked $\frac{1}{4}$, 8.14 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for sec. cor.

No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq'd. 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high with pits 1 ft dep. 2 ft
long, 1 ft wide, as per instructions for cor.
to sec. 13, 14, 23 and 24.

No trees near.

A little undulating
Sandy. Brush. Grass.
No timber.

Township 8 S.R. 96 E.
Gila & Salt River Meander
L. East.

On random line bcs. $13\frac{3}{4}$ Rd.
or. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect E. boundary. 18 lbs. S. of cor.
to sec. $13\frac{3}{4}$ Rd. from which cor. turn
 $S.89^{\circ}52'W$.

Outline between sides $13\frac{3}{4}$ Rd.
or. $13^{\circ}50'$ East

40.05 Set post, marked $\frac{1}{4}$ S. of long, flat
trnd 3 in. wide, 1 ft. in the ground, driven
charred stake & build mound of
earth 2 ft. high, with pit 1 ft. deep,
1 ft. long, 1 ft. wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near.

80.10 Cor to sec. 13, 14, 23 and 24.
Land flat. Sandy. Grass,
Brush. No timber.

Township 8 S.R. 46 E.
Gila & Salt River Meridian.

So. North between sec. 13 & 14.
eas. 13° 50' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long flattened
3 in wide, 1 ft in the ground, drove charred
stake and build mound of earth or of high
with pits 1 ft deep, 2 ft long, of bark, as per
instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 2 in. dia. br. N. 1 $\frac{1}{2}$ ° E. 25 ft dist.
No other tree near.

80.00 Set a post, marked 3 notched, 4 ft long,
3 in sqd. 1 ft in the ground, drove charred
stake & build mound of earth or of high, with
pits 1 ft deep, 2 ft long, of bark, as per instruc-
tions for cor. to sec. 11, 12, 13 and 14
from which

A Mesquite 3 in. dia. br. S. 56 $\frac{3}{4}$ ° W. 5 ft dist.
No other tree near.

Sand flat and uneven on S. end. Soil
sandy 2' wide.

Brush. No timber.

Township 8 S.R. 26 E.
 Gila & Salt River Indian
 L. East boundary line sec. 12 & 13,
 or. 13° 50' East.

40.00 Set temporary tree cor.

80.18 Intersect E. boundary 12 hrs. S. of cor.
 to secs. 12 & 13, from which cor. form
 S. 89° 55' W.

Outline line between secs. 12 & 13,

or. 13° 50' East

40.09 Stake post marked W.S. 4 ft long, flat-
 tined 3 in. wide, set in the ground. Note
 charred stake & build mound after it
 8 ft high with pile 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions fast 4 sec. cor. from which
 a Measuring 10 in. dia. S. 73½° W. 68 hrs. dist.

do. 3 . " A: 41° 26. 83 "

80.18 Cor. to secs. 11, 12, 13 and 14.
 Mesa land: poor. Brushy.
 No timber of consequence.

Township 8 S.R. 36^E.
 Gila & Salt River Median

Sec. North between sec. 11 & 12
 or. 13° 50' E. Lat.

40.00 Set a post, marked 14 S. 4 ft long, flat-
 tened 3 in. wide, 1 ft in the ground, drove
 charred slate and build mound of earth
 4 ft high, with pits 4 ft deep, 2 ft long,
 as per instructions for 1/4 sec. cor. From which
 a Mesquite 2 in. dia. bar, A. 67 1/2° E. 70 lbs. dist.
 do. 3 " . . . S. 53° E. 104 " .

78.00 Trail to ^{corr} Grand Ck. S. N.

80.00 Set a post, marked and notched,
 4 ft long, 3 in. sqd. upon the ground, drove
 charred slate and build mound of
 earth 4 ft high, with pits 4 ft deep, 2 ft
 long, 1 ft wide, as per instructions for
 cor. to secs. 1, 2, 11 and 12.

No trees near.

Sandy messe.

Some grass and brush. Holomiles.

December 28. 1874.

Township 8 S.R. & C.E.
Gila & Salt River Meridian

On East random line betw sec. 1 & 12.
var. $13^{\circ}50'$ East

2.50 Trail to Camp Grant hrs. S.W.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.00 Intersect E. boundary 5 hrs. after
to sec. 1 and 12, from which cor. drawn
 $88^{\circ}9'58''$ W.

On true line between sec. 1 & 12.
var. $13^{\circ}50'$ East

40.00 Set a post marked $\frac{1}{4}$ S. 4 ft long, flat-
tomed 3 in. wide, 1 ft in the ground. drove
driven stake 3 ft build mounds earth 2 ft
high, with pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor. from which
A Mesquite 10 in. dia. at S. $45^{\circ}30'$ E 262 hrs. dist
do 7 " . . . S. $35^{\circ}E$. 315 "

80.00 Cor. to secs. 1, 2, 11 and 12.

Poor mesa. Brushy.

No timber of consequence.

Township 8 S.R. & E.

Gila & Salt River Meridian

Pr. North or random line betw. sec. 1^q & 2.
azm. 13° 50' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.03 Intersect N. Boundary at cor. to sec.
1 and 2, from which cor. I run
South

at true line between secs. 1^q &
azm. 13° 50' East

40.03 Set a post, marsh marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground, drive sharp
stake and build mounds of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor. from which
a Mesquite 2 $\frac{1}{2}$ inches S. 72 $\frac{1}{2}$ ° E. 39 ft dist.
do. 2 $\frac{1}{2}$ " " S. 39° E. 93 " "

80.03 Cor. to sec. 1, 2, 11 and 12.

Descending a little N.
Soil 2¹/₂ rods. Brush.
A few trees.

Township 8 S.R. 26 E.
Gila & Salt River Meridian

To North between sec. 34 & 35.
Lat. 33° 50' East.

40.00 Seta fast, marked 14 ft. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, dry charred stone
and build around earth 2 ft. high, with
full 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
struction for tree soon from which
A Mesquite 3 inches A. 46° N. 17 deg. dist.
do. 3 " " A. 66° N. 43 "

80.00 Seta fast, marked and watched, 14 ft. long,
3 in. sqd., 1 ft. in the ground, dry charred stone
and build around earth 2 ft. high, with full
1 ft. deep, 2 ft. long, 1 ft. wide, as per instruction
for con. to sec. 26, 34 & 35, from which
A Mesquite 8 inches A. 78° N. 21 deg. dist.
do. 4 " " A. 44° E. 97 "

No other trees near.

Sandy mesa, 2' rate.

Some grass and trees.

No. 702 BOOK 702 ¹³

Township 8 S.R. 26 E.
Gila & Salt River Meridian
S. East

On random line between sec. 26 & 35,
var. 13° 50' East

40.00 Set temporary 1/4 sec. cor.

80.00 Intercept N. & S. line C.R. 1/4 sec. to sec.
25, 26, 35 & 36, from which cor. down
N. 89° 5' W.

Outline line between sec. 26 & 35.
var. 13° 50' East

40.00 Set post, marked 1/4 sec. 4 ft. long flattened 3
in wide, 1 ft in the ground, driven charred
stake and build mounds further 7 ft. high
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.

No business.

80.00 Cor. to sec. 26, 27, 34 & 35.

Mostly flat and sandy.

Gramma grass.

Brush. A few trees.

Prairie 8 S.R. 26, E.
Gila & Salt River Meridian

Sec. North between sec. No 3 & 4.

Lat. 34° 50' East.

40.00 Soil a fast, marl'd 4 ft. 1 ft. long, flat top, 6 ft wide, 1 ft in the ground, does charred stumps and build mud feather 8 ft high, with soil 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which a Mesquite 3 m. hi. lies N. 75° E. 131 lbs. dist. No other trees near.

80.00 Soil a fast, marl'd & stoch'd, 2 ft long, 3 m. sqd. 1 ft in the ground, does charred stumps and build mud feather 2 ft high, with soil 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/2 sec. to sec. 21, 23, 26 & 27, from which a Mesquite 2 1/2 m. hi. lies N. 68° E. 53 lbs. dist.

do 12 " . . . N. 11 1/2° E. 233 " .

do 2 " . . . N. 8° W. 77 " .

do 3 " . . . N. 78 1/4° W. 168 " .

Rel. Soil & rock. Good pasture.
Brush. Some trees.

Township 8 S.R. 26 E.
Gila & Salt River Mts.

To East from random line betw. sec. 23 & 26
var. $13^{\circ} 50'$ East

40.00 Sd temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N. & S. line 11 hrs. 5. of cor. to sec.
23, 24, 25 & 26, from which cor. turn
 $N. 89^{\circ} 55' W.$

On trail line between sec. 23 & 26,
var. $13^{\circ} 50'$ East

39.96 Set a post, marked $\frac{1}{4}$ sec. 4 ft long, flattened
3 in wide, 1 ft in the ground, drove charred
stake and build mound of earth 3 ft high
with pits 1 ft deep, 2 ft long, 4 ft wide, as
per instruction for $\frac{1}{4}$ sec. cor. from which
A Mesquite 3 miles back $8.80^{\circ} E. 5$ yds. due E.
No other tree near.

79.91 Cor. to Secs. 22, 23, 26 and 27.
A little undulating -
Soil sandy. Some grass -
No timber.

Township 8 S.R. 26, E
 Gila & Salt River Mountain
 Ls. North between sec. 92 & 93.

az. 13° 50' East to

40.00 Seta post, marked 4 ft. 5 ft. long, flat topped, 3 in.
 wide, 1 ft. in the ground, drove charred stake
 and build mound beneath 3 ft. high with
 fib. 1 ft. deep, 2 ft. long, 1 ft. wide, asper in-
 sometimes for 1/4 sec. cos. from which
 A. Magnite 1 1/2 in. dia. az. 13 1/2° E. 116 lbs. lost

do. 3 " " S. 44° W. 4 1/2 " "

62.00 Trail to Camp Grant bas. S. W.

80.00 Seta post, marked & notched, 4 ft. long, 3
 in. sqd. 1 ft. in the ground, drove charred stake
 and build mound beneath 3 ft. high with
 fib. 1 ft. dia. 2 ft. long, 1 ft. wide asper in-
 sometimes for 1/4 sec. to sec. 14, 15, 22
 and 23. from which

A. Magnite 1 1/2 in. dia. do. S. 44° E. 145 lbs. lost
 No other trees near.
 Flat. Sandy & shale. Some gramine
 grass, Brush, Magnito trees.

17

Powderhip 8 S.R. 76 E.
 Gila & Salt River Median
 L. East random line sec. 14 9 23.
 a.m. 13° 50' East.

15.00 Trd to Camp Grant sec. S.W.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.89 Intersect N. 45. line 12 sec. N. of cor. to sec.
 13. 14. 23 and 24 st. from which cor. I m.m.
 $N. 89^{\circ} 55' W.$

On line between sec. 14 9 23
 a.m. 13° 50' East.

39.95 Sets post marked 145. 4 ft long, flattened 3 in.
 wide, 1 ft in the ground, drives charred stake
 and build mound of earth 3 ft high with pit
 1 ft deep, 2 ft long, 2 ft wide, as per instruction for
 $\frac{1}{4}$ sec. cor. from which
 A Mesquite 5 in. dia. at 4. 9 $\frac{1}{2}$ ° E. 84 sec. dist
 do 2 " " - 87 $\frac{1}{2}$ ° E. 128 "

79.89 Cor. to secs. 14, 15, 22 and 23.
 Descending a little N. and W.
 Brush, some grass,
 No timber of consequence.

Township 8 S.R. 26. E.
 Gila & Salt River Meridian
 L. N. North between sec. 14 & 15,
 or. 13° 50' East.

40.00 Set a post marked 40. S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, does charred
 stage and build mound of earth 2 ft
 high, with pit 1 ft deep, 2 ft long, 1 ft wide
 as per instruction for 1/4 sec. cor. from which
 A Magnite 3 in. dia. bar S. 80° W. 139 lbs. laid
 do 3 " " S. 86 1/2° E. 89 " "

80.00 Set a post, marked & notched, 8 ft long, 3 in.
 sqd. 1 ft in the ground, does charred stage
 and build mound of earth 2 ft high
 with pit 1 ft deep, 2 ft long, 1 ft wide as
 per instruction for cor. to sec. - 10.
 11. 14 and 15 from which

A Magnite 5 in. dia. bar S. 73° E. 346 lbs. laid
 No other trees near.
 Land flat & rate.
 Some trees.

Pawnee 8 S.R. 26 E.

Gila & Salt River Indian

Sec. East boundary line between sec. 11 & 14,
var. 13° 50' East

40.00 Set temporary 1/4 sec. cor.

44.00 Trail to Camp Grant bear S.W. & N.E.

79.92 Intersect N. & S. line 6 hrs. S. of cor. to sec.

11, 12, 13 and 14, from which cor. from
\\$890.5 sq. ft.

On line between secs. 11 & 14,
var. 13° 50' East.

39.96 Sodpost, marked 1/4 S. 4 ft long flattened 3
in. wide, 1 ft in the ground drove charred
stake 4 ft long middle part straight, with
pile of flat 1 ft long, 1 ft wide as per in-
structions for 1/4 sec. cor. from which
a mosquito 2 1/2 inches br. A. 68° 4' E. glass last.

ds. 4 " " 8.45 N. 106. -

79.92 Cor to secs. 10, 11, 14 and 15.

Mostly flat. Sandy & sage.

Brush. Some trees.

December 29. 1874

Township 8 S.R. 26.E.
Gila & Salt River Mendian

S. N. W. between sec. 10 & 11

6 ac. 13° 50' East

4000 Set a post, marked 145. 4 ft long, flat-
ticed 3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions for
this sec. cor. from which

A Mesquite 14 in. dia. at S. 53° E. 115 lbs. dist.

do. 5 " . . A. 54° N. 73 " . .

80.00 Set a post, marked & notched, 4 ft long, 3
in. sqd. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions
for cor. to secs. 2. 3. 10 & 11. from which

A Mesquite 5 in. dia. at S. 75° W. 206 lbs. dist.

No other trees near.

Sand flat 2 rods.

Brush. Some trees.

Township 8 S.R. 26^E.
Gila & Salt River Meridian
Ls. East

On road line between sec. 2 $\frac{3}{4}$ 11
var. 13°50' East

40.00 Set temporary tree cor.

80.09 Intersct N. 38 deg 6 min. S. of cor. to secs.
1.2.11 and 12. from which cor. form
S. 89°57' W.

On tree line between secs. 2 $\frac{3}{4}$ 11.

var. 13°50' East

40.04 Set a post, marked N. S. 14 ft long, flat-
tened 3 in. wide. 1 ft in the ground, drove
charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for tree cor.

No trees near.

80.09 Cor. to secs. 2.3.10 and 11.

Land mesa 2' rate.

Bushy.

Pawnee 8 S.R. 26 E.
Gila & Salt River Moundain

Pr. Rock

Barandon line between sec. 2 & 3.
var. 13°50' East.

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect N. boundary 10 hrs. N. after
to sec. 2 & 3. from which cor. I run
S. 0°4' W.

On true line between sec. 2 & 3.

var. 13°50' East

40.06 Set a post marked 1/4 S. 45°E long, flat-
tened 3 in. wide, 1 ft. in the ground, drove
charred stake 46 in. below mounds earth 2
ft. high, with pins 1 ft. deep, 1 ft. long, 1 ft. wide,
as per instruction for 1st sec. cor.

No trees near.

80.06 Cor. to Secs. 2, 3, 10 and 11.

Flat Mesa. Brush. A few trees.

Prairie 8 S.R. 26 E.
Gila & Salt River Meadow

To North between sec. 33 & 34.
var. 13° 50' East

30.00 Trail to Camp Grant sec. S.W.

40.00 Set a post marked "U.S. Survey, flattened 3 in. wide
flat in the ground, tree charred stake & built around
of earth 7 ft high with pit 1 ft deep, 2 ft long, placed
as per instructions for cor. to sec. 00. from which
A Mesquite 2 in. dia. sec. S. 36 1/2 W. 170 less dist.
No other trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sqd.
flat in the ground, tree charred stake & built around
of earth 7 ft high with pit 1 ft deep, 2 ft long, 4 ft
wide as per instructions for cor. to sec. 27,
28, 33 and 34, from which

A Mesquite 3 in. dia. sec. S. 44 1/2 W. 6 1/2 less dist.
do. 3" " A. 63 1/2 W. 45" "

do. 3" " A. 45° E. 24" "

do. 2" " S. 12 1/2 W. 119" "

Sandy meadow, brush, some grass,
Scattering trees.

Pownship 8 S.R. 26 E.
Gila & Salt River Meridian

Ls. East meridian line between 27 $\frac{1}{2}$ 34.
var. 13°50' East

20.00 Trail to Camp Grant be. S.W.

40.00 Set temporary tree cor.

79.90 Intersect N. 7 S. line 13 loc. S. of cor. to
secs. 16, 27, 34 & 35, from which cor. drawn
N. 89° 54' W.

On line between secs. 27 $\frac{1}{2}$ 34.

var. 13°50' East

39.95 Set a post, marked 4x8x4 ft long, flattened 3 in.
wide, 1 ft in the ground, drove charred stakes
and build mound of earth 2 ft high, with pits
4 ft deep, 2 ft long, 1 ft wide, as per instructions
for tree cor. from which

A Mesquite tree, 12 inches dia. N. 46° E. 58 loc. dist.
A Vincetoxicum. 2 $\frac{1}{2}$ " . . S. 29° E. 113. "

79.90 Cor. to 3 sec. 27.28.33 and 34.
Land flat. Some grass and
brush.

Pownship 8 S.R. 26 E.
Gila & Salt River Meridian

Ls. North between sec. 27 & 28.
var. 13° 5' East

40.00 Seta fast, marked 3 notched, 14 ft long, flattened 3 in wide, sp. with ground, base charred stace and build mound of earth 2 ft high with pits
of depth 2 ft long, 1 ft wide, as for instruction
for 1/4 sec. cor. from which

A mesquite 3 in. dia. S. 43° W. 86 ls. dist.
do. 3 . . . West 61 . .

80.00 Seta fast, marked 3 notched, 14 ft long, 3 in sqd.
sp. with ground, base charred stace & build
mound of earth 2 ft high with pits of depth 2 ft long
1 ft wide, as for instruction for cor. to sec. 21.

22.27 and 28. from which

A Mesquite 5 in. dia. Ls. N. 87° 14' E. 50 ls. dist.

do. 7 " . . . N. 43° 14' E. 57 " .

do. 5 " . . . N. 85° W. 97 " .

do. 4 " . . . S. 12° E. 44 " .

Land flat, sparse Gras. Mesquite
timber. Brush.

Township 8 S.R. 26 E.
 Grid Salt River Meridian
 Ls. East random line bet sec. 22 & 24,
 or. 13° 50' East

- 40.00 Set temporary 1/4 sec. cor.
 60.00 Trail to Camp Grant bear S.W.
 80.13 Intersect N. 48. line 11 hrs. N. of cor. to sec.
 22, 23, 26 and 27, from which cor. form
 N. 89° 55' W.
 On line between sec. 22 & 24,
 or. 13° 50' East
 40.06 Set a post marked 1/4 S. 48 ft long, flattened
 3 in wide, 1 ft. in the ground, lower chord
 stave and build mounds beneath & fill high,
 with piles 1 ft. apart, 2 ft. long, 1 ft. wide, as per
 instructions for 1/4 sec. cor. from which
 a Mesquite 2 in. dia. N. 4° W. 68 hrs. dist.

do 3" " East 32" "
 80.13 Cor. to sec. 21, 22, 27 and 28.
 Land flat sandy. Some brush.
 Some mesquites

Township 8 S.R. 26 E.
Gila & Salt River Meridian

Sec. North between secs 21 & 22
var. 13° 50' East

40.00 In grass flat. Sola post, marked 74 S. 47 E.
long flattened 3 in. wide, 1 ft in the ground, drove
charred stake & build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, as per instruc-
tions, for 1/4 sec. co. No trees near.

69.00Leave valley.

80.00 Sola post, marked and notched, 4 ft long, 3
in. sqd. 1 ft in the ground, drove charred stake
and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per instructions for
cont. secs. 15, 16, 21 and 22, from which
a Mesquit 3 miles bear S. 73° E. 97 lbs. dist

do. 4 " " N. 61° E. 151 " "

do. 3 " " S. 72 1/2° W. 20 " "

do. 3 " " N. 78° W. 67 " "

Heavy mesquit. Soil good in
bottom.

Pownalif 8 S.R. 26. E.

Gila & Salt River Meridian

Sec. 8 East on random line between sec. 15 & 22,
var. 13° 50' East.

40.00 Set temporary tree cor.

60.00 Gauge bottom 4 ft. line 7 ft. S. of cor. to sec.
80.09 Intersect P. & S. line 7 ft. S. of cor. to sec.
14. 15. 22 & 23. from which cor. down
S. 89° 05' W.

On true line between sec. 15 & 22,
var. 13° 50' East

40.04 In grass flat. Set a post, marked 14 S. 4
ft long, flattened 3 in. wide. 1 ft in the ground.
drove charred stake and built mound of
earth 7 ft high, with pit 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for tree cor. furnished
An ash 14 in. dia. S. 17° 45' W. 402 land st.
No other trees near.

80.09 Cor. to secs. 15, 16, 21 and 22.
Across grassy bottom. Considerable
running water.
No timber of consequence.

Township 8 S.R. 26. E.
Gila & Salt River Meridian

Sec. North between sec. 15 & 16
Lat. 13° 50' East

40.00 Set a post, marked 745 ft long flattened
3 in. wide, set in the ground above charred stumps
and build mound of earth 2 ft high, with
post 1 ft deep, 2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. from which

A Mesquite 3 in. dia. loc. S. 34 $\frac{1}{2}$ ° W. 12 le. dist.
do. 6 " " S. 47 $\frac{1}{2}$ ° E. 60 "

80.00 Set a post, marked & notched, 8 ft long, 3 in. sqd.
set in the ground, above charred stumps and
build mound of earth 2 ft high, with post 1 ft deep,
8 ft long, 1 ft wide, as per instructions for cor. to sec. 9,
10, 15 and 16, from which

A Mesquite 3 in. dia. loc. S. 31 $\frac{1}{2}$ ° W. 24 le. dist.
do. 8 " " S. 45 $\frac{1}{2}$ ° E. 138 " "
do. 3 " " N. 77 $\frac{1}{2}$ ° W. 117 " "

No other trees near.

Uneven mesa. Soil poor. Brush.
Scattering trees. December 30. 1874.

Township 8 S.R. 26 E.
Gila & Salt River Meridian

To East on random line bet sec. 10 & 15.
or. 13° 50' East

- 35.00 Enters valley running N.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
41.00Leave valley.
80.07 Intersect N. and S. line 12 hrs. N. of cor. to
sec. 10, 11, 14 & 15, from which cor. I am
A. 89° 55' W.
Onto line between sec. 10 & 15.
or. 13° 50' East

- 40.03 Sta first, marked $\frac{1}{4}$ sec. 4 ft long, flattened 3
in. wide, 1 ft in the ground. Driv charred stone
and build mound of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. from which
A. Wallace 4 miles due S. 55° E. 149 hrs. dist
do. 3" " A. 19° E. 72" "
80.07 Cor. to sec. 9, 10, 15 and 16,
across fine gravel flat or valley bottom, N. with
a number of little running streams of water in
hard soil. Some mesquite.

Pownship 8 S.R. 26 E
Gila & Salt River Meridian

Lies North between sec. 9 & 10
var. 13° 54' East

40.00 Stake post, marred 148.4 ft long, flattened
3 in. wide, 1 ft in the ground, dry channel stone
and build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
struction for 1/4 sec. cor.

No trees near.

80.00 Stake post, marred & notched, 4 ft long
3 in. sqd., 1 ft in the ground, dry channel
stone and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instruction for cor. to
secs. 3, 4, 9 and 10.

No trees near.

Sand mesa, somewhat broken.

Stony and poor.

No timber.

Township 8 S.R. N.E.

Gila & Salt River Meridian

to East

or random line between secs. 3 & 10.

var. 13° 50' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S. line 12 hrs. S. after to secs.
2, 3, 10 and 11, from which cor. dim
8.8905.5' N.

On true line between secs. 3 and 10
var. 13° 50' East.

39.98 Set a post, marked $\frac{1}{4}$ sec. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drove charred stem
and bulb monad grass 2 ft high, with
sils 1 ft ~~deep~~, 2 ft long, 4 wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near.

79.96 Cor. to secs. 3, 4, 9 and 10.

Across grassy bottom by N.
Brushy on either side. No timber.

Promised 8 S.R. 26 E.
 Gila & Salt River Meridian
 Ls. North on random line bca. 3 $\frac{3}{4}$ 1/4.
 or. 13° 50' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.22 Intersect S. boundary 15 sec. N. of cor.
 to sec. 3 $\frac{3}{4}$ N. from which cor. Lm.
 S. 0° 6' W.

On true line between secs. 3 $\frac{3}{4}$ 1/4

or. 13° 50' East.

40.22 Set post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, drove sharp
 stake and build mound of earth 2 ft. high with
 post at dep. 2 ft. long, 4 ft. wide, as per instructions
 for 1/4 sec. cor. from which
 A mesquite 7 in. dia. loc. A: 80° E. 233 le. dist.
 No other trees near.

80.22 Cor. to sec. 3. 4. 9 and 10.

Mostly in bottom of valley loc. N.
 Good soil. Mesquite timber
 Brush.

Prairie 8 S.R. 26 E.
Gila & Salt River Meridian

In North between secs. 32 & 33.

var. 13° 50' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 $\frac{1}{2}$ E. long, flattened
3 in. wide, 1 ft. in the ground, drove charred
stake and build mound of earth 2 ft. high
with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 4 in. dia. bar. N. 32° W. 5 ft. dist.
do. 7 " " 8.5° E. 41 "

80.00 In bottom. Set a post, marked and
notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground,
drove charred stake and build mound of earth
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for cor. to
secs. 28, 29, 32 and 33.

No trees near.

Through mesquite thick, then in
grassy bottom. Soil rich.

Poorniship 8 S. L. 26 E.
Gila & Salt River Meridian

Ch. East on a random line between sec. 28 & 33.
var. 13° 50' East

40.00 Set temporary 74 sec. cor.

80. 25 Intersect S. and S. line 5 last N. of cor.

to secs. 27, 28, 33 and 34, from which cor. from
N. 89° 58' W.

On line line between secs. 28 & 33

var. 13° 50' East

40.12 Set a post marked 74 S. 44 ft. long, flat top,
3 in. wide, 1 ft. in the ground, due channel
stake and build mound of earth 3 ft. high
with pit 1 ft. deep, 1 ft. long, 1 ft. wide, as per
instructions for 74 sec. cor. from which
A Mesquite 6 in. dia. on S. 86° E. 62 ft. dist.

do. 8" " " N. 11° W. 197 "

80. 25 Cor. to secs. 28, 29, 32 and 33.

E. half in heavy mesquite timber -

W. half in grassy bottom.

Soil rich.

Prairiehip 8 S.R. 26 E.
Gila & Salt River Meridian

Ls. North between sec. 28 & 29.
var. 13° 50' East

26.00 Swamp b.s. N.E.

37.00Leave valley extending N.

40.00 Set a post, marked W. S. 14 ft long flattened 3 in. wide. Open the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 1 ft wide as per instructions for Yuma co. from which

A Mesquite 3 in diameter N. 43° E. 88 lbs. dist

do. 4" . . . S. 13° E. 79" . .

80.00 Set a post, marked S notched, 4 ft long, 3 in. sqd. If open the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 1 ft long, 1 ft wide, as per instructions for cont sec 20. 21. 28 & 29 furnished A Mesquite 4 in diameter N. 10° W. 186 lbs. dist

do. 5" . . . N. 39° W. 198" . .

No other trees near.
N. half mostly in grassy bottom, Soil good.
Some trees.

Township 8 S.R. 26 E
Gila & Salt River Median

Sec. 8 At corner line bet. sec. 21 & 28.
var. 13° 50' East

27.00 Enter valley bet. N.

36.00 Swampy place.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

65.00 Leave valley.

80.54 Intersect N. and S. line 10 hrs. S. of cor. to
secs. 21, 22, 27 & 28, from which cor. form
189° 56' N.

On line between secs. 21 & 28,

var. 13° 50' East

40.27 St. post, marked $\frac{1}{4}$ sec. 27, long, flattened triangle,
pf. in the ground, d. in charred stucco and build around
of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, pf. and, after
instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite H. in ditch 8.80° E. 230 hrs dist
do. 3 . . . 8.49° E. 263 . .

80.54 Cor. to secs. 20, 21, 28 and 29,
Uneven mass. Stony and poor. Brush.
Scattering trees.

Pawnee 8 S.R. 26. E.
Gila & Salt River Meridian

Ls. North between sec. 20 & 21.

par. 13° 50' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 $\frac{1}{2}$ long, flattened 3 in. wide, 1 ft in the ground, drove charred stake and build mound of earth 2 ft high with pits 1 ft deep, 1 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which a Mesquite 4 in. dia. at 8.79 $\frac{1}{2}$ N. 300 lies dist. No other trees near.

80.00 Set a post, marked 3 notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, drove charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 16, 17, 20 and 21, from which a Cottonwood 20 in. dia. at 8.24 $\frac{1}{2}$ E. 80 lies dist.

do. 13 " . . 8.9 $\frac{1}{4}$ N. 84. "

do. 15 " . . N. 65 $\frac{1}{4}$ E. 21 " "

do. 3 " . . 4.0 $\frac{1}{4}$ N. 27. "

Broken pottery. Very brush. Some mesquite & cottonwood. December 31. 1874

Prairie 8 S.R. 26. E.
Gila & Salt River Meridian

Sec. 8 on random line bet. sec. 16 & 21.
azm. $13^{\circ}50'$ East

- 1.00 Dry bed of stream 50' less wide, loc. N.E.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.10 Intersect N. & S. line 7' less. A. of cor. to sec.
15, 16, 21 & 22. from which cor. form
A. 89° 05' W.

On line between secs. 16 & 21.

azm. $13^{\circ}50'$ East

- 40.05 Silo post marked 718. 4 ft. long, flattened
3 in. wide. set in the ground, drove charred
stake and build mound of earth 7 ft. high,
with pile 1 ft. deep, 7 ft. long, of brush, as per in-
structions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 7 in. dia. at 1.33° E. 170' back dist.
do. 3 " . . 4. 15° W. 123 "

- 80.10 Cor. to secs. 16, 17, 20 and 21.
Across wash with cottonwood & mesquite
along d. Soil 2" sole.

Township 8 S.R. 26 E.

Gila ^{at} Salt River Meridian

Sec. North between sec. 16 & 17.
var. 13° 51' East

40.00 Set a post, marked 14.8.14 ft long, flat-tined 3 in. wide, 1 ft in the ground, drove charred stake and build mound of earth 3 ft high, with pit 1 ft deep. 2 ft long. Stake as per instruction for 1/4 sec. cor. from which A Mesquite 3 in. dia. bearing N. 69° E. 42 lbs. last.
do. 4" " S. 8° E. 75 "

80.00 Set a post, marked & notched 4 ft long, 3 in. sqd. 1 ft in the ground. drove charred stake and build mound of earth 2 ft high, with pit 1 ft deep. 2 ft long. Stake as per instruction for cor. to sec. 8. 9. 16. and 17. from which A Cottonwood 14 in. dia. bearing N. 35° E. 140 lbs. last.

do. 12" " N. 20° E. 133 "

do. 20" " N. 12° E. 152 "

No other trees near.

Flat mesa. Sandy. Some grass. Timbers along wash to E. of line.

Prairiehip 8 S.R. 26. E.

Gila & Salt River Mexican

No East on random line bet. sec. 9 & 16,
var. 13° 50' East.

19.00 Sog bed of stream 40 lbs. wide, bar. N.E.
40.00 Set temporary 1/4 sec. cor.

80.04 Intersect N. and S. line 8 lbs. N. of sec. 16.
9.10.15 9/16. from which cor. down
A. 89.0.5 ap. W.

On true line between secs. 9 and 16.
var. 13° 50' East

40.02 Set a post, marked 1/4 S. 4 ft long, flattened
3 in. wide. If in the ground, drive chisel start
and build mound of earth 2 ft high, with pub
shed ap. 2 ft long. 1 flared, as per instructions
for 1/4 sec. cor. from which.

A mesquite 5 in. dia. bar. S. 38 3/4° E. 4.5 leaded.
do 2 1/2 " " A. 44 4° E. 120 " "

80.04 Cor. to secs. 8, 9, 16 and 17.

Across little valley bar. N., in which is
good soil. Some timber and brush.

Township 8 S.R.H. E

Gila & Salt River Meridian

Ch. North between secs 8 & 9.

var. $13^{\circ}50'$ East

2.00 Sybed of stream 50' long, wide, base S.E.

40.00 Set a post, marked "48.4 ft long, flat-
tened 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of
earth 2 ft high, with pile 1 ft deep, 2 ft long
ff wide, as per instructions for tree,
cor. No trees near.

80.00 Set a post, marked & notched, 4 ft
long, 3 in. sq'd. 1 ft in the ground
drive charred stake and build mound
of earth 2 ft high, with pile 1 ft deep,
2 ft long, ff wide, as per instruc-
tions for cor. to sec 4, 5, 8 and
9. No trees near.

Land flat. Soil good.

Mesquite on S. end.

Pownship 8 S.R. 16 E
 Gila & Salt River Meridian
 In East Boundary line between sec. 4 & 9
 var. $13^{\circ} 50'$ East

- 40.00 Set temporary 1/4 sec. cor.
 51.00 Dry bed of stream 40 ft wide by N.E.
 80.03 Intersect N. and S. line at cor. to sec.
 3, 4, 9 and 10, from which condam
 West.
 Datine line between sec. 4 & 9
 var. $13^{\circ} 50'$ East
- 40.01 Set a post, marked 1/4 S. 4 ft long, flat
 ended 3 in. wide, split in the ground, drove
 charred stake & build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, as per instruction for 1/4 sec. cor. from
 At Maguire 8 in. dia. by N. $75^{\circ} E.$ 47 lbs dist
 do. 7. " " 8.41 $\frac{1}{4}$ N. $95^{\circ} E.$
 80.03 Cor. to secs. 4, 5, 8 and 9.
 Mostly flat soil 2" val.
 Some timber along wash.

Township 8 S.R. 26 E.
Cila " Salt River Meridian

St. North or random line between $4\frac{3}{4} 5$,
var. $13^{\circ} 50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.98 Intersect N. boundary 6 hrs. E. of cor.
to secs $4\frac{3}{4} 5$. first which contains
 $S. 0^{\circ} 3' E.$

On true line between secs. $4\frac{3}{4} 5$,

var. $13^{\circ} 50'$ East

39.98 Set post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide. 1 ft. in the ground. done charred
stone & built round of earth & high with
palo verde, 2 ft. long, 1 ft. wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 9 in. dia. has $S. 46\frac{1}{4}^{\circ} E.$ 104 hrs dist.
do. 8 " " " $8.68^{\circ} N. 7" " "$

79.98 Cor. to secs. 4, 5, 8 and 9.
Land flat. Soil good.
No timber.

Pownship 8 S.R.H.E.
Gila & Salt River Meridian

L. North between sec. 31 & 32
var. 13050 East

40.00 Set a post marked "44 S. 4 ft long,
flattened 3 in. wide. 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high with pits 1 ft deep.
2 ft long. 1 ft wide, as per instruction for
1/4 sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long,
3 in. sqd. 1 ft in the ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft deep. 1 ft long. 1 ft wide,
as per instructions for cor. to Secs. 29.

30. 31 and 32. from which

A Mesquite 3 in. dia. has N. 10° E. 214 ft dist.
No other trees near.

Through a mesquite brush thicket
Good soil.

Township 8 S.R. 26 E.
Gila & Salt River Meridian

Sec. East on random line bet. sec. 29 & 32
var. $13^{\circ}50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

44.00 Enter valley extending N.

80.28 Intersect N. 3d line by sec. L. of cor. to
secs. 28, 29, 32 & 33, from which cor. down
S. $89^{\circ}05' \text{ W.}$

On true line between secs. 29 & 32.
var. $13^{\circ}50'$ East

40.14 Set a post, marked $\frac{1}{4}$ sec. 4 ft long, flat-
lined 3 in. wide. 1 ft in the ground, drove
charred stake & build mound of earth 3 ft high
with pit 4 ft deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 3 in. dia. loc. S. $48\frac{1}{2}^{\circ} \text{ E.}$ 42 sec. dist.
do. 9" " S. $40^{\circ} \frac{1}{2}^{\circ} \text{ E.}$ 24" "

80.28 Cor. to sec. 29, 30, 31 and 32.
End in bottom with good soil.
No timber of consequence.

Dowship 8 S.R. 26 E.
Gila & Salt River Meridian

Lat. West from random line between 30 $\frac{1}{2}$ 31.
var. 13° 50' East

40.00 Set temporary 1/4 sec. cor.

79.20 Intercept W. boundary 1/4 sec. N. of cor. to
secs. 30 $\frac{1}{2}$ 31. from which cor. I mn
N. 89° 57' E.

Outline line between secs. 30 $\frac{1}{2}$ 31
var. 13° 50' East

39.20 Set a post, marked 448. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drove
chipped stake and build mound of
earth 2 ft high, with pit 4 ft deep, 2 ft long, 4 ft
wide, as per instructions for 1/4 sec. cor. from which
a Mesquite 5 in. dia. at 4.56 $\frac{1}{2}$ E. 151 fm dist
do. 4. . . 8.48 $\frac{1}{4}$ N. 153 . .

79.20 Cor. to secs. 29. 30. 31 and 32.
Land uneven, poor.
Some grass and mesquite.

Township 8 S.R.H. E.
Gila & Salt River Meridian

Sec North between sec. 29 & 30.

Lat. 34° 50' East.

40.00 Seta post, marked 1/4, 8.4 ft long, flat
tended 3 in. wide, 1 ft in the ground,
and build mound of stones 2 ft high
as per instructions for 1/4 sec. cor.
from which

A Mesquite 4 in. dia. loc. N. 43 1/2° W. 184 ft. dist.
do. 10 " " S. 63 1/2° W. 174 " .

80.00 Seta post, marked & notched, 4 ft long, 3
in. sqd. 4 ft in the ground, drive charred
stake and build mound of earth 2 ft
high with pile 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to sec.

19, 20, 29 and 30.

No trees near.

Land uneven, rocky.

Grass scattering mesquite.

Pownship 8 S. R. 26 E.

Gila & Salt River Meridian

Sec. East or random line betw sec. 20 & 29.
var. 13° 50' East

40.00 Set temporary posts sec. cor.

80.12 Intersect N. and S. line at cor. to 5 secas
20, 21, 28 and 29, from which cor. Imm
West

Outline line between sec. 20 & 29.

var. 13° 50' East

40.06 Set a post, marked the S. 4 ft long, flat-
tened 3 in. wide, open in the ground, drove
chained stake and build mound of
earth 7 ft high, with pits 4 ft deep, 2 ft
long, 1 ft wide, as per instructions for 44
sec. cor. from which

A Mesquite 4 in. diameter S. 49° W. 17 land dist
do. 4" " A. 47° W. 27" "

80.12 Cr. to secas. 19, 20, 29 and 30.

Uncommon and broken, Soil poor.
Brush. Scattering trees.

Township 8 S.R. & E
Gila & Salt River Meridian

Sec. W. corner random line sec. 19 & 30.
var. 13° 50' East

38.00 Dry bed of stream, 40 lea. wide, by N.E.
40.00 Set temporary posts cor.
79.00 Intercept N. boundary 10 lea. S. of cor.
to sec. 19 & 30. from which cor. Turn
N. 89° 56' E.
Outline line between secs. 19 & 30.
var. 13° 50' East

39.00 Set post. marked 4¹/₂ ft. long, flat-
tened 3 in. wide, 1 ft. in the ground, drove
charred stake and build mound of
earth 2 ft. high, with piles of 6 days. 2 ft.
long, 1 ft. wide, as per instructions for 14
sec. cor. from which
A Mesquite 3 in. dia. by S. 1° E. 169 lea. dist
do. 3 " " S. 72° 12' E. 165 " "

79.00 Cor. to secs. 19, 20, 29 and 30.
Uneven surface. Grass, Bush,
Some mesquite. Jan'y 2. 1875.

Township 8 S.R. 26. E.
 Gila & Salt River Meridian
 To North between sec. 19 & 20

on. 13 $\frac{1}{2}$ ° E. East

140.00 Stake post, marked W.S. 4 ft long, flattened 3 in. wide, 18 in. high, made of pine charred stone and built around a post of earth 2 ft. high, with pit 4 ft deep, 2 ft long, 4 ft wide, as per instructions, for tree cut from which a Mesquite 10 in. dia. at S. 21° W. 105 lbs. dist.
 do. 8 " " S. 13 $\frac{1}{4}$ ° E. 158 "

80.00 Stake post, marked and notched, 4 ft long 3 in. sqd. from the ground, due charred stone and build around a post of earth 2 ft high, with pit 4 ft deep, 2 ft long, 4 ft wide as per instructions for tree cut from which
 A Mesquite 4 in. dia. at S. 22 $\frac{1}{4}$ ° E. 68 lbs. dist.

do. 4 " " S. 14 $\frac{1}{4}$ ° W. 200 "

do. 10 " " S. 28 $\frac{1}{2}$ ° E. 158 "

do. 3 " " S. 77° E. 104 "

Land flat 2 miles. Some mesquite-
 Brush.

Pownship 8 S.R.H. E.

Gila Salt River Meridian

Sec Est on random line bet sec. 17 & 20.
var. $13^{\circ}50'$ East.

4.00 Dry bed of stream 30 hrs wide, br. N.E.
40.00 Set temporary 1/4 sec. cor.

79.95 Intervet A. & S. line. 13 hrs. S of cor. to sec.
16, 17, 20 and 21, from which cor. 2 min
 8.89054° W.

On true line between sec. 17 & 20.
var. $13^{\circ}50'$ East

39.98 Set apast marked 71 S. 4 ft. long. flat
tined 3 in. wide, often in the ground down
charred stake and build around it with
2 ft. high, with pits 4 ft. deep. 2 ft. long, 1 ft. wide,
as per instruction for 1/4 sec. cor. from which
Allegreto Hm. divides A. 70° W. 204 hrs dist
do 3. " - A. 41° W. 131 - -

79.95 Cor. to secs 17, 18, 19 and 20.
Land flat. Brush.
Some grass.

Prairie 8 S.R. 26 E.
Gila & Salt River Meridian
 Ch Water random United sec 18819
 dir. 13° 50' East

40.00 Set temporary tree cor.

78.90 Intersct N. boundary 12 feet off in tree
 18 and 19 from which cor. down
 N. 89° 55' E

Outline line between sec. 18 & 19
 dir. 13° 50' East

38.90 Set a post marked 148.4 ft long
 flattened 3 in. wide if buried in the ground
 and build mound of stones 2 ft
 high as per instruction for 111
 sec. cor. from which

A Mesquite Guadalupe 4.51 h. E. 14 sec. dist
 do. 6. " . S. 60° W. 27 "

78.90 Cor. tree 17, 18, 19 and 20.
 Union State

Brush. Some mesquite.

Township 8 S.R. 26 E.
Gila & Salt River Meridian

Sec. North between sec. 17 & 18.
Lat. 13° 50' East

- 2.00 Dry bed of stream 40 les. wide, be. N.E.
 12.00 Dry bed of stream 50 les. wide, be. N.E.
 40.00 Set afast, marked 14 ft long, flattened 3 in wide, 1 ft
 in the ground, dried charred stave & bundle mom. beneath
 2 ft high, with pot 4 ft deep, 2 ft long, 1 ft wide, no per-
 sistencies for tree cor. from which
 A Mesquite 4 in. dia. be. N. 16° W. 107 les. dist.
 do. 6 " 8. 29° N. 101 "
- 80.00 Set afast, marked & notched, 4 ft long, 3 in sqd.
 1 ft in the ground, dried charred stave & bundle mom.
 of earth 2 ft high, with pot 4 ft deep, 2 ft long, 1 ft
 wide, no persistencies for cor. to see.
7. 8. 17 and 18, from which
 A Mesquite 12 in. dia. be. N. 67° 42' E. 56 les. dist.
 do. 6 " 8. 74° E. 151 "
 do. 4 " N. 0° 2' W. 183 "
 do. 10 " N. 60° W. 216 "

Uneven surface. Across big wash be. N.E. Some grass
 mesquite timber and brush.

Township 8 S.R. 26 E.
Gila & Salt River Meridian

On East boundary line sec. 8^E 1⁷
az. 13° 50' East

40.00 Set temporary 1/4 sec. cor.

80.11 Induced N. 45° E line at cor to sec. 8, 9,
16 and 17, from which cor. down
West

Outline line between secs. 8^E 1⁷
az. 13° 50' East

40.05 Set a post, marked 1/4 S. 45° E long. flat-
tended 3 inches off the ground, drove
charred stake & build mound of earth 3 ft
high, with pile of old 1 ft long. of brush as
per instructions for 1/4 sec. cor. from which
a Mesquite 3 in diameter N. 44 1/2° E 110 ft. dist
do. 2 * . . S. 66° W. 109 * .

80.11 Cor to sec. 7, 8, 1⁷ and 18.
Unbroken surface. Brush.
Some mesquite.

Possession 8 S.R. 26 E.
Gila & Salt River Meridian

Ch. West Boundary Line between 7th & 18.
var. 13° 50' East

40.00 Sd temporary 1/4 sec. cor.

78.61 Intervetd W. boundary 8 les. S. of cor.
to see 7th & 18. from which cor. I run
S. 89° 57' E.

Outline line between sees. 7th & 18.

var. 13° 50' East

38.61 Sd a post marked 148. A flat, long, flat
tined 3 mi. wide, often in the ground does
sharp place and build mostly sand
2 ft high, with pits 1 ft deep. A flat
wide as far as section line for 1/4 sec. cor.
from which

A Mesquite 14 mi. dia. S. 26° E. 149 les. dist.
do. 5" . . S. 11 $\frac{1}{2}$ ° E. 115" .

78.61 Cor. to see 7. 8. 17 and 18.
Flat, uneven on W. Soil 3" rate
Mesquite timber. Brush.

Township 8 S.R. 26 E.
Gila & Salt River Mountain
 On North between sec. 7 & 8.
 or. 13° 50' East

40.00 Set apart, marked 44 S. 44 E. long, flat
 land 3 mi. wide often in the ground,
 dry charred stave and build mound
 of earth 2 ft. high, with pit 1 ft. deep.
 2 ft. long, 2 ft. wide, as per instructions
 for these cor.

Notes near:

80.00 Set apart, marked & notched, 44 E. long
 3 in. sqd. often in the ground, dry charred
 stave and build mound of earth 2 ft. high
 with pit 1 ft. deep, 2 ft. long, 2 ft. wide, as per
 instruction for cor. to secs. 5, 6, 7
 and 8, from which

A Mesquite 3 in. dia. 8.44° N. 29° E. dust
 No other trees near.

Land flat. Soil very.

Brush. Scattering trees.

Prairie 8 S.R. 26 E.

Gila & Salt River Meridian

Sec. East or random line lat. sec. 5 3/8.
azm. $13^{\circ} 50'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect N. and S. line 7 1/2 sec. N. of cor. to
secs 4, 5, 8 & 9, from which cor. I am
 $N. 89^{\circ} 57' W.$

Outline line between secs. 5 3/8,

azm. $13^{\circ} 50'$ East

39.98 Set a post marked H.H. 8.4 ft long, flattened
3 in. wide, 4 ft in the ground, drove charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 5 in. dia. az. $23^{\circ} E.$ 366 lns. dist.
do. 9 " " 8.295 " W. 180 " "

79.95 Cor. to secs. 5, 6, 7 and 8.

Mostly flat.

Soil 2" rate.

Some bones. Scattering trees.

Township 8 S.R. 26. E.
Gila & Salt River Meridian

L. N. W. on random line bet sec. 6 & 7
var. 13° 50' East.

40.00 Set temporary 1/4 sec. cor.

78.60 Intersect N. boundary 5 lots N.
of cor. to secs. 6 and 7, from
which cor. I run
N. 89° 58' E.

On line between secs. 6 & 7
var. 13° 50' East

38.60 Set a post, marked 1/4 S. 1st
ft long, flattened 3 in. wide. ft
in the ground, drove charred
stake 3enild mound after
ft high, with pit 4 ft. deep. 7 ft
long, 1 ft. wide, as per instructions
for 1/4 sec. cor. No trees near

78.60 Cor. to secs. 5, 6, 7 and 8.
Mostly flat. Soil very
Some brush.

Township 8 S.R. 26 E.
Gila & Salt River Meridian

The Stock or random line lies sec. 5 N.
aaz. $13^{\circ}50'$ East

40.00 Set temporary post cor.

80.08 Intersect N. boundary 3 lbs. E. of cor.
to sec. 5 N. from which condemn
 $S.0^{\circ}1' E.$

Outline line between sec. 5 N.

aaz. $13^{\circ}50'$ East

40.08 Set a post marked 148.4 ft long,
flattened 3 in. wide. 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high. with pile 1 ft dia. 2 ft
long. 1 ft wide, as per instructions for 1/4
sec. cor. from which

A Mesquite 10 miles. cor. N. $86\frac{1}{2}' W$ 66 lands
do 4 " " A. $18^{\circ}E$. 107 "

80.08 Cor. to sec. 5, 6, 7 and 8.

Land flat. Soil 2 miles sandy.

Sometimes quite timbered. Brush.

January 14. 1875.

Township 8 S.R. T6 E.
Gda^g Salt River Meridian
General Description

A fine grassy valley extends through the center of this township. It is well watered and the soil is rich. On either side of this valley is sandy mesa land on which there is some grass, brush and scattering timber.

The N.W. cor. of the township lies on high table land, covered with grass, furnishing excellent grazing.

Theodore F. White
M.G. Deputy Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision lines of Township 8 S. Range 26 E. of the Gila and Salt River Meridian, Arizona.

Showing the respective capacities in which they acted.

R. A. Pasquier Chainman.

C. D. Butler Chainman.

Barnabe Palm Axeman.

H. H. Aubrey Flagman.

BOOK 702

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore F. White — U. S. Deputy Surveyor, in surveying the Subdivision lines of Township 8 S Range 26 E. of the Gila and Salt River Meridian, Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

P. A. Yarger Chairman.

S. W. Burton Chairman.

Barriabe Palmer Axeman.

W. L. Aubury Flagman.

Sworn to and subscribed before me, this 6th day of March 1875

J. C. McCaffry
Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 23rd day of September

1874 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the subdivision lines of

Township 8 S Range

26 E. of the Gila and

Salt River Meridian

Arizona,

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 6th
day of March, 1873

J. C. McGehee
Notary Public

U. S. Surveyor General's Office,
Tucson, Arizona, March 20, 1875

The foregoing Field Notes of the survey of

The Subdivision Lines
of Township
8 South, Range
26 East.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the 23rd day of
September, 1874, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Watson

Surveyor General.