

BOOK 735

No. 735

Field Notes

BOOK 735

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 9 S. Range 21 E.

Gila and Salt River Base and Meridian

ARIZONA.

By Thaddeus F. White, D. S.

under contract dated June 25, 1875.

Survey commenced Dec. 27, 1875.

Survey completed Dec. 31, 1875.

No. 735

735

1A

BOOK -735

Preliminary Oaths of Assistants.

We, Urbain Pessard
and R. A. Vasquez
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Urbain Pessard
R. A. Vasquez

Sworn to and subscribed before me, this 18th
day of October, 1875

John L. May,
Asst Secretary
Arg.

We, B. Palm and
Wright H. Aubury,
do solemnly swear that we will well and truly per-
form the duties of Alman and
Flagman, respectively
according to instructions given us, and to the best
of our skill and ability.

B. Palm

Wright H. Aubury,

Sworn to and subscribed before me this 18
day of October, 1875

John H. Marr

Asst Secy.

Arch

1C

No. 735

BOOK 735 4-674.
 Township 9 S. R. 21 E. S. 8 S.R.B.L.M.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	57	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Downship 9 S.R. 21 E.

Iola & Salt River Indian

Subdivision commenced Dec. 27. 1875.

Rs. From cor. b.s.c.s. 35 & 36. on S. boundary. Run
North between sec. 35 & 36

N.W. $13^{\circ} 45'$ East.

After East Boundary,

40.00 Set an igneous rock, marked 1st,
13 x 9 x 7 inches in size, $\frac{1}{3}$ in the
ground, and on N. build mound of
earth 2 ft high, with pit 1 ft deep. 2 ft
long. 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set an igneous rock, 16 x 9 x 9
inches, $\frac{1}{3}$ in the ground, notched
S. and E. and on N. build
mound of stones 2 ft high
as per instructions, for cor to
sec. 25, 26, 35 and 36.

No trees near.

Land hilly. Soil poor.

Some grass. No timber.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Pr. East Boundary lines sec. 25, 26,
var. $13^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.41 Intercept E. boundary 24 lbs. S. of
cor. to secs. 25 and 36. from which
cor. true
 $889^{\circ}51'W.$
A true line between secs. 25 & 36.
var. $13^{\circ}45'$ East.

40.20 Set an igneous rock, $15 \times 10 \times$
8 inches $\frac{2}{3}$ in the ground,
marked $\frac{1}{4}$ sec. and on N. could
remove large stones 2 ft high
as per instructions, for $\frac{1}{4}$ sec.
cor.

No trees near.

80.41 Cor. to secs. 25, 26, 35 and 36.
Land hilly. Soil poor.
Some grass. No timber.

Downship 9 S.R. 21 E.
Gila & Salt River Indian

Rs. North between secs. 25 & 26
var. 13°45' East.

40.00 Setan igneous rock, 12x8x7
inches, $\frac{2}{3}$ in the ground, marked
N., and on N. build mound
of stones 8 ft high, as per in-
structions, for 1st sec. cor.
No trees near.

73.00 Dry arroyo, 100 ft wide, has. N.E.

80.00 Setan igneous rock, 14x9x9
inches, $\frac{2}{3}$ in the ground, notched
S. and E. and on N. build
mound of earth 8 ft high,
with pits 1 ft deep, 8 ft long,
8 ft wide, as per instructions
for cor. to sec. 73. 1st. 25 and
26. No trees near.

Land hilly. Soil poor.
Some grass. No timber.

Pownship 9 S.R. 21 E.
Gila & Salt River Mountain

Sec. East. or random line between 74 & 75.
Var. 13° 45' East.

4.00 Shy arroyo, 100 ft. wide, runs N.E.
40.00 Set temporary 74 sec cor.

80.10 Intersect E. boundary 15 lbs. S.
opp to sec. 74 and 75, from
which cor. down
S. 89° 54' W.

On true line between sec. 74 & 75.
Var. 13° 45' East.

40.05 Calcareous rock, 12 x 8 x 7
inches, $\frac{1}{3}$ in the ground, marked
74, and at W. build mound
of stones 2 ft. high, as per
instructions, for 74 sec. cor.
No tree near.

80.10 Cor to secs. 73, 74, 75 and 76.
Land hilly. Soil poor.
Some grass. No timber.

Township 9 S.R. 21 E.

Gila & Salt River Meridian

Ls. North between secs. 23 & 24.

Var. $13^{\circ} 45'$ East.

40.00 Drive charred stake and build mound of earth 7 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 14 sec. cor. No trees near.

57.00 Road to Eureka etc. has. N. W.

70.00 Dry arroyo, 100 ft. wide, has. N.W.

80.00 Stake post, marked and notched, 4 ft. long, 3 in. sq'd. often the ground, drive charred stake and build mound of earth 7 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 13, 14, 23 and N.W. No trees near.

Land descends N. Some good soil on N. No timber. Grass.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Ps. East. meridian line 13[°] 45' N.
var. 13° 45' East.

23.00 Old road, has. N.W.

40.00 Set temporary 1/4 sec. cor.

79.86 Intersect E. boundary 11 sec. S.
opposite sec. 13[°] 45' N. from which
corner run
S. 89.55 W.

Outline line between secs. 13[°] 45' N.
var. 13° 45' East.

39.93 Burn charred stalk and build
mound of earth 2 ft high, with
foot 2 ft. deep, 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec. cor.
No trees near.

79.86 Cor. to secs. 13, 14, 23 and 24.
Land flat. Good soil.
Grass. No timber.

Township 9 S. R. 21 E.
Gila & Salt River Mountain

R. North between sec. 13 & 14
var. 13° 15' East

40.00 Set an igneous rock, 12 x 8 x 7
inches, marked $\frac{1}{4}$, $\frac{1}{3}$ in the
ground, and build around of
earth $\frac{1}{2}$ ft. high, with pits 1 ft. deep,
 $\frac{1}{2}$ ft. long, 1 ft. wide, as per in -
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set an igneous rock, 17 x 10 x
8 inches, $\frac{1}{3}$ in the ground, notched
S. and E. and on N. build
around of earth $\frac{1}{2}$ ft. high, with
pits 1 ft. deep, $\frac{1}{2}$ ft. long, 1 ft. wide,
as per instructions, for cor. to
secs. 11, 12, 13 and 14.

No trees near.

Land flat. Soil good.
Grass. No timber.

No. 735 BOOK 735 8

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Lat. East on mudon line betw. sec. 12 & 13
var. 13°45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect Ebenezay 15 lbs. N.
of cor. to secs. 12 and 13. from
which cor. run
N. 89°54' W.

Outline line between secs. 12 & 13
var. 13°45' East.

40.06 Set an igneous rock, 16 x 9 x 8
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound
of earth $\frac{1}{2}$ high, with pit $\frac{1}{4}$
deep, $\frac{1}{2}$ long, $\frac{1}{4}$ wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.13 Cor. to secs. 11, 12, 13 and 14.
Land hilly on E end.
Soil very late - No timber

Township 9 S. R. 21 E.
Gila & Salt River Meridian

On North between secs. 11 & 12
var. 13°45' East.

40.00 Setagranite stone 16x8x8 inches, $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$, and on N. build mound of earth $\frac{3}{8}$ ft high, with pits $\frac{1}{8}$ ft deep, $\frac{3}{8}$ ft long, $\frac{1}{8}$ ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which

A Taraiso tree, 6 in. dia. at S. $47\frac{3}{4}^{\circ}$ E. 214 ft. dist.
No other trees near.

80.00 Setagranite stone, 14x8x7 inches,
 $\frac{1}{3}$ in the ground, notched S. and E.,
and on N. build mound of earth
 $\frac{3}{8}$ ft high, with pits $\frac{1}{8}$ ft deep, $\frac{3}{8}$ ft long,
 $\frac{1}{8}$ ft wide, as per instructions, for cor.
to secs. 1, 2, 11 and 12.

No trees near.

Some hilly. Grass.
No timber.

Prairiehip 9 S.R. 21 E.

Gila & Salt River Median

Ps. East boundary line betw. sec. 1 & 12.
var. $13^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.25 Intersect E. bound. by 18 hrs. N.
 off cor to secs. 1 and 12 from which
 cor turns
 $1.89^{\circ}52' W.$
 Out true line between sec. 1 & 12.
 var. $13^{\circ}45'$ East.

40.12 Set a granite stone, $15 \times 8 \times 6$ in -
 che, $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound
 of earth $\frac{2}{3}$ high, with pit 1
 ft. deep, $\frac{2}{3}$ long, $\frac{1}{3}$ wide, as
 per instruction, for $\frac{1}{4}$ sec. cor.

No trees near

- 80.25 Cor. to secs. 1, 2, 11 and 12.
 Land hilly. Good grass.
 No timber.

Ponowship 9 S.R. 21 E.
Gila & Salt River Mound

Sec. North boundary line between 1 $\frac{3}{4}$ 2.
var. 13° 45' East.

40.00 Set temporary tree sec. cor.

80.21 Intercept N. boundary 16 ls. W.
of cor to sec. 1 $\frac{3}{4}$ 2. from which
cor line
S. 0° 47' W.

Outline line between sec. 1 $\frac{3}{4}$ 2.

var. 13° 45' East.

40.21 Set a grand stone, 14x7x7 inches,
 $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$, and
on S. build mound of earth 2 ft. high
with pits 1 ft. deep. - 2 ft. long. off corde
as per instructions, for $\frac{1}{4}$ sec. cor. bounded
Opuntia tree, 6 in. dia. in. N. 57° E 283 ls. dist
No other tree near.

80.21 Cor to sec 1. 2. 11. and 12.
Hilly grass land.
No timber.

Pecoship 9 S.R. 21 E.

Gila & Salt River Indian

Rs. North between sec. 34 & 35.
var. $13^{\circ}45'$ East.

40.00 Set an igneous rock, 14x10x8 in
ches, $\frac{3}{4}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound
stones $\frac{1}{2}$ high, a few instruc-
tions, for $\frac{1}{4}$ sec. cor. No trees near.

49.00 Deep cañon runs E.

65.00 Cañon runs S. E.

80.00 Set an igneous rock, 24x12x9
inches, $\frac{3}{4}$ in the ground, matched
S. and E. and on N. build mound
of stones $\frac{1}{2}$ high, a few
instructions, for cor to sec.
26, 27, 34 and 35.

No trees near.

Land hilly and broken.

Soil stony. Good pasture.
Notimba.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

St East from mud line between 26 & 35.
var. $13^{\circ}45'$ East.

35.00 Canon line N.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.24 Intersect N. and S. line 16 las. S.
of cor to sec. 25. 26. 35 and 36.
from which cor. I run
 $88^{\circ}53'W.$

Outline line between sec. 26 & 35.
var. $13^{\circ}45'$ East.

40.12 Set an igneous rock, 12 x 12 x 8
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$ st. and on W. build mound of
earth 2 ft high, with pits 1 ft deep
2 ft long, 1 ft wide, a few incrusta-
tions, for $\frac{1}{4}$ sec. cor. No tree near.

80.24 Cor. to sec. 26. 27. 34 and 35.

Land hilly and broken.

Soil stony. Good grass.

November

Pownship 9 S.R. 21 E.
Pila & Salt River Mendian

Ps. North between secs. 26 & 27
var. 13° 45' East.

40.00 Setan igneous rock, 14x8x7
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound
of stones 2 ft. high, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Setan igneous rock, 14x9x9
inches, $\frac{1}{3}$ in the ground, notched
S. and E. and on N. build
mound of stones 2 ft. high,
as per instructions, for Cor. to
secs. 22, 23, 26, and 27.
No trees near.

Land hilly and broken.
Good grass.
No timber.

Downship 9 S.R. 21 E.
Gila & Salt River Mts.

Ch. East from random line bet. sec. 23 & 26.
var. $13^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.31 Intersect N. and S. line 12 lbs.

N. a few to sec. 23. 24. 25 and
26. from which cor. down
 $N. 89^{\circ}55' W.$

Outline line between sec. 28 & 26.
var. $13^{\circ}45'$ East.

40.16 Set an igneous rock. $13 \times 8 \times 6$
inches $\frac{1}{3}$ in the ground,
marked $\frac{1}{4}$, and on W. build
a mound of earth of height with
pits 1 ft. deep. 2 ft. long. 1 ft. wide
as far instructed, for $\frac{1}{4}$ sec.
cor. No trees near

80.31 Cor to sec. 22. 23. 26 and 27.
Land hilly and broken.
Good grass. No timber.

Downship of S.R. 21 E.

Gila & Salt River Meridian

Ls North between sec. 22 & 23.
Var. 13°45' East.

40.00 Set an igneous rock, 14 x 8 x
7 inches, $\frac{1}{3}$ in the ground,
marked $\frac{1}{4}$, and on N. build
mound of stones 2 ft high,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 6 in. sq'd. 1 ft in the
ground, due charred stake
and build second after the 2
ft high, with pits 1 ft deep. 2
ft long, 4 ft wide, as per in -
structions, for cor. to sec. 14.
15. 22 and 23.

No trees near.

Mostly hilly and stony.
Notinba. December 27 1875.

Township 9 S.R. 21 E.
Gila & Salt River Mts.

Sec. East boundary line bet. secs. 14 & 23
var. $13^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect N. and S. line 13 hrs. S.
of cor to secs. 13, 14, 23 and N.E.
from which cor drawn
 $889^{\circ}54' W.$

Outline line between secs. 14 & 23
var. $13^{\circ}45'$ East

40.04 Set a black volcanic rock, 15 x 14
x 6 inches, $\frac{1}{2}$ in the ground,
marked $\frac{1}{4}$ sec. and on N. build
monadnock high with
pits 1 ft. deep & long, 1 ft. wide,
as per instruction, for $\frac{1}{4}$ sec.
cor. No trees near.

80.09 Cor. to secs. 14, 15, 22 & 23.

Land descends E. and N.
Good soil. No timber.

Township 9 S.R. 21 E.
 Gila & Salt River Mexican
 Ls. North between sec. 11 & 15.
 var. $13^{\circ}45'$ East.

- 21.41 To S. Wall of house at Eureka Springs, 160
 ft. N. of S. cor. of same. Offset 2
 chs. E. and continue N.
- 40.00 Setback W. 2 chs., to line, and set a post,
 marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide
 flat on the ground, dive charred stake
 and build mound of earth 2 ft high
 with pits 1 ft. deep, 2 ft long, 1 ft. wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.
- 50.00 Road to Goodsal runs N. W.
- 80.00 Set a post, marked E. notched, 4 ft long,
 3 in. sqd. off the ground, dive charred
 stake & build mound of earth 2 ft high
 with pits 1 ft. deep, 2 ft long, 1 ft. wide, as per
 instructions, for cor to sec. 10, 11, 14 & 15.
 No trees near. - Descending N.
 Goodsal on N. half. No timber.

19

BOOK 735

Prairie 9 S.R. 21 E.
Gila & Salt River Mendian

On East boundary line between sec. 11 & 14,
var. $13^{\circ}45'$ East.

11.00 Old road, bas. N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 17 bas. N.
of cor. to secs 11, 12, 13 and 14,
from which cor. I run
N. $89^{\circ}53'$ W.

Outline line between secs. 11 & 14.
var. $13^{\circ}45'$ East.

39.95 Set an igneous rock, 15 x 7 x 6 inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on N. build mound of earth
ft high, with pits ft deep, 2 ft long,
ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

79.90 Cor. to secs. 10, 11, 14 and 15.
Land ascends a little E. Good
grass. No timber.

Prairie 9 S.R. 21 E.

Gila Salt River Mound

Dis. North between sec. 10 & 11

var. 13°45' East.

13.00 Road runs N. W.

40.00 Set a granite stone, 14x12x8 in-
ches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$ ft, and on it build mound
of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per in-
structions, for 1st sec. cor.
No trees near.

80.00 Dive charred stake and build
mound of earth 2 ft high with pit
1 ft deep, 2 ft long, 1 ft wide, and in cen-
ter of pit S.E. of cor. dive a stake
marked and notched, 2 ft long, 2
in. sqd. off in the ground, as per in-
structions, No trees near.

Descend a little N. W.

Good grass land. No timber.

Township 9 S.R. 21 E.
Gda & Salt River Meridian

Pl. East Boundary line betw. sec. 2 & 11.
var. $13^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect N. and S. line, 10 lbs. S.
of cor to secs. 1, 2, 11 and 12, from
which cor. I run
 $889^{\circ}56'W.$

On true line between sec. 2 & 11.

var. $13^{\circ}45'$ East

39.93 Set granite stone, $12 \times 8 \times 8$ in-
ches. $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on W. build mound
of earth of height with pit
ft. deep. 2 ft. long. 1 ft. wide, as
per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.85 Cor to secs. 2, 3, 10 and 11.

Land decimal N. half on E.
Grass. No timber.

Poconiahip 9 S.R. 21 E.
Gila & Salt River Mexican

Pr. North on random line betw. sec. 2 & 3
var. 13° 45' East.

40.00 Set temporary 1/4 sec. cor.

79.66 Intersect N. boundary 13 las. N.
after to sec. 2 and C. from which
cor. down
S. 0° 6' W.

On true line between sec. 2 & 3.

var. 13° 45' East.

39.66 Set a granite stone 15 x 9 x 6
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$ N. and on S. build around it
earthen flag, with pits of depth
2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor.

No trees near.

79.66 Cor. to sec. 2, 3, 10 and 11.

Land hilly on N. end.

Some good soil on S. Not timbered.

Prairie 9 S.R. 21 E.
Gila & Salt River Meridian

Pl North between sec. 33 & 34
var. 13° 45' East.

30.00 Rocky cañon bed, S.E.

40.00 Set an igneous rock, 23x13x13,
 $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$ ft.,
and on N. build mound of
stone 2 ft high, as per instruc-
tions, for 1st sec. cor.
No trees near.

80.00 Set an igneous rock, 24x15x
7 inches, $\frac{3}{4}$ ft in the ground, ^{notched S. end E.} and
on N. build mound of stone
2 ft high, as per instructions
for cor to secs 24, 28, 33 and
34. No trees near.

Land hilly and broken.

Soil rocky.

Some grass. No timber.

Poowaship 9 S.R. 21 E.
Gila & Salt River Meridian
Lat East from sec line 27⁷ 34'
Var. 13°45' East.

40.00 Set temporary 1/4 sec cor.

80.21 Intersect N. and S. line 18 lbs.

S. of cor to secs. 26-27-34 and
35, from which cor I run
S. 89° 52' W.

On true line between secs. 27⁷ 34'
Var. 13°45' East.

40.11 Set an igneous rock, 14x10x7
inches, $\frac{2}{3}$ in the ground, mark-
ed 1/4, and on W. build mound
of stones 2 ft high, as per in-
structions, for 1/4 sec. cor.

No tree near.

80.21 Cor to sec. 27, 28, 33 and 32.
Land broken and stony.
Grass. No timber.

Township 9 S.R. 21 E.
Gila & Salt River Mexican

Rs. North between secs. 27 & 28.
var. 13°45' East.

40.00 Gila black volcanic rock, 17x12
x 7 inches, marked $\frac{1}{4}$, $\frac{2}{3}$ in
the ground, and on N. build
mound of stones 2 ft high, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Gila black volcanic rock, 19x9x8
inches, $\frac{1}{4}$ in the ground, notched S.
and E. and on N. build mound
of stones 6 ft high, as per in-
structions for cor. to secs. 21.
22. 27 and 28. No trees near.

Cor. on S. slope of high rocky
hill, $\frac{2}{3}$ the way to the top.

Land, ascending slope of high
hill on N. Soil stony.
Some grass. No timber.

Township 9 S.R. 21 E.

Gila & Salt River Indian

Sec. East random line between 22 & 23
var. $13^{\circ}45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect N. and S. line, 31 lbs.
So far cor. to secs. 22, 23, 26, and
27, from which cor. form
 $889^{\circ}44'W.$

On true line between secs. 22 & 23.

var. $13^{\circ}45'$ East.

40.09 Set a black volcanic rock, 22 x 9
x 9 inches, $\frac{3}{4}$ in the ground,
marked $\frac{1}{4}$, and on W. build
mound of stones & flaggs, a
per instructionis, for $\frac{1}{4}$ sec. cor.
On E. slope of high hill.
No trees near.

80.18 Cor. to secs. 21, 22, 27 and 28.
Land, along S. and S.E. slope of
high hill. Soil stony. Grass.
No timber.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Br. North between sec. 21 & 22.
Var. $13^{\circ}45'$ East.

40.00 Set a black volcanic rock, 16 x 9 x
8 inches, $\frac{1}{3}$ in the ground, mark-
ed 1st, and on N. build mound
of stones 2 ft high, as per instruc-
tions, for sec. cor.

No trees near.

80.00 Set a black volcanic rock, 34
x 9 x 7 inches, 1 ft in the ground,
notched S.E. and on N. build
mound of stones 2 ft high, as per
instructions, for cor. to secs. 15.
16, 21 and 22.

No trees near.

Land over high hills.

Soil stony and poor.

No timber.

Township 9 S.R. 21 E.
Ida & Salt River Mountain

Pr. East boundary line bet sec. 15 & 22
var. $13^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.35 Intersect N. and S. line 58 lbs.
N. of cor to secs. 14, 15, 22
and 23, from which cor drawn
 $N.89^{\circ}35'W.$

On true line between secs. 15 & 22
var. $13^{\circ}45'$ East.

40.17 Set a black volcanic rock, 13
x 9 x 6 inches, $\frac{1}{3}$ in the ground,
marked $\frac{1}{4}$, and on W. build
mound of stones 2 ft. high,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.35 Cor to secs. 15, 16, 21 and 22.
Land descends E., into Amiraipai
valley; broken and stony on
W. end. No timber.

Pownship 9 S.R. 21 E.

Gila & Salt River Meridian

Pr. North between sec. 15 & 16,
var. $13^{\circ}45'$ East.

40.00 Set an igneous rock, $13 \times 13 \times$
 13 inches, $\frac{1}{3}$ in the ground,
marked $\frac{1}{4}$, and on N. build
round of stones 2 ft high,
as per instructions, for 1st
sec. cor.

No trees near.

80.00 Set an igneous rock, 14×12
 $\times 9$ inches, $\frac{1}{3}$ in the ground,
notched S. and E. and on
N. build round of stones
2 ft high, as per instructions
for cor. to secs. 9, 10, 15 and
16. No trees near.

Land hilly and broken.
Soil poor. No timber.

Township 9 S.R. 21 E.

Gila & Salt River Meridian

R. East from random line lots sec. 10 & 15.
var. 13°45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

74.00 Road less. N.W. W.

80.18 Intersect N. and S. line glas. N.
a few rods to secos. 10, 11, 14 and
15, from which cor. form
N. 89° 56' W.

On true line between secos. 10 & 15.

var. 13°45' East.

40.09 Set an igneous rock, 14x9x8
inches, $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on W. build mound of
earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec cor.
No trees near.

80.18 Cor to secos. 9, 10, 15 and 16.

Land ascends a little W. Good grass.
Not timbered. December 28, 1875.

Township 9 S. R. 21 E.
Gila & Salt River Meridian

Lat North between secos. 9 $\frac{3}{4}$ 10.
var. 13° 45' East.

40.00 Set a volcanic rock, 17x7x5
inches, $\frac{2}{3}$ in the ground, marked
N. and on N. build mound
of earth 2 ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide, as per
instruction, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set an igneous rock, 12x9x8
inches, $\frac{2}{3}$ in the ground, notched
S. and E. and on N. build
mound of stones 2 ft. high,
as per instruction for cor.
to secos. 3. 4. 9 and 10.
No trees near.

Land descends N. Good
grasses. No timber.

Township 9 S.R. 21 E.
Gila & Salt River Indian

Ps. East. or random line between $3\frac{3}{4}10.$
 var. $13^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 56.00 Road runs N. W.
 80.14 Intersect N. and S. line 12 sec.
 S. of cor. to see. 2. 3. 10 and 11.
 from which cor. turns
 $S.89^{\circ}55'W.$
 Due true line between sees. $3\frac{3}{4}10.$
 var. $13^{\circ}45'$ East.

40.07 Set a post marked $\frac{1}{4}S.4ft$ long, flat-
 topped 3 in. wide. off in the ground,
 over charred stumps and build
 mound of earth $3ft$ high with
 pit of 6 deep 7 ft long. 'flander'
 as per instruction, for $\frac{1}{4}$ sec.
 cor. No trees near.

80.14 Cor to sees. 3. 4. 9 and 10.
 Land descends N. Good grass
 land. No timber.

Township 9 S.R. 21 E.
Gila & Salt River Mexican

Rs North ^{our random line}
between sec. 3 & 4.
var. $13^{\circ}45'$ E.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.45 Intersect N. boundary 15 ft
W. of lot to sec. 3 and 4,
from which cor I run
 $30^{\circ}6' W.$
A true line between sec. 3 & 4.
var. $13^{\circ}45'$ East.

39.45 Set an igneous rock, 15 x 10 x
8 inches, $\frac{1}{3}$ in the ground, mark-
ed $\frac{1}{4}$, and on S. build mound
earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.45 Cor to sec. 3, 4, 9 and 10.
Land along W. side of valley.
Good grass. No timber.

Prairie 9 S.R. 21 E.
Gila & Salt River Mexican

Ps. North between sec. 37 & 33,
var. $13^{\circ}45'$ East.

40.00 Set an igneous rock, $16 \times 8 \times 8$ inches, $\frac{1}{3}$ in
the ground, marked N., and on N. build
mound of stone $2\frac{1}{2}$ ft high, as per instruc-
tions, for $\frac{1}{4}$ sec. cor. No tree near

57.00 Day arroyo, in ravine, 70 krs. wide, east.

77.00 Day arroyo, in ravine, 50 krs. wide, west E.

80.00 Set an igneous rock, $14 \times 8 \times 7$
inches, $\frac{1}{3}$ in the ground, notch-
ed S. and E. and on N. build
mound of stone $2\frac{1}{2}$ ft high, as per
instructions, for cor. to sec. 28, 29,
37 and 33, from which

Aub. oak, 15 in. dia. loc. S. $0^{\circ}45'$ E. 242 lbs. dist.

do. 3 " . . . S. $28^{\circ}E.$ 297 "

do. 10 " . . . S. $30^{\circ}W.$ 394 "

Land rolling. Good grazed.
Oak trees along ravines.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Sec. East boundary line between sec. 28 & 33
var. 13° 45' East.

25.00 Spruce, incarne, runs S.E.

40.00 Set temporary 7¹/₂ sec. cor.

80.20 Intersect N. and S. line 15 deg. N.
if cor to sec. 27, 28, 33 and 35,
from which cor I run
N. 89° 54' W.

Outline line between secs 28 & 33.

var. 13° 45' East.

40.10 Set an igneous rock, 18 x 10 x 6
inches, ³/₄ in the ground, marked
N. and S. build around
of stones 2 ft high, as per in-
struction, for 7¹/₂ sec. cor.
No trees near.

80.20 Contsec 28, 29, 32 and 35.
Land broken. Good grass.
No timber of consequence.

Township 9 S. R. 21 E.

Gila & Salt River Mts.

Ls. North between sec. 28 & 29
var. 13° 45' East.

32.00 Ravine runs S. E.

40.00 Selan igneous rock, 18x8x8
inches, $\frac{1}{4}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound
a foot high, with pit 6 ft. deep.
9 ft. long. fluoride. as per instruction, for
 $\frac{1}{4}$ sec. cor. from which

A Juniper 12 in. dia. 4.5° E. 429 lbs. dist.
Huckle trees near.

80.00 Selan igneous rock, 14x8x8 inches,
 $\frac{1}{3}$ in the ground, notched S and E.
and on N. build mound of stones
2 ft. high, as per instruction for
cor to secs 20, 21, 28 and
29. No trees near.

Land rolling. Good grass.
Some trees along ravines.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Sec. East on random line betw. sec. 21 & 28.
var. $13^{\circ}45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.28 Intersect N. and S. line 16 lbs. S. of
cor. to secs. 21, 22, 27 and 28,
from which cor. form
 $8.89^{\circ}53' W.$

On true line between sec. 21 & 28.
var. $13^{\circ}45'$ East.

40.14 Set a black volcanic rock, 16×9
 $\times 5$ inches, $\frac{7}{8}$ in. the ground,
marked $\frac{1}{4}$, and on N. build
mound of stones 2 ft. higher
for instruction, for $\frac{1}{4}$ sec. cor.

On N. slope, near base of high
rocky hill. No trees near.

80.28 Cor. to secs. 20, 21, 28 and 29.
Land ascends high hill on East.
Soil stony. Good grass.
No timber.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

On North between secs. 20 & 21,
var. 13°45' East

40.00 Set an igneous rock, 15x9x 8
inches, marked $\frac{1}{4}$, $\frac{2}{3}$ in the
ground, and on N. build
rounded stones 2 ft high
as per instructions, for cor to sec.
cor. No trees near.

60.00 Tap of ridge, bas. E. and W.

80.00 Set a black volcanic rock, 16x
9x 8 inches, $\frac{2}{3}$ in the ground,
notched S. and E. and on N.
build rounded stones 2 ft high
as per instructions for cor to sec.
16, 17, 20, and 21.

No trees near.

Land, ascending rough hills on
N. Good grass. No timber.

December 29, 1875.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Rs. East and line bet. sec. 16 & 21,
var. $13^{\circ}45'$ East.

40.00 Set temporary 1/4 sec. cor.

80.35 Satuseet N. and S. line 19 less 1/4 of
cont. sec. 15, 16, 21 and 22,
from which cor. I run
 1.89052° W.

Outline line between sec. 16 & 21,
var. $13^{\circ}45'$ East.

40.17 Set a black volcanic rock, 18x
7x6 inches, $\frac{3}{4}$ in the ground,
marked $\frac{3}{4}$, and on N. build
monadaf stones 2 ft high, as
per instructions for 1st sec. cor.
Notice near.

80.35 Cont. sec. 16, 17, 20 and 21.
Land hilly and rocky.
Soil poor. Some grass,
No timber.

Dowship 9 S.R. 21 E.
Gila Salt River Meridian

Lat. North between sec. 16 $\frac{3}{4}$ 17 $\frac{1}{2}$
Var. 13° 45' East.

40.00 Set angular rock, 12 x 8 x 7 inches
 $\frac{1}{3}$ in. the ground, marked N.,
and on N. build mound of earth
of height with pits off. deep. 2 ft.
long. 4 ft. wide, as per instructions
for 4 sec. cor. No trees near.

80.00 Set a black volcanic rock, 14
x 14 x 10 inches, $\frac{1}{3}$ in. the ground,
notched S. and E. and on
N. build mound of stones &
of height as per instructions, for cor.
to sec. 8, 9, 16, and 17, from which
Juniper, 20 in. diameter, S. 68 $\frac{1}{2}$ W. 262 feet dist.
No other tree near.

Over rocky hill
Some grass. No timber.

Township 9 S.R. 21 E.

Gila & Salt River Meridian

Ps. East or random line betw. sec. 9 & 16
var. 13° 45' East

40.00 Set temporary 1/4 sec. cor.

80.44 Intersect N. and S. line 12 hrs. S.
of cor to secs. 9, 10, 15, and 16, from
which cor. divide
S. 89° 35' W.

Outline line between sec. 9 & 16.

var. 13° 45' East.

40.20 Set an igneous rock, 12 x 9 x 6
inches, $\frac{2}{3}$ in the ground, marked
1/4, and on W. build mound of
stone 2 ft high, as per instruc-
tions, for 1/4 sec. cor. from which
A. Juniper, 18 in dia. by 8.79° E. 294 lbs. dist.
No other trees near.

80.44 Cor. to secs. 8, 9, 16, and 17. E.
Land broken and descending E.
Soil stony & poor. Some grass.
No timber.

Township 9 S.R. 21 E.

Gila & Salt River Mountain

No. North between sec. 8 & 9,
14° 13' 45" East.

40.00 Set an igneous rock, 12 x 8 x 7 inches,
 $\frac{1}{3}$ in the ground, marked N. and on
N. build round of stones
2 ft high as fire in-
struction, for the sec. com. No trees near.

80.00 Set an igneous rock, 16 x 12
x 5 inches, $\frac{1}{3}$ in the ground
and notched S. and E. and
on N. build round of stones
2 ft high as fire instruction for
com. to see. H. 5. 8 and 9.
from which

Aubak, 3 mi. dist. N. 45° W. 16 hrs. dist.
No other trees near.

Sand hills and broken.
Some grass. No timber of con-
sequence.

Township 9 S.R. 21 E.

Gila & Salt River Meridian

Sec. East. on random line betw. sec. 4 $\frac{3}{4}$ & 9,
var. 13°45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.29 Intersect N. and S. line 20 lbs. S. of
cor. to sec. 3, 4, 9 and 10. from
which cor. I made
S. 89°51' W.

On true line between sec. 4 $\frac{3}{4}$ &
var. 13°45' East.

40.14 Set an igneous rock, 14x9x8
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound of
stones 2 ft. high, as per instruction
for $\frac{1}{4}$ sec. cor. from which
A Juniper, 14 in. dia. has. S. 71 $\frac{1}{2}$ ° E. 99 lbs. disto
do. 10. " " A. 5 $\frac{1}{2}$ ° W. 43 " "

80.29 Cor. to secs. 4, 5, 8 and 9.
Land hilly and broken.
Some grass. No timber of
consequence.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Sec. North boundary line between 44 $\frac{1}{2}$
m.s. 13° 44' East

40.00 Set temporary 14 sec. cor.

80.33 Intercept N. boundary, 20 las. W.
of cor to sec. 4 and 5, from which
cor. I run
S. 0° 9' W.

On true line between secs. 4 $\frac{1}{2}$ 5.

var. 13° 44' East

40.33 Set an igneous rock, 10 x 6 x 6 inches
 $\frac{1}{3}$ in the ground, marked 1st,
and on S. build mound of stones
2 ft high, as instructions, for 1st
sec. cor. from which

Juniper, 7 in dia. b.s. 77° E. 73 las. dist.
do. 14. " " " N. 12° E. 54" "

80.33 Cor. to sec. 4, 5, 8 and 9.
Land very broken, cut up by deep canons.
Rocky and worthless. Some scrubby
juniper trees.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Pr. North between sec. 31 & 32,
var. $13^{\circ} 45'$ East

40.00 Sela post, marked 148.4 ft long, flat
tended 3 in. wide, 1 ft in the ground,
and build round of stones 2 ft
high, as per instructions, for 1/4 sec.
cor. from which

An oak, 9 in. dia. bas. N. $18^{\circ} W.$ 27 les. dist.
do. 5 " " N. $72^{\circ} 22' W.$ 46 " "

41.00 Arroyo, 40 less. wide, bas. N.E.

68.00 Dry bed of stream, in ravine, 50 less. wide, remark E.

80.00 Sela post, marked and notched
4 ft long, 3 in. sq'd., 1 ft in the ground
and build round of stones 2 ft
high, as per instructions, for cor.
to secs. 29, 30, 31 and 32.

No trees near.

Land hilly and broken and stony.
Good grazing. Some oak trees on
ravines.

District 9 S.R. 21 E.
Gila & Salt River Meridian

Ps. East command line lots sec. 29 & 32
var. 13° 45' East.

40.00 Set temporary 7/8 sec. cor.

80.14 Intercept N. and S. line 18 lots. S. of
cor. to secs. 28, 29, 32 and 33, from
which cor. from
S. 89° 52' W.

Outline line between secs. 29 & 32.
var. 13° 45' East.

40.07 Set angular rock, 18x8x6 in-
ches, 3 ft. in the ground, marked
1/4, and on W. build mound of
stones 2 ft. high, as per instruc-
tions, for 7/8 sec. cor.
No trees near.

80.14 Cor. to secs. 29, 30, 31 and 32.

Rolling grass land.

Soil stony. No timber on line.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Ls. West meridian line betw. sec. 30 & 31
 var. $13^{\circ}45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.26 Intersect N. boundary 35 lbs. N. of
 cor. to secs. 30 and 31. from which
 cordum

$1.8945' E.$

On true line between sec. 30 & 31,
 var. $13^{\circ}45'$ East.

40.26 Set an igneous rock, $16 \times 10 \times 7$
 inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$, and on E. build mound of stones
 $\frac{2}{3}$ ft. high as per instructions, for $\frac{1}{4}$ sec.
 cor. from which

An oak 10 in dia. has S. $10^{\circ}45'E.$ 63 lbs. dist
 do. 4 " " S. $24^{\circ}W. 73$ "

On S.E. slope of hill.

80.26 Cor. to Secs. 29, 30, 31 and 32.
 Ascending rocky mountain side on N.
 Rocky & brushy. Soil poor. Some grass E.

Panship 9 S.R. 21 E.
Gila & Salt River Meridian

Ls. North between sec 29 & 30.
Lat. 13° 45' East.

40.00 Set an igneous rock, 14x7x7 inches,
 $\frac{1}{3}$ in the ground, marked N., and on
N. build round of stones 2 ft high
for 14 sec. cor. from which
An Oak, 12 in dia. base. N. 10° E. 159 feet dist.
do. 13 " " A. 27 1/2 N. 175 " "

46.00 Rairie runs E.

85.00 Set an igneous rock, 14x8x8 inches,
 $\frac{2}{3}$ in the ground, notched S. and
E. and on N. build round
of stones 2 ft high, as per in-
structions, for cor to secs. 19.
20. 29 and 30.

No trees near.

Land rolling. Soil stony.
Good grass.

Trees along rairies.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

On East or random line bet. sec. 20 & 29
var. 13°45' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect N. and S. line 20 deg.

N. after to secs 20, 21, 28 and
29, from which cor. I run
N. 89°51' W.

On true line between sec. 20 & 29,
var. 13°45' East

40.06 Set an igneous rock, 12 x 8 x 7
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$ ft. and on W. build mound
of earth 8 ft high, with pit 1 ft.
deep, 2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.12 Cor to sec. 19, 20, 29 and 30.
Rolling grass land.
No timber of consequence.

Township 9 S.R. 21 E.

Gila & Salt River Meridian

S. West from random line between 19 & 30.
Var. 13°45' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.83 Intersect W. boundary 25 sec. N.
of carto sees. 19 and 30, from which
cor. from
N. 89°49' E.

Outline line between sec. 19 & 30.
Var. 13°45' East.

39.83 Set anegnius rock, 14x10x9
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$, and on E. build around of
stones 2 ft high, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

79.83 Carto sees. 19, 20, 29 and 30
Rolling grass land.

Some oak in N. end.

December 30. 1875.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Sec. North between secs. 19 & 20.
Var. 13°45' East

40.00 Set an igneous rock, 15 x 8 x 7
inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound
of stones 2 ft high, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set an igneous rock, 16 x
12 x 6 inches, $\frac{1}{3}$ in the ground,
notched S. and E. and on
N. build mound of stones
2 ft high as per instructions
for cor to secs 17, 18, 19 and
20.

No trees near.

Rolling grass land.

Not timbered of consequence
along line.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Sec. East boundary line betw. 17 $\frac{3}{4}$ 20
var. 13° 45' East.

35.00 Rannie runs N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.38 Intersect N. and S. line 23 hrs. N.
of cor to secs. 16, 17, 20 and
21, from which cor. form
N. 89° 50' W.

Outline line between secs. 17 $\frac{3}{4}$ 20,
var. 13° 45' East.

40.19 Gila black volcanic rock, 15 x
9 x 6 inches, $\frac{1}{3}$ in the ground,
marked $\frac{1}{4}$, and one W. build
mound of stone $\frac{3}{4}$ ft. high, as
per instructions, for $\frac{1}{4}$ sec. cor.
from which

A Juniper, 12 in. dia. bas. N. 43° E. 17 $\frac{1}{4}$ hrs. det.
~~no other trees near~~

80.38 Corte secs. 17, 18, 19 and 20.

Ascending hills, on E. Soil stony & poor.
No timber.

Township 9 S.R. 21 E.
Gila & Salt River Mountain

Ps. Not random line bet. sec. 18 $\frac{3}{4}$ 19
 var. 13°45' East

35.00 Border of deep cañon, running N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

43.00 Bottom of deep rocky cañon.

59.00 Top of bank on W. side.

79.81 Intersect N boundary 15 lrs. So far to Sec. 18
 3/4 from which cor. down
 S 89°54' E.

On true line between sec. 18 $\frac{3}{4}$ 19
 var. 13°45' East.

39.81 Mark a Juniper tree, in place, 12 in dia. $\frac{1}{4}$
 S. for $\frac{1}{4}$ sec. cor. from which
 A Juniper, 12 in dia lies N. 30° W. 49 lrs. dist.
 do. 8 " " N. 10° W. 112 " "

79.81 Cor. to secs. 17, 18, 19 and 20.
 Hard, broken, cut up by deep
 cañons. Soil stony. Some grass.
 Some trees in Cañon.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Lat. North between sec. 17 & 18,
Long. 134° 45' East

10.00 Rame runs N. W.

40.00 Siliceous rock, 12 x 8 x 7 inches,
 $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$ ft, and
on N. build mound of earth 6 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, as
per instruction, for $\frac{1}{4}$ sec. cor.

No trees near.

60.00 Deep cañon, rocky, bas. N. W.

80.00 Set black volcanic rock, 16 x
9 x 8 inches, $\frac{1}{3}$ in the ground,
notched S. and E. and on
N. build mound of stones
2 ft high as per instruction for
cont. sec. 7, 8, 17 and 18.
No trees near.

Very broken, cut up by deep cañon.
Soil stony & poor. Some trees in cañons.

Township 9 S.R. 21 E.
Gila & Salt River Meridian

Line East, random line between $8\frac{3}{4} 1^{\circ}$
var. $13^{\circ} 45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.31 Intersect N. and S. line 40 less N.
opposite sec. 8, 9, 16, and 17.
from which corner run
 $N. 89^{\circ} 43' W.$

Outline line between sec. $8\frac{3}{4} 1^{\circ}$
var. $13^{\circ} 45'$ East.

40.16 Set a black volcanic rock, $15 \times 9 \times$
7 inches, $\frac{1}{3}$ in the ground, marked
 $\frac{1}{4}$, and on W. build mound
of stone $\frac{2}{3}$ high, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.31 Conto Secs 7, 8, 17 and 18.
Passes over high hills.
Soil stony and poor.
No timber.

Pownship 9 S.R. 21 E.
Gila & Salt River Meridian

Pr. West mountain line sec. 7 $\frac{3}{4}$ 18,
var. 13° 45' East

- 15.00 Deep rocky cañon, bas. N.E.
 39.00 Deep cañon, bas. N.E., running first
 a short distance N.
 40.00 Set temporary 7 $\frac{1}{4}$ sec. cor.
 80.24 Intersect W. boundary 43 las. S. of
 cor to sec. 7 and 18 from which
 cor. from
 S. 89° 42' E.
 On true line between secs. 7 $\frac{3}{4}$ 18
 var. 13° 45' East.

- 40.24 Mark S. face of large bluff rock, in place,
 1/4, and build mound of stone 2 ft
 high, alongside a f.d. for 7 $\frac{1}{4}$ sec.
 cor. from which
 Juniper, 12 in. dia. on S. 60° E 130 las. dist
 No other trees near.
 80.24 Cor to secs. 7, 8, 17 and 18.
 Very broken: Cut up by deep cañons.
 Soil rocky and poor. Some trees in cañons.

Township 9 S.R. 21 E.
Gila Salt River Meridian

Sec. North between secs. 7 & 8
Var. 13°45' East.

40.00 Set an igneous rock, 12 x 8 x 7 inches,
 $\frac{1}{3}$ in the ground, notched N. and
on N. build mound of earth 2 ft.
high, with hills 1 ft. apart, 2 ft. long, 1 ft.
wide, as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

65.00 Deep cañon has. N. E.

80.00 Set an igneous rock, 16 x 10 x 9
inches, $\frac{1}{3}$ in the ground, notched
S. and E. and on N. build mound
of stones 2 ft. high, as per in-
structions, for cor to secs. 5, 6, 7
and 8.

No trees near.

Very broken. Cut up by deep
cañon. Some trees in cañon.

Township 9 S.R. 21 E.
Gila & Salt River Meridian
Rd East or random line betw. sec. 5 & 8
var. $13^{\circ}45'$ East

) 30.00 Deep cañon runs N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.58 Intersect N. and S. line 26 lbs. S. of
cor to sec. 4, 5, 8 and 9, from
which cor. true
 $S.89^{\circ}49'W.$

On true line between secs. 5 & 8.
var. $13^{\circ}45'$ East.

40.29 Set in igneous rock, 16 x 9 x 7 inches,
 $\frac{2}{3}$ in. the ground, marked $\frac{1}{4}$, and at
W. build mound of stones 2 ft.
high, as per instructions for $\frac{1}{4}$ sec.
cor. No trees near.

Cor. on E. border of deep cañon.

80.58 Cor. to sec. 5, 6, 7 and 8.

Land broken. Cut up by deep cañon.
Soil poor. Some trees along cañon.

Township 9 S.R. 21 E.
Gila & Salt River Mountain

Rs West of random line bet. sec. 6 $\frac{3}{4}$ &
var. 13° 45' East.

35.00 Deep cañon runs N.E.

40.00 Set temporary 1/4 sec. cor.

80.27 Intersect W. boundary 31 sec. S. of
cor. to sec. 6 and 7, from which
cor. down
S. 89° 47' E.

True line between sec. 6 $\frac{3}{4}$ &
var. 13° 45' East.

40.27 Set an igneous rock, 12 x 8 x 7 in-
ches, $\frac{1}{3}$ in the ground, marked 1/4,
and on E. build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for 1/4
sec. cor. No trees near.

80.27 Cor to secs 5, 6, 7 and 8.
Land broken. Cut up by deep
cañon. Soil rock and poor.

Prairiehip 9 S.R. 21 E.
Gila & Salt River Meridian

Ro. North boundary line between 5 $\frac{1}{4}$ C.
Var. 13° 45' East.

20.00 Deep cañon less. N.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect N. boundary 50 less W. of cor.
to sec. 5 $\frac{1}{4}$ C. from which cor. form
S. 0° 21' W.

On true line between sec. 5 $\frac{1}{4}$ C.
var. 13° 45' East.

40.00 Set an equinoctial rock, 12 x 8 x 7 in-
ches, $\frac{3}{4}$ in. the ground, marked $\frac{1}{4}$, and
on S. boundary of earth cliff,
with fits of deep, falling, hard, as per
instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Cor to sec. 5, 6, 7 and 8.

Land rocky, broken and poor.
No timber.

December 31, 1873.

Township 9 S.R. 21 E.
Gila & Salt River Meridian
Phys. General Description.

The N.E. cor. of this township covers the head of Amiraipai cañon. In sec. 14 is situated Eureka Springs.

There is much good grass land in the S. and E. portions of the township.

The W. and N.W. portions are covered by high rocky hills, and cut up by deep cañons, especially in the N.W. corner, and the land is comparatively worthless.

Theodore F. White
U.S. Deputy Surveyor.

List of Names.

BOOK 735

62

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision
lines of Township 9 S. Range
21 E. of the Gila and
Salt River Median
Arizona.

Showing the respective capacities in which they
acted.

Urbano Bassard Chainman.

R. A. Vazquez Chainman,

B. Palmer Axeman.

Wright H. Aubrey Flagman.

Final Oath of Assistants.

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying the subdivision lines of Township 9 S. Range 21 E. of the Gila and Salt River Meridian, Arizona.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Wm. Bessard Chainman.

R. A. Farquhar Chainman,

B. Palmer Axeman.

Wright, H. Autrey Axeman.

Sworn to and subscribed before me, this 30 day of January, 1876

John L. Harris
Asst. Secretary.
Arizona

Final Oath of Deputy Surveyor.

I, Theodore F. White,

U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bearing
date the 25th day of June

1875 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-General,
the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the Subdivision lines of

Township 9 S. Range 21

E. of the Gila and Salt

River Meridian, Arizona

as are represented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

BOOK 735

tained in circular instructions from the U. S.
Surveyor-General for Arizona, dated September
1, 1873, regarding the establishment of corner
boundaries of public surveys, and that the fore-
going are the true and original Field Notes of
such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 3rd
day of January, 1876

John H. Harris
Asst. Secretary
Arizona

BOOK 735

66

U. S. Surveyor General's Office,
Tucson, Arizona, January 24, 1876.

The foregoing Field Notes of the survey of the
Subdivision lines of
Township 9 S.
Range 21 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the 25 day of
June, 1875, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Basson.

Surveyor General.