

No. 765

# Field Notes

BOOK 765

OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

Township *12<sup>S</sup>* Range *24<sup>E</sup>*.

*Gila and Salt River Base and Meridian*

*ARIZONA.*

By *Theodor F. White*, D. S.

under contract dated *June 25, 1875.*

Survey commenced *Nov. 22, 1875.*

Survey completed *Nov. 26, 1875.*

No. 765

765

## Preliminary Oaths of Assistants.

We, Urbain Bessard  
and R. A. Varguez  
do solemnly swear that we will faithfully execute  
the duties of Chain Carriers; that we will level the  
chain upon uneven ground, and plumb the tally  
pins, whether by sticking or dropping the same;  
that we will report the true distance to all notable  
objects, and the true length of all lines that we as-  
sist in measuring, to the best of our skill and  
ability.

Urbain Bessard

R. A. Varguez

Sworn to and subscribed before me, this 18<sup>th</sup>  
day of October, 1875

John H. Carr's  
Ass't Secty.  
Arizona

We, B. Palmer and  
Wright H. Aubury,

do solemnly swear that we will well and truly per-  
form the duties of Courier and  
Flagman, respectively,  
according to instructions given us, and to the best  
of our skill and ability.

B. Palmer

Wright H. Aubury.

Sworn to and subscribed before me this 18<sup>th</sup>  
day of October 1875

John D. Evans  
Asst Secretary.  
Arizona



1C

BOOK 765

List of Names.

No. 765

A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of the Subdivision

lines of Township 17 S.  
Range 9<sup>th</sup> E. of the Gila  
and Salt River Meridian  
Arizona.

Showing the respective capacities in which they  
acted.

Urban Rossard Chainman.

R. A. Vasquez Chainman,

P. Palmer Axeman.

Wright H. Aubrey Flagman.

1D

BOOK 765

Final Oath of Assistants.

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying the Subdivision lines of Township 17 S. Range 24 E. of the Gila and Salt River Meridian, Arizona.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Urbain Bernard Chainman.

R. A. Vargue Chainman,

B. Palm Axeman.

Wright Huber Engineer.

Sworn to and subscribed before me, this 3<sup>rd</sup> day of January, 1876

John L. Harris

Asst. Secretary  
Arizona

## Final Oath of Deputy Surveyor.

I, Theodore F. White,

U. S. Deputy Surveyor, do solemnly swear that  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bear-

ing date the 25 day of June

1871. I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-General,  
the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

the Subdivision lines of

Township 12 S. Range 21  
E. of the Gila and Salt,  
River Meridian, Arizona.

as are repre-  
sented in the foregoing Field Notes as having  
been surveyed under my directions; and I do  
further solemnly swear that all the corners of  
said surveys have been established and perpet-  
uated in strict accordance with the Surveying  
Manual and printed instructions, and also in ac-  
cordance with the additional requirements con-

1F

BOOK 765

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White  
Deputy Surveyor.

Sworn to and subscribed before me, this 3<sup>rd</sup>  
day of January, 1876

John H. Harrington  
Asst. Secretary  
Arizona

1G

No. 765

4-674.

Township 12 S. R. 24 E. S. & S. R. R. 8<sup>th</sup> M.

## BOOK 765

6	60	5	44	4	33	3	22	2	11	1
59	58		43		32		21		11	
7	57	8	43	9	31	10	20	11	9	12
56	55		41		30		19		8	
18	54	17	40	16	39	15	18	14	7	13
53	52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24
50	49		37		26		15		4	
30	48	29	36	28	25	27	14	26	3	25
47	46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36

Township 12 S. R. 7<sup>th</sup> E.  
Gila & Salt River Meridian

- Obs. Subdivision commenced Nov. 22. 1875.  
From sec. 35 & 36. on S. Boundary Line  
North between secs. 35 & 36  
Lat.  $35^{\circ} 36'$  N.  
Long.  $130^{\circ} 57'$  East.  
As per East Boundary
- 40.00 Drove charred stake & build mound of earth 2 ft high, with pit 1 ft deep. 2 ft long,  
1 ft wide, as per instructions for 1/4 sec.  
cor. No trees near.
- 54.00 New Road from Point of Mountain  
to Pueblo Viejo, has. N. E.
- 80.00 Drove charred stake & build mound of earth  
2 ft high, with pit 1 ft deep. 2 ft long, 1 ft  
wide, and in center of pit S. E. 1/4 sec.  
drive a stake, marked and notched,  
2 ft long, 2 in. sqd. 1 ft in the ground,  
as per instructions, for cor. to sec.  
25, 26, 35 and 36.  
Land ascends a little N. E. Soil & rate.  
No trees or stones. Good grass.

Township 12 S.R. 24 E.

Gila & Salt River Meridian

Ps. East on random line lots sec. 25 & 36.  
Var. 13° 57' East.

25.00 New Road from Point of Mountain  
to Pueblo Viejo, line N.E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.72 Intercept E. boundary 18 las. N.  
of cor. to sec. 25 and 36. from  
which cor. Draw  
N. 89° 52' W.

Outline line between sec. 25 & 36.  
var. 13° 57' East.

39.86 Draw charred stave and build mound  
at earth 7 ft. high, with pit 8 ft.  
deep, 2 ft. long, 1 ft. wide, as per  
instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

79.72 Cor. to sec. 25, 26, 35 & 36.

Land ascends E. Soil. Coarse, gravelly.  
On extreme E. end commence to ascend  
W. slope of hill. No stones or timber.

Township 17 S. R. 2<sup>nd</sup> E.  
Gila & Salt River Indian

Ls. North between sec. 25 & 26  
Lat. 13° 57' East.

- 40.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for 1/4 sec.  
cor. No trees near.
- 80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S. E. of cor.  
drive a stake, marked and  
notched, 2 ft. long, 2 in. sq'd.,  
ft. in the ground, as per in-  
struction, for cor. to secs.  
23, 24, 25 and 26.

No trees near.

Land ascends a little E. Soil  
2<sup>nd</sup> rate. Considerable grass.  
No stone or timber.

Township 12 S. R. 21<sup>st</sup> E.

Gila & Salt River Mexican

Six East random line betw sec. 7<sup>th</sup> & 25.  
Var. 13° 57' East.

40.00 Set temporary 1<sup>st</sup> sec. cor.

79.63 Intersect E. boundary 32 lns.

N. af cor to sec. 21<sup>st</sup> and 25.  
from which cor. I run  
N. 89° 46' W.

On true line between sec. 7<sup>th</sup> & 25.  
Var. 13° 57' East.

39.82 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft. deep, 2 ft long, 1 ft.  
wide, as per instructions,  
for 1<sup>st</sup> sec. cor.

No trees near.

79.63 Cor. to secs. 23. 24. 25 & 26.  
Land ascends a little E.  
Soil 2<sup>nd</sup> rate. Gravelly. No stones  
or timber.

Township 12 S. R. 2<sup>d</sup> E.  
Gila & Salt River Meridian

Pl. North between secs. 23 & 24  
Var. 13° 57' East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
sits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1<sup>st</sup> sec.  
cor. No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
sits 1 ft deep, 2 ft long, 1 ft wide  
and in center of pit S. E. of cor.  
drive a stake, marked and  
notched, 2 ft long, 2 in. width,  
spit in the ground, as per in-  
structions, for cor. to see.

13, 14, 23 and 24. No trees near.  
Land ascends a little E. Soil 5<sup>d</sup>  
rate, gravelly. No stones or  
timber.

Township 12 S. R. M<sup>t</sup> E.  
Gila & Salt River Meridian

R. East or random line between 13 $\frac{3}{4}$  M<sup>t</sup>.  
var. 13°57' East.

40.00 Set temporary 1/4 sec. cor.

79.6st Intercept E. boundary 18 hrs. N.  
as far to sec. 13 and 9st. from  
which cor. down.

N. 89°52' W.

Outline line between sec. 13 $\frac{3}{4}$  M<sup>t</sup>.  
var. 13°57' East.

39.82 Dry charred stumps and build  
mounds of earth 2 ft. high, with  
soil 1 ft. deep, 2 ft. long, 1 ft. wide  
as per instructions, for 1/4 sec.  
cor. No trees near.

79.6st Cor to sec. 13. 14. 23 and 9st.  
Land asound a little E.  
Soil 2" rate.

Some grasses, no stones or timber.

Poownship 12 S Range 24 E.  
Gila & Salt River Indian

Ch. North between secs. 13 & 14  
var. 13<sup>1</sup>5<sup>1</sup>4' East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 1/4 sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S.E. of  
cor. drive a stake, marded and  
notched, 2 ft long, 2 in. egd.  
1 ft in the ground, as per in-  
structions, for cor. to secs. 11,

12, 13 and 14. No trees near.  
Land ascends a little N.E.

Sil 1<sup>1</sup> mile. Grass. No stones  
or timber. November 22. 1875.

Township 12 S.R. 24 E.

Gila & Salt River Mountain

Pt. East on random line betw. sec. 12 & 13,  
var. 13<sup>57'</sup> East.

40.00 Lot temporary 1/4 sec. cor.

79.69 Interv. at E. boundary, 10 lbs.  
S. of cor. to sec. 12 and 13, from  
which cor. drawn  
S. 89<sup>56'</sup> W.

On true line between sec. 12 & 13,

var. 13<sup>57'</sup> East.

39.85 Draw charred stake and build  
mound of earth 3 ft. high with  
pit 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instruction for  
1/4 sec. cor.

Notes near.

79.69 Cor. to sec. 11, 12, 13 and 14.  
Land around a little E. gravelly.  
Soil Crude Some grass. No stones  
or timber.

Township 12 S. R. 2<sup>nd</sup> E.  
Gila & Salt River Mountain

Chs. North between sec. 11 & 12.

var. 13° 5' East.

40.00 Drive charred stake and build  
monument of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions, for  
1/4 sec. cor. No trees near.

80.00 Drive charred stake and build  
monument of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of  
or. drive a stake, marked  
and notched, 2 ft long, 2  
in. sqd. off in the ground,  
as per instructions, for cor.  
to secs. 1, 2, 11 and 12.  
Land ascends a little E. Soil 2'  
soil. Some grass. No stones  
or timber.

No. 765 "

Township 12 S. Range 14 East.  
Gila & Salt River Meridian

Sec. East or random line between 1 & 12.  
var.  $13^{\circ}57'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.66 Intercept E. boundary glen. N.  
from to see. 1 and 12. from  
which cor. I made

$1.89.56'$  W.

On line between sec. 1 & 12.

var.  $13^{\circ}57'$  East.

39.83 Duri charred stake and build  
around a earth pile high, with  
fill 1 ft. deep. 2 ft long. 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor. No trees near.

79.66 Contosees. 1, 2, 11 and 12.

Land rising a little N. E.

Soil 2 rate. Good grass.  
No stones or timber.

Pownship 12 S.R. 2<sup>d</sup> E.  
Gila & Salt River Mexican

Sec. North on random line between 1<sup>1</sup>/<sub>2</sub> &  
var. 13° 57' East.

40.00 Set temporary 1/4 sec. cor.

79.85 Intercept N. boundary 7 lbs. E.  
after to sec. 1 and 2. from  
which cor. I run  
S. 0° 3' E.

On true line between sec. 1<sup>1</sup>/<sub>2</sub>.

var. 13° 57' East.

39.85 I run charcoal stake and build  
mound of earth 4 ft high, with  
pits 1 ft deep. 2 ft long. 4 ft wide,  
as per instructions, for 1/4 sec.  
cor. No trees near.

79.85 Cor. to sec. 1, 2, 11 and 12.  
Land rises a little to N.E.  
Soil 2<sup>r</sup> rate. Good grass,  
No stone or timber.

Township 12 S. R. M. E.  
Gila & Salt River Meridian  
R. North between sec. 34 & 35  
Lat. 33° 57' East

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft. deep, 2 ft long, 1 ft wide,  
as per instruction, for  $\frac{1}{4}$  sec.  
cor. 1 tree near.

80.00 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft. deep, 2 ft long, 1 ft wide,  
and in center a pit 8. E. of sec.  
drive a stake, marked and  
notched, 2 ft long, 2 in. sqd.,  
1 ft in the ground, as per in-  
struction, for cor to sec. 26,  
27, 34 and 35. 1 tree near.  
Land flat

Soil good.

No stones or timber.

Township 12 S.R. 2<sup>nd</sup> E.  
Gila & Salt River Meridian

S. East random line betw. sec. 26 & 35.  
var. 13° 57' East.

40.00 Set temporary posts cor.

80.12 Intersect N. and S. line of lots S.  
of cor. to sec. 25, 26, 35 and  
36, from which cor. I run  
8.89° 56' W.

On true line between sec. 26 & 35.  
var. 13° 57' East.

40.06 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for 1/4 sec.  
cor. No trees near.

80.12 Cor. to secs 26, 27, 34 and 35.  
Land around a little E. Soil  
very poor. Good grass.  
No stones or timber.

Township 12 S. R. 21<sup>st</sup> E.

Gila & Salt River Meridian

Sec. North between sec. 26<sup>th</sup> &  
var. 13<sup>th</sup> East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instruction, for 1/4 sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S.E. of cor.  
drive a stake, marked and notched,  
2 ft long, 2 in. sqd. 1 ft in the  
ground, as per instruction  
for cor. to secs 22, 23, 26, and  
27. No trees near.

Land ascends a little E.  
Soil - slate. Some grass.  
No stones or timber.

Township 12 S.R. 2<sup>nd</sup> E.  
Gila & Salt River Meridian

S. East or random line between 23<sup>rd</sup> N.  
var. 13° 57' East

40.00 Set temporary 1<sup>st</sup> sec. cor.

79.90 Intersect N. and S. line 6 lines N.  
aff cor. to secs. 23, 24, 25 and  
26, from which cor. turn  
N. 89° 57' W.

On true line between sec. 23<sup>rd</sup> N.  
var. 13° 57' East.

39.95 Burned charred stumps and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1<sup>st</sup> sec.  
cor. No trees near.

79.90 Cor. to secs. 22, 23, 26 & 27.  
Land accends a little E.  
Soil 2<sup>nd</sup> rate. Some grass.  
No stone or timber.

Township 12 S. R. 2<sup>nd</sup> E.  
Gila & Salt River Mountain

Ch. North between sec. 72 & 73  
var. 13° 37' East

- 40.00 Drive charred stake 12 in. down,  
and build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft.  
long, 1 ft wide, as per instructions  
for 74 sec. cor. No trees near.
- 80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S.E. of cor.  
drive a stake, marked and  
notched, 2 ft long, 2 in. sqd.  
1 ft in the ground, as per in-  
structions, for cor. to sec., 14  
15, 22 and 73. No trees near.  
Land ascends a little N.E.  
Soil 2<sup>o</sup> rate. No stones or  
timber.

Township 12 S. R. 2<sup>nd</sup> E.  
 Gila & Salt River Mountain

Sec. East from random line betw. sec. 14 & 23  
 var.  $13^{\circ} 57'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.07 Intersect N.  $\frac{1}{4}$  S. line 10 lks. S.  
 after to sec. 13, 14, 23 and 24,  
 from which cor. I run  
 $889^{\circ} 56' W.$

True line between sec. 14 & 23.  
 var.  $13^{\circ} 57'$  East.

40.03 I run charred stake and build  
 mound of earth 2 ft high,  
 with pits 1 ft deep, 2 ft long,  
 1 ft wide, as per instruction  
 for  $\frac{1}{4}$  sec. cor.  
 No trees near.

80.07 Cor. to sec. 14, 15, 22 & 23.

Land ascends a little E. Smooth.  
 Soil 2<sup>nd</sup> rate. Considerable grass.  
 No stones or timber.

Township 12 S.R. 2<sup>d</sup> E.  
Gila & Salt River Meridian

On North between secs 14 & 15,  
var. 13' 57" East

40.00 Drive charred stake and build  
around a earth 8 ft high, with  
pits 1 ft. deep, 2 ft long, 1 ft. wide,  
as per instructions for 1/4 sec. cor.  
No trees near.

80.00 Drive charred stake and build  
around a earth 8 ft high, with  
pits 1 ft. deep, 2 ft long, 1 ft wide,  
and in center of pit S.E. of cor.  
drive a stake, marked and  
notched, 2 ft long, 2 in. sq'd.  
1 ft in the ground, as per in-  
structions for cor. to secs. 10,  
11, 14 and 15. No trees near.

Land flat. Soil mostly good.  
Considerable grass. No stones  
or timber.

Township 12 S. R. 7<sup>th</sup> E.  
Gila & Salt River Meridian

Rs. East on random line betw sec. 11 & 14.  
var.  $13^{\circ}57'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.91 Intersect N. and S. line 11 hrs.

N. a few rods to secs. 11, 12, 13 and  
14, from which cor. I run  
 $N.89^{\circ}55'W.$

On true line between sec. 11 & 14.

var.  $13^{\circ}57'$  East.

39.96 Run charred stake and build  
monad after the plough, with  
sift 1 ft. deep, 2 ft. long, 1 ft. wide, a  
few instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.91 Cor. to secs. 10, 11, 14 & 15.  
Land ascends a little N. E.  
Soil very late. Some grass.  
No stones or timber.

Township 12 S. R. 3<sup>rd</sup> E.  
Gila & Salt River Meridian

Line North between sec. 10 & 11.

var. 13° 57' East

40.00 Drove charred stake and build  
mound of earth 7 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec.  
cor. No trees near.

80.00 Drove charred stake and build  
mound of earth 7 ft high, with  
pits 1 ft. deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of cor.  
drive a stake marked and  
notched, 2 ft long, 2 in. egd. ft.  
in the ground, as per instructions  
for cor. to sec. 2, 3, 10 and 11.  
No trees near.

Land ascends a little N. E.

Soil 2<sup>nd</sup> rate. Some grass. No stones  
or timber. November 23, 1875.

Township 17 S. R. 2<sup>nd</sup> E.  
Gila & Salt River Meridian

On East or random line bet sec. 2 & 11.  
var.  $13^{\circ}57'$  East.

40.00 Set temporary by sec. cor.

79.91 Intersect N. and S. line 11 hrs. N.  
of cor. to sec. 1, 2, 11 and 12,  
from which cor. I run  
 $N. 89^{\circ}55' W.$

On true line between sec. 2 & 11.  
var.  $13^{\circ}57'$  East.

39.96 I run charred stake and build  
mound a feather 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec.  
cor. 1. No trees near.

79.91 Cor. to sec. 2, 3, 10 & 11.  
Land ascends a little N. E.  
Soil dry. Some grass,  
No stones or timber.

Township 12 S. R. 2<sup>nd</sup> E.  
Gila & Salt River Meridian

Sec. North on random line between 2 & 3,  
var. 13° 57' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.87 Intersect N. boundary 8 lots. N.  
of cor. to secs. 2 and 3, from  
which cor. from  
S. 0° 3' W.

On true line between secs. 2 & 3.

var. 13° 57' East.

39.87 Drive charred stake and build  
mound after the fashion,  
with pit 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions, for  $\frac{1}{4}$  sec.  
cor. No trees near.

79.87 Cor. to secs. 2, 3, 10 and 11.  
Land ascends a little N. E.  
Soil 2<sup>nd</sup> rate. Some grass.  
No stones or timber.

Township 12 S. R. 2<sup>nd</sup> E.  
Gila & Salt River Meridian

S. N. North between sec. 33 & 34<sup>th</sup>  
var. 13° 57' East.

40.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instruction for  
1/4 sec. cor. No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S. E. a post,  
drive a stake, marked and  
notched, 2 ft. long, 2 in. sqd.  
1 ft. in the ground, as per in-  
structions, for cor to sec. 27,  
28, 33 and 34<sup>th</sup>. No trees near.  
Land grassy plain. Soil good,  
but containing some alkali.  
No stones or timber.

Township 12 S. R. 2<sup>nd</sup> E.  
Gila & Salt River Meander

On East random line between 27<sup>th</sup> & 28<sup>th</sup>  
var. 13° 57' East.

40.00 Set temporary 1/4 sec. cor.

79.97 Intersect N. and S. line glass  
posts seen 26, 27, 31 and  
35, from which cor. I am  
S. 89° 56' W.

On true line between sec. 27 & 28<sup>th</sup>  
var. 13° 57' East.

39.99 Large charred stake and build  
mound of earth at the top with  
pit 4 ft. deep, 2 ft. long, 1/6  
soil as per instruction, for  
1/4 sec. cor. No trees near.

79.97 Cap. to post 27, 28, 33 and 34,  
No stone or timber.

Land flat

Soil good.

Township 12 S. R. 2d E.  
Gila & Salt River Mountain

Ls. North between secs. 27 & 28.

var. 13° 37' East.

40.00 Drove charred stake and build  
mound of earth 2 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec.  
cor. No trees near.

80.00 Drove charred stake and build  
mound of earth 2 ft high with  
pits 1 ft deep, 2 ft long, 1 ft  
wide, and in center of pit  
S.E. of cor. drove a stake  
marked and notched, 2 ft long,  
2 in. sqd. of in the ground, as  
per instructions, for cor. to secs.  
21, 22, 27 and 28. No trees near.  
Land flat. Soil good.

Good grass.

No stones or timber.

Township 12 S. R. 9<sup>th</sup> E.

Gila & Salt River Meridian

Sec. East or random line lots cor. 22<sup>3</sup>/4<sup>y</sup>  
var. 13°57' East

40.00 Set temporary 1/4 sec. cor.

79.88 Intersect A. and B. line 8 lots. N.  
a/cor. to secs. 22, 23, 26 and 27  
from which cor. from  
N. 89° 57' W.

On true line between secs. 22 & 27  
var. 13°57' East.

39.94 Drive charred stake and build  
round a smooth flat high with  
pits 1 ft. deep. 2 ft long. of brads,  
as per instructions, for 1/4 sec.  
cor. No trees near.

79.88 Cor. to secs. 21, 22, 27 and  
28.

Land flat Soil good.  
No stones or timber.

Township 17 S. R. M<sup>t</sup> E.  
Gila & Salt River Indian

L. North between sec. 21 & 22,  
var.  $13^{\circ} 57'$  East

40.00 Drive charred stake and build  
mound of earth 2 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec.  
cor. No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center a pit S. E. of  
cor. drive charred stake, marked  
and notched, 2 ft long, 2 in. sq'd.,  
1 ft in the ground, as per in-  
structions, for cor. to secs. 15,  
16, 21 and 22. No trees near.  
Land flat. Soil good.  
Grass. No stones or timber.

Prairie 17 S. R. 21 E.  
Gila & Salt River Mound.

Ps. East from random line lots sec. 15  $\frac{3}{4}$  77,  
var.  $13^{\circ}57'$  East

40.00 Set temporary tree cor.

79.94 Intersect N. and S. line 4 lots S. of  
cor. to sec. 14, 15, 22 and 23.  
from which cor. form  
 $8.89^{\circ}58'$  W.

On true line between sec. 15  $\frac{3}{4}$  77,  
var.  $13^{\circ}57'$  East.

39.97 Driven charged stake and build  
mound of earth 7 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide  
as per instructions for tree cor.  
No trees near.

79.94 Cor to sec. 15, 16, 21  $\frac{3}{4}$  77.  
Land ascends a little E.  
Soil 2 rate. Plenty of grass.  
No stones or timber.

Township 12 S. R. 21<sup>st</sup> E.

Gila & Salt River Mountain

P. North between sec. 15 & 16,  
var. 13° 57' East

40.00 Duri charred stake and build  
mound of earth 2 ft high, with  
fill 1 ft deep, 2 ft long, 1 ft wide,  
as per instruction, for 1/4 sec.  
cor. No trees near.

80.00 Duri charred stake and build  
mound of earth 2 ft high, with  
fill 1 ft deep, 2 ft long, 1 ft wide,  
and in center a pit S.E. of  
cor. duri a stake, marked  
and notched, 2 ft long, 2 in egd,  
1 ft in the ground, as per instruc-  
tions, for cor to sec. 9, 10, 15,  
and 16. No trees near.

Liquid flat Soil mostly good,  
Grass. No stones or timber.

Township 12 S.R. 2<sup>nd</sup> E.  
Gila & Salt River Mexican

L. East from random line between - 10° 15'  
m. 13° 37' East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.89 Intersect 4. and 8. line 7 m. S. of  
cor. to sec. 10, 11, 14 and 15,  
from which cor. form  
S. 89° 57' W.

On true line between sec. 10 & 15.

m. n. 13° 37' East.

39.95 Lure charred stake and build  
round a earthy & high with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor. No trees near.

79.89 Cor. to secs. 9, 10, 15 and 16.  
Land flat

Soil good. Good grass.  
No stones or timber.

Township 17 S. R. M<sup>t</sup> E.

Gila & Salt River Meridian

L. North between sec. 9 & 10

sec. 13° 5' East.

40.00 Drive charred stake and build  
mound of earth 2 ft high with  
sits 1 ft deep. 2 ft long. 1 ft wide,  
as per instruction, for 1/4 acre.  
cor. No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft high with  
sits 1 ft deep. 2 ft long. 1 ft wide,  
and in center of pit S.E. of  
cor. drive a stake, marked and  
notched, 2 ft long. 2 in. sqd.  
ff in the ground, as per instruc-  
tions, for cor. to sec. 3, 4, 9 and  
10. No trees near.

Land flat. Soil good.

Good grass. No stones or  
timber.

Township 17 S.R. mt E.

Gila & Salt River Meridian

P. East. or random line betw. sec. 3 $\frac{3}{4}$  10  
var. 13° 57' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.05 Intersect N. and S. line 7 $\frac{1}{2}$  sec.

S. off cor. to sec. 2, 3, 10, and 11,  
from which cor. down  
S. 89° 37' W.

On true line between sec. 3 $\frac{3}{4}$  10  
var. 13° 57' East.

40.02 Buried charred stake and  
build mound of earth of high  
with pit 1 ft. deep, 2 ft. long,  
wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

No trees near.

80.05 Cor. to Secs. 3, 4, 9 and 10.

Land ascends a little N.E.

Soil very gravelly. Considerable grass. No stone or timber.

November M. 18<sup>th</sup> 5.

Township 12 S. R. 2<sup>d</sup> E.  
Gila & Salt River Indian

Ps. North on random line tsca. 3<sup>3</sup>/<sub>4</sub> st.  
var. 13° 5' N. East.

40.00 Set temporary 1<sup>1</sup>/<sub>2</sub> sec. cor.

80.09 Intersect N. boundary 5 lks.  
W. from to sec. 3 and st. from  
which cor. I run  
S. 0° 2' W.

On true line tsca. 3<sup>3</sup>/<sub>4</sub> st.  
var. 13° 5' N. East.

40.09 Saw charred stake and  
build mound of earth 2 ft.  
high, with pits 6 ft. deep, 2 ft.  
long, 1 ft. wide, as per instructions  
for 1<sup>1</sup>/<sub>2</sub> sec. cor. No tree near.

80.09 Conto sec. 3, 4, 9 and 10.  
Land flat. Soil mostly  
good. Grass,  
No stone or timber.

Township 12 S. R. 21<sup>t</sup> E.  
Gila & Salt River Meridian

Sec. North between sec. 32 & 33.  
rs. 13<sup>57</sup> E.

4000 Drive charred stake and build  
mound of earth 8 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions, for 1/4 sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft. high,  
with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, and in centre of pit S.E.  
of cor. drive a stake, marked  
and notched, 2 ft. long, 2 in.  
sqd. from the ground, as per  
instructions, for cor. to secs.  
28, 29, 32 and 33. No trees near.  
Land flat. Soil good.

Considerable grass. No stones  
or timber.

Township 17 S.R. 1st E.  
Grid Salt River Meridian

Pr. East from line between sec. 28 & 33  
var.  $13^{\circ}57'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.80 Intersect 1st and 5th line 15 hrs. N.  
apart to sec. 27, 28, 33 and  
34, from which cor. down  
 $N.89^{\circ}52' W.$

On true line between sec. 28 & 33  
var.  $13^{\circ}57'$  East.

39.90 Lurid charred stake and build  
mound of earth 2 ft high with  
pits 1 ft deep, 2 ft long, of variable  
size per instruction, for  $\frac{1}{4}$  sec.  
cor. No trees near.

79.80 Cor. to sec. 28, 29, 32 and 33.  
Land flat. Soil good.  
Considerable grass.  
No stone or timber.

Township 17 S. R. M<sup>E</sup>.  
Gila & Salt River Mountain

P. North between sec. 28 & 29  
var. 13° 57' East.

40.00 Drove charred stake & build  
mound of earth 2 ft high with  
pit 1 ft deep. 2 ft long. 1 ft wide,  
as per instructions, for 1st sec.  
cor. No trees near.

80.00 Drove charred stake and  
build mound of earth 2 ft.  
high with pit 1 ft deep. 2 ft  
long. 1 ft wide, and in center of  
pit S.E. of cor. drove a stake  
marked and notched 2 ft long,  
2 in. sqd. 1 ft in the ground, as  
per instructions, for cor to sec.

20, 21, 28 and 29. No trees near.  
Land flat. Soil good.

Considerable grass. No stone  
or timber.

Township 12 S. R. M<sup>t</sup> E.

Gila & Salt River Meridian

Ch. East meridian line sec 21 3/28.  
var. 13° 5' N. East.

40.00 Set temporary lot sec cor.

80.06 Intersect N. and S. line 5 lks. S.  
of cor. to sec. 21, 22, 27 and 28.  
from which cor. I run  
S. 89° 58' W.

On true line between sec 21 3/28.  
var. 13° 5' N. East.

40.03 Set charred stake and build  
mound of earth 2 ft high, with  
spit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 1/4 sec.  
cor. No trees near.

80.06 Cor. to secs. 20, 21, 28 & 29.  
Land flat

Soil good. Considerable grass  
No stone or timber.

Township 12 S. R. M. E.  
Gila & Salt River Meridian

Sec. North between sec. 20 & 21  
var. 13° 57' East

40.00 Drive charred stake and build  
around a earth 2 ft high with  
pits 1 ft deep. 2 ft long. 1 ft wide  
as per instructions for 1st sec.  
cor. No trees near.

80.00 Drive charred stake and build  
around a earth 2 ft high, with  
pits 1 ft deep. 2 ft long. 1 ft wide  
and in center of pit S. E. of  
cor. drive a stake marked and  
notched, 2 ft long. 2 in. sq. d. 1 ft  
in the ground. as per instruc-  
tions, for cor. to secs 16, 17, 20  
and 21. No trees near.

Land flat Soil good.

Considerable grass. No stones  
or timber.

Township 17 S. R. 2nd E.  
Gila & Salt River Meridian

Sec. East boundary line between 16 & 21.

Var.  $13^{\circ}57' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.04 Intersect N. and S. line 11 bcs.

N. of cor. to secs. 15, 16, 21 and  
22, from which condrum  
 $N. 89^{\circ}55' W.$

Outline line between secs. 16 & 21,

Var.  $13^{\circ}57' E.$

40.02 Find charred stave and build  
mound afterth oft high, with  
pit 1 ft deep, 2 ft long. If found,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.04 Cor. to secs. 16, 17, 20 and 21.

Land flat.

Soil good.

No stones or timber.

Township 12 S. R. M<sup>t</sup> E.  
Gila & Salt River Meridian

P. North between sec. 16 & 17  
var. 13° 57' East.

40.00 Drive charred stake and build  
mound of earth 8 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for cor. sec.  
cor. No trees near.

80.00 Drive charred stake & build  
mound of earth 8 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of  
cor. drive a stake, marked  
and notched, 2 ft long, 2 in.  
sqd. off from the ground, as per  
instructions for cor. to sec.  
8, 9, 16, and 17. No trees near.  
Land flat. Soil good.  
Some grass. No stones or timber.

Township 12 S. R. 24<sup>th</sup> E.  
Gila & Salt River Meridian

No. East from dam line between 9 & 16,  
var.  $13^{\circ}57'$  East

40.00 Set temporary tree cor.

80.08 Intersect N. and S. line 6 sides,  
N. of cor. to secs. 9, 10, 15 and  
16, from which continue  
N.  $89^{\circ}57'$  W.

Outline line between secs. 9 & 16,

var.  $13^{\circ}57'$  East.

40.04 Line charred stave and build  
mound of earth 2 ft high with  
pit 1 ft. deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor. Notice near.

80.08 Cor. to secs 8, 9, 16 and 17.  
Land ascends a little N.E. Soil  
good. Grases.

No stones or timber.

Township 12 S. R. M. E.

Gila & Salt River Meridian

Sec. North between sec. 8 & 9  
var.  $13^{\circ}57'$  East

40.00 Drive charred stake and build  
mound of earth 2 ft high,  
with pit 1 ft. deep. 2 ft long. 1 ft.  
wide, as per instruction for 1st  
sec. cor. No stones or timber.

80.00 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft. deep. 2 ft long. 1 ft wide,  
and in center of pit S. E. of cor.  
drive a stake, marked and  
notched. 2 ft long. 2 in. sqd.  
off in the ground, as per in-  
structions, for cor. to see.

4.5.8 and 9. No trees near.  
Land flat. Soil good.  
a little brush on S. end.  
No stones or timber.

Township 12 S. R. 22<sup>nd</sup> E.  
Gila & Salt River Meridian

On East boundary line between 4 $\frac{1}{2}$  & 9  
var. 13°57' East.

40.00 Set temporary tree cor.

79.95 Intersect N. and S. line 8 lbs.  
No good to secs. 3, 4, 9 and 10.  
from which cor. I run  
N. 89°57' W.

On true line between secs. 4 $\frac{1}{2}$  & 9.

var. 13°57' East.

39.98 Burnt charred stake and build  
mound of earth 2 ft. high with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions for 76 sec.  
cor. No trees near.

79.95 Cor. to secs. 4, 5, 8 and 9.  
Land ascends a little N.E.  
Soil good.

No stones or timber.

Township 12 S. R. 21 E.

Gila & Salt River Meridian

Sec. North boundary line between 445.

var.  $13^{\circ}57'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.10 Intersect N. boundary 6 hrs. E. of  
cor. to secs. 445. from which  
cor. line  
 $S. 0^{\circ}3' E.$

Outline line between sec. 445.

var.  $13^{\circ}57'$  East.

40.10 Drive charred stake and build  
mound a feather 2 ft. high, with  
spit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor. No trees near.

80.10 Cor. to secs. 44.5. 8 and 9.

Land ascends a little N. E.

Soil good.

No stones or timber.

Township 12 S. R. 32d E.  
Glen Salt River Meadow

Sec. North between secs 31 & 32  
var. 13° 57' East.

40.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instruction for 1/4 sec. cor.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S.E. of  
cor. drive a stake, marked and  
notched, 2 ft. long, 2 in. sq. d. 1 ft.  
in the ground, as per instruction  
for cor. to sec. 29, 30, 31 and 32.  
No trees near.

Land, grassy plain. Soil good.  
Very little brush. No stones or  
trees.

Township 12 S.R. 2nd E.

Gila & Salt River Section

Dist. East from random line betw. sec. 29 & 32  
var. 13° 57' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.95 Intersect N. and S. line 8 hrs. S. of  
cor. to secs. 28, 29, 32 and 33,  
from which cor. I run  
S. 89° 57' W.

Outline line between secs. 29 & 32.  
var. 13° 57' East.

39.98 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

79.95 Cor. to secs. 29, 30, 31 and 32.  
Grassy plain.

Soil good. a little brush.  
No stones or trees.

November 25, 1875.

Township 12 S. R. 2nd E.  
Gila & Salt River Meridian

Pr. Water random timberless. 30 $\frac{3}{4}$  31  
var. 13° 57' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.60 Intersect W. boundary 5-las. N.  
appr. to secs. 30 and 31. from  
which cor. runs  
N. 89° 58' E.

On true line between secs. 30 $\frac{3}{4}$  31.

var. 13° 57' East.

38.60 Drove charred stake and build  
mound of earth 2 ft high, with  
sift 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor. No tree near.

78.60 Cont. secs. 29, 30, 31 and 32.  
Land flat

Sil. good. A little brush.  
No stones or trees.

Township 17 S.R. 1st E.

Gila & Salt River Mountain

Lat. North between sec. 29 & 30  
var. 13° 57' East.

40.00 Drove charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec. cor.  
No trees near.

80.00 Drove charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and at center of pit S.E. of cor.  
drive a stake, marked and  
notched, 2 ft long, 2 in. sq'd.  
1 ft in the ground, as per instruc -  
tions, for cor. to secs. 19, 20, 29  
and 30. No trees near.

Land flat Soil good.

Considerable grass. No stones  
or timber.

Township 12 S. R. 22d E.

Gila & Salt River Meridian

Sec. East, random line betw. sec. 20 & 29  
var.  $13^{\circ}57'$  East

110.00 Set temporary 1/4 sec. cor.

79.92 Intersect N. and S. line 11 bds. S.  
after cor. to secs. 20, 21, 28 & 29.  
from which cor. turn  
 $S.89^{\circ}55'W.$

True line between secs 20 & 29  
var.  $13^{\circ}57'$  East.

39.96 Drive charred stake and build  
round a earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for 1/4 sec. cor.  
No trees near.

79.92 Cor. to secs 19, 20, 29 and 30  
Land flat  
Soil good. Much grass.  
No stones or timber.

Township 12 S. R. 9th E.

Gila Salt River Mexican

P. West random line betw. 19<sup>th</sup> & 30<sup>th</sup>  
var. 13° 57' East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.45 Intersect W. boundary 65 ft. S. of  
cor. to sec. 19 and 30, from  
which cor. I run  
S. 89° 32' E.

On true line between secs. 19 & 30.  
var. 13° 57' East.

38.45 Wire charred stake and build  
monadearth flat high, with  
pits 4 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

7845 Cor. to secs. 19, 20, 29 and 30.  
Land flat. Soil good.  
A little brush.  
No stones or timber.

Township 12 S.R. 3rd E.  
Gila & Salt River Reservation

On North between sec. 19 & 20

Lat. 35° 5' East.

- 40.00 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep. 2 ft long. 1 ft wide,  
as per instruction, for 1/4 sec.  
cor. No trees near.
- 80.00 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep. 2 ft long. 1 ft wide,  
and in center of pit S.E. of cor.  
drive a stake, marked and matched,  
2 ft long. 2 in. sqd. 1 ft in the ground,  
as per instruction, for cor. & sec.  
17, 18, 19 and 20.

No trees near.

Land flat. Soil good.

Considerable grass.

No stones or timber.

Township 12 S. R. 2<sup>d</sup> E.  
Gila & Salt River Meridian

Ch. East random line between 17 & 20  
mr. 13° 5' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.96 Intercept N. and S. line 8 sec. N.  
as per to secs. 16, 17, 18 and 21,  
from which cor. from  
N. 89° 5' W.

Outline line between secs. 17 & 20.  
mr. 13° 5' East

39.98 Drive a charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instruction, for  $\frac{1}{4}$  sec.  
cor. No trees near.

79.96 Cor. to secs. 17, 18, 19 and 20.  
Land flat

Soil good.

No stones or timber.

Township 12 S. R. 22d E.

Gila & Salt River Meridian

Line West. or random line between sec. 18 & 19  
var.  $13^{\circ}57'$  East.

40.00 Set temporary 1st sec. cor.

54.50 Old road line N. E.

78.51 Intersect W. boundary 18 sec. S. of  
cont. sec. 18 & 19. from which  
cor. line  
 $889.52'$  E.

Outline line between sec. 18 & 19.

var.  $13^{\circ}57'$  East.

38.51 Drive charred stake and build  
around a earth raft high with  
fill 1 ft. deep. 2 ft. long. 1 ft. wide,  
as per instructions, for 1st sec. cor.  
Notices near.

78.51 Cor. to sec. 17, 18, 19 and 20.  
Land flat. Soil good.  
No stones or timber.

Township 12 S. R. 21 E.  
Gila & Salt River Meridian

Ch. North between secs. 17 & 18,  
var. 13<sup>57</sup> East.

40.00 Drive charred stake, and build  
mound of earth, 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for W.M.C.C. com.  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S.E. of con.  
drive a stake, marked and  
notched, 2 ft. long, 2 in. sq. d.  
from the ground, as per instruc-  
tions, for cor to sec. 7, 8, 17  
and 18. No trees near.

Land flat Soil good.  
No stones or timber.

Township 17 S. R. 2nd E.  
Gila & Salt River Meridian

L. East from random line between 8 $\frac{3}{4}$  17  
var. 13° 5' East.

40.00 Set temporary 74 sec. cor.

80.07 Intersect N. and S. line 11 bka N.  
from cor. to secs 8, 9, 16, and 17,  
from which cor. runs  
N. 89° 55' W.

On true line between secs. 8 $\frac{3}{4}$  17,  
var. 13° 5' East.

40.03 Large charred stake and build  
monument earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for 14 sec.  
cor. No trees near.

80.07 Cor to secs 7, 8, 17 and 18.  
Land flat.

Soil good.

No stones or timber.

Township 17 S. R. M<sup>E</sup>.  
Gila & Salt River Meridian

R. West or random line between  $7\frac{1}{2}$  18.  
var.  $13^{\circ}57'$  East.

4.00 Old road to Camp Grant, bns. N.E.

40.00 Set temporary 1st sec. cor.

78.50 Intersect W. boundary Clark's sag  
contosces. 7 and 18, from which  
cor. I run  
 $8.89^{\circ}57'$  E.

Outline line between sec.  $7\frac{1}{2}$  18.

var.  $13^{\circ}57'$  East.

38.50 Burnt charred stake and build  
mound of earth 2 ft high, with pit  
ft deep, 2 ft long, 1 ft wide, as per  
instructions, for 1st sec. cor.

No tree near.

78.50 Contosces. 7. 8. 17 and 18.

Land flat. Soil mostly good.  
Some grass. No stones or timber.

Township 17 S.R. 2nd E.  
Gila & Salt River Meridian

Ls. North between sec. 7 & 8.  
var.  $13^{\circ} 5' 7''$  East.

5.00 Old road to Grant, ba. N.E.,  
40.00 Drive charred stake and build mound  
of earth 2 ft. high, with pit 1 ft.  
deep, 2 ft. long, 1 ft. wide, as per  
instructions, for 7th sec. cor.,  
No trees near.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S.E. of cor. drive  
a stake marked and notched,  
2 ft. long, 2 in. sq'd. ft. in the  
ground, as per instructions, for  
cor. to sec. 5, 6, 7 and 8.  
Land flat. Soil good.  
Some grass. No stones or  
timber.

Township 12 S. R. 24 E.  
Gila & Salt River Meridian

Sec. East, random line between 5 & 8,  
var. 13°57' East.

25.00 Old road to Grant, sec. N. E.  
40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.90 Intersect N. and S. line 8 hrs. S. of  
cor. to secs. 4, 5, 8 and 9, from  
which cor. I run  
S. 89°57' W.

Outline line between secs. 5 & 8,  
var. 13°57' East.

39.95 Burnt charred stumps and build mound  
a few ft. high with pile of  
debris, 2 ft. long. floride, as per  
instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.90 Cor. to secs. 5, 6, 7 and 8.  
Land flat. Soil good.  
Some grass,  
No stones or trees.

Township 12 S. R. M.E.  
Gila & Salt River Mountain

Ch. West. random line betw. sec. 6 & 7,  
var.  $13^{\circ} 57'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.49 Intersect N. boundary 12 sec. S.  
of cor. to sec. 6 & 7. from which  
cor. line  
 $8.89^{\circ} 55'$  E.

On true line between sec. 6 & 7,  
var.  $13^{\circ} 57'$  East.

38.49 Drove charred stake and build  
monument earth 2 ft. high,  
with pit 1 ft. deep. 2 ft long, 1 ft.  
wide, as per instruction for  
 $\frac{1}{4}$  sec. cor. No trees near.

78.49 Cor. to sec. 5, 6, 7 and 8.  
Land flat. Soil mostly good.  
Considerable grass.  
No stones or timber.

Pognship 12 S.R. 2nd E.  
Sila & Salt River Mts.

Pt. North random line bet. sec. 5 & 6.

Nor.  $13^{\circ}57'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.88 Intersect N. boundary 4 lbs. E. of  
cor. 6 secs. 5 and 6, from which  
con'd in  
 $S. 0^{\circ}2' E.$

On true line between sec. 5 & 6.

var.  $13^{\circ}57'$  East.

39.88 Burnt charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor. 16 trees near.

79.88 Cor to sec. 5, 6, 7 and 8.

Sand flat

Soil mostly good.

Considerable grass.

No stones or timber.

NOVEMBER 16, 1875.

Township 12 S., Range 24 E.  
Gila & Salt River Indian  
General Description

This township is mostly a fine grassy plain, furnishing good grazing, and with artesian water, much of the soil would produce abundant crops.

The N.E. cor. of the township approaches the foothills of Mount Graham.

The soil of this township will not average quite as good as that of the township immediately south of it.

Theodore F. White  
U.S. Deputy Surveyor

## BOOK 765

U. S. Surveyor General's Office,  
Tucson, Arizona, January 24, 1876

The foregoing Field Notes of the survey of the  
Subdivision lines of  
Township 12 S.  
Range 24 E.

of the Gila and Salt River Base and Meridian, Arizona,  
executed by Theodore F. White,  
D. S., under his contract of the 25<sup>th</sup> day of  
June, 1875, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

John M. Madsen

Surveyor General.