

BOOK 784

No. 784

# Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

— OF BOOK 784

Township 13 South Range 28 East

Gila and Salt River Base and Meridian

ARIZONA.

By Theo. F. White D. S.

under contract dated Oct 17., 1881.

Survey commenced Jan 16., 1882

Survey completed Jan 21., 1882.

No. 784

## BOOK 784

## INDEX DIAGRAM.

Township 13. S.

Range 28 E!

6	104	5	77	4	59	3	89	2	20	1
—	103	—	101	—	75	—	57	—	37	—
7	100	8	73	9	54	10	35	11	17	12
98	—	96	—	72	—	52	—	34	—	15
18	94	17	70	16	50	15	93	14	13	13
92	—	91	—	69	—	49	—	31	—	11
19	89	20	68	21	47	22	29	23	9	24
—	87	—	86	—	66	—	46	—	28	—
30	84	29	65	28	44	27	26	26	6	25
—	81	—	81	—	63	—	43	—	25	—
31	79	32	62	33	41	34	23	35	1	36

Gila and Salt River Meridian.

ARIZONA.

Dab.

BOOK 184  
Pewee St.  
184

Ap. 13 S. R. 28<sup>E</sup>

BOOK 784  
Preliminary Oaths of Assistants.

---

We, J. H. McClure

and J. O. Ford

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us

in the Survey of the subdivision lines of T. 43 S., R. 28 E., Gila and Salt River Meridian and Base lines.

McClure  
Ford

J. H. McClure  
J. O. Ford

Sworn to and subscribed before me, this 5<sup>th</sup> day of

December, 1881. Paul Ricceri,  
Notary Public Pima  
County, Arizona.

We, John Blake, Sam'l W Van Pelt,  
Geo. T. Wyatt, and Jas. Schwartz

do solemnly swear that we will well and truly perform the  
duties of Axeman, Flagman and  
Moundmen respectively

in the establishment of corners and other duties according to  
instructions given us, and to the best of our skill and ability.

in the Survey of the subdivision  
lines of S. 1/3 S. R. 28 E. Gila  
and Salt River Meridian and  
Base lines.

John Blake  
Sam'l W Van Pelt  
Geo. T. Wyatt  
Jas. Schwartz

Sworn to and subscribed before me this 5<sup>th</sup> day of  
December, 1881

Paul Ricckes  
Notary Public  
Pima  
County Arizona

No. 784

BOOK 784

10

Subdivisions. T. 13 S. R. 28 E.

Gila & Salt River Meridian

Survey commenced January  
16. 1882. with a Burts improved  
Solar Compass.

From the cor. to Secs. 1. 2.  
35 & 36. on the South Boundary  
of the township. just recently  
set by me, and which is a  
mound of earth 2 ft. high,  $4\frac{1}{2}$   
ft. base, with pits in each sec.  
 $18 + 18 + 12$  ins.  $5\frac{1}{2}$  ft. dist.

In S. E. pit is a stake 2 ins.  
square marked-

T. 13 S. S. 36 on N. E.

R. 28 E. S. for S. E.

T. 13 S. S. 2 on S. W. and  
S. 35 on N. W. faces with 1 notch  
on E. and 5 notches on W. edges.  
Hence I mn.

## Subdivision T. 13 S. R. 28 E. continued

chain

- North lat. Secs. 35 & 36.  
Var.  $12^{\circ} 38' E.$   
(as per observation with a Burt's  
improved Solar Compass.)
- 10.00 Road to Bonnie came N. off.  
40.00 Deposited a charred stake 12  
ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits  $18 + 18 + 12$  ins.  
 $\frac{3}{4}$  s. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.  
In N. pit drove a stake eft.  
long 2 ins. square, 2 ins. in  
the ground, marked  $\frac{1}{4}$  s. on  
N. face.
- 80.00 Deposited a charred stake  
12 ins. in the ground, for cor.  
to Secs. 25, 26, 35, & 36. dug

Subdivisions P. 13. S. R. 28 E. continued

chains

pits 18+18+12 ins. in each side  
5 $\frac{1}{2}$  ft. dist. and raised a  
mound of earth 8 ft. high,  
4 $\frac{1}{2}$  ft. base over it.

In S. E. pit drove a stake  
ins. square 2 ft. long, 12 ins. in  
the ground marshled

P. 13 S. S. 25 on N. E.

R. 28 E. S. 36. on S. E.

S. 35 on S. W. and  
S. 26 on N. W. faces, with  
1 notch on S. & E. edges,  
Land nearly flat

Soil 2 d. rate

No timber.

---

East on a random line, bit.

## Subdivisions T. 13 S. R. 28 E. continued

chains

Secs. 25 &amp; 36.

Var.  $12^{\circ}38' E.$ 

15.00 Road to Bowie came S.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 80.08 Intersect the E. Boundary  
 of the township 14 lbs N. of  
 cor. to Secs. 25. 30. 31 & 36  
 which is a mound of earth  
 2 ft. high  $4\frac{1}{2}$  ft. base, with  
 pits in each sec. 18 + 18 + 12 ins.  
 $5\frac{1}{2}$  ft. dist.

In S. E. pit, is a stake 2  
 ins. square, marked -

T. 13 S. S. 30 on N. E.

R. 29 E. S. 31 on S. E.

R. 28 E. S. 36 on S. W. and  
 S. 25 on N. W. faces, with  
 5 notches on N & 1 notch

Subdivisions T. 13 S. R. 28 E. continued

chains

on S. edges.

Plunge 9 mm

N.  $89^{\circ} 54' W.$  on a true line, bet.  
Secs. 25 & 36. with same va.

40.04 Deposited a charred stake,  
12 in. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits 18 + 18 + 12 in. E. N.  
of cor.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base over it.

In E. pit drove a stake  
2 ft. long, 2 in. square, 12 in.  
in the ground, marked 44  
S. on N. face.

80.08 Thy cor. to Secs. 25. 26. 35 & 36.  
Land flat  
Soil 2<sup>d</sup> rate  
no timber.

Subdivisions T. 13 S. R. 28 E. continued

claims

North lot. Seco. 25 + 26.

Var.  $12^{\circ} 38' E.$

40.00 Set a post 3 ft long, 3 ins. square, with charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. face, dug pits, 18 + 18 + 12 ins.  $\frac{3}{4}$  x S. of post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

60.00 Road to Bowie, course S. E.

80.00 Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 23. 24. 25 + 26. dug pits 18 + 18 + 12 ins. in each sec. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4  $\frac{1}{2}$  ft. base, over it.

Subdivision T. 13 S. R. 28 E. continued

Chains

In S. E. pit drove a stake 2 ft.  
long, 2 in. square, 1 in. in the  
ground, marked. —  
T. 13 S. S. 24 on N. E.  
R. 28 E. S. 25 on S. E.  
S. 26. on S. W. and  
S. 23 on N. W. faces. with 2  
notches on S. and 1 notch on  
E. edges.

Land flat.

Soil 2 d. rate

No timber. Some brush.

---

Cast on a random line,  
bet. Secs. 24 & 25.

Var.  $12^{\circ}38' E.$

4000 Set temporary 1/4 sec. cor.

Subdivisions T. 13 S. R. 28 E. continued

chains

80.07 Intersect E. Boundary of township 16 lks N. of cor. to Secos. 19. 24. 25 & 30. which is a mound of earth 2 ft. high, 4 1/2 ft. base, with pits in each sec. 18 + 18 + 12 ins. 5 1/2 ft. dist. In S. E. pit is a stake, 2 ins. square marked, —  
 T. 13 S. S. 19. on N. E.  
 R. 29. E. S. 30 on S. E.  
 R. 28 E. S. 25. on S. W. and S. 24 on N. W. faces, with 4 notches on N. and 2 notches on S. edges.

Blence 3 mm.

N.  $89^{\circ} 53' W.$  on a true line, etc.  
 Secos. 24 & 25. with same va.

40.03 Deposited a charred stake

## Subdivisions T. 13. S. R. 28 E. continued

chains

12 ins. in the ground, for  $\frac{1}{4}$  sec.  
 cor. dug pits 18 + 18 + 12 ins. Ex N.  
 of cor. 5  $\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 1  $\frac{1}{2}$  ft. high,  
 3  $\frac{1}{2}$  ft. base over it.

In E. pit drove a stake, 2 ft long,  
 2 ins. square, pins. in the ground  
 marked  $\frac{1}{4}$  sec. on N. face.

80.07 The cor. to Secs. 23. 24. 25 & 26.

Land flat  
 Soil 2 d. rate  
 No timber.

---

North bet. Secs. 23 & 24.  
 Var.  $12^{\circ} 38' 8''$

4000 Set a post 3 ft. long, 3 ins. square,  
 with marked story 12 ins. in

## Subdivisions T. 13 S. R. 28 E. continued

claims

the ground for 1/4 Sec. cor.  
marked 1/4 S. on W. face,  
dug pits 18 + 18 + 12 ins. 3 ft. dist.  
of post 5 1/2 ft. dist. and  
raised a mound of earth  
1 1/2 ft. high, 3 1/2 ft. base around  
post.

80.00 Deposited a charred stake, 12  
ins. in the ground, for cor. to  
secs. 13, 14, 23 + 24. dug  
pits 18 + 18 + 12 ins. 3 ft. each  
sec. 5 1/2 ft. dist. and raised  
a mound of earth 2 ft.  
high, 4 ft. base over it.

In S.E. pit drove a stake  
2 ft. long, 2 ins. square, 12 ins.  
in the ground, marked -  
T. 13 S. S. 13 on N. E.

Subdivision T. 13 S. R. 28 E. continued

chain

R. 28 E. S. 24 on S. E.

S. 23 on S. W. and

S. 14 on N. W. faces, with 3  
notches on S. and 1 notch on  
E. edges.

Land flat.

Soil 2<sup>d</sup> rate

No timber.

---

East on a random line,  
bet. Secs. 13 & 24.

Var.  $12^{\circ}38' E.$

4.000 Set temporary 1/4 sec. cor.

80.06 Intersect E. Boundary of  
township 8 lks N. of cor. to  
Secs. 13. 18. 19. & 24 which  
is a post 4 ins. square, marked.

Subdivisions T. 13 S. R. 28 E. continued

chains

T. 13 S. S. 18 on N. E.

R. 29 E. S. 19 on S. E.

R. 28 E. S. 24 on S. W. and  
S. 13. on N. W. faces, with 3  
notches on N & S. edges. &  
pits  $18 \times 18 \times 12$  ins. in each sec.  
 $5\frac{1}{2}$  ft. dist. and mound of  
earth  $2\frac{1}{2}$  ft. high,  $4\frac{1}{2}$  ft. base,  
around post.

Plane 9mm

$789^{\circ} 57' W.$  on a true line,  
bet. Secos. 13 & 24. with same as.

40.03. Deposited a charred stake,  
12 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. dug pits  $18 \times 18 \times 12$   
ins. E & W. of cor.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high,  $9\frac{1}{2}$  ft. base  
over it.

## Subdivision T. 13 S. R. 28 E. continued

chains

In E. pit drove a stable, 2 ft. long, 2 in. square, 12 in. in the ground, marked  $\frac{1}{4}$  sec N. face.

80.06 The cor. to Secs. 13. 14. 23 & 24.  
Land flat.  
Soil 2 d. rate  
No timber.

---

North bet. Secs. 13 + 14  
Var.  $12^{\circ} 38' E.$

40.00 Set a post 3 ft long, 3 in. square, with marked stone, 12 in. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  s. on N. face, dug pits 18 + 18 + 12 in. N + S. of post, 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft.

Subdivisions. T. 13 S. R. 28 E. continued

chains.

high,  $3\frac{1}{2}$  ft. base around post,  
 80.00 Set a post 4 ft. long. 4 ins. square,  
 with unmarked stone, 12 ins.  
 in the ground, for cor. to Secs.  
 11. 12. 13 + 14. marked  
 T. 13 S. S. 12 on N. E.  
 R. 28 E. S. 13 on S. E.  
 S. 14 on S. W. and  
 S. 11 on N. W. faces, with  
 4 notches on S. and 1 notch  
 on E. edges, dug pits  $18+18+12$   
 ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 2 ft. high,  $4\frac{1}{2}$  ft. base around  
 post.

Land flat

Soil 2d. rate

No timber, brushy.

## Subdivisions T. B. S. R. 28 E. continued

chains

Cast on a random line bet.  
Secs. 12 & 13.

Var.  $12^{\circ} 38' E.$

40.00 Set temporary 1/4 Sec. cor.

79.96 Intersect E. Boundary of  
township. 11 lbs L of cor.  
to Secs. 7, 12, 13 & 18. which  
is a mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base, with pits in each  
sec. 18 & 18 & 12 ins.  $5\frac{1}{2}$  ft. dist.  
In S. E. pit is a stake 2 ins.  
square, marked

T. 13 S. S. 7 on N. E.

R. 29 E. S. 18 on S. E.

R. 28 E. S. 13 on S. W. and  
S. 12 on N. W. faces, with 2  
notches on N. & 4 notches on  
edges.

Subdivisions T. 13 S. R. 28 E. continued

chains

Plane line.

S. 89° 55' W. on a true line,  
bet. Secs. 12 & 13. with same as.

39.98 Deposited a charred stake, 12  
in. in the ground, for  $\frac{1}{4}$   
sec cor. dug pits 18+18+12 in.  
Ex W. of cor. 5 $\frac{1}{2}$  ft. dist. &  
raised a mound of earth  
1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base over it.  
In E. pit drove a stake, 8 ft.  
long, 2 in. square, 12 in. in  
the ground, marked  $\frac{1}{4}$  L. on N. pa.

79.96 Due cor. to Secs. 11, 12, 13 & 14.

Sand flat.

Soil 2d rate

No timber.

Subdivisions T. 13 S. R. 28<sup>E.</sup> continued

chains

North lot. Secs. 11 &amp; 12.

Var. 12° 38' E.

4000 Set a post 3 ft. long, 3 ins. square  
with marked stone, 12 ins. in  
the ground, for 1/4 sec. cor.,  
marked 1/4 S. on W. side, dug  
pits 18+18+12 ins. N & S. of  
post, 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high, 3 1/2 ft. base, around post.

52.20 Telegraph line course S. E.

52.96 S. P. Railroad course S. E.

53.42 Road along Railroad course S. E.

80.00 Set a post 4 ft. long, 4 ins. square,  
with marked stone, 12 ins. in  
the ground for cor. to Secs.

7.2. 11 & 12. marked  
T. 13 S. S. 1 on N. E.

Subdivisions T. 13 S. R. 28 E. continued

chains

R. 28 E. S. 12 on S. E.  
 S. 11 on S. W. and  
 S. 2 on S. W. faces. with  
 5 notches on S. and 1 notch  
 on E. edges, dug pits 18+18+12  
 ins. in each sec. 5 $\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 2 ft. high, 4 $\frac{1}{2}$  ft. base around  
 post.

Land flat  
 Soil good  
 No timber.

---

East on a random line  
 bet. Secs. 1 & 12.

Var.  $12^{\circ} 38' E.$   
 4000 Set temporary  $\frac{1}{4}$  sec. cor.

Subdivisions T. 13 S. R. 28 E. continued

chains

79.93 Intersect E. Boundary of township 14 lks S. of cor. to Secs. 1, 6, 7, & 12. which is a mound of earth 2 ft. high,  $\frac{4}{5}$  ft. base, with pits 18 $\frac{1}{2}$  ft. 18 $\frac{1}{2}$  ft. 2 in. 5 $\frac{1}{2}$  ft. dist.

In S. E. pit is a stake 2 in. square, marked -

T. 13 S. S. 6 on N. E.

R. 29 E. S. 7 on S. E.

R. 28 E. S. 12 on S. W. and S. 1 on N. W. faces, with 1 notch on N. & 5 notches on S. edges.

Plane 9 in.

S.  $89^{\circ} 54'$  W. on a true line bet. Secs. 1 & 12. with same va.

39.96 Deposited a charred stake 12

Subdivisions T. 13 S. R. 28 E. continued

chains

ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits 18 + 18 + 12 ins.  
Ex N. of cor. 5 ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft.  
base over it.

In C. pit drove a stake  
2 ft. long, 2 ins. square, 12  
ins. in the ground, marked  
 $\frac{1}{4}$  S. on W. face.

79.93 The cor. to Secs. 1. 2. 11 & 12  
Land flat  
Soil good  
No timber, some brush.

North on a random line,  
bet. Secs. 1 & 2,  
Var.  $12^{\circ} 38' E.$

## Subdivisions T. 13 S. R. 28 E. continued

chains

- 40.00 Set temporary 1/4 sec. cor.
- 80.04 Intersect N. Boundary of township 9 lbs W. of cor. to Secs.  
1.2. 35 & 36. which is a mound  
of earth 2ft. high, 4 ft. base,  
with pits in each sec. 18 + 18 + 12  
ins. 5 1/2 ft. dist.  
In S. E. pit. is a stake 2 ins.  
square marked -  
T. 12 S. S. 36 on N. E.  
R. 28 E. S. 1 on S. E.  
T. 13 S. S. 2 on S. W. and  
S. 35 on N. W. faces, with 1 notch  
on E & 5 notches on W. edges,  
Hence 9 min.  
80° 04' W. on a true line, bet. Secs.  
1 & 2. with same va.  
40.04 Set a post 3 ft long, 3 ins. square

Subdivision T. 13 S. R. 28 E. continued

chains

with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18x18  
x 12 ins. N & S. of post, 5 $\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
1 $\frac{1}{2}$  ft high, 3 ft. base over it.  
In N. pit. drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on W. face.

80.04 The cor. to Secs. 1.2. 11 & 12.

Land flat

Soil 2d rate

No timber, brushy.

---

January 17. 1882

Subdivision T. 13 S. R. 28 E. continued

chains

From the Cor. to Secs. 2 & 3.

34 & 35. on S. Boundary of  
the township, which is a  
post 4 ins. square, marked  
T. 13 S. S. 35 on N. E.  
R. 28 E. S. 2 on S. E.

T. 14 S. S. 3 on S. W. and  
S. 34 on N. W. faces, with 2 notches  
on E & 4 notches on W. edges,  
and pits 18+18+12 ins. in each  
sec. 5½ ft. dist. and surrounded  
earth aft. high, 4½ ft. base,  
around post.

Plane Inn

North bet. Secs. 34 & 35.

Ver. 12° 38' E.

4.000 Set a post 3 ft. long, 3 ins. square,  
with marked stone, 12 ins. in

Subdivisions T. 13 S. R. 28 E. continued

chains

the ground, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on W. faces, dug pits 18+18+12  
 ins. N. & S. offset,  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  $1\frac{1}{2}$   
 ft. high,  $3\frac{1}{2}$  ft. base around post,  
 80.00 deposited a charred stake 12 ins.  
 in the ground, for cor. to Secs.  
 26. 27. 34. & 35. dug pits 18+18+12  
 ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 2 ft. high,  $4\frac{1}{2}$  ft. base over it.  
 In S. E. pit drove a stake 2 ft  
 long, 2 ins. square, 12 ins. in the  
 ground marked.

T. 13 S. S. 26 on N. E.

R. 28. E. S. 35. on S. E.

S. 34 on S. W. and

S. 27. on N. W. faces, with 1 notch

Subdivisions T. 13. S. R. 28 E. continued

charius

on S. and quotches on E. edges,  
Land flat  
Soil 2d. rate  
No timber.

---

Cast on a random line, bet.  
Secs. 26 & 35

Var.  $12^{\circ} 38' E.$

4000 Set temporary 1/4 sec. cor.  
79.99 Intersect N. & S. line 13 lks N.  
of cor. to Secs. 25. 26. 35 & 36.  
Hence 9 m.

N.  $89^{\circ} 54' W.$  on a true line, bet.  
Secs. 26 & 35. with same va.

39.99 Deposited a charred stake 12 ins.  
in the ground, for 1/4 sec. cor.  
dig pits 18 & 18 & 12 ins. E & W.

Subdivision P. 13 S. R. 28 E. continued

chains.

of cor. 5 $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high,  
3 $\frac{1}{2}$  ft. base over it.

In E. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N. face,  
79.99. The cor. to Secs. 26, 27, 34 & 35.

Land flat

Soil 2 d. rate

No timber.

North bet. Secs. 26 & 27.

Var.  $12^{\circ}38' C.$

40.00 Deposited a channeled stake,  
12 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. dug pits 18x18x12  
ins. N & S. of cor. 5 $\frac{1}{2}$  ft. dist.

Subdivisions T.13 S. R. 28 E. continued

chains.

and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.

In N. pit. drove a stake, 2 ft  
 long, 2 ins. square, 12 ins. in the  
 ground, marked  $\frac{1}{4}$  on N. face.

Set a post 4 ft. long, 4 ins. square,  
 with marked stone, 12 ins. in the  
 ground for cor. to Secs. 26.27.34 &  
 35. marked

T.13 S. S. 23 on N. E.

R. 28 E. S. 26 on S. E.

S. 27 on S. W. and

S. 22 on N. W. faces, with 2  
 notches on S. & E. edges, dug  
 pits  $18 \times 18 \times 12$  ins. in each sec.

$5\frac{1}{2}$  ft. dist. and raised a mound  
 of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Subdivisions T. 13 S. R. 28 E. continued

chains

Land nearly flat  
Soil 2<sup>d</sup> rate & good  
No timber.

Cast on a random line, bet.  
Secs. 23 & 26.

Nor.  $12^{\circ} 38' E.$

40.00 Set. temporary 1/4 Sec. Cor.  
62.00 Road to Barrie course E. of S.  
79.95 Intersect N. & S. line 150ks.

N. of cor. to Secs. 23, 24, 25 & 26  
Hence 9 m.

N.  $89^{\circ} 55'$  W. on a true line, bet.  
Secs. 23 & 26. with same va.

39.97 Deposited a charred stake,  
12 ins. in the ground for 1/4  
sec. cor. dug pits 184842

Subdivision S. 73 T. R. 28 E. continued

chains

ins. N. W. of cor. 5 ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high, 3 ft. base  
over it.

In E. pit drove a stake, 2 ft  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on  
N. face.

79. 95. The cor. to Secos. 22 & 23. 26 & 27.  
Land flat  
Soil 2<sup>d</sup> rate  
No timber.

North bet. Secos. 22 & 23.  
Var.  $12^{\circ} 38' E.$

4000 Deposited a charred stake 12

Subdivisions. T. 13. S. R. 28 E. continued

chains

ins. in the ground, for  $\frac{1}{4}$  sec  
cor. dug pits  $18+18+12$  ins.

N + S. of cor.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.

In N. pit drove a stake 2  
ft. long, 2 ins. square, 12 ins.  
in the ground, marked  $\frac{1}{4}$   
S. on W. face.

86.00 Deposited a clamped stake 12  
ins. in the ground for cor.  
to Secs. 14, 15, 22 & 23. dug  
pits  $18+18+12$  ins. in each sec.  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth 2 ft. high,  
 $4\frac{1}{2}$  ft. base over it.

In S. E. pit drove a stake  
2 ft. long, 2 ins. square, 12

No. 784 <sup>1st 1908</sup> BOOK 784

Subdivision. T. 13 S. R. 28 E. continued

chains

ins. in the ground marked

T. 13 S. S. 14 on N. E.

R. 28 E. S. 23 on S. E. "

S. 22 on S. W. and

S. 15. on N. W. faces. with  
3 notches on S. and 2 notches on  
E. edges.

Land flat.

Soil 2 d. rate

No timber.

Cast on a random line bet.  
Secs. 14 & 23.

Var.  $12^{\circ}38' E.$

4,000 Set temporary 1/4 Sec. Cor.  
79.93 Intersect N. & S. line 6 lbs N.  
of cor. to Secs. 13, 14, 23 & 24.

Subdivisions. T. B. S. R. 28 E. continued

chains

Prince Inn.

7. 89° 57' N. on a true line, bet.  
secs. 14 & 23. with same va.

39.96 Deposited a charred stake, 12  
ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pit 18 + 18 + 12 ins.  
E of cor. 5 $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base overit.  
In E. pit drove a stake eft.  
long 2 ins. square, 12 ins. in  
the ground, marked  $\frac{1}{4}$  L.  
on N. face.

79.93 The cor. to Secs. 14, 15, 22 & 23.  
Land flat  
Soil 2d. rate  
No timber.

---

Subdivisions T. 13 S. R. 28 E. continued

chains.

North bet. Secs. 14 & 15.  
Var.  $12^{\circ} 38' E.$

40.00 Deposited a charred stake 2  
ins. in the ground, for 1/4  
sec. cor. dug pits 18x18x12 ins.  
N & S. of cor. 5 $\frac{1}{2}$  ft. dist. and  
raised a mound of earth 1 $\frac{1}{2}$  ft.  
high, 3 $\frac{1}{2}$  ft. base over it.

In N. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$ . on N. face

80.00 Set a post 4 ft long, 4 ins. square  
with marked stone 12 ins. in  
the ground, for cor. to Secs.  
10. 11. 14 & 15, marked  
T. 13 S. S. 11 on N. E.  
R. 28 E. S. 14 on S. E.  
S. 15 on S. W. and

Subdivisions T. 13 S. R. 28 E. continued

chains

L. 10. on N. W. faces. with  
4 notches on S. and 2 notches  
on E. edges, dug pits 18x18x12  
ins. in each sec. 5 $\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth 2 ft. high, 4 $\frac{1}{2}$  ft. base  
around post.

Land a little undulating  
Soil 2d rate  
No timber.

---

Cast on a random line bet  
secs. 11 & 14.

Var. 12° 38' E'

40.00 Set temporary 1/4 sec. on.  
80.09 Intersect N. S. line 8 lbs S.  
of cor. to secs. 11, 12, 13 & 14

Subdivisions T. 13 S. R. 28 E. continued

chains

Neue Inn.

S.  $89^{\circ} 57' W.$  on a true line,  
bet. Secs. 11 & 14. with same ra.  
40.04 Set a post 3 ft. long 3 ins. square,  
12 ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  L on W. face,  
dig pits 18x18x12 ins. Et N. of  
post,  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around post.

80.09 The cor. to Secs. 10, 11, 14 & 15.  
Land a little undulating  
Soil 2d rate  
No timber.

---

North bet. Secs. 10 & 11  
Var.  $12^{\circ} 38' E.$

## Subdivisions T. 13 S. R. 28 E. continued

- chains  
 40.00 Deposited a charred stake, 12  
 ins. in the ground, for cor. to  
 cor. dug pits 18+18+12 ins.  
 N & S. of cor. 5 $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 1 $\frac{1}{2}$   
 ft. high, 3 $\frac{1}{2}$  ft. base over it.  
 In N. pit drove a stake 8 ft.  
 long, 2 ins. square, 12 ins. in  
 the ground, marked  $\frac{1}{4}$  ft. on  
 W. face.
- 73.64 Telegraph line come S. E.  
 74.41 S.P. Railroad come S. E.  
 76.22 Road along Railroad come S. E.  
 80.00 Deposited a charred stake 12  
 ins. in the ground for cor. to  
 Secs. 2, 3, 10 & 11 dug pits 18+18+12  
 ins. in each sec. 5 $\frac{1}{2}$  ft. dist.  
 and raised a mound of earth

Subdivisions T. 13 S. R. 28 E. continued

chains

2 ft. high 4 1/2 ft. base over it.

In S. E. pit drove a stake 2 ft. long 2 in. square, 12 in. in the ground marked -

T. 13 S. S. 2 on N. E.

R. 28 E. S. 11 on S. E.

S. 10 on S. W. and

S. 3 on N. W. faces, with 5 notches on S. and 2 notches on E. edges.

Land ascending a little N.

Soil 2 d. rate

No timber.

East on a random line bet.

Secs. 2 & 11

Var.  $12^{\circ} 38' E.$

V

## Subdivisions T.13 S. R.28 E. continued

Claims

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.11 Intersect N & S. line, 12 lks  
 S. of cor. to Secs. 1, 2, 11 & 12  
 Hence 9 m.  
 L.  $89^{\circ} 55'$  N. on a true line,  
 bet. Secs. 2 & 11, with same va.  
 40.05 Deposited a charred stake 12  
 ins. in the ground for  $\frac{1}{4}$   
 sec. cor. dug pits 18 + 18 + 12  
 ins. E. of cor. 5' pft. dist.  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft. high, 3' pft. base over it.  
 In E. pit drove a stake 2 ft.  
 long, 2 ins. square, 12 ins. in the  
 ground, marked  $\frac{1}{4}$  S. on N. face.  
 The cor. to Secs. 2, 3, 10 & 11  
 Land ascending a little W.  
 Soil 2' or st.

Subdivisions T. 13 S. R. 28 E. continued

chains.

No timber. Brushy.

---

North on a random line bet.  
Secs. 2 & 3.

Var.  $12^{\circ}38' E.$

4.000 Set temporary 1/4 sec. cor.  
79.89 Intersect N. Boundary of  
township 12 lks W. of cor. to  
secs. 2, 3, 34 & 35, which is  
a mound of earth 2 ft. high  
4 $\frac{1}{2}$  ft. base, with pits in each  
sec. 18 + 18 + 12 ins. 5 ft. dist.  
In S. E. pit. is a stake 2 ins.  
square marked

T. 12 S. S. 35 on N. E.

R. 28 E. S. 2 on S. E.

T. 13 S. S. 3 on S. W. and

Subdivision S. 13 T. R. 28 E. continued

chains

S. 34 on N. W. faces, with 2 notches on E. and 4 notches on N. edges.

House Inn

S. 8° 05' N. on a true line, bet.  
Secs. 2 & 3. with same va.

39.89 Deposited a charred stake 12 ins. in the ground, for 1/4 Sec. cor. dug pit 18+18+12 ins. N & S. of cor. 5 1/2 ft. dist.  
and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it.  
In N. pit drove a stake 2 ft.  
long, 2 in. square 12 ins. in the  
ground, marked 1/4 S. on N. face

79.89 The cor. to Secs. 2, 3, 10 & 11.  
Land ascending a little N.  
Soil 2 d. rate

Subdivision S. 13 L. R. 28 E. continued

chains

No timber.

---

January 18. 1882.

From the cor. to Secs. 3 & 4.  
33 x 9 ft. on S. Boundary of  
township, which is a quartzite  
rock 12 x 8 x 6 ins. firmly set in  
the ground, with 3 notches  
on E & W. edges. and mound  
of stone alongside.

Thence 9 mm

North, bet. Secs. 33 & 34.  
Var.  $12^{\circ} 38' E.$

7.50 old road from N. Grant to J. B. Bowie  
course S. E.

4.000 Set a granite stone 12 x 8 x 7 ins.

## Subdivision T. 13 S. R. 28. E. continued

chains.

8 ins. in the ground, for 1/4 sec.  
cor. marked 1/4 on W. face, and  
raised a mound of stone, along-  
side. Pits impracticable.

- 74.90 Dry wash 10 ft. wide come N.E.  
80.00 Set a post 4 ft. long, 4 ins. square,  
with marked stone, 12 ins. in the  
ground, for cor. to secs. 27.28  
33 & 34, marked -  
T. 13 S. S. 27 on N. E.  
R. 28 E. S. 34 on S. E.  
S. 33 on S. W. and  
S. 28 on N. W. faces, with 1  
notch on S. and 3 notches on  
E. edges, dug pits 18+18+12 ins.  
in each sec. 5 1/2 ft. dist. and  
raised a mound of earth,  
2 ft high, 4 1/2 ft. back around pit.

Subdivision T. 13. S. R. 28 E. continued

chains

from which

An Ash 4 ins. diam. br. L.  $38\frac{1}{2}$ ° E. 397 lbs dist.  
marked T. 13. S. R. 28 E. L. 34 B. S. P. no other  
trees within limits.

Land nearly flat

Soil good & 2d. rate

No timber some brush.

East on a random line, bet. Secs  
27 & 34.

Var.  $12^{\circ} 34' E.$

4.00 Set temporary sec. cor.  
80.07 Intersect N & S. line, 8 lbs S.  
of cor. to Secs. 26. 27. 34 & 35.  
Hence 9 mrs.

S.  $89^{\circ} 57' W.$  on a true line, bet.  
Secs. 27 & 34 with same as.

## Subdivisions T. 30 S. R. 28 E. continued

chains.  
40.03

Deposited a charred stake 12 ins.  
in the ground, for  $\frac{1}{4}$  Sec. cor. dug  
pit 18 + 18 + 12 ins. 8 x W. of cor.  
 $\frac{5}{8}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it.

In E. pit drove a stake, 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N. face.

80.07 The cor. to Secs. 27, 28, 33 & 34.  
Land nearly flat.  
Soil 2d. rate  
No timber.

North bet. Secs. 27 &amp; 28.

Var.  $12^{\circ} 38' \text{ E.}$ 

40.00 Deposited a charred stake 12

Subdivisions T. 30 S. R. 28 E. continued

chains

ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits  $18+18+12$  ins. N.E.  
of cor. 5 ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base over it.

In N. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on W. face.

80.00 Set a post 4 ft. long, 4 ins. square,  
with marked stone, 12 ins. in the  
ground, for cor. to secs. 21. 22. 27+28  
marked.

T. 13 S. S. 22 on N. E.

R. 28 E. S. 27 on S. E.

S. 28 on S. W. and

S. 21 on N. W. faces, with 2  
notches on S. and and 3 notches  
on E. edges, dug pits  $18+18+12$  ins.

## Subdivision T. 13 S. R. 28 E. continued

claims

in each sec. 5 ft. dist. and raised a mound of earth, 2 ft. high, 4 ft. base around post.  
 Land flat  
 Soil 2d rate & good  
 No timber, some brush.

---

Cast on a random line, bet.  
 Secs. 22 & 27.

Nar.  $12^{\circ} 38' E.$

- 24.30 Road to Borrie came S.  
 40.00 Set temporary 1/4 sec. cor.  
 80.08 Intersect N & S. line 17 lbs S.  
 of cor. to Secs. 22, 23, 26 & 27.  
 Thence 9 mm.  
 L.  $89^{\circ} 53'$  W. on a true line, bet.  
 Secs. 22 & 27. with same ra.

# Subdivisions T 3 S. R. 28 E. continued

chains.

- 40.04 Set apart 3 ft. long. 3 ins. square,  
with marked stone, 12 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18+18+  
12 ins. Et W. of post, 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base around post.  
80.08 The cor. to Secs. 21. 22. 27. 28  
Land nearly flat  
Soil 2 d. rate  
No timber.
- 

North, bet. Secs. 21 + 22.  
Var.  $12^{\circ} 38' E.$

- 40.00 Deposited a charred stake, 12  
ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits 18+18+12 ins.

## Subdivisions T. 13 S. R. 28 E. contained

chains

W & S. of cor. 5' aft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.

In N. pit. Drove a stake, 8 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  ft. on W. face.

8,000 Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 15, 16, 21, & 22. dug pits  $18+18+12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base over it.

In S. E. pit drove a stake 8 ft. long, 2 ins. square, 12 ins. in the ground, marked -

T. 13 S. S. 15 on N. E.

R. 28 E. S. 22 on S. E.

Subdivisions, T. 13 S. R. 28 E. continued

chains

S. 21 on S. W. and  
 S. 16 on N. W. faces. with 3 notches  
 on S. and E. edges.  
 Land flat,  
 Soil 2 d. rate  
 No timber.

---

Cast on a random line lot.  
 Secs. 15 & 22.

Var.  $12^{\circ} 38' E.$

- 19.11 Road from Pueblo Viejo to  
 Fort Bowie course S.  
 4.000 Set temporary 1/4 sec. cor.  
 71.74 Road from Bowie Station to  
 Fort Bowie. course S.  
 19.96 Intersect N & S. line 7 lbs  
 N. of cor. to Secs. 14, 15, 22 & 23.

Subdivisions T. 13 S. R. 28 E. continued

chains.

Hence 9 m.

N.  $89^{\circ} 57' W.$  on a true line, bet.

Secs. 15 + 22. with same va.

39.98 Set a post 3 ft. long, 3 ins. square,  
with marked stone, 12 ins. in  
the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face, dug  
pits 18 + 18 + 12 ins. E & W. of  
post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base arround post.

79.96 The cor. to Secs. 15. 16. 21 + 22.

Land flat

Soil 2<sup>d</sup> rate

No timber.

North bet. Secs. 15 + 16.

Subdivisions T. 13 S. R. 28 E. continued

chains

Var.  $12^{\circ} 38' E.$

4000 Set a post 3 ft. long 3 ins. square  
with marked stake, 1 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S on W. face, dug pits 18+18 $\frac{1}{2}$   
12 ins. N & S. of Post,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post.

8000 Set a post 4 ft. long, 4 ins. square  
with charred stake 12 ins. in the  
ground, for cor. to secs. 9, 10, 15 & 16.  
marked -

T. 13 S. S. 10 on N. E.

R. 28 E. S. 15 on S. E.

S. 16 on S. W. and

S. 9 on N. W. faces, with 4  
notches on S. and 3 notches

Subdivision T. 13 S. R. 28 E. continued

chain.

on E. edges. dug pits 18+18+12 ins.  
in each sec. 5½ ft. dist. and  
raised a mound of earth, 2 ft.  
high, 4½ ft. base, around post.  
from which

A mesquite 3 ins. diam. los South 110 lbs. dist.  
marked T. 13 S. R. 28 E. S. 15x16 B.T.  
no other trees within limit.

Land flat

Soil 2d. rate

No timber some brush.

Cast on a random line bet.

secs. 10 & 15.

Nor. 12° 38' E.

25.00 Road course S.  
34.00 Road course S.

Subdivisions S. 13 L. R. 28 E. continued

chains

4.000

Set temporary  $\frac{1}{4}$  Sec. cor.

79.92 Intersect N & S. line, 16 lks N.  
of cor. to Secs. 10. 11. 14 + 15.

Then due SSW.

N.  $89^{\circ} 53' 9''$  W. on a true line,  
bet. Secs. 10 + 15. with same coa.

9.96

Deposited a charred stake, 12  
ins. in the ground, for  $\frac{1}{4}$  Sec.  
cor. dug pits 18 + 18 + 12 ins.

E + W of cor. 5 ft. dist. and  
raised a mound, of earth  
 $1\frac{1}{2}$  ft. high, 3 ft. base over it.  
In E. pit drove a stake 2 ft.  
long 2 ins. square, 12 ins in  
the ground, marked  $\frac{1}{4}$  S.  
on N. face.

79.92

The cor. to Secs. 9. 10. 15 + 16.  
Land flat

Subdivisions S. 13 L.R. 28 E. continued

chains

Soil 2<sup>d</sup> rate  
No timber.

North bot. Seco. 9 & 10.

Var.  $12^{\circ} 38' E.$

4000 Deposited a charred stake  
12 ins. in the ground, for  
 $\frac{1}{4}$  Sec. cor. dug pits 18x18x  
12 ins. N & S. of cor. 5 $\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft.  
base over it.

In N. pit drove a stake, 2 ft  
long 2 ins. square, 12 ins. in  
the ground, marked  $\frac{1}{4}$  S. on  
W. face.

8000 Set a sawed pine post, 4 ft.

Subdivisions T. 13 S. R. 28 E. continued

chains

long, 4 ins. square, with marked  
stone, 12 ins. in the ground,  
for cor. to Secs. 3, 4, 9 & 10.  
marked

T. 13 S. S. 3 on N. E.

R. 28 E. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. faces, with 5  
notches on S. and 3 notches  
on E. edges, dug pits 18 + 18 + 12  
ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth, 2 ft. high,  $4\frac{1}{2}$  ft. base,  
around post. from which  
the S. E. cor. of Depot building  
at Bowie Station lies N.  $34\frac{1}{2}^{\circ}$  W.  
22.10 chs. dist.

The S. E. cor. of the Railroad

## Subdivisions T. 13 S. R. 28 E. continued

chains

Watertank lrs. N.  $22^{\circ}$  W. 19.70chs. dist.  
Thence from tank Imm East  
20.00 chs. to a point on E. boundary  
of J. Campbells Desert Land claim  
thence North 20chs to N. E. cor. of  
claim, thence West 80 chs. to  
N. W. cor. Thence South 80 chs.  
to S. W. cor. thence East 80chs.  
to S. E. cor. Thence North 6.00s  
claims. & place of beginning.  
Beans Desert Land claim,  
lies. immediately South of this,  
the South line of Campbells claim,  
being the north line of Beans.  
The latter is also 1 mile square.  
From the cor. to Seco. 3. 4. 9 & 10  
again the N. E. cor. of J. H. Scotts  
Desert Land claim, and the

Subdivisions T. 13 S. R. 28 E. continued

claims

S.E. corner of M. B. Manager's  
Desert Land claim, sec. 9.  $4^{\circ}33'W.$   
13. 70 chs. dist.

These two claims are each  
one mile square with their  
lines running to the cardinal  
points. The latter two claims  
conflict with the first two.

Land nearly flat.

Soil 2d rate

No timber, some brush.

---

East on a random line bet.  
secs. 9 & 10.

Var.  $12^{\circ}38'E.$

9.22 Road course S.  
10.28 Road course S.

## Subdivisions T. 13 S. R. 28 E. continued

chains.

- 40.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
 56.32 Telegraph line course S. E.  
 59.29 S. P. Railroad course S. E.  
 65.56 Road along Railroad course S. E.  
 79.97 Intersect N & S. line 15 lks  
 N. of cor. to Secs. 2, 3, 10 & 11.

Fence Post

N.  $89^{\circ} 54'$  W. on a true line,  
 bet. Secs. 9 & 10. with same oa.

- 39.98 Deposited a charred stake, 12  
 ins. in the ground, for  $\frac{1}{4}$  sec  
 cor. dug pits  $18 \times 18 + 12$  ins.  
 Ex W. of cor.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.  
 In E pit drove a stake 2 ft.  
 long, 2 ins. square, 12 ins. in  
 the ground, marked  $\frac{1}{4}$  l. on N side.

## Subdivisions P. 13 S. R. 28 E. continued

chains.

79.97 The cor. to Secs. 8, 4, 9 + 10.  
Land ascending N.  
Soil 2d rate  
No timber some brush.

North on a random line bot.  
Secs. 3 & 4.

Var.  $12^{\circ} 38' E.$

10.61 Road from Station to Ft. Bonne  
etc. course S. E.

13.72 Fence course N. W. & S. E. &  
outer enclosure,

15.00 N. E. cor. of Chinese quarters,  
first building S. side of track  
End Sectionhouse 9 lbs West.

15.22 Fence N. W. & S. E. & leave enc-  
losure,

## Subdivisions T. 13 S. R. 28 E. continued

chains.

- 15.76 Main track of S. P. Railroad  
course S. E. the telegraph line  
along South side of track
- 4.00 Set. temporary 1/4 Sec. cor.
- 43.60 Old Road from Pueblo Viejo to  
Fort Bowie course E of S.
- 8005 Intersect N. Boundary of  
township. 11 lbs W. of cor. to  
secs. 3. 4. 33 & 34 which is a  
mound of earth 2 ft. high,  
4 1/2 ft. base, with pits in each  
sec. 18+18+12 ins. 5 1/2 ft. dist.  
In S. E. pit is a stake 2 ins.  
square marked  
T. 12 S. S. 34 on N. E.  
R. 28 E. S. 3. on S. E.  
T. 13 S. S. 4 on S. W. and  
S. 33 on N. W. faces, with

Subdivisions T. 13 S. R. 28 E. continued

lins

3 notches, on S & W. edges.

Hence I m.

S. o. 05' N. on a true line, bet.

Secs. 3 & 4. with same co.

Set a post 3 ft. long, 3 ins. square,  
with marked stone 12 ins. in  
the ground, for 1/4 sec. cor.  
marked 1/4 S. on W. face, dug  
pits 18+18+12 ins. N & S. of post  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post.

W.O. 5 The cor. to Secs. 3. 4. g. & 10

Land flat

Soil some good

No timber.

---

Subdivisions T. 13 S. R. 28 E. continue.

chains

From the cor. to Secs. 4. 5. 32 & 33.  
on S. Boundary of township.  
which is a Quartzite stone,  
 $15 \times 8 \times 5$  ins. firmly set in the  
ground, marked with 4 notches  
on E & 2 notches on W. edges,  
and raised a mound of stone alongside,  
Please Imm.

North bit. Secs. 32 & 33.

Var.  $12^{\circ} 38' E.$

4000 Set a gneissstone  $12 \times 9 \times 5$  ins.  
8 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on W. face,  
and raised a mound of stone  
 $\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.  
pits impracticable.

8000 Set a granite stone,  $12 \times 9 \times 6$  in.  
8 ins. in the ground, for cor.

Subdivisions. T. 13 S. R. 28 E. continued  
by S. R. M.

chain

to Secs. 28, 29, 32 & 33, marked  
with 1 notch on S. and 4  
notches on E. edges, and raised  
a mound of dirt 2 ft. high,  
4 ft. base, alongside.  
Ruts impracticable.

Land ascending W.  
Soil 2 d. rate  
No timber.

Cast on a random line, bet  
Secs. 28 & 33.

Var.  $12^{\circ} 38' E.$

- |       |   |
|-------|---|
| 3.25  | dry wash 100 ft wide comes N.E.                 |
| 14.70 | Road from Ft. Grant to Ft. Bowie.<br>comes S.E. |
| 40.00 | Set temporary 1/4 sec. cor.                     |

Subdivisions T. 13 S. R. 28 E. continued

chains.

79.97 Intersect N & S. line 12 lbs S.  
of cor. to Secs. 27. 28. 33. 43 &  
Plane Inn.

S.  $89^{\circ} 55' 9\frac{1}{2}$  on a true line, bet.  
Secs. 28 & 33. with same va.

39.98 Set a granitestone 15+9+6 ins.  
10 ins. in the ground, for 1/4 sec.  
cor. marked 1/4 on N. face, dug  
pit 18+18+12 ins. E & W. of stone,  
5 1/2 ft. dist. and raised a mound  
of earth 1 1/2 ft. high, 3 1/2 ft. base  
alongside.

79.97 The cor. to Secs. 28. 29. 32 & 33.  
Land descending E.  
Soil 2d. rate  
No timber.

January 19. 1882.

Subdivisions T. 13 S. R. 28 E. contained

chains

North bet. Secs. 28 & 29.

Var.  $12^{\circ} 38' E.$

17.50 Road from Port Grant to R.R. Bowie  
curve S. E.

4.000 Set a post 3 ft. long 3 ins. square,  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  S. on W. face, dug  
pits, 18+18+12 ins. N & S. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long 4 ins. square,  
with marked stone 12 ins. in  
the ground, for cor. to Secs.  
20. 21. 28. & 29. marked  
T. 13. S. S. 21 on N. E.  
R. 28 E. S. 28 on S. E.

Subdivisions T. 13 S. R. 28 E. continued

chains.

S. 29. on S. W. and  
 S. 20 on N. W. faces, with 2  
 notches on S. and 4 notches  
 on E. edges, dug pits 18+18+12 ins.  
 in each sec., 5' apart. dist. and  
 raised a mound of earth  
 2 ft. high, 4' apart base around  
 post.

Land descending a little E,  
 Soil 2 dr. st.

No timber.

East on a random lime bet.  
 Secs. 21 + 28.

Nar.  $12^{\circ}38' E.$

5.41	Dry wash folks wide comse. N. E.
40.00	Set temporary 1/4 sec. cor.

## Subdivisions. T. 13 S. R. 28 E. continued

chains.

- 80.10 Intersect N & S. line 14 lbs. S.  
of cor. to Secs. 21. 22. 27 & 28.  
Dense Imm.  
S.  $89^{\circ} 54' W.$  on a true line, bt.  
Secs. 21. & 28. with same va.  
40.05 Set a post 3 ft. long, 3 in. square,  
with charred stake, 12 in. in  
the ground, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N face, dug pit 18 $\frac{1}{2}$  x 18 $\frac{1}{2}$   
in. E & W. off post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post.  
80.10 The cor. to Secs. 20. 21. 28 & 29.  
Land nearly flat.  
Soil 2d rate  
No timber.

## Subdivisions T. 13 S. R. 28 E. continued

chains

North bet. Secs. 20 &amp; 21.

Var. 12° 38' E.

- 40.00 Set a post 3 ft. long, 3 ins. square, with charred stake 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18 + 18 + 12 ins. N + S. offset  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.
- 80.00 Set a post 4 ft. long, 4 ins. square, with charred stake 12 ins. in the ground, for cor. to Secs. 16, 17, 20 + 21. marked T. 13 S. S. 16 on N. E. R. 28 E. S. 21 on S. E. S. 20 on S. W. and S. 17 on N. W. faces, with 3

## Subdivisions T. 13 S. R. 28 E. continued

chain

notches on S. and 4 notches on  
E. edges, dug pits 18+18+12 ins.  
in each sec., 5½ ft. dist. and  
raised a mound of earth aft.  
high, 4½ ft. base around post.

Land nearly flat.

Soil 2<sup>d</sup> rate

No timber.

---

East on a random line, bet.  
Secs. 16 & 21.

Var. 12° 38' E.

- 4000 Set temporary 1/4 Sec. cor.  
80.05 Intersect P & S. line 8 lbs S.  
of cor. to Secs. 15. 16. 21 & 22.  
Dense 9 in  
S. 89° 57' N. on a true line, bet.

# Subdivisions T.13 S.R.28 E. continued

chains.

- Secs. 16 + 21. with same os.  
 40.02 Set a post 3 ft. long, 3 in. square,  
with charred stake  
 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N.  
 face. dug pits 18 + 18 + 12 in.  
 Et W. of post. 5  $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 8  $\frac{1}{2}$   
 ft. high, 3' ft base around  
 post.  
 80.05 The cor. to Secs. 16, 17, 20 + 21  
 Land flat  
 Soil 2 d. rate  
 No timber, some brush.
- 

North bet. Secs. 16 + 17.

Var.  $12^{\circ} 38' E.$

- 40.00 Set a post 3 ft. long, 3 in.

Subdivision T. 13 S. R. 28 E. continued

chains.

square, with charred stake, 12  
ins. in the ground, for 1/4 sec.  
cor. marked 1/4 S. on W. face  
dug pits 18+18+12 ins. N.W.  
of post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high,  
3 1/2 ft. base around post.

80.00 Deposited a charred stake,  
12 ins. in the ground, for cor.  
to Secs. 8. 9. 16. & 17. dug pits  
18+18+12 ins. in each sec. 5 1/2  
ft. dist. and raised a mound  
of earth 2 ft. high, 4 1/2 ft. base  
over it.

In S. E. pit drove a stake  
2 ft. long 2 ins. square, 12 ins. in  
the ground marked -  
S. 1/3 S. S. 9 on N. E.

Subdivisions S. 13 S. R. 28 E. continue

chains.

R. 28 E. S. 16. on S. E.  
 S. 17 on S. W. and  
 S. 8 on N. W. faces. with 4  
 notches on S. & E. edges.  
 Land nearly flat.  
 Soil 2<sup>d</sup> rate  
 No timber.

on a random line  
 East, bet. Secs. 9 + 16  
 Var.  $12^{\circ} 38' E.$

40.00 Set temporary 1/4 sec. cor.  
 80.12 Intersect N & S. line, 13 bds  
 N. of cor. to Secs. 9, 10, 15, & 16  
 Distance 9 m.,  
 N.  $89^{\circ} 54' W.$  on a true line,  
 bet. Secs. 9 & 16. with same os.  
 40.06 Deposited a charred stake

## Subdivisions T. 13 S. R. 28 E. continued

chains.

12 ins. in the ground for  $\frac{1}{4}$  Sec.  
or. dug pits 18 + 18 + 12 ins. Ex N.  
of cor. 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high,  
3  $\frac{1}{2}$  ft. base over it.

In E. pit drove a stake, 2 ft.  
long 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N. face,  
80.12 The cor. to Secs. 8, 9, 16 & 17.

Land nearly flat

Soil 2 d. rate

No timber.

North bet. Secs. 8 & 9.

Var.  $12^{\circ} 38' E.$

31.00 Road course S. W.

40.00 Set a post 2 ft. long, 3 ins. square  
with charred stake

Subdivisions T. 13 S. R. 28 E' cont'd.

chains

12 ins. in the ground for 1/4  
Sec. cor. marked 1/4 S. on  
W. face, dug pits 18+18+12  
ins. N & S. of post. 5 ft. dist.  
and raised a mound 1 1/2 ft.  
high, 3 ft. base around post.  
from which

a mesquite tree 3 ins. diam. br. S 71° E. 50 lbs. dist.  
marked 1/4 S. B. P.

a mesquite tree 4 ins. diam. br. S. 58° W. 22 lbs. dist.  
marked 1/4 S. B. P.

79.00 Dir road course W.

80.00 Set a post 4 ft. long, 4 ins. square  
with charred stake, 12 ins. in  
the ground, for cor. to Secs.

4.5.8 & 9. marked -

T. 13. S. S. 4 on N. E.

R. 28 E. S. 9 on S. E.

L 8 on S. W. and

Subdivisions T. 13 S. R. 28 E. continued

chains

S. 5 m N. W. faces. with 5 notches on S. and 4 notches on E. edges, dug pits 18+18+12 ins. in each side, 5' pft. dist. and raised a mound of earth 2 ft high, 4 $\frac{1}{2}$  ft. base around post. from which a Nest tree. 4 ins. diam. by S. 4° E. 138 lbs dist. marked T. 13 S. R. 28 E. S. 9.6 B. T. no other trees, within limits.

Land flat.

Soil good

No timber, Brushy on N. end.

East on a random line, bet Secs. 4 & 9.

## Subdivisions T. 13 S. R. 28 E. continued

Var.  $12^{\circ}38' E.$

36. 27 Road course S. of W.  
 40.00 Set temporary 1/4 sec. cor.  
 59. 41 Road to mines. course S. W.  
 80.04 Intersect N. & S. line 14 lks  
 N. of cor. to Secs. 3, 4, 9 & 10  
 Hence 9 m.
- N.  $89^{\circ}54' W.$  on a true line,  
 bet. Secs. 4 & 9, with same va.
- 40.02 Deposited a charred stake  
 12 ins. in the ground, for 1/4  
 sec. cor. dug pits 18+18+12  
 ins. Et W. of cor. 5' pft. dist.  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
 over it.
- In E. pit drove a stake 2 ft. long,  
 2 ins. square, 12 ins. in the

Subdivisions T. 13 S. R. 28 E. continued

chains.

ground marked  $\frac{1}{4}$  S. on N. face.  
80.04 The cor. to Secs. 4. 5. 8. & 9.  
Land flat  
Soil good  
No timber.

---

North on a random line,  
bet. Secs. 4. & 5.

Var.  $12^{\circ} 38' E.$

36.23 Telegraph line course S. E.  
37.00 S.P. Railroad course S. E.  
37.95 Wagon road course S. E.  
40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.91 Intersect N. Boundary of  
township. 15 lbs E. of cor. to  
Secs. 4. 5. 32 & 33. which is  
a mound of earth aft. high

Subdivisions T. 13 S. R. 28 E. continued

chains

4 1/2 ft. base, with pits in each  
Sec. 18 + 18 + 12 ins. 5 ft. left. dist.  
In S. E. pit. is a stake 2 ins.  
square marked -

T. 12 S. S. 33. on N. E.

R. 28 E. S. 4. on S. E.

T. 13 S. S. 5 on S. W. and  
S. 32 on N. W. faces, with 4  
notches on E + 2 notches  
on W. edges.

Phineas Inn.

S. 0° 06' E. on a true line, bet.

Secs. 4 + 5. with same va.

39. 91 Set a post 9 ft. long, 3 ins. square,  
with marked stone, 12 ins.  
in the ground, for 1/4 sec. cor.  
marked 1/4 S. on W. face,  
dug pit 18 + 18 + 12 ins. N + S.

Subdivisions T. 13 S. R. 28 E. continued

chains.

of post 5 ft. dist. and raised a  
wound of earth  $1\frac{1}{2}$  ft. high,  $9\frac{1}{2}$   
ft. base around post.

79. 91 The cor. to Secs. 4, 5, 32 & 33.

Land flat

Soil good

No timber, brushy on S. end.

---

From the cor. to Secs. 5, 6  
31 & 32, on S. Boundary of  
township, which is a post  
4 ins square marked,

T. 13 S. S. 32 on N. E.

R. 28 E. S. 5 on S. E.

T. 14 S. S. 6 on S. W. and  
S. 31 on N. W. faces, with 5  
notches, on E & 1 notch on N. edges.

Subdivisions T. 13 S. R. 28 E. continued

chains

raised a  
and, mound of stone 2 ft.  
high,  $4\frac{1}{2}$  ft. base around  
post.

Three Town

North lot. Secs. 31 + 32.

Var.  $12^{\circ} 38' E.$

ascend

5.00 Ridge 75 ft. high, course N.E.

40.00 Set a granite stone 22 + 8 + 4 ins.  
16 ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. marked off on W. face,  
and raised a mound of stone  
alongside, pits unpredictable.

58.10 Dry wash 15 ft. wide course N.E.

79.00 Dry wash 30 ft. wide course N.E.

80.00 Set a post 4 ft. long 4 ins. quarry  
with marked stone, 12 ins. in  
the ground for cor to Secs. 29..

Subdivisions T. 13 S. R. 28 E. continued

chains

90. 31 & 32. marked

T. 13 S. S. 29. on N. E.

R. 28 E. S. 32. on S. E.

S. 31 on S. W. and

S. 30 on N. W. faces, with 1 notch on S. and 5 notches on E. edges, and raised a mound of stone 2 ft. high, 4 1/2 ft. base, around post. Bits impracticable.

Land ascending W.

Soil 3 ft. soft & stony  
No timber.

East on a random line  
bet. Secs. 29 & 32.

Nor.  $12^{\circ} 38' E.$

## Subdivision T. 13 S. R. 28 E. continued

- Chains.
- 40.00 Set temporary 1/4 sec. cor.
- 80.11 Intersect N. & S. line 13 lks N. of cor. to Secs. 28, 29, 32 & 33.  
Hence 9 mrs.  
N. 89° 54' W. on a true line, bet.  
Secs. 29 & 32. with same va.
- 40.05 Set a Quartzite rock 12 + 9 + 4 ins.  
8 ins. in the ground for 1/4 sec. cor.  
marked 1/4 on N. face, dug pits  
18 + 18 + 12 ins. E. & W. of stone 5 1/2  
ft. dist. and raised a mound  
of earth 1 1/2 ft. high, 3 1/2 ft. base  
along side.
- 80.11 The Cor. to Secs. 29, 30, 31 & 32.  
Land descending E.  
Soil 3% rate  
No timber.
-

## Subdivision T. 13. S. R. 28 E. continued

chains.

West on a random line, bet.  
Secs. 30 & 31.

Nor.  $12^{\circ} 38' E.$

Ascending.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
Ascend steep mountain ridge,  
79.18 Intersect W. Boundary of town  
ship 21 lbs N. of cor. to Secs. 25, 30,  
31 & 36. which is a post 4 ins.  
square marked—  
T. 13 S. S. 30 on N. E.  
R. 28 E. S. 31 on S. E.  
R. 27 E. S. 36 on S. W. and  
S. 25 on N. W. faces, with 5 notches  
on N. and 1 notch on S. edges, and  
raised a round of stone 2 ft. high,  $4\frac{1}{2}$  ft.  
base around post, from which  
a Juniper 15 ins. diam. br. S.  $50\frac{1}{2}^{\circ}$  E. 106 lbs. dist.  
marked T. 13 S. R. 28 E. S. 31. B. T.

Subdivisions T. 13 S. R. 28 E. continued

chains

Plane 3 mm

3.  $89^{\circ} 51' E$  on a true line, bet. Secs.  
30 & 31. with same va.

39.18 Set a granite stone  $12+9+8$  ins.  
8 ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pit  $18+18+12$  ins.  $E \frac{1}{2} W.$   
of cor.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base, alongside.

79.18 The cor. to Secs. 29, 30, 31 & 32.  
Land descending E. very steep N. half.  
Soil 3d. rate & rocky  
No timber.

Jan. 20. 1882.

North bet. Secs. 29 & 30.  
Var.  $12^{\circ} 38' E.$

## BOOK 784

Subdivisions T. 13 S. R. 28 E. continued

chain.

- 0.30 Dry wash 20 lks wide, course N. E.  
 27.53 Dry wash 25 lks wide, course N. E.  
 40.00 Deposited a charred stake 12 ins.  
     in the ground, for 1/4 Sec. cor. dug  
     pits 18+18+12 ins. N & S. of cor. 5 1/2 ft.  
     dist. and raised a mound of earth  
     1 1/2 ft. high, 3 1/2 ft base over it.  
     In N. pit drove a stake, 2 ft. long  
     2 ins. square, 12 ins. in the ground,  
     marked 1/4 S. on W. face.  
 61.00 Dry wash 20 lks. wide course N. E.  
 80.00 Set a quartzite rock 15+8+5.  
     10 ins. in the ground, for cor. to Secs. 7.  
     19.20. 29+30. marked with 2 notches and  
     5 ins. and 5 inches on E. edges  
     raised a mound of stone along-  
     side, Pits impracticable.  
     Land ascending N.  
     Soil poor.  
     No timber.

Subdivisions T. 13 S. R. 28 E. continued

chains

Cast on a random line, bet.  
Secs. 20 & 29.

Nor.  $12^{\circ} 38' E.$

- 34.00 Old road came S. E.  
 40.00 Set temporary 1/4 sec. cor.  
 48.30 Dry Wash 15 lks wide came N. E.  
 57.48 Dry Wash 20 lks wide came N. E.  
 79.90 Intersect N. S. line 12 lks N. of  
     cor. to Secs. 20, 21, 28 & 29.  
 Hence from  
 N.  $89^{\circ} 55' W.$  on a true line, bet.  
 Secs. 20 & 29. with same va.  
 39.95 Set a post 3 ft long, 3 ins. square,  
     with marked stone, 12 ins. in the  
     ground, for 1/4 sec. cor. marked  
     1/4 S. on N. face, dug pit 18 +  
     18 x 12 ins. E. & W. of post. 5 1/2 ft.  
     dist. and raised a mound

Subdivision T. 13 S. R. 28 E. continued

chains

of earth 1 1/2 ft. high, 3 1/2 ft. base  
around post.

79.90 The cor. to Secs. 19. 20. 29 & 30.  
Land ascending a little W.  
Some good soil  
Not timbered. Brushy.

---

West on a random line, bet.  
Secs. 19 & 30.

Nor.  $12^{\circ} 38' E.$

Ascending W.

- |       |  |
|-------|--|
| 12.00 | Ascend steeply   |
| 38.00 | Top of high mountainous ridge,<br>400 ft. high, come N. E. |
| 40.00 | Set temporary 1/4 sec. cor.<br>Descend steeply.            |
| 79.20 | Intersect W. Boundary at                                   |

Subdivision T. 13 S. R. 28 E. continued

chains

township. 19 lots N. of cor. to  
Secs. 19, 24, 25 & 30. which is a  
plot 6 ins. square, marked.

T. 13 S. S. 19 on N. E.

R. 28 E. S. 30 on S. E.

R. 27 E. S. 25 on S. W. and  
S. 24 on N. W. faces. with 4  
notches on N. and 2 notches on  
S. edges. from which

a mesquite 8 ins. diam. br. S.  $60\frac{1}{2}^{\circ}$  E. 35 lbs dist.  
marked T. 13 S. R. 28 E. S. 30 B. P.

an oak 5 ins. diam. br. N.  $39^{\circ}$  E. 95 lbs dist.

marked T. 13 S. R. 28 E. S. 19. B. P.

Phase Inn

N.  $89^{\circ} 52' E.$  on a true line, bet.  
Secs. 19 & 30. with same va.

39.20 Set a granite stone  $12 \times 10 \times 7$  ins.  
8 ins. in the ground, for  $\frac{1}{4}$  sec.

## Subdivisions T. 13 S., R. 28 E. continued

chains

cor. marked  $\frac{1}{4}$  on N. face, dug  
pits 18+18+12 ins. Ex N. of stone,  
5' ft. dist. and raised a mound  
of earth 1' ft. high, 3' ft. base  
alongside.

79.20 Th cor. to Secs. 19. 20. 29. 30  
Land mountainous  
Soil poor.  
No timber.

---

North bet. Secs. 19 & 20.

Nor.  $12^{\circ} 38'$  E.

- 6.73 Dry wash 10 ft. wide course N. E.
- 15.00 Dry wash 15 ft. wide course N. E.
- 34.23 Road from Ft. Grant to Ft. Bowie  
course S. E.
- 46.00 Deposited a charred stake 12 ins.

Subdivisions. P. 13 S. R. 28 E. continued

chains

in the ground, for 1/4 sec. cor.  
dug pits 18+18+12 ins. N + S. of  
cor. 5' pft. dist. and raised  
a mound of earth 1' pft. high,  
3' pft. base over it.

In N. pit drove a stake 2 ft. long  
2 ins. square, 12 ins. in the ground  
marked 1/4 S. on W. face.

80.00 Set a post 4 ft. long, 4 ins. square,  
with marked stone, 12 ins. in  
the ground, for cor. to secs. 17.

18. 19 + 20. marked -

P. 13. S. S. 17 on N. E.

R. 28 E. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. faces, with 3

notches on S. and 5 notches

on E edges. dug pits 18+18+12

Subdivision T. 13 S. R. 28 E. continued

chains

ins. in each sec. 5 ft. dist. and raised a mound of earth 2 ft. high, 4 ft. base around post.  
Land ascending S. W.  
Soil 2 to 3 rate  
No timber.

---

Cast on a random line bet.  
secs. 17 & 20.

Var.  $12^{\circ} 38' E.$

- 40.00 Set temporary 1/4 sec. cor.  
80.04 Intersect N. & S. line, 9 lbs N. of cor. to secs. 16, 17, 20 & 21.  
Then 1 mm  
9.89° 56' W. on a true line, bet.  
secs. 17 & 20. with same va.  
40.02 Deposited a charred stake 12

Subdivisions T. 13 S. R. 28 E. continued

chains

2 in. in the ground, for  $\frac{1}{4}$  sec. cor.  
dug pits  $18 \times 18 \times 12$  in. E & W. of  
cor.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base over it.

In E. pit drove a stake 2 ft.  
long 2 in. square, 12 in. in the  
ground, marked  $\frac{1}{4}$  sec. on N. face.  
80.04 The cor. to Secs. 17, 18, 19, & 20.

Land ascending a little N.

Soil good

No timber. brushy.

West on a random line, bot.  
Secs. 18 & 19.

Var.  $12^{\circ} 98' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

Subdivisions T. 13 S. R. 28 E. continued

chains

64.22 Road from Grant to Mt. Bowie  
course S. E.

73.23 Road from Bowie Station to  
Mines course S. W.

79.00 Intersect W. Boundary of  
township 13 lbs N. of cor. to Secs.  
13, 18, 19, & 24 which is a mound  
of earth 2 ft. high,  $4\frac{1}{2}$  ft. base,  
with pits in each sec.  $18 \times 18 \times 12$   
ins.  $5\frac{1}{2}$  ft. dist.

In S. E. pit is a stake 2 ins.  
square marked -

S. 13 S. S. 18. on N. E.

R. 28 E. S. 19 on S. E.

R. 27 E. S. 24 on S. W. and  
S. 13 on N. W. faces. with 3 notches  
on N & S. edges.

Therefore 9 rods.

Subdivisions T. 13 S. R. 28 E. continued

Lat.  $89^{\circ} 55' E.$  on a true line, bet.  
secs. 18 & 19, with same va.

39.00 Deposited a charred stake, 12 in.  
in the ground for  $\frac{1}{4}$  sec. cor. dug  
pits 48 + 18 + 12 ins. E + W. of cor.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base over it.  
In E. pit drove a stake 2 ft. long  
2 ins. square, 12 ins. in the ground,  
marked  $\frac{1}{4}$  S. on N. face.

79.00 The cor. to secs. 17, 18, 19, & 20.  
Land ascending a little N.  
Soil 2d rate  
No timber.

North bet. secs. 17 & 18.

Var.  $12^{\circ} 38' E.$

## Subdivisions T. 13 S. R. 28 E. continued

- chains  
11.90 Dry wash 20 ft wide, course N. E.  
26.20 Road from Bowie Station to mine  
course S. W.  
4.000 Deposited a charred stake, 12 ins.  
in the ground for  $\frac{1}{4}$  sec. cor. dug  
pits 18x18x12 ins. N & S. of cor.  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base over it.  
In N. pit drove a stake 6 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  L. on W. face.  
8.000 Set a post 4 ft. long, 4 ins. square,  
with marked stone, 12 ins. in the  
ground, for cor. to Secs. 7. 8. 17x18  
marked -

T. 13 S. S. 8 on N. E.

R. 28 E. S. 17 on S. E.

Subdivisions T. 13 S. R. 28 E. continued

chains

L. 18 on S. W. and  
 L. 7 on N. W. faces with 4  
 notches on S. and 5 notches on  
 E. edges, dug pits 18x18x12 ins.  
 in each sec. 5 ft. dist. and  
 raised a mound of earth, 2 ft.  
 high, 4 ft. base around pit.  
 Laid descending a little N. E.  
 Soil 2<sup>d</sup> rate  
 No timber.

---

Cast on a random line, bet.  
 Secs. 8 & 17.

Var.  $12^{\circ} 38' E.$

- |       |  |
|-------|--|
| 38.00 | Road from Bowie Station to<br>Mines course S. W. |
| 40.00 | Set temporary 1/4 Sec. cor.                      |

Subdivisions T. 13 S. R. 28 E. continued

chains.

79.97 Intersect N & S. line 11 lbs S. of  
cor. to Secs. 8, 9, 16 & 17.

Hence 9m

S.  $89^{\circ} 55' W.$  on a true line, bet.  
Secs. 8 & 17 with same va.

39.98 Deposited a charred stake 12 ins.  
in the ground, for  $\frac{1}{4}$  sec. cor. dug  
pits 98 & 18 & 12 ins. Et W. of cor.  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
over it.

In E. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N. faces,

79.97 The cor. to Secs. 7, 8, 17 & 18.

Land nearly flat

Soil 2<sup>d</sup> rate

No timber, some brush.

Subdivisions T. B. S. R. 28 E. continued

chains

West, on a random line, bet.  
Secs. 7 & 18.

Var.  $12^{\circ} 38' E.$

- 31.70 Dry wash come N. E.
- 33.40 Leave wash come N. E.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 48.59 Enter another dry wash come N. E.
- 50.10 Leave same.
- 78.95 Intersect W. Boundary of town-  
ship. 15 lbs. S. of cor. to Secs.  
7, 12, 13 & 18, which is a post  
4 ins. square, marked  
T. 13 S. S. 7 on N. E.  
R. 28 E. S. 18 on S. E.  
R. 27 E. S. 13 on S. W. and  
S. 12 on N. W. faces, with notches  
on N. & 4 notches on S. edges,  
with pits 18 & 18 & 12 ins. in each

Subdivisions T. 13 S. R. 28 E. continued

chains

sec 5  $\frac{1}{2}$  ft. dist. with mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Plane 1 mi.

S.  $89^{\circ} 54' E.$  on a stone line, bet.

Secs. 7 & 18. with same va.

38.95 Set a post 2 ft. long, 3 in. square, with marked stone, 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. face dug pits 180 18 x 12 in. Et W. of post,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

78.95 The cor. to Secs. 7, 8, 17 & 18  
Land ascending a little N. E.  
Some good soil  
no timber very brushy

Subdivision T. 13 S. R. 28 E. continued

Claims

North lot. Secs. 7 & 8.

Var.  $12^{\circ} 38' E.$

- 40.00 Set a post 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. side, dug pits 18 $\frac{1}{2}$  x 18 $\frac{1}{2}$  ins. N & S. of post,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post, from which a chest tree 5 ins. diam. b.s.  $35^{\circ} W.$  129 lbs. dist marked  $\frac{1}{4}$  S. B. T.
- 80.00 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground, for Cor. to Secs. 5, 6, 7, & 8, marked T. 13 S. S. 5 on N. E. R. 28 S. S. 8 on S. E.

Subdivision T. 13 S. R. 28 E. continued

claims

S. 7 on S. W. and  
 S. 6 on N. W. faces. with 5 notches  
 on S. & E. edges, dug pits 18+18  
 +12 ins. in each sec. 5 ft. dist.  
 and raised a mound of earth  
 2 ft. high, 4 ft. base around post.  
 Land ascending a little N.  
 Soil 2<sup>d</sup> rate  
 No timber, some brush.

---

East on a random line bet.  
 Secs. 5 & 8.

Var. 12° 9' 8" S.

- 40.00 Set temporary 1/4 Sec. cor.
- 50.00 Run Road course N of W.
- 80.05 Intersect N & S. line 13 lks. S.  
of cor. to Secs. 4, 5, 8 & 9.

Subdivisions T. 13 S. R. 28 E. continued

chains

Hence 9 m.

S.  $89^{\circ} 54' W.$  on a true line bet.  
Secs. 5 & 8. with same va.

40.02 Set a post 3 ft. long, 3 ins. square  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 x 18  
x 12 ins. Et N. of post,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base, around  
post.

80.05 The cor. to Secs. 5, 6, 7 & 8.

Land ascending a little N.  
Soil good on E. end then 2 d.  
rate.

No timber, brush on E. end.

---

Subdivisions T. 13 S. R. 28 E. continued

chain

West on a random line bet.  
Lecs. 6 & 7.

Var.  $12^{\circ} 38' E.$

- 4000 Set temporary 1/4 sec. cor.  
 78.90 Intersect N. Boundary of  
 township. 100s S. of cor. of Secs.  
 1, 6, 7 & 12. which is a post 4  
 ins. square marked -  
 T. 13 S. S. 6 on N. E.  
 R. 28 E. S. 7 on S. E.  
 R. 27 E. S. 12 on S. W. and  
 S. 1 on N. W. faces, with notch  
 on N. & 5 notches on S. edge, dug  
 pit 18 x 18 + 12 ins. in each sec.  
 5 1/2 ft. dist. and <sup>raised a</sup> mound of earth  
 2 ft. high, 4 1/2 ft. base around post.  
 Hence 9 in.  
 S.  $89^{\circ} 56' E.$  on a true line, bet.

Subdivisions T. 13 S. R. 28 E. continued

chains

Secs. 6. & 7. with same va.

38.90 Set a post 3 ft. long, 3 in. square, with marked stone, 12 in. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18x18x12 in. Et N. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, around post.

78.90 By cor. to Secs. 5. 6. 7 & 8.  
Land ascending a little W.  
Soil 2<sup>d</sup> rate  
No timber.

North on a random line,  
bet. Secs. 5 & 6.

Var.  $12^{\circ}34' E.$

## Subdivisions T. 13 S. R. 28 E. continued

chains.

- 2.90 Dim Road course N of W.  
4.00 Set temporary 1/4 Sec. cor.  
80.12 Intersect N. Boundary of town-  
ship 18 lbs E. of cor. to Secs.  
5.6. 91 + 92. which is a  
mound of earth 2 ft. high, 4 1/2  
ft. base, with pits in each sec.  
18 + 18 + 12 ins. 5 1/2 ft. dist.  
In S. E. pit is a stake 2 ins.  
square, marked  
T. 12 S. S. 32 on N. E.  
R. 28 E. S. 5 on S. E.  
T. 13 S. S. 6 on S. W. and  
S. 31. on N. W. faces, with 5 notches  
on E., and 1 notch on W. edges.  
Please Inme.  
50° 08' E. on a true line, bet.  
Secs. 5 + 6. with same va.

Subdivisions T. 13 S. R. 28. Continu-

Chains

40.12 Deposited a charred stake, 12  
ins. in the ground, for  $\frac{1}{4}$  sec.  
cor. dug pits 18+18+12 ins. Wd.  
of cor. 5' pft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high,  
3' pft. base over it.

In N. pit drove a stake 2 ft.  
long, 2 ins. square, 12 ins. in the  
ground, marked  $\frac{1}{4}$  S. on N. face

80.12 The cor. to Secs. 5. 6. 7 & 8.  
Land ascending a little N.  
Soil 2 $\frac{1}{2}$  rate  
No timber.

January 21. 1882.

Subdivision: Township 13 S., R. 28 E.  
Gila and Salt River Meridian

General Description:

Township 13 S., R. 28 E.,  
has a flat or slightly sloping  
surface for the most part, but  
the S. W. cor. of the township lies  
on the N. E. slopes of the Dos  
Cabezas Mountains, and is broken  
and precipitous. The soil  
is good in the northern part  
of the township, 2<sup>nd</sup> & 3<sup>rd</sup> grade  
in the southern part. There  
is no timber in the town-  
ship, but it is very brushy  
in places. Bowie Station on  
the S.P. Railroad is situated  
in Section 4 of this township.

Theodore J. White  
U. S. Deputy Surveyor.

~~100~~ ~~1000000~~,  
List of Names.

108

J. H. S. R. 28 E.  
BOOK 784

A List of the Names of Individuals employed by  
Theodore F. White U. S. deputy  
surveyor, to assist in running, measuring, or marking the lines  
and corners described in the foregoing Field Notes of the survey  
of the Sub division lines, of T.  
13. S. R. 28 E. Gila & Salt  
River Meridian and Base  
lines.

Showing the respective capacities in which they acted.

J. H. M. Clare Chainman.

J. O. Ford Chainman.

John Blake Axeman.

Samuel H. Van Pelt Flagman.

109

# Final Oath of Assistants.

BOOK 784

We hereby certify that we assisted Theodore F.  
White, U. S. Deputy Surveyor, in surveying  
all those parts or portions of the  
Subdivision lines of T. 13 S.  
R. 28 E. Gila and Salt  
River Meridian and  
Base lines —

as are represented in the foregoing field notes as having been  
surveyed by him and under his direction; and that said Survey  
has been in all respects, to the best of our knowledge and belief,  
well and faithfully surveyed and the corner monuments estab-  
lished according to the instructions furnished by the United  
States Surveyor-General for Arizona.

McElvee J. H. McElvee Chainman.  
Ford J. O. Ford Chainman.  
Blakely John Blakely Asst. Chainman.  
Van P. Bright Swan Bell Asst. Chainman.  
Wyatt Geo. S. Wyatt Asst. Chainman.  
Schwartz Geo. Schwartz Asst. Chainman.

Sworn to and subscribed before me, this 23 day of

January

, 1887

Paul Riecker  
Notary Public Pinal  
County Arizona

# Final Oath of Deputy Surveyor. / 10

BOOK 784

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Wasson, United States Surveyor-General for Arizona, bearing date the 5th day of December 1881, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

the subdivision lines of T.  
13 S. R. 28 E. Gila and  
Salt River Meridian and  
Base lines.

as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

11 field notes, and that the foregoing are the true Field Notes of such survey, and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846

Theodore F. White  
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 23<sup>rd</sup> day of January, 1887

Paul Riccley  
Notary Public Pima  
County, Arizona

BOOK 784

## BOOK 784

U. S. Surveyor General's Office,  
Tucson, Arizona, April 19, 1882

The foregoing Field Notes of the survey of  
the subdivisions of Township  
13 S. R. 25 East —

of the Gila and Salt River Base and Meridian, Arizona,  
executed by Henr. F. white,  
D. S., under his contract of the 17<sup>th</sup> day of  
October, 1881, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

John Watson.

Surveyor General.