

2.

BOOK 831

831

No. 831

4-671


---

FIELD NOTES  
GENERAL LAND OFFICE.

*N. Boundary Subdivision*  
*(Resurvey)* T.15S.R.15E.

60 Indexed, Book 867.

Township 15 S R. 15 E



T. 15 S. R. 15 E. - Continued

chains

and 2 notches on W. edges,  
from which

A mesquite, 4 ins. diam.  
bears N  $79\frac{1}{4}$  ° E. 30 lks. dist.;  
marked T. 14 S. R. 15 E.

S. 33 B. T.

A mesquite, 4 ins. diam.  
bears S  $64$  ° E., 226 lks. dist.,  
marked T. 15 S. R. 15 E.

S. 4 B. T.

A mesquite, 5 ins. diam.,  
bears S  $74\frac{1}{2}$  ° W., 88 lks. dist.,  
marked T. 15 S. R. 15 E. S.  
5 B. T.

A palo verde, 10 ins. diam.  
bears N  $87$  ° W., 217 lks. dist.,  
marked, T. 14 S. R. 15 E.

S. 32 B. T. No signs of old cor.  
Land, rolling.

Resurvey of the N. bdy. of  
chains

Soil, gravelly loam; 3<sup>rd</sup>  
rate.

Timber, scattering palo  
verde and mesquite;  
undergrowth palo verde;  
Land covered with dense  
undergrowth, 2 chs.

S 89° 59' W, bet secs. 5 & 32  
Over level land

- 9.00 Trail, bears N. and S.  
40.00 Set a mesquite post,  
3 ft. long, 3 ins. sq. with  
marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S.  
on N. face; from which  
a mesquite 3 ins. diam.  
bears N 76° E., 14 lks. dist.

T. 15 S. R. 15 E. - Continued

ains

marked  $\frac{1}{4}$  S. B. T.

A palo verde, 16 ins. diam.  
bears  $S 46^{\circ} W$ . 56 lks. dist.;  
marked  $\frac{1}{4}$  S. B. T.

No signs of old cor.

80.00 Set a limestone,  $15 \times 10 \times 7$   
ins., 10 ins. in the ground,  
for cor. of secs. 5, 6, 31  $\frac{3}{4}$ , 32,  
marked with 5 notches  
on E. and 1 notch on W.  
edges; from which  
A mesquite, 3 ins. diam.  
bears  $N 17\frac{1}{2}^{\circ} E$ , 82 lks. dist.;  
marked T. 14 S. R. 15 E.  
S. 32. B. T.

A mesquite 4 ins. diam.  
bears  $S 61\frac{1}{2}^{\circ} E$ , 226 lks. dist.;  
marked T. 15 S. R. 15 E.  
S. 5. B. T.

Resurvey of the N. bdy. of  
chains

A mesquite 4 ins. diam.  
bears  $S 42 \frac{3}{4}^{\circ} W.$ , 64 mks.  
dist. marked T. 15 S. R. 15 E.  
S. 6. B.T.

A mesquite, 4 ins. diam.  
bears  $N 36^{\circ} W.$ , 355 mks. dist  
marked T. 14 S. R. 15 E. S. 31.

B. T.

No signs of old cor.

Land, level

Soil, sandy loam; 1<sup>st</sup> rate.

Timber, scattering mes-  
quite and palo verde

$S 89^{\circ} 59' W.$  bet. secs. 6 and 31

Over level land

2.73 Road from Tucson to  
Rincon, bears  $N 88^{\circ} W.$  and  $S 88^{\circ} E.$

32.30 Road, bears N. and S.

## T. 15 S. R. 15 E. - Continued

chains  
+0.00

Set a mesquite post  
3 ft. long 3 ins. sq. with  
marked stone, 24 ins.  
in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  S. on N.  
face, from which

A mesquite 14 ins. diam.  
bears N  $32\frac{1}{2}^{\circ}$  W., 55 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

A mesquite 6 ins. diam.  
bears S  $2\frac{1}{4}^{\circ}$  W. 205 lks.  
dist. marked  $\frac{1}{4}$  S. B. T.

From this point the  
old  $\frac{1}{4}$  sec. cor., a post  
lying on the ground, bears  
North, 50 lks, I destroy  
the post.

\$0.00 The cor. of Tps 14 and 15  
S. Rs. 14 and 15 E., as here

Resurvey of the N. bdy of T. 15 S. R. 15 E.-Conducted

tofore described.

Land, level

Soil, sandy loam; 1<sup>st</sup> rate  
Timber, scattering mes-  
quite and palo verde;  
undergrowth, scattering  
greasewood and cholla.

---

Boundaries of J. 15 S. & J. 15 O.  
Latitudes, departures, and closing errors.

Line designated	True bearing	Distance	Latitude	Departures
	N.	S.	E.	W.
3rd Standard Parallel S.				
W. half J. 15 S. R. 15 E.	cho.	cho.	cho.	cho.
W. half J. 15 S. R. 15 E.	479.60	-	-	480.00
W. half J. 15 S. R. 15 E.	480.52	480.52	-	-
W. half J. 15 S. R. 15 E.	483.37	-	483.37	-
W. half J. 15 S. R. 15 E.	483.37	-	-	-
E. half J. 15 S. R. 15 E.	500.24' N	480.00	480.00	-
E. half J. 15 S. R. 15 E.	500.24' N	-	-	-
Convergence	-	-	46	-
Totals	-	-	483.83	483.35
Error in lat.	-	-	483.35	-
	-	-	67	Error in dep. 48

## Subdivision of

As the bearing of the east boundary of this township exceeds the limit prescribed by the manual of Instruction, I commence the subdivision of this township, at standard cor. of secs. 31 and 32, in accordance with said Manual.

June 1. 1895. At 9<sup>h</sup> 30<sup>m</sup>, a.m., l. m. t., I set off 32° 5' on the lat. arc., 22° 5' N. on the decl. arc; and determine a true meridian with the solar, at standard cor. of secs. 31 and 32 on S. bdy of the Twp., as here tofore described

T. 15 S. R. 15 E.

Thence I run

N $0^{\circ}1'E$ , bet. secs 31 and 32

Over rolling land, through  
scattering timber and  
undergrowth

40.00 Set a mesquite post, 3 ft.  
long, 3 ins. sq., with marking  
stone, 24 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on W. face; from  
which

A palo verde, 8 ins. diam.  
bears N $15\frac{1}{2}^{\circ}E$ , 178 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

A palo verde, 6 ins. diam.  
bears N $27^{\circ}W$ , 70 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

80.00 Set a mesquite post  
3 ft. long, 4 ins. sq. with

## Subdivision of

Drains

marked stone, 24 ins.  
in the ground, for cor.  
of secs. 29, 30, 31 and 32,  
marked

T. 15 S. S. 29 on N.E.,  
R. 15 E. S. 32. on S.E.,  
S. 31 on S.W. and  
S. 30 on N.W. faces, with  
1 notch on S. and 5 notches  
on E. edges; dig pits 18x18x12  
ins., in each sec., 5½ ft  
dist., and raise a mound  
of earth, 4 ft. base, 2 ft.  
high, W. of cor.

Land, rolling

Soil, gravelly loam; 2<sup>nd</sup> rate  
Timber, scattering palo-  
verde; under growth greasewood

T. 15 S. R. 15 E. - Continued

chain

West, on a random line  
bet. secs. 30 and 31

40.00 Set. temp.  $\frac{1}{4}$  sec. cor.

79.62 Intersect the W. bdy. of  
the Tps. at the cor. of secs.  
25, 30, 31 and 32, as hereto-  
fore described

Thence I run

East, on a true line bet.  
secs. 30 and 31

Over level and rolling land,  
through scattering timber  
and undergrowth

39.81 Set a mesquite post  
3 ft. long, 3 ins. sq. with  
marked stone, 24 ins. in  
the ground for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  S. on N. fac,  
dig pit 18 x 18 x 12 ins, E.

ChainsSubdivision of

and W. of post, 3 ft. dist.,  
and raise a mound of  
earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.

79.62 The cor. of secs. 29, 30, 31 and 32

Land level and rolling  
Soil, gravelly loam; 3<sup>rd</sup> rate  
Timber, scattering palo-  
verde and scrub mesquite;  
under growth, scattering  
greasewood

No<sup>o</sup> 1 E, bet. secs 29 and 30

Over rolling land, through  
scattering undergrowth

38.00 Road, bears N.N.W. and S.S.E.

40.00 Set a mesquite post, 3 ft  
long, 3 ins. sq. with marked  
stone 24 ins. in the ground

T. 15 S. R. 15 E. - Continued  
Chains

for  $\frac{1}{4}$  sec. cor., marked  
 $\frac{1}{4}$  S. on W. face; dig pits  
18x18x12 ins., N. and S. of  
post, 3 ft. dist., and raise  
a mound of earth,  
3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

70.25 Old trail, bears N. W. and S. E.

80.00 Set a limestone 14x10x8  
ins. 9 ins. in the ground,  
for cor. of secs. 19, 20, 29  
and 30, marked with  
2 notches on S. and 5  
notches on E. edges;  
dig pits, 18x18x12 ins.,  
in each sec. 5 $\frac{1}{2}$  ft. dist.,  
and raise a mound  
of earth, 4 ft. base, 2 ft.  
high, W. of cor.

chains

Subdivision of

Land, rolling

Soil, gravelly loam, 2<sup>nd</sup> rateNo timber; undergrowth  
greasewood.West on a random line  
bet. secs. 19 and 3040.00 Set. temp.  $\frac{1}{4}$  sec. cor.79.52 Intersect W. bdy. of T.p.  
5 lks. S. of cor. of secs.19, 24, 25 and 30, as here-  
tofore described

Hence, I run

S $89^{\circ}58' E.$ , on a true line  
bet. secs. 19 and 30Over level land, through  
scattering undergrowth39.76 Set a mesquite post 3 ft  
long, 3 ins. sq., with

## T. 15 S R. 15 E. - Continued

chains

marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S,  
on N. face; dig pits  
 $18 \times 18 \times 12$  ins. E. and W. of  
post, 3 ft. dist., and  
raise a mound of  
earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.

57.80 Trail, bears N.E. and S.W.

64.00 Road, bears N.N.W. and S.S.E.

79.50 The cor. of secs. 19, 20, 29 and 30  
Land, level

Soil, loam; 2<sup>nd</sup> rate  
No timber; undergrowth  
scattering greasewood

---

No° 1 E, bet secs. 19 and 20  
Over level and rolling

chainsSubdivision of

- land, through scattering timber and undergrowth
- 36.30 Trail, bears N.E. and S.W.
- 40.00 Set a mesquite post, 3 ft long, 3 ins. sq., with marked stone 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S. on W. face; from which
- A mesquite, 4 ins. diam.  
bears  $S 63\frac{1}{2}^{\circ} E$ , 132 lks. dist,  
marked  $\frac{1}{4}$  S. B. T.
- A palo verde, 6 ins. diam  
bears  $S 4^{\circ} W$ , 177 lks. dist,  
marked  $\frac{1}{4}$  S. B. T.
- 50.97 Road, bears N.E. and S.W.
- 56.05 Road, bears N.E. and S.W.
- 59.10 Old road, bears N.W. and S.E.
- 61.00 Enter Baker's Reservoir

T. 15 S. R. 15 E. - Continuedchains

- 61.50 Dam of reservoir, bears  
S. E. 7 chs.
- 62.00 Leave Baker's Reservoir
- 68.64 Road from Tucson to  
Davis Spring, bears  $N\frac{2}{3}E$
- 80.00 Set a granite stone  
15x7x5 ins., 10 ins. in the  
ground for cor. of secs.  
17, 18, 19 and 20, marked  
with 3 notches on S.  
and 5 notches on E. edge,  
from which  
A mesquite, 6 ins. diam.,  
bears  $N66^{\circ}E$ , 395 lks. dist.,  
marked T. 15 S. R. 15 E.  
S. 17 B. T.
- A mesquite, 6 ins. diam.,  
bears  $S49\frac{1}{2}^{\circ}E$ , 362 lks.  
dist., marked T. 15 S. R. 15 E.

Chains

## Subdivision of

S. 20 B. T.

A mesquite, 4 ins. diam,  
bears. S $89^{\circ}58'W$ , 156 lks. dist,  
marked T. 15 S. R. 15 E.

S. 19 B. T., no other tree  
within limits, dig pits  
18 x 18 x 12 ins. in each sec,  
 $5\frac{1}{2}$  ft. dist, and raise  
a mound of earth 4 ft  
base, 2 ft. high, W. of cor.  
Land, level and rolling  
Soil rich and gravelly loam,  
1<sup>st</sup> and 2<sup>nd</sup> rate.

Timber, scattering mes-  
quite and palo verde;  
under growth, greasewood.

---

N $89^{\circ}58'W$ , on a random  
line, bet. secs. 18 and 19

T. 15 S. R. 15 E. - Continued

chains

40.00 Set temp.  $\frac{1}{4}$  sec. cor.79.56 Intersect W. bdy. of the  
Tp. & lks. S. of cor. of  
secs. 13, 18, 19 and 24, as  
heretofore described

Thence I run

 $189^{\circ}56' E.$ , on a true line  
bet. secs. 18 and 19Over level land, through  
scattering timber and  
undergrowth39.78 Set a mesquite post  
3 ft. long, 3 ins. sq. with  
marked stone 24 ins.  
in the ground, marked  
 $\frac{1}{4}$  S. on N. face, from which  
A mesquite, 8 ins. diam.  
bear  $W 71\frac{1}{2}^{\circ} E.$ , 75 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

Subdivision of chains

A mesquite, 9 ins. diam,  
bears S  $22\frac{1}{2}$ ° E, 95 lbs. dirt,  
marked  $\frac{1}{4}$  A. B. T.

59.90 Road, bears N.W. and S.E.

68.20 Road, from Tucson to  
Davis Spring, bears N.W.  $\frac{3}{4}$  S.E.

79.56 The cor. of secs. 17, 18, 19  $\frac{3}{4}$  S.E.  
Land, level

Soil, rich loam; 1<sup>st</sup> rate.

Timber, scattering mesquite,  
undergrowth, greasewood

No<sup>o</sup> 1 E, bet. secs. 17 and 18

Over level land through  
scattering timber and  
undergrowth

24.44 Road, bears N.W. and S.E.

25.00 Dry wash, vlsks. wide, coarse S.E.

40.00 Set a mesquite post,

T. 15 S. R. 15 E. - Continued

chains

3 ft. long, 3 ins. sq. with  
marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S.  
on W. face; from which  
a mesquite 4 ins. diam.  
bears N  $44^{\circ}$  E., 172 lks. dist.;  
marked  $\frac{1}{4}$  S. B. T.; no  
other tree within limits;  
dig pits 18x18x12 ins. N  
and S. of post, 3 ft. dist.;  
and raise a mound  
of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, W. of cor.

43.00 Road, bears N.N.E. and S.S.W.

80.00 Set a limestone, 16x8x6  
ins., 11 ins. in the ground,  
for cor. of secs. 7, 8, 17 and 18,  
marked with 4 notches

chains

Subdivision of  
on S. and 5 notches  
on E. edges; from which  
a palo verde 6 ins. diam.  
bears N $87^{\circ}34'W$ , 213 ft.  
dist. marked T. 15 S.R.  
15 E., S. 7 B.C. no other  
trees within limits; dig  
pits 18x18x12 ins. in  
each sec.  $5\frac{1}{2}$  ft. dist; and  
raise a mound of  
earth 4 ft. base,  $1\frac{1}{2}$  ft.  
high, W. of cor.

Pond, level

Soil, gravelly loam, 2<sup>nd</sup> rate  
Timber, scattering mes-  
quite and palo verde;  
undergrowth, grease-  
wood and cholla.

T. 15 S. R. 15 E. - Continued

chains

1189° 56' W., on a random  
line bet. secs. 7 and 18

40.00 Set temps.  $\frac{1}{4}$  sec. cor.

79.50 Intersect W. bdy of the  
Tps. 12 blks. N. of cor. of  
secs. 7, 12, 13 and 18, as  
heretofore described  
Hence I run

1189° 59' E., on a true line  
bet. secs. 7 and 18

Over level and rolling  
land, through scattering  
timber and undergrowth

39.75 Set a mesquite post,  
3 ft. long. 3 ins. sq.,  
with marked stone  
24 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on N. face; from

Chains

## Subdivision of

which

A palo verde 8 ins. diam.  
bears N 4 1/2 ° E, 175 lks. dist.,  
marked 1/4 A. B. T.

A mesquite, 6 ins. diam  
bears S 21 3/4 ° W, 147 lks. dist.,  
marked 1/4 A. B. T.

72.04 Road, bears N.W.W. and S.S.E.

79.50 The cor. of secs. 7, 8, 17 & 18  
Land, level and rolling  
Soil, rich, and gravelly loam;  
1st and 2nd rate

Timber, scattering  
mesquite and palo verde;  
undergrowth greasewood  
and cholla.

---

No° 1 E, bet. secs. 7 and 8

Over level land through

T. 15 S.R. 15 E. - Continued

Shrub

scattering undergrowth

28.50 Dry wash, 6 lks. wide, coarse  
N. W.

40.00 Set a mesquite post  
3 ft. long, 3 ins. sq., with  
marked stone, 24 ins.  
in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  S. on W.  
face, from which  
A palo verde, 4 ins. diam.  
bears N  $21\frac{3}{4}^{\circ}$  E, 114 lks. dist,  
marked  $\frac{1}{4}$  S. B. T.

A mesquite, 3 ins. diam.  
bears S  $40\frac{1}{2}^{\circ}$  W, 58 lks. dist,  
marked  $\frac{1}{4}$  S. B. T.

60.00 Dry wash, 4 lks. wide, coarse

59.32 Telegraph line, bears N  $54^{\circ}$  W  
and S  $54^{\circ}$  E.

60.22 Middle of single track

Subdivision of  
Chains  
of the Southern Pacific  
Railroad, bears N $54^{\circ}$  W  
and S $54^{\circ}$  E.

61.12 Telegraph line, bears N $54^{\circ}$  W  
and S $54^{\circ}$  E.

61.60 Road from Tucson to  
Pantano, bears N.W. and S.E.

80.00 Set a mesquite post  
3 ft. long 4 ins. sq. with  
marked stone, 24 ins.  
in the ground, for cor.  
of secs. 5, 6, 7 and 8, marked  
T. 15 S. S. 5. on N.E.,  
R. 15 E. S. 8. on S.E.,  
S. 7 on S.W. and  
S. 6 on N.W. faces, with  
5 notches on S. and E.  
edges, from which  
a mesquite 10 ins. diam.

T. 15 S. R. 15 E. - Continued

chain

bears  $N 74\frac{1}{4}^{\circ} E.$  111 lks. dist.,  
marked T. 15 S. R. 15 E.

S. 5. B. T.

A mesquite 4 ins. diam.  
bears  $S 66\frac{1}{4}^{\circ} E.$ , 183 lks.  
dist., marked T. 15 S.  
R. 15 E. S. 8 B. T.

A mesquite 3 ins. diam.  
bears  $S 3\frac{3}{4}^{\circ} W.$ , 242 lks.,  
marked T. 15 S. R. 15 E.

S. 6 B. T. No other tree within limits  
Land, level

Soil, loam; 2<sup>nd</sup> rate.

Timber, scattering mes-  
quite and palo verde;  
undergrowth, greasewood

---

$S 89^{\circ} 59' W.$  on a random  
line, bet. secs. 6 and 7

# Subdivision of

chains

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.46 Intersect W. bdy. of 5 ps.  
 elks. S. of cor. of secs.  
 1, 6, 7 and 12, as heretofore  
 described.

Thence I run

$189^{\circ} 58' E$ , on a true line  
 bet. secs. 6 and 7

Over level land, through  
 scattering timber and  
 undergrowth.

- 39.73 Set a mesquite post,  
 3 ft. long, 3 ins. sq. with  
 marked stone, 24 ins.  
 in the ground, for  $\frac{1}{4}$  sec.  
 cor., marked  $\frac{1}{4}$  S. on N.  
 face; from which  
 a mesquite, 6 ins. diam.  
 bears  $N 22\frac{1}{4}^{\circ} E$ , 58 lbs dist.

## T. 15 S.R. 15 E. - Continued

chains

- marked  $\frac{1}{4}$  S.B.T.  
A mesquite, 5 ins. diam.  
bears N $29\frac{1}{2}$ ° W., 278 ft.  
dist., marked  $\frac{1}{4}$  S.B.T.
- 50.70 Telegraph line, bears  
N $54^{\circ}$  W., and S $54^{\circ}$  E.
- 51.97 Middle of single track  
of the Southern Pacific  
Railroad, bears N $54^{\circ}$  W.  
and S $54^{\circ}$  E.
- 52.14 Telegraph line, bears  
N $54^{\circ}$  W., and S $54^{\circ}$  E.
- 52.60 Road from Tucson to  
Pantano, bears N. W. and N.E.
- 57.80 Dry wash, 20 ft. wide, course S.E.
- 79.46 The cor. of secs. 5, 6, 7 and 8  
Land, level  
Soil, loam, 2<sup>nd</sup> rate  
Timber, scattering mesquite,

# Subdivision of Chains

undergrowth, grease-  
wood and cholla

No° 1' E, on a random  
line bet. secs. 5 and 6

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.46 Intercept N. bdy. of Tps.  
20 lks. W. of cor. of secs.  
5, 6, 31 and 32, as hereto-  
fore described.

Thence I ran

15° 15' W, on a true line  
bet. secs. 5 and 6.

Over level land, through  
scattering timber and  
undergrowth

204 Road, from Tucson  
to Rincon, bears  $N75^{\circ}W$ .  
and  $S75^{\circ}E$ .

## T. 15 S. R. 15 E. - Continued

chains

- 40.46 Set a mesquite post,  
3 ft. long. 3 ins. sq., with  
marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S.  
an W. face; from which  
A palo verde, 5 ins. diam.  
bears N $29\frac{1}{2}$ ° W. 205 lbs.  
dist. marked  $\frac{1}{4}$  S.B.T.  
A palo verde, 4 ins. diam.  
bears S $55\frac{1}{2}$ ° E. 168 lbs.  
dist. marked  $\frac{1}{4}$  S.B.T.
- 71.55 Road, bears N. W. and S.E.
- 80.46 The cor. of secs. 5, 6, 7 and 8  
Land, level  
Soil, loam, 2nd rate  
Timber, scattering mes-  
quite and palo verde; under-  
growth, greasewood

June 1. 1895

chains

## Subdivision of

From the standard cor. of secs. 32 and 33, on S. bdy. of Tp., as heretofore described I run No<sup>o</sup> 1<sup>st</sup> E, bet. secs. 32 and 33 Over rolling land, through scattering timber and undergrowth

40.00 Set a mesquite post, 3 ft. long, 3 ins. sq. with marked stone 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on W. face, from which

A palo verde, 8 ins. diam., bears S $30^{\circ}$ E, 58 kks. dist; marked  $\frac{1}{4}$  S. B. T.

A palo verde, 14 ins. diam., bears S $79\frac{1}{2}^{\circ}$ W, 71 kks. dist;

T. 15 S.R. 15 E. - Continued

chains

marked 4 S. B. T.

80.00 Set a limestone,  $16 \times 12 \times 6$  ins., 12 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked with 1 notch on S. and 4 notches on E. edges; dig pits  $18 \times 18 \times 12$  ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land rolling

Soil, gravelly loam; 2<sup>nd</sup> rate  
Timber, palo verde;  
under growth, greasewood.

West, on a random line  
bet. secs. 29 and 32

Chains

- 40.00 Set temps.  $\frac{1}{4}$  sec. cor.  
80.04 Intersect N. and S. line  
7 lks. S. of cor. of secs.  
29, 30, 31 and 32

Hence I run

$88^{\circ}57' E.$ , on a true line  
bet. secs. 29 and 32

Over level and rolling  
land, through scattering  
undergrowth

- 4.10 Road bears N. and S.  
40.02 Set a mesquite post,  
3 ft. long, 3 ins. sq. with  
marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S.  
on N. face; dig pits  
 $18 \times 18 \times 12$  ins., E. and W.  
of post, 3 ft. dist., and

T. 15 S. R. 15 E. - Continued

chains

raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

so. 04 The cor. of secs. 28, 29, 32 <sup>and 33</sup>

Land, level and rolling  
Soil, gravelly loam; 2<sup>nd</sup> rate  
No timber; undergrowth,  
greasewood

No<sup>o</sup> E, bet. secs. 28 and 29  
Over gently rolling land,  
through scattering timber  
and undergrowth

40.00 Set a lime stone  $15 \times 10 \times 4$   
ins., 10 ins. in the ground  
for  $\frac{1}{4}$  sec. cor, marked  
 $\frac{1}{4}$  on W. face; from which  
a mesquite, 4 ins. diam.  
bears  $W 10\frac{1}{2}^{\circ} W$ , 120 ltrs. dist.

- Subdivision of  
chonins
- marked  $\frac{1}{4}$  S. B. T.  
A palo verde, 6 ins. diam.  
bears S $9\frac{1}{2}$ ° E., 86 lks. dist;  
marked  $\frac{1}{4}$  S. B. T.
- 64.50 Riley's well (dry) bears 1 ch.  
East.
- 65.50 Road from Tucson to  
Davidson Spring bears  
N.W. and S.E.
- 80.00 Set a mesquite post  
3 ft. long 4 ins. sq. with  
marked stone 24 ins.  
in the ground, for cor.  
of secs. 20, 21, 28 and 29,  
marked  
T. 15 S. S. 21 on N.E.,  
R. 15 E., S. 28 on S.E.,  
S. 29 on S.W. and  
S. 20 on N.W. faces; with

T. 15 S. R. 15 E. - Continued

hains

2 notches on S. and 4  
notches on E. edges;  
from which

A mesquite, 8 ins. diam.  
bears N 63 $\frac{1}{4}$ ° E., 167 lbs.

dist., marked T. 15 S.  
R. 15 E. S. 21 B. T.; no

other trees within limits.  
dig pits 18 x 18 x 12 ins. in  
secs. 20, 28 and 29, 5 $\frac{1}{2}$

ft. dist., and raise a  
mound of earth, 4 ft.  
base, 2 ft. high, W. of cor.

Land, gently rolling

Soil, loam, 2<sup>nd</sup> rate

Timber, scattering

mesquite and palo  
verde; undergrowth,  
greasewood.

Subdivision of  
chains

N  $89^{\circ}57'W.$ , on a random  
 line, bet. secs. 20 and 29  
 40.00 Set. temps.  $\frac{1}{4}$  sec. cor.  
 80.00 Intersect N. and S. line  
 3 lks. N. of cor. of secs.  
 19, 20, 29 and 30

Thence I run

S  $89^{\circ}58'E.$ , on a true line  
 bet. secs. 20 and 29

Over level land, through  
 scattering undergrowth  
 15.55 Road, bears N. and S.  
 31.02 Trail, bears N.N.W. and S.S.E.  
 40.00 Set a limestone

$14 \times 9 \times 6$  ins., 9 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor.,  
 marked  $\frac{1}{4}$  on N. face;  
 dig pits,  $18 \times 18 \times 12$  ins.  
 E. and W. of stone, 3 ft

T. 15 S. R. 15 E.-Continuedchains

dist. and raise a mound  
of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$   
ft. high, N. of cor.

66.85 Road from Tucson to  
Davidson's Spring, bears  
N.W. and S.E.

67.82 Trail, bears N. and S.

68.68 Trail, bears N. and S.

69.05 Trail, bears N. and S.

80.00 The cor. of secs. 20, 21, 28  
and 29

Land, level  
Soil, loam; 2<sup>nd</sup> rate  
No timber; undergrowth,  
greasewood.

No<sup>o</sup> 1 E, bet. secs. 20 and 21  
Over level land, through  
timber and undergrowth

- Subdivision of
- Chains
- 40.00 Set a mesquite post,  
3 ft. long, 3 ins. sq.  
with marked stone 24  
ins. in the ground  
for  $\frac{1}{4}$  sec. cor., marked  
 $\frac{1}{4}$  S. on W. face; dig  
pits  $18 \times 18 \times 12$  ins., N and  
S. of post, 3 ft. dist. and  
raise a mound of  
earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$   
ft. high, W. of cor.
- 47.00 Road, bears N.W. and S.E.
- 54.34 Road, bears N.W. and S.E.
- 80.00 Set a sand stone  $15 \times 10 \times 10$   
ins., 10 ins. in the ground  
for cor. of secs. 16, 17, 20  $\frac{3}{4} \times 2\frac{1}{2}$ ,  
marked with 3 notches  
on S. and 4 notches  
on E. edges; from which

T. 15 S. R. 15 E. - Continued

chains

A mesquite, 6 ins. diam.  
bears N $48\frac{1}{2}$ ° E, 290 lks. dist.,  
marked T. 15 S. R. 15 E.

S. 16 B. T.

A mesquite, 7 ins. diam.,  
bears S $48\frac{1}{2}$ ° W, 414 lks.  
dist. marked T. 15 S.

R. 15 E. S. 20. B. T.; no  
other trees available;  
dig pits 18 x 18 x 12 ins.  
in secs. 17 and 21, 5 $\frac{1}{2}$  ft.  
dist., and raise a mound  
of earth, 4 ft. base, 2 ft  
high, W. of cor.

Land, level

Soil, rich loam, 1st rate  
Timber, scattering mes-  
quite; undergrowth,  
greasewood

# Subdivision of

Chains

- $N 89^{\circ} 58' W$ , on a random line, bet. secs. 17 and 20  
40.00 Set. temp.  $\frac{1}{4}$  sec. cor.  
80.02 Intersect N. and S. line  
5 lks. N. of cor. of secs.  
17, 18, 19 and 20  
Hence, I run  
East, on a true line bet. secs.  
17 and 20  
Over level land, through  
scattering timber and  
undergrowth  
6.00 Road, bears N.N.E and  
S.S.W.  
32.20 Road, bears N.W. and S.E.  
40.01 Set a mesquite post,  
3 ft. long, 3 ins. sq., with  
marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$

T. 15 S. R. 15 E. - Continued

chains

sec. cor., marked  $\frac{1}{4}$  S.  
on N. face; from which  
a mesquite, 4 ins. diam.  
bears N $66\frac{1}{2}$ ° E, 174 lks. dist,  
marked  $\frac{1}{4}$  S. B. T.

A mesquite, 6 ins. diam.  
bears N $35\frac{1}{2}$ ° W, 326 lks.  
dist, marked  $\frac{1}{4}$  S.B.T.

80.02 The cor. of secs. 16, 17, 20  $\frac{3}{4}$   $\frac{1}{2}$  21  
Land, level

Soil, loam, 1<sup>st</sup> and 2<sup>nd</sup> rate.  
Timber, scattering mes-  
quite, undergrowth,  
greasewood and cholla

---

No<sup>o</sup> 1 E, bet secs. 16 and 17  
Over level land, through  
scattering timber and  
undergrowth

# Subdivision of

chains

- 40.00 Set a mesquite post,  
 3 ft. long, 3 ins. sq., with  
 marked stone, 24 ins.  
 in the ground, for  $\frac{1}{4}$   
 sec. cor., marked  $\frac{1}{4}$ s.  
 on W. face; from which  
 a palo verde, 14 ins.  
 diam. bears S  $14\frac{1}{2}^{\circ}$  E,  
 121 lks. dist. marked  
 $\frac{1}{4}$  S. B. T.; no other  
 tree within limits; dig  
 pits 18x18x12 ins., N. and  
 S. of cor., 3 ft. dist.; and  
 raise a mound of  
 earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
 high, W. of cor.

- 80.00 Set a mesquite post  
 3 ft. long, 4 ins. sq.  
 with marked stone

T. 15 S. R. 15 E. - Continued

chains

24 ins. in the ground  
for cor. of secs. 8, 9, 16<sup>3/4</sup>, 17,  
marked

T. 15 S. S. 9 on N.E.,  
R. 15 E. S. 16 on S.E.,  
S. 17 on S.W. and  
S. 8 on N.W. faces; with  
4 notches on S. and  
E. edges; dig pits 18x18x12  
ins., in each sec., 5½ ft.  
dist.; and raise a mound  
of earth, 4 ft. base, 2 ft.  
high, W. of cor.

Land, level

Soil, rich loam; 1<sup>st</sup> rate  
Timber, scattering mes-  
quite and palo verde;  
under growth, scattering  
greasewood.

Subdivision of  
Chains West on a random  
line, bet. secs. 8 and 17  
40.00 Set tempo.  $\frac{1}{4}$  sec. cor.  
79.94 Intersect N. and S. line  
8 links. N. of cor. of secs.  
7, 8, 17 and 18  
Hence, I run  
N $89^{\circ}57' E$ , on a true line  
bet. secs. 8 and 17  
Over level and rolling  
land, through scatter-  
ing timber and under-  
growth  
10.00 Road bears N. and S.  
14.00 Dry wash, 8 links wide, course N.W.  
39.97 Set a mesquite post  
3 ft long, 3 ins. sq. with  
marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$

T. 15 S. R. 15 E. - Continued

chains

sec. cor., marked  $\frac{1}{4}$  S.  
on N. face; from which  
A mesquite, 5 ins. diam.  
bears  $N 71\frac{1}{4}^{\circ} W.$ , 79 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

A mesquite, 4 ins. diam.  
bears  $S 27\frac{1}{4}^{\circ} E.$ , 258 lks.  
dist. marked  $\frac{1}{4}$  S. B. T.

79.94 The cor. of secs. 8, 9, 16 & 17  
Land, level and rolling  
Soil, rich loam, 1st. rate  
Timber, scattering mesqu.  
under growth, scattering  
greasewood.

No<sup>o</sup> 1' E, bet. secs. 8 and 9  
Over level land, through  
scattering timber and  
under growth

- Subdivision of  
Claims
- 2.00 Telegraph line, bears  
 $N\ 54^{\circ}\ W.$  and  $S\ 54^{\circ}\ E.$
- 3.50 Middle of single track  
of the Southern Pacific  
Railroad, bears  $N\ 54^{\circ}\ W.$ ,  
and  $S\ 54^{\circ}\ E.$
- 4.00 Road, from Pantano  
to Tucson, bears N. W.  
and S. E.
- 4.40 Telegraph line, bears  
 $N\ 54^{\circ}\ W.$  and  $S\ 54^{\circ}\ E.$
- 40.00 Set a mesquite post,  
3 ft. long 3 ins. sq.,  
with marked stone,  
24 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  S. on W. face; from  
which  
A mesquite, 4 ins. diam.

## T. 15 S. R. 15 E. - Continued

chains bears  $S 85\frac{1}{2}^{\circ} W.$ , 143 lks.  
dist. marked  $\frac{1}{4}$  S. B. T.;  
no other tree within limit;  
dig pits  $18 \times 18 \times 12$  ins. N.  
and S. of post, 3 ft. dist.,  
and raise a mound  
of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$   
ft. high, W. of cor.

40.80 Road, bears N.W. and S.E.

55.30 Dry wash, 2 lks. wide, coarse,

80.00 Set a sand stone  $12 \times 10 \times 6$ .  
ins. 8 ins. in the ground,  
far cor. of secs. 4, 5, 8 <sup>and</sup> 9,  
marked with 5 notches  
on S. and 4 notches on  
E. edges; from which  
a mesquite, 4 ins. diam.  
bears  $N 44^{\circ} E.$ , 60 lks. dist.,  
marked T. 15 S. R. 15 E.

Subdivision of  
chains

S. 4 B.T.

A mesquite, 6 ins. diam.  
bears S $19^{\circ}$ E, 333 lks. dist,  
marked T.15 S.R.15E.

S. 9 B.T.

A mesquite, 4 ins. diam.  
bears S $74^{\circ}$ W, 399 lks. dist,  
marked T.15 S.R.15E.

S. 8 B.T.

A mesquite, 8 ins. diam.  
bears N $43\frac{1}{2}^{\circ}$ W, 251 lks. dist,  
marked T.15 S.R.15E.

S. 5 B.T.

Land, level  
Soil, loam, 2<sup>nd</sup> rate  
Timber, scattering  
palo verde and mes-  
quite; undergrowth,  
greasewood and cholla.

T. 15 S. R. 15 E. - Continued

chains

S $89^{\circ}57'W$ , on a random  
line, bet. secs. 5 and 8

40.00 Set temps.  $\frac{1}{4}$  sec. cor.

80.02 Intersect N. and S. line,  
3 blks. S. of cor. of secs.

5, 6, 7 and 8

Thence I run

N $89^{\circ}58'E$ , on a true line  
bet secs. 5 and 8

Over level land, through  
scattering timber and  
undergrowth

16.00 Road, bears N.W. and S.E.

40.01 Set a mesquite post,  
3 ft. long, 3 ins. sq. with  
marked stone, 24 ins.  
in the ground, for  $\frac{1}{4}$   
sec. cor., marked  $\frac{1}{4}$  S.  
on N. face; from which

Subdivision of  
chain A palo verde, 8 ins. diam.  
 bears N $33\frac{1}{4}$ ° W, 167 lks. dist.,  
 marked  $\frac{1}{4}$  S. B. T.  
 A mesquite, 7 ins. diam.  
 bears S $39\frac{1}{2}$ ° E, 229 lks.  
 dist. marked  $\frac{1}{4}$  S. B. T.  
 69.50 Trail, bears N.W. and S.E.  
 80.02 The cor. of secs. 4, 5, 8 and 9.

Land, level

Soil, loam, 2nd rate.

Timber, palo verde and  
 mesquite, undergrowth,  
 scattering greasewood  
 and cholla.

No ° E, on a random  
 line, bet. secs. 4 and 5  
 40.00 Set temps.  $\frac{1}{4}$  sec. cor.  
 80.39 Intersect N. bdy. of

## T. 15 S.R. 15 E. - Continued

chains

Tp., 10 lks. E. of the cor.  
of secs. 4, 5, 32 and 33,  
as heretofore described

Hence I run

50° 3' E. on a true line,  
bet. secs. 4 and 5

Over level land, through  
scattering timber and  
undergrowth

20.93 Road from Tucson  
to Rincon, bears E. and W.

40.39 Set a mesquite post  
3 ft. long, 3 ins. sq.  
with marked stone  
24 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked  
 $\frac{1}{4}$  S. on W. face; dig  
pits 18x18x12 ins. N. and  
S. of post, 3 ft dist.

Subdivision of  
chains

and raise a mound  
 of earth,  $3\frac{1}{2}$  ft,  $1\frac{1}{2}$  ft.  
 high, W. of cor.

80.39 The cor. of secs. 4, 5, 8 and 9

Land level

Soil, gravelly loam;  
 $2^{\text{nd}}$  rate

Timber, scattering  
 palo verde; undergrowth  
 scattering greasewood  
 and cholla.

June 2. 1895.

From the standard cor. of  
 secs. 33 and 34, on S. bdy of  
 Tp. as heretofore described.

I run

No° 2' E. bet. secs. 33 and 34

Over level land, through  
 scattering timber and

T. 15 S. R. 15 E. - Continued

chains

under growth

- 40.00 Set a granite stone  $18 \times 12 \times 12$  ins.,  
12 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
W. face; dig pits  $18 \times 18 \times 12$  ins.  
N. and S. of stone, 3 ft. dist.,  
and raise a mound of earth  
 $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W.  
of cor.

56.30 Road from Tucson to  
Davidson Spring, bears N.W.  $\frac{3}{4}$  S.E.

- 80.00 Set a granite stone,  $18 \times 12 \times 12$   
ins., 12 ins. in the ground, for  
cor. of secs. 27, 28, 33 and 34,  
marked with 1 notch on  
S. and 5 notches on E.  
edges; dig pits  $18 \times 18 \times 12$  ins.  
in each sec.,  $5\frac{1}{2}$  ft. dist.,  
and raise a mound of

Subdivision of  
chains earth, 4 ft. base, 2 ft. high,  
W. of cor.

Land level

Soil, gravelly loam; 3<sup>rd</sup> rate  
Timber, scattering palo  
verde, undergrowth  
scattering greasewood  
and cholla.

---

West, on a random line  
bet. secs 28 and 33

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.06 Intersect N. and S. line.  
9 miles N. of cor. of secs.

28, 29, 32 and 33

Thence, I run

N $89^{\circ}56'E$ , on a true line  
bet. secs. 28 and 33

Over level and rolling

T. 15 S. R. 15 E. - Continued

chains

land, through scattering timber and undergrowth

- 40.03 Set a sand stone  $16 \times 8 \times 6$  ins.  
2 ins. in the ground for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
N. face, from which  
A mesquite, 6 ins. diam.  
bears N  $52\frac{1}{4}^{\circ}$  E. 465 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.  
A mesquite, 10 ins. diam.  
bears S  $7^{\circ}$  W., 26 lks. dist.,  
marked  $\frac{1}{4}$  S. B. T.

- 54.90 Road, from Tucson to  
David<sup>son</sup> Spring, bears N  $W\frac{q}{e}$
- 55.85 Dry wash, 10 lks. wide, course N. W.
- 56.58 Dry wash, 4 lks. wide, course N. W.
- 58.30 Dry wash, 15 lks. wide, course N. W.
- 80.06 The cor. of secs. 27, 28, 33 and 34  
Land, level and rolling

# Subdivision of

Chains

Soil, gravelly loam, 2<sup>nd</sup> rate  
 Timber, scattering palo  
 verde and mesquite;  
 undergrowth scattering,  
 greasewood

No<sup>o</sup> 2' E, lot secs. 27 and 28  
 Over level land, through  
 scattering timber and  
 undergrowth

21.35 Trail, bears N.W. and S.E.  
 36.48 Old road, bears N.W. ~~and~~ S.E.  
 40.00 Set a mesquite post,  
 3 ft. long, 3 ins. sq., with  
 marked stone 24 ins.  
 in the ground for  $\frac{1}{4}$  sec.  
 S. on W. face; dig pits  
~~18x18x12 ins.~~ in the ground  
 for  $\frac{1}{4}$  sec. cov. marked

## T. 15 S. R. 15 E. - Continued

chains

44 S. on W. face, dig pits  
18x18x12 ins., N. and S. of  
post, 3 ft. dist. and raise  
a mound of earth, 3 $\frac{1}{2}$   
ft. base, 1 $\frac{1}{2}$  ft. high, W. of  
cor.

44.15 Trail, bears N.W. and S.E.

46.50 Trail, bears N.W. and S.E.

69.50 Road, bears N.W. and S.E.

80.00 Set a granite stone 14x10x7  
ins., 9 ins. in the ground  
for cor. of secs. 21, 22, 27 & 28  
marked with 2 notches  
on S. and 3 notches on  
E. edges, dig pits 18x18x12  
ins., in each sec., 5 $\frac{1}{2}$  ft.  
dist., and raise a mound  
of earth, 4 ft. base, 2 ft  
high, W. of cor. — A

Chains

Subdivision of

mesquite, 5 ins. diam  
 bears S  $13\frac{1}{4}^{\circ}$  E., 319 lbs.  
 dist. marked T. 15 S. R.  
 $15^{\circ}$  E. S. 27. B. T. no others near

Land, level

Soil, loam, 2<sup>nd</sup> and 3<sup>rd</sup> rate

Timber, scattering palo  
 verde and mesquite,  
 under growth, grease-  
 wood and ocotillo.

S  $89^{\circ}56'W.$ , on a random  
 line, bet. secs. 21 and 28  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.07 Intersect N. and S. line,  
 10 lbs N. of cor. of secs.  
 20, 21, 28 and 29

Thence I run

N  $89^{\circ}52'E.$ , on a true line

T. 15 S. R. 15 E. - Continued

Chains

bet secs. 21 and 28

Over level and rolling land, through scattering undergrowth

7.25 Trail, bears N.W. and S.E.

31.00 Old road, bears N.W. and S.E.

40.03 $\frac{1}{2}$  Set a mesquite post, 3 ft. long, 3 ins. sq. with marked stone, 24 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S. on N. face, dig pits 18x18x12 ins. E and W. of post, 3 ft. dist., and raise mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

65.60 Road, bears N.W. and S.E.

80.07 The cor. of sec. 21, 22, 27<sup>and</sup> 28  
Land, level and rolling

Subdivision of

Chains

Soil, loam; 2<sup>nd</sup> rate  
No timber; undergrowth  
greasewood

No° 2 E, bet secs 21 & 22

Over level and rolling land  
through scattering  
timber and undergrowth

40.00 Set a mesquite post,

3 ft. long, 3 ins. sq. with  
marked stone, 24 ins.  
in the ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  S.

on W. face; dig pits  $18 \times 18 \times 12$   
ins. N. and S. of post,  
3 ft. dist., and raise a  
mound of earth  $3\frac{1}{2}$  ft.  
base,  $1\frac{1}{2}$  ft. high, W. of cor.

41.50 Road, bears N.W. and S.E.

T. 15 S.R. 15 E. - Continued

Chains

80.00 Set a sandstone  $15 \times 8 \times 5$  ins., 10 ins. in the ground, for cor. of secs. 15, 16, 21  $\frac{3}{4}$ , 22, marked with 3 notches on S. and E. edges, from which

A mesquite, 6 ins. diam., bears  $N 43\frac{1}{4}^{\circ} E.$ , 373 lks. dist., marked T. 15 S.R. 15 E. S. 15. B.T.

A mesquite, 6 ins. diam., bears  $S 59\frac{1}{2}^{\circ} E.$ , 176 lks. dist., marked T. 15 S.R. 15 E. S.

22. B.T.

A mesquite, 7 ins. diam., bears  $S 37^{\circ} W.$ , 304 lks. dist., marked T. 15 S.R. 15 E. S.

21. B.T.

A mesquite, 8 ins. diam.

Subdivision of  
chains

bears N $59\frac{1}{2}$ °W., 255 lks.  
dist., marked T. 15 S.R. 15E.  
S. 16 B.T.

Land, level and rolling  
Soil, loam; 2<sup>nd</sup> rate  
Timber, scattering Palo  
verde and mesquite,  
undergrowth, scattering  
greasewood and cholla

S $89^{\circ}52'$ W., on a random  
line, bet. secs 16 and 21  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.04 Intersect N. and S. line  
4 lks. S. of cor. of secs.  
16, 17, 20 and 21  
Thence I run  
N $89^{\circ}54'$ E., on a true line  
bet. secs. 16 and 21

Continued, Book 832.  
Concluded, Book 833.