

6
No. 920 /
BOOK 920
Field Notes

920

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF — BOOK 920

Township 22 S. Range 25 E.

Gila and Salt River Base and Meridian

ARIZONA.

By Lewis Wolfley D. S.

under contract dated Nov 11th 1884

Survey commenced Jan 23rd 1885

Survey completed Jan 26th 1885

No. 920

BOOK 920

Township 22 S. R. 25 E.

BOOK 920

Grand S.R.M.

6	86	5	61	4	48	3	32	2	17	1
-85	-	84	-	60	-	46	-	31	-	15-
7	83	8	59	9	45	10	30	11	14	12
-81	-	80	-	58	-	44	-	28	-	13-
18	78	17	57	16	43	15	27	14	11	13
-77	-	76	-	56	-	41	-	26	-	10-
19	74	20	54	21	40	22	24	23	9	24
-72	-	71	-	53	-	39	-	23	-	7-
30	70	29	52	28	38	27	22	26	6	25
-67	-	65	-	51	-	36	-	20	-	4-
31	64	32	49	33	35	34	18	35	3	36

For preliminary oaths
and description of instrument
see Book No. 1

No. 920

T22S, R25E

BOOK 920

Chains Beginning at the cor
to Secs 1, 2, 35 and 36
T22 SR 25E on Sbdy
of Th. previously described
by me. I will N. bet Sec
35 and 36.

Va 12° 24' E

3.80 Cross road bears S.W.

40.00 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

T 22 S R 25 E

Chaine
80.00

Deposited a marked stone 12 ins. in the
ground between Secs 25 & 26. 35 & 36 dug pits
18 x 18 x 18 ins. in each Sec. 5 ft. dist. and
raised a mound of earth 2 ft. high 4 ft. base
over it. In S E pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 22 S
S. 25 on N.E. R. 25 E S. 36 on S.E. S. 35 -
on S.W. and S. 26 on N.W. faces, with
1 notch on S. and 1 notch
on E edges.

Surface level
Soil 3rd to 4th rate
grass poor
dense brush

Cast on a random
line bet Secs 25 & 36

Va 12024 E

40.00

Set temporary 1/4 Sec cor

T22S, R 25E

Hains

80.10

Intersect the East bdy. of Th
80 line N. of cor to Secs
25, 30, 31 & 36 previously
described by me.

Thence I run

N $89^{\circ} 26'$ W. on a true
line bet Secs 25 & 36 with
same Ya.

40.05

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 8 x 18 x 12 ins.
6 and $\frac{1}{2}$ W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.10

The cor to Secs 25, 26, 35 & 36

Surface level

Soil $3\frac{1}{2}$ " & $4\frac{1}{2}$ " rate

grass thin

T22 S. R 25 E

chains

Dense brush

North bet Secs 25 & 26
Va 12° 34' E

23.38 Cross Road bears N.E.

40.00

Set a post 2 ft. long 2 ins. diam. with marble
stone, 12 ins., in the ground for 1 Sec. dist.,
sparked 1 ft. on W face, dug pile 18 x 18 x 3
ins. N and S of post 6 ft. dist. and raised
a mound of earth 1½ ft. high. 3½ ft. base. area
post.

from which a mesquite
tree 6 ins. in diam bears
870° E 95 links dist
marked 1/4 S.B.T.

T 22 S R 25 E

Chains
80.00

Deposited a marked stone 12 ins. in the ground corner to Secs 23.24.25 & 26, dug pits 15 x 18 x 12 ins. in each Sec. 5 ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T.22 S. 24 on N.E. R. 25 E S. 25 on S.E. S. 26 on S.W. and S. 23 on N.W. faces, with 2 notches on S. and 1 notch on E edges.

Surface level
Soil 3 $\frac{1}{2}$ to 4 $\frac{1}{2}$ ft. rate
Grass thin
Dense brush

Cast on a random
line bet Secs 24 & 25
V.A. 120248
40.00 Set temporary "4 sec cor

T22 S R 25-8

chains

80.25

Intersect the E. bay of the
50 links S of cor to Secs
19. 24. 25 & 30 previously
described by me.

Thence I run

$88^{\circ} 38' W.$ on a tree line
bet Secs 24 and 25 with
same Va.

40.12

Set a post 3 ft. inc 3 ins. diam at surface
stone, 12 ins, in the ground for T. Cor,
marked $\frac{1}{2}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around
post.

80.25

The cor to Secs 23. 24. 25 & 26

Surface level

Soil $3\frac{1}{2}$ to $4\frac{1}{2}$ in. rate

Grass thin

Scattering brush

T 22 S R 25-E

ChainsNorth bet Secs 23 + 24
79 12° 24' E

40.00

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and $\frac{1}{4}$ of stone 5 $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{4}$ ft. high 3 $\frac{1}{4}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on NW
face.

80.00

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
13, 14, 23 & 24 marked T. 22 S. 13 on
N. E. R. 25° E. S. 24 on S. E., S. 23 on
S. W. and S. 14 on N. W. face, with 3 notch
es on S. and 1 notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{4}$ ft. dist.
and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft.
base. around post.

Surface level

T22 S R 25 E

chains

Soil 4th rate
grass fair
Scattering brush

East on a random
line bet Secs 13 + 24

VA 12° 24' E

40.00 Set temporary 1/4 Sec cor
80.10 intersect the E lay. of the
80 links N. of cor to Secs.
13, 18, 19 and 24, previously
described by me.

Hence from

189° 26' W. a true
line bet Secs 13 and 24
with same VA.

P. 22 S R 25 E

Chains
40.06

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.10 The cor to Secs 13, 14, 23 & 24

Surface level

Soil $2\frac{1}{2}$ to $3\frac{1}{2}$ rd. rate

Grass fair

Scattering brush

North bet Secs 13 + 14

W 12° 24' E

R 2 S R 25 E

chains

40.00

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins. and $\frac{1}{2}$ of stone 5 $\frac{1}{4}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 11, 12, 13 & 14, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 22 S S. 12 on N.E. R 2 S 13 on S.E. S. 14 on S. W. and S. 11 on N. W. faces, with 4 notch $\frac{1}{2}$ on S. and 1 notch on $\frac{1}{2}$ edges.

Surface level
Soil 2 $\frac{1}{2}$ " + 3 ft. rate
grass fair
scattering brush

P22 S R 25 E

chain

Cast on a random line
bet Secs 12 & 13

V 912° 24' E

40.00 Set temporary $\frac{1}{4}$ Sec cor
20.25 Intersect the East bdy of
Th 80 links N. of cor to Secs
1, 12, 13 & 18 previously by me.

Hence I run

N 89° 26' W. on a true
line bet Secs 12 & 13 with
same Va.

40.12 Deposited & marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and ~~W~~ of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. base over
it. In ~~E~~ pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

Prz SR 25° E

Chains

80.25 The cor to Secs 11, 12, 13 & 14

Surface level

Soil 2nd + 3rd rate

Grass fair

Scattering brush

North bet Secs 11 & 12

Vd 12 0 24° E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In $\frac{1}{4}$ pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

T 22 S, R 25 E

chains
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 1, 2, 11 & 12, dug pits 18 x 18 x 12 ins. in each Sec. 5 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S.E. pit above a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 22 S S. 1 on N.E. R. 25 E S. 12 on S.E. S. 11 on S.W. and S. 2 on N.W. faces, with 5 notches on S. and 1 notch on E edges.

Surface level
Soil 2nd to 3rd rate
Grass fair
Scattering brush

Cast, on a random line
bet Secs 1 & 12.

Va 12° 24' E

40.00 Set temporary "4 Sec cor

F 22 S R 25 E

chains

80.60

Intersect the E. bdy of Th.
95 links N of cor to Secs
16.7 and 12 previously
described by me.

Hence I run

N 89° 19' W. on a true line
bet Secs 1 and 12 with same dist.

40.30

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone $\frac{1}{4}$ fest dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on 1st
face.

55.70

Cross Road bears N E 88° or

59.85

" " " "

80.60

The cor to Secs 1, 2, 11 & 12
surface level
Soil 4th rate

P 22 S R 25 E

chains

Grass fair
Scattering bushNorth on a random
line bet Sec 1 and 2
VA 12024 E

40.00 Set temporary $\frac{1}{4}$ Sec cor
 79.40 Intersect the N. bay of Th
 30 links W. of cor to Sec
 1:2, 35 + 36 which is a
 mound and fits in S.E. pit
 a stake marked. T21 S
 136 on N.E. R 25 E Slopes E
 T22 S 82 on S.W. and S
 35 on N. W. faces with 1
 notch on E and 5 notches
 on W. edges

T 22 S R 25 E

Chains

Fence I run

$80^{\circ} 13' W.$ on a true

bet Secs 1 & 2 with same Ra.

2, 10 Cross road bears N.E. & S.W.

39.40

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone $5\frac{1}{2}$ feet dist ana raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
faces.

79.40

The cor to Secs 1, 2, 11 & 12

Surface level

Soil $2\frac{1}{2}$ ins. + $3\frac{1}{2}$ ins. rate

Grass fair

From the cor to Secs

2, 3, 34 and 35 and

end of T 22 S R 25 E

T22S, R 25E.

Claims

previously described by me

Run N bet Secs 34 & 35

VA 12° 24' 8"

4.00 Cross Dry Wash Course E
50 links wide

40.00 Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

49.60 Cross road bears N.E. & S.W.

57.75 " " " "

59.50 " " " "

T 22 S. R 25 E

Chain
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 26.27.34 & 35, dug pits 18 x 18 x 12 ins. in each Sec. 5 ft. dist. and raised a mound of earth 2 ft. high at base over it. In S.E. pit drove a stake 2 ins. sq. 2 1/2 long 12 ins. in the ground marked T. 22 S. 26 on N.E. R. 25 E S. 35 on S.E. S. 34 on S.W. and S. 27 on N.W. faces, with 1 notch on S. and 2 notches on edges.

Surface level
Soil 2nd 3rd rate

Grass fair

Scattering brush

Cast on a random
line bet Secs 26 & 35
Op 12° 24' E
40.00 Set temporary line Sec cor

922 S R 25 E

Points

9.90 Intersect the N & S line
 20 links N. of cor to Secs 25
 26. 35 and 36.

Thence I run

189° 57' W. on a true line
 bet Secs 26 & 35 with same fa

39.95 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

40.86 Cross road bears N.E. & S.W.
 79.90 The cor to Secs 26. 27. 34 & 35

Surface level
 Soil 3 $\frac{1}{2}$ & 4 $\frac{1}{2}$ in. rate
 Grass thin
 Dense brush

T22 S R 25 E

Chamis

North bet Secs 26 & 27
Va 12° 24' E

31.40 Cross road bears N.E & S.W.

Deposited a marked stone 12 ins. in ~~the~~
 ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
 And $\frac{1}{2}$ of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In \checkmark pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on \checkmark W
 face.

60.84 Cross Road bears N.E & S.W.

80.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 22, 23, 26 & 27 marked T. 22 S. 23 on
 N. E. R. 25 E S. 26 on S. E. S. 21 on
 S. W. and S. 22 on N. W. face, with 2 notch
~~le~~ on S. and 2 notch~~le~~ on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft.
 base. around post.

T22S R25E

chains

Surface level

Soil 2⁰ ft + 3^{1/4} rate

Grass thin -

Scattering brush

East on a random line
bet Secs 23 and 26

Va 12024 E

40.00 Set temporary "4 Seccor
80.00 Intersect the N & S line
10 links S of cor to Secs
23. 24. 25 & 26

Thence I run

889° 56' W. on a true
line bet Secs 23 & 26 with
same Va.

17.55 Cross Road bears N.E & S.W

T22 S. R 25 E

chains

40.00

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E and W of stone $\frac{1}{4}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high $\frac{1}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W.
face.

55.50

Cross road bears N.E + SW.

80.00

The cor to Secs 22, 23, 26 & 27

Surface level
Soil $3\frac{1}{2}$ & $4\frac{1}{2}$ ft. rate

Grass fair
Dense brush

North bet Secs 22 + 23

Mar 12 1948

T 22 S R 25 E

Chain
40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 8 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on SW face.

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 14, 15, 22 & 23, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 22 S 5.14 on N.E., R. 25 S. 23 on S.E. S. 22 on S.W. and S. 15 on N.W. faces, with 3 notches on S. and 2 notches on E. edges.

Surface level
Soil 2nd & 3rd rate
Grass fair
Dense brush

522 S. R 25 E

Chains

East on a random
line bet Secs 14 & 23

Va 12° 24'

40.00 Set temporary N. Sec cor
80.08 Intersect the N and S
line 6 links N. of cor to
Secs 13, 14, 23 + 24.

Thence I run

N 89° 57' W. on a true
line bet Secs 14 & 23 with
some Va.

40.04 Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and ~~W~~ of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft. late over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

T22 S R25 E

claims

58.08 Cross road bears N. E + SW

55.08 " " " N + S

1.08 The cor to Secs 14, 15, 22 + 23

Surface level

Soil $2\frac{1}{2}$ ins + $3\frac{1}{2}$ ins rate

Grass fair

Scattering Mesquite

North bet Secs 14 & 15

Vd 12° 24' E

16.80 Cross road bears N. W + S. E

40.00 Deposited a marked stone 12 ins. in the ground for 1/2 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W face.

T22S R.25^E

Chains

76.80 Grass road bears N. W. S. E.

80.00

Set a granite stone 10 x 8 x 7 ins., 6 ins. in
 the ground for Cor. to Secs. 11, 14 & 15 marked
 with 4 notches on S. end 2 notches on E. edges,
 dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft.
 dist. and raised a mound of earth 2 ft. high.
 4½ ft. base. alongside.

Surface level
 Soil $3\frac{1}{2}$ " + $4\frac{1}{2}$ " rate
 Grass fair
 Scattering brush

East on a random
 line bet Secs 11 & 14

VA 120 24^E

40.00 Set temporary 1/4 sec cor

T22 S R25 E

chains

- 0.20 Intersect the N & S 30 links
1/4 of cor to Secs 11, 12, 13 and 14
Thence turn
 $N 89^{\circ} 47' W.$ on a true
line bet Secs 11 & 14 with same dist.
- 9.20 Cross road bears N & S
- 10.10 Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. back over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.
- 14.10 along side of road bears E & W
- 20.20 The Cor to Secs 10, 11, 14 & 15
Surface level
Soil 3rd & 4th rate
Grass fair
Scattering brush

T 22 S. R 25^{-E}

claims

North bet Secs 10 & 11
W 12 0248

30.00 Cross road bears E & W

40.00 Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins. and ~~S~~ of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In ~~N~~ pit drove a stake 2 ft. long ~~line.~~ sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on ~~W~~ face.

80.00 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 2, 3, 10 & 11 marked T. 22 S. 2 on N. E. R. 25^{-E}. S. 11 on S. E. S, 10 on S, W, and S, 3 on N, W, face, with 5 $\frac{1}{2}$ notch es on S, and 2 notch es on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base. around post.

T22 S. R 25 E

chains

Surface level
Soil 3rd rate
grass fair

East on a random
line bet Secs 9 & 11

Va 120248

40.00 Set temporary "4 Sec cor
80.12 Intersect the N & S line
15 - like N of cor to Sec 1.
211 & 12.

Thence down
N 89° 54' W. on a true
line bet Secs 9 & 11 with
same Va.

7.12 Cross road bears N & S

T22 SR 25E

Chains
40.06

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.12 The cor to Secs 2, 3, 10 + 11
Surface level
Soil 3 $\frac{1}{2}$ & 4 $\frac{1}{2}$ in. rate
Grass fair

North on a random
line bet Secs 2 + 3

Feb 12 1924 '08

40.00 Set temporary m^y Sec cor
79.20 Intersect the N. bdy of
Twp. 35 line W. of cor

722 S R 25 E

chains

to Secs 2, 3, 34 & 35 which
is a mound of earth and
fits in S.E. part a stake
marked, 721 S. S35 on N.E.
R 25 E S 2 on S.E. 722 S
S 3 on S.W. & S34 on N.W.
faces with 2 notches on E
and 4 notches on W. edges

Thence I run
 $80^{\circ} 15' 10''$ W. on a true
line bet Secs 2 & 3 with
same Va.

39.20 A Mesquite tree 3 ins
in diam which I mark
"48 on W. face for 1/4 sec
cor dug pit 18x18x12 ins
15 ft S of tree 5 1/2 ft. dist
and raised a mound of earth

P228 R 25-E

chains

around tree.

79.20 The car to Secs 2, 3, 10 & 11
Surface level
Soil 2nd & 3rd rate
Good grass
Scattering brush

I carefully examined
the adjustments of my
solar transit - particularly
the latitude and steering
apparatus and found
them correct.

T 22 S, R 25 E

Chamis

From the Cor to Secs

3, 4, 33 + 34 T 22 S R 25 E

on S day of M previously
described by me. I run
A line between Secs 33 + 34

N 91° 24' E

8.50 Cross road bears N.E + S.W.

40.00

Deposited a marked stone 12 ins. in ~~the~~
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

T22 S. R 25 E

chain

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 27, 28, 33 & 34 marked T.228 S. 27 on N. E. R. 25 E S. 34 on S. E. S. 33 on S. W. and S. 28 on N. W. face, with notch 1 on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

Surface level

Soil 2 $\frac{2}{3}$ & 3 $\frac{1}{2}$ " rate

Good grass
scattering brush

Cast on a random
line bet Secs 27 & 34

VA 12° 24' E

40.00 Set temporary "4 Seccor

T22 S R 25 E

Chain

80.20 Intercept the N + S line
 15 links N. of cor to Secs
 26, 27, 34 and 35.

Thence turn

$189^{\circ} 54' W.$ in a true
 line bet Secs 27 and 34 with
 same Ma.

32.00 Cross road bears N + S

40, 10 Deposited a marked stone 12 ins. in ~~the~~
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

6 and $\frac{1}{2}$ W of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

80.20 The cor to Secs 27, 28, 33 & 34

Surface level

Soil $3\frac{1}{2}$ ft. rate

Good grass

T22 S. R 25 E

Rams

Dense brushNorth bet Secs 27 & 28
Ta 12° 24' E

- 40.00 Set a Granite stone 10x10
x5 mis 6 mis in the ground
for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
in W. face and raised a
round of stone alongside.
- 67.25 Cross dry wash course E
25 links W.
- 73.00 Cross road bears N 45° E
- 80.00 Set a Granite stone 13x8x6 mis
8 mis in the ground for
cor to Secs 21, 22, 27 & 28
marked with 2 notches on S
and 3 notches on E edges

P22 S, R25 E

chamis

and raised a mound of
stone alongside.

Land level

Soil 2nd & 3rd rate

Grass fair

Scattering brush

East on a random line
bet Secs 22 & 27

Va 2024 E

40.00 Set temporary 1/4 Sec cor

80.05 Intersect the N & S line 10
links N. of cor to Secs 22
23. 26 & 27

Thence from

N 89° 56' W. on a true
line bet Secs 22 & 27 with
same Va.

P22 S.R 25 E

Chains
40.02

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.05 The cor to Secs 21, 22, 27 & 28
Surface level
Soil 2nd rate
Grass fair
Scattering brush

North bet Secs 21 & 22
D 12° 24' E

T22 S. R25 E

claims

40.00

Set a Granite stone, 13 x 8 x 7 ins., 2 ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$. on N
face, dug pits 18 x 18 x 12 ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

80.00

Set a Granite rock 12 x 10 x 6
ins 7 ins in the ground
for cor to Secs 15, 16, 21 & 22
marked with 3 notches on
E & S edges and raised a
mound of stone alongside.

Surface level

Soil $2\frac{1}{4}$ to $3\frac{1}{2}$ in rate

grass good
scattering brush

East on a random line
bet Secs 15 & 22

T22 S R 25 E

Chain

Var 2024%

- 40.00 Set temporary "4 Sec cor
 80.20 Intersect the T + S line
 15 links S of cor to Secs
 14, 15, 22 + 23.

Thence I run

$88^{\circ} 54'$ W. on a true line
 bet Secs 15 & 22 with same Var.

- 40.10 Deposited a marked stone 12 ins. in the
 ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
 6 and W of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In 6 pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked + S. on N
 face.

- 80.20 The cor to Secs 15, 16, 21 & 22
 Surface level
 Soil 2 $\frac{1}{2}$ rd + 3 $\frac{1}{2}$ rd rate
 Grass fair

T22 S R 25 E

ClaimsNorth bet Secs 15 + 16
Ta 12° 24' E

40.00 Set a Gravel stone, 12 x 9 x 6 ins.,⁸ ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$. on E.
face, dug pits 18 x 18 x 12 ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

80.00 Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
9, 10, 15 + 16 marked T. 22 S. 10 on
N. E. R. 25 E S. 15 on S. E. S. 16 on
S. W. and S. 9 on N. W. face, with 4 notch
es on S. and 3 notch es on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.
base. around post.

Surface level
Soil $2\frac{1}{2}$ " + $3\frac{1}{2}$ " rate

M 2 S.R 25 E

Chains

Grass fair

East on a random
line bet Secs 10 & 15
Va 12 0 24 E

40.00 Set temporary "4 Sec cor
79.95 Intersect the N & S line
12 links S. of cor to Secs
10, 11, 14 & 15.

Thence I run
8890 55' W. on a true
line bet Secs 15 & 10 with
same Va.

39.97 Set a sand stone, 11 x 10 x 6 ins., 7 ins.
in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$. on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
12 ft. high. 3 $\frac{1}{2}$ ft. base. alongside.

T22S R 25E

Claims

41.97 Cross road bears N.W. & S.E.

09.95 The cor to Secs 9, 10, 15 & 16

Surface level

Soil 3rd + 4th rate

Grass fair

Scattering brush

North bet Secs 9 & 10
Vg 12024 E

40.00

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and $\frac{1}{4}$ of stone 5 $\frac{1}{2}$ feet dist and caused
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

48.00

Cross road bears N.W. & S.E.

T 22 S. R 25 E

Chavis
80.00

Set a post 4 ft. long 4 ins. square, with marble
stone, 12 ins, in the ground for Cor, to Secs.
3. 4. 9 & 10 marked T. 22 S. 3 on
N. E. R. 25 E S. 10 on S. E. S. 9 on
S. W. and S. 4 on N. W. face, with 5 notch
es on S. and 3 notch es on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.
and raised a mound of earth 2 ft, high. 4½ ft.
base. around post.

Surface level
Soil 4th rate
Grass poor

East on a random line
bet Secs 3 & 10

VA 12° 24' E

40.00 Set temporary 1/4 Sec cor

T22 S R25 E

Chain
79.90Intersect the N & S line
8 links S. of cor to secs
2, 3, 10 and 11.Hence run
 $89^{\circ} 57' W.$ on a true
line bet secs 3 + 10 with
same Va.39.95 Set a lime stone, $2 \times 9 \times 7$ ins., 3 ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked \pm on N
face, dug pits $18 \times 18 \times 12$ ins. E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. alongside.79.90 The cor to secs 3, 4, 9 & 10
Surface level
Soil $2\frac{2}{3}$ and $3\frac{1}{3}$ rd rate
Grass fair
Scattering brush

Tr 2 S. R 25 E

Chain

North on a random
line bet Secs 3 & 4

Va 12024 E

- 40.00 Set temporary $\frac{1}{4}$ sec cor
 78.90 Intersect the N bdy of 9th
 45 links W. of cor to Secs
 3, 4, 33 & 34 which is a
 granite stone 12 x 10 ins above
 the ground marked with
 3 notches on E & W edges
 and mound of earth and
 pits of required size.
 Thence turn
 $80^{\circ} 19'$ W. on a true line bet Secs
 3 & 4 with same Va.
 38.98 Set a sand stone, $10 \times 9 \times 8$ ins., 6 ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W
 face, dug pits $18 \times 18 \times 12$ ins. N and
 of stone 5 ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high 31 ft. base alongside.

T22 S. R 25 E

Chain

78.90

The cor to Secs 3, 4, 9 & 10

Surface level

Soil $2 \frac{1}{4}$ " + $3 \frac{1}{4}$ " rate

Grass fair

Scattering brush

Jan 24th 1885

From the cor to Secs

4, 5, 32 & 33 on side of

T22 S. R 25 E previously
described by me. From it
bet Secs 32 & 33Ma 12th 24 EOver mesa gently descends to E
6.00 Cross Dry Wash course N.E.

T 22 S. R 25 E

Chains

- 40.00 Set a Sand-stone 16x10x5
vis 10 vis in the ground
for 1/4 Sec cor marked,
1/4 on W. face and raised
a mound of stone alongside
- 68.00 Gross Dry Wash Course N.E.
- 80.00 Set a Sand-stone 19x13x
3 ins 14 ins in the ground
for cor to Secs 28, 29, 32 & 33
marked with 1 notch on
Sand 4 notches on Edges
and raised a mound
of stone alongside
surface level
Soil $3\frac{1}{2}$ & 4th rate
Poor grass
Scattering brush

T22 S R 25 E

Chains

Cast on a random line
bet Secs 28 & 33

W 12° 24' E

40.00 Set temporary 1/4 Sec cor
79.80 intersected the N + S line 1/6
links S of cor to Secs 27
28, 33 & 34.

Hence I run
S 89° 53' W. on a true line
bet Secs 28 & 33 with same W.

39.90 Set a sand stone, 9 x 9 x 9 ins., 5
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

79.80 The cor to Secs 28, 29, 32 & 33
Surface level
Soil $3\frac{1}{2}$ ft. rate

T 22 S, R 25 E

Chains

Grass fair

North line Secs 28 & 29

NA 12 024°8'

- 40.00 Set a Sand-stone 16x11x9 ins
11 ins in the ground for
1/4 sec cor marked $\frac{1}{4}$ on W.
face and raised a mound
of stone alongside.
- 80.00 Set a Limestone 20x14x8
15 ins in the ground
for cor to Secs 20, 21, 28 & 29
marked with 2 notches on
Sand 4 notches on E
edge and raised a
mound of stone alongside.

T22 S R25 E

chains

Surface level

Soil 3^{ft} 4th rate

Grass fair

Cast on a random line
bet Secs 21 & 28

Qd 12024 'E

40.00 Set temporary "u. Sec cor
80.00 intersect the Nt S line
12 links N. of cor to Secs
21. 22. 27 & 28

Hence from

N 89° 55' W. make true
line bet Secs 21 & 28 with
same Qd.

9.50 Cross road bears N. W. S. E.

722 S.R. 25 E

chains

40.00

Set a Sand stone 15 x 6 x 8
vis " vis in the ground
for 1/4 sec car marked 1/4 m
N. face and raised a mound
of stone alongside

54.60

Cross Dry Wash 10 links wide
course S.E.

80.00

The cor to Sec 20. 21. 28 & 29
Surface level
Soil 4th rate
Grass fair

North bet Secs 20 & 21
VA 12° 24' E

2.00

Cross Dry Wash course E

8.00

" " " " "

39.00

" road bars N.E. & S.W.

T22 S. R25 E

Chains
40.00

Deposited & marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. bare over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4} S.$ or W
face.

52.00 Gross Road leave E & W
80.00 Set a Sand stone 12 x 18 x 7 ins
8 ins in the ground for cor
to Secs 16, 17, 20 & 21 marked
with 3 notches on S and 4
notches on E edges and
raised a mound of stone alongside
mesa gradually ascends
to N. W.

Soil 4th gate
Grass fair

T 22 S. R 25 E

chains

East on a random
line bet Secs 16 & 21
Va 12° 24' E

40.00 Set temporary 4⁴ Sec cor
80.10 Intersect the Nt S line
12 links S of cor to Secs
15, 16, 21 & 22

Then I run

889° 55' W. on a true line
bet Secs 16 & 21 with same Va.

40.05 Set a Lime stone 10x9x7
size 6 ins in the ground
for "4 Sec cor marked "4 on
N. face and raised a
mound of stone alongside

80.10 The cor to Secs 16, 17, 20 & 21
Surface level
Soil 2nd & 3rd rate

T 22 S. R 25 E

chains

Grass fairNorth bet Secs 16 & 17
W 12° 24' E

40.00

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
A and $\frac{1}{2}$ of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W
face.

80.00

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
8, 9, 16 & 17 marked T. 22 S. 9 on
N. E. R. 25 E S. 16 on S. E. S. 17 on
S. W. and S. 8 on N. W. face, with 4 notch
ll on S. and 4 notches on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist
and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft.
base around post.

T22 S.R 25 E

chains

Surface level

Soil $3\frac{1}{2}$ " & $4\frac{1}{2}$ " rate

Grass fair

Cast on a random line
bet Secs 9 & 16

Va 12° 24' E

40.00 Set temporary 1/4 Sec cor
79.90 Intersect the Tr & Slave 10
line S. of cor to Secs 9, 10
15 & 16.

Hence I run
 $88^{\circ} 56' W.$ on a true line
bet Secs 9 & 16 with same Va.

T22 S.R. 25^E

chains

39.95

Set a Limestone stone, 15 x 6 x 6 ins., 10 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

79.90

The Cor to Secs 8, 9, 16 & 17

Surface level

Grass fair

Soil $2\frac{1}{2}$ ins. + $3\frac{1}{2}$ ft. rate

North bet Secs 8 & 9

Va 12 24^E

40.00

Set a Limestone stone, 11 x 10 x 5 ins. 6 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on NW
face, dug pits 18 x 18 x 12 ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

T22 S.R 25E

chains
80.00

Set a Granite stone 11 x 8 ins, 7 ins. in
the ground for Cor, to Secs, 4 & 8 & 9 marked
with 5 notches on S. and 4 notches on E. edges,
dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft.
dist. and raised a mound of earth 2 ft. high.
4½ ft. base. alongside.

Surface level
Soil 4th rate & stony
No grass
Dense brush

Cast in a random
line bet Sec's 4 & 9

VA 12° 24' E

40.00 Set temporary ¼ sec cor
80.10 Intersect the N & S line
5 links N of cor to Secs
3, 4, 9 & 10.

T22S. R 25E

chains

Hence I run

$189^{\circ} 58' W.$ on a true
line bet Secs 4 & 9 with same W.

40.05 Set a Quartz stone $10 \times 10 \times 10$
in 6 in in the ground
for "4 Sec cor marked "W
on N. face and raised a
mound of stone alongside.

80.10 The cor to Secs 4, 5, 8 & 9

Surface level

Soil 4th rate

No grass

Dense brush

Northly on a random
line bet Secs 4 & 5

Ora 12° 24' 8"

62

T 22 S. R 25 E

chains

Over rolling mesa
 Set temporary "4 Sec cor
 Intersect the S. bdy. of
 Th 63 links W. of Cor to.
 Secs 4, 5, 32 & 33 which is
 a granite stone 10x7 ins
 above the ground marked
 with 4 notches on E and 2
 notches on W. edges mound
 of earth and fits of required
 size.

Thence I run
 $80^{\circ} 27'$ W. on a true
 line bet Secs 4 & 5 with same Qd.
 8.20 Cross road bear S. E & N. W.
 39.20 Set a lime stone 14x10x4
 ins 10 ins in the ground
 for "4 sec cor marked 114 on

T22S. R25E

Chains

79.20

W. face and raised a
mound of stone alongside
the cor to Secs 4, 5 - 8 & 9

Surface level

Soil 3rd & 4th rate

Poor grass

Scattering brush

I carefully examined the
adjustments of my solar
transit to day particularly
the latitude and reversing
apparatus and found them
correct

Jan 23rd 1885

R 22 S. R 25 E

Chains

From the cor to Secs
5, 6, 31 & 32 on side of
R 22 S. R 25 E. previously
described by me. From
N bet Secs 31 & 32

V.A. 12024 E

Descending along steep
side hill sloping E
cross ravine course E and
enter Valley

37.56 Set a Sand-stone 13 x 9
x 7 ins 11 ins in the
ground for 1/4 sec cor
marked "1/4 on W. face
and raised a mound
of stone alongside

40.00

No. 920 BOOK 920 65
T22 S R 25 E

chain
42.75 Enter Dry Wash Course E
43.50 Leave " " "
51.00 Enter " " "
53.30 Leave " " "
80.00 Set a Sand stone $3 \times 11 \times 9$
ins 11 ins in the ground
for cor to Secs 29, 30, 31 & 32
marked with 5 notches
on E and 1 notch on S
edges and raised a
mound of stone alongside.

$8\frac{1}{2}$ mile or rocks in mts

grass fair

Soil $3\frac{1}{4}$ to $4\frac{1}{4}$ rate

Cast in a random line
bet Secs 29 and 32

T22 S.R 25 E

chains

Va 12° 24' E

40.00 Set temporary "4 Sec cor
 80.20 intersect the N & S line
 20 links S. of cor to Secs
 28, 29, 32 and 33.

Thence I run
 S 89° 57' W. on a true
 line bet Secs 29 + 32 with
 same Va.

40, 10 a stone in place 3x2x2
 ft. abov the ground
 which I marked "4 on
 N. face with a cross (+)
 at exact cor point for
 "4 Sec cor and raised
 a mound of stone
 alongside.

T22 S.R 25E

chain

80.20 The cor to Secs 29, 30, 31 & 32
 Surface broken
 Soil 4th rate
 Grass fair

West on a random
 line bet Secs 30 & 31

VA 1202418

40.00 Set temporary $\frac{1}{4}$ section
 79.60 Intersect the W. Idy of
 Sp 48 links N of cor to
 Secs 25, 30, 31 & 36 which is
 a Granite stone 12 x 10 ins
 above the ground marked
 with 1 notch on S and
 5 notches on N. edge

T 2 S. R 25 E

chains

and mound of stone
alongside.

Thence I run
 $N 89^{\circ} 49' E$. on a true
line bet Lecs 30 and 31
with same Va. and
ascend slope at an
angle of 25°

12.60 Top of ridge and descend
slope at an angle of 23°

20.60 cross dry wash course
and ascend slope at an
angle of 20°

29.60 Top of ridge bears N & S
and descend slope at an
angle of 30°

T 22 S. R 25 E.

chains

- 36.40 Cross Dry Wash course N.
39.60 after making the correct
allowance a sand stone
in place which I marked
 $\frac{1}{4}$ m. N. face with a cross
(+) at exact cor point
for $\frac{1}{4}$ sec cor and raised
a mound of stone alongside
41.80 ascend along N. side of
slope bears N.
- 58.38 Top of hill and descend
at an angle of 20°

72.10 Cross Dry Wash course N.E.
79.60 The cor to Secs 29.30.31 + 32

Land mountainous
Soil 4th rate & stony
Grass fair

T22 S.R. 25E

chains

North bet Secs 29 & 30

VA 1202418

40.00 Set a Sand. stone 16x14
x 9 ins 10 ins in the
ground for 1/4 sec cor
marked 1/4 on W. face
and raised a mound of
stone alongside.

80.00 Set a Lme. stone 20x14x
8 ins 15 ins in the
ground for cor to Secs
19, 20, 29 & 30 marked
with 2 notches on S
and 5 notches on E edges
and raised a mound
of stone alongside.

T22 SR 25E

chains

Surface level

Soil $3\frac{1}{2}$ + $4\frac{1}{2}$ rate

Grass fair

Scattering brush

Cast in a random line
bet Secs 20 + 29

Va 12024 E

40.00 Set temporary "v" sec con

79.95 Intersect the N + S line

45 links S. of cor to Secs

20. 21. 28 + 29.

Then run

 $889^{\circ}41' W.$ in a true
line bet Secs 20 + 29 with
same Va.

T 22 S R 26 E

chains

39.97

Set a line stone, 15 x 8 x 6 ins. 10 ins.
 in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$. on $\frac{1}{4}$.
 surface, dug pits 18 x 18 x 12 ins. E and W
 of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{4}$ ft. high. $3\frac{1}{4}$ ft. base. alongside.

79.95

The cor to Secs 19. 20. 29 & 30

Surface level

Soil $3\frac{1}{2}$ " to $4\frac{1}{2}$ " rate

Grass fair

Scattering mesquite

West on a random
line bet Secs 19. & 30

Va 12° 24' E

40.00

Set temporary $\frac{1}{4}$ sec cor

79.40

Intersect the W. bay of
the 37 links N. of cor to

T22 S. R25 E

chamis

Secs 19, 24, 25 & 30 which
is a granite stone 12 x 10
in above the ground
marked with 2 notches
on S and 4 notches on
N edge and mound of
stone alongside.

Thence I run

N 89° 44' E mat line bet
Secs 19 & 30 with same Va.
and ascend slope at an
angle of 15°

6.40 top of slope and descend
at an angle of 12°

22.40 cross Dry Wash course N.E.

T22 S.R 25 E

claims

39.40

after making the correct allowance I set a lime stone $14 \times 7 \times 7$ ins 9 ins. in the ground for $\frac{1}{4}$ section marked $\frac{1}{4}$ on N face and raised a mound of stone alongside.

79.40

the cor to Secs 19, 20, 29 & 30

Surface level

Soil 4th rate

Good grass

Scattering ocotillo brush

North bet Secs 19 & 20

Va 12 02 4 E

T 22 S. R 25 E.

chain

33.00 Cross Dry Wash course E
 Set a Lime stone, 9 x 9 x 4 ins., 4 ins.
 in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on N
 face, dug pits 18 x 18 x 12 ins. N and S
 of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base alongside.

52.00 Cross Dry Wash Course E
 Set a Sand stone 12 x 11 x 4
 ins 7 ins in the ground
 for cor to Secs 17, 18, 19 & 20
 marked with 3 notches
 on S and 5 notches on E
 edge and raised a mound
 of stone alongside
 Meas level

Soil 4th rate + stony
 Scattering Ocotillo brush

T 22 S. R 25-8

chains

East on a random
line bet Secs 17 & 20

Va 12° 24' E

40.00 Set temporary $\frac{1}{4}$ section
 79.90 Intersect the N & S line
 40 links S of cor to Secs.
 16, 17, 20 & 21.

Thence I run
 $889^{\circ} 43' W.$ or at true
 line bet Secs 17 & 20 with
 same Va.

39.95 Set a Sand - stone 12 x $\frac{1}{12} \times 4$
 in & rise in the ground
 for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
 on N face and raised a
 mound of stone alongside
 The cor to Secs 17, 18, 19 & 20

79.90

T22 S. R25 E

Claims

Surface level
Soil very rate
Grass poor
Dense brush

West on a random line
bet Secs 18 & 19

VA 12024 E

40.00 Set temporary $\frac{1}{4}$ sec cor.
79.70 Intersect the W. bdy. of
Th. 39 links N. of cor to
Secs 13, 18, 19 & 24.
which is a Limestone
18x12 ins above the ground
marked with 3 notches
in N and S edges and

T 22 S. R 26 E

chains

mound of stone alongside
the fence I run
N 89° 43' E. on a true line
bet Secs 18 & 19 with same ra.

39.70

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 ft. from each other.
A mound of earth 14 ft. high 3 1/2 ft. base on
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

79.70

~~sec.~~ The cor to Secs 17, 18, 19 & 20
Surface level
Soil 4th rate
Poor grass
Dense brush

North bet Secs 17 & 18

T 22 S. R 25 E

claims

W 12 024 E

- 40.00 Deposited a marked stone 12 ins. in ~~the~~
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 14 ft. high 3 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1 S. on W
face.
- 87.00 Set a Lime stone 13 x 9 x 5
ins. 8 ins. in the ground
for cor to Secs 7, 8, 17 and 18
marked with 4 notches
on S and 5 notches on E
edges and raised a
mound of stone alongside
surface level
Soil 3 $\frac{1}{2}$ + 4 $\frac{1}{2}$ ft. rate
Grass fair
Scattering Mesquite & Sagebrush

T22 S R25 E.

Chains

Cast on a random
line bet Secs 8+17

VA 12 024 E

40.00 Set temporary 1/4 Sec cor
80.10 Intersect the N. line
15 links S. of cor to Secs
8, 9, 16 & 17.

Hence I run
S89° 54' W. on a true
line bet Secs 8+17 with
same距.

40.05 Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pit 18 x 18 x 12 ins.
E and SW of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 6 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/2 S. on N
line.

722 S. R 25 E

chains

80.10 The cor to Secs 7, 8, 17 & 18
Surface level
Soil 3rd & 4th rate
Grass fair
Scattering brush

West. on a random line
bet. Secs 7 & 18

79.12 24 E

ascend gradually
Set temporary "4 sec cor
79.40 Intersect the W. bdy. of Th.
40 links N. of cor to Secs
7, 12, 13 & 18 which is a
Sand stone 10x5 ins. above
the ground marked with

T 22 S. R 25 E

chains

4 notches on S and 2 notches
on N. edges and mound of
earth & fits of required size.

Hence I run

N 89° 43' E on a true line bet
secs 7 and 18 with same ra.
Cross road bears N. E. & S. W.

15.40
39.40

Set 6 Quartz stone, 17 x 13 x 10 ins, 12 ins
in the ground for $\frac{1}{2}$ Sec, cor, marked + on
face, dug pits 18 x 18 x 12 ins E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base alongside.

79.40 The cor to secs 7, 8, 17 & 18

Surface level

Soil 4th rate

grass fair

Dense Ocotillo & sage brush

P22 S. R 25E

chains

North bet Secs 7 + 8

9A 12 024 E

40.00

Set a Quartz stone, 18 x 11 x 7 ins / 3 lbs.
in the ground for 1 Sec, Cor, marked $\frac{1}{4}$. on W
face, dug pits 18 x 18 x 12 ins. N and S
of stone 5 ft. dist. and raised a mound of earth
 $\frac{1}{4}$ ft. high. 3 $\frac{1}{2}$ ft. base alongside.

80.00

Set a Sand stone 22 x 16 x 13
ins 15 ins in the ground
for cor to Secs 5, 6, 7 + 8
marked with 5 notches
on Sand E edges and
raised a mound of stone
alongside

Surface level

Soil $\frac{4}{5}$ th rate + stony

F22 S.R 25E

chains

Grass fair
Dense Ocotillo + Sagebrush

East on a random
line bet Secs 5 & 8

VA 12 024 "E

40.00 Set temporarily Sec cor
79.90 Intersect the Nt line 12 links
So far to Secs 4, 5, 8 & 9.

Thence I run

889055 10W. on a true line
bet Secs 5 & 8 with same VA

Deposited a marked stone 12 ins. in ground for 1 Sec. Cor. dug pit 18 x 18 x 12 in.

E and W of stone 11 feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked 1 S. on N faa

P22 S.R 258

chains

- 50.40 Cross road bears N + S
 79.90 The cor to Secs 5; 6.7 + 8
 Surface level
 Soil 4th rated stony
 grass fair
 Dense bush

West on a random
 line bet Secs 6 + 7

VA 20248

- 40.00 Set temporary "4 Sec cor
 9.90 Intersect the W. bdy of the
 86. links of cor to Secs
 16.7 and 12 which is a
 granite stone 12 x 10 in.
 above the ground marked

T 22 S. R. 25 E.

Chamiz

with 5 notches on S
and 1 notch on N edges
and mound of stone
alongside.

Hence I run

N 89° 23' E. on a true
line bet Secs 6 & 7 with
same Va.

39.90

Set a zinc stone, 14 x 9 x 4 ins.,
in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth.
11 ft. high. 31 ft. base alongside.

79.90

The cor to Secs 5, 6, 7 & 8

Surface level

Soil 4 $\frac{1}{2}$ ft. rate + stony

Grass fair

Dense brush

722 S. R 25 E

chains

North on a random
line bet Secs 5 & 6

Qa 12° 24' E

40.00 Set temporary 1/4 Sec cor
79.50 intersect the N. bdy of the
44 links W. of cor to Secs
5, 6, 31 and 32 which is
a granite stone 10x8
in above the ground
marked with 5 notches
on E and 1 notch in W.
edges. and fits t mound
of earth of required size.

Thence I run

80° 19' W. on a true line bet
Secs 5 & 6 with same Qa

T22 S.R 25 E

chains

- 29.00 Gross Dry wash course
 39.50 Set a Quartz stone 12x8
 x 8 ins 6 ins in the
 ground for 1/4 sec cor
 marked "1/4 on W. face
 and raised a mound
 of stone alongside
 79.50 The cor to Secs 5, 6, 7 & 8
 Surface level
 Soil 4' brate
 Grass poor
 Dense mesquite &
 Sage brush
 Jan 26th 1885 -

General Description

This township runs into the Blue Mountains at the S.W. corner slightly and descends gradually to the E. In some parts it is densely covered with underbrush.

The grass is good in most parts the soil is poor.

There are no settlers in this Twp.

For final facts see Book No 13-

U. S. Surveyor General's Office,
Tucson, Arizona,

May 11 - 1885

The foregoing Field Notes of the Survey of the

Subdivision of 7th
22 S. R. 25 E.

Of the Gila and Salt River Base and Meridian, Arizona, executed by

Lewis Wolphy

Deputy Surveyor, under his contract of the 11th

day of November, 1884, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

R. A. Johnson
Surveyor General.