

N^o. 26.

BOOK 934

No. 934

934

Subdivisions

Book II

4-671

FIELD NOTES

GENERAL LAND OFFICE.

T 21 S. R. 14 E.

Indexed, Book 932.

Township 215 R. 146

62

6	94	5	73	4	3	2	1	
93		92		72				
7	91	8	71	9	10	11	12	
90		88		69				
18	87	17	68	16	15	14	13	
86		84		67				
19	83	20	65	21	22	23	24	
81		80		63				
30	79	29		28	27	26	25	
17		76						
31	75	32		33	34	35	36	

Subdivisions T. 21 S. R 14 E Containing
hains

22 ins in the ground for cor to see
20, 21, 28 & 29 marked with 2 notches
on S and 4 notches on E edge, and
raised a mound of stone along
side, pits impractical

Land rough, rocky and hilly
Soil worthless

Timber a few oak trees

East on a random line bet Secs 21 & 28

Var. $12^{\circ}30' E$

Descending over rocky hill side

10.00 Foot of hill and wash 30 ft wide
curve S. $45^{\circ} W.$ and ascend rocky
hill very steep.

18.00 Trail bears N & S.

40.00 Summit 400 ft high and set
temp $\frac{1}{4}$ sec cor and live runs

Subdivision T21 S. R14 E - Continued

Chains

along N slope of hills near
summit

56.00 River 20 ft deep course N. 15° W.
Intersect. N & S line 11 lbs of
the cor to secs 21. 22. 27 & 28.

True from
S 89° 55' W on a true line bet secs
21. & 28 with same var.

39.94. Set a granite stone 30 x 20 x 15 ins
22 ins in the ground for to see
or marked 1/4 on N. face and
raised a mound of stone along
side, Pits impracticable
Land rough rocky and hilly
Soil worthless
No timber

By observation taken this day

Subdivision T. 21 S. R. 14 E. Continued

I find the magnetic Var to be $12^{\circ}30' E$

North bet Secs 20 & 21

Var. $12^{\circ}30' E.$

Brand over E slope of rough rocky hill

6.00 Summit of E slope about 400 ft
high, the apex of the hill is 200 lks W
of line and descend.

10.00 Set a granite stone 15 x 6 x 6 ins
10 ins. in the ground for N. Sec cor
marked for W. face and raised
a mound of stone alongside, fails
unpracticable

From which

An oak 10 ins diam bears $S.40^{\circ}E$

100 lks dist. marked to S.B.T.

An oak 6 ins diam bears $N88^{\circ}E$ 110
lks dist marked to S.B.T.

14.00 Foot of hill and enter rolling land

Subdivisions T.21 S. R.14 E. - continued
 chains

- 66.00 Deserted cabin 150 lks W. of line
 69.00 Deserted cabin 30 lks W. of line
 74.50 Wash Colks wide, corner W.
 80.00 Set a granite stone 24 x 18 x 12
 in 18 in in the ground for cor-
 to secs 16, 17, 20 & 21 marked
 with 3 notches on S and 4 notches
 on E edges, and raised a mound
 of stone alongside, its imprac-
 tical.

From which

A mesquite tree diameter 83° E
 290 lks dist marked T.21 S.R.14 E S2/1 BT
 No other trees within limits
 Land rough and hilly for orchard, but
 area rolling.
 Soil worthless
 Timber a few mesquites

9th Mar 1887.

Subdivisions T.21 S. R14 E. Continued

Chains

- East on a random line bet Secos 16 & 21
Over rolling rocky land.
- 14.00 Wash 30 lks wide course S.
- 40.00 Set temp to sec cor.
- 40.30 Road from Salero to Tubac N 80° W
and S 85° E.
- 69.00 Wash 60 lks wide course S 70° W.
- 79.00 Same wash 60 lks wide course N 80° W
- 79.93 Intersect N & S line 23 lks N of
the cor to secs 15, 16, 21 & 22.
- Then a line
N $89^{\circ}50'$ W. on a true line bet Secs
16 & 21 with same Var.
- 39.97 Set a granite stone 20 x 8 x 8 ins
15 ins in the ground for $\frac{1}{4}$ sec cor.
marked to on N. face and raised
a mound of stone alongside
It is impracticable
- 79.93 The cor to secs 16, 17, 20 & 21

Subdivision F. 21 S. R 14 E. Continued

Chains

Land rocky and rolling
Soil worthless.

Timber a few mesquite and
hackberry trees at end of line.

North bet Secs 16 & 17-

Var 12° 30' E.

Over rocky rolling hills

19.50 Road from Salero to Tubac course E & W.
40.00 Set a granite stone 16x12x10 in
11 in in the ground for $\frac{1}{2}$ sec cor.
marked $\frac{1}{4}$ on W. face and raised
a mound of stone alongside
Its impracticable

From which

A mesquite 4 in diam bears N 82° E
79 lbs dist. marked $\frac{1}{4}$ S B S.
A mesquite 10 in diam bears S. 76° E

Subdivisions T. 21 S., R. 14 E. - Continued

- 227 lks dist marked to S. P. T.
- 59.30 Wash 30 lks wide course S. 40° W.
- 7400 Josephine Canon 100 lks wide, course
S. 30° W.
- 80.00 Set a granite stone 22x14x12 ins
16 ins in the ground for cor to sec.
8. 9. 16 & 17 marked with 4 notches
on S and 4 notches on E edges
and raised a mound of stones
along side, pits impracticable
Land rocky and rolling.
Soil worthless.
No timber.

East on a random mire bet Secs 9 & 16
Var. 12° 30' E.

- 5.00 Josephine canon 100 lks wide course
S. 40° W

Subdivision T21S. R14E - Continuedchains18.00 Wash 20 lks wide, course S. 50° W.38.50 Wash 10 lks wide course S 70° W.40.00 Set temp $\frac{1}{4}$ Sec cor.

78.00 Wash 100 lks wide course S.

80.03 Intersect N & S line 18 lks S of
the cor to secs 9, 10, 15 & 16

Then I run

S $89^{\circ}52'$ W. on a true line bet
secs 9 & 16 with same var.40.04 Set a granite stone 20 x 14 x 8
ins. 15 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N face
and raised a mound of stone
alongside, pits impracticable

80.03 The cor to secs 8, 9, 16 & 17

Land rocky and rolling
Soil worthless

No timber.

Subdivision T 21 S. R 14 E. Continued
 chain

North bet Secs 8 & 9

Var. 12° 30' E.

Over rocky rolling hills

- 40.00 Set a granite stone 12x10x10 in 8
 in in the ground for 4 sec cor.
 marked 4 on W. face and raised
 a mound of stone alongside
 Pits impracticable.
- 73.00 Wash 30 lbs wide course S 40° W
- 80.00 Set a granite stone 18x15x8 in
 12 in in the ground for cor to sec
 4. 5. 8 & 9. marked with 5 notches
 on S and 4 notches on E edges
 and raised a mound of stone
 alongside, pits impracticable
 Land rough, rocky rolling land.
 Soil worthless indications of mineral
 N. end of line.

No timber

Subdivisions F218, R146-continued
chains

East on a random line bet Secs 4 & 9.

Var 12° 30' E

Over broken rocky hills

- 9.00 Wash 30 lbs wide course S 30° W
40.00 Set temp to sec cor.
71.00 Josephine canon 20 ft deep course
S 30° W.
80.11 Intersect N 8° S line 16 lbs S. of the
cor to secs 3, 4, 9 & 10

Hence I run

S. 89° 53' W. on a true line bet
secs 4 & 9 with same Var.

- 40.06 Set a granite stone 24x18x12 ins
18 ins in the ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N. face and raised
a mound of stone alongside,
pits impracticable

From which

An oak 12 ins diameter bears N 72° W.

Subdivisions T. 21 S. R. 14 E. Continued

Cham.

135 acres dist. marked 4 S B T.

An oak tree diam bears N 3° E 180 ft
dist marked 4 S B T.

80. 11 The cor to secs 4, 5, 8 & 9.

Land rough and broken

Soil mineral

Timber a few oaks.

North on a true line bet secs 4 & 5

Nor. 12° 30' E

Over rocky ridges.

70.00 Set a granite stone 30 x 20 x 8 ins
22 ins in the ground for 4 sec cor.
marked 4 on W. face, and raised
a mound of stone alongside
so it impracticable, and has
run up S. slope of hill

73.00 Summit 300 ft high bearing E 8° N

Subdivisions T. 21 S. R. 14 E. - continued
chain.

and descend.

80. 18 Entered Fourth Standard Parallel
South 123 Ms. W. of Standard Cor.
to secs. 32. & 33. previously established
and described by me.

For Closing Corner to Secs 4
& 5 I set a granite stone 18 x 12
x 10 ms 12 ms in the ground
marked C.C on S face with
4 notches on E and 2 notches
on W. edges and raised a
mound of stone alongside, pits
unpracticable

Land rough, broken and hilly
Soil mineral

Timber a few oaks.

10th MAR 1887.

Subdivisions T. 21 S. R. 14 E. Continued

From the cor to secs 5. 6. 31 & 32
on the S. boundary of the Township
previously established and described
by me I run.

North lot - secs 31 & 32.

Var $12^{\circ}30' E.$

Over rolling rocky land.

40.00 Set a granite stone $12 \times 10 \times 10$ in
8 ins in the ground for cor.
marked $\frac{1}{4}$ on W. face and raised
a mound of stone alongside
It's impracticable

50.00 Wash 20 ft wide course $N 70^{\circ} E$
and $S 80^{\circ} W$ and line runs over
little low hill bearing $N 70^{\circ} E \& S 70^{\circ} W$
57.50 Leave little low hill and wash
20 ft wide, course $S 50^{\circ} W.$

80.00 Set a granite stone $36 \times 20 \times 20$ in
27 ins in the ground for cor to

Subdivisions F.21 S.R.14 E.-Continued

chains

secs 29. 30. 31 & 32 marked with
1 notch on S and 5 notches in C
edges, and raised a mound of stone
along side, pits impracticable
Land rocky and rolling
soil worthless
No timber

Cast on a random line bet Secs 29 & 33
Var. $12^{\circ} 30' E.$

Over rocky rolling hills

40.00 Set temp $\frac{1}{4}$ sec cor.

69.00 Wash 30 lks wide compass $150^{\circ} W.$

79.97 Intersect N & S line 11 lks S of
the cor to secs 28. 29. 32 & 33.

Hence I run

$S 89^{\circ} 55' W.$ on a true line bet
secs 29 & 32 with same Var

Subdivisions T.21 S. R.14 E. Continued

39.98 Set a granite stone $36 \times 12 \times 10$ ins 27 ins
in the ground for $\frac{1}{4}$ sec cor marked
to one N. face, and raised a mound
of stone alongside, pits impract-
icable.

79.97 The cor to secs 29, 30, 31 & 32.

Land rocky rolling hills

Soil worthless

No timber.

West on a random line bet Secs 30 & 31

Par. $12^{\circ}30' E.$

Over rocky rolling land.

40.00 Set temp to Sec cor.

47.00 Wash 30 lbs wide course $N 40^{\circ} W.$

49.00 Wash 30 lbs wide course $N 40^{\circ} W.$

76.00 Wash 30 lbs wide course $N 40^{\circ} E$
and enter foothills of San Cayetano

Subdivisions T. 21 S. R. 14 E. - Continued
chains

mountains

- 80.10 Intersect W. boundary of Township
23 1/2 no. S. of the cor to secs 25. 30. 31
8.36

Then I run

S 89° 50' E on a true line bet Secs
30 & 31 with same Var.

- 40.10 Set a volcanic stone 30 x 18 x 12
in 22 ins in the ground for
to Sec cor. marked $\frac{1}{4}$ on N. face
and raised a mound of stone
along side, pit impracticable
- 80.10 The cor to secs 29. 30. 31 & 32.

Land rocky and broken
Soil worthless
No timber.

Subdivisions T. 21 S. R. 14 E. Continued

North bet Secs 29 & 30

Var. $12^{\circ}30' E.$

Over rough rocky land.

- 24.00 Wash 150 lbs wide course West
- 30.00 Wash 50 lbs wide course $S-40^{\circ}W.$
- 40.00 Set a volcanic stone $16 \times 10 \times 10$ ins
11 ins in the ground for cor sec
cor marked $\frac{1}{4}$ on W. face and
raised a mound of stone along
side pits impracticable
- 55.00 Wash 100 lbs wide course W.
- 80.00 Set a granite stone $20 \times 18 \times 12$ ins
15 ins in the ground for cor to
secs 19, 20, 29 & 30 marked with
2 notches on S and 4 notches
on E edges and raised a mound
of stone alongside. Pits in
practicable
- Land rough and rocky

Subdivision F.2 S. R. 14 E - Continue
chains

Soil worthless

No timber

East on a random line bet Secs 20 & 29

Var. $12^{\circ}30' E.$

Over rough rocky land.

40.00 Set temp to Sec cor. and line runs along S. slope of rocky hill

80.08 Intersect N & S line 18 lks N of
th cor to Secs 20, 21, 28 & 29.

Thence S run

$N.89^{\circ}52' W.$ on a true line bet
Secs 20 & 29 with same Var.

40.04 Mark a granite in place 4 x 3
x 3 ft above ground X for to Sec
cor. to on N. face and raised
a mound of stone alongside,
pits impracticable

Subdivision T21 S. R14 E. - Continued

hours

80.08 The cor to secs 19, 20, 29 & 30

Land rocky and hilly

Soil worthless

No timber.

By observation taken this day
I find the magnetic Var to be
 $12^{\circ} 30' E.$.

West on a random line bet Secs 19 & 30

Var. $12^{\circ} 30' E.$

Over rolling rocky land.

8.00 Josephine Canon 40 ft deep course
 $830^{\circ} W.$

40.00 Set temp to Sec cor.

79.93 Intersect W. boundary of Township
18 lks N. of the cor. to secs 19, 24, 25
& 30 which is a granite stone

Subdivision S. 21 S. R 14 E - continued
chains

13 x 6 x 6 ins firmly set in the ground
marked with 2 notches on S and
? 4 notches on N edge & a mound
of stone alongside, no pits.

Thence I run

N. 89° 52' E on a true line bet
secs 19 & 30 with same Var.

39.93 Set a granite stone 14 x 12 x 6 ins
10 ins in the ground for to Sec 30
marked $\frac{1}{4}$ on N. face and raised
a mound of stone alongside,
pits impracticable.

79.93 The cor to secs 19, 20, 29 & 30.

Land rolling and rocky
Soil worthless

Timber a few ascts and mesquite
trees in Josephine Canon

Subdivisions T. 21 S. R 14 E - Contained

North bet Secs 19 & 20

Var $12^{\circ} 30' E$

Over rolling rocky land.

13.00 Josephine Canon 40 ft deep course
S $30^{\circ} W$.

40.00 Set a volcanic storm 20 x 8 x 6 ins
15 ins in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W. face and raised
a mound of stone alongside; fits
impracticable

From which

A mesquite 8 ins diam. bears N $18^{\circ} W$
220 lbs diet. marked $\frac{1}{4}$ SK 5.

No other trees within limits.

80.00 Set a granite storm 14 x 12 x 12 ins
10 ins in the ground for cor to sec
17. 18. 19 & 20. marked with 3 notches
on S and 5 notches on G edges
and raised a mound of

Subdivisions T. 21 S. R. 14 E. - continued

stone alongside, pits impracticable
from which

A mesquite 8 miles down bears N 83° E.

103 lks dist marked T. 21 S. R. 14 E. S. 17 BT

A mesquite 14 miles down bears N 68° E

110 lks dist. marked T. 21 S. R. 14 E. S. 17 BT

A mesquite 6 miles down bears S. 39° W

234 lks dist marked T. 21 S. R. 14 E. S. 19 BT

A mesquite 12 miles down bears S. 56° W

50 lks dist. marked T. 21 S. R. 14 E. S. 19 BT

Land rolling and rocky
soil worthless.

Timber scattering mesquite

East on a random line bet Secs 17 & 20

Vari 12° 30' E.

Over rolling land

40.00 Set temp $\frac{1}{4}$ sec cov.

Subdivisions T. 21 S. R. 14 E. Continued

Chains

53.00 Josephine Canon 40 ft deep course
S. 15° W.

80.20 Intercept N & S line 30 lks N. of the
cor to secs 16, 17, 20 & 21

Thence down

N $89^{\circ} 47'$ W. on a true line bet secs
17 & 20 with same Var.

40.10 Set a granite stone 24 x 12 x 10 ins
18 ins in the ground for to see cor.
marked from N. face and raised
a mound of stone alongside, pits
impracticable

From which

A mesquite tree stands bears S 78°
W. 210 lks dist marked to S B T.

No other trees within limits.

80.20 The cor to secs 17, 18, 19 & 20
Land rocky, rolling hills
Soil worthless

Subdivisions T. 21 S. R. 14 E. Continued
Chains

Timber a few mesquite.

West on a random line bet Secs 18 & 19

Nor $12^{\circ}30' E.$

Over rolling rocky land

200. Wash 10 ft wide, courses S $50^{\circ} W.$

14.00 Wash 100 ft wide courses S.

40.00 Set temp to Sec cor.

80.08 Intersect W. boundary of Township

31 ft N. of the cor. to secs 13, 18, 19

& 24 which is a granite stone 13
x 10 x 9 ins firmly set in the ground
marked with 3 notches on N & S
edges with pits 18 x 18 x 12 ins in
each sec. and mound of earth
2 ft high 4 $\frac{1}{2}$ ft base along sides.

Thence S run

$889^{\circ}47' W.$ on a true line bet

Subdivisions T. 21 S. R. 14 E. - Continued

Chambers

Secs 18 & 19. with same Var.

- 40.08 Mark a granite rock in place 4
 $\times 3 \times 2$ ft above ground X at exact
 corner point for $\frac{1}{4}$ sec cor $\frac{1}{4}$ on
 N. face and raised a mound of
 stone alongside, pits impracticable
- 80.08 The cor to secs 17, 18, 19 & 20
 Land rocky rolling hills
 Soil worthless
 No timber.

10th Mar 1887.

North bet Secs 17 & 18

Var $12^{\circ}30' E.$

Over rolling rocky hills

- 0.30 Wash 20 lks wide course S. $50^{\circ} W.$
- 13.50 Road from Salero to Tumbac course E & W
- 18.60 Wash 20 lks wide course S. $70^{\circ} W.$
- 39.80 Old road course E & W.

Subdivisions T. 21 S. R. 14 E continued
chains.

- 40.00 Set a granite stone 30 x 18 x 12 ins 22 ins
in the ground for to Sec cor. marked
 $\frac{1}{4}$ on W. face, and raised a mound
of stone along side pit impracticable
- 46.00 Wash 30 lks wide course 60° N.
- 68.00 Wash 15 lks wide, course 15° N.
- 80.06 Set a sandstone 16 x 12 x 8 ins 11 ins
in the ground for cor to secs 7, 8, 17 & 18
marked with 4 notches on S and
5 notches on E edges, and raised
a mound of stone along side pit
impracticable
- Land rocky and rolling hills
Soil worthless.
- No timber.

East on a random line bet Secs 8 & 17
Var. $12^{\circ} 30' E$

~~Subdivision F. 21 S. R. 14 E. Continued
chains~~

Over rocky rolling hills

21.00 Wash 30 lks wide course S.

40.00 Let temp to sec cor.

45.00 Wash 20 lks wide, course S. 60° W.

66.00 Wash 30 lks wide course S.

79.89 Intersect N. & S line 19 lks S. of
the cor to secs 8. 9. 16 & 17

Plane & run

\$1.89⁵² W. on a true line bet
secs 8 & 17 with same Var.

39.95 Set a granite atom 20 x 15 x 8 ins
15 ins in the ground for $\frac{1}{2}$ sec
cor. marked $\frac{1}{4}$ on N. face and
raised a mound of stone along
side, pits impracticable

79.89 The cor to secs 7. 8. 17 & 18.

Land rocky and rolling

Soil worthless

No timber

Subdivisions T. 21 S. R. 14 E. Continued

Chains.

West on a random line lot Secs 7 & 18

Var. $12^{\circ}30' E$.

- 40.00 Set temp to sec cor.
- 80.11 Intersect W boundary of Township
26 Mks S. of the cor to secs 7.12.13&
18 which is a granite stone 12x10
x8 ins above ground marked
with 2 notches on N. and 4 notches
on S. edges and mound of stone
alongside, no pits.
- Thence I run
 $89^{\circ}49' E$ on a true line lot Secs
7 & 18 with same Var.
- 40.11 Set a granite stone 18x10x8 ins
12 ins in the ground for to sec cor.
marked to one N. face, and raised
a mound of stone alongside,
pits impracticable
- 80.11 The cor to secs 7.8.17 & 18.

Subdivisions T. 21 S. R 14 E. - Continued.

Chambers

Land rocky rolling hills

Soil worthless

No timber

North lot Seco 788

Vaz. 12° 30' E.

Over rolling rocky land.

18.00 Wash 15 lks wide, course N 70° W.

40.00 Set a granite stone 13 x 10 x 6 ins quis
in th ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{2}$ on W. face and raised a mound
of stone alongside, pits impracticable

57.00 Wash 10 lks wide, course N 30° W.

66.00 Wash 10 lks wide course W.

80.00 Set a granite stone 18 x 15 x 12 ins
12 ins in th ground for cor to seco
5. 6. 7 & 8. marked with 5 notches
on S and E edges and raised a

Subdivisions Td 1 S. R 14 E - Continued

Chains

mound of stone along side, pits
unpracticable

Land rocky and rolling

Soil worthless

No timber

East on a random line bet Secs 5 & 8

Nor $12^{\circ} 30' E.$

Ascending over rough rocky hills
from cor.

- 19.00 Summit 200 ft high and descend.
31.00 Foot of hill and wash 20 ft wide
course N $10^{\circ} W.$ and commence
ascent of another hill.
37.00 Summit 200 ft high and descend.
40.00 Set temp to Sec cor.
43.00 Foot of hill and wash 10 ft wide
course S and enter rolling rocky land

Subdivisions T. 2 S. R 14 E. Continued

chains

- 80.14 Distracted N & S line 22 lks N of the cor to
secs. 4.5.8 & 9.

Phenadrum

- N $89^{\circ}30'$ W. on a true line bet secs 5 & 8 with
same Var.

- 40.07 Set a granite stone 14x12x10 ins 10 ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N. face
and raised a mound of stone always depicted
impracticable

- 80.14 The cor to secs 5.6.7 & 8.

Land rough and hilly

Soil worthless

No timber

West on a random line bet Secs 6 & 7

Var $12^{\circ}30' E.$

Overrolling rocky land

- 30.00 Wash 20 lks wide course S $50^{\circ}W.$

- 40.00 Set temp $\frac{1}{4}$ sec cor.

Subdivisions T. 21 S. R. 14 E. - Continued

Chains

- 7400 Wash 30 lks wide course N. 50° W.
- 80.06 Intersect W. bdy of Sp. 19 lks N. of the cor to secs
16.7 & 12 which is a granite stone 16x10x8 ins firmly
set in the ground marked with notch on N and
5 notches on S edges and mound and pits alongside.
Hence I drew N 89° 52' E on a true line bet
secs 6 & 7 with same Var.
- 40.06 Set a granite stone 16x10x8 ins 11 ins in the ground
for 1/4 sec cor. marked 1/4 cor. N. face and raised a
mound of stone alongside pits impracticable
- 80.06 Thru cor to secs 5. 6. 7 & 8
Land rolling and rocky.
Soil worthless
No timber
-
- North on a true line bet Secs 5 & 6.
Var. 12 $\frac{1}{2}$ ° 6'
- Ascend over rocky hills
- 30.00 Summit 300 ft high bears E & W. and descend

Subdivisions T. 31 S. R. 14 E. Continued
Cham.

- 40.00 Set a granite stone 16 x 10 x 8 ins
 11 ins in the ground for a sec or
 marked from W. face, and raised
 a mound of stones alongside
 It impracticable
- 45.00 Foot and walk 30 fms wide course
 W. and ascend.
- 70.00 Summit 250 ft high bearing E & W
 and descend
- 77.00 Wash 15 fms wide course S. 40° W.
- 80.11. Intersect the 4th Standard Parallel
 South 108 fms W. of the Standard
 cor. to secs 31 & 32. previously
 established and described by me
- For Closing corner to secs
 5 & 6 I set a granite stone 16 x 10
 x 8 ins. 11 ins in the ground
 marked CC on S with 5 notches
 on E and 1 notch on W edges

Subdivisions T. 21 S. R. 14 E. - Continued
Chancery

and raised a mound of stones
alongside, pits impracticable
Land rocky and hilly
Soil mineral.

No timber

11th Mar 1887

General Description

The greater portion of this Township
contains mineral and is covered
by the rough foothills of the Sta.
Rita mountains.

The South center of Township is
covered by a mass of granite
hills rough and precipitous and
not known to contain any
mineral. There is no agricultural
land in the Township, the soil
being totally worthless and very

Subdivision T. 21 S. R. 14 E. continuedChancos

rocky. The Hacienda of Salero is in Sec 22 and is one of the oldest mining villages in Arizona. It has been for some years past virtually abandoned most of the buildings being in ruins. Mr. Wise lives in one of the houses and is engaged in stock raising. There is a post office here for the accommodation of the neighbouring cattle-men and miners. Charles Wright has a house in NE $\frac{1}{4}$ of S. 14 and is engaged in mining. The Helvetia mining camp at present unoccupied and consisting of 2 frame buildings is in NW $\frac{1}{4}$ of Sec 11. Philip Ament has a house in SW $\frac{1}{4}$ of Sec 23 and is engaged in stock raising.

Subdivisions T. 21 S. R. 14 E. Continued

The old Salero house is in NW $\frac{1}{4}$ Sec 23 and is also engaged in stock raising.

Wardwells quartz mill is in SE $\frac{1}{4}$ of Sec 23 but it is now lying idle.

There are several other houses in the Township but most of them are unoccupied and in ruins. In the NE $\frac{1}{4}$ Sec 25 there is a house known as the Cray Brothers house at present occupied by George Clark who is engaged in mining.

The famous Salero Hill and mine are located in Sec 24.

At the present time very little work is being done on the mines embraced in this Township. The San Gavilan mountains cover a small

Subdivision T. 21 S. R. 14 E. continued

portion of the extreme S.W. cor. of the Township. The timber consists of live oak, juniper and cedar.

The township is fairly watered, water which is permanent Josephine Canon flowing through the Township from N.E. to S.W. has water running in it for about 6 months of the year and some of the smaller washes have water flowing for several weeks after the rainy season when they become dry and water can only be obtained from deep holes or wells.

George J. Roskarge
U. S. Deputy Surveyor

For final oaths see book
No. 27.

Final Oaths for Surveys.

100

LIST OF NAMES.

BOOK 934

A List of the Names of Individuals employed by
J. Roskruge U. S. Deputy Surveyor to
act in running, measuring and marking the lines and
corners described in the foregoing Field Notes of the survey of

Exterior & Subdivision Lines

1. Sp^o 15 S, Ranges 7, 8, 10 & 11 E.
1^o 21 S. R^o 8, 9, 11 & 14 E, and Sp^o
3. R^o 8, 10 & 11 E and the 4th
and Par^t 3. thru Range 14 E.

the principal base and meridian in the Territory of Arizona,
showing the respective capacities in which they acted.

Jonathan B. Stephenson

Frank S. Duncan ^{Surveyor} _{Chapman}

W^m R. Kitt, Flagman

George Cave Greenan

specific manner described in the field notes, and that the following are the true field notes of such survey, and should fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1882.

George J. Roskru
U. S. Deputy Surveyor

Subscribed and sworn to before me, this 16
day of March 1887

W. J. O'Kearan
Notary Public

BOOK 934

104

BOOK 934

U. S. Surveyor-General's Office,

TUCSON, A. T. June 11 1888

The foregoing Field Notes of the Surveys of
the subdivision lines of
Township 21 South

Range 14 East

Gila and Salt River Meridian

in Arizona executed by
Geo. J. Roskruge.

U. S. Deputy Surveyor, under his contract dated

June 16th 1886,

having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

John H. Heier
U. S. Surveyor-General
for the Territory of Arizona.