

No. 1026 BOOK 1026

Field Notes

BOOK 1026
OF THE SURVEY OF THE

Subdivision Lines

1026

— OF —
Township 10 N Range 1 West

Gila and Salt River Base and Meridian

ARIZONA. No. 1026

By Theo. F. White D.S.

Under contract dated Aug 27 1880.

Survey commenced Aug 19 1881.

Survey completed Aug 30 1881.

10

Copier

BOOK

1026

IA

*Field Notes
of
The Subdivision Lines of
INDEX DIAGRAM.*

Township 10 N. BOOK 1026
Range R. 1. W.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Gila and Salt River Meridian.

ARIZONA.

No. 1026

Township 10 N. Range 1 W.

Gila & Salt River Meridian.

obs

From the Cor. to Secs. 19 & 20.
just re-established by me and described in my notes
 29 & 30, On the Broadshaw property I run
 North between Secs. 19 & 20
 Var. $14^{\circ}45' E$

As per observation with Solar
 Compass.

- 0.75 Old road
- 1.57 Rocky wash folks wide course S.W.
- 5.00 Top of little ridge course S. W.
- 6.74 Gnlch 10 lks wide course S. W.
- 8.59 Old road runs S. W. & N. E.
- 15.36 Gnlch 5 lks wide course S. W.
- 20.00 Top of ridge course S. W.
- 34.56 Gnlch folks wide course W.
- 39.29 Rocky gnlch 10 lks wide course W.
- 40.00 Set a post marked 1/4 S. 4 1/4 long
 flattened 3 ins. wide, with marked
 stone 12 ins. in the ground, and
 built up of stone 2 ft high, ✓

P. 10 N.R.I W. G & S. R. M.

Chs

as per instructions for 1/4 Sec cor.
from which bears.

A Juniper 8 in. dia. S. 14° W. 121 lbs dist.

40.24 Trail course E & W.

42.00 Top of ridge S. W. & descend

49.14 Creek branch of Minnehaha

Creek 20 lbs wide course S. of W.

50.80 Road from Minnie Flat to
Tiger mine course E & W.

8000 Set a post marked & notched

4 ft long 4 ins. sq. with marked
stone 12 ins. in the ground &
build end of earth 2 ft high
with pit 18+18+12 ins. as per
instructions for Cor. to Secs.
17. 18. 19 & 20. from which
bears.

A Juniper 10 ins. dia N. 83° W. 214 lbs dist.
Broken; over ridges making

S. 10 N. R. 1 W. G & S. R. M.

chs

down from the mountain.
Some pine and juniper and
dense undergrowth. Soil poor
along line.

West on random line bet. Secs. 18 & 19
Var. 14. 45' E.

- 7.88 Ravine 30 lbs wide course S.
27.88 Gulch & road course S.
30.00 Gulch 30 lbs wide course S.
40.00 Set temporary 1/4 sec. cor.
47.20 Top of high ridge course N & S.
65.00 Top of ridge on line extends N.
70.28 Ravine & Creek 20 lbs wide course S.W.
79.90 Intersect W. B. of top. 75 lbs S. of
cor. to Secs. 13, 18, 19 & 24.
from which I run.
S. 89° 28' E. on true line bet. Secs. 18 & 19

J. W. H. R. W. G. & S. R. M.

cls

Var. $14^{\circ} 45' E.$

- 39.90 Set a granite rock $30 \times 18 \times 12$ in.
 23 in. in the ground, & build
 end of stone 2 ft high, as per
 instructions for 1/4 Sec cor.
- 79.90 Cor. to Secs. 17. 18. 19 & 20
 Very broken over mountain
 ridges, no timber but very
 dense undergrowth.

Again from the cor. to Secs.

19 & 20, 29 & 30

Inn South on true line between
 Secs. 29 & 30.

Var. $14^{\circ} 45' E.$

- 5.00 Log house 5.00 cls west
 a corral 2.00 cls W.
- 12.71 Gulch 5 lbs wide course W.

P. 10. H. R. 1 W. G & S. R. M.

ch

- 17.26 A gulch 10 lbs wide course N.
22.00 Top of ridge course N.
28.90 Gulch 12 lbs wide course N.
37.53 Gulch 10 lbs wide course N.
40.00 Set a post marked d $\frac{1}{4}$ S. $\frac{4}{4}$
long, flattened 3 ins. wide, with
marked stone 12 ins. in the
ground, & build mud of earth
2 ft high with pits 18+18+12 ins.
as per instructions for $\frac{1}{4}$ sec
Cor. from which bears.
an Oak 6 ins. dia. N. 24° W. 9 lbs dist.
A Juniper 5 ins. dia. South 32 lbs dist.
41.00 Top of ridge course S. of N.
53.00 Gully 6 lbs wide course S. W.
55.00 A white quartz ledge course N. W. & S. E.
70.20 Top of ridge course N. W.
73.18 Gulch 10 lbs wide course N. W.
76.80 Gully 10 lbs wide course S. W.
80.00 Set a post marked & notched ✓

T. 10 N. R. 1 W. G. & S. R. M.

ch_s

4 ft long 4 ins. sq. with marked
stone 12 ins. in the ground, and
build md of earth 2 ft high
with pits 18 x 18 x 12 ins. as per
instructions for cor. to Secs.

29. 30. 31 & 32. from which
bear.

An Oak 10 ins. dia. N. 31° E. 18 lbs dist
A Pine 26 ins. dia. S. 28½° E. 42 lbs dist

An Oak 8 ins. dia. N. 50° W. 27 lbs dist
An Oak 10 ins. dia. S. 48° W. 50 lbs dist.

Broken; over ridges making
down from the mountains,
soil poor along line, some
pine & oak and dense
under growth.

West on random line bid Secs 30 & 31

P. 10 H. R., N. G. & S. R. M.

chVar. $14^{\circ} 45' E.$

- 0.40 Gulch 20 lks wide course N. W.
 2.70 Pine 30 ins. dia.
 8.38 Head of Minnehaha Creek dry
 20 lks wide course N. ^{course}
 8.86 Road to Walnut Grove etc. S.
 15.10 Gully 5 lks wide course N. E.
 27.50 Top of high ridge course N.
 32.42 Gulch 10 lks wide course N.
 37.90 Gulch 12 lks wide course N.
 40.00 Set temporary 1/4 sec. cor.
 41.63 Gulch 12 lks wide course N.
 66.72 Gulch 15 lks wide course S. W.
 67.10 Old road course S. W.
 79.85 Intersect W. B. of Pp 72 lks L.
 after cor. to Secs. 25, 30, 31 & 36
 from which I run
 $S. 89^{\circ} 29' E.$ on true line betw Secs 30 & 31

Var. $14^{\circ} 45' E.$

✓

T. 10 N. R. 1 W. Gt S. R. M.

chs

- 39.85 Set a granite stone 24x11x6 ins.
18 ins. in the ground and build
end of stone 2 ft high, as per
instructions for $\frac{1}{4}$ sec cor.
from which bears
a cedar 6 ins. dia. West 274 lbs dist
- 79.85 Cor to Secs. 29. 30. 31 & 32.
Very broken foot hills of mount
ain, some pine & oak &
dense under growth Soil
poor along line
- August 30. 1881

To show the location of the
buildings on Minnehaha
Flat I start from the $\frac{1}{4}$ sec
cor. bet. Secs. 19 & 30.
From this cor. a horse connect
ed with saw mill by
 $S. 63\frac{1}{2}^{\circ} E.$ 5.00 chs dist.

No. 1026 BOOK 1026

P. 1026. R. 1 W. G. S. R. M.

ch

The Saw mill bears S. 37° E.
8.00 chs dist.

Taylors house br. N. $5\frac{1}{2}^{\circ}$ W. 22.94 chs
dist.

Another house belonging to
Taylor br from his first
house N. $57\frac{1}{2}$ E. 7.18 chs
dist.

General Description

The two Sections above surveyed comprise all the surveyable land, in this township. They cover Minnehaha Plat where there are a number of settlers, and some farming is done.

The balance of the township is on rocky mountain bare & barren and not surveyable.

The land in the Plat is rich and there is considerable Pin timber around the Plat within the sections surveyed.

Thodore F. White
U. S. Deputy Surveyor

THA R 4 E
TTON R 1 W.

BOOK

11

1026

List of Names.

A List of the Names of Individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision lines of fractional Township 11 N. Range 4 E. and the Subdivision lines of fractional Township 10 N. Range 1 W. all of the Gila and Salt River Meridian

Showing the respective capacities in which they acted.

J. H. McClure Chainman.

H. J. Baumann Chainman.

John Blake Axeman.

G. J. Baumann Flagman.

Hugh Dobbins Moundman

Final Oath of Assistants.

BOOK 1026

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying the subdivision lines of fractional Township 11 N., R. 4 E., and the subdivision lines of fractional Township 10 N., Range 1 W., all of the Gila and Salt River Meridian and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

I. H. H. Cleare Chainman.

H. J. Bargmann Chairman.

H. J. Bargmann Flagman.

John Blaske Axeman.

Axeman.

Flagman.

Hugh Dobbins Mountman.

Sworn to and subscribed before me, this eighth day of September 1881.

William Graham
Notary Public
Franklin Co. A. S.

(3)

Final Oath of Deputy Surveyor.

BOOK 1026

I, Theodore J. White

United States Deputy Surveyor, do solemnly swear that I have, in my own proper person and with the necessary assistants, well, truly and faithfully executed the survey of the subdivision lines of fractional Township 11 N. Range 4 E. and the subdivision lines of fractional Township 10 N. Range 1 W. all of the Gila and Salt River Meridian

under my contract with John Wasson, United States Surveyor General for Arizona, bearing date the 27th day of August 1880; that in making the said Survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing public-land

12 14 surveys, the surveying manual, and such additional instructions as have been furnished me by and through the said Surveyor-General relating to the aforesaid Survey; that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned; that to the best of my knowledge and belief all assistants so employed have likewise obeyed the aforesaid laws and instructions, and that the annexed field-notes are the original, true, and correct returns of the said Surveys.

BOOK 1026

Theodore F. White
U. S. Deputy Surveyor

Subscribed and sworn to before me this eighth
day of September 1881

William F. Graham
Notary Public
Pima Co. A.T.