

No. 1027

BOOK 1027

Deputy Surveyor.

T.

R.

Meridian.

BOOK 1027

Field Notes

OF

the *Subdivision* lines of

Township *10 N.* Range *3. E.*

Gila & Salt River Meridian, *Arizona* California,

BY

J. H. Case

Deputy Surveyor,

under his contract of *July 17* 18 *71*

Survey commenced *Oct 17* "

Survey completed *" 18* "



Platted,

No. 1027

Copied for Washington,

Transcript sent to Commissioner, *Jan'y 29th 1871*

1027



Bancroft's Blank, Township Plot.

A. L. Bancroft & Co., 721 Market St., San Francisco.

Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Line,

Meander Lines,

Office Work,

Ranch Lines Re-survey

I, John Riley
do solemnly swear that I will well and truly perform the
duties of Mound Builder
according to instructions given me, and to the best of my
skill and ability.

John Riley

Subscribed and sworn the be before me, this 25th
day of Sept 1871

U. S. Deputy Surveyor.
Croswell

Clerk Dist Court
3^d Dist. A.S.

BOOK 1027

4-674.

Township **10 N.** R. **3 W. Sec. 17, 12, 6 & 5.**

6	5	4	17	3	12	2	6	1
			16		15		10	5
7	8	9	14	10	9	11	5	12
				13		8		4
18	17	16		15	7	14	2	13
								1
19	20	21		22		23		24
30	29	28		27		26		25
31	32	33		34		35		36

BOOK 1027

4-674.

Township

1077. R. 3 21.

37 36 35 34 34							
6	5	53	4	3	2	1	44
7	8	52	9	10	11	12	45
18	17	16	51	15	14	13	45
19	20	21	22	23	48	24	46
30	29	28	27	26	25		47
31	32	33	34	35	36		

Book 1659

IF
Township 10 N. Range 3 W.
Gila and Salt River Meridian

No. 1027 BOOK 1027

Field Notes of the Sub-
division lines of Township
No 10 North of Range 3 West -
Gila and Salt River Meridian

Begin at the established
corner between Sec- 13 14
23 and 24 from which cor.
Run East on random
line between Sec- 13 and
24. Subdivision commenced Oct-17, 1877
Va. $13^{\circ} 45'$ East.

- 2200 Minnie Creek runs SW, 80
links wide
3000 Road from Bradshaw to
Walnut Grove, bears NW $\frac{1}{2}$ SE
4000 Set temporary $\frac{1}{4}$ Sec cor
8000 Intersect Pt. 2d line at

Township 10 N. Range 3 W
Gila and Salt River Meridian

post corner. to Sec-
13 24 18th 19 from which
cor. I run West on true
line between Sec- 13th and 24
va. $13^{\circ} 45'$ East,

40.05 Set a stone 16 x 10 x 4 in
a mound with pits as per
instructions no trees for $\frac{1}{4}$ Sec
cor.

80.10 The cor to Sec- 23, 24, ~~25, 26~~ ^{13 & 14}
va. $13^{\circ} 45'$ East

Land "rolling" Soil 2^d rate
No timber Mesa land.

North-between Sec^s 13th and
14

va. $13^{\circ} 45'$ East

1000 Leave Mesa land and enter field
near corner. bears N.W. S.E., N.E.
3000 Leave field near N.W. S.E.

Township 10 N. Range 3 W
Gila and Salt River Mountain

- 3100 Earer Mesa land bears N.W.
and S.E.
- 4000 Set a stone 24 x 15 x 8 in a
mound of stone 3 ft high for $\frac{1}{4}$
Sec cor. nearly on summit
of bluff above creek bottom
bears N.W. No trees.
- 5700 Blind Sullivan Creek runs
west - 150 miles wide
- 5800 L R Stevenson house & chains
west -
- 6300 Road from Stevensons house
to Skull valley and from Brad
shaw. bears N.W. S.W. and S.E.
- 8000 Set a stone 16 x 14 x 8 in a mound
of earth with pits for the cor
to Secs 11, 12, 13, and 14 No trees
Land rolling Soil 1st and 2^d
rate No timber

Township 10 N. Range 3 W.
Gila and Salt River Meridian

- East on random line between
Secs 12 and 13. (va. $13^{\circ} 45' E$)
- 500 Road from Bradshaw
to Skull Valley.
- 1900 Blind Indian Creek runs
S.W. 100 links wide, and enters
bottom land bears N.E. and S.W.
- 3600 Entered mesa land bears N.E.
and S.E.
- 4000 Set temporary $\frac{1}{4}$ Sec cor.
- 8000 Intersected East boundary
of Township at Post cor.
W Sec 12 and 13 from which
cor I run West on true line
between Secs 12 and 13.
(va. $13^{\circ} 45' East$)
- 4000 Set a stone $20 \times 10 \times 4$ in
a mound of stone 3 ft high for
 $\frac{1}{4}$ Sec cor. N.W. cor on South

Township 10 N. Range 3 W.
Gila and Salt River Meridian

point of mesa

8000

The cor to Sec^s 11, 12, 13, and 14,
Land rolling Soil 1st and 2^d rate

North between Secs 11th and 12th
va. 13° 45' East,

3400

Road from Bradshaw to Skull
valley, bear N. W. and S. E.

4000

Set a stone 14 x 12 x 8 in a mound
with pits as per instructions for
1/4 Sec. cor. No tree

8000

Set a stone 10 x 8 x 8 in a mound
of earth with pits as per instruction
for the cor to Sec^s 1, 2, 11, and 12
Land rolling Soil 1st and
2^d rate No timber

Oct-17th 1871

East on random line between
Sec^s 1 and 12

va. 13° 45' East

4000

Set temporary 1/4 Sec cor.

6 Township 10 N. Range 3 W.
Gila and Salt River Meridian

80.00 Intersected East boundary
of Township 10 links south
of post-cor to Sec 1 and 12
from which cor I run S 89°
56' W on true line between
Sec 1 and 12

2a. 13° 45' East

40.00 Set a Stone 10 x 4 x 8 in a mound
of stone 3 ft high for 1/4 Sec cor.
80.00 The cor to Sec 1, 2, 11, and 12.

Land gently rolling soil
1st and 2d rate. No timber

North on random line between
Sec 1 and 2

2a. 13° 45' East.

12.00 Entered high mesa land 30 feet
high bears N 6° and 8 W.

16.00 Summit level land

40.00 Set temporary 1/4 Sec cor

Township 10 N. Range 3 W.
Gila and Salt River Meridian

7980 Intersected North boundary
of Township 20 links West-
of first corner to Sec 1st & 2^d
from which cor I run S 0° 8' N.
on line between Sec 1st & 2^d
Va. 13° 45' East.

3980 Set a stone 12 x 10 x 8 in
a mound with pile for 1/4
Sec cor as per instructions
No trees near.

7980 The corner to Sec 1, 2, 11, & 12
Land mostly level mesa
Soil 1st & 2^d Panel 2 rate.
No timber.

North between Sec 14th & 15th
Va. 13° 45' East

1800 Cañon 200 links wide 20 feet-
deep bears N 64° 14' W.

Township 10 N. Range 3 W.
Gela and Salt River Meridian

- 1500 Cañon 100 links wide, 20 feet deep bear. East.
- 4000 Set a stone 16 X 10 X 10 in a mound with pits for $\frac{1}{4}$ Sec cor as per instructions
- 5000 Cottonwood creek runs S. E., 200 links wide dry bed.
- 8000 Set a stone 16 X 10 X 8 in a mound of earth with pits as per instructions for the cor to Sec 10, 11, 14, and 15 W. trees.
- Land rolling soil 3^d and 2^d rate No Timber

East on random line between Sec 11 and 14

Va 130° 45' East.

- 4000 Set temporary $\frac{1}{4}$ Sec cor.
- 4800 Cañon of the Hassayampa 5 chains wide 100 feet deep

Township 10 N. Range 3 W.
Gila and Salt River Meridian

perpendicular sides
bears N. and S.

30,04 Intersected N and S line
at post corner to Sec^s 11, 12
13 and 14.

Land rolling Soil 2^d rate
No timber except on banks
of Hassayamp.

From the cor
to Sec^s 11, 12, 13 and 14 to run
West on true line between
Sec^s 11 and 14

or 130 45 East -

40,04 Set Stone 10 x 10 x 10 in square
of stone 3 ft high for the
cor to 14 Sec^s 11 & 12

80,09 The cor to Sec^s 10, 11, 14 and 15 -

North between Sec^s 10 and
11.

Township 10 N. Range 3 W
Gila and Salt River Meridian

Na. 13° 45' East

4000 Set a stone 20 X 16 X 10 on
a little rocky ridge bearing
E. and W. for $\frac{1}{4}$ Sec cor

8000 Set a stone 24 X 20 X 16
in a mound of stone 3 ft
high for cor. to Secs 2, 3, 10, and
11.

Land rolling Soil 2^d rate
good grazing No timber

East on random line between
Secs 2 and 11

Na. 13° 45' East

2300 Irrigation ditch runs SE

2310 Hassayampa creek west-
bank, bears SE and NW

3700 Hassayampa creek runs SE,
and opposite bank

3750 Entered field bears SE, W.

Township 10 N. Range 3 W
Chico and Salt River Meridian

40.00 Set - temporary $\frac{1}{4}$ Sec. cor.

42.00 Left - filed and entered
mesa land bears SE $\frac{1}{4}$ and NW $\frac{1}{4}$

54.00 Road from Bradshaw to
Skull Valley bears NW $\frac{1}{4}$ SE,

80.20 The Road and Line intersected
32 links south of post cor
to Sec 12 11 and 12 from
which cor I run S 89. 4 E W
on true line between Sec
2 and 12

On 13° 45' East

40.10 Set a stone 12 x 10 x 8 in
mound of earth - with pits
NW Sec cor. In true near

80.20 The cor to Sec 23 10 and 11
Land mostly - level Soil
12th rate, No timber

Townships 10 N. Range 3 W
 Gila and Salt River Meridian

North on random line
 between Sec 2 and 3,
 Va. $130^{\circ} 45'$ East

- 16.00 Trail bears S.W.
 40.00 Set - temporary $\frac{1}{4}$ Sec cor.
 47.00 Entered bottom land bears
 N.W. and S.E.
 50.00 Dry bed of Prater's creek
 75 links wide
 60.75 Irrigation ditch runs S.E.
 61.00 Old field bears S.E.
 79.90 Intersected N boundary of
 Townships at post-cor to
 Sec 2 and 3, from which
 Run South on true line
 between Sec 2 and 3
 Va $130^{\circ} 45'$ East
 3990 Set a stone $12 \times 12 \times 8$ in
 a corner of stone 3 ft high
 for $\frac{1}{4}$ Sec cor. No true men

Township 10 N Range 3 W
 Gila and Salt River Meridian

7990 The cor to Sec^s 2 & 10 and 11
 Land mostly level soil
 stand 2^d rate - No timber
 of any account.

East - on random line between
 Sec^s 15 and 10

Va. $130^{\circ}45'$ East,

4000 Set temporary 1/4 Sec cor.

4400 Creek with cottonwoods
 growing along bank.

Confluence of two creeks N40W
 10 chains

7980 Intersected N and S line 24
 links South of post cor to
 Sec^s 10 11 12 and 15 - from
 which cor is run S $89^{\circ}50'$ W
 on true line between Sec^s 10 and
 15

Va $130^{\circ}45'$ East -

Township 10 N. Range. 3 W
 Gilev and Salt River Meridian

39.90 Set a stone 16. X 14 X 10
 in a mound of stone 3 ft
 high for $\frac{1}{4}$ Sec cor.

79.80 The cor to Sect 9, 10, 15, and 16
 Land rolling Soil 2 and
 3 sub - No timber

North between Sect 9 and
 10

va. $13^{\circ} 45'$ East

20.00 Dry creek runs SE. 20 links
 wide

40.00 Set a stone 12 X 10 X 8 for $\frac{1}{4}$ Sec
 cor as per instructions

72.00 Cotton wood creek. runs SE
 25 links wide dry bed.

80.00 Set a stone. 16 X 12 X 8 in a
 mound of stone 3 ft high for
 the cor to Sect 3, 4, 9, and 10

Township 10 N. Range 3 W
Gila and Salt River Meridian

as per instructions No trees
Land rolling Soil 2^d sale
No timber

East-on random line
between Sec^s 3 and 10

Va. 13° 45' East.

4000 Set temporary $\frac{1}{4}$ Sec cor
8000 Intersected post-cor to
Sec^s 2, 3, 10, and 11 from
which cor I run West-on
true line between Sec^s 3 and 10

Va. 13° 45' East-

4000 Set a stone 12 x 10 x 10 in
a mound of stone 3 ft high
for $\frac{1}{4}$ Sec cor as per instructions
No trees.

8000 The cor to Sec^s 3, 4, 9, and 10
Land rolling. Soil 2^d sale
No timber.

Township 10 N. Range 3 W.
Gila and Salt River Meridian

Went on random line
between Sec^s 4 and 9,

On $13^{\circ} 45'$ East.

4000 Set temporary $\frac{1}{4}$ Sec cor.

4650 Cottonwood Creek runs

South of East 30 links west
dry bed. Found water in
tanks.

8000 Intersected West boundary
of fractional Township
at post cor to Secs 4-5-8 and
9. from which cor I run
East on true line between
Sec^s 4 and 9

On $13^{\circ} 45'$ East.

4000 Set a stone $12 \times 10 \times 10$
in a mound of stone 8 ft
high for $\frac{1}{4}$ Sec cor. No river

8000 the cor to Sec^s 3, 4, 9, and
10. Land rolling soil 2 rods

Townships 10 N. Range. 3 W.

Glen and Salt River Meridian

No timber only along bank of creek,

North on random line
between Sec^s 3rd & 4

Va 13° 45' East.

40.00 Set temporary 1/4 Sec cor.

79.90 Intersected North boundary
of Township 20 links East
of post cor W Sec^s 3rd & 4
from which cor I run S 0° 8' E
on true line between Sec^s 3rd
& 4.

Va. 13° 46' East.

39.90 Set a stone 18 x 10 x 8 in a
mound of stone 3 ft high for
1/4 Sec cor. No trees

79.90 The cor to Secs 3 4 9th & 10
Land rolling Soil 2nd rate
No timber Oct 18th 1871

Township 10 N. Range 3 W.
Gila and Salt River Meridian

General Description

This Township contains some fine farming land, along the bottom of the Mesayampa and Blind Luccian creeks. The soil is a rich black loam. Some timber along several of the streams; mostly cottonwoods. The uplands are rolling and well adapted for grazing. There are several fine farms under cultivation.

O'Hearse

Deputy Surveyor

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of

The exterior and subdivision lines of Township No. 10 North of Range No 3 West of Gila and Salt River Meridian

showing the respective capacities in which they acted.

A. M. Lindsay	Compassman.
H. W. Schooler	Chainman.
J. T. Brickwood	Chainman.
John Riley	Axeman.
James C. Leary	Ground Builder
	Flag man

Final Oaths of Assistants.

We hereby certify that we assisted *Quar H Case*
Asst. Deputy Surveyor, in surveying
 the exterior and subdivision lines
 of Townships No 10 North of
 Range No 3 West, Gila and
 Salt River Meridian

Territory of Arizona

and that said Survey has been in all respects, to the
 best of our knowledge and belief, well and faithfully sur-
 veyed, and the boundary monuments planted according to
 the instructions furnished by the Surveyor-General.

A. W. Linscey
A. W. Schooler
J. T. Brickwood
John Riley

Subscribed and sworn to before
 us this 20th day of Nov. 1891

E. W. Wells
Chas. Dickhaut

Final Oath of Deputy Surveyor.

BOOK 1027

I, *Amos H. Case*

Deputy Surveyor, do solemnly swear that, in pursuance
with a contract with *John Wagon*

United States Surveyor-General for Arizona, bearing date
the 1st day of *July* 1871, I have well, faithfully
and truly, in my own proper person, and in strict con-
formity with the instructions furnished by the Surveyor-
General, the Surveying Manual, and the laws of the
United States, surveyed all those parts or portions of

*The exterior and subdivision lines of
Townships No 10 North of ^{Range} No. 3 West
of the Gila and Salt River Meridian*

as are represented in the foregoing Field Notes as having

27A

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

W. S. McLean

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 20th
day of Nov. 1871

E. W. Jewell
Clerk Dist Court
3^d Dist. A.D.



Surveyor General's Office
Tacson A.T.

January 29th 1872

The foregoing field Notes of
the Survey of the Subdivision
lines of Township 10 N. Range
3 W. of the Gila & Salt River
Base and Meridian lines
in the Territory of Arizona
executed by O. W. Case,
Asst. Deputy Surveyor, under
his contract dated July 17th
1871, having been critically
examined, the necessary
corrections and explana-
tions made, the said field
Notes and the surveys they
describe are hereby approved.

J. H. Mason
Asst. Surveyor General
Terr Arizona