

No. 1039

BOOK 1039

# Field Notes

BOOK 1039

OF THE SURVEY OF THE

1039

SUBDIVISION LINES

- OF -

Township 1st N. Range 14th E.

Gila and Salt River Base and Meridian

ARIZONA.

By Benton Foster D. S.

under contract dated Oct. 29 1874.

Survey commenced Jan'y 2. 1875.

Survey completed Jan'y 8. 1875.

No. 1039

BOOK 1039

ownship 14 North R. 4 west.

### Gila and Salt River Meridian.

6	40	5	25	4	14	3	5	2	1
39		38		24		13			
7	37	8	23	9	12	10	4	11	12
36		35		22		11			
18	34	17	21	16	//	15	3	14	13
33		32		20		10			
19	31	20	19	21	9	22	3	23	24
30		29		18		8			
30	28	29	17	28	7	27	2	26	25
		27		16		6			
31	26	32	10	33	6	34	1	35	36

## PRELIMINARY OATHS OF ASSISTANTS.

WE, George Carr  
 and Richard Shrapel  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

George Carr  
Richard Shrapel

Sworn to and subscribed before me, this 16<sup>th</sup>  
 day of November, 1874

E. C. Wells  
 Clerk U. S. Dist Court  
 3<sup>d</sup> Dist of Arizona

W<sup>m</sup> William H Foster

I do solemnly swear that I will well and truly perform the duties of Axeman

according to instructions given <sup>me</sup> ~~me~~, and to the best of <sup>my</sup> skill and ability.

William H Foster

Sworn to and subscribed before me this 16<sup>th</sup>  
day of November 1874



E. C. Wells  
Clerk U. S. Dist Court  
3<sup>d</sup> Dist of Arizona

T.R

BOOK 1039

1C

No. 1039

Field Notes

Of the  
Subdivision Lines

of

Township 14 at Range 4 west  
Gila and Salt River Meridian

Territory of Arizona

Surveyed by

C. Burton Foster

U.S. Dep Surveyor

Under his contract of Oct 29<sup>th</sup> 1874

Survey commenced January 2<sup>nd</sup> 1875  
or completed January 8 1875

Township 14 N. Range 4 W.

Gila and Salt River Meridian

Obs

The two eastern tiers of sections of this Township lying in the barren foothills of the Sierra Prietta Mountains, and coming under the head of waste or useless.

I commence at the cor to Secs 34 & 35 the cor a granite rock notched on E & W sides from which cor I run

North between Secs 34 & 35

Va  $14^{\circ}40'$  East

As per Burts Improved Solar compass

Farm Road bears E & W

Wash 90 lks wide flows W

Wash 75 lks wide flows W

Set a granite rock 24x18x12 ins marked  $\frac{1}{4}$  set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  sec cor

No trees near

Set a granite rock 14x12x8 ins properly notched set  $\frac{2}{3}$  in the ground and build mound of rocks 2 ft high on W side for cor to Secs 26 27 34 & 35

Downdip 14 At Range 4 W

Gila and Salt River Meridian

ch.

No trees near

Land rolling and sloping N

Soil 3<sup>d</sup> rate

No Timber

North between Sec's 26 & 27

Va 14° 40' East

32. 10 Trail bears E. N. E and S. W.  
 40. 10 Set a granite stone 10x8x8 ins  
 marked  $\frac{1}{4}$  Set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec line  
 No trees near
80. 10 Set a granite stone 16x14x12 ins properly  
 notched set  $\frac{2}{3}$  in the ground and build  
 mound of stone 2 ft high on N side for line  
 to Sec's 22 23 26 & 27.  
 No trees near  
 Land rolling hills  
 Soil 3<sup>d</sup> rate  
 No timber. Thick undergrowth Oak brush.

Township 14 N Range 4 west.

Gila and Salt River Meridians

28.

North between Sec's 22 & 23.

Ta 14° 45' East

- 6.00 Wash 100 ft wide flows S.W.  
 40.00 Set a granite stone 12x16x8 ins marked 1/4  
 set 2/3 in the ground for 1/4 Sec cor.  
 No trees near  
 Trail bears E & W  
 80.00 Set a granite stone 16x12x10 ins properly  
 notched and set 2/3 in the ground and build  
 mound of stone 2 ft high on its side for cor  
 to Sec's 14, 15, 22 & 23 No trees near  
 Land rolling ridges projecting West from  
 Sierra Prieta Mountains  
 Soil 3<sup>d</sup> rate  
 No timber undergrowth oak brush

North between Sec's 14 & 15

Ta 14° 45' East

- 40.00 Set granite rock 16x12x8 ins marked 1/4  
 set 2/3 in the ground for 1/4 Sec cor.

Township 14 North Range 4 West

Gila and Salt River Meridian

Obs.

No Trees near

43.00 Wash 125 wide flows S.W.

47.00 Trail to Prescott bears S.W. and E.N.E.

80.00 Set a granite stone 12x10x10 ins properly notched and set  $\frac{2}{3}$  in the ground and build mound of stone 2 ft high on N side for Cor to Sec's 10 11 14 + 15 No Trees near  
Land rolling trail 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Timber a very few Cedars

North between Sec's 10 & 11

Wa 14° 45' East

40.00 Set a granite stone 12x10x8 ins marked  $\frac{1}{4}$  and set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor  
No Trees near

80.00 Set lime stone 15x12x6 ins properly notched and set  $\frac{2}{3}$  in the ground and build mound of stone 2 ft high on N side for Cor to Sec's 2, 3, 10 + 11 No Trees near  
Land gently rolling

Township 14 North Range 4 West

Gila and Salt River Meridian

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

No timber dome undergrowth of Oak brush

North on random line between Sec's 2 & 3

To 14° 45' East

- 4.1.20 Set post for temporary 1/4 Sec Cor  
80.20 Intersected the N boundary of Township  
30 lks East of the Cor to Sec's 2 & 3 from  
which Cor I run S 13' East on true line  
between Sec's 2 & 3

To 14° 45' East

- 4.1.21 Set a post marked 1/4 S 4 ft long flattened  
3 in wide 1 ft in the ground drive charred  
stake and build mound of earth 2 ft high  
with pit 2x1x1 ft for 1/4 Sec Cor.

No trees near

- 80.20 The Cor to Secs 2, 3, 10 & 11

Land gently rolling South mostly level north  
Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

No timber

Township 14 North Range 4 West

Gila and Salt River Meridian

Obs.

North between Secs 33 & 34

Va  $14^{\circ} 40'$  East

17.00 Farm Road bears E & W

40.00 Set a granite rock  $12 \times 10 \times 8$  ins marked  $\frac{1}{4}$   
and set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec cor.

No Trees near

77.00 Trail bears E & W

80.00 Set a granite stone  $15 \times 8 \times 8$  ins properly  
notched set  $\frac{2}{3}$  in the ground and build  
mound of stone 2 ft high on N side for cor  
to Secs 27, 28, 33 & 34. No trees near

Sand mostly level Soil 1st rate

No Timber

East on random line between Secs 27 & 34

Va  $14^{\circ} 40'$  East

35.00 Trail bears N E & S W.

39.50 Old wagon trail N.E. & S.W.

40.00 Set stone for temporary  $\frac{1}{4}$  Sec cor

80.00 Intersected the N & S line at cor to Sec's

Township 14 North Range 4 West

Gila and Salt River Meridian

Chs.

26, 27, 34 & 35. from which cor I run  
West on true line between Secs 27 & 34  
Ta  $14^{\circ} 40'$  East

40.00 Set a granite stone  $14 \times 12 \times 10$  ins marked  $\frac{1}{4}$   
and set  $\frac{1}{3}$  in the ground for  $\frac{1}{4}$  Sec cor.

No Trees near

80.00 the cor to Secs 27 28 33 & 34  
Sand level most rolling east  
Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

No Timber

North between Secs 27 & 28

Ta  $14^{\circ} 40'$  East

21.50 Trail bears N.E. & S.W.

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened  
3 in wide 1 ft in the ground driven charred  
stake and build mound of earth 2 ft high with  
pit  $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  Sec cor.

No Trees near

47.11 Old Road bears N.E. & S.W.

Township 14 North Range 4 West

Gila and Salt River Meridian

Obs.

- 77.40 Trail to Prescott bears N.E. & S.W.  
 80.00 Set a granite stone 10 x 10 x 8 ins properly  
 notched set  $\frac{4}{3}$  in the ground and build mound  
 of stone 2 ft high on each side for Cor to Secs  
 21, 22, 24 & 28 No trees near  
 Sand mostly level  
 Soil 1st rate  
 No timber

2 January 1875

East on random line between Secs 22 & 27  
 Ra  $14^{\circ} 40'$  East.

- 1.55 Trail to Prescott bears N.E. & S.W.  
 40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor  
 80.20 Intersected the N. S. line 14 less 8 of the Cor  
 to Secs 22 23 26 & 27 from which Cor  
 I run

S  $89^{\circ} 54'$  N on true line  
 between Secs 22 & 27

Ra  $14^{\circ} 40'$  East

- 40.00 Set a granite stone 12 x 8 x 8 ins

Township 14 North Range 4 West

Gila and Salt River Meridian

Chs.

marked 14 and set  $\frac{2}{3}$  in the ground for 14  
Sec Cor. No trees near  
80.20 The Cor to Secs 21, 22, 27 & 28  
Land mostly level  
Soil 1<sup>st</sup> + 2<sup>nd</sup> rate  
No timber

North between Secs 21 & 22

Va 14° 40' East

41.00 Set granite stone  $14 \times 10 \times 8$  ins marked 14  
and set  $\frac{2}{3}$  in the ground for 14 Sec Cor  
No trees near.  
81.00 Set a post marked and notched. 4 ft long.  
3 in. squared 1 ft in the ground. drive chancery  
stake and build mound of earth 2 ft high with  
pits  $2 \times 1 \times 1$  ft for Cor to Secs 15 & 16 31 & 32  
Land gently rolling  
Soil 1<sup>st</sup> + 2<sup>nd</sup> rate  
An occasional Juniper is the only timber

Township 14 North Range 4 West

Gila and Salt River Meridian

Obs

East on random line between Sec's 15 & 22

Da  $14^{\circ} 40'$  East

- 37.00 Trail bears N.E. & S.W.  
 40.00 Set post for temporary 1/4 Sec Cor  
 47.00 Trail to Prescott bears N.E. & S.W.  
 51.00 Land broken rough and rolling  
 80.00 Intercepted the N & S line 24 lks N of Cor  
 to Sec's 14, 15, 21 & 22. from which Cor I run  
 N  $89^{\circ} 50'$  W on true line between Sec's 15 & 22

Da  $14^{\circ} 40'$  East.

- 40.00 Set a post marked 1/4 S 4 ft long flattened  
 3 in wide 1 ft in the ground driven shamed  
 stake and build mound of earth 2 ft high  
 with pits 2 x 1 x 1 ft for 1/4 Sec Cor.

No trees near

- 81.00 The Cor to Sec's 15, 16, 21 & 22  
 Land level west and rough and rolling east  
 Soil 1<sup>st</sup> and 3<sup>d</sup> rate  
 A few Cedars is all the timber

## Township 14 North Range 4 West

Gila and Salt River Meridian

Chs.

North between Secs 15 &amp; 16

To  $14^{\circ} 40'$  East

- 41.00 Set a post marked  $\frac{1}{4}$  S 4 ft long  
flattened 3 in. wide. 1 ft in the ground.  
Drive charred stake and build mound of  
earth 2 ft high with pit  $2 \times 1 \times 1$  ft  
for  $\frac{1}{4}$  Sec Cor No Trees near
- 74.75 Gulch 60 ft wide floor S W  
ascend hill covered with granite boulders
- 77.11 A granite rock projecting 2 ft high  
 $4 \times 4 \times 4$  ft I notch on S and E  
sides and build mound of stone thereon  
2 ft high for Cor to Secs 9 10 15 & 16  
No Trees near
- 80.00 Land gently rolling  
Soil 1<sup>st</sup> rate except at Cor  
No Timber

Out on random line between Secs 10 &amp; 15

- 7.00 Summit of ridge of granite boulders

Township 14 North Range 4 West

Gila and Salt River Meridian

Chs

ranges N.W. & S.E. from this point

13.00 Enter gently rolling grassy land

40.00 Set stone for temporary  $\frac{1}{4}$  Sec cor

80.12 I intersected the X & S line 18 lks S  
of the cor to Secs 10 11 14 & 15 from  
which cor I run S  $89^{\circ} 52'$  Now true line  
between Secs 10 & 15

Xa 14° 48' East

40.06 Set a granite stone 15 x 11 x 10 in  
marked  $\frac{1}{4}$  and set 2 ft in the ground for  
 $\frac{1}{4}$  Sec cor. No trees near.

80.12 The cor to Secs 9, 10, 15 & 16

Land gently rolling

Soil 2nd rate

No timber

North between Secs 9 & 10

Xa 14° 48' East

4.75 Old Road bears N.W. & S.W.

34.80 Road to Prescott bears E.N.E. & S.W.

Soronthip 14 North Range & west

Gila and Salt River Meridian

- ch. 40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits  $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  sec cor. No trees near leave ridge of granite which bears N.W.
- 71.00 Enter level grassy land
- 80.00 Set granite rock  $24 \times 12 \times 10$  ins properly notched set  $2/3$  in the ground and build mound of stone 2 ft high on N side for cor to Secs 3, 4, 9 & 10  
No trees near  
Land south rocky and worthless  
North east good 2<sup>nd</sup> rate  
Timber scattering Junipers and Cedars.

East on random line between Secs 3 & 10  
To  $14^{\circ} 40'$  East.

17.50 Road to Prescott bears N & S

Township 14 North Range 4 West.

Gila and Salt River Meridian

Ch.

- 41.00 Set a post for temporary 1/4 Sec Cor  
 80.00 Intersected the N & S line 24 lks S  
 of the Cor to Secs 2, 3, 10 + 11  
 from which Cor I run  
 \$ 89<sup>00</sup> 50' Now true line between Secs 3 + 10

To 14° 40' East

- 40.00 Set a post marked 1/4 S 4ft long flat-  
 tened 3 in wide 1ft in the ground  
 drive charred stake and build mound of  
 earth 2ft high with pit 2x1x1 ft for  
 1/4 Sec Cor. No trees near  
 80.00 The Cor to Secs 3, 4, 9 + 10  
 Land level soil good  
 A few Cedars and Junipers constitute the timber

North on random line  
 between Secs 3 + 4.

To 14° 40' East

- 41.00 Set post for temporary 1/4 Sec Cor  
 80.40 Intersected the N boundary of Township.

Township 14 N. Range 4 west.

Gila and Salt River Meridian

ch.

15 mls E of the cor to Secs 3 & 4 from which cor I run S 6° East on true line between Secs 3 & 4

Wa 14° 40' East

Set a post marked 1/4 S & 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2 x 1 x 1 ft for 1/4 sec cor No trees near

81.40 The cor to Secs 3. 4. 9 & 10

Land level Soil good

Timber a few Oak and Junipers

4th January 1874

North between Secs 32 & 33

Wa 14° 40' East

Ascend rocky hill from cor

Mark 1/4 on granite boulder 4 x 4 x 2 ft and build thereon mound of stone 2 ft high for 1/4 sec cor

No trees near

Township 14 North Range 4 west

Gila and Salt River Mountain

ds.

- 73.50 leave rocky hill and enter level land  
 74.80 Road bears E & W  
 80.00 Set a post marked and notched 4 ft  
 long 3 in squared 1 ft in the ground  
 drive charred stake and build mound  
 of earth 2 ft high with pit 2 x 1 x 1 ft  
 for cor to Sec's 28, 29, 32 & 33.

No trees near

Leave rocky ridge bearing N & S  
 Soil worthless.

Timber Oak of stunted growth.

East on random line between Sec's 28 & 33.

7a 14° 40' East

- 17.20 Road to Prescott bears N & S  
 18.10 Enter cultivated field bears N & S.  
 24.00 leave cultivated land  
 40.00 Set post for temporary 1/4 Sec Cor  
~~44.40~~  
 80.00 Trail to Prescott bears N & E & S in  
 intersected the N & S line 16 Lts S  
 of the cor to Sec's 27, 28, 33, & 34

Township 14 North Range 4 West

Gila and Salt River Meridian

Ms.

from which cor I run  
S 89° 52' W on true line  
between Secs. 28 & 33.

Ja 14° 40' East

40.00 Set a line stone 14 x 12 x 12 ins  
marked  $\frac{1}{4}$  Set  $\frac{2}{3}$  in the ground and  
build mound of earth 2 ft high with  
pits 2 x 1 x 1 ft for  $\frac{1}{4}$  Sec Cor  
No Trees near

81.00 The cor to Secs 28, 29, 32 & 33.

Land mostly level  
Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

No Timber

North between Secs 28 & 29

Ja 14° 40' East

39.00 Trail bears N. W & S. E.

41.00 Set a post marked  $\frac{1}{4}$  S 4 ft long  
flattened 3 in wide 1 ft in the ground  
drive charred stake and build mound of

Township 14 North Range 4 West

Gila and Salt River Meridian

Chs.

earth 2ft high with pits 2x1x1 ft  
for 1/4 Sec Cor

No Trees near

68.00 Old Road bears N.W + S.E.

80.00 Set a post marked and notched 4ft  
long 3in squared 1ft in the ground drive  
chained stake and build mound of earth  
2ft high with pits 2x1x1 ft

No Trees near

Land mostly level

Soil 2nd rate

Timber a few scattering Junipers

East on random line  
between Sec's 21 & 28

14° 40' East

13.00 Road to Prescott bears N + S

41.00 Set stone for temporary 1/4 Sec Cor

80.00 intersected the N + S line at Cor to  
Sec's 21, 22, 27 & 28 from which

Township 14 North Range of West

Gila and Salt River Meridian

As.

Cor I run West on true line  
between Sec's 21 & 28

Va 14° 40' East

- 40.00 Set a granite stone  $16 \times 8 \times 6$  ins  
marked 44 Set  $\frac{2}{3}$  in the ground for  
 $\frac{1}{4}$  Sec Cor No Trees near
- 80.00 The cor to Sec's 20 21 28 & 29  
Land mostly level  
Soil 1<sup>st</sup> & 2<sup>nd</sup> rate  
No Timber

North between Sec's 20 & 21

Va 14° 40' East

- 24.00 Road to Prescott bears N.E. & S.S.E.  
Set a post marked 44 8 ft long  
flattened 3 in wide 1 ft in the ground  
drive sharp end stake and build mound of  
earth 2 ft high with pile  $2 \times 1 \times 1$  ft  
for  $\frac{1}{4}$  Sec Cor.  
No Trees near

Township 14 North Range 4 West

Gila and Salt River Meridian

do.

- 49.00 Road to Prescott bears N.E. & S.W.  
 80.00 Set a post marked and notched 4 ft long  
 3 in squared 1 ft in the ground drive  
 charred stake and build mound of earth  
 2 ft high with pits 2x1x1 ft for cor  
 to Sec's 16, 17, 20+21

No trees near

Land level soil 1<sup>st</sup> rate

Timber a few Oaks and Junipers

Some undergrowth of Oak brush

East on random line between Sec's 16 + 21

Va 14° 40' East

- 24.00 Road to Prescott bears N.E. & S.W.  
 40.00 Set post for temporary 1/4 Sec Cor  
 80.18 Intersected the N + S line 35 lks S of  
 the cor to Sec's 15, 16, 21 + 22  
 from which cor I run S 89° 45'  
 West on true line between Sec's 16 + 21.

Va 14° 40' East

## Township 14 North Range 4 West

Gila and Salt River Meridian

obs.

40.09 Set a post marked  $\frac{1}{4}$  S 4 ft long  
 flattened 3 in wide 1 ft in the ground  
 drive channeled stake and build mound of  
 earth 2 ft high with pits  $2 \times 1 \times 1$  ft  
 for  $\frac{1}{4}$  Sec cor No Trees near

81.18 The cor to Secs 16, 17, 20 & 21  
 Land mostly level  
 Soil 1<sup>st</sup> & 2<sup>nd</sup> rate  
 No Timber Some undergrowth of oak brush

## North between Secs 16 &amp; 17

Twp 14<sup>th</sup> 45' East

30.00 Old Road bears N.W. & S.E.  
 40.10 Set a post marked  $\frac{1}{4}$  S 4 ft long  
 flattened 3 in wide 1 ft in the ground  
 drive channeled stake and build mound  
 of earth 2 ft high with pits  $2 \times 1 \times 1$  ft  
 for  $\frac{1}{4}$  Sec cor No Trees near  
 Road bears E. & W.  
 63.00 Set a post marked and notched

• Township 14 North Range 4 West

Gila and Salt River Meridians

sk.

4 ft long 3 in squared 1 ft in the ground  
drive charred stake and build mound of  
earth 2 ft high with pits 2 x 1 x 1 ft  
for Cor to Sec's 8. 9. 16 + 17

No Trees near

Land mostly level

Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

No timber undergrowth Oak brush

East on random line between Sec's 9 + 16.

Va 14° 45' East

17.25 Old Road bears N.W. & S.E.

40.00 Set post for temporary 44 Sec Cor

68.00 Road to Prescott bears N & S

77.00 Enter ridge granite boulders

85.00 Intersected the N & S line at Cor to  
Sec's 9. 10. 15 + 16 from which Cor I ran  
west on true line between Sec's 9 & 16.

Va 14° 45' East

40.00 Set a post marked 44 S 4 ft long

Township 14 North Range 4 West

Gila and Salt River Meridian

As.

flattened 3 in wide 1 ft in the ground  
drive charred stake and build mound of  
earth 2 ft high with pits  $2 \times 1 \times 1$  ft for  
 $\frac{1}{4}$  Sec Cor. No trees near

81.11 The Cor to Secs 8, 9, 16 & 17.

Land gently rolling

Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

No timber

Some oak brush

5<sup>th</sup> January 1875

North between Secs 8 & 9

To  $14^{\circ}48'$  East.

41.00 Set a post marked "4 S 4 ft long flat-  
tened 3 in wide 1 ft in the ground  
drive charred stake and build mound  
of earth 2 ft high with pits  $2 \times 1 \times 1$  ft  
for  $\frac{1}{4}$  Sec Cor. No trees near

82.11 Old Road bears N.W. & S.E.

81.00 Set a granite stone  $14 \times 10 \times 8$  ins pro-  
perly notched and set  $\frac{2}{3}$  in the ground

## Township 14 North Range 4 West

## Gila and Salt River Meridian

ch.

and build mound of stone 2 ft high on  
N side for Cor to Secs 4.5.8+9

No Trees near

Land gently rolling

Soil 2<sup>nd</sup> rate

No Timber Grass in abundance.

East on land on N line between Secs 4+9  
Va 14° 48' East

16.11 Enter ridge granite rocks bearing  
E + S.E.

40.00 Set stone for temporary 1/4 Sec Cor

76.00 Enter level land

81.40 Intersected the N + S line at Cor to  
Secs 3.4.9 + 10 from which Cor I run  
West on true line between Secs 4 + 9  
Va 14° 48' East

40.21 A granite boulder projecting 3 ft high  
x 3 x 2 ft thick which I mark 1/4 for  
the 1/4 Sec Cor No Trees near

## Township 14 North Range 4 West

Gila and Salt River Meridians

cts.

- 81.41 The Cor to Sec's 4, 5, 8 & 9  
 Land rolling and mostly covered with  
 granite rocks.  
 Soil worthless  
 Timber a few oaks of stunted growth

North on random line between Sec's 4 &amp; 5

Ta 14° 48' East

- 41.00 Set stone for temporary 1/4 Sec Cor  
 43.00 Enter level bottom land  
 47.00 Road bears N.E. & S.W.  
 68.00 leave bottom land and ascend rolling lands  
 80.20 Intersected the N. boundary of Township  
 28 lks N of the Cor to Sec's 4 & 5  
 from which Cor I run  
 8 12' West on true line  
 between Sec's 4 & 5

Ta 14° 48' East

- 41.20 Set a granite stone 14x10x10 ins  
 properly notched set 2/3 in the ground

Township 14 North Range 4 West.

Gila and Salt River Meridian

ch.

for 1/4 Sec Cor

No Trees near

80.20 The Cor to Sec's 4. 5. 8. & 9

Land mostly level

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

No Timber

North between Sec's 31 + 32

To 14° 40' East

40.00 Set a volcanic rock 16 x 14 x 12 ins  
marked 4005  
properly notched set 2/3 in the ground  
for 1/4 Sec Cor. No Trees near

80.00 Set a granite rock 18 x 10 x 10 ins  
properly notched and set 3/4 in the ground  
and build mound of stone 2 ft high  
for Cor to Sec's 29. 30. 31 + 32

No Trees near

Land E slope of mountain

Soil 3<sup>rd</sup> rate and worthless

No Timber

Township 14 North Range 4 West

Gila and Salt River Meridian

ch.

East on random line between Sec's 29+32.  
Ta  $14^{\circ} 40'$  East

40.01 Set stone for temporary  $\frac{1}{4}$  Sec Cor  
Creek 35 lks wide flows south  
Road bears N.W + E.S.E  
0.51 Intersected the N + S line at Cor to  
Sec's 28 29 32 + 33 from which Cor  
I run west on true line  
9.50 between Sec's 29 + 32  
12.24 Ta  $14^{\circ} 40'$  East

41.12 Set a granite stone  $16 \times 14 \times 12$  ins prop-  
erly notched set  $2/3$  in the ground for  $\frac{1}{4}$   
Sec Cor No trees near.

81.24 The Cor to Sec's 29 30 31 + 32  
Land hilly west and level east, soil poor  
west, good east some Ash and Oak timber  
along creek bottom.

West on random line between Sec's 30 + 31

Ta  $14^{\circ} 40'$  East

## Township 14 North Range 4 West

## Gila and Salt River Meridian

Chs.

- 41.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor  
 79.80 I intersected the N boundary of Township  
 18 Lks S of the Cor to Secs 30 + 31  
 from which cor I run S  $89^{\circ} 52'$  East on  
 true line between Secs 30 + 31

Ta  $14^{\circ} 40'$  East

- 39.80 Set a granite stone  $12 \times 8 \times 8$  ins <sup>marked</sup>  
~~properly~~  
 $\frac{1}{4}$  S. notched and set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor  
 No trees near
- 79.80 The Cor to Secs 29 30 31 + 32  
 Sand N.E. slope of mountain  
 Soil worthless  
 No timber

6<sup>th</sup> January 1895

North between Secs 29 + 30.

Ta  $14^{\circ} 40'$  East.

- 27.00 Gulch flows E
- 41.00 Set a granite stone  $16 \times 12 \times 10$  ins <sup>marked</sup>  
~~properly~~  
 $\frac{1}{4}$  S. notched and set  $\frac{2}{3}$  in the ground for  
 $\frac{1}{4}$  Sec Cor No trees near

## Township 14 North Range 4 West

## Gila and Salt River Meridian

ch.

6.00

Gulch flows E

0.00

Set a granite rock 2x2x1 ft properly notched and sit  $\frac{3}{4}$  in the ground for  
Sec to Secs 19, 20, 29 & 30 from which low  
An oak 6 in dia bears S  $8^{\circ}$  E 20 lks  
dist. 2 granite boulders 20 ft high  
bears N.E. 65 lks dist

Land somewhat broken

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber Scattering Oak and Junipers

East of random line between Secs 20 & 29

Fa  $14^{\circ} 40'$  East.

8.00

Old wagon road bears N.W. and S.E.

3.20

Creek 30 lks wide flows S.

5.10

Enter cultivated lands bears N & S

2.10

Leave cultivated field and land be-

= comes gently rolling

0.00

Set stone for temporary  $\frac{1}{4}$  Sec Cor

1.00

Old Road bears S.E. & N.W.

## Township 14 North Range 4 West

## Gila and Salt River Meridians

Chs.

- 81.10 Intersected the N & S line at Cor to Sec's 20, 21, 28 + 29 from which Cor I run West on true line between Sec's 20 + 29  
Ta  $14^{\circ}40'$  East.
- 41.10 Set a granite stone  $12 \times 8 \times 6$  ins properly notched and set  $2/3$  in the ground for  $\frac{1}{4}$  Sec Cor  
No trees near
- 80.00 The Cor to Sec's 19, 20, 29 + 30  
Land gently rolling  
Soil 1<sup>st</sup> + 2<sup>nd</sup> rate  
Some scattering Junipers + Oaks

West on random line between Sec's 19 + 30  
Ta  $14^{\circ}40'$  East.

- 40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor  
No trees near
- 80.10 Intersected the N boundary of township 20 lks S of the Cor to Sec's 19 + 30 from which Cor I run  $89^{\circ}51'$  East  
on true line between Sec's 19 + 30

Township 14 North Range 4 West

Gila and Salt River Meridian

ch.

Fa  $14^{\circ} 40'$  East

- 40.10 Set a granite stone  $12 \times 10 \times 10$  ins  
properly notched set  $2/3$  in the ground  
for  $\frac{1}{4}$  Sec Cor. No Trees near.
- 80.10 The Cor to Sec's 19, 20, 29 + 30  
Land gently rolling  
Soil 2<sup>nd</sup> rate  
No Timber Undergrowth Oak and  
Manzanita.

North between Sec's 19 + 20

Fa  $14^{\circ} 40'$  East

- 41.10 Set a granite stone  $15 \times 12 \times 12$  ins properly  
notched set  $1/3$  in the ground for  $\frac{1}{4}$  Sec Cor  
No Trees near
- 49.01 Cienega or marshy flat
- 60.00 leave Cienega
- 80.00 Set a granite rock  $18 \times 16 \times 4$  ins prop-  
erly notched and set  $3/4$  in the ground  
and build mound of rock 2 ft high on

## Township 14 North Range 4 West

Gila and Salt River Meridian

(cts.)

- 8 Side for Cor to Secs 17, 18, 19 + 20  
No trees near  
Land gently rolling and quite rocky  
Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
No timber

Cast on random line between Secs 17 + 20  
Fa 14° 40' East.

- 41.00 Set a post for temporary 1/4 Sec Cor  
62.00 Road bears N + S  
80.00 Intercepted the N + S line 30 lks N of the cor  
to Secs 16, 17, 20 + 21 from which Cor  
I run A 89° 47' West on true line  
between Secs 17 + 20  
Fa 14° 40 East

- 41.00 Set a post marked 1/4 S 4 ft long flattened  
3 in wide 1 ft in the ground drive sharp  
steel stake and build mound of earth 2 ft  
high with pits 2x1x1 ft for 1/4 Sec Cor  
No trees near

## Township 14 North Range 4 West

## Gila and Salt River Meridians

chd.

80.00

The cor to Sec's 17 18 19 + 20  
 Land gently rolling  
 Soil 1<sup>st</sup> and 2<sup>nd</sup> rate  
 No timber considerable undergrowth of  
 Oak brush.

West on random line between Sec's 18 + 19

Fa 14° 40' East

33.00

Enter level bottom land 10 chains wide

37.00

Creek 18 lks wide flows S.E.

40.00

Set post for temporary 1/4 Sec Cor

70.00

Interacted the N boundary of Township  
 12 lks S of the cor to Sec's 18 + 19 from  
 which cor I run S 89° 55' East on  
 true line between Sec's 18 + 19

Fa 14° 40' East

41.00

Set a post marked 1/4 S 4 ft long  
 flattened 3 in wide 1 ft in the ground  
 drive chamed stake and build mound of  
 earth 2 ft high with pit 2x1x1 ft for

## Township 14 North Range 4 West

## Gila and Salt River Meridian

Chs

- 1/4 Sec Cor. No Trees near  
 8000 The cor to Sec's 17 18 19 + 20  
 Land rolling gently  
 Soil 2<sup>nd</sup> rate  
 Timber a few Junipers

## North between Sec's 17 + 18

Va 14° 40' East

- 3700 Trail bears N. E + S. W.  
 4000 Set a post marked 1/4 S + ft long  
 flattened 3 in wide 1 ft in the ground  
 drive chanc & stake and build mound of  
 earth 2 ft high with pits 2x1x1 ft for  
 1/4 Sec Cor. No Trees near  
 8100 Set a post marked and notched 4 ft  
 long 3 in square 1 ft in the ground. Drive  
 chanc & stake and build mound of earth  
 2 ft high with pits 2x1x1 ft for cor to  
 Sec's 7, 8, 17 + 18 No Trees near  
 Land gently rolling and sloping west

## Township 14 North Range of West

## Sila and Salt River Mountain

ch.s.

Soil 1st &amp; 2nd rate

No timber

7<sup>th</sup> January 1875

East on random line between Sec's 8 + 17

Va 14° 40' East

2600 Trail bears N + S

3600 Road bears N.W. + S.E.

41.00 Set a post for temporary 1/4 Sec Cor

60.10 Road bears E. S. E + N. N. W

80.00 Intersected the N + S line at Cor to Secs  
8. 9. 16 + 17 from which Cor I run  
West on true line between Sec's 8 + 17

Va 14° 40' East

40.00 Set a post marked 1/4 S + ft long  
flattened 3 in wide 1 ft in the ground  
driv shaved stable and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for 1/4 Sec Cor. No trees near80.00 The Cor to Secs 7. 8. 17 + 18  
Land gently rolling

## Township 14 North Range 4 West

Gila and Salt River Meridian

Chs.

Soil 2<sup>nd</sup> rate

No timber. Undergrowth of Oak brush.

West on random line between Secs 7 &amp; 18

Ra 14° 40' East

- 14.11 Road bears N. & S. and outer cultivated land bears N & S.
- 23.00 Road bears S.W. & N.E.
- 31.00 Farm house and buildings 4 Chs S of this point.
- 40.10 Set a post for temporary 1/4 Sec Cor
- 53.10 Lean cultivated land
- 53.50 Wash 75 lks wide flows S.S.W.
- 63.00 Trail bears N.W. & S.E.
- 79.10 Intersected the N boundary of Township 25 lks S of the Cor to Secs 7 & 18 from which Cor I run S 89° 49' East on true line between Secs 7 & 18  
Ra 14° 40' East
- 39.10 Set a post marked 1/4 S 4 ft long

## Township 14 North Range 4 West

Gila and Salt River Meridian

ch.

flattened 3 in wide 1 ft in the ground  
 drive chamed stake and build mound of  
 earth 2 ft high with pits 2x1x1 ft for  
 $\frac{1}{4}$  Sector. No trees near

79.10 The cor to Sec's 7, 8, 17 & 18

Land level Soil 1st rate

Timber Oak and Juniper situated in West  
 portion of Sec 18.

## North between Sec's 7 + 8

To  $14^{\circ} 40'$  East.

13.50 Road bears N.E. & S.W.

Enter cultivated land bears N.E. & S.W.

Leave cultivated land

Set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
 tened 3 in wide 1 ft in the ground Drive  
 chamed stake and build mound of earth  
 2 ft high with pits 2x1x1 ft for  $\frac{1}{4}$  Sector  
 No trees near

71.00 Leaves level bottom and land becomes rolling

## Township 14 North Range 4 West

## Gila and Salt River Mountain

Chs.

and broken

- 80.00 Set a granite rock  $16 \times 14 \times 12$  ins properly notched set  $2/3$  in the ground and build mount of stone 2 ft high on N side for Cor to Secs 5, 6, 7 + 8. No trees near.  
Land mostly level  
Soil 1st rate. No timber

Cast on random line between Secs 5 + 8

Ra  $14^{\circ} 45'$  East

- 7.00 Wash 70 lks wide flows S. and enter bottom land
- 41.00 Set post for temporary  $1/4$  Sec Cor.
- 61.00 Road bears N. E. + S. W.
- 79.80 Intersected the N + S line 35 lks N of the Cor to Secs 4, 5, 8 + 9 from which Cor I run S  $89^{\circ} 45' W$  on true line between Secs 5 + 8  
Ra  $14^{\circ} 45'$  East
- 39.90 set a post marked  $1/4$  S 4 ft long flat =

## Township 14 North Range 4 West

## Gila and Salt River Meridian

ds.

Tuned 3 in wide 1 ft in the ground drive  
 charred stake and built mound of earth  
 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor.  
 No trees near

79.80 The cor to Sec's 5 6 7 + 8  
 Land level soil 1<sup>st</sup> rate  
 No timber

West on random line between Sec's 6 + 7

Va 14° 40' East

41.10 Set stone for temporary 1/4 Sec Cor  
 Gulch and wash 1 chain wide flows S  
 Intersects the N boundary of Township  
 at cor to Sec's 6 + 7 from which Cor I run  
 East on true line between Sec's 6 + 7.

Va 14° 40' East

39.20 Set a granite stone 14x8x8 ins properly  
 notched and set 2/3 in the ground for 1/4  
 Sec Cor - No trees near  
 The cor to Sec's 5, 6, 7 + 8

Township 14 North Range 4 West

cts. Gila and Salt River Meridian

Land rolling and sloping S.E.  
Soil 3<sup>rd</sup> rate. No timber

North on random line between Secs 5 & 6

Pa 14° 40' East

4.60 begin descent into canon bearing from  
N.W.

6.40 foot of canon and marsh 75 lks wide  
flows S.E.

8.60 leave Canon

40.00 Set stone for temporary 1/4 Sec Cor

80.00 intersected the ~~N~~ boundary of Township  
15 lks E of cor to Sec 5 + 6 from which  
Cor I run  $\frac{5.0^{\circ} 6' E}{89^{\circ} 54'}$  East on true line  
between Secs 5 + 6.

Pa 14° 40' East

40.10 Set a white quartz stone 11x10x11 ins  
properly notched & set 2/3 in the ground  
for 1/4 Sec Cor -

No trees near

## Township 14 North Range of West

Gila and Salt River Meridian

chs.

81.00 The cor to Secs 5, 6, 7 &amp; 8

Land rolling and sloping S.E.

Soil 3<sup>d</sup> rate

No timber

8<sup>th</sup> January 1875

## General Description

This Township contains a large quantity of excellent grazing and some very good farming land.

The timber in the township is of a stunted growth, none suitable for building purposes but in quantities sufficient to supply fuel.

LIST OF NAMES.

*A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivisions of Township 14 North Range 4 West Gila and San Juan Mining*

*Showing the respective capacities in which they acted.*

*George Carr* Chainman.

*Richard Shope* Chainman.

*William H Foster* Axeman.

*Flagman.*

## FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted ~~to~~ <sup>Penton</sup> Foster U.S. Deputy Surveyor, in surveying the Subdivision lines of Township 1st North Range 4<sup>th</sup> West Gila and Santa Rita Meridians

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

George Hart Chainman.

Richard Shape Chainman.

William H. Foster Axeman.

Flagman.

Sworn to and subscribed before me, this 18<sup>th</sup>  
day of ~~18~~ February, 1875

William McKesson  
Clerk District Court  
3rd Judicial circuit  
Graham County, Ariz.

## FINAL OATH OF DEPUTY SURVEYOR.

I, Clinton Foster

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 29<sup>th</sup> day of October 1874 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision lines  
of Township 14 North  
Range 1 West  
Gila and Salt River Meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*C. Buxton Foster*  
Deputy Surveyor.

Sworn to and subscribed before me, this 18<sup>th</sup>  
day of February, 1875

*William W. Klemm*  
Clerk District Court  
3rd Judicial Dist  
Yavapai County Ar

U. S. Surveyor General's Office,  
Tucson, Arizona, June 3, 1875.

The foregoing Field Notes of the survey of

Subdivision line of Town-  
ship 14 N. Range 4 W.

of the Gila and Salt River Base and Meridian, Arizona,  
executed by C. Burton Foster

D. S., under his contract of the 29 day of  
October, 1874, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

John Hasson

Surveyor General.