

Indexed  
Platted  
Book No. 11

Copied

(P)

No. 1056 BOOK

# Field Notes

OF THE SURVEY OF THE

*Subdivision line*

-OF- BOOK 1056

Township *19 N.* Range *2 W.*

*Gila and Salt River Base and Meridian*

ARIZONA. No. 1056

By *J. J. Smith* D.S.

Under contract dated *July 24<sup>th</sup>* 18*73*

Survey commenced *Oct. 1<sup>st</sup>* 18*73*

Survey completed *Oct. 2<sup>nd</sup>* 18*73*

1056

1A

BOOK 1056

Township

19 N.

Range

2 W.

M.

6	84	5	61	4	44	3	28	2	13	1
80		51		60		43		27		17
7	80	8	58	9	41	10	25	11	11	12
78		77		57		40		24		9
18	76	17	56	16	38	15	22	14	8	13
74		73		54		37		21		7
19	72	20	53	21	35	22	19	23	6	24
70		69		51		33		18		4
30	67	29	50	28	32	27	17	26	3	25
66		64		48		31		16		2
31	63	32	47	33	29	34	15	35	1	36

7.19. N. Range 2. W.

For description of  
instruments see Book  
1056 and

For preliminary notes see  
Book 1056

Survey commenced Oct 1st  
1878  
Survey completed Oct 3rd  
1878

10

Subdivisions T 19 N. R. 24.

Chains

From The Cor to Secs. 1, 2, 35<sup>th</sup> and 36<sup>th</sup>  
on the South By of the Township  
recently established by one  
I own.

North bet. Secs 35 and 36  
ra 13° 58 E

Over rolling Country

40.00 Set a Sandstone 13 x 13 x 4 ins  
8 ins in the ground  
for 1/4 Sec Cor. Marked 1/4 on W. face  
and raised a mound of Stone  
alongside, fits impracticable

80.00 Set a Sandstone 12 x 8 x 4 ins  
9 ins in the ground for Cor to  
Secs 25, 26, 35 and 36. Marked  
with 4 notches on S and E edges  
and raised a mound of stone  
alongside, fits impracticable

Surface rolling

Soil 3 rate

Dense cedar & oak brush

T 19 N R 2 W.

Chairs

East on a random line  
bet Secs 35 and 36  
Va 13° 32' E

over rough Country

3.60 Top of ridge bet N + S. descend

12.00 Foot of same " " "

40.00 Set temporary 1/4 Sec Cor

79.82 Intersect E B<sub>7</sub> of the 18 lbs S  
of the cor to Secs 25, 30, 31 and 34  
recently established by me  
Thence Saw

S 89° 52' W. on a true line

bet Secs 25 and 36, with same on

39.91 Set a Malpais Stone 18 x 5 x 4 ins  
12 ins in the ground for 1/4 Sec Cor  
Mark 1/4 on N face, from which  
a Juniper 8 ins diam bet N 41°  
E. 17 lbs. Marked 1/4 S. B. T.

A Juniper 8 ins diam bet N 36° W.  
34 lbs diam, Marked 1/4 S. B. T.

7.19 N. R. 2 W.

Chains

79.82 The Cor to Secs 25, 26, 35, and 36

Surface rough

Soil 4th rate

Dense Juniper Timber

North bet Secs 25 and 26

40.00 ~~Set~~ ~~Stone~~ ~~12~~ ~~x~~ ~~10~~ ~~x~~ ~~5~~ ins Va  $13^{\circ} 32' E$ 

40.00 Set a Sandstone  $12 \times 10, \times 5$  ins,  
 9 ins in the ground for 1/4 Sec  
 Cor. Marked 1/4 on W. face, and  
 raised a mound of stone alongside  
 pits impassible, from which  
 A Juniper 10 ins diam brs N.  $33^{\circ} E$ .

47 lbs dist. Marked 1/4 S. B. T.

~~100~~ ~~other~~ ~~ins~~ ~~within~~ ~~limits~~

80.00 Set a Sandstone  $14 \times 10 \times 6$  ins  
 9 ins in the ground for Cor to Secs  
 23, 24, 25 and 26. Marked with  
 2 notches on S, and 1 notch on  
 E edges. from which

J. 19 N. R. 2 W.

Chains

A Pinon 10 ins diam lvs N 128 E  
20 lvs dist, Marked J. 19 N. R. 2 W. S. 24 B. T.

A Pinon 7 ins diam. lvs S 38° E. 54  
lvs dist, Marked J. 19 N. R. 2 W. S. 25 B. T.

A Pinon 11 ins diam lvs S 32° W. 24  
lvs dist, Marked J. 19 N. R. 2 W. S. 26 B. T.

A Pinon 12 ins diam lvs N 89° W. 58  
lvs dist, Marked J. 19 N. R. 2 W. S. 23 B. T.

High point lvs N 35° W. 18 chs. dist

Surface rough

Soil 4th rate

Dense Juniper

East on a random line

bet Secs 24 and 25

N. 13° 33' E

Ascend

2,400, Top of ridge lvs N 8 S. and descend

2,880, Foot of ridge lvs N 8 S.

J. 19. N. R. 2. W.

Chains

40.00 Set Temporary 1/4 Sec Cor  
 80.32 Intersect E. By of the Sp<sup>38-40 lbs S. off</sup> the  
 Corner to Sections 19, 24, 25, and 30  
 recently established by me.

Thence I run

S. 87° 48' W. on a True line

bet Secs 24 and 25, with same va

40.16 Set a Melpais Stone 12 x 12 x 4 ins  
 8 ins in the ground for 1/4 Sec Cor.  
 Marked 1/4 on W face, from which

A Jarnifer 7 ins diam bro N 40°  
 E, 60 lbs dist. Marked 1/4 S. B. T.

A Jarnifer 9 ins diam. bro S. 83°  
 W, 41 lbs dist. Marked 1/4 S. B. T.

80.32 The Cor to Secs 23, 24, 25 and 26

Surface rough

Soil 24th rate Heavy

Dense Jarnifer

7.19 N. R. 24.

Chains

North bet Secs 23 and 24  
 Va  $13^{\circ} 32' E$

Asand

34.15 Top of ridge bet E &amp; W.

descend

40.00 Set a sandstone  $12 \times 8 \times 7$  ins. 9 ins  
 in the ground for  $1/4$  Sec Cor.Marked '14 on W. face, and raised  
 a mound of stone along side,

fits impracticable

56.00 Foot of Ridge bet E &amp; W.

41.00 Ascend high ridge bet E &amp; W.

80.00 Set a Sandstone  $18 \times 10 \times 10$  ins.12 ins in the ground, for Cor to  
 Secs 13, 14, 23 and 24, Markedwith 3 notches on S. and 1 notch  
 on E edges, and raised a moundof stone along side, fits impracticable  
 from whichA Juniper 14 ins diam bet N.  $58^{\circ} W$ .

57 W. dist. Marked 7.19 N. R. 24. S 14. 63.7.

No other trees within limits

7.19 N. R. 24 W.

Chains

Surface rough  
Soil 1/4 rate  
Dense juniper

---

East on a random line  
bet Secs 13 and 24.

On  $13^{\circ} 33' E$

12.50 Descend from Mountain top N + S.

33.55 Foot of Mountain top N + S.

40.00 Set Temporary 1/4 Sec Cor

80.50 Intersect ~~to~~ By of  $\frac{1}{4}$  Sec S. of  
the Cor to Secs 13, 18, 19 and 24  
recently established by me  
thence I run

$S. 89^{\circ} 33' W.$  on a true

line bet Secs 13 and 24, with same or

40.25 Set a Limestone  $12 \times 12 \times 7$  ins

9 ins in the ground, for 1/4 Sec Cor.  
marked 1/4 on N. face, from which

7.19 N. R. 2 W.

Chains

A Juniper 8 ins diam brs S. 47° E.  
77 lbs dist. Marked 1/4 S. B. I.

A Juniper 12 ins diam brs S 50° W  
34 lbs dist. Marked 1/4 S. B. I.

80.50 The Cor to Secs 13, 14, 23 and 24.

Surface rough

Soil 4th rate

Dense Juniper Timber

North bet Secs 13 and 14

Va 13° 32' E

Ascend

7.58 Descend from Mt brs N. E. &amp; S. W.

210.00 Set a Sandstone 14 x 16 x 10 ins,  
11 ins in the ground. for 1/4 Sec Cor  
marked 1/4 on W face. and raised  
a mound of Stone alongside  
pit impracticable.

80.00 Set a Malpais Stone 16 x 10 x 8 ins,

719 N R 2 W

## Chains

11 ins in the ground for Cor to Secs  
11, 12, 13 and 14. Marked with  
4 notches on S. and 1 notch on E edges.  
from which a

Juniper 10 ins diam brs N 84° E. 68  
lbs dist. Marked 719 N. R 2 W. S 12. B. T.

A Juniper 11 ins diam brs S 67° E. 14  
lbs dist. Marked 719 N. R 2 W. S 13. B. T.

A Juniper 8 ins diam brs S 43° W. 19  
lbs dist. Marked 719 N. R 2 W. S 14. B. T.

A Juniper 6 ins diam brs N 19° W.  
38 lbs dist. Marked 719 N. R 2 W. S 11. B. T.

Surface rough

Soil 4th rate

Dense Juniper

East on a random line  
bet Secs 12 and 13.

On 13° 32' E

719 N. R. 2 W.

Chavis

- Through Dense Juniper  
 40.00 Set temporary 1/4 Sec Cor -  
 71.00 Descend into Cañon to S.  
 80.12 Intersect E. By of Tp. 17th N of Cor to  
 Secs 7, 12, 13 and 18, recently established by me

Thence I run

N 89° 53' W, on a true line  
 bet Secs 12 and 13, with same va

- 40.06 Set a Malpais Stone 10 x 10 x 10 ins  
 7 ins in the ground for 1/4 Sec Cor.  
 Marked 1/4 on N face, from which  
 A Juniper 8 ins diam bet <sup>N 34° W</sup> ~~S~~ 78th  
 dis. Marked 1/4 S. B. T.

A Juniper 14 ins diam bet S 80° W  
 57th dis. Marked 1/4 S. B. T.

- 80.12 The Cor to Secs 11, 12, 13 and 14.

Surface rough

Soil 4th grade

Dense Juniper

7.19. N. R. 2 W.

Chains

North bet Seas 11 and 12  
 Va 13° 32' E

240.00 Set a Malpais Stone 18 x 10 x 7 ins  
 12 ins in the ground for 1/4 Sec Cor.  
 Marked 1/4 on N. face. from which  
 A Juniper 6 ins diam brs N 15° E  
 72 lbs dist. Marked 1/4 S. B.T.

A Juniper 8 ins diam. brs S 24° E  
 34 lbs dist. Marked 1/4 S. B.T.

80.00 Set a Malpais Stone 18 x 14 x 12 ins  
 12 ins in the ground for Cor to Seas  
 1, 2, 11, and 12. Marked with  
 5 notches on S. and 1 notch  
 on E. edges. from which

A Juniper 8 ins diam brs N. 55° E  
 79 lbs dist. Marked. 7.19 N. R. 2 W. S 1. B.T.

A Juniper 6 ins diam brs S 35° E  
 77 lbs dist. Marked 7.19 N. R. 2 W. S 12. B.T.

A Juniper 12 ins diam brs S. 43° W  
 82 lbs dist. Marked 7.19 N. R. 2 W. S 11 B.T.

719 N. R. 2 W.

Chains

A Juniper 5 ins diam brs  $N 9^{\circ} W$ .  
83 lbs dist, Marked 719 N. R. 2 W. S. 2. B. T.

Surface rolling

Soil 4<sup>th</sup> rate

Dense Juniper

East on a random line

Let Secs 1 and 12.

Var  $13^{\circ} 32' E$ 

Over rough surface

- 4000 Set temporary 1/4 Sec Cor-  
Descent into Cañon brs SE
- 70.50 Bottom of ravine brs SE. ascend
- 72.10 Top of Bank brs  $N. W. + S. E.$
- 73.00 Descend into Cañon brs S.
- 78.35 Middle of Cañon brs S. Ascend
- 80.42 Intersect the By of Sp 27 lbs S of Cor  
to Secs 1, 6, 7 and 12, which was  
recently established by me.
- Thence I run

7.19 N. R 2 W

Chains

- S.  $89^{\circ} 48'$  W on a true line  
 bet Secs 1 and 12, with same or  
 40.21 Set a Malpais Stone  $14 \times 8 \times 8$  ins  
 9 ins in the ground for  $\frac{1}{4}$  Sec Cor.  
 Marked '4 on N face, from which  
 A Juniper 10 ins diam br S.  $88^{\circ} E$   
 17 lbs dist, Marked '4 S. B. T.  
 A Juniper 15 ins diam br S.  $69^{\circ}$   
 W. 72 lbs dist, Marked '4 S. B. T.  
 80.42 The cor to Secs 1, 2, 11 and 12  
 Surface rough  
 Soil 4th rate  
 Dense Juniper

- North on a random line  
 bet Secs 1 and 2  
 or  $13^{\circ} 32' E$   
 Over rough country  
 40.00 Set temporary  $\frac{1}{4}$  Sec cor

7.1 N. R.2 W.

chains

79.84

Intersect N. By of Sp 17 lbs E  
of Cor to Secs 1, 2, 35 and 36  
recently established by me -  
Thence I run

S 0° 7' E, on a true line

bet Secs 1 and 2, with same Sta

39.84 Set a Melpais Stone 18x10x5 ins

12 ins in the ground for 1/4 Sec Cor  
Marked 14 on W face. from which

A Juniper 8 ins diam br N 40° W,  
16 lbs dist, Marked 14 S. B. T.

A Juniper 10 ins diam br S. 71° E, 81  
lbs dist, Marked 14 S. B. T.

79.84

The Cor to Secs 1, 2, 11 and 12

Surface rough

Soil 4th rate

Dense Juniper

I carefully examined the Solar  
adjustments of my Compass to day  
particularly the latitude and  
reversing apparatus, and found  
them correct.

7.19 N. R. 2 W.

Chains

From The Cor to Secs 2, 3, 34<sup>th</sup> and 35<sup>th</sup>  
on the S by of the sp. recently  
established by me.

From

North bet Secs 34 and 35  
On  $13^{\circ} 50' E$

40.00 Set a Sandstone  $14 \times 10 \times 10$  ins  
2 ins in the ground for  $\frac{1}{4}$  Sec Cor  
Marked  $\frac{1}{4}$  on N. face, from which  
A Juniper 8 ins diam brs  $N 14^{\circ} E$ ,  
41 lbs dist. Marked  $\frac{1}{4}$  S. B. T.

A Juniper 5 ins diam brs  $S 18^{\circ} E$   
72 lbs dist. Marked  $\frac{1}{4}$  S. B. T.

80.00 Set a Sandstone  $16 \times 8 \times 6$  ins  
11 ins in the ground for Cor to  
Secs 26, 27, 34 and 35, Marked  
with 1 notch on S. and 2 notches  
on E edges, from which

A Juniper 22 ins diam brs  
 $N. 60^{\circ} E$ , 20 lbs dist. Marked

7.19 N. R. 2 W.

7.19 N. R. 2 W. S. 24 B. T.

A Juniper 16 ins diam brs  $S 31^{\circ} E$ ,  
28 lbs dist. Marked 7.19 N. R. 2 W. S. 35. B. T.

A ~~Pinon~~ 8 ins diam brs  $S. 88^{\circ} W.$  11 lbs dist  
Marked 7.19 N. R. 2 W. S. 34. B. T.

A Juniper 14 ins diam brs  $N 42^{\circ} W.$  22 lbs  
dist. Marked 7.19 N. R. 2 W. S. 27. B. T.

Surface rough

Soil 4<sup>th</sup> note

Dense Juniper &amp; Pinon

East on a random line bet  
Secs 26 and 35,

On  $13^{\circ} 50' E$   
Ascend along S slope of high ridge  
40.00 Set temporary  $\frac{1}{4}$  Sec Cor.  
25.00 Top of ridge ~~discovered~~  
49.00 Foot of ridge brs E & W.

80.00 Intersect N & S line 12 lbs N. of  
Cor to Secs 25, 24, 35 and 34  
Thence from,  $N 89^{\circ} 55' West$ .

7, 19 N. R 2 W

Chains

on a true line bet Secs 26 and 35,  
with same Va.

4000 Set a Melpair Stone  $16 \times 10 \times 4$  ins  
11 ins in the ground for  $\frac{1}{4}$  Sec Cor.  
Marked  $\frac{1}{4}$  on N face, from which  
A Juniper 12 ins diam br N.  $84^\circ$   
17 lbs dist, Marked  $\frac{1}{4}$  S. B. T.

A Juniper 16 ins diam br N.  
25 lbs Marked  $\frac{1}{4}$  S. B. T.

8000 The Cor to Secs 26, 27, 34 and 35.  
Surface Rough  
Soil 4th rate  
Dense Juniper

North bet Secs 26 and 27  
Va  $13^\circ 50'$  E

Scene

21000 Set a Sandstone  $16 \times 6 \times 6$  ins  
11 ins in the ground for  $\frac{1}{4}$  Sec Cor

J. 19 N. R. 2 W.

Chairs

marked '4 on N. face from which

A Juniper 10 ins diam brs N. 18° E  
37 lbs dia; marked '4 S. B. J.

A Pinon 8 ins diam brs S. 14° W.  
48 lbs dia; marked '4 S. B. J.

Foot of Mt brs E + N. Ascend.

74.00 Top of Mt brs E + W over same

80.00 Set a Malpais Stone 14 x 14 x 4 ins  
9 ins in the ground for Cor to Secs

22, 23, 26 and 27, marked with 2  
switches on E edges, and 2 pins  
a mound of 2 pins on N side. Pils' impression  
Surface of Mountainous

Soil H<sup>th</sup> vete

Dense Scrubby Juniper

Coast on a random line

bet Secs 23 and 26.

(N 13° 30' E

Descend along Top of mt brs E + N.

35.00 Foot of Mt brs E + N. Ascend

7.19 N. R. S. W.

chains

40.00 Set Temporary  $\frac{1}{4}$  Sec Cor

80.44 Intersect N and S line  $\frac{3}{4}$  lbs S of  
Cor to Secs 23, 24, 25 and 26.

Thence Town

S.  $89^{\circ}50'$  W. on a True line  
bet Secs 23 and 26, with same Va.

40.32 Set a Sandstone  $18 \times 18 \times 6$  ins,

12 ins in the ground for  $\frac{1}{4}$  Sec  
Cor. Marked  $\frac{1}{4}$  on N face.

and raised a mound of stone  
alongside, fits impracticable

80.44 The Cor to Secs 23, 23, 26<sup>rd</sup> 27.

Surface Mountainous

Soil 4<sup>th</sup> rate

Dense scrubby juniper

North bet Secs 22 and 23

Va  $13^{\circ}50'$  E

descend

## T. 19 N. R. 2 W

Chains

13.25 Foot of Mtn hrs E + W, ascend Ridge hrs E + W,

39.00 Top of Mtn ridge hrs E + W, descend

40.00 Set a Sandstone 16 x 12 x 5 ins

11 ins in the ground for 1/4 Sec Cor.

Marked 1/4 on W. face, from which

A Juniper 10 ins diam hrs S. 26° E  
22 lbs dist. Marked 1/4 S. B. I.A Juniper 12 ins diam hrs S. 26° W.  
25 lbs dist. Marked 1/4 S. B. I.

48.40 Top of ridge hrs E + W, and descend.

48.00 Foot of Mtn hrs E + W Ascend.

80.00 Set a Sandstone 20 x 10 x 4 ins, 15 ins

in the ground for cor to Secs 14, 15

22 and 23, Marked with 3 notches  
on S. and 2 notches on E edges,and raised a mound of Stone  
alongside, pits impracticable,  
from which.A Juniper 12 ins diam hrs S. 38°  
E. 24 lbs dist. Marked T. 19 N. R. 2 W.

T. 19 N. R. 2 W.

Chains

S 23. B.T. no other trees within limits  
 Surface Mountainous  
 Soil 4<sup>th</sup> rate  
 Dense Juniper & pine,  
 Oak and Manzanita brush

---

East on a random line  
 bet Secs 14 and 23.

( $\approx 13^{\circ} 50' E$ )

Descend

- 33.00 Foot of Mtn br NE + S.W.  
 33.30 Ascend mtn br " "  
 40.00 Set Temporary 1/4 Sec Cor  
 40.45 Top of Mtn br NE + S.W. and  
 over same  
 79.80 Intersect N and S line He Hs  
 S of Cor to Sec 13, 14, 23 and 24  
 thence I run.  
 S  $89^{\circ} 53'$  N. on a True line

7.19 N. R. 2 W.

Charris

37.90 Set a Sandstone  $12 \times 10 \times 10$  ins  
9 ins in the ground for '14 Sec  
Cor. Marked '14 on N face, and  
raised a mound of stone alongside  
pits impracticable.

79.80 The Cor to Secs 14, 15, 22 and 23.

Surface Mountainous

Soil 4th rate + Stony

Dense pines + Juniper

Dense Manzanita brush

North bet Secs 14 and 13  
Va  $13^{\circ} 30' E$

Ascend

6.50 Top of hill bet N.E. + S.W. Ascend  
to top of high mtn bet N.E. + S.W.

210.00 Set a Sandstone  $12 \times 12 \times 10$  ins  
9 ins in the ground for '14 Sec Cor.

T. 19 N. R. 2 W.

chains

Marked '4 on W face and raised  
a mound of stone alongside,  
fits, impracticable.

80.00 Set a Sandstone 18 x 12 x 6 ins  
12 ins in the ground for loc to  
Secs 10, 11, 14 and 15. Marked  
with 4 notches on S, and 2 notches  
on E edges, from which

A Pinon 8 ins diam brs N 11° E  
64 lks dist. Marked T. 19 N. R. 2 W.  
S 11 B.T.

A Pinon 11 ins diam brs S. 78° E  
89 lks dist. Marked T. 19 N. R. 2 W.  
S 14 B.T.

A Juniper 12 ins diam brs N 18° W  
19 lks dist. Marked T. 19 N. R. 2 W.  
S 10 B.T.

A Juniper 14 ins diam brs S  
30° W. 63 lks dist. Marked T. 19 N.  
R. 2 W. S 15. B.T.

T. 19 N. R. 2 W.

Chains

Surface Mountainous  
Soil 4<sup>th</sup> rateDense ferns + Pinon timber  
Dense Manzanita brushEast on a random line  
bet Secs 11 and 14  
(Va 13° 50' E)

Over Top of Mtn

- 11.45 Descend from Mtn to N.E. + S.W.  
 38.50 Foot of Mtn to N.E. + S.W.  
 40.00 Set temporary 1/4 Sec Cor.  
 Ascend Mtn to N.E. + S.W.  
 46.00 descend from top of same  
 76.00 Foot of Mtn to N.W. + S.E.  
 80.18 Intersect N + S line 18<sup>th</sup> S of Cor  
 To Secs 11, 12, 13 + 14  
 Thence down  
 S 89° 52' W. on a true line

7. 19. N. R. 2 W.

Chains

4007 Let Secs 11 and 14, with same sec  
 Set a Sandstone 11 x 10 x 6 ins  
 7 ins in the ground for 1/4 Sec  
 Cor. Mark 1/4 on N face  
 from which. A Juniper 10 ins diam  
 br S 84° W, 94 lbs dist. marked  
 1/4 S. B. J.

A Juniper 9 ins diam br  
 N 61° W, 18 lbs dist. Marked 1/4 S. B. J.  
 80.18 The Cor to Secs 10, 11, 14 and 15;  
 Surface Mountainous  
 Soil 4<sup>th</sup> note  
 Dense Juniper timber

North bet Secs 10 and 11  
 Va 13° 50' E

Descend NW, br N.E. & S.W.

30.45 Foot of " Ascend another  
 40.00 A Sandstone in place

T. 19 N. R. 2 W.

Chains

which I  
 4 x 3 x 3 ft. Marked X, at corner.  
 point, and 1/4 on W face, for 1/4 Sec  
 Cor, and raised a mound of  
 Stone along side, pits impracticable  
 from which. A jarvises 11 ins diam  
 bro W. 7 lks, dist. Marke 1/4 S. B. J.  
 no other lines within limits.  
 37.50 Top of Mountain bro N W S. E.

80.00 Set a Malpais Stone 30 x 20 x 20  
 ins 22 ins in the ganna for Cor to  
 Secs 2, 3, 10 and 11. Marked  
 with 5 notches on S, and 2 notches  
 on E edges, and raised a mound of  
 Stone along side, pits impracticable  
 from which a Pinon 10 ins diam  
 bro S 43° E, 38 lks dist, Marked  
 T. 19 N. R. 2 W. S 11 B. J.  
 no other lines within limits.  
 Surface Mountainous  
 Soil 4<sup>th</sup> rate  
 Dense jarvises and pines

7.19 N. R. 2 W.

Chains

East on a random line  
bet Secs 2 and 11

$\alpha$   $13^{\circ} 50' E$

75 Descend Mesa to N.W. & S.E.

20.00 Foot of " " " "

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

80.00 Intersect N & S line  $\frac{1}{4}$  the S of  
Cor to Secs 1, 2, 11 and 12

Thence four

$S 89^{\circ} 34' W.$  on a true line  
bet Secs 2 and 11, with same  $\alpha$

40.00 Set a red sandstone  $12 \times 10 \times 6$  ins  
9 ins in the ground for  $\frac{1}{4}$  Sec Cor,  
marked  $\frac{1}{4}$  on N face, from  
which. A juniper 8 ins diam  
to  $S 79^{\circ} E.$  46 the dist, marked  
 $\frac{1}{4}$  S.B.T. A juniper 14 ins diam  
to  $N 71^{\circ} W.$  32 the dist, marked  
 $\frac{1}{4}$  S.B.T.

80.00 The Cor to Secs 2, 3, 10 & 11.

T. 19 N. R. 2 W.

Chains

Surface rough & rolling  
 Soil 4<sup>th</sup> rate  
 Dense Juniper timber

North on a random line  
 bet Secs 2 and 3

Va  $13^{\circ} 30' E$

Descend

4000 Set Temporary  $\frac{1}{4}$  Sec Cor.

48.00 Foot of Mesa br N W & S E.

77.90 Intersect - N By of Tp. 18 N to  
 of the Cor to Secs. 2, 3, 34 and 35 <sup>travelling</sup>  
<sup>established by me</sup>  
 thence down

$800^{\circ} 8' E$  on a true line  
 bet Secs 2 and 3 with same va

3790 Set a Malpais Stone  $16 \times 6 \times 5$  ins  
 11 ins the ground for  $\frac{1}{4}$  Sec Cor  
 Marked  $\frac{1}{4}$  on W face, from which  
 A Juniper 8 ins diam br N  $17^{\circ} E$

T. 19 N. R. 2 W.

chains

71 lbs dist; Marked  $\frac{1}{4}$  S, B. J.

A Juniper 9 ins diam brs S 8° W

40 lbs dist; Marked  $\frac{1}{4}$  S, B. J.

79.90 The Cor to Secs 2, 3, 10 and 11

Surface rough

Soil 4<sup>th</sup> rate.

Dense Juniper

From the Cor. to Secs  
3, 4, 33 & 34 on the S. E.  
of the Sp. recently established  
by me. Cor. to  
North wt. Secs. 33 & 34  
Va. 13058'E.

Over high mountainous  
land

6000 ft a sandstone

17x12x8 ins, 12 ins. in  
the ground for

7.19 N. R. 2 W.

chains

14 Cu. Sp. marked  
 14 on N. face, and  
 raised a mound  
 of stone along side  
 of Pit impracticable from which  
 a quimper is in diam.

Sp. 2100 E. by links  
 dist. marked 14 S. W. V  
 no <sup>part</sup> <sup>of</sup> <sup>the</sup> <sup>stone</sup> <sup>was</sup> <sup>within</sup> <sup>limits</sup>  
 of a sandstone 12 x 8

ins, 11 ins. in the ground  
 for loc. to Aug 27, 28,  
 29 & marked with  
 1 mark on S. and 3  
 notches on E. edge,  
 and raised a mound  
 of stone along side  
 of Pit impracticable  
 Surface mountainous  
 Soil 2nd. rate  
 Dense juniper brush

S. 19 St. R. 2 H.

Chain

East on random  
line bet. Secs. 27 & 34  
Va.  $130^{\circ} 58' E$ ,

Down

34.00

Foot of mt. ridge  
br. Et. & H. and

ascend gradually

4000

Set level prism  $14$  Sec. 26.

8004

Julius N. & S. line

8 links N. of the Sec.

to Secs. 26, 27, 24 & 35

Then down N.  $89^{\circ} 57' N$ ,

on a true line bet.

Secs. 27 and 34 with-

same in.

41.02

Set a sandstone

$16 \times 15 \times 12$  in.  $11$  in. in

the ground for

$14$  Sec. 26. Unmarked

$14$  on N. face.

J. 19 A. R. 27.

Chair

and raised a mound  
of stone alongside,  
Pit impracticable

8004 The loc. to Secs. 27, 28, 33 & 34  
Surface mountainous  
Soil red. rot  
Dense brush  
grass fair

North lat. Secs. 27 and 28  
Va. 13° 58' E.

4000 Set a sandstone 18x12x8  
ins. 12 ins. in the  
ground for 1/4 Sec. loc.  
marked 1/4 on W. face  
and raised a  
mound of stone alongside.

8000 Pit impracticable  
Set a sandstone  
20x14x11 ins. 15 ins.

J. 19 cr. A. 2 H.

Chavis

Some in the ground  
for 4000. No Secs  
21, 22, 27 & 28 marked  
with 2 notches on  
E. and 3 notches on  
E. edge, and raised  
a mound of stone  
alongside

Pith impracticable  
surface mountainous  
Soil Ed. etc.

Dense Pinon and  
mangavila brush

East on a sandstone  
lim. tet. Secs. 22 & 27  
Va. 13058 E.

Dug out over ant. ridges  
that a stump  
the Secs flex. in

4000

Oct. 1944. P. 27.

Chavis

- 49.00 Dug sand ridge 714
- 68.00 Top of same hole  
N. W. & S. E. and dug
- 80.24 Dug out 1st & 2nd line  
14 pucks of the  
lev. to Dec. 22, 23,  
26 and 27 then  
Dug N. 89° 54' W.  
on a true line bet.  
Dec. 22 & 27 with same  
va.
- 49.12 Set a sand stone 17x10x8  
ins. 11 ins. in the ground  
for 14 Dec. lev. worked  
14 on N. face. and  
said a mound  
of stone. along side  
of pit supported the  
from with a C-moir  
5 ins. in diam. to.

J. 19 St. Q. 2 St.

Chains

8024 S. 81° E. 8 links dist.  
marked 1/4 Sec. 5.  
The cor. to Sec. 5.

21, 22, 27 and 28  
Surface mountainous  
Soil Est. rate  
Dense juniper aged  
Pine brush  
Grass fair

4000 North Pt. Sec. 21822  
Va. 13° 5-8' E.  
Set a walpole rock  
14x10x7 ins. 9 ins. in  
the ground for  
1/4 Sec. 5. marked  
1/4 on N. face,  
and raised a  
mound of stone  
along side.

No. 1056

J. 1904. P. 2 A.

## Chains

Pit unprofitable  
 from which a portion  
 14 ins. in diam. to  
 120 ft. 184 links dist.  
 marked 4 S. B. J.

No other trees within limits

43.20 Dry wash bed, S. 12 links  
 wide

44.00 ascend ridge to S. E. & N.

53.00 Top of same descent

68.30 Bottom of ridge to S.  
 E. & N. and over rough  
 country

80.00 Set 1 sandstone 18x11x7  
 ins. 12 ins. in the ground  
 for loc. to Secs. 15, 16,  
 21 and 22 marked  
 with 3 notches on  
 S. and E. edge.  
 and raised a

Oct 19<sup>th</sup> A. R. 2<sup>nd</sup> A.

Chains

mound of stone  
along side.

Rift impracticable  
Surface mountainous  
Soil 2<sup>nd</sup> rate  
Dense scrub cedar  
and gumfer  
grass scattering

East on a sandstone  
line bet. Sec. 15 and 22

Var. 14° E.

40.00 Set temporary 14 Sec. Cor.  
ascend

43.00 Top of ridge 15. Sec. 15  
Set and descend

80.14 Outward cor. and  
S. line 10 links  
cor. of the Sec. to  
Sub. 14, 15, 22 & 23

O. 19 St. R. 2 St.

Chains

Thence down St. 99° 58' N.  
over true line bet. Secs.  
15 and 22 with  
square at

4007

Set a sandstone 14x12x12  
ins. 9 ins. in the ground  
for 1/4 hr. Cor. marked  
1/4 on St. face, and  
raised a mound of  
stone alongside.

Pit's unpracticable

80.14

The Cor. to Secs. 15, 16, 21 & 22  
Surface mountainous  
Soil 2nd rate  
Dense brush  
Some grass

North bet. Secs. 15 and 16  
Va. 140 E.  
around

J. 19 St. R. 2 St.

Chairs

- 23.00 Top of high mt. to  
E. of H. and descend
- 40.00 Set a sandstone 18x12x5  
ins. 12 ins. in the ground  
for "4" cu. Cor. marked  
"4" on N. face and  
raised a mound of  
stone alongside.  
Pit impracticable
- 80.00 Set a sandstone 17x10x8  
ins. 11 ins. in the  
ground for Cor.  
of to Secs. 9, 10, 15 & 16  
marked with 4 notches  
on S. and 3 notches  
on E. edge, and  
raised a mound of  
stone alongside.  
Pit impracticable  
from which a

S. 19 N. Q. 2 N.

Chains

Puoiu 5 miles NW. from Sta.  
 Sta. 100 E. 184 links dist.  
 marked S. 19 N. Q. 2 N.

S. 10 B. V.

Depth trees within limits  
 Surface mountainous

April End. rate

Quartz Puoiu and  
 granite trunk

East from <sup>of</sup> ~~quartz~~ <sup>line</sup> ~~line~~ <sup>to</sup> ~~to~~  
 East, Feb. Dec. 18 <sup>and</sup> 15  
 Va. 13058° E.

Over high mountainous  
 country

40.00 Feb. 18 <sup>from</sup> ~~from~~ "4 Sec. Cor.

80.20 ~~Quartz~~ <sup>to</sup> ~~to~~ S. 10 S. line

14 links S. of the

line. to Feb. 10. 11. 14 & 15

Thence from S. 89° 54' N.  
 on a true base Feb.

J. 19 dt. A. 2 H.

Chairs

4010

Dec. 10 and 15  
with-came ca.  
Set a sandstone  
14x12x11 ins. Fries in  
the ground for "4"  
ft. hor. marked  
"4 on st. for and  
raised a mound  
of stone along side  
Pit unpracticable

4020

Thy hor. to Dec. 9, 10, 15 & 16  
Surface mountainous  
Soil 4th rate  
Dune Quire brush

North pt. Dec. 9 and 10  
Va. 13° 58' E.

4000

Over rough country  
Set a molasse rock  
16x14x12 ins. 11 ins

2.19 St. R. 2 N.

Chairs

in the ground for "4"  
 Sec. Cor. marked "4" on  
 N. face, and raised  
 a mound of stone  
 alongside. Pit  
 impracticable  
 fork which a juniper 5  
 ins. in diam. to  
 Nut 173 links dist.  
 marked "4" S.E. 5.

8000

Stogolpa trees within limits  
 Pit a sandstone 19x12  
 x7 ins, 15 ins in the ground  
 for Cor. to Sec, 24, 9 r/s  
 marked with 5 notches  
 on S. and 3 notches on  
 E. edge, and raised  
 a mound of stone  
 alongside  
 Pit impracticable

J. 19 N. R. 2. A.  
 Chair

Surface mountainous  
 Soil E. side  
 Some scrubby juniper  
 and Amorpha & bush  
 No grass

East on a sandstone  
 line bet. Secs 3 and 10

40.00

<sup>70.13058° E</sup>  
 Set temporary  
 by Sec. line

80.00

Intersect. at 100  
 miles 22 miles  
 N. of the Sec. to  
 Secs. 2, 3, 10 & 11

Then a I run N.  
 79.51° W. on a true  
 line bet. Secs.  
 3 and 10 with same  
 ch.

J. 19th. R. 2 St.

Claims

40.00 - Set a malpais rock  
17x10x6 ins. 11 ins. in  
the ground for "4  
Sec. Cor. marked  
"4 on N. face. and  
raised a mound  
of stone alongside.

70.10 The cor. to Secs. 3, 4, 9 and 10  
Surface broken  
Set End. rate

Dune juniper bush

North on a sandow  
line bet. Secs. 3 and 4  
Va. 13058'E.

28.00 Cor. on dry wash 20 lbs.  
wide bet. NE.

40.00 Set temporary "4 Sec.  
cor.

J. 19 N. R. 2 N. >

Chains

- 70.16 Inlet - St. Bay. of the  
 Sp. 19 miles N. of  
 the Cor. to Secs.  
 3, 4, 8, 9, and 10 marked  
 Which was recently  
 established by one  
 Thomas Brown S. 008176  
 on a true line bet.  
 Secs. 3 and 4 with  
 same ca.
- 40.16 Set a well pair rock  
 17x12x6 ins. 11 ins.  
 in the ground for 114  
 Sec. Cor. marked  
 114 on N. face, and  
 raised a mound  
 of stone along with.  
 Pit impracticable
- 80.16 The Cor. to Secs.  
 3, 4, 9 and 10

S. 19 N. R. 2 T.

Chains

Survey rough  
 S. 19 N. R. 2 T.  
Dense juniper brush

I carefully examined the  
 adjustments of my  
 solar compass. Today  
 particularly the latitude  
 and reversing  
 apparatus and found  
 them correct.

Jan 19 A. R. 2 H.  
Davis

From the loc. to  
Sec. 4.5, 32533 on  
the S. Coy. of the T.  
county of established  
by me. I run  
back to Sec. 32533  
Va. 13° 58' E.

400

Descend into valley

40.00

Set a nailpoint rock  
14x8x7 ins. 9 ins. in  
the ground for "4 Sec.  
loc. marked "4  
on N. face. and  
raised a mound  
of stone alongside.

Pit impracticable

48.00

Ascend steep mountain  
to S. N.E. base of N.

74.50

Top of high mesa thence  
over high mountains

J. 19 A. R. 2 H.

Davis

8000 <sup>country</sup> Set a malpais rock  
 18x17x12 ins. 12 ins. in  
 the ground for lev.  
 to Secs. 28, 29, 32 & 33  
 marked with 1 notch on  
 S. and 4 notches on  
 E. edge. and raised  
 a mound of stone  
 along side.

Partly impracticable  
 surface mountainous  
 Soil 3rd. etc

Dense juniper and  
 manzanita brush

East on a random  
 line bet. Secs. 28<sup>th</sup> and 33.

Va. 13° 58' E.

Over mountainous country

J. 19 N. R. 2 H.

Chavis

- 5.60 Descend from mt. top.  
N.E. & S.W.
- 40.00 Set temporary "4 Sec. Co.  
Foot of mt. top.  
N.E. and S.W.
- and around
- 50.16 Intersect - N.S. line  
10 miles N. of the terr.  
to Secs. 27, 28, 33 & 34  
Thence I run N. 89° 56' W.  
on a true line to  
Secs. 28 and 33 with  
same as.
- 40.08 Set a malpais  
rock 16 x 14 x 8 ins.  
11 ins. in the ground  
for "4 Sec. terr.  
marked "4 on N. line  
and raised a mound  
of stone alongside.

J. 19 N. R. 2 H.

Chains

80.16 Pits impracticable  
 The loc. to Secs. 28, 29, 32 & 33  
 Sumner mountains

Set 2nd. rate  
 Done ginger and  
 mang with fresh

North lat. Secs. 28 and 29  
 Va. 13058' E.

4000 Over mountainous country  
 Set a malpais  
 rock 17x12x8 ins. 12  
 ins. in the ground  
 for 14 Sec. loc.  
 marked 14 set.

Free and raised a  
 mound of stone alongside  
 Pits, impracticable

8000 Set a sandstone  
 17x6x5 ins. 12 ins. in

July 19 at A. 2 N.

Chains

The ground for Cor.  
to Secs. 20, 21, 28 & 29  
marked with 2 notches  
on S. and 4 notches on  
E. edge, and raised  
a mound of stone  
along side. pit  
unappreciable.

Surface mountainous  
Soil 2d. red.

Dune monogameta frank

East on a random  
line bet. Secs. 21 and 28

Va. 13° 58' E.

Over rough country

40.00

Set temporary 14 Sec. Cor.

63.00

Dry work 16 links

side. Sec. S.E. ground

80.46

Subtract A to S line

V. 19 Ch. Q. 2 H.

Chain

12 links N. of the Cor.  
to Secs. 21, 22, 27 & 28  
Thence S. run N. of 19<sup>th</sup> Ch. H.  
on a true line to  
Secs. 21 and 28 with  
Lump on.

4003

Set a sandstone 16x8x7  
in. 11 in. in the  
ground for "4 Sec. Cor.  
marked "4 on N. face  
and raised a mound  
of stone along side  
Pit's unproductive

8006

The Cor. to Secs. 20, 21, 28,  
and 29

Surface rough  
Soil Fert. rate.

Dune mangrove brush

J. 19 St. R. 2 H.

Chambers

North bet. Dec. 2002  
Va. 120581E.

4000 Over rough country  
Set a malpais rock  
14x10x6 ins. 9 ins. in  
the ground for "C"  
Dec. 16. 2002. Marked  
"4000 St. Jan and  
raised a mound  
of stone along side  
Pit impracticable  
57.00 Dry wharf 20 links wide  
Dec. 17.

61.00 Enter dead and fallen timber  
80.00 Set a sandstone 16x12x4  
ins. 11 ins. in the  
ground for Cor. to  
Dec. 16, 17, 2002/  
marked with 8 notches  
on S. and 4 notches

J. 19 A. R. 27.

Stems

on E. edge, and  
 raised a mound of  
 stone alongside.  
 City impracticable  
 Surface rough  
 Soil red. with  
 dense undergrowth of  
 mangrove and  
 Bursera brush

Entered a random line to Decs. 16 and 21  
 Over rough country  
 Va. 13° 57' 8" E.

36.46

Ravine lev. c. 71.

4000

Set temporary "4" Sec. cor.

79.86

Intersect. gr. s. line  
 12 link S. of the  
 cor. to Sec. 15, 16, 21, 22  
~~marked with 2 stakes  
 on S. and 4 stakes  
 on E. edge, and  
 raised a mound~~

J. 19 cr. R. 2 H.

Chassis

Found I saw 84055 ft  
only a few lines but  
Dec. 16 and 21 with  
same on.

39.93

Set a sandstone  
16x12x10 ins. 11 ins. in  
the ground for 114  
ft. Cor. marked  
114 on N. face and  
raised a mound  
of stone alongside.

79.86

Pits impracticable  
The Cor. to Dec. 16, 17,  
20 and 21

Surface rough  
Soil 2nd. note  
Dune mangroves  
and pinon brush

D. 19 St. R. 2 N.

Quind

North St. Sec. 16 and 17  
 Va. 130 58'E

around

22.00

Top of mt. ridge trs.  
 E. for St. discont

4000

Foot of ridge and  
 Set a sandstone  
 15 x 10 x 8 ins. 10 ins. in  
 the ground for 44  
 Sec. Cor. marked  
 44 on N. face. and  
 raised a mound  
 of stone alongside  
 of it, impracticable.

8000

Set a malpais  
 rock 18 x 10 x 10 ins.  
 12 ins. in the ground  
 for Cor. to Secs.  
 8, 9, 16 & 17 marked with  
 4 notches on S. and E.

J. 1904. R. 27

Chains

edges and raised a  
mound of stone  
alongside.

Pit, impracticable  
Surface mountainous  
Soil red. rate

Dense Juniper and  
Pine brush, and  
dead and fallen timber

East on a road on line  
bet. Lws. 9 and 16

$29.13058^{\circ}$

Over broken country  
Set ranging 14

4000

5022

Intersect Lws. 9 & line  
16 links N. of the  
Lws. to Lws. 9, 10, 16 -  
and 16 Thence I  
run at  $89^{\circ}53'$  N. on

D. 19 St. R. 2 St.

Chairs

40.11

a true line bet Secs.  
9 and 16 with same op.  
Set a malpais rock  
17x12x8 ins 12 ins in  
the ground for "4  
The W. marked  
"4 on N. face. and  
raised a mound  
of stone alongside  
of pits unpracticable

8022

The loc. to Secs. 8, 9, 16 or 17  
Surface broken  
Soft red soil  
Dense manganita and  
Pumice bank

---

North bet. Secs. 8 and 9  
Va. 13058 E.

Over rough country  
through dense undergrowth

J. 19 St. R. 2 H.

Chairs

4000

Set a malpais  
rock  $16 \times 10 \times 6$  ins. 11  
ins. in the ground  
for "4 Sec. Cor.  
marked "4 on N.  
face, and raised  
a mound of stone  
alongside.

Pip. impracticable

8000

Set a malpais rock  
 $18 \times 9 \times 7$  ins. 12 ins.  
in the ground for  
Cor. to Sec.  
4. 5. 8. 9 marked  
with 5 notches on S.  
and 4 notches on E. edge.  
and raised a mound of  
stone alongside.

Pip. impracticable  
Surface rough

J. 19 N. R. 2 St.

Chassis

Soil 2nd. rate  
Dense Pinon and  
mangonilla brush

East on a road down  
line bet. Secs. 4 and 9  
T<sub>4</sub>, 130°58'E.

Very rough country

38.00 Arroyo 16 links inside  
leg of St.

40.00 Set temporary "4 Sec. Cor.

80.12 Intersect. N. & S. line.

18 links S. of the Cor.  
to Secs. 3, 4, 9 and 10

Thence I run S. 89°52'E.  
on a true line bet.  
Secs. 4 and 9 with

2 pins or 2.

40.00 Set a limestone 15x12x4  
ins. 10 ins. in the

J. 19 St. R. 2 H.

Chain

ground for "4 Sec. Cor.  
marked "4 on N. face  
and raised a mound  
of stone along side  
Pits impracticable

80.12

The Cor. to Sec.

4, 5, 8 and 9  
Surface rough  
Cold Ind. rate

Dune juniper bush

North on a sandbar  
line bet. Secs. 4 and 5

Va. 1305814

4000

Discovered gradually  
Set temporary  
"4 Sec. Mon.

80.24

Impracticable N. by. of  
the township. It  
looks N. of the

Dec. 1944. R. 2 N.

Quinn

Cor. to Secs. 4, 5, 32 and 33  
which was recently  
established by me.

There is a line

S. 0° 6' N. on a town  
line bet. Secs. 4 and 5  
with same m.

40.24

Set a malpais rock  
18 x 12 x 4 ins. in  
the ground for  
the cor. marked  
"4" on N. face and  
raised a mound  
of stone alongside.

80.24 The cor. to Secs. 4, 5, 8, 9  
Surface rough  
Soft End. note  
Dug gumbo trash  
Some bones

J. 19<sup>th</sup> R. 2<sup>nd</sup> N.

Chains

From the Cor. to Secs.  
5, 6, 31 and 32 on the  
S. E. of the 1<sup>st</sup> 1/2  
section situated  
by J. M. Bryan  
North of Secs. 31 and 32  
T. 13<sup>th</sup> S. R. 2<sup>nd</sup> E.

45.00

Corner setting surface  
Set a sandstone  
14 x 10 x 7 ins. 9 ins. in  
the ground for  
14 Sec. Cor. marked  
4 on N. face, and  
raised a mound  
of stone along side.  
Rip unprofitable

47.00

Shank 12 inch wide  
40 ft.

8.000

Set a sandstone  
16 x 7 x 6 ins. 11 ins.

J. 19-1. R. & H.

Chains

in the ground for  
 long to ~~the~~ marked  
 29, 30, 31 and 32  
 marked with 1  
 notch on S. and  
 5 notches on E. edge,  
 and raised a mound  
 of soft glaucous soil.  
 Pit, impracticable  
 surface rolling  
 Soil 3rd. notch.  
 Scattering juniper  
 good of quartz

East on a sandstone  
 line bet. Secs 29 and 32  
 Va. 13° 58' E.

Ascend gradually

1st temporary 14 Sec. Co.

Enter divide undergrowth

4.00

6.3.00

J. 19 N. R. 27

Chains

80.08 Intersect N. and S  
 line 4 miles S. of the  
 cor. to Secs. 28, 29,  
 32 and 33 thence S  
 run S. 89° 57' W. on a  
 true line bet. Secs.  
 29 and 32 with: same on

40.04 Set a sandstone  
 17x10x6 ins. 4 ins. in  
 the ground for 14  
 Sec. cor. marked  
 114 on N. face; dug  
 pit. 18x18 x 12 ins.  
 E. & N. of stone 5 1/2  
 ft. dist. and raised  
 a mound of earth  
 1 1/2 ft. high 8 1/2 ft.  
 bare along side

80.08 The cor. to Secs. 29, 30  
 31 and 32

T. 19 N. R. 2 W.

Surface rolling and rough  
Soil. 2nd. rate  
good grass  
Dunn River trail 1700 lbs.

Start on a random line  
bet. Secs. 30 and 31

Va. 1305-8<sup>th</sup> E.

Over rough & country

23.00

Dry wash 30 huts

While Sec. 3. ascend

40.00

Set temporary 14 sec. line

87.96

Intersect N. 27<sup>th</sup> of  
the Tp. 27 miles N.

of the Co. to Secs.  
25. 30. 31 and 36 which  
was recently established  
by me. Thence

Dunn N. 89° 4.8' E.  
on a true line bet.

J. 19 St. R. 2 St.

Chains

Secs. 30 and 31

with same ca.

47.96 Set a limestone 12x10x9  
ins. Suis. in the ground  
for 14 Sec. line, marked  
14 on N. face, and  
raised a mound  
of stone alongside  
Pit. impracticable

87.96 The line to Secs. 29, 30,  
31 and 32

Surface rough & rolling  
Soil 2nd. rate

Scattering juniper brush

At Nth. bet. Secs. 29 and 30

Va. 18° 58' E.

1000 Enter dense undergrowth  
of juniper and quon  
of Mrs. E. & St.

J. 19 A. R. 2. H.

Chavis

- 24.85  
40.00
- Set 12 links wide to N. H.  
Set a limestone 12x  
12x5 ins. 8 ins. in the  
ground for "4" Sec. Cor.  
marked "4" on N. face  
and raised a mound  
of stone alongside.  
Pit impracticable
- 80.00
- Set a limestone 14x10x8  
ins. 9 ins. in the ground  
for Cor. to Secs. 19, 20,  
29 and 30 marked  
with 2 notches on S.  
and 5 notches on E. edge.  
and raised a mound of  
stone alongside.  
Pit impracticable  
Surface rough  
Spot 2nd. water  
Dune jumps and previous  
trunk of 5 Chs.

J. 19 A. R. 2 H.

Chairs

East on a raydown  
line bet. Dec. 20<sup>th</sup> and 29<sup>th</sup>  
No. 1308' c.

4000

Over rough country  
Set temporary 114  
Sec. loc.

79.91

Intersect. N. & S. line  
11 miles N. of the  
loc. to Dec. 20, 21, 28 & 29  
at this point  
N. 89° 55' W. on a  
large chair about  
Dec. 20 and 29  
with same loc.

39.95

Set a mark on rock  
16 x 8 x 8 ins. 11 ins. in  
the ground for 114  
Sec. loc. marked  
114 on N. face and  
raised a mound

J. 1911. R. 2 H.

Leaves

of stone along side  
 of pits impracticable

7991

The loc. to Secs. 19, 29,  
 29 and 30

Surface rough  
 Soil 2nd. nat.

Dense juniper and Pinon  
 brush

---

Went on a ray down  
 line bet. Secs. 19<sup>th</sup> & 30<sup>th</sup>  
 Va.  $130^{\circ} 58' E$ .

Over rough country  
 Dry wash 28' thick  
 wide loc. S.

36.10

4000

87.80

Set temporary 14 Sec. Cor.  
 Enter at N. E. of  
 the Sp. 16 miles S  
 of the loc. to Secs  
 19, 24, 25<sup>th</sup> and 30 which

J. 19th R. 2 H.

Stains

was recently established  
by me. I found I  
ran S. 89 54' E. on  
a true line bet.  
Secs. 19 and 20 with  
payne on.

47.80

Set a limestone 16x8x6  
ins. 11 ins. in the  
ground for 114 Sec.  
Cor. marked 114  
on N. face and  
ran a mound  
of stone along side  
Pit's impracticable

87.80

The Cor. to Secs.  
19, 20, 29 and 30,  
Surface rough  
Soft End. set  
Dune juniper and  
Pioneer bush

---

J. 19 N. R. 2 St.

Chairs

North Mt. Dec. 19 and 20  
 Va. 13058' C.

39.00 Over rough surface  
 Dry creek 16 buibs  
 white cen. S. St.

4.000 Set a limestone  
 75x10x7 ins. 10 ins. in  
 the ground for "4 sq. Cr.  
 marked "4 on St.  
 face and raised a  
 mound of stone.

8.000 along side. Pit's unpractical  
 Set a limestone 18x10x8  
 ins. 12 ins. in the  
 ground for cen. to  
 Dec. 17, 18, 19 and 20  
 marked with 3 notches on  
 S. and 5 notches on  
 E. edge. and raised  
 a mound of stone

U. 19 A. R. 2 H.

Chains

alongside. Ck. impracticable  
 Surface rough and broken  
 Soil 3rd. rate  
 Dense Juniper and  
Pine brush

East on a random  
 line. bet. Secs. 17 & 20  
 Va.  $13^{\circ} 58' E$ .

Over rough country

40.00 Set temporary 14.  
 Sec. line

80.04 Sub-trace N. and S. line  
 32 links S. of the  
 line to Secs. 16, 17, 20 & 24

Thence I run  $S. 89^{\circ} 46' W$ .  
 on a true line. bet.  
 Secs. 17 and 20 with  
 same va.

40.02 Set a line to run  $16 \times 8 \times 8$

O. 19 A. R. 27.

Quinn

ins. 11 ins. in the ground  
for 114 Sec. Cor. marked  
114th St. fan, and  
raised a mound  
of stone along side.

Pits unproductive

8004

The Cor. to Sec. 18, 19 & 20

Surface rough

Soil 2nd. rate

Dense Juniper and prairie  
brush

Went on a random line

bet. Secs. 18 and 19

Va. 13° 58' E.

Clear rough surface

40.00

Set temporary 114 Sec. Cor.

64.00

Dug marks of pits 114

wide Cor. N.E. and

as under

J. 19 A. R. 2 H.  
Chains

- 87.96 Subtract H. By of  
the Sp. 19. Links  
P. of the Cor. to Sec.  
R. 18, 19 and 24  
which was recently  
established by same.  
Thence S. from  
S.  $89^{\circ}00'$  E. on a true  
line bet. Secs. 18  
and 19 with same or.
- 47.96 Set a limestone  $16 \times 12 \times 10$   
ins. in the ground  
for "4 Sec. W. marked  
"4 on N. face and  
ran a mound  
of stone alongside.  
Pick up tractible
- 87.96 The Cor. to Secs. 17, 18,  
19 and 20  
Surface rough

T. 19 N. R. 2 W.

Chairs

Soil Exp. site  
 Down Juniper and  
 pine bush

North lat. Secs. 17 and 18  
 Tn. 13058' E.

Over rough country

4000

Set a limestone  $14$   
 $15 \times 10 \times 8$  ins. 8 ins. in  
 the ground for  $14$   
 Sec. Cor. marked  
 $14$  on N. face and  
 raised a mound  
 of stone along side.

8000

Bit impracticable  
 Set a limestone  
 $15 \times 8 \times 5$  ins. 12 ins. in  
 the ground for Cor.  
 to Secs. 7, 8, 17 and 18  
 marked with  $4$  notches

J. 19 St. R. 2 H. . . . .

Chairs

on S. and 5 notches on  
E. edge. and raised  
a mound of stone  
alongside.

Pits impracticable  
Surface rough  
Soil red. rate  
Dense juniper and  
Pine brush

East on a random  
line bet. S. 8. 8' and 7'  
Va. 13' 5' E.

Over rough country  
Set temporary  $145^\circ$  S. line

40.00

Enter into S. 5' S. line  
15 links S. of the

line. to S. 8. 9. 16817

Thence, S run of  $89^\circ$   
5' 4" N. on a line

79.82

719 St. R. 2 St.

Leaves

line bet. Secs.

8 and 17 with same ca.  
 3991 Set a limestone 16x15x4  
 ins. 11 ins. in the ground  
 for "4 Sec. loc.  
 marked "4 on N. face  
 and raised a  
 mound of stone  
 alongside. pit impracticable

7992 This loc. to Secs 7, 8,  
 12 and 18

Surface rough  
 Soil 3rd. rate  
 Dense juniper and  
 piñon brush

---

Next on a sandstone  
 line bet. Secs. 7 and 18  
 var 130° 58' E.  
 Clear rough surface

J. 19 Cr. Q. 2 K.

Chains

4000 Set temporary 1/4 Sec. Cor.  
87.76 Intersect N. Bay of  
the Sp. 6 of which  
S. of the Cor.

Its Decs. 7, 12, 13  
and 18 which was  
recently established  
by T. M. T. and  
B. run S.  $89^{\circ} 57' E.$  on  
a true line ~~with~~  
bet. Decs. 7 and 18  
with same ca.

47.76 Set a malpais  
rock  $13 \times 10 \times 10$  ins.  
8 ins. in the ground  
for 1/4 Sec. Cor. marked  
1/4 on the face, and  
run a mound  
of ston. alongside.  
Pit not noticeable

Dec. 19 A. G. 2 H.

Chains

87.76 The loc. to Sec. 7, 8, 17 and 18  
Surface rough  
Soil red. with  
Dune juniper and  
Pine bark

North pt. Sec. 7 and 8  
Var. 13058'E.

Desert low rough country  
4000 Set a well packed rock  
16 x 5 x 5 ins. in  
the ground for "4"  
See loc. marked  
"4" on N. face and  
raised a mound  
of stone along side.  
48.00 Pile impracticable  
cross mark 20 links  
wide loc. N. E. as usual  
8000 Set a limestone

81  
 J. 19 N. R. 2 H.

Chairs

15x12x8 ins. 10 ins. in  
 the ground for Lots  
 to Secs. 5, 6, 7 and 8  
 marked with 5 stakes  
 on S. and E. edge,  
 and raised a mound  
 of stone along side  
 of it impracticable  
 surface rough  
 Soil red. not  
 dense grass and  
 Prairie brush

East on a random  
 line bet. Secs. 5 and 8  
 Ta. 17° 55' E.

Depend gradually  
 bet temporary 1/4 Sec.  
 line.

45.80 Dry wash 25 feet wide

J. 1906. R. 2 H.

Notes

- 79.82 loc. N. 100 E. around  
gradually  
Dutroux N. & S. line  
2 1/2 miles N. of the loc.  
to Secs. 4, 5, 8 and 9  
Thence I run N. 89° 51' W.  
over a hill line bet.  
Secs. 5 and 8 with  
same ca.
- 39.91 Set a limestone 15 x 9 x 9  
ins. 10 in. in the ground  
for "4" Sec. loc. marked  
"44" on N. face and  
ran a mound  
of stone along side.  
Pit's insignificant
- 79.82 The loc. to Secs.  
5, 6, 7 and 8  
Surface rough and broken  
Soil 3rd. rate  
Dense juniper brush

84  
83

July 19 at. P. 2. H.

Chairs

Went on a random line  
bet. Secs. 6 and 7

va. 130° 58' E

ascend gradually

4000  
77.60

Set temporary 14 Sec. Cor.  
Intersect. N. E. of  
the T. 12 limbs  
of the Cor. to Secs.  
6, 7 and 12 which was  
recently established by me  
Thence I run S. 89° 55' E.  
over a true line bet  
Secs. 6 and 7 with  
page on.

47.60

Set a mark on rock  
12x8x8 ins. 8 ins. in  
the ground for  
14 Sec. Cor. marked  
14 on N. face,  
and raised a

July 19th. P. 27.

Chairs

mound of stone alongside.  
 Pit. Unpracticable  
 87.60 The loc. to Secs. 5, 6, 7 and 8  
 Surface rough and broken  
 Soil. Gr. brate  
 Dune juniper and  
oak trunk

North on a road on line  
 pit - Secs. 5 and 6  
 Va. 130 58' E.

Over rough surface  
 4100 St. Stepheny "4 Sec. Cor.  
 80.20 Intersect at. E. of the  
 Top 8 miles E. of the  
 loc. to Secs. 5, 6, 7, 1 and 2  
 which was recently  
 established by June.  
 Thence S. 50° 1' E.  
 on a line

J. 19 A. R. 2 N.

Chavis

bet. Secs. 5 and 6 with  
same str.

40.20

Set a limestone 19x13x5  
ins. 14 ins. in the  
ground for 44 Sec.  
Cor. marked 44  
on N. face, and  
raised a mound  
of stone along side  
Pit. unproductive

80.20

They Cor. to Secs. 5, 6, 7 and 8  
Surface rough and rolling  
Red soil. note  
Dune grasses and  
oak brush

I carefully examined  
the adjustments of  
my solar instrument  
to-day particularly

Oct. 19 A. P. 2 H.

Chaus

the latitude and  
reversing apparatus  
and found them correct

J. 19 N. R. 2 N.

Charis General Description

The central and  
Kylson portions of  
this township con-  
sist of a high mount-  
ainous country, covered  
with a dense  
growth of Juniper  
and of Picea, with  
some magnolia  
and oak timber.

It is of a sandstone and  
limestone formation.  
The soil is of stony  
character being mostly  
2nd rate.

The grazing is fair.

For final vote see Book  
No. 28.

## U. S. Surveyor General's Office,

Tucson, Arizona, July, 13, 1884

The foregoing Field Notes of the Survey of the

Meridian Lines of  
 Township 19 North  
 Range 2, West,

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
 ted by J. J. Smith

Deputy Surveyor, under his contract of the 24th

day of July, 1883 having been

critically examined and the necessary corrections and explana-  
 tions made, the said Field Notes and the surveys they describe

are hereby approved

Robert Johnson  
 Surveyor General.