

Book F.
SUBDIVISIONS & MEANDERS.¹
T. 1, S. 17, R. 24, W.

1145

No. 1145

BOOK 1145

SUR

4-671

BOOK 1145

FIELD NOTES

GENERAL LAND OFFICE

No. 1145 BOOK 1145

Field Notes
of the survey of the
Subdivision and Meander
lines of
Township No. 1 South,
Range No. 24 West,
of the
Gila and Salt River
Base and Meridian
in the
Territory of Arizona,
as Surveyed by
John A. Barry,
U.S. Deputy Surveyor,
under his Contract, no. 84,
Dated July 13, 1901.

Survey Commenced April 31, 1902
Survey Completed April 26, 1902

2.

BOOK 1145

Names and Duties of Assistant:

C. Hamilton Chairman
 Alfonzo Lopez Chairman
 A. W. Frankenberger Ateman
 Arturo Lopez Flagman

BOOK 1145

INDEX T. 1 S. R. 24 N.

		T	T	T	T	
(2)	38	①	6	5	4	3
49						
36+	34	-	+	+	+	
R	32	(12)	7	8	9	10
48						
R	28	-	+	+	+	
(12)	25	(13)	18	17	16	15
46						
23+	20	4	-	+	+	+
2						
(23)	17	(24)	19	20	21	22
45						
15+	12	5	-	+	+	+
(20)	9	(25)	30	29	28	27
43						
81	4	1	-	+	+	+
(3)	31		32	33	34	
41			1	1	1	

Subdivisions of T. 15., R. 24W.

Chain.

Survey executed north of Hwy & along
 stream - No. 5987 before described
 in Book of N. 15dy

I begin April 21, 1902, at the cor. of
secs. 25, 30, 31, and 36,
in the E. bdy. of Tp., which

I established March 27, 1902.
Latitude 33° 18' 28" N., Longitude 114° 39' 31" W.

Thence I run

West on a true line
bet. secs. 25 and 36
over level Valley, through
dense mesquite.

30.00 Bank 6 ft. high and edge of
mesquite, bears N. and S.;
Thence over land subject to
overflow 2 to 4 ft. dep.,
through tormeo; Cottonwood
in places, some Arrow-wood.

40.00 Set a Mesquite post, 4 ft. long
4 ins. sq., 36 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked
45.5 on N. face; 36 on

Subdivision of T. 1 S.

Chains.

5 face; from which

a Cottonwood, 24 ins. diam.,
bears N. 77° W. 182 ft. dist., marked
 $\frac{1}{4}$ S.B.T.

a Cottonwood, 24 ins. diam., bears
S. 85° W. 232 ft. dist., marked
 $\frac{1}{4}$ S.B.T.

70.00 To evidently where formerly was
bank of river; at edge of former
cottonwood, and Arrow-wood.
bears N. 24° W. and S. 35° E. thence
over "new made" ground,
through dense young Willow.

80.00 Set a Willow post, 3 ft. long,
4 ins. sq., with marked stone,
24 ins. in the ground, for cor.
of secs. 25, 26, 35, and 36, marked
T. 1 S., S. 25 on N. E.,
R. 24 W., S. 36 on S. E.,

Pl. 24 W. - continued.

chains.

5.31 on S.W., and
5.26 on N.W. faces; with
1 notch on S. and E. edges;
dug pits, $18 \times 18 \times 12$ ins., in
each rec., $5\frac{1}{2}$ ft dist.; and
raised a mound of earth,
4 ft. base, 2 ft. high, W. of cor.

This cor. stands in Willow
brush; no trees within limits
suitable for bearing.

Land, level.

Soil, loam; 1st. rate,
Timber, mesquite, Torneo,
and cottonwood; undergrowth
mesquite, arrow-wood and willow.
Dense undergrowth 80.00 chs.

Subdivision of T 1 S.

Chains.

50° 1' E. between secs. 35 and 36
over bottom land, subject to
overflow, 2 and 3 ft. deep; through
dense willow undergrowth.

27.00 To the left bank, of the east
branch, of the Colorado River,
which, branch of river is
4 to 5 chs. wide.

Set a willow post, 3 ft. long,
4 ins. sq., with marked stone,
24 ins. in the ground, for
meander cor. of fract.

Secs. 35 and 36, marked
m.c. on S.,

T. 1 S. on N.,

R. 24 W., S. 35 on W., and
S. 36 on E. faces; dug a
pit, 36 x 36 x 2 ins.; 8 ft. n. of post;
and raised a mound of earth

R. 24 W. - continued.

chains.

4 ft. base, 2 ft. high, n. of Cor.

No trees within limits with size suitable for bearings.

Sand, level.

Soil, sandy loam; 15' strata

Willow undergrowth,

Dense undergrowth 27.00

West bet. secs. 26 and 35,

Over bottom land, subject to overflow, 2 to 4 ft. deep;

through dense willow under-growth.

~~17.80
27.80~~

To the E branch of the Colorado River.

Set a willow post, 3 ft. long,

4 ins. sq., with marked stone

24 ins. in the ground, for

meander cor. of frac. secs.

Subdivision of T. I S.

Chains:

2b and 35, marked
 m.c. on E.,
 T. I S. on W.,
 R. 24 W., S. 2b, on N., and
 S. 35 on S. faces; dug a pit,
 36x36x12 ins., 8 ft.
 E. of post; and raised a
 mound of earth, 4 ft. base,
 2 ft high, E. of Cor.
 Land, level.

Soil, sandy; 2nd-rate.
 Timber willow undergrowth
 Dense undergrowth ~~17.80~~
April 21, 1902.

see back of
correction

n. 0' W. bet. secs. 25 and 2b,
 over level bottom land,
 through willow undergrowth
 Change to ground 4 ft.
 37.00

R. 24 W.-continued.

Chains.

higher bears, N.W. and S.E., have willow brush, and enter dense undergrowth, of mesquite, tormeo, arrow-wort, and a few willows.

40.00 Set a mesquite post, 3 ft. long, 6 ins. sq., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked

$\frac{1}{4}$ S. 26 on W. face; 25 on E. face; from which a mesquite, 10 ins. diam., bears N. 26° E. 114 lks. dist., marked

$\frac{1}{4}$ S. B.T.

A willow, 6 ins. diam., bears S. 8° W. 88 lks. dist., marked

$\frac{1}{4}$ S. B.T.

67.00 A fence and "cut out" in the brush, course E. and W.

80.00 Set a mesquite post, 3 ft. long,

Subdivision of T. I. S.

Chains

4 ims. sq., with marked stone,
24 ims. the ground, for
cor. of secs. 23, 24, 25, and
26, marked,

T. I. S., S. 24, on N.E.,
R. 24 W., S. 25, on S.E.,
S. 26 on S.W., and
S. 23 on N.W. faces; with
2 notches, S., and 1 notch
on E. edges; dug pits, 18 x 18
x 12 ims., in each sec., $5\frac{1}{2}$ ft.
dirt; and raised a mound
of earth, 4 ft. base, 2 ft. high,
W. of C.R.

Land, nearly level; subject
to overflow 2 to 5 ft. deep.

Soil, sandy loam; 1st nat.
Timber, arrow-wood, willow,
tornio, and mesquite

R. 24 W.-continued.

Chains

undergrowth. No trees or size
for bearings within limits.

This cor. stands in dense
arrow-wood brush, on
land subject to overflow
about 2 ft. deep.

Dense undergrowth with rocks
with limits.

East and on a random line
bet. secs. 24 and 25.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect E. bdy. of Tp. 12 lks.
n. of cor. of secs. 19, 24, 25 or 30.

Thence I run

n. $89^{\circ}55'$ W. on a true line
bet. secs. 24 and 25,
over level land, through

Subdivision of T. 1 S.

Chains.

28.00

dense mesquite undergrowth
Road, local, course N. 25° W,
and S. 25° E.

40.02

Set a mesquite post, 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for $\frac{1}{4}$ sec. cor marked

$\frac{1}{4}$ S. 24 on N. face; 25, on
S. face; from which

A mesquite, 20 ins. diam.
bears $16^{\circ} 26' E. 100$ lks. dist., marked
 $\frac{1}{4}$ S. B. T.

A willow, 4 ins. diam., bears
S. 78° E. 43 lks. dist., marked

$\frac{1}{4}$ S. B. T.

42.48

Intersect the west line of
Jefferson D. Downs' Desert
Land Claim, at point
destant.

north 13.12 chs. from its

R. 2^t W. - continued.

Chains

S.W. cor. which is a mesquite post, 1 ft. high, 4 ins. sq., marked $\frac{1}{4}$ M., which post stands at the N.W. cor. of James E. Snow's Desert Land Claim.

Hence over land, 4 or 5 ft. lower, and subject to overflow 1 and 2 ft. deep, through dense Arrow-wood, Tornes and mesquite undergrowth.

80.04 The cor. of secs. 23, 24, 25, and 26.

Land, nearly level.

Soil, loam; 15 ft. rate.

Timber, mesquite, arrow-wood, Tornes undergrowth.

A very few Willow trees

Subdivision of Tl S.

Chains.

in places.

Dense under growth ~~80.09~~^{80.09}

West, on a tree line

bet. secs. 23 and 26.
over level bottom land,
through dense arrow-wood,
tornes, and mesquite under-
growth.30.00 Enter cotton-wood and willow
timber, course N. and S.,
mixed with the arrow-wood
and tornes undergrowth.36.00 To ~~left~~ right bank of Colorado
River.A willow; 8 ins. diam. for
meander cor. of fract. secs.
23 and 26, 9 mark

on W.

R. 24 W.-continued.

chains.

M.C. on W.,

T. 1 S. on E.,

R. 24 W., S. 23 on N. and

S. 26 on S. sides; from which

A cottonwood, 12 ins. diam., bears

N. 34° E., 23 lks. dist., marked

T. 1 S., R. 24 W., S. 23, M.C. B.T.

A cottonwood, 8 ins. diam., bears

S. 17 1/2° E., 27 lks. dist., marked

T. 1 S., R. 24 W., S. 26, M.C. B.T.

Land, level, and subject
to overflow: 1 to 3 ft. deep.

soil, warm; 1st rate.

Timber, cottonwood, and
walnut; undergrowth,
arrow-wood, torme, and
mesquite.

Dense undergrowth, 36.00 ch.

Subdivision of T. 15.

Chains.

- 11.01 W. bet. secs. 23 and 24.
Over level land, subject to
overflow 1 to 3 ft. deep through dense
arrow-wood, ironwood, and mesquite
undergrowth.
- 22.00 Rise 6 ft. from overflow land to upland
course N.W. and S.E.; hence in dense
mesquite, with some arrow-wood and
undergrowth.
- 26.66 The S.W. Cor. of Mary E. Hannan's
Desert Land Claim, which is a
mesquite post, 1 ft. high 4 ins. sq.
marked
- $\frac{1}{2}$ M., bears East, 17.70 chs.
dist.
- 40.00 Set a mesquite post, 3 ft. long,
6 ins. sq., 24 ins. in the ground, for
 $\frac{1}{4}$ sec. cor., marked
- $\frac{1}{4}$ 23 on W. face; 24 on E. face;

R. 24 W.-continued.

chains.

from which

A mesquite, 20 ins. diam., bears
 559° E., 95 lbs. dist., marked $\frac{1}{4}$ S.B.T.A mesquite, 12 ins. diam., bears
 $N.58^{\circ}W.$ 13 lbs. dist., marked $\frac{1}{4}$ S.B.T.62.20 Leave undergrowth, and enter
field cultivated by irrigation,
course E. and W.; extends E.
17.00 chs. and W. about 800 chs.65.00 A. W. Franklinberg's house, bears
W. 800 chs. distant.

67.20 Pole fence, bears E. and W.

74.00 Road (local), course N.E. and SW.

74.40 Edge of upland; course $N.37^{\circ}E.$
and $S.37^{\circ}W.$; descend 5 ft.; thence
over land subject to overflow
2 to 4 ft. deep, (cultivated);

Subdivision of T. I S.

Chains.

80.00

through scattering cottonwood timber.
 Set mesquite post, $3\frac{1}{3}$ ft. long,
 5 ins. sq., 30 ins. in the ground,
 for cor. of secs. 13, 14, 23,
 and 24 marked

T. I S., S. 13 on N. E.,

R. 24 W., S. 24 on S. E.,

S. 23 on S. W., and

S. 14 on N. W. faces; with
 3 notches on S. and 1 notch on
 E. edges; from which
 a cottonwood, 18 ins. diam.,
 bears

N. 40° E., 185 lks. dist., marked

T. I S., R. 24 W., S. 13, B.T. ✓

A cottonwood, 16 ins. diam., bears

S. 57° E. 83 lks. dist., marked

T. I S., R. 24 W., S. 24, B.T. ✓

A cottonwood, 16 ins. diam., bears

R. 24 W. - continued.

Chains.

S. 37° W., 41 krs. dist., marked

T. 1 S., R. 24 W., S. 23, B.T. ✓

A mesquite, 8 ins. diam, bears

N. 45° W., 325 krs. dist., marked

T. 1 S., R. 24 W., S. 14, B.T. ✓

Land, nearly level.

Soil, loam; 1st rate.

Timber, a few cottonwood trees;
undergrowth, arrow-wood,
mesquite, and tennes.

Dense undergrowth, 62.20 chs.

April 22, 1902.

✓ S. 89° 55' ^E ~~W~~, on a random line

bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intercept e. bdy. of Tp., 11 krs. S.
of the Cor. of secs.

13, 18, 19, and 24.

Subdivision of T. I. S.

Chains.

Thence from

Weston a true line

bet. secs. 13 and 24,

over level land, through dense
mesquite undergrowth.12.00 mesquite less dense, mixed
with arrow-wood undergrowth.40.00 Set a mesquite post, 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. 13 on N. face; 24 on
S. face; from whicha mesquite, 12 ins. diam., bears
 42° E., 40 lbs. dist., marked $\frac{1}{4}$ S. B.T.a mesquite 14 ins. diam., bears
 44° W., 83 lbs. dist., marked $\frac{1}{4}$ S. B.T.

63.00 Intersect the West line of Forest

R. 24 W. - continued

Chains.

lien land, owned by Thom as
O. Toland, at point distant
South 27.13 chs. from his
N.W. cor. which is a post-ift. high
4 ins. sq., marked $\frac{3}{4}$ M.
said cor. is the S.W. cor. of
James F. Pool's Desert Land
claim.

63.27 Wire fence, course N. and S.,
thence over plowed land.

73.30 Road (local) course N. 41° E.
and S. 41° W.

73.90 Ditch 15 lks. wide, course
S. 41° W.

74.00 L. W. Bishop's house bears
N^W 4.05 chs. dist.

75.75 Edge of upland, bears N. 20° E.
and S. 70° W.; descend bft.; thence
over land subject to overflow,

Subdivision of T 1 S.

Chains.

2 to 4 ft. deep, through a few cottonwood trees.

80.00

The cor. of sec.

13, 14, 23, and 24.

Land, nearly level.

Soil, loam; 1st rate.

Timber, a few cottonwood trees.

Undergrowth, mesquite and arrow-wood.

Dense undergrowth, b3.00ch

West on a true line

bet. secs. 14. and 23.

over level bottom land.

b.00

Leave cultivated land, course

N. 25° E. and S. 25° W.; enter

dense undergrowth of arrow-wood,
mesquite and tormeo; in Willow

R. 24 W. - continued

Chains.

and cottonwood timber.

40.00 Set an alimo post, 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for $\frac{1}{4}$ sec. cor. marked.

$\frac{1}{4}$ S. 14 on N. face; 23 on S.
face; from which

A cottonwood, 20 ins. diam.; bears
 3.75° E., 40 ft. s. dist., marked

$\frac{1}{4}$ S. B.T.

A cottonwood, 12 ins. diam.; bears
 $N. 25^{\circ} W.$, 120 chs. dist., marked

$\frac{1}{4}$ S. B.T.

42.50 Left bank of Colorado River

Set a willow post, 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for meander cor. of frac.,
secs. 14 and 23, marked

M. C. on W.,

T. 1 S. on E.,

Subdivision of T. 1S.

Chains.

T.R. 24^W, S. 14, on N., and

S. 23. on S. faces; from which
a willow, 8 ins. diam., bears

N. 40° E., 3 lks. dist., marked

T. 1S., R. 24 W., S. 14, M.C.B.T.
a cottonwood 16 ins. diam., bears

S. 71° E., 135 lks. dist., marked

T. 1S., R. 24 W., S. 23, M. C. B. T. ✓
Sand, level.

soil, loam; 1st rate.

Timber, mesquite, torno, cottonwood and willow;
under growth, arrow-wood
mesquite and torno.

Dense under growth. 36.50 acs.

N. 0° 1' W. bet. secs. 13 and 14.

Over level bottom land;

R. 2 $\frac{1}{4}$ W. - continued

Chains.

cultivated.

- 9.00 Enter heavy timber and dense undergrowth, course S.W. and E.
- 40.00 Set a mesquite post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. 14° W. face; 13 on E. face, from which a torque, 10 ins. diam.; bears S. 53° E., 40 lvs. dist., marked $\frac{1}{4}$ S. B.T.
- A mesquite, 6 ins. diam.; bears N. 6° W., 47 lvs. dist., marked $\frac{1}{4}$ S. B.T.
- 57.00 Leave the heavy timber and dense undergrowth, course N. 55° E. S. 70° W.
- 58.00 Center of slough from dry; 200 chs. wide, course N. 55° E. and

Subdivision of T. 15.

Chains.

S. 70° W.

- 59.00 Thence over sandy bottom,
through willow brush.
- 80.00 Set a mesquite post, 4 ft. long
6 ins. ~~sq.~~, with marked
limestone, 36 ins. in the ground,
for cor. of secs.
11, 12, 13, and 14, marked
T. 19., S. 12, on N. E.,
R. 24 W., S. 13, on S. E.,
S. 14 on S. W. and
S. 11 on N. W. faces; with 4 notches
on S, and 1 notch on E, edges;
dug pits, 18x18x12 ins.; in each
sec., $5\frac{1}{2}$ ft. dist.; and raised
a mound of earth, 4 ft. base,
2 ft. high, W. of cor.
Land, nearly level, and all
subject to overflow, 2 to 5 ft. dep.

R. 24 W. - continued.

chains.

Soil, loam, and sandy;
1st and 2nd rate

Timber, mesquite, torno,
cottonwood, and willow;
undergrowth, arrowwood,
mesquite, torno, and willow
Dense undergrowth 18.00 Chs.

East, on a random line
bet. sec. 12 and 13.

- 40.00 Set temp. f sec. cor.
80.04 Interset E. bdy. of Tp. 5 lks.
1/4 of cor. of secs.
7, 12, 13, and 18.

Thence I run

N. 89° 58' W. on a true line
bet. secs. 12 and 13.
over level valley, through

Subdivision of T. 1 S.

Chains.

- dense mesquite, torned,
and arrow-wood.
- 40.02 Set a torned post, 3 ft. long,
4 ins. sq., 24 ins in the ground,
for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. 12° on N. face; 13 on S. face,
from which
a mesquite, 16 ins. diam., bears
S. 57° W., 118 lks. dist. marked
 $\frac{1}{4}$ S. B.T.
A torned 8 ins. diam., bears
N. 76° W., 105 lks. dist. marked
 $\frac{1}{4}$ S. B.T.
- 53.40 Road, course N.E. and S.W.
Alex. A. Hanna's house bears ~~out~~
North about 20 chs. dist.
- 57.05 Ditch 15 lks. wide, course S. 25° W.
- 57.80 To bank 10 ft. high and east
edge of slough, bears

R. 24 W. - continued

chains.

N. 22° E., and S. 22° W.

Thence crossing slough,
nearly dry.

63.00 West edge of the slough,
bears N. and S. W., thence
over low sandy bottom,
subject to overflow 2 to 4 ft. deep
through willow brush.

80.04 The cor. of secs.

11, 12, 13, and 14.

Sand, nearly level.

Soil, loam, and sandy;
1st and 2nd rate.

Timber, mesquite.
and tormo, under growth,
arrow-wood and willow
brush.

Dense undergrowth 74.84 ac.

Subdivision of T. 1 S.

Chains.

West on a true line
bet. secs. 11 and 14.

Over level bottom land,
through willow brush.

11. 00 Left bank of Colorado River.
Set a willow post, 3 ft. long,
4 ins. sq., with marked stone
24 ins. in the ground, for
meander corr. of fract.
secs. 11 and 14 marked

M. C. on W.,

T. 1 S. on E.,

R. 24 W., 3.11 on N., and
5.14 on S. faces; dug a pit
36x36x12 ins. 8 ft. E. of post;
and raised a mound of
earth, 4 ft. base, 2 ft. high,
E. of cor.

Sand, level, and

R. 24 W.-continued.

chains.

subject to overflow

2 and 3 ft deep.

Soil, sandy; 2nd rate.

Undergrowth of Willow brush.

Dense undergrowth 11 o'clock.

April 23, 1902

N. 0° 1' W. bet. secs. 11 and 12.

Over level bottom land,

through dense willow brush
and arrow-wood.

40.00

Set an alimo post 3 ft. long,
4 ins. sq., with marked stone,
24 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. 11 on W. face; 12 on E.
face; dug pits, 18 x 18 x 12 ins.
N. and S. of post, 3 ft. dist.; and
raised a mound of earth,
3 ft. base, 1 $\frac{1}{2}$ ft high, N. of cor.

Subdivision of T. 1 S.

Chains.

- 60.00 Pass about 5:00 chs. W. of the
N. end of slough, course 9.
- 80.00 Set an almo post, 3 ft. long,
bins. sq., with marked stone,
24 ins. in the ground, for
cor. of secs. 1, 2, 11, and 12.
marked

T. 1 S., S. 1 on N. E.,
R. 24 W., S. 12 on S. E.,
S. 11 on S. W., and
S. 2 on N. W. faces; with 5
notches on S., and one notch on
E. edges; dug pits, $18 \times 18 \times 18$
ins., in each sec., $5\frac{1}{2}$ ft. dist.; and
raised a mound of earth,
4 ft. base, 2 ft. high, N. of cor.
land, level.

Soil, sandy loam; 2nd rate
undergrowth, willow

R. 24 W - continued.

Chains.

brush and arrow-wood.

Dense undergrowth 80.00 ch.

S. $89^{\circ} 58'$ E. on a random line

bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.92 Intersect E. bdy. of Tp; 7 lks.

N. of cor. of sec., 1, 6, 7 and 12.

Three Grm

N. $89^{\circ} 55'$ W. on a true line,
bet. secs. 1 and 12.Over level land, through
dense, mesquite and arrow-
wood undergrowth.

34.00 Road, course N.W. and S.E.

39.96 Set a mesquite post, 3 ft. long,
5 ins. sq., 24 ins. in the ground,
for $\frac{1}{4}$ sec. cor, marked

Sub-division of T. 1 S.

Chains

$\frac{1}{4}$ S. I on N. face; 12 on S. face;
from which

a torno, bins. diam.; bears
 $5.71^\circ W.$, 80 lks. dist., marked
 $\frac{1}{4}$ S. B. T.

$\frac{1}{4}$ a cottonwood, 30 ins. diam., bears
 $N. 6^\circ W.$, 282 lks. dist., marked

$\frac{1}{4}$ S. B. T.

A shed house (abandoned) bears
 $N. 5^\circ E.$, 5.00 chs. dist.

43.00 Recross same road course S.W.
and N.E.

47.50 A depression or dry slough, 100
lks. wide, 4 ft. deep, course 8.49°
W. and $N. 31^\circ E.$; thence through
cottonwood and willow timber,
and arrow-word undergrowth,

Slough (now dry) 100 lks. wide,
3 ft. deep, course $S. 19^\circ W.$,

R. 24 W. - continued

chains.

thence willow; and arrow-wood
brush.

74.00 Slough now dry; banks wide,
3 ft. deep, coarse s.

79.92 The cor. of sec. I, 2, 11, and 12.
Last 32.00 chs. of this mile,
subject to overflow, 2 to 4 ft. dep.
Land, level.

Soil, loam, and sandy;
1st and 2nd rate.

Timber, mesquite, cottonwood,
tornio, and willow; under-
growth, mesquite, arrow-
wood, willow, and tornio.

Dense undergrowth 77.00 ac.

West on a true line

bet. secs. 2 and 11.

Over level bottom land,

Subdivision of T. 1 S.

Chains.

subject to overflow 2 to 4 ft. deep; through willow and arrowwood brush.

29.40 Left bank of Colorado River.
Set a willow post, 3 ft. long,
4 ins. sq., with marked stone,
24 ins. in the ground for
cor. of fract. secs. ²X and II, marked
M. C. on W.,
T. 1 S. on E.,
R. 24 W., S. I, on N., and
S. II on S. faces; dug a
pit 36×36×12 ins., 8 ft. E.
of post; and raised a mound
of earth, 4 ft base, 2 ft. high,
E. of Cor.

Sand, level.

Soil, sandy; 2nd rate.
no timber.

R. 24 W. - continued.

Chains.

Dense undergrowth.

N. 0° 1' RR. on a true line

bet. secs. 1 and 2.

Over level bottom land,

through willow and arrow-
wood brush.

14.00 Slough (now dry), 150 ft. wide,

4 ft. deep, course N.W. and S.E.

40.00 Set a pine post, 3 ft. long,

4 ins. sq.; with marked stone,

24 ins. in the ground, for

$\frac{1}{4}$ sec. cor., marked

$\frac{1}{4}$ S. 2, on W. face; 1, on E. face;
dug pits, 18 x 18 x 12 ins.

N. and S. of post, 3 ft. dist.;
and raised a mound of earth,
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Subdivision of T. 1 S.

chains.

80.20

Intersect the Gila and Salt River
Base, at point distant east
14.60 chs. from the $\frac{1}{4}$ sec. cor.
established by me in the s.
line of sec. 36, T. 1 N., R. 24 W.,
set an alimo post, 4 ft. long
6 ins. sq., 36 ins. in the ground,
for closings cor. of secs.

1 and 2, marked

C.C., T. 1 S., R. 23 W. on S.,

S. 1 on E., and

S. 2 on W. faces; with one
groove, on E., and 5 grooves
on W. faces; from which

A cottonwood, 5 ins. diam., bears
 5.14° E. 64 lks. dist., marked

T. 1 S., R. 24 W., S. 1, B.T. ✓

A cottonwood, 6 ins. diam. bears

3.23° W. 57 lks. dist., marked

R. 24 W. - continued.

chains.

T. 1 S., R. 24 W., S. 2 B.T. ✓

Land, level;

and subject to overflow
2 to 4 ft. deep.

Soil, sandy, and loam;
2nd. and 1st rate.

Timber, some young
cottonwood and willow trees
of size that may be called "timber"
undergrowth, willow and
arrow-wood.

Some undergrowth 80.00 Chs.

Note.

The above completes the subdivision
of all the lands of T. 1 S. R. 24 W.
lying east of the Colorado River.

April 24, 1902

Meanders, T 1's.

meanders of the ~~right~~^{Left} bank
of the Colorado River, upstream.

I begin at the meander cur. of frac.
secs. 1 and 3b, in the s. bdy. of the Tp.
Thence I run with

meanders in sec. 3b,
over level land, through,
dense undergrowth.

N.32^W22.00 chs.

N.40^E. 10.00" Bank 6 ft high.

East 20.00"

North 7.00" Bank 7 ft high.

N.24^W. 16.00"

N.65^E W.14.00" Bank 7 ft. high.

West 29.96" At 300 chs. mouth of
slough (now dry) bears N.10^W,
marking line between mesquite,
on the E., and willow brush on

R. 24 W. - continued.

the W. To the meander cur. of fract.
secs. 35 and 36.

Land, river bottom.

soil, loam, and sandy;
1st and 2nd rate.

Timber, cottonwood and willow;
undergrowth, mesquite,
tomeo, arrow wood, and
willow brush.

Dense undergrowth ^{118.96} \$19.00 ac.

see book of corrections.

Thence in sec. 35.

over level bottom land,
through willow brush.

West ~~300~~ ^{1.00} chs.

~~N. 36° W. 11.50~~
~~14.43° W. 9300 chs. Bank 4 ft. high~~

~~N. 34 1/2° W. 13.20~~

~~14.58° W. 10.00 "~~

~~N. 84° W. 7.20~~

~~14.31° W. 5.70 " Bank 6 ft. high~~

Meanders, T. I S.

To the meander cur. of fract.
secs. 26 and 35

Land, level, and subject
to overflow 2 to 4 ft. deep.

Soil, sandy; 2nd rate.
no timber.

Dense undergrowth. ~~32.90~~ 39.50 chs.

April 21, 1909

Thence in sec. 26.

over level bottom land,

through dense undergrowth

N. 10° W. ~~27.00~~ 24.00 chs. Bank 6 ft. high.

Thence willow and
cottonwood timber
and undergrowth,
bearing E.

~~15 1/4 W 27.00~~

IV. ~~33 08. 31.00~~ "

~~4. 10.00~~"
N. 18° W. ~~93 00~~

R. 24 W. - continued.

N. 3 b $\frac{3}{4}$ W. 3 A b chs. To the meander cur.
of fract. sec. 23 and 26.

Land, level, and subject to
overflow 2 to ~~ft~~⁸ ft. deep.
Soil, sand, silt, and loam;
2nd and 1st rate.

Timber, willow and
cottonwood; under growth,
willow, arrowwood, mesquit and tamar.
Dense undergrowth ~~82,46~~^{82,46} ft. b chs.

Thence in sec. 26.

over level bottom land,
through dense undergrowth.
IV. 10° W 24 chs. Bank 6 ft. high.

thence willow and
cottonwood timber
and undergrowth, bears E.

meanders, T. I S.

N. $3\frac{3}{4}$ ° E. 31.00 chs.

N. 10° W. 2300 "

N. $36\frac{3}{4}$ ° W. 3.46 " To the meander cur.
of fract. secs. 23
and 26.

Land level and subject to
overflow 2 to 4 ft. deep.

Soil, sandy, and loam;
2nd and 1st rate.

Timber, willow and cottonwood,
undergrowth, willow ~~and~~
arrow-wood, mesquite, and
tornes.

Dense undergrowth 81.46 chs.

Thence in sec. 23.

Through timber and dense
undergrowth.

R. 24 W. continued.

N. $20\frac{1}{4}^{\circ}$ W. 36.00 chs. Bank 8 ft. high.

N. 25° E. 15.00 "

N. 10° W. 21.00 " at 200 chs. the N.
end of an island
bears W. about 8.00
chs. dist.

N. $15\frac{1}{2}^{\circ}$ E. 12.40 " To meander eur. of
frac. secs. 14 and 23.

Sand. level, and subject to
overflow 2 to 4 ft. deep.

Soil, alluvial; 1st-rate

Timber, cottonwood and willow;
undergrowth, arrow-wood,
mesquite, tormo and willow.

Dense undergrowth 84.40 chs.

There in sec. 14-

Through timber and dense

Meanders. T. I. S.

undergrowth.

N. 30° E. 53.00 chs. At 58.00 chs. to the
left or S. edge of mouth
of slough. Course N. 55° E.
thence leave timber, course
N. 55° E. and cross mouth
of slough, to 63.00 chs. its
right or N. bank, course
N. 65° E. thence

N. ~~orth~~ 25° E. chs. Through willow brush
to the meander corp.
fractional secs. 11
and 14.

Land, river bottom, subject
to overflow 2 to 4 ft. deep.

Soil, loam, and sandy;
1st and 2nd rate.

Timber, ~~willow and cottonwood~~
mesquite, tormo, and

R. 24 W.-continued

cottonwood; undergrowth,
arrow-wood, mesquite,
tornio and willow.

Dense undergrowth ~~\$8.44~~ 10 chs.

April 25, 1909.

Thence in sec. 11.

Through willow and
arrow-wood brush.

N. $12\frac{1}{2}^{\circ}$ W. 41.00 chs. Bank 5 ft. high.

N. $13\frac{1}{2}^{\circ}$ W. 41.10 " To the meander
cor. bet. fract. secs 2, and 11.

Land, river bottom, subject
to overflow 2 to 4 ft. deep.

Soil, sandy; 2nd rate.

Timber, willow, and arrow-wood.

Dense undergrowth. 82.10 chs.

Meanders T. 1 S., R. 24 W.

Thence in sec. 2.

Through dense undergrowth.

N. 16° W., 67.00 chs. Bank 5 ft. high.

N. 20° E. 16.8 ft " To the meander
cor. set by me on the Gila and
Salt River Base, and S. bdy.
of fract. sec. 36 T. 1 N., R. 24 W.

Land, river bottom, subject
to overflow 2 to 4 ft. deep.

Soil, sandy; 2nd rate.

Timber, willow; undergrowth,
arrow wood, and willow.

Dense undergrowth. 83.81
83.66 chs.

April 26, 1902.

*Corrections authorized by
deputy's letter dated Feb 9.
26/03. also see book of correction
of this sp.*

A. C. Hammons house is located in S^{1/4} of sec. 12.
 S. W. Bishop in S. W. 1/4 of sec. 13 and S. W. Thorne -
 en blfng in N. E. 1/4 of sec. 23.

General Description.

This fractional township is level; valley and river bottom. The soil is generally a rich loam. Timber, where not cultivated; mesquite, turned cottonwood, willow, and arrow-wood; generally very dense. This frac. Twp. is well watered, being adjacent the Colorado River. There is one settler each in secs. 12, 13, and 23. A part of the township has been located by Desert Land Claimants. A plant for pumping water for irrigation is located on the east bank of large Estero in sec. 12.

J. A. Barry,
U. S. Deputy Surveyor
Note for final oaths see book D.

List of Names.

BOOK 1145

51

A list of the names of the individuals employed
by John A. Barry.....

U S. Deputy Surveyor, to assist in running, measuring
and marking the lines and corners described in the forego-

ing Field Notes of the survey of the subdivision lines of
Township No 1 South, Range No 23 West,

Township No 1 South Range No 24 West,

Township No 2 South Range No 23 West and

Township No 2 South Range No 24 West.

the Gila and Salt River Base and Meridian, in the Ter-
itory of Arizona, showing the respective capacities in which
they acted.

L. Hamilton Chainman.

Alfonzo Lopez Chainman.

..... Chainman.

..... Axeman.

A. W. Fraudentberg Axeman.

Alturo Lopez Flagman.

Final Oath of Assistants.

BOOK 1145

We hereby certify that we assisted

John A. Barry, U. S. Deputy Surveyor, in surveying all those parts or portions of the subdivisions and meander lines of Township $\frac{1}{4}$ South, Range No. 23 West, Township No. 1 South, Range No. 34 West, Township No. 2 South, Range No. 23 West and Township No. 2 South, Range No. 34 West of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor General for Arizona.

Hamilton Chainman.

Alfonzo Lopez Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

Sworn and subscribed before me, this 26th day of April, 1902.

L. W. Bishop Notary Public.
communon Expir
[SEAL.] March 20 1904

55

Final Oath of U. S. Deputy Surveyor. 53

BOOK 1145

I, John A. Barry.....

U. S. Deputy Surveyor, do solemnly swear that in pursu-
ance of a contract received from Geo. Christ.

United States Surveyor General for Arizona, bearing date
of the 13th day of July 1901.,
I have well, faithfully, and truly, in my own proper person,
and in strict conformity with the instructions furnished by
the United States Surveyor General for Arizona, the Man-
ual of Surveying Instructions, and the laws of the United
States, surveyed all those parts or portions of the

Subdivisions and meander lines of
Township No. 1 South, Range No. 23 West,
Township No. 1 South, Range No. 24 West,
Township No. 2 South, Range No. 23 West and
Township No. 2 South, Range No. 24 West.

of the Gila and Salt River Base and Meridian, in the Ter-
ritory of Arizona, as are represented in the foregoing Field
Notes as having been surveyed by me and under my direc-
tion; and I do further solemnly swear that all the corners of
said surveys have been established and perpetuated in strict
accordance with the Manual of printed instructions, the
special instructions of the United States Surveyor-General
for Arizona, and in the specific manner described in the
field notes, and that the foregoing are the true Field Notes
of such survey; and should any fraud be detected I will

54 suffer the penalty of perjury, under the provisions of
of Congress approved August 8, 1846.

John A. Barry.....
U. S. Deputy Surveyor

Sworn to and subscribed before me this 28th

day of May 1902

W. E. Farrand.....
County Clerk of Ventura County
of California, and ex-officio Cl
of the Superior Court therein

BOOK 1145

55

BOOK 1145

May 15 - 04

Office of U. S. Surveyor General

Phoenix, Arizona.

~~Nov. 3 - 1903~~

March 15 - 1904

The foregoing field notes of the survey of the Subdivisions and meanders of J. I P. R. 24 Tⁿ.

Gila and Salt River Base and Meridian, Arizona, executed by John A. Barry
U. S. Deputy Surveyor, under Contract No. 89
dated July 13 / 1901 , having been
critically examined, the necessary corrections and explanation made, the said field notes and surveys they describe are hereby approved.

Frank S. Ingalls

U. S. Surveyor General
for the District of Arizona.