

No. 1181 BOOK 1181

1181

# Field Notes

OF THE SURVEY OF THE BOOK 1181

## SUBDIVISION LINES

- OF -

No. 1181

Township South Range 14 West,  
Gila and Salt River Base and Meridian

## ARIZONA.

By Theodore F. Shantz, D. S.

under contract dated Dec. 28, 1876.

Survey commenced March 23, 1877.

Survey completed March 28, 1877.

## Preliminary Oaths of Assistants.

We, Urbain Bessard  
and E. O. Smith,

do solemnly swear that we will faithfully execute  
the duties of Chain Carriers; that we will level the  
chain upon uneven ground, and plumb the tally  
pins, whether by sticking or dropping the same;  
that we will report the true distance to all notable  
objects, and the true length of all lines that we as-  
sist in measuring, to the best of our skill and  
ability.

Urbain Bessard

E. O. Smith

Sworn to and subscribed before me, this 9  
day of January, 1877

  
John R. Faull  
Notary Public

We, Allan Bernard  
and Fred C Jones  
do solemnly swear that we will well and truly per-  
form the duties of Flagman and  
Ryman respectively  
according to instructions given us, and to the best  
of our skill and ability.

Allan Bernard  
Fred C Jones

Sworn to and subscribed before me this 9  
day of January, 1857

John R. Daniell  
Notary Public



## BOOK 1181

4-674.

Township. 68, R. 14 W. Sec. 8 R. B. & M.

6	60	5	44	4	32	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

The initial point of the survey of the subdivision lines of Township 6 S. range 14 W., is the corner to secs. 35-36. 1 and 2, on S. boundary, which corner was established by myself in these present surveys, and is a post with mound of earth and pits, and no trees near.

No. 1181

Township 6 S. Range 124 W.

Gila and Salt River Meridian

Chs.

Subdivision commenced March 23, 1877.  
From the cor. to Secs. 35, 36, 182. Run  
North between Secs. 35 & 36.var.  $14^{\circ} 49'$  East

As per East Boundary.

40.00 Seta post, marked  $\frac{1}{4}$  S. 4 ft. long, flat-  
tened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build a  
mound of earth 2 ft. high, with pit 1 ft.  
deep, 2 ft. long, 1 ft. wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 Seta post, marked & notched, 4 ft. long,  
3 in. sqd., 1 ft. in the ground, drive charred  
stake and build mound of earth  
2 ft. high, with pit 1 ft. deep, 2 ft. long,  
1 ft. wide, as per instructions for cor.  
to Secs. 25, 26, 35 and 36.  
No trees near.

Land level. Soil good.  
No timber.

2  
Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Sec. East on random line bet. sec. 25 & 36.  
var.  $14^{\circ}49'$  East

40.00 Set temporary 1/4 sec. cor.

79.89 Intersect Esromdary 16 hrs. N. of cor.  
to Secs. 25 and 36. from which cor. Due  
 $14^{\circ}53' W.$

Outline between secs. 25 and 36.  
var.  $14^{\circ}49'$  East

39.95 Set a post, marked 1/4 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build round  
of earth 2 ft high, with pit 1 ft deep.  
2 ft long. ft cords as per instructions  
for 1/4 sec. cor. No trees near.

79.89 Cor. to Secs. 25, 26 - 35 & 36.

Land level.

Soil good -  
Not timbered

Township 6 S. Range 14 W.  
Gila & Salt River Meridian

Sec. North between secs. 25 & 26.  
Var. 14° 49' East.

40.00 Set a post, marked 14 S. 14 E. long, flat  
tended 3 in. wide, 9 ft. in the ground,  
drive chanted stake & build mound of  
earth 2 ft. high, with pit 1 ft. deep, 2 ft. long,  
1 ft. wide, as per instructions for 1/4 sec.  
cor. from which

An acquite, 6 in. dia. bas. S. 18° W. 77° land dist.  
No other trees near.

80.00 Drive chanted stake & build mound of earth  
2 ft. high, with pit 1 ft. deep, 2 ft. long, flat top,  
as per instructions, and in center of pit S. E. of  
cor. drive a stake, marked and scratched,  
2 ft. long, 2 in. egd. 9 ft. in the ground  
for cor. to secs. 25 and 26.

No stones or timber near.

Land level. Soil good. No timber.

4

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Pos. East or random line between Secs. 94 & 25.  
var. 14° 49' East.

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect E. boundary 7 lbs. S. of cor. to  
secs. 94 & 25, from which cor. Divides  
S. 89° 57' W.

Outline line between secs. 94 & 25.  
var. 14° 49' East.

40.05 Set post, marked 1/4 S. 1/4 E. long.  
flattened 3 in. wide, 1 ft. in the ground,  
driven charred stake and build around  
of earth 8 ft. high, with pits 1 ft. deep.  
2 ft. long, fluoride, as per instructions  
for 1/4 sec. cor. No trees near.

80.11 Cor. to Secs. 23, 94, 25 and 26.

Land level.

Soil good.  
No timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Dis. North between sec. 23 & 24.  
Var. 14° 49' East

40.00 Set a post, marked  $\frac{1}{4}$  x 4 ft long, flat  
tended 3 in. wide. Stuck in the ground, drive  
charred stake and build mound of  
earth of height, with pit 1 ft deep. 2  
ft long, 4 ft wide, as per instructions  
for 1/4 sec. cor. No trees near.

80.00 Set a post, marked and notched,  
 $\frac{1}{2}$  ft long. 3 in. sqd. stuck in the ground,  
drive charred stake and build mound  
of earth of height, with pit 1 ft deep.  
2 ft long, 4 ft wide, as per instructions  
for cor. to Secs. 13, 14, 23 and  
Wt. No trees near.

Land level.

Soil good.  
No timber.

Township 6 S. Range 14 W.  
Sila and Salt River Mts.

Pr. East on true line betw secos. 13 & 14  
Var.  $14^{\circ}49'$  East

40.00 Set temporary 14 sec. cor.

79.87 Intersect E. boundary 10 los. N. of  
Cor. to Seco. 13 and 24, from which  
cor. I run  
 $N. 89^{\circ}56' W.$

On true line between secos. 13 & 14  
Var.  $14^{\circ}49'$  East

39.93 Stake post, marked 14 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
driv charred stake and build mound  
of earth 2 ft high, with pits 1 ft. deep. 2 ft.  
long. 1 ft. wide, as per instructions for  
14 sec cor. from which

Apal Verde, H. m. dia. los. N.  $45^{\circ} E.$  18 los. dist  
No other trees near.

79.87 Cor. to Seco. 13. 14. 23 & 24  
Sand land. Soil good. No timber  
March. 28, 1877.

Township 6 S Range 14 West  
 Gila and Salt River Meridian

Sec. North between secos. 13 & 14.  
 var. 14<sup>o</sup> 49' East

- 40.00 Set a post, marked 14 S. 4 ft. long,  
 flattened 3 in. wide, 1 ft. in the ground,  
 drive charred stake & build around  
 of earth 1 ft. high, with pits 1 ft. deep.  
 2 ft. long, 1 ft. wide, as per instruc-  
 tions for 1/4 sec. cor. No trees near.
- 80.00 Set a post, marked & notched,  
 4 ft. long, 3 in. sqd. 1 ft. in the ground,  
 drive charred stake and build  
 around of earth 1 ft. high,  
 with pits 1 ft. deep. 2 ft. long.  
 1 ft. long, as per instructions  
 for cor. to secos. 11, 12, 13 and  
 14. No trees near.

Land level. Soil good.  
 No timber. Some Brush.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Pr. East on random line betw. sec. 12 & 13  
var.  $14^{\circ}49'$  East.

40.40 Set temporary  $\frac{1}{4}$  sec. cor.

79.86 Intersect E. boundary 17 line S.  
of cor. to secs. 12 and 13, from  
which cor. I run  
 $889^{\circ}53'W.$

Outline line between secs. 12 & 13.

var.  $14^{\circ}49'$  East.

39.93 Stake post, marked 14 S. 4 ft long, flattened  
3 in. wide, 1 ft in the ground, driven  
charred stake and build mound of  
earth 2 ft high, with pits 1 ft. dep. 2 ft long,  
1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. from which  
Opal verde, 4 in. dia. 6 ss. N.  $65^{\circ}E.$  135 lns. dist.  
No other trees near.

79.86 Cor. to secs. 11, 12, 13 and 14.  
Land level. Soil good.  
No timber of consequence.

Township 6 S. Range 14 W.  
Gila & Salt River Meridian

Sec. North between Secs. 11 & 12  
var. 14° 49' East

40.00 Set post, marked 1/4 S. 4 ft. long, flat-  
tened 3 in. wide, set in the ground, drive  
charred stake & build mound of earth 2  
ft. high, with pit of 6 dep. 2 ft. long, 1 ft.  
wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00 Set post, marked and notched,  
4 ft. long, 3 in. sqd. off in the ground,  
drive charred stake and build  
mound of earth 2 ft. high, with pit  
1 ft. deep. 2 ft. long. If beside a per-  
mition or road, cor to sec.

1, 2, 11, and 12.

No trees near.

Land level.

Soil good.

No timber.

Some brush

Township 6 S. Range 14 W.  
Sila and Salt River Meridian

Ps. East on random line bet. secs. 1 & 12.  
Var. 14° 49' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.13 Intersect E. boundary 20 hrs. S. after  
trees.  $1\frac{3}{4}$  12. from which cor. Draw  
 $589^{\circ}51'W$ .

Outline line between secs. 1 & 12.  
Var. 14° 49' East.

40.06 Set post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
driv charred stanic and build  
around a search 2 ft. high, with pits ft  
deep. 2 ft. long. ft. wide, as per in-  
structions for  $\frac{1}{4}$  sec. cor.

No trees near.

80.13 Cor. to Secs. 1, 2, 11 and 12.

Land level. Soil good.  
No timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Sec. North on true line bet. sec. 1 & 2.

Var. 14<sup>th</sup> 4' East

40.00 Set a post, marked 14 S. 4th long, flat-topped 3 in. wide, set in the ground, drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.89 Subsec. first Standard Parallel S.,

19.08 chs. E. of standard cor. to sec.

35<sup>th</sup> 36<sup>th</sup> of the 5 S. Range 14 W. Set a post, marked & notched, 4 ft. long, 3 in. sqd. flat in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 1/2 ft long, 1 1/2 ft wide, as per instructions for closing cor. to sec. 1 & 2. No trees near.

Land level. Soil good.

No timber. Some brush

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. North between sec. 34 & 35.  
Var. 14° 49' East.

40.00 Set a post, marked 14 S. 4 ft long, flat-tined 3 in. wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft. deep, 1 ft long, 1 ft wide, as per instructions for 1/4 sec. - cor. No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 1 ft long, 1 ft wide, as per instructions for cor. to secs. 26.

27. 34 & 35.

No trees near.  
Land level.

Salt good -

No timber

Some grass

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. East on random line betw. sec. 26 & 35.  
var. 14° 49' East

- 40.00 Set temporary 1/4 sec. cor.  
80.12 Intersect N. & S. line 10 lbs. So far to  
secs. 25, 26, 35 & 36, from which cor. line  
S. 89° 56' W.

On true line between secs. 26 & 35.  
var. 14° 49' East.

- 40.00 Set a post, marked 1/4 sec. & 1 ft. long,  
flattened 3 in. wide, 1 ft. in the ground  
drive charred stake & build mound  
of earth 8 ft. high, with flats 8 ft. dia.  
2 ft. long. of concrete, as per instructions  
for 1/4 sec. cor. No trees near.

- 80.12 Cor. to secs. 26-27, 34 & 35.

Land level.

Soil good.

No timber.

Some grass

Township 6 S. Range 12<sup>W.</sup>  
 Gila and Salt River Meridian

Ps. North between secs. 26 & 27.  
 var. 14° 44' 9" East

40.00 Set post, marked  $\frac{1}{4}$  S., 4 ft. long,  
 3 in. wide flattened, 1 ft. in the ground,  
 drive charred stake and build  
 mound of earth  $\frac{1}{2}$  ft. high, with pits 1 ft.  
 deep. 1 ft. long, 1 ft. wide, as per instruc-  
 tions, for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft.  
 long, 3 in. sqd. 1 ft. in the ground,  
 drive charred stake and build a  
 mound of earth  $\frac{1}{2}$  ft. high, with  
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, as  
 per instructions for cor. to secs.

22. 23. 26 and 27.

No trees near.

Land level.

Soil good.

No timber

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. East random line bet. sec. 28 & 26.  
var.  $14^{\circ}49'$  East.

40.00 Set  $\frac{1}{4}$  sec. cor. temporarily.

80.07 Intersect N. E. S. line 15 hrs. N. of  
cor. to Secs. 23, 24, 25 & 26, from which cor. draw  
 $N.89^{\circ}54'W.$

On true line between sec. 23 & 26.  
var.  $14^{\circ}49'$  East.

40.03 Drive charred stake and  
build mound of earth 2  
ft high, with pit 1 ft. deep.  
2 ft long. 1 ft wide, as per  
instructions for  $\frac{1}{4}$  sec cor.  
No stone or timber near.

80.07 Cor. to Secs. 22, 23, 26 & 27.  
Land level.

Soil good.

No timber  
Some grass

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Post North between sec. 22 & 23,  
var.  $14^{\circ}49' E$

40.00 Setapost, marked 14 S. 44 ft long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build  
mound of earth 8 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 14 sec. cor.  
No trees near.

80.00 Setapost, marked & notched, 4 ft long,  
3 in. sq. 1 ft in the ground, drive charred  
stake & build mound of earth 8 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, as per in -  
structions for Cor. to Sec. 14. 15. 22 & 23, from which  
R. pale verde, 5 in. dia. at N. 31 W. 111 lbs. dist.

do. 6 a. - . S. 44° E. 224 a. ..

No other trees near.

Land level. Soil good.

A few trees.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. East on random line bet. sec. 14 & 23.  
var. 14° 49' East

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect N. and S. line 17 deg. S. of  
onto secs. 13, 14, 23 & 24, from  
which cor. I am

189<sup>o</sup> 53' W. on true line bet. sec. 14 & 23.  
var. 14° 49' East

40.07 Set a post marked 14 S. 14 E. long. flattened  
5 in. wide, flat on the ground, drove charred  
stake & build mound of earth & cinders, with  
pit 2 ft. deep, 2 ft. long. of course, as per in-  
structions for 1/4 sec. cor. from which  
Apel verde, 6 miles E. East, 257 feet. It.

No <sup>other</sup> trees near.

80.13 Cor. to secs. 14, 15, 22 & 23.

Land level.

Soil good.

A few trees

Township 6 S. Range 14 W  
 Gila and Salt River Meridian

Dir. North between secs. 14 & 15.  
 var.  $14^{\circ}49'$  East.

40.00 Set a post, marked 14 S. 1st fl. long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake and build a  
 mound of earth 8 ft high, with pits  
 1 ft. deep, 2 ft long, 1 ft wide, as per  
 instructions for 1/4 sec cor. No trees near.

80.00 Set a post, marked and notched,  
 4 ft long. 3 in. sqd. 1 ft in the ground  
 drive charred stake and build a  
 mound of earth 8 ft high, with pits  
 1 ft. deep, 2 ft long, 1 ft wide, as per instruc-  
 tion for cor to secs. 10, 11, 14 & 15, from which  
 Apalachee, 10 miles due S.  $32\frac{1}{2}$  W. 94 fm dist.

do. 6 " "  $14^{\circ}49'$  N. 154 " "

No other trees near.

Land level. Soil good.

A few trees.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

No. East on random line bet sec. 11 & 14  
var. 14°49' East

4000 Set temporary 74 sec. cor.

80.16 Intersect N. and S. line 10 hrs. S.  
of cor. to secs. 11, 12, 13 and 14  
from which cor. I run  
S. 89°56' W.

On true line between secs. 11 & 14.  
var. 14°49' East.

40.08 Set a post, marked 74 S. 49 E. long,  
flattened 3 in wide, driven the ground,  
drive charred stake and build a  
mound of earth 4 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide, as  
furnishings for 74 sec. cor.

No trees near.

80.16 Cor. to secs. 10, 11, 14 & 15.

Sand level. Soil good.

A few trees. Some brush.

Township 6 S. Range 14 N.  
Gila and Salt River Meridian

Ps. North between secs. 10 & 11.

var. 14° 44' E East

40.00 Set a post, marked 14 S. 4 fl long, flat-tined 3 in wide, 1 ft in the ground, driven charred stake and build around of earth 2 ft high with pits 1 ft. deep, 1 ft. long, 1 ft wide as per instructions for tree cor. No trees near.

80.00 Set a post, marked 3 notched, 4 ft long, 3 in. sqd. 1 ft in the ground, driven charred stake and build around of earth 2 ft high with pits 1 ft deep, 1 ft long, 1 ft wide as per instructions for cor. to secs. 2, 3, 10 & 11.  
No trees near.

Land level. Soil good -  
Not timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Pos. East on random line betw. sec. 2 & 11.  
var.  $14^{\circ}44'9''$  East

40.00 Set temporary  $\frac{1}{4}$  sec cor.

80.09 Intersect N. and S. line 13 loc. N.  
of cor. to secos. 1, 2, 11 & 12, from  
which cor. I drew

$1.89^{\circ}54'W.$

On true line between secos. 2 & 11.

var.  $14^{\circ}44'9''$  East.

40.04 Set a post, marked  $\frac{1}{4}$  S. off lony  
flattened 3 in. wide, flat on the ground,  
drive channeled stake & build mound  
of earth 8 ft high, with pit 8 ft deep - 7 ft  
long, 4 ft wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees near.

80.09 Cor. to secos. 2, 3, 10 & 11.

Land level. Soil good.  
No timber.

Township 6 S. Range 14 West  
 Gila and Salt River Meridian

Ps. North latitude between  $2^{\circ} 3'$   
 var.  $14^{\circ} 44' E$ ast

40.05 Sitafat, marked 4 ft. long, flattened 3 in.  
 wide, 1 ft. in the ground, true charred stake  
 and build mound of earth 8 ft. high, with  
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-  
 structions for tree. cor. No trees near.

81.07 Interval first standard 5 yds. 18.90 chs. E. of  
 ent. to Secs. 34 & 35, of sp. 5 S. Range  
 14 W. Sitafat, marked and notched,  
 4 ft. long, 3 in. sqd. off in the ground, true  
 charred stake and build mound of earth  
 2 ft. high with pits 1 ft. deep, 2 ft. long  
 1 ft. wide, as per instructions for  
 closing cor. to sec. 2  $\frac{2}{3}$  B.

No trees near.

Land level. Soil good.

No timber. Some brush.

March 24. 1877.

North 6 S. Range 14 W.  
Gila and Salt River Meridian

No. North between secs. 33 & 34.  
var. 14° 49' East.

40.00 Set a post, marked  $\frac{1}{4}$  S. sqd. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build mound  
of earth 2 ft. high, with pit 1 ft. deep, 2  
ft. long, 1 ft. wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft  
long, 3 in. sqd. 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as  
per instructions for cor. to Sec.-  
27, 28, 33 and 34.

No trees near.

Land level, Soil good.  
No timber.  
Some grass.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. East of random line bet. sec. 27 & 34  
Var.  $14^{\circ} 44' 9''$  East

40.00 Set temporary 1/4 sec. cor.

79.90 Intercept N. and S. line 13 lbs. S. of  
var. to secos. 26. 27. 34 and 35. from  
which cor. draw  
 $189^{\circ} 54' W.$

Outline line between secos. 27 & 34  
var.  $14^{\circ} 44' 9''$  East.

39.95 Set a post marked 14 S. 4 ft long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive chancd stake and build mound  
of earth 2 ft high, with pile of deck.  
2 ft long, 1 ft wide, as per instructions  
for 1/4 sec. cor. No trees near.

79.90 Cor. to secos. 27-28. 33 & 34.

Land level. Soil good. No timber  
Some grass.

25

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Sec. North between sec. 27 & 28.

var. 14° 44' 9" East

40.00 Set a post, marked 1/4 S. 4 1/2 E. long.  
flattened 3 in. wide. 1 ft. in the  
ground, drive charred stake and  
build around a earth 3 ft. high  
with piles 1 ft. deep. 2 ft. long. 1 ft. wide,  
as per instructions for 1/4 sec. cor.  
No trees near.

80.00 Set a post, marked and notched  
1/4 ft. long. 3 in. sqd. 1 ft. in the ground  
drive charred stake and build around  
a earth 3 ft. high, with piles 1 ft. deep  
2 ft. long. 1 ft. wide, as per instructions  
for cor. to secs. 21. 22. 27 & 28.

No trees near.

Land level.

Soil good.

No timber.

Some grass.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Rs. East or random line bet secs. 22 & 27  
var.  $14^{\circ}49'$  East

- 40.00 Set temporary 14 sec. cor.  
80.10 Intersect N. and S. line 15 hrs. S. of  
cor. to secs. 22, 23, 26 and 27. from  
which cor. I run  
 $189^{\circ}52' W.$   
Outline line between secs. 22 & 27  
var.  $14^{\circ}49'$  East

40.05 Set apart, marked 14 S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build a  
mound of earth 3 ft. high, with pile  
4 ft. deep, 2 ft. long, 1 ft. wide, as per  
instructions for 14 sec. cor.  
No trees near.

- 80.10 Cor. to secs. 21, 22, 27 & 28.  
Land level. Soil good.  
No timber

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Loc. North between secs. 21 & 22.  
azm.  $14^{\circ} 47' E$

40.00 Set afast, marked  $\frac{1}{4}$  S. 4 ft. long, flattened  
3 in. wide, off on the ground, dive charred  
stone and build around a earth & flgy.  
with pits 1 ft. deep. 2 ft. long. 1 ft. wide, as per  
instructions for sec. cor. from which  
Opale verde, 8 in. diams.  $875^{\circ} E$ . 216 lbs. dist.  
No other trees near.

80.00 Set afast, marked & scatched, 4 ft. long.  
3 in. sqd. off on the ground, dive charred  
stone & build around a earth & flgy.  
with pits 1 ft. deep. 2 ft. long. 1 ft. wide,  
as per instructions for cor. to secs.  
15, 16, 21, and 22. from which  
Opale verde, 4 in. diams. East. 301 lbs. dist.  
No other trees near.

Land level. Soil good.

No timber of any consequence.  
Some Brush

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

P<sup>r</sup>. East on random line betw. sec. 15 & 22.  
var. 14° 49' East

40.00 Set temporary 1/4 sec. cor.

80.15 Intersect N. and S. line 12 lbs. Sof  
ants secos. 14. 15. 22 & 23. from  
which cor. I run  
S. 89° 55' W.

On true line between secos. 15 & 22.  
var. 14° 49' East.

40.07 Set apart marked 1/4 S. 4 ft long, flat-  
tined 3 in. wide, 1 ft ea. the ground,  
driv. chancd stake and build mound  
of earth if high with pits 1 ft. deep. 2 ft  
long. If arid, as per instructions for  
1/4 sec. - cor. No trees near.

80.15 Cor. to Secos. 15. 16. 21 & 22.

Land level. Soil good. No timber.

Township 6 S. Range 14 W.  
Gila & Salt River Meridian

No. North between secs. 15 & 16.  
Var. 14° 49' East

40.00 Set apart, marked 14 S. 4 ft long,  
flattened 3 in. wide, 1 ft. in the ground.  
Drive charred stake and build a  
wound a feather 1 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide, as per in-  
structions for 9th sec. cor. No trees near.

80.00 Set apart, marked and <sup>notched</sup> 4 ft long. 3  
in. sqd. 1 ft in the ground, drive charred stake  
and build wound a feather 1 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions for cor. to secs. 9, 10, 15  
and 16, from which

A pale verde, Gia. dia. 6 in. West, 112 cu. dist.  
No other trees near.

Land level.

Soil good.

A few trees.

Some brush.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Pr. East boundary line between 10 & 15.  
var.  $14^{\circ}49'$  East

40.00 Set temporary 1/4 sec. cor.

80.02 Intersect N. and S. line 10 hrs. N. of  
cont. secs. 10, 11, 14 and 15, from  
which cor. I run  
 $N.89^{\circ}56'W.$

On true line between secs. 10 & 15.  
var.  $14^{\circ}49'$  East.

40.01 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flat-  
tined 3 in. wide, 1 ft in the ground,  
drive charred stake and build a  
mound of earth 3 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions for  $\frac{1}{4}$  sec. cor.

No trees near.

80.02 Cor. to Secs. 9, 10, 15 & 16.

Land level. Soil good.  
A few trees.

Township 6 S. Range 14 W.  
Gila & Salt River Menden

Sec. North between sec. 9 & 10.  
Mer. 14° 44' East

40.00 Set a post, marked 74 S. 4 ft long, flattened  
3 in. wide, driven in the ground, drove chipped  
stone and build around of earth 2 ft  
high, with pits 1 ft deep. 2 ft long. of wide  
as per instructions for 14 sec. cor. Notice near.

80.00 Set a post, marked & notched, 4 ft long.  
3 in. sqd. flat in the ground. drove chipped  
stone and build around of earth 2 ft  
high, with pits 1 ft deep. 2 ft long. of wide  
as per instructions for cor to Secs.

3. 4. 9 and 10. from which  
A pale verde, 4 in. diameter. S. 12° E. 254 ft dist.  
No other trees near.

Land level. Soil good.  
A few trees.

Township 6 S. Range 14 N.  
Gila and Salt River Meridian

Obs. East or random line bet. sec. 3 $\frac{3}{4}$  10.  
var. 14° 49' East

40.00 Set temporary 1/4 sec. cor.

79.84 Intersect N. and S. line 15 lbs. S. of cor.  
to secs. 2-3. 10 $\frac{3}{4}$  11. from which  
cor. true  
8.89° 57' W.

True line between secs. 3 $\frac{3}{4}$  10.  
var. 14° 49' East

39.92 Set post, marked 1/4 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 1 ft high, with pit 1 ft deep.  
2 ft long. of border, as per instruction  
for 1/4 sec. cor. No trees near.

79.84 Cor. to secs. 3. 4. 9 $\frac{3}{4}$  10.

Land level.  
Soil good.  
No timber

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Cho. North boundary bet. sec. 3 E.H.  
var. 14° 49' East L.

40.00 Setapost, marked 1 $\frac{1}{4}$  S. 4 ft long, flattened  
3 in. wide, thru the ground, due to charred stumps  
and build around of earth 3 ft high, with  
pit 1 ft. deep. 2 $\frac{1}{2}$  ft long, 1 $\frac{1}{2}$  ft wide, as per in-  
struction for 14 sec. cor. No trees near.

80.79 Intersect first Standard Parallel S., 19.21  
Cho. E. of Standard cor. to Secs. 33 and  
34. of pl. 5 S. Range 14 W. - Setapost  
marked and notched, 4 ft long, 3 in. sqd.  
thru the ground, due to charred stumps  
and build around of earth 2 ft high, with  
pit 1 ft. deep. 2 $\frac{1}{2}$  ft long. 1 $\frac{1}{2}$  ft wide,  
as per instruction for cor. to secs.  
3 and 34. No trees near.  
Land level.

Soil good.

No timber.

Some brush.

Township 6 S. Range 14 W.  
Gila and Salt River Mountain

Sec. North between secs. 32 & 33  
Lat. 34° 49' East

40.00 Setapost, masoned 4x8.4 ft long.  
flattened 3 in. wide, 1 ft in the ground,  
driv charred stake & build round  
of earth & high with pits 1 ft deep. 2  
ft long, 1 ft wide as per instructions  
for 14 sec. cor. No trees near.

80.00 Setapost, masoned and notched,  
4 ft long, 3 in. sq. d. 1 ft in the ground.  
driv charred stake and build round  
of earth & high, with pits 1 ft deep.  
2 ft long, 1 ft wide as per instruc-  
tions for cor. to Secs. 28, 29, 32  
and 33. No trees near.

Land level.

Dirt good.

No timber

Some grass.

No. 1181

✓ Township 6 S. Range 14 W.  
Ida and Salt River Meridian

8. Est. a random line betw. secs. 28 & 33  
var.  $14^{\circ}49'$  East.

40.00 Set temporary tree cor.

80.13 Intersect N. and S. line 10 rods of  
cor. to secs. 27, 28, 33 & 34, from  
which cor. I run  
 $8.89^{\circ}56'$  off.

On true line between secs. 28 & 33.  
var.  $14^{\circ}49'$  East

40.06 Set apart marked 7 x 8.4 ft long,  
flattened 3 in. wide, from the  
ground, drive charred stake & build  
mound of earth 7 ft high, with pits 4 ft  
deep, 2 ft long, 1 ft wide, as per in-  
structions for 1/4 sec. cor. No trees near.

80.13 Cor. to secs. 28, 29, 32 and 33.

Land level.

Soil good.

No timber.  
Some grass.

Township 6 S. Range 14 N.  
Gila and Salt River Meridian

Sec. North between secs. 28 & 29  
var. 14° 4' 9" East

40.00 Setapost, marked 14 ft. long, flat  
tuned 3 in. wide, 1 ft. in the ground,  
drive chanc'd stake and build mound  
of earth 2 ft. high, with pits 1 ft. deep.  
2 ft. long, 1 ft. wide, as per instructions  
for 1/4 sec. cor. No trees near.

80.00 Setapost, marked and notched,  
4 ft. long, 3 in. sq'd. 1 ft. in the  
ground, drive chanc'd stake and  
build around a feather 2 ft. high,  
with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions for co.  
to secs. 20, 21, 28 and 29.  
No trees near.

Land level. Soil good.  
No timber. Some grass.

Township 6 S. Range 14 W.  
Gila & Salt Rivers Meridian

Loc. Eastwoodandom line between 21 & 28.  
var.  $14^{\circ}49'$  East

40.00 Set temporary 1/4 sec cor.

80.17 Intersect N. and S. line 13 hrs. S. of  
cor. to secs. 21, 22, 27 and 28.  
from which cor. I made  
 $14^{\circ}49' 57''$  W.

On tree line between secs. 21 & 28.

var.  $14^{\circ}49'$  East

40.09 Set a post, marked 14 S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
driv charred stake and build around  
of earth 2 ft. high, with pits of 1 ft. deep - 2 ft  
long. If buried, as far as destruction  
for 14 sec cor. No trees near.

80.17 Cor. to secs. 20, 21, 28 & 29  
Land level.

Salt good.

No timber

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. North between secs. 20 & 21.

Var. 14° 44' 9" East

40.00 Setapost, marked 14 S. 4 ft long,  
flattened 3 in. wide, 1 fm. from the  
ground, drive charred stake and  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 1/4 sec. cor.  
No trees near.

80.00 Setapost, marked and notched.  
4 ft long, 3 in. sqd., 1 fm. from the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions for cor. to secs. 16, 17, 20  
and 21. No trees near.  
Land level.

Soil good.

No timber

Township 6 S. Range 14<sup>E</sup> N.

Gila and Salt River Mendenhall

Ths. East on random line bet. sec. 16<sup>E</sup> 21.  
var. 14° 44' East.

40.00 Set temporary 14 sec. cor.

79.83 Intersect N. and S. line 18<sup>th</sup> L. S. of  
cor. to secs. 15, 16, 21 and 22,  
from which cor. I run  
8.89052<sup>E</sup> W.

Outline line between secs. 16<sup>E</sup> 21.  
var. 14° 44' East.

39.91 Set apart, marked  $\frac{1}{4}$  S. 4<sup>ft</sup> long,  
flattened 3 in. wide. Then the ground  
driv<sup>n</sup> chanced stone and build a  
mound of earth ift high with pit  
4<sup>ft</sup> deep, 2<sup>ft</sup> long. Provide as per in-  
struction for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.83 Contd. Secs. 16, 17, 20 & 21.  
Land level. Soil good. No timber.  
March 26. 1877.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Sec. North between sec. 16 & 17.  
var. 14° 49' East.

40.00 Drive charred stake and build  
mound of earth 1 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for the sec. cor.

80.00 Drive charred stake & build mound  
of earth 1 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, and in center of  
pit S.E. of cor. drive a stake,  
marked and notched, 2 ft long,  
2 in. sqd. from the ground, as per  
instructions for cor. to sec.

8.9.16. and 17.

Land level. Soil good.  
Destitute of stone & timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Pr. East boundary line between sec. 9 & 16.

Var. 14° 49' East

40.00 Set temporary 1/4 sec. cor.

79.88 Intersect N. and S. line 10 lbs. So of  
cor. to secs. 9, 10, 15 and 16. from  
which cor. I run

S. 89° 56' W.

On true line between secs. 9 & 16.

Var. 14° 49' East

39.94 Set post, marked 1/4 S. 4 ft. long,  
flattened 3 in. wide, flat in the ground  
drive charred stake and build a  
mound of earth 7 ft. high with  
pit 1 ft. deep, 2 ft. long. If made  
as per instructions for 1/4 sec. cor.  
No tree near.

79.88 Cor. to secs. 8, 9, 16. S 17.  
Land level. Soil good.  
No timber.

Township 6 S. Range 14 N.  
Gila and Salt River Meridian

- |           |   |
|-----------|---|
| P.<br>No. | North between secs. 8 & 9<br>var. 14° 4' 9" East  |
| 40.00     | Set apart, marked 148.4 ft long, flat<br>tined 3 in. wide, 1 ft in the ground,<br>drive charred stake and build<br>mound of earth 2 ft high with pits<br>1 ft deep. 2 ft long. 1 ft wide, as per in-<br>structions, for 14 sec. cor. No trees near.                               |
| 80.00     | Set apart, marked & notched, 4 ft<br>long. 3 in. sqd. from the ground,<br>drive charred stake and build<br>mound of earth 2 ft high,<br>with pits 1 ft. deep. 2 ft. long.<br>1 ft wide, as per instructions<br>for cor. to secns. 4, 5, 8 and 9.<br>No trees near.<br>Land level. |

Soil good.  
No timber -  
Some brush.

Township 6 S. Range 14 W.  
Gila and Salt Rivers Meridian

On East random line between 4 E. 9.  
var.  $14^{\circ}49'$  East

40.00 Set temporary 14 sec cor.

79.87 Intersect N. and S. line 21ks. S.  
4 sec. to Sec. 3. 4. 9 & 10. from  
which cor. I run  
 $89^{\circ}51'W.$

On true line between secos. 4 E. 9.  
var.  $14^{\circ}49'$  East.

39.91 Set a post, marked 14 S. off E.  
long, flattened 3 in. wide, & buried  
in the ground, due charred stake &  
build around a fourth of the high  
with posts 4 ft. deep, 2 ft. long, 4 ft.  
wide, as per instructions for 14  
sec. cor. No trees near.

79.87 Cor. to Secs. 4. 5. 8 and 9.  
Land level. Soil good.  
No timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. North on true line bet. sec. 4 & 5.  
var.  $14^{\circ}49'$  East.

40.00 Stake post marked 44 S. 4 ft long, flattened  
3 in wide, thru the ground, driven charred  
stake & build mound of earth 3 ft high  
with pits of depth 2 ft long, 1 ft wide  
as per instructions for 1/4 sec. cor.  
No trees near.

81.10 Intercept first standard parallel S,  
19.18 Ch. East cor to sec. 32 & 33 of  
Tl. 5 S. Range 14 W. - Stake post, marked  
notched, 4 ft long, 3 in. sqd. thru the ground,  
driven charred stake & build mound of earth  
3 ft high, with pits of depth 2 ft long & 1 ft wide  
as per instructions for closing cor to sec.  
4 & 5. from which

A pale ferria, 7 in dia. bar. S. 87 E. 319 lbs. dist  
A pale verde, 5 " " N. 71 1/2 W. 217 " "  
Land level. Soil good. A few trees,  
some brush.

Township 6 S. Range 14<sup>th</sup>.  
 Gila and Salt River Meridian

Sec. North between secos. 31 & 32.

Var. 14° 44' 9" East

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
 flattened 3 in. wide, driven in the  
 ground, drive charred stake and  
 build mound of earth 2 ft. high,  
 with pit 1 ft. deep. 2 ft. long. Stake  
 as per instructions for  $\frac{1}{4}$  sec cor.  
 No trees near

80.00 Set a post, marked and notched,  
 $\frac{1}{4}$  ft. long, 3 in. sqd. driven in the ground,  
 drive charred stake and build a  
 mound of earth 3 ft. high, with pit  
 1 ft. deep. 2 ft. long. Stake as per in-  
 structions for cor to sec. 29-30.  
 31 and 32. No trees near.

Land level. Soil good. No  
 timber. Some grass.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. Easton random timber sec. 29 & 32.  
var.  $14^{\circ}49'$  East.

40.00 Set temporary 1/4 sec. cor.

79.95 Intersect N. and S. line 16 hrs. N.  
of cor. to secs. 28, 29, 32 & 33. from  
which cor. true  
 $1.89^{\circ}53' N.$

On true line between secs. 29 & 32.  
var.  $14^{\circ}49'$  East.

39.98 Set a post, marked 1/4 S. 44 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build a  
mound of earth 2 ft. high, with pit  
1 ft. deep, 2 ft. long, 1 ft. wide, as per in-  
structions for 1/4 sec. cor.

79.95 Cor. to secs. 29, 30, 31 and 32.

Land level. Soil good. No  
timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

No. West or random line lot sec. 30 E 31.

var.  $14^{\circ}49'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.39 Intersect N. boundary 11 lots. N. of  
cor. to secs. 30 E 31. from which cor.  
Draw

$11.89^{\circ}55' E.$

Outline line between secs. 30 E 31.

var.  $14^{\circ}49'$  East

38.39 Set a post, marked  $\frac{1}{4}$  sec. & long.  
flattened 3 in. wide, from the ground.  
Drive charred stake and build mound  
of earth  $\frac{1}{2}$  ft high with pile  $\frac{1}{2}$  ft deep.  
2 ft long. of hardie, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. No tree was

78.39 Cor. to secs. 29-30-31 E 32.

Land level. Soil good.  
No timber

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Pos. North between sec. 29 & 30.  
var. 14° 49' East.

- 40.00 Setapost marked 14 S. 4 ft long, flattened  
3 in. wide, 1 ft in the ground, drive charred  
stake and build mound of earth  
1 ft high, with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions  
for 1/4 sec. cor. No trees near.
- 80.00 Setapost, marked and notched,  
4 ft long, 3 in. sqd. 1 ft in the ground,  
drive charred stake and build a  
mound of earth 1 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for cor to  
secs 19, 20, 29 and 30.  
No trees near.

Land level. Soil good.  
No timber.

Township 6 S Range 14 W.  
Gila and Salt River Meridian

No East boundary line between sec. 20 & 29  
var.  $14^{\circ}49'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.11 Intersect N. & S. line 15 lbs. S. after  
to secs. 20, 21, 28 & 29, from which  
cor. from  
 $589^{\circ}54' W.$

Outline line between secs. 20 & 29.  
var.  $14^{\circ}49'$  East.

40.05 Set a post marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build  
mound after earth 3 ft high, with  
pit 1 ft deep, 2 ft long, of coarse  
as per instructions for  $\frac{1}{4}$  sec. cor.

No trees near.

80.11 Cor. to secs. 19, 20, 29 & 30.  
Land level. Soil good.  
No lumber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Obs. West from random line bet. secs. 19 & 30.  
var. 14° 49' East

40.00 Set temporary 1/4 sec. cor.

78.45 Intersect W. boundary 13 lbs. N.  
of cor. to secs. 19 and 30, from  
which cor. I find  
N. 89° 52' E.

On true line between secs. 19 & 30.  
var. 14° 49' East

38.45 Set a post, marked 1/4. S., 4  
ft. long, 3 in. wide flattened, 1 ft.  
in the ground, drive charred stake  
and build mound of earth 2 ft. high,  
with pits 1 ft. deep, 2 ft. long, 2 ft. wide,  
as per instructions for 1/4 sec. cor.  
No trees near.

78.45 Cor. to Secs. 19, 20, 29 & 30.  
Land level. Soil good.  
No timber.

Township 6 S. Range 14 E.  
Gila and Salt River Meridian

No. North between secs. 19 & 20.  
var.  $14^{\circ} 4' 9''$  East

- 40.00 Set a post, marked N. S. 4 ft long, flat-tined 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep.  
2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep. 2 ft long, 1 ft wide, as per instructions for cor. to secs. 17-18, 19 and 20. No trees near.

Land level. Soil good.  
No timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Pr. East boundary line lat sec. 17  $\frac{3}{4}$  20  
var.  $14^{\circ}49'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.15 Intersect N. and S. line 10 las. N.

of cor. to secs. 16.17.20 & 21. from  
which cor. I run

$N.89^{\circ}56'W.$

Patent line between secs. 17  $\frac{3}{4}$  20.

var.  $14^{\circ}49'$  East

40.08 Set post, marked  $\frac{1}{4}$  S. 4 ft. long, flat-  
tened 3 in. wide, plan the ground,  
drive charred stake and build  
mound of earth 2 ft high, with pits  
1 ft. deep, 2 ft long, 1 ft wide, as per  
instructions for  $\frac{1}{4}$  sec. cor.

No trees near.

80.15 Cr. to secos. 17.18.19  $\frac{3}{4}$  20.

Land level. Soil good. No timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. West or random line between 18 & 19.  
var.  $14^{\circ}49'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78-31 Intersect W. boundary 7 sec. N.  
of cor. to secs. 18 & 19, from which  
cor. true

$1.89^{\circ}57'$  E.

Out true line between secs. 18 & 19.  
var.  $14^{\circ}49'$  East.

38-31 Set post, marked  $\frac{1}{4}$  S. 4 ft. long, flat-  
tened 3 in. wide, set in the ground,  
driven chanced stake and build mound  
of earth 8 ft. high, with posts placed  
2 ft. long, 1 ft. wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. from which  
Apolefaria, 7 in. dia. N.  $38^{\circ}W.$  71 Landst.  
No other tree near.

78-31 Cor. to secs. 17, 18, 19 and 20.  
Land level. Soil good. No timber.  
Some brush.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Sec. North between secs. 17 & 18.

var. 14° 49' East.

40.00 Setapost, marked 4x8.4 ft long, flat-topped 3 in. wide, 1 ft in the ground, with charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

80.00 Setapost, marked and notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, with charred stake and build a mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor to secs. 7, 8, 17 and 18.

No trees near.

Land level.

Soil good.

November.

Township 6 S. Range 14 W.  
 Gila and Salt Rivers Meridian

Ps. East on random line bet. sec. 8 & 17  
 var.  $14^{\circ}49'$  East

40.00 Set temporary 1/4 sec. cor.

79.83 Intersect N. and S. line 10 lks. S.  
 after cor. to secs. 8, 9, 16 and 17, from  
 which cor. I run  
 $3.89^{\circ}56'W.$

Outtrue line between secs. 8 & 17.  
 var.  $14^{\circ}49'$  East

39.91 Drive charred stake and build  
 mound of earth 8 ft. high with  
 pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
 as per instructions for 1/4 sec.  
 cor. No stones or timber near.

79.83 Cor. to Secs. 7, 8, 17 & 18.  
 Land level.

Soil good.

Not timbered  
 March 27. 1877.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

- Obs West on random line between secs 7 & 18.  
var.  $14^{\circ}44'9''$  East  
40.00 Set temporary 74 sec. cor.  
78.46 Intersect N. boundary 17 bcs. S.  
of front secs. 7 and 18. from which  
cor. true  
 $189^{\circ}53' E.$   
On true line between secs 7 & 18.  
var.  $14^{\circ}44'9''$  East  
38.46 Set a post, marked 74 S. off long,  
flattened 3 in. wider, stem in the  
ground, dry charred stroke and  
bulld mounds often 2 ft. high  
with pits 1 ft. deep. 2 ft. long  
if wider, as per instructions  
for 74 sec. cor. No trees near.  
78.46 Cor. to secs. 7. 8. 17 and 18.  
Land level. Soil good. Not timbered

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Ps. North between Secs. 7 & 8.  
var. 14° 4' E. of S.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 14 sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S.E. of cor. drive  
a stake marked and notched,  
2 ft long, 2 in. sq'd. of in the  
ground, as per instructions  
for cor. to Secs. 5, 6, 7 & 8.

Land level. Soil good.  
Destitute of stone & timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

Obs East on random line between  $5 \frac{3}{4}$  S.  
var.  $14^{\circ} 49'$  East.

40.00 Set temporary 14 sec. cor.

80.12 Intersect N. and S. line 21 sec. N.  
of cor. to secs. 4, 5, 8 and 9. from  
which cor. I run  
 $11.89^{\circ} 51' W.$

Patent line between sec.  $5 \frac{3}{4}$  S.

var.  $14^{\circ} 49'$  East.

40.06 Set a post, marked 14 S. 4 ft long, flat-  
ened 3 in. wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep  
2 ft long. 1 ft wide, as far as true  
lines for 14 sec. cor. Notice near  
80.12 Cor. to secs. 5, 6, 7 and 8.

Land level. Soil good -  
Not timber.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

No. West on random line lots sec. 6 E 7.  
var. 14° 49' East

4000 Set temporary 1/4 sec cor.

78-30 Intersect W. boundary 12 lots.  
S. after to secs. 6 E 7. from  
which cor. I run  
S. 89° 55' E.

Outline line between secs. 6 E 7.  
var. 14° 49' East

38-30 Set post, raised 14 S. 4 ft long,  
flattened 3 in. wide, from the  
ground, drive chanced stake and  
build mound of earth 8 ft high  
with pit 8 ft deep. 2 ft long. 1 ft wide  
as per instructions for 1/4 sec cor.  
No trees near.

78-30 Cor. to sec. 5, 6, 7 E 8.  
Land level. Soil good.  
Not timbered.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian

On North on true line between 5 E.  
var. 14° 49' East.

40.00 Set post, marked 4 ft. long, flattened 3  
in. wide, driven in the ground, drive clamped stake  
and build mound of earth 2 ft. high with  
pit 1 ft. deep. 2 ft. long, 1 ft. wide, as per in-  
structions for 4 sec. cor. No trees near.

80.85 Intersect first Standard S., 19.05 Ch. E. of  
cor. to secos. 31 & 32, off sp. 5 S. Range 14 W.  
Set post, marked and notched, 4  
ft. long. 3 in. sqd. of 6 in. in the ground,  
drive clamped stake and build mound  
of earth 2 ft. high, with pit 1 ft. deep. 2  $\frac{1}{2}$  ft.  
long. 1  $\frac{1}{2}$  ft. wide, as per instructions for  
closing cor. to secos. 5 E.

No trees near.

Land level.

Soil good. Not timbered  
March 28. 1877.

Township 6 S. Range 14 W.  
Gila and Salt River Meridian  
General Description

This Township lies along the valley of the Gila, the river running through the adjoining township on the South. There is an abundance of water not yet utilized in the river for irrigating purposes.

There is considerable good land throughout the township. The surface is mostly level. The land generally descends a little south. There is very little timber but some brush and grass.

Theodore F. White  
U.S. Deputy Surveyor

## List of Names.

A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of the Subdi-

vision lines of Town-  
ship 6 S. Range 14 W.,  
of the Gila and Salt  
River, Arizona

Showing the respective capacities in which they  
acted.

Urban Bassard Chainman.

E. O. Smith Chainman,

Fred C. Jones Axeman.

Allan Bonard Flagman.

1801 BOOK  
Final Oath of Assistants.

BOOK 1181

We hereby certify that we assisted Theodore F. White, U. S. Deputy Surveyor, in surveying The Subdivision Lines of Township 6 S. Range 14 W. of the Gila and Salt River Meridian Arizona,

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Urban Bernard Chainman.

C. C. Smith Chainman,

Frederick Jones Axeman.

Allan Bernard Flagman.

Sworn to and subscribed before me, this 28<sup>th</sup> day of April, 1877

John R. Powell  
Notary Public.

# Final Oath of Deputy Surveyor.

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bearing  
date the 28<sup>th</sup> day of December

1876. I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-General,  
the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

The Subdivision lines of  
Township 6 S. Range 14  
N. of the Gila and Salt  
River Meridians, Arizona,

as are represented in the foregoing Field Notes as having  
been surveyed under my directions; and I do  
further solemnly swear that all the corners of  
said surveys have been established and perpet-  
uated in strict accordance with the Surveying  
Manual and printed instructions, and also in ac-  
cordance with the additional requirements con-

tained in circular instructions from the U. S.  
Surveyor-General for Arizona, dated September  
1, 1873, regarding the establishment of corner  
boundaries of public surveys, and that the fore-  
going are the true and original Field Notes of  
such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 28<sup>th</sup>  
day of April, 1877,

John R. Fairell,  
Notary Public



U. S. Surveyor General's Office,  
TUCSON, ARIZONA, August 6, 1874.

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 6 South,  
Range 14 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by

Thedore F. White,

Deputy Surveyor, under his contract of the 28<sup>th</sup>  
day of December, 1876, having been  
critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

John W. Wasson,  
Surveyor General.