

No. 1182

BOOK 1182

1182

Field Notes

OF THE SURVEY OF THE

BOOK 1182

SUBDIVISION LINES

- OF -

No. 1182

Township 6 South Range 15 West,

Gila and Salt River Base and Meridian

ARIZONA.

By Theodore F. White, D. S.

under contract dated Dec. 28, 1876.

Survey commenced April 7 1877.

Survey completed April 11, 1877.

Preliminary Oaths of Assistants.

We *Urbain Bessard*
and *E. O. Smith*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Urbain Bessard
E. O. Smith

Sworn to and subscribed before me, this *9*
day of *January*, 18*77*

John R. Favell
Notary Public

BOOK 1182

We, Allan Bernard
and Fred Jones
do solemnly swear that we will well and truly per-
form the duties of Flagman and
Quaman respectively
according to instructions given us, and to the best
of our skill and ability.

Allan Bernard
Fred G. Jones

Sworn to and subscribed before me this 9
day of January, 1877

John D. Faull
Notary Public.



5.15.71

10

4-674.

Township *6 S.* R. *15 W. Sec. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36*

BOOK 1182

6	<i>60</i>	5	<i>44</i>	4	<i>33</i>	3	<i>22</i>	2	<i>11</i>	1
<i>59</i>		<i>58</i>		<i>43</i>		<i>32</i>		<i>21</i>		<i>10</i>
7	<i>57</i>	8	<i>42</i>	9	<i>31</i>	10	<i>20</i>	11	<i>9</i>	12
<i>56</i>		<i>55</i>		<i>41</i>		<i>30</i>		<i>19</i>		<i>8</i>
18	<i>54</i>	17	<i>40</i>	16	<i>29</i>	15	<i>18</i>	14	<i>7</i>	13
<i>53</i>		<i>52</i>		<i>39</i>		<i>28</i>		<i>17</i>		<i>6</i>
19	<i>51</i>	20	<i>36</i>	21	<i>27</i>	22	<i>16</i>	23	<i>5</i>	24
<i>50</i>		<i>49</i>		<i>37</i>		<i>26</i>		<i>15</i>		<i>4</i>
30	<i>48</i>	29	<i>36</i>	28	<i>25</i>	27	<i>14</i>	26	<i>3</i>	25
<i>47</i>		<i>46</i>		<i>35</i>		<i>24</i>		<i>13</i>		<i>2</i>
31	<i>45</i>	32	<i>34</i>	33	<i>23</i>	34	<i>12</i>	35	<i>1</i>	36

The initial point of the survey of the subdivision lines of Township 6 S. range 15 W. is the cor. to Secs. 35, 36, 1 and 2, on the south boundary, which cor. was established by myself in these present surveys, and is a post in mound of earth with pits, and from which a pole fixed, 6 in. dia, bears N. 77° W. 157 lbs. dist. No other trees near.

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Survey commenced April 7, 1877.
From the cor. to Secs. 35, 36, 1 & 2, on the S. bound-
ary, Drive

North between secs. 35 & 36.

Var. 15° East

As per East boundary.

46.00 Set a post, marked 14 S. of ft long, flattened
3 in. wide, 1 ft in the ground. Drive charred
stake & build mound of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per instructions for the
Sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in.
sq. in the ground. Drive charred stake and
build mound of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to Secs. 25, 26, 35 and 36.
No trees near.

Land level. Soil good. No timber.

Township 6 S. Range 15 N.
Gila and Salt River Meridian

Sec. East, on random line bet sec. 25 & 36.
Var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.06 Intersect E. boundary 11 lvs. N. of cor.
to sec. 25 & 36. from which cor. drawn
N. 89° 55' W.

On true line between sec. 25 & 36.
Var. 15° East

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.06 Cor. to sec. 25, 26, 35 and 36.
Land level.

Soil good.
No timber.

BOOK 1182

Township 6 S. Range 15 W.
Gila and Salt River Meridian

North between secs. 25 & 26.
var. 15° East.

40.00 Set a post, marked 14 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for
14 sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sq'd. 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to secs.
23, 24, 25 and 26.
No trees near.

Land level.

Soil Ford. No timber.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Rs. East on random line bet. sec. 24 & 25.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect E. boundary 14 sec. N.
of cor. to sec. 24 & 25. from
which cor. Run
N. 89° 54' W.

On true line between sec. 24 & 25.
var. 15° East

40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft. in the
ground, drive chared stakes and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft.
wide, as per instructions for $\frac{1}{4}$
sec. cor. No trees near.

80.11 Cor. to sec. 23, 24, 25 and 26.
Sand level. Soil good. No timber.

Township 6 S. Range 15 W.

Gila and Salt River Meridians

Co. North between secs. 23 & 24.
var. 15° East.

40.00 Set a post, marked 145. 4 ft
long, flattened 3 in. wide, 1 ft in
the ground, drive charred stake
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for 14 sec. cor. No trees near.

80.00 Set a post, marked & notched,
4 ft long, 3 in. sq. d. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to
secs. 13, 14, 23 and 24.

Sand level. Soil good.
No timber.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

No. East on random line bet secs. 13th & 23rd
var. 15° East

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect E. boundary 11 hrs. S. of cor.
to secs. 13 and 23rd from which
cor. Run
S. 89° 55' W.

Continue line between secs. 13th & 23rd
var. 15° East

39.95 Set a post marked 1/4 S. 4 ft long.
flattened 3 in. wide, 1 ft in the
ground, drive charred staves and
build mound of earth 4 ft high
with pile 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for 1/4 sec.
cor. No trees near.

79.90 Cor. to secs. 13, 14, 23rd & 24th.
Land level. Soil good.
No timber

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Rs. North between secs. 13 & 14
var. 15° East.

40.00 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for 14 sec. cor.

80.00 Drive charred stake and build
mound of earth 2 ft high with pits
1 ft deep, 2 ft long, 1 ft wide and in
center of pit S. E. of cor. Drive
a stake marked and notched,
2 ft long, 2 in. sq. 1 ft in the
ground, as per instructions for
cor. to secs. 11, 12, 13 and 14
Destitute of stones or timber.

Land level. Soil good.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Co. East on random line bet sec. 12 & 13
var. 15° East

40.00 Set temporary 1/4 sec. cor.

80.17 Interest E. boundary 21 cu. ft. a few
to sec. 12 and 13. from which cor.
In use

N. 89° 51' W.

Actual line between sec. 12 & 13.
var. 15° East

40.08 Drive charred stake and build mound
of earth 2 ft high with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for 1/4
sec. cor.

80.17 Co. to sec. 11, 12, 13 and 14.

Land level.

Soil good.

No timber or stones

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Ths. North between secs. 11 & 12.
var. 15° East

40.00 Drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions for
1/4 sec. cor.

80.00 Drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, and in center
a pit S. E. of cor. Drive a stake,
marked and notched, 2 ft long,
2 in. sq. d. 1 ft in the ground, as
per instructions for cor. to secs.
1, 2, 11 and 12.

Land level.

Soil good.
Destitute of stones & timber.

Township 6 S. Range 15 W.
Gila and Salt River Meridian.

Rs. East on random line bet. secs. 1 & 12.
var. 15° East

40.00 Set temporary 1/4 sec. cor.

80.20 Intersect E. boundary 23 hrs. N. of
cor. to secs. 1 and 12, from which
cor. Issue
N. 89° 50' W.

Put true line between secs. 1 & 12.
var. 15° East.

40.10 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide. 1 ft. in the ground,
over chared stone and built mound
of earth 1 ft. high, with pile 1 ft. deep,
2 ft. long. 1 ft. wide, as per instructions
for 1/4 sec. cor. No trees near

80.20 Cor. to secs. 1, 2, 11 and 12.

Land level. Soil good. No timber

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Chs. North. on true line bet. sec. 1 & 2.
var. 15° East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred stake
and build mound of earth 1/2 ft high with pits
1/2 ft deep, 2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. No trees near

79.77 Intersect first Standard Parallel S., 21.36
chs. E. of standard cor to Secs. 35 & 36. of
Tp. 5 S. R. 15 W. Set a post, marked
and notched, 4 ft long, 3 in. sq. d. 1 ft in the
ground, drive charred stake & build mound of
earth 2 ft high, with pits 1 ft deep, 2 1/2 ft long,
1 1/2 ft wide, as per instructions for closing
cor to sec. 1 and 2.

No trees near.

Land level.

Soil good.

No timber.

Township 6 S. Range 15 N.

Gila and Salt River Meridian

Sec. North. between secs. 34 & 35.
 var. 15° East.

40.00 Set a post, marked 14 S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions for 74 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 14 ft long,
 3 in. sq. d. 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for cor. to Secs.

26, 27, 34 and 35.

No trees near.

Land level.

Out yard.

No timber.

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Chs. East on random line bet. secs. 26 & 35.
var. 15° East.

40.00 Set temporary 74 sec. cor.

80.06 Intersect N. and S. line 10 hrs. S. of
cor. to secs. 25, 26, 35 and 36,
from which cor. Run
S. $89^{\circ} 56'$ W.

Return line between secs. 26 & 35
var. 15° East

40.03 Set a post, marked 74 S. 4 ft. long, flat
tined 3 in. wide, 1 ft. in the ground,
drill charred stake and build
mound of earth 2 ft. high with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions for 74 sec. cor.
Notes near.

80.06 Cor. to secs. 26, 27, 34 and 35.

Land level. Soil good. Not timbered

Township 6 S. Range 15 W.

Gila and Salt River Meridian

- Rs. North between sees 26 & 27.
var. 15° East
- 40.00 Set a post, marked "4 S. 4 ft. long
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build a
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for "4 sec cor.
No trees near.
- 80.00 Set a post, marked and scratched,
4 ft long, 3 in. sqd. 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per in-
structions for cor to sees 22, 23,
26 and 27. No trees near.

Land level. Soil good. No timber

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Run East on random line bet sec. 23 & 26.
var. 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect N. and S. line 15 hrs. S. of
cor. to sec. 23, 24, 25 and 26,
from which cor. I run
S. $89^{\circ} 54'$ W.

Run line between sec. 23 & 26.
var. 15° East.

40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2 ft high
with pile of debris 2 ft long, 1 ft wide
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.18 Cont sec. 22, 23, 26 & 27.

Land level. Soil good. No timber.

Township 6 S. Range 15 W.

Gila and Salt River Meridian

- Ch. North between secs. 22^g & 23
var. 15° East
- 40.00 Set a post, marked 74 S. 4 ft long, flat-
tined 3 in wide, 1 ft in the ground,
drive charred stake and build mound
of earth 1 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions
for 74 sec. cor. Notice near.
- 80.00 Set a post, marked and notched, 4
ft long, 3 in sq'd, 1 ft in the ground,
drive charred stake and build a
mound of earth 1 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions for cor. to secs. 14,
15, 22 and 23. Notice near.
- Land level. Soil good. Not a bear
April 7, 1877.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Rs. East meridian line bet. secs. 14 & 23.
var. 15° East

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N. and S. line 23 less N.
of cor. to secs. 13, 14, 22 & 23.
from which cor. True
N. $89^{\circ} 50' N$.

On true line between secs. 14 & 23.
var. 15° East

39.90 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the ground.
Two chains stake and build a
mound a ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as per
instruction for 1/4 sec. cor.

No trees near.

79.80 Cor. to secs. 15, 14, 22 & 23.

Land level. Soil good.

No timber.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

- No. North between sec. 14 & 15.
var. 15° East.
- 40.00 Set a post, marked $1/4$ S. $4/8$ ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $1/4$ sec. cor.
- No trees near.
- 80.00 Drive charred stake & build mound of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq. to 1 ft. in the ground, as per instructions for cor. to sec. 10, 11, 14 and 15.
- No stones or timber near.
Land level. Soil good.
No timber.

Township 6 S. Range 15 W.

Gila and Salt River Meridian

No. East on random line bet. secs 11 & 14.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.88 Intersect N. and S. line 18 lbs. N. of
cor. to secs. 11, 12, 13 and 14, from
which cor. In run
N. $89^{\circ} 52' W.$

Put true line between sec. 11 & 14.
var. 15° East.

39.94 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ sec. long, flat-
tined. 3 in. wide, 1 ft. in the ground.
Drive charred stake and build
mound of earth 2 ft high, with pits
1 ft. deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.

No trees near.

79.88 Co. to Secs. 10, 11, 14 & 15.

Land level. Soil good.
No timber.

Townships 6 S. Range 15 W.
Gila and Salt River Meridian

Ln. North between secs. 10 & 11
var. 15° East.

40.00 Two charred stakes and build mound
of earth 2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. No stone or timber.

80.00 Set apart, marked and notched, 4 ft
long, 3 in sq. d. 1 ft in the ground.
Two charred stakes and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions for cor. to secs. 2, 3,
10, and 11.

No trees near.

Land level. Soil good.
No timber

Townships 6 S. Range 15 W.
Gila and Salt River Meridian

Rs. East on random line bet Secs. 2 & 11.
var. 15° East

40.00 Set temporary 1/4 sec. cor.

80.16 Intersect N. and S. line 1860. N. of
cor. to Secs. 1, 2, 11 and 12, from
which cor. Run

N. 89.52° W.

Outline line between Secs. 2 & 11.
var. 15° East

40.08 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 1/4 sec.
cor. No trees near.

80.16 Cor. to Secs. 2, 3, 10 & 11.

Land level. Soil good.
No timber.

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Chs. North on true line bet sees. 2 & 3.
var. 15° East.

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flat-topped 3 in wide. In the ground drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, $\frac{1}{2}$ ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

79.75 Intersect first standard Parallel S,
21.35 Chs. E. a few. to sees. 34 and
35. of Tp. 5 S. Range 15 W. Set a post,
marked & notched, $\frac{1}{4}$ ft long, 3 in. sq. set
in the ground, drive charred stake and
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, $\frac{1}{2}$ ft wide, as
per instructions for closing cor. to sees.
2 & 3. No trees near.

Land level. Soil good. No timber

Township 6 S. Range 15 W.
Gila and Salt River Meridian

No. North between Secs. 33 & 34.
var. 15° East.

40.00 Set a post, marked 14 S. 4 ft long,
flattened 3 in. wide. From the ground
drive charred stake and build a
mound of earth 2 ft high, with pits 4 ft
deep, 2 ft long, 1 ft wide, as per instruc-
tions for 14 sec. cor. No tree near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq. d. From the ground
drive charred stake and build mound
of earth 2 ft high, with pits 4 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to sec. 27, 28, 33 & 34.
No tree near.

Land level.

Soil good.

November.

Township 6 S Range 15 W.
Gila and Salt River Meridian

No. East on random line bet. secs. 27 & 34.
var. 15° East

40.00 Set temporary 1/4 sec. cor.

80.05 Intersect N. and S. line 10 M. S. of
cor. to sec. 26-27. 34 & 35.
from which cor. I run
S 89° 56' W.

On true line between secs. 27 & 34
var. 15° East.

40.02 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 4 ft. in the
ground. Drive chaired stake and
build mound of earth 4 ft. high,
with pits 1 ft. deep, 2 ft. long, 4 ft.
wide, as per instructions for 1/4 sec.
cor. No trees near.

80.05 Cor. to sec. 27, 28, 33 and 34
Land level. Soil good.
No timber

Township 6 S. Range 15 W.

Gila & Salt River Meridian

No. North between secs. 27 & 28.
var. 15° East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pile 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor. from which
Apale verde, 6 in. dia. tree N. 50° W. 200 lbs. dist.
No other trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in.
sq. ft. in the ground, drive charred stake and
build mound of earth 2 ft high, with pile 1 ft deep,
2 ft long, 1 ft wide as per instructions, for cor. to
secs. 21, 22, 27 & 28. from which
Apale pavia, 5 in. dia. tree, N. 30° W. 47 lbs. dist.
Apale verde, 6 " " " N. 70° W. 64 " "

No other trees near.

Land level. Soil good. Scattering
trees.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Ch. East on random line bet. secs. 22 & 27.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.92 Intersect stand S. line 18 W. S. of
cor. to secs. 22, 23, 26 and 27.
from which cor. I run
S. $89^{\circ} 52' N$.

Extreme line between secs. 22 & 27.
var. 15° East.

39.96 Set post marked $\frac{1}{4}$ S. of plng. flat-
tened 3 in. wide, 1 ft in the ground,
drill chared stake and build mound
of earth 2 ft high, with feet 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.92 Cor. to secs. 21, 22, 27 & 28.

Land level. Soil good.
No timber of any consequence.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

- No. North between secs. 21 & 22.
var. 15° East
- 40.00 Set a post marked by S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
two chared stave and build mound
a fourth of ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions
for the sec. cor. from which
Acacia quite, 5 in. dia. var. S. 31° W. 84 lbs dist.
No other trees near.
- 80.00 Set a post, marked & notched, 4 ft long,
3 in. sqd. ft in the ground, two chared
stave and build mound a fourth of ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for cor to secs. 15, 16, 21
and 22. No trees near.
- Land level. Soil good.
A few trees.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

No. East or random line bet. sec. 15 & 22.
var. 15° East.

40.00 Set temporary 1/4 sec. cor.

79.84 Intersect N. and S. line 20 W. S. of cor.
to sec. 14, 15, 22 & 23. from which

cor. run

S 89° 51' W.

Continue line between sec. 15 & 22.
var. 15° East.

39.92 Set a post marked 1/4 S. 4 ft long, flat-
tened 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, a per instructions for 1/4
sec. cor. Notice near.

79.84 Cor. to sec. 15, 16, 21 and 22.

Land level. Soil good.
November

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Co. North between secs. 15 & 16.
var. 15° East.

40.00 Set a post, marked 48. 4 ft long, flattened 3 in wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.
No trees near.

80.00 Set a post, marked E notched, 4 ft long, 3 in sq. ft. in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 9, 10, 15 and 16.
No trees near.

Sand level. Soil good.
November.

Township 6 S. Range 15 N.
Gila and Salt River Meridian

On East or random line bet. secs. 10 & 15.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.89 Intersect N. and S. line 12 lns. S. of
cor. to secs. 10, 11, 14 and 15.
from which cor. In run
S 89° 55' N.

On true line between secs. 10 & 15.
var. 15° East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tened 3 in wide, 1 ft. in the ground
driven charred stake and build mound
a fourth of ft. high, with pits 1 ft. deep, 2
ft. long, 4 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.89 Cor. to secs. 9, 10, 15 & 16.

Level. Soil good. No timber.

Township 6 S. Range 15 N.
Gila and Salt River Meridian

No. North between secs 9 & 10.
var. 15° East

40.00 Set a post, marked W.S. 4 ft long, flat-
tened 3 in wide, 1 ft from the ground,
drill chaired stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for 4 sec. cor. No trees near.

50.00 Set a post, marked E & notched,
4 ft long, 3 in sqd. 1 ft from the ground,
drill chaired stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to secs. 3, 4, 9 and 10.

No trees near
Land level.

Chas. Good.
Holmber

Township 6 S. Range 15 W.

Gila and Salt River Meridian

This Eastern random line bet. sec. 3 & 10.
var. 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line 25 W. S. of
cor. to sec. 2, 3, 10 and 11, from
which cor. I run
 $S. 89^{\circ} 49' N.$

Original line between sec. 3 & 10.

var. 15° East.

39.90 Set apart marked $\frac{1}{4}$ S. $\frac{1}{4}$ fl. long, flattened
3 in wide. $\frac{1}{2}$ ft in the ground. drive
chained stake and build mound of
earth $\frac{1}{2}$ ft high, with pits $\frac{1}{2}$ ft deep. $\frac{1}{2}$ ft
long. $\frac{1}{2}$ ft wide, as per instructions for $\frac{1}{4}$
sec. cor. No trees near.

79.80 Cor. to sec. 3, 4, 9 and 10.

Land level. Set good. No timber.
April 9, 1877.

Township 6 S Range 15 W.
Gila and Salt River Meridian

No. North ^{on true line} between sec. 3 & 4.
var. 15° East.

40.00 Set a post, marked 14 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, two charred
stems and build mound of earth of height
with pits 1 ft deep, 2 ft long. 1 ft wide, as
per instructions for 14 sec. cor.
No trees near.

79.78 Intersect first standard parallel S.,
21.40 chs. E. of standard cor. to Secs.
33 and 34, of Twp. 5 S. R. 15 W.
Set a post, marked and notched, 4 ft long,
3 in wide, 1 ft in the ground, two charred stems
and build mound of earth of height with
pits 1 ft deep, 2 ft long. 1 ft wide, as
per instructions for cor. to Secs. 3 & 4.
No trees near.
Land level. Soil poor.
No timber.

Township 6 S Range 15 W.
Gila and Salt River Meridian

Co. North between sec. 32 & 33.
var. 15° East

40.00 Set a post marked 1/4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive chisel
stake and build mound a foot
ft high with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for 1/4 sec.
cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long,
3 in. sq. 1 ft in the ground, drive chisel
stake and build mound a foot
high with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to sec. 28, 29,
32 and 33. from which

Apel. side, 4 in dia. bearing S. 71° N. 60 in. dist.

do. 7 " " - S. 85° E. 93 " "

No other trees near.

Land level.

Soil good -

Scattering trees

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Rs. East on random line between secs. 28 & 33
var. 15° East

40.00 Set temporary 4 sec. cor.

80.08 Intersect N. and S. line 9 lics. N. of cor.
to secs. 27, 28, 33 & 34. from which cor.
Draw
N. $89^{\circ} 56' W.$

On true line between secs. 28 & 33.
var. 15° East.

40.04 Set a post, marked by S. 4 ft. long, flat-
tened 3 in wide. Set in the ground, drive
chained stake and build mound of
earth 1 ft high, with pit 1 ft deep, 2 ft
long. 1 ft wide, as per instructions
for 4 sec. cor. No trees near.

80.08 Cont. to secs. 28, 29, 32 & 33.

Land level. Soil good.
A few trees.

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Chs. North between secs. 28 & 29
var. 15° East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, driven charred
stake and build mound of earth 2 ft.
high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft.
long, 3 in. sq. d. 1 ft. in the ground, driven
charred stake and build mound of
earth 2 ft. high, with pit 1 ft. deep, 2 ft.
long, 1 ft. wide as per instructions
for cor. to secs. 20, 21, 28 and 29,
from which

Apalafania, 8 in. dia. N. 20° E. 39 lbs. dist

d. 24 " " S. 32° W. 138 " "

No other trees near.

Land level. Soil good. Scattering trees.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Pr. East on random line bet. secs. 21 & 28.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect N. and S. line 7 lns. S. of
cor. to secs. 20-21-28 & 29. from which
cor. Inm

S. $89^{\circ} 57' N$.

Return line between secs. 21 & 28.

var. 15° East

40.06 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ sec. long,
flattened 3 in. wide, 1 ft. in the ground,
drill charred stave and nail around of
earth 2 ft. high with pit 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.12 Cor. to secs. 20-21-28 & 29.

Land level. Soil good.
A few trees.

Township 6 S Range 15 W.
Gila & Salt River Meridian

Sec. North between secs. 20 & 21,
var. 15' East

40.00 Set a post, marked 1/4 S. 4 ft long, flat-
tued 3 in wide, 4 in the ground,
drill charred stake and build mound
4 ft high with pit 1 ft deep, 2 ft
long, 4 in wide, as per instructions for
1/4 sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in sqd. 1 ft in the ground,
drill charred stake and build mound
4 ft high with pit 1 ft deep, 2
ft long, 4 in wide, as per instructions
for cor. to sec. 16, 17, 20 & 21.
No trees near.

Land level.

Soil mostly good.
No timber.

Township 6 S. Range 15 W.
Gila & Salt River Meridian

38. East or random line bet. secs. 16 & 21.
var. 15° East

40.00 Set temporary 74 sec. cor.

79.94 Intersect N. and S. line 13 and S.
open to secs. 15, 16, 21 and 22,
from which cor. In run
 $S. 89^{\circ} 54' N.$

Put true line between secs. 16 & 21.

var. 15° East.

39.97 Set a post marked 74 S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
a fourth of high, with pile of deep 2
ft long, 4 ft wide, as per instructions
for 74 sec. cor. No trees near.

79.94 Cont. to secs. 16, 17, 20 & 21.

Land level. Soil partly good.
No timber.

Township 6 S Range 15 W.
Gila and Salt River Meridian

Rs. North between sec. 16th & 17.
var. 15' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 4 sec. cor. from which
Apale verde, Coi. di. has N. 36° E. 74^{1/2} m. dist.
No other trees near.

80.00 Set a post, marked $\frac{1}{2}$ notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for cor. to Secs 8, 9, 16th & 17.
From which

Apale verde, Coi. di. has, N. 40° W. 124^{1/2} m. dist.
No other trees near.

Land level. Soil good. No timber
of any consequence.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

No. East on random line between secs. 9 & 16.
Var. 15° East

40.00 Set temporary 4 sec. cor.

79.82 Intersect N. and S. line 17 hrs. Sag
cor. to secs. 9, 10, 15 and 16, from
which cor. I run
 $88^{\circ} 53' N.$

Same line between secs. 9 & 16.
Var. 15° East

39.91 Set apart marked 14 S. 4 ft long flat
tined 3 in wide. Placed the ground.
dirt charred stave and built mound
4 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions
for 14 sec. cor. No trees near.

79.82 Cor. to secs. 8, 9, 16 and 17.

Land level. Soil good. A few
trees.

Township 6 S Range 15 W.

Gila and Salt River Meridian

Chs. North between sec. 8 & 9
var. 15° East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 1 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 1 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to sec. 4, 5, 8 and 9, from which

Ap. to sec. 12, 12 inches S. 25° E. 122 hrs. dist.
No other trees near.

Land level. Soil good. A few trees.

Township 6 S Range 15 W.
Gila and Salt River Meridian

Rs. East on random line bet sec. 4 & 9.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.14 Intersect N. and S. line 22 hrs. S. of cor.
to sec. 4, 5, 8 and 9, from which
cor. from

S. $89^{\circ} 51' N.$

On true line between sec. 4 & 9,
var. 15° East

40.07 Set a post, marked $\frac{1}{4}$ S. $4\frac{1}{2}$ ft. long, flat-
tined 3 in. wide, 1 ft. in the ground, drive
chained stake and build mound of
earth 1 ft. high, with pits 1 ft. deep,
 $2\frac{1}{2}$ ft. long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

Notes near:

80.14 Cor. to sec. 4, 5, 8 and 9.

Land level. Soil ^{mostly} good. No timber

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Chs. North on true line bet. sec. 4 & 5.
Var. 15° East.

45.00 Set a post, marked $1/4$ S. $1/4$ ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive chanced stakes and build mound of earth 2 ft. high, with pits 1 ft. deep, $2 \frac{1}{2}$ ft. long, 1 ft. wide, as per instructions for $1/4$ sec. cor.

No trees near.

79.80 Intersect N. boundary, the first standard S., 21.51 Chs. E. of cor. to Secs. 32 & 33. of Tp. 5 S. Range 15 W. Set a post, marked and notched, $1/4$ ft. long, 3 in. sq. d. 1 ft. in the ground, drive chanced stakes and build mound of earth 2 ft. high, with pits 1 ft. deep, $2 \frac{1}{2}$ ft. long, $1 \frac{1}{2}$ ft. wide, as per instructions for cor. to Secs. 4 & 5.

No trees near.

Land level. Soil 5 rate.

November.

Township 6 S Range 15 W.

Gila and Salt River Meridian

40.00 No. North. between secs. 31 & 32.
var. 15° East.

Set a post, marked W.S. 4 ft long, flattened
3 in. wide of flat in the ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, of flint,
as per instructions for 14 sec. cor.

Notes near.

80.00 Set a post, marked E notched, 4 ft
long, 3 in. sq. d. of flat in the ground,
drive charred stake and build mound
of earth 2 ft high with pits 1 ft deep,
2 ft long, of flint, as per instructions
for cor. to secs. 29, 30, 31 and
32. Notes near.

Sand level.

Soil good.

A few trees

Township 6 Range 15 W.
Gila and Salt River Meridian

Chs. East on random line bet sec. 29 & 32.
var. 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line 10 hrs. S. of cor.
to secs. 28, 29, 32 and 33, from
which cor. from
 $S. 89^{\circ} 56' W.$

On true line between sec. 29 & 32.
var. 15° East.

39.97 Set a post marked $\frac{1}{4}$ S. $\frac{1}{4}$ fl. long, flat-
tined 3 in wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. from which

Apalefuna, 4 in. dia. hrs. N. 40° E. 176 hrs. dist.
No other trees near.

79.94 Cor. to sec. 29, 30, 31 and 32.
Land level. Soil good. A few trees.

Township 6 S Range 15 W.
Gila and Salt River Meridian

Rs. West on random line bet. secs. 30 & 31.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.52 Intersect N. boundary 10 lbs. N. of cor.
to secs. 30 and 31. from which
cor. I run
N. $89^{\circ} 56' E$.

On true line between secs. 30 & 31.
var. 15° East.

38.52 Set a post marked $\frac{1}{4}$ S. $\frac{1}{4}$ along,
flattened 3 in wide, 1 ft in the ground,
driv charr'd stake & build mound of earth
2 ft high, with pile of 2 deep. 2 ft long. 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

78.52 Cor. to secs. 29, 30, 31 and 32.

Sand level.

Soil good.

No timber.

Township 6 S. Range 15 West.
Gila and Salt River Meridian

- No. North between sec. 29 & 30.
1/4 sec. 15° East.
- 40.00 Set a post, marked 1/4 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground, drive
charred stake and build mound of
Earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for 1/4 sec. cor.
No trees near.
- 80.00 Set a post, marked and notched, 4 ft long,
3 in sq'd. 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for cor. to sec. 19, 20, 29
and 30. from which
A pale verde, 9 in dia. kn. N. 67° E. 163 lvs. dist.
No other trees near.

Land level. Soil good.

A few trees

April 10-1877.

Township 6 S. Range 15 W.
Gila & Salt River Meridian

Chs. East on random line bet. secs. 20 & 29.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Enter sec. N. and S. line 16 hrs. S. of cor.
to secs. 20, 21, 28 and 29, from which
cor. Run
S. $89^{\circ} 53' N.$

Return line between secs. 20 & 29.
var. 15° East.

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in wide, 4 ft. in the ground,
drive charred stake and build mound
of earth of height with pit 4 ft. deep, 2 ft.
long, 4 ft. wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from which

Apalo Verde, 3 in. dia. bir. N. 30° E. 144 hrs. dist.
No other trees near.

80.15 Cor. to Secs. 19, 20, 29 & 30.

Land level. Soil good. A few
trees.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Rs. West on random line bet sec. 19 & 30.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.55 Intersect N. boundary 20 hrs. S. of cor.
to sec. 19 and 30, from which cor.

From
S. 89° 51' E.

On true line between sec. 19 & 30.
var. 15° East.

38.55 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build mound
of earth 4 ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

78.55 Cor. to sec. 19, 20, 29 and 30.

Land level.

Soil Good. No timber

Township 6 S Range 15 W.
Gila and Salt River Meridian

Rs. North between secs. 19 & 20.
var. 15° East.

40.00 Set a post, marked 4 S. 4 ft long, flat
tied 3 in wide. 4 ft in the ground, drive
sharred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 4 ft
wide, as per instructions for 4 sec. cor.

No trees near.

80.00 Set a post, marked 5 notched, 4 ft long, 3 in.
4 ft in the ground, drive sharred stake
and build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 4 ft wide, as per in-
structions for cor. to secs. 17, 18, 19
and 20, from which

A pale wire, 4 in. dia. br., S. 30° W. 268 lbs. bit.

No other trees near.

Land level. Soil good.
No timber.

Township 6 S Range 15 W.

Gila and Salt River Meridian

hs. East or random line bet. secs. 17 & 20.
var. 15° East

40.00 Set temporary 1/4 sec. cor.

79.83 Intersect N. and S. line 20 hrs. S. of cor.
to secs. 16, 17, 20 and 21, from which
cor. June

S. 89° 51' W.

Outline line between secs. 17 & 20.
var. 15° East.

39.92 Set a post marked 14 S. 4 ft long, flattened 3
in wide, 4 in the ground, drove chared stake
and build mound of earth 4 ft high, with
pile of fl. deep 2 ft long, fl. wide, as per in-
structions for 1/4 sec. cor. from which
a pale fern, 5 in. dia. bro. South, 136 hrs. dist.
No other trees near.

79.83 Cor. to secs 17, 18, 19 and 20.
Land level. Soil good.
November.

Township 6 S. Range 15 W.

Gila and Salt River Meridian

Pro. West on random line bet. secs. 18^E/19.
var. 15° East

40.00 Set temporary 1/4 sec. cor.

78.40 Intersect W. boundary 1/3 mi. S. of cor.
to secs. 18^E/19. from which cor. run
S 89° 54' E.

Outline line between secs. 18^E/19.

var. 15° East.

38.40 Set a post, marked 1/4 S. of 1/4 long,
flattened 3 in. wide, flush the ground,
drill charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor.

No trees near.

78.40 Cor. to secs. 17, 18, 19 and 20.

Land level. Soil good.

No timber

Township 6 S. Range 15 W.
Gila and Salt River Meridian

- Ths. North between secs. 17 & 18.
var. 15° East
- 40.00 Set a post, marked '4 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground, drive
charred stake and build mound of
earth 1 ft high, with pits 1 ft deep, 2
ft long. 1 ft wide, as per instructions for
H. & C. cor. No trees near.
- 80.00 Set a post, marked & notched, 4 ft
long. 3 in. sq. d. 1 ft in the ground, drive
charred stake and build mound of
earth 1 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for
cont. secs. 7, 8, 17 and 18. From which
Apalefara, 8 in. diam. S. 25° E. 33 1/2 m. dist.
No other trees near.

Land level. Soil good. A few trees.

Township 6 S Range 15 W

Gila and Salt River Meridian

3/4 Sec. East on random line bet secs. 8 & 17
var. 15° East

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. and S. line 22 hrs. S. of
cor. to secs. 8, 9, 16, and 17, from
which cor. I run

$S 89^{\circ} 51' W$.

On true line between secs. 8 & 17
var. 15° East

40.05 Set a post, marked 1/4 S. 1/4 flong,
flattened 3 in. wide, 1/2 in. thick, the ground,
drill charred stake and build mound
a few ft. high with pits 1 ft. deep,
1/2 flong, 1/2 wide, as per instruc-
tions, for 1/4 sec. cor. No trees near.

80.10 Cor. to secs. 7, 8, 17 and 18.

Land level. Soil good. A few
trees.

Township 6 S. Range 15 W.
Gila and Salt River Meridian

Ch. West on random line bet. sec. 7 & 18.
var. 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.45 Intersect W. boundary 11 lcs. N. of
cor. to sec. 7 & 18. from which cor.

Sum

N. $89^{\circ} 55'$ E.

On true line between sec. 7 & 18.
var. 15° East.

38.45 Set a post, marked $\frac{1}{4}$ S. of pl. long,
flattened 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of
earth 1 ft high with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions for $\frac{1}{4}$ sec.
cor. No trees near.

78.45 Cor. to sec. 7, 8, 17 and 18.

Land level. Soil good. A few trees.

Township 6 S Range 15 W.

Gila & Salt River Meridian

Ch North between sec. 7 & 8.
var. 15° East

40.00 Set a post, marked 4 S 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake and build mound of earth 1 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for these sec.

No trees near.

80.00 Set a post, marked and notched, 4
ft long, 3 in sq. d. 1 ft in the ground,
drive charred stake and build mound
of earth 1 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions for
cor. to sec. 5, 6, 7 & 8, from which
a pole runs, 8 in dia. br. East, 76 ch. dist.

do. 15° " " N. 75° W. 39° "

No other trees near.

Land level Soil good. Scattering
trees.

Township 6 S Range 15 W.
 6th and Salt River Meridian

Co. East or random line bet sec. 5 & 8.
 var. 15° East

40.00 Set temporary 1/4 sec. cor.

79.84 Intersect N. and S. line 18 W. S. of cor.
 to sec. 4, 5, 8 and 9, from which
 cor. Draw

S. 89° 52' W.

Outline line between sec. 5 & 8.

var. 15° East.

39.92 Set a post, marked 1/4 S. of blng. flat-
 tened 3 in wide, 1 ft in the ground,
 drive chaired stake and build a
 mound a foot or 2 ft high, with pits
 1 ft deep, of blng. of wood, as per
 instructions for 1/4 sec. cor.

No trees near.

79.84 Cor to Secs. 5, 6, 7 and 8.

Land level. Soil 2 rate.

No timber.

Township 6 S Range 15 W.

Gila and Salt River Meridian

On West on random line between secs. 6 & 7.
var. 15° East

40.00 Set temporary 1/4 sec. cor.

78.46 Intersect W. boundary 21 lbs. N. of
cor. to secs. 6 and 7, from which
cor. Draw
N. 89° 51' E.

On true line between secs. 6 & 7.
var. 15° East

38.46 Set a post, marked "4 S. of long flat-
tened 3 in. wide, 1 ft in the ground,
driv charr'd stake and build mound
a foot high, with pile of debris of 6
long, 1/4 ft wide, as per instructions
for 1/4 sec. cor. No trees near.

78.46 Cor. to sec. 5, 6, 7 and 8.

Land level. Soil partly good.
No timber

Township 6 Range 15 N.

Gila and Salt River Meridian

On North true line bet. sec. 5th & 6.

W. 15° East

40.00 Set a post, marked 14 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for 14 sec. cor. No trees near.

79.85 Entered first standard S, 21.90 chs. E.
of standard cor. to sec. 31 and 32,
of T₆ S. range 15 N. Set a post,
marked and notched, 4 ft long, 3
in. sq. 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 1/2 ft
wide, as per instructions for closing
cor. to sec. 5th & 6. No trees near.

Land level. Soil partly good.

No timber.

April 11. 1877.

Township 6 Range 15 N.
Gila and Salt River Meridian

General Description

This township lies along the valley of the Gila river and contains good land scattered throughout its extent.

The Gila river runs through the adjoining township on the south. There is an abundance of water in this not yet utilized for irrigation.

There is but very little timber in the township.

Theodore F. White
U. S. Deputy Surveyor

List of Names.

BOOK 1182

62

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines of
Township 6 S. Range 15
N. Gila and Salt River
Meridian, Arizona.

Showing the respective capacities in which they acted.

Urban Bessard Chainman.

E. O. Smith Chainman,

Fred C. Jones Axeman.

Allan Bernard Flagman.



Final Oath of Assistants.

We hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
surveying The Subdivision
Line of Township 6 S.
Range 15 N. of the Gila and
Salt River Meridian,
Arizona.

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

William Bernard Chainman.

C. O. Smith Chainman.

Arch. G. Jones Axeman.

Alvan Bernard Flagman.

Sworn to and subscribed before me, this 28th
day of April, 1877

John R. Faull,
Notary Public

Final Oath of Deputy Surveyor.

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 28th day of December

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines of
Township 6 S. Range
15 W. of the Gila and
Pact River Meridian
Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

65

BOOK 1182

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore S. White

Deputy Surveyor.

Sworn to and subscribed before me, this 28th day of April, 1877

John R. Faull

Notary Public



John R. Faull

BOOK 1182

U. S. Surveyor General's Office,

TUCSON, ARIZONA, August 6, 1877.

The foregoing Field Notes of the Survey of the

Subdivision lines of
 Township 6 South,
 Range 15 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore F. White

Deputy Surveyor, under his contract of the 28th/₇
day of December, 1876, *having been*
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe
are hereby approved.

John Masson.
 Surveyor General.