Plattie Retracing Lines of Townships 28, As. 9910 & and 1/23. Ranges Sana 10 Cons, BOOK Gila and Salt Hiver Meridian, Artronar 1. 6 Shoemaker, Deputy Surveyor, aug. 5th 188h, under his contract of Jime 16 1884 Survey commenced Jime 20, 1884. Survey completed Platted by 188 Copied for Washington by 188 Copied for Register by 188

Book No.

Preliminary Oaths of Assistants.

I,	, do solemnly
swear that I will w	ell and truly perform the duties of compass-
	instructions given me, and to the best of my
	the survey of the
	BOOK 1478
75774	
	, Compassman.
Subscribed and	I sworn to before me this
y of	, 188
	and the second s
0.0	De a college
We John.	Phelan Pheise
andheodori	Therse,

do solemnly swear that we will well and faithfully execute the

duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Exterior retracing and subdivision lines of The 3 S. R's 8 + 10 & and The 2 S. Rs 9+10& & + D. R. M

> . Chainman. John Phelan Theodore Firiese . Chainman. . Chainman.

> > , Chainman.

Subscribed and sworn to before me this

day of June , 188 4

U. S. Commissioner, 3d Judicial District,

Arizona Territory.

I. H. Black do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the Exterior, retraining and subdiviour lines of The

31, Rs 8 + 10 & and The 2d. Rs 9×108 4. +S. R.M

A Black

Axeman.

Axeman.

Subscribed and sworn to before me this 16

U. S. Commissioner, 3d Judicial District, Arizona Territory.

duties of c	,
uneven gr	, do solemnly
dropping i	that will well and truly perform the duties of fla
table object	according to instructions given, and to the
measuring	skill and ability, in the survey of the
with instr	
retraci	
The E	
9+10	

Subscribed and sworn to before me this day of ______, 188 .

, Flagman.

Subsc

day of

1478 man Inder from West+South Bdu's.

138; P 10 E

8x6-1, 2", " 9"

8x6-1, 3", " 8" est of 31

SB T.3 S, R. 10 E. G. & S. R. M.

Survey made with Burt's Patent Improved Satar Compass, nearly new, and in first rate order. Made by alto Tennel of Cassel Germany in 1881 On the 16th day of June, 1884, Iset my instrument at lea. to Tho. 3-48, Rs. 10-11 6, and, having examined it in all its adjust ments and found them corner I proceeded to runs as follows: Hook the latitude and found it to be 33'8'n.

J.B. T. 3 S, R. 10 E. G. & S. R. M.

Chains.

Retracing

which finding nearly destroyed, I reestablished same and Set a post, 4% ft. long, A ins. square, with marked stone 12 ins. in the ground, for Cor: to Tps. 3 and 4S. R's / and // E, marked T, 3S, 8.31 on N. E. R. // E, S: 3 on S. E. T. 4S, S. 1 on S. W, and R, / C. E, S, 86 on N, W, faces, with 6 notches on each edge, dug, pits 24 x 18 x 12 ins., lengthwise on each line, N, S, E, and W, of post, 6 ft, dist, and raised a mound of earth 2½ ft. high, 5 ft, base around post,

I run,

West on a random line between sections 36 /

40.00

After diligent search, being unable to find old corner, I Set temporary \(\frac{1}{2}\) sec. cor.

80.13

To a point 20 1ks. Pour of cor. to secs. 1-2-35-36,

which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone.

1. T. 3 S, R. 10 E. G. & S. R. M.

Chains, Retracing 12 ins. in the ground, for Cor. to Secs. 1-2-35-36 marked T. 3. 6' S. 36 . O. N. E., R. 106. , S. 1 on S. E. S. 2 on S. W. and S. GO on N. W. face, with I notches on & hand notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. From which corner I run. 2)89316 pn a true line between sections 1 - 36, Va. 1351 East. 40.07 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on M. face, dug pits, 18 x 18 x 12 ins., 6. and V. of post 5 ft. dist., and raised a mound of earth 1 ft. high, 31 ft. base around post. 10.13 The Cor. to Tps. 3-48, X. Rs. 10.118, Land level. Soil & rate.
Vegeration, Princhiques,

.В. т. Воога. 1478 E. G. & S. R. M.

Chains.

Retracing

From the corner to sections, 12-35-36, Jun West. on a random line between sections 2 35, Variation 13 51 Rast 40.00 After diligent search, being unable to find old corner, I Set temporary & sec. cor. Fl. 00 After diligent search, being unable to find old corner, I Set temperary Sec, co. 120.00 After diligent search, being unable to find old corner, I Set temporary 1 sec. cor. 159.88 To a point 18 1ks. South of cor. to secs. 3-4-33-34 which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone.

Net a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 3-4-33-34

marked T. 3-1. S. 4 on N. E., R. 166, S. 3

on S. E., S. 4 on S. W and S. 33 on N. W. face,

with 3 notch of on Nand 3 notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,

and raised a mound of earth 2 ft. high, 4½ ft. base

around post.

From which corner I run.

J.B. T. G.J., R. 10 E. G. & S. R. M.

Retracing Chains, 18936 6 on a true line between sections 3 - 34 Va. 13.51 East. 39,97 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on N. face, dug pits, 18 x 18 x 12 ins., & and N. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 74 9 4 Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 2-3-34-55, marked L. 3 . Sist , on N. E., R. 166 , S. 2 on S. E. S. 3 on S. W. and S. 3 You N. W. face, with Inotch as on Wand 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist. and raised a mound of earth 2 ft. high, 41 ft. base around post. Land level Vegeratron, Pinnehegrano.

S.B. T.3S., R.10 E. G. & S. R. M.

Chains,	Retracing	
1	18936 E. on a true line between sections 2 - 35,	
	Va. 13 51	East.
39,97	Set a post 3 ft. long, 3 ins. diam. with marked stone.	
	12 ins. in the ground, for & Sec. Cor., marked & S. on	
	n.face, dug pits, 18 x 18 x 12 ins., 6 . and V. of	
	post 51 ft. dist., and raised a mound of earth 11 ft.	
	high, 3\ft. base around post.	
79.90	The corner to sections 1-2-35-36,	
	Land level.	
	Soil 3" rate.	
	Pegeration, Bunchgrass,	
	Carrier Commence	
	The second second	4
	The state of the s	

B.T. 3 S, R.166, E. G. & S. R. M.

Chains. Retracing

Set temporary & sec. cor.

From the corner to sections, 3-4-33-34,

Mest. on a true line between sections 4-33,

Va. 13 51 Bast.

140,00 After diligent search, being unable to find old corner, I

79.84 To a point // 1ks. South of cor. to secs. 4-5-32-33,
which finding nearly destroyed, I reestablished same and.

Set a post 4 ft. long, 4 ins. square, with marked stone
12 ins. in the ground, for Cor. to Secs. 4-5-32-36

marked T. S. S. S. S. S. N. E., R. 16. S. L. on S. E. S. S. On S. W. and S. 32 on N. W. face, with 2 notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base

around post. From which corner I run.

SGS 5 6, on a true line between sections 4-35.

Va. 1357 East.

39,92 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \ Sec. Cor., marked \ S. on

nost 5\frace, dug pits, 18 x 18 x 12 ins., & and \tau. of post 5\frac{1}{2} ft. dist., and raised a mound of earth 1\frac{1}{2} ft.

high, 31 ft. base around post.

S.B. T. 3S, R. 10 E. G. & S. R. M.

Chains.	Retracing
79,84	The corner to sections 3-4-33-34,
· · · · · · · · · · · · · · · · · · ·	Land level. Soil 3, rate.
	reserver, Simchegas,
	From the corner to sections, 45-32-33
	West. on a random line between sections T& 32,
	Variation /3 5/ East.
40,00	After diligent search, being unable to find old corner, I
	Set temporary \frac{1}{2} sec. cor.
80.12	To a point 30 188. out of cor. to
	secs. 5-6-31-52
	which finding nearly destroyed, I reestablished same and
	Set a post 4 ft. long, 4 ins. square, with marked stane.
	12 ins. in the ground, for Cor. to Secs. 563/-32
	marked T.S. S. 32 N. E., R/O.E., S. 5
	on S. E. S. 6 on S. W. and S. Flon N. W. face,
	with I notch on Wand I notches on E. edges;
	dug pits, 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base

around post.

B. T. 38, R. 10 E. G. & S. R. M.

Chains.	Retracing
	From which corner I run.
	Vax 3°55 Eu
	Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \(\frac{1}{2} \) Sec. Cor., marked \(\frac{1}{2} \) S. on \(\text{N. face, dug pits, } 18 \) \(\text{12 ins., } \) \(\text{6. and } \text{V. of } \) \(\text{post } 5\) \(\frac{1}{2} \) ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. \(\text{high, } 3\) \(\frac{1}{2} \) ft. base around post. \(\text{The corner to sections } \text{H-5-32-33,} \)
	Land level. Soil 3" rate. Pezeration, Simchepass,
<u> </u>	5
-	

BOOK 1478 R. 10 E. G. & S. R. M.

Chains, Retracing From the corner to sections, 5-6-31-32 Jun West. on a random line between sections 6 & 3/, Variation 13 53 East. 40.00 After diligent search, being unable to find old carner, I Set temporary & sec. cor. 74.07 The Cor. to Tps. 3-45, N. Rs. 9 & 106, which finding nearly destroyed, I reestablished same and Set a post, 41 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor: to Tps. 3 9 and 48, R's 9 and 106, marked I, 38, 8. 31 on N. E. R. 10 6, S: S on S. D. T. 48, S. 1 on S. W, and R, To, S, 36 on N. W, faces, with 6 notches on each edge, dug, pits 24 x 18 x 12 ins,, lengthwise on each line, N, S, E, and W, of post, 6 ft, dist, and raised a mound of earth 21 ft. high, 5 ft, base around post,

From which corner I run,

East. on a true line between sections 6 - 31.

Va. 1351 Fast.

BOOK 1478 R. 10 E. G. & S. R. M.

2		
Chains.	Retracing	
	Set a post 3 ft. long, 3 ins. diam. with mar 12 ins. in the ground, for \{\} Sec. Cor., mar, \(\) face, dug pits, 18 x 18 x 12 ins., \(\) post 5\{\} ft. dist., and raised a mound of e	and V. of
		will 12 14.
	high, 31 ft. base around post.	AND THE PROPERTY.
74.07	The corner to sections 5 6 3/	527
	Land level.	
	Soil 3" rate.	
	Pegeratron, Bunchgrass, June 10	
14 4	June 10	0.1884
+34 .		-
-		
· 45.		

MGT. 3.S., R.10 E. G. & S. R. M.

Chains. Retracing From the Cor. to Tips. 3-48, N. Rs. 9 106 I run, jus restablished North on a random line between sections 3/2 36, Variation 13.51 East. 40 00 After diligent search, being unable to find old corner, I Set temporary & sec. cor. FO. 10 After diligent search, being unable to find old corner, I Set temporary sec. co. 120,00 After diligent search, being unable to find old corner, I Set temporary & sec. cor. 160.19 To a point 28 1ks. Cast of cor. to secs. 14-24-25-30 which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor to Secs. 19-24-25-30 marked T.3 S. S.14 on N. E., R.106., S. GO on S. B. 18. 20 on 8. W. and 8.24 on N. W. face, with 2 notches on S. and 4 notches on A. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base

around post.

BCOK 1478 3/R. 10 E. G. & S. R. M.

Retracing Chains,

From which corner I run.

S. 5 6, on a true line between sections 25 -30.

Va. 3 35 East.

40 of Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \ Sec. Cor., marked \ S. on face, dug pits, 18 x 18 x 12 ins. and ot

post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

80,09 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor to Secs. 25-31-31-36 marked 736 8.30 , or N E. R. 106 , 8:3/

on S. B. 36 on S. W und S. 25 on N. W. face, with / notch on S. and Snotches on El edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist.,

and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land level.

Veseration, Bunchyrass.

h, BT. 3 , R. 10 E. G. & S. R. M.

Chains. Retracing 1.5 6, on a true line between sections 31-66, Va. 13 52 East. 46.65 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on V. face, dug pits, 18 x 18 x 12 ins., Land V. of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post. 80.10 The Cor. to Tps. 3-48 X. Rs. 9 210 6, Land level Soil 3" rate. Veseintion, Binchegiais.

M. Br. 38, R.10 E. G. & S. R. M.

Chains. Retracing From the corner to sections, 19-24-25-30, Jum North on a random line between sections 9 & 24, Variation 13 33 East 40.00 After diligent search, being unable to find old corner, I Set temporary & sec. cor. Still To a point of the Mest of cor. to secs. 13-18-14-24 which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor to Secs. 13-18-19-24 marked T.3 8 S. 18 on N. E. R 10 6. , S. 19 on S. E. S. Lon S. W and S. / 3 on N. W. face, with Snotch Co on & and Brotchel on Eledges: dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. From which corner I run. S. 3 /V., on a true line between sections 19-24. Va. 1805 2 East. 40.02 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on M. face, dug pits, 18 x 18 x 12 ins., M. and . of

post 51 ft. dist., and raised a mound of earth 12 ft.

high, 31 ft. base around port.

MBT.31, R.11 E. G. & S. R. M.

011	Delegaina
Chains.	Retracing
80.04	The corner to sections 19-24-25-30,
	Land level.
	Soil Frate.
	Vegeration, Buchgrass.
13.	From the corner to sections, 18-18-14-24,
	Jum
	North on a random line between sections 3 & 18
	Variation 13°52 East.
141.00	After diligent search, being unable to find old corner, I
	Set temporary \ sec. cor.
74.83	To a point IS 1ks. West of cor. to
	secs. 7-12-13-18,
	which finding nearly destroyed, I reestablished same and
	Set a Lara stone 262/0 25 ins. 19iss.
	in the ground for Cor. to Secs. 7-12-13-18 marked
	with Instell on S. and 2 notches on Eledges,
	will pils 18 x 18 x 12 ins. in each Sec., 5\frac{1}{2} ft. dist. and reised a mound of earth 2 ft. high, 4\frac{1}{2} ft. base along side.
	From which corner I run.
	J. 8'N, on a true line between sections 13-18,
	Va. 18 62 East.

h.Br. 38, R.10 E. G. & S. R. M.

Chains.

Retracing

3992 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on W. face, dug pits, 18 x 18 x 18 x 18 ms., W. and f . of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post. 79.88 The corner to sections 13-18-161-24, Land level.

Vegetation, Bunchenius,

M.B.T. 38, R. 10 E. G. & S. R. M.

Chains. Retracing From the corner to sections, 7-12-13-18, Jum North on a random line between sections / 12 Variation 3 52 East How After diligent search, being unable to find old corner, I Set temporary \ sec. cor. 79.76 To a point 22 1ks. Gent of cor. to secs. 1-6-7-12 which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor to Secs. 1-6-4-12 marked 3.35. S. 6 on N. E R 166. 8. 4 on S. E. S. /2 on S. W. and S. / on N. W. face, with I notches on S. and I notch on A. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. From which corner I run. S.G.C., on a true line between sections 4-12, Va. 13 52 East. 39,88 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on Fr. face, dug pits, 18 x 18 x 12 ins. W. and J. of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post.

1. B.T. 6 S, R. M. E. G. & S. R. M.

Chains.

Retracing

The corner to sections 7-12-13-18,

Land level.

Soil 3' rate.

Verention, Bunchgrass,

From the corner to sections, 1-6-7-12,

North on a random line between sections & C,

Variation 1352 East.

10.00 After diligent search, being unable to find old corner, I

Set temporary \ sec. cor.

The Cor. to Tps. 2-3 S, * Rs. 9 & 10 6,

which finding nearly destroyed, I reestablished same and Set a post, 42 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor: to Tps. 2

and 3 S., R's 9 and 6 marked T, 2 S. 8. 81 on N. E. R. 106, S: 6 on S. E. T. 3 S. S. 1 on S. W., and R, 9 &, S, 36 on N. W., faces, with 6 notches

on each edge, dug, pits 24 x 18 x 12 ins., lengthwise on each line, N, S, E, and W, of post, 6 ft, dist, and

raised a mound of earth 21 ft. high, 5 ft, base

grand nost

M.B. T. 3 S., R. 10 E. G. & S. R. M.

Chains.	Retracing	
	From which corner I run.	
	1.2 1. on a true line between sections 1— 6.	East.
40.12	Set a post 3 ft. long, 3 ins. diam. with marked stone.	
	12 ins. in the ground, for \ Sec. Cor., marked \ S. on \ Sec. dug pits, 18 x 18 x 12 ins. and \ of	
The same	post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.	
80.12	The corner to sections 1-6-7-12	
	Land tevel.	
	Soil 3" rate.	
	Vezeratron, Punchegraso.	
	I carefully examined the adjustments of my solar	
	compass to-day, particularly the latitude and revers-	
	ing apparatus, and found them correct. June 17, 1884,	

JBT. 2 S, R. G E. G. & S. R. M.

Chains.

Retracing

Before proceeding further with the exteriors of this I p...

I made a change of minutes in the latitude are of my solar compass by adding same to the reading previously given, and at noon verified and corrected same by observation on the sun. I also further tested instrument by reversing.

I took the latitude and found it to be 33 × 37,

Thence:

From the Cor. to Tps. 2 38. Rs. 9 2106,

West. on a random line between sections & 36,

Variation 1354East.

40.00 After diligent search, being unable to find old corner, I

Set temporary \ sec. cor.

79.79 To a point 15 1ks. Mach of cor. to secs. 1-2-35-36,

which finding nearly destroyed, I reestablished same and

Set a SCUL stone /4x 8 x 8 ins. 7 ins.

in the ground for Cor. to Secs. /-2-35-36 marked

with Inotches on S. and / notch on E. edges

aug pits 18 x 18 x 12 ins. in each Sec., 5\frac{1}{2} ft. dist. and

raised a mound of earth 2 ft. high, 4\frac{1}{2} ft. base, alongside.

S.B. T.2 S., R. G E. G. & S. R. M.

	1	
Chains.	Retracing	
7		
	From which corner I run.	
11 9	18934 Egn a true line between sections 1 - 36	6.
	Va./384	
39.90	Set a post 3 ft. long, 3 ins. diam. with marked stone	
	12 ins. in the ground, for \ Sec. Cor., marked \ S. o	
	N. face, dug pits, 18 x 18 x 12 ws., 6 . and V.	of
	post 51 ft. dist., and raised a mound of earth 11 1	et.
	high, 31 ft. base around post.	0
79.79	The Cor. to Tps. 2-38. X. Rs. 9. & 166	,
	Land level.	
	Soil 3" rate.	
	Soit 3" rate. Veseratron, Sunchegras,	
	<i>f</i>	
		1.45
		1 4
	•	
	e e e	
		3/23
		تكاملنا المرا

S.B. T. 2 S, R. G E. G. & S. R. M.

Chains. Retracing

From the corner to sections, 1 2 - 33 - 36,

West. on a random line between sections 2 & 35,

Variation 13 54 Bast.

Ho. OU After diligent search, being unable to find old corner, I

Set temporary \(\frac{1}{4} \) sec. cor.

79.68 To a point 22 1ks. Mouth of cor. to secs. 2-3-34-35

which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ws. square, with marked stone.

12 ins. in the ground, for Cor to Sees. 2-3-34-35

marked T. 2 f. S.55 on N. E. R. G. S. 2 on S. B. S. on S. W. and S, on N. W. face,

with notch on S. and, notch on E. edges;

and raised a manual of earth 2 ft hand 11 ft has

and raised a mound of earth 2 ft. high, 41 ft. base ground post.

From which corner I run.

n. 89°57 & on a true line between sections 2 - 35,

39, 84 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \(\frac{1}{4}\) Sec. Cor., marked \(\frac{1}{4}\) S. on \(\frac{1}{2}\) face, dug pits, 18 x 18 x 12 tos. (C. and Y. of post 5\(\frac{1}{2}\) ft. dist., and raised a mound of earth 1\(\frac{1}{2}\) ft.

high, 31 ft. base around post.

S.B. T. 2S, R. 9 E. G. & S. R. M.

BOOK 1410

Chains.	Retracing
79.68	The corner to sections /- 2-35-36, Land level. Soil &" rate. Vegeratron, Bunchenas,
	From the corner to sections, 2-3-34-33, West. on a random line between sections 3 & 34.
40.00	Variation / 3° 55 East. After diligent search, being unable to find old corner, I Set temporary \(\frac{1}{2} \) sec. cor.
F1.2-3	To a point 6 1ks. Pouh of cor. to sees. 3-4-33-34
	which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 tns. square, with marked stone. 12 ins. in the ground, for Cor to Secs. 3-4-33-64 marked T.2 f. S. 34 on N. E., R. 96., S. 3 on S. B., S. 4 on S. W. and S. 33 on N. W. face,
	with 3 notches on and, 3 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

S.B. T. 2 S, R. 9 E. G. & S. R. M.

Retracing Chains, From which corner I run. 2.8984 Epn a true line between sections 3-04, Va.13 56 East. 140, 12 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on no face, dug pits, 18 x 18 x 12 ins., 6. and V. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 80. 23 The corner to sections 2 - 3 - 34 - 35-Land level Soit 3 rate. Vezeration Sunhgrass,

SB. T. 2 S, R. G. E. G. & S. R. M.

Chains,	Retracina
	y tour meaning.
	From the corner to sections, 3-4-33-34,
	Jum .
	West. on a random line between sections 4 & 33,
	Variation 13°56 East.
140.00	After diligent search, being unable to find old corner, I
	Set temporary 1 sec. cor.
80.00	After diligent search, being unable to find old corner, I
	set tempoury see.co.
120.00	After diligent search, being unable to find old corner, I
	Set temporary \(\frac{1}{4}\) sec. cor.
160.34	To a point 8 1ks. Nout of cor. to
	secs. 5-6-31-32
	which finding nearly destroyed, I reestablished same and
	Set a Lava stone 2/2/6 x5 ins. 6 ins.
	in the ground for Cor. to Secs. 5-6-31-32 marked
	with I notch on Brand Inotches on E. edges,
	dug pits 18 x 18 x 12 ins. in each Sec., 52 ft. dist. and
	raised a mound of earth 2 ft. high, 42 ft. buse alongside.
150	From which corner I run.
2,	39 of Egn a true line between sections 5-32,
Mr.	Va. 13 57 East

S.B. T. 2 S. R. G. E. G. & S. R. M.

Retracing Chains.

40.08 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on W. face, dug pits. 18 x 18 x 12 178., 6. and V. of post 51 ft. dist., and raises a mound of earth 11 ft.

high, 31 ft. base around post. SU.17 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor to Secs. 4-5-32-38 marked T. 2 f. S. 33 . a. N. E., R. 96., S. 4 Jon S. W and S. 32 on N. W. face. with 's notches on Wand Gnotches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. Land level.

Soil

Soil 3" rate. Vegeration, Simehgrano,

S.R. 2 S, R. 9 E. G. & S. R. M.

01.1		
Chains,	Retracing	
	77.8958 Egn a true line between sections 14—33,	
	Va. 13 57	E
40.0	Het a post 3 ft. long, 3 ins. diam. with marked stone.	
	12 ins. in the ground, for \ Sec. Cor., marked \ S. on	
	M. face, dug pits, 18 x 16 3 12 ins., G. and V. of	
	post 51 ft. dist., and raised a mound of earth 12 ft.	
	high, 31 ft. base around post.	
80.17	The corner to sections 3-4-33-34,	
	Land mountainous.	
	Soil G"rate.	
	Vegeration, Bunchgrass.	
		-
	, .	
		-

S.R. T. 2 S. R. G. E. G. & S. R. M.

Chains.

Retracing

From the corner to sections, 5-6-31-32

West. on a random line between sections & 3/,
Variation 13 54 East.

40.00 After diligent search, being unable to find old corner, I
Set temporary \(\frac{1}{2}\) sec. cor.

The Cor. to Tps. 2-3 S. N. Rs. 8 4 96;

which finding nearly destroyed, I reestablished same and Set a post, 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor: to Tps. 2 and J. R's 8 and J. marked T, 2 f. 8.31 on N. E. R. J. S. 6 on S. E. T. J. S. 1 on S, W, and R, T. S., 36 on N. W, faces, with 6 notches on each edge, dug, pits 24 x 18 x 12 ins., lengthwise on each line, N, S, E, and W, of post, 6 ft, dist, and

raised a mound of earth 21 ft. high, 5 ft, base

around post,

From which corner I run.

East on a true line between sections 6 - 6/

Va. 1367 East.

SB, T. 2 S, R. 9 E. G. & S. R. M.

Chains.	Retracing	
39,62	Set a Sana stone 20x 10x 6 ins., 15 ins. in the ground, for \frac{1}{2} Sec. Cor., marked \frac{1}{2} on \tag{7}. face, dug pits, 18 x 18 x 12 ins., \frac{1}{2} and \tag{7}. of stone 5\frac{1}{2} ft. dist., and raised a mound of earth 1\frac{1}{2} ft. high,	
79.62	3\forall ft. base. alongside. The corner to sections \(\frac{1}{3} - \	
	Soil 3" rate. Pegeratron, Binchgrass. June 18, 1884.	
	June 18, 1884.	
	2	
	,	

&B T.3 S, R. F E. G. & S. R. M.

Chains. Letracing From the Cor. to Tps. 2-38, * Rs. 8 . 96, Irun. South on a random line between sections / & C . Variation 3 54 Bast. 40.00 After driigent search, being unable to find old corner, I Set temporary 1 sec. cor. 80.00 After diligent search, being unable to find old corner, I Let temporary see. co. 2901) After diligent search, being unable to find old corner, I Set temporary 1 sec. cor. J9, 79 To a point 19 1ks. W of cor. to secs. 7-12-13-18 which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 7-12-13-18 marked J. 3. S. Y . . . N. B. R. 96. , S. 18 on S. E-13 on S. W. and S. / 2 on N. W. face, with 4 notches on & and 2 notches on B. edges; dug pits, 18 x 18 x 12 ins, in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base

From which corner I run.

genound post.

E.B. T. S. R. S. E. G. & S. R. M.

Chains. Retracing P.4'N, on a true line between sections 4-12, Va. 13 33 East. 39,95 Bet a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on T. face, dug pits, 18 x 18 x 12 ins., Nand V. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. /-6-7-19 marked 3 3 f. S. 6 , on N. E. R. 96, 8.7 on S. B. S. . on S. W. and S. on N. W. face, with I notches on S. and notch on B. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. Land level. Soil 3" rate. Vegeration, Simehypass.

BCOK 1478 &B. T. 38, R. SE. G. & S. R. M. Chains. Retracine 2 4 1. on a true line between sections 1 - 6, Va. 13:55 East. 39.90 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on M. face, dug pits, 18 x 18 x 12 ins. N. and V. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post, 79.90 The Cor. to Tps. 2-38, * Rs. 8 & 96, Land level. Soil 3" rate. Vegeration, Bunchgras,

E.B. T. 3., R. P E. G. & S. R. M.

Chains.	Petracing
	From the corner to sections, 7-12-13-18, South on a random line between sections 132/8,
	Variation 13 65 East.
40.00	After diligent search, being unable to find old corner, I
	Set temporary \(\frac{1}{2}\) sec. cor.
80.14	The corner to sections 13-18-19-24,
	which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone.
	12 ins. in the ground, for Oar to Secs. 13-18-19-24, marked T. 3 S. S. 18, on N. E. R. 96., 8.19
	on S. E. S. 2 fon S. W. and S. /3 on N. W. face, with 3 notches on S. and 3 notches on Deages;
	dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist.
	and raised a mound of earth 2 ft. high, 41 ft. base around post.
	From which corner I run. North on a true line between sections 13-18,
	Va. 1355 Rast
40.07	Set a post 3 ft. long, 3 ins. diam. with marked stone.
	12 ins. in the ground, for \(\frac{1}{2}\) Sec. Cor., marked \(\frac{1}{2}\) S. on
	M. face, dug pits, 18 x 18 x 12 ins and V. of
	post 5½ ft. dist., and raised a mound of earth 1½ ft.

high, 31 ft. base around post.

€. BT. 38, R. F E. G. & S. R. M.

Chains.	Retracing
	The corner to sections 7-12-13-18,
	Land level.
	Pegeratron, Buncheyaro,
	From the corner to sections, 13-18-19-24,
	Oun a land
A STATE OF THE STA	South on a random line between sections/Gz 24, Variation 13°55 East.
40,00	After diligent search, being unable to find old corner, I
De of	Set temporary & sec. cor. To a point 30 1ks. West of cor. to
10.36	secs. 19-24-25-30,
	which finding nearly destroyed, I reestablished same and
1	Set a post 4 ft. long, 4 ins. square, with marked stone.
	12 ins. in the ground, for Cor. to Sees. 14-24-25-30,
	on S. E. 25 on S. W. and S. 24 on N. W. face,
	with Inotches on S. and Anotches on Dedges;
	dug pils, 18 x 18 x 12 ins. in each Sec., 51 ft. dist.,

and raised a mound of earth 2 ft. high, 41 ft. base

around post.

6. BT.31, R. F E. G. & S. R. M.

Chains, Retracing

> From which corner I run. 2.13'h, on a true line between sections 19-24. Va. / 3 ST East. 40.18 Bet a Sand stone 30 x/2 x 6 ins., 22 ins. in the ground, for & Sec. Cor., marked & on face, dug pits, 18 x 18 x 12 ins., Hand S. of stone 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base. alongside.

80.36 The corner to sections 13-18-19-24 Land level.

Soil 3 rate.

Pegeration, Bunchgrass.

&BT. 3 & R. & E. G. & S. R. M.

Retracina Chains. From the corner to sections, 19-24-25-30, Jun South on a random line between sections 25 & 30, Variation / 305 S East. 140,00 After diligent search, being unable to find old corner, I Set temporary & sec. cor. SU.10 To a point y 1ks. West of cor. to secs. 25-30-31-36, which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Oor. to Secs. 25 30-31-36. marked IS 8 8. 30 on.N. E., R. 96. , S. 8/ on S. E. S. 36 on S. W. and S. 35 on N. W. face with I notch on 8. and Inotches on Dedans dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft, high, 41 ft. bash around post. From which corner I run. n. 3 W., un a true line between sections 25-30, Va. 1350 Rast. 40.05 Bet a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on 1. face, dug pits, 18 x 18 x 12 ins., 2. and J. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

E. B. T. F. S., R. F E. G. & S. R. M.

Chains,

Retracing

The corner to sections 19-24-25-630

Land level.
Soil & rate.

Deseration, Bunchenas,

From the corner to sections, 25-36-31-36, Jum

South on a random line between sections 3/2 36 Variation 13 55 East.

140.00 After diligent search, being unable to find old corner, I Set temporary \ sec. cor.

To a point 10 nrs. West

The Cor. to Tps. 3-48, * Rs. 8 & 90. which finding nearly destroyed, I reestablished same and Set a post, 41 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor: to Tps. and 48 R's 8 and 96, marked T. 38, 8.31 on N. E. R. 9 6, S: 6 on S. E. T. 48, S. 1 on 8, W, and R, S. S, 36 on N, W, faces, with 6 notches on each edge, dug, pits 24 x 18 x 12 ins., lengthwise on each line, N, S, E, and W, of post, 6 ft, dist, and

&.B. T. 3 , R. & E. G. & S. R. M.

Retracing Chains. raised a mound of earth 21 ft. high, 5 ft, base around post, From which corner I run. n. 4 Wy on a true line between sections 31 -36, Va. 13 33 East. 399 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on W. face, dug pits, 18 x 18 x 12 ins., Nand S. of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post. 7988 The corner to sections 25-30-31-36, Land level. 3 "rate. Vegeratron, Bunchgrass, I carefully examined the adjustments of my solar compass to-day, particularly the latitude and revers-

ing apparatus, and found them correct.

June 19,1884,

SB T. 3S, R. FE. G. & S. R. M.

Chains. Retracing Before proceeding further with the exteriors of this Tp., I made a change of I minutes in the latitude are of my solar compass by subtracting same from the reading previously give, and at noon verified and corrected same by observation on the sun. I also further tested instrument by reversing. Thence: From the Cor. to Tps. 3-48. A. Rs. 8 & 96, I run. West. on a random line between sections 1 & 36, Variation 1353 East. 40.00 After diligent search, being unable to find old corner, I Set temporary \ sec. cor. FU. VO After driigent search, being unable to find old corner, I set temporary sec. con, 120.00 After diligent search, being unable to find old corner, I. Set temporary & sec. cor. 159.82 To a point 29 1ks. North of cor. to secs. 2-3-34-35 which finding nearly destroyed, I reestablished same and

B. T. & S, R. S E. G. & S. R. M.

Retracing

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 2 -3-34-30, marked T. 3 & S. 35 , on N. E., R. 86. , S. 2 on S. E. S. 3 on S. W. and S. 34 on N. W. face, with Protes on Stand 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

From which corner I run.

D. 8934 6, on a true line between sections 2 -337 Va. 1355 Rust

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on

W. face, dug pits, 18 x 18 x 12 ins., 6 . and V. of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post.

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 1-2-35-36

marked T. 3 f. S. 36 , on N. E., R. S. 6. , S. /

2 on S. W. and S. 35 on N. W. face, with I notches on Wand notch on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base

around post.
Land level.

Soit 3 rate.

S. B. T. 3 %, R. F E. G. & S. R. M. BOOK: 1418 Chains. Retracina PSG54 Egn a true line between sections 1 - 36 Va. 13 53 East. 39,96 Bet a Sand stone Bry x6 ins., 9 ins. in the ground, for \ Sec. Cor., marked \ on ?. face, dug pits, 18 x 18 x 12 ins., & . and / of stone 51 ft. dist., and report a mound of earth 12 ft. high, 31 ft. base, alongside. 79.91 The Cor. to Tps. 3-48, X. Rs. 8 . 96, Land level. grate. Pegeration , Sundynas,

SB, T. 3S, R. & E. G. & S. R. M.

Chains.

Retracing

From the corner to sections, 2-3-34-30, Jun

West on a random line between sections 3 & 34, Variation /3 33 Bast.

HV. O After disigent search, being unable to find old corner, I Set temporary & sec. cor.

49.97 To a point & 1ks. Math of cor. to secs. 3-4-33-34

> which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 3-4-33-34

marked T. 3 8 84 , on N. E., R. 86, S. 3 on S. B. S. Fon S. W and S. 33 on N. W. face,

with 3 notches only and Botches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist.,

and raised a mound of earth 2 ft. high, 41 ft. base around post.

From which corner I run.

2. 89 54 &, on a true line between sections 3-34. Va. 13 54 East. 69.99 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for & Sec. Cor., marked & S. on

1. face, dug pits, 18 x 18 x 12 ins., 6. and 1. of post 51 ft. dist, and raised a mound of earth 11 ft.

high, 31 ft. base around post.

J.B. T.3 J, R. P. E. G. & S. R. M.

Chains. Retracing 79.97 The corner to sections 2-3-34-35 Land level.
Soil 3" rate. Vegeratron, Bunchenas, From the Cor to 3-4-33-34 O Jun West on a random line between sections 4 33. Variation 1354 East 40. Co After diligent search, being unable to find old corner, I Set temporary & sec. cor. Fr. 16 To a point 16 1ks. South of cor. to secs. 4-5-32-33 which finding nearly destroyed, I reestablished same and Suu ctone 50x/2x Gins. 37 ins. in Set a the ground for Cor. to Secs. 4-5-32-33 marked with 2 notches on by and totches on E. edges and raised a mound of stone. alongside. Pits impracticable. From which corner I run. J. 1938 6 on a true line between sections 4-33, Va. 1355 East. 40.08 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on face, dug pits, 18 x 18 x 12 ins., C. and V. of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post.

BT. 3, R. E. G. & S. R. M.

Retracing Chains, 80.16 The corner to sections 3-4-33-34, Land level.
Soil 3"rate. Vezeration, Binchegiaro, From the corner to sections, 4-5-32-33, Jum! West. on a random line between sections of & 32 Variation / 3 55 Fast 46.00 After diligent search, being unable to find old corner, I Set temporary & sec. cor. 80.32 To a point 26 1ks. South of cor. to secs. 5-6-31-32 which finding nearly destroyed, I reestablished same and Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 5-6-31-31 marked T. S.S. S. G2 -, or N E., R. S. S. S. on S. E. S. 6 on S. W and S. 3/ on N. W. face, with I notch only and I notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

J.B. T. 8. R. P. E. G. & S. R. M.

Chains,	Retracing	
	From which corner I run. 189496, on a true line between sections 5 - 32,	
	Va./3°56 1	Zas
40.16	Set a post 3 ft. long, 3 ins. diam. with marked stone.	
	12 ins. in the ground, for & Sec. Cor., marked & S. on	
	M. face, dug pits, is a server wis., C. and V. of	
	post 5\frac{1}{2} ft. dist., and raised a mound of earth 1\frac{1}{2} ft.	
84.32	high, 3\forall ft. base around post. The corner to sections 4-5-32-33	
	Soil 3' rate.	
	Land level. Soil 3" rate. Preservation: Sunchgrass.	
	3	
	A STATE OF THE STA	

S. T. 3S, R. F E. G. & S. R. M.

Retracing Chains. From the corner to sections, 5-6-31-32, Jum West on a random line between sections 6 & 31. Variation / B & 56 ' East. 40.00 After driigent search, being unable to find old corner, I Set temporary & sec. cor. 79.32 To a point 11 Tks. Mouth The Cor. to Tos. 3-41, W. Rs. 7 & SC. which finding nearly destroyed, I reestablished same and Set a post, 41 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor: to Tps. 3 and 4 S, R's 7 and 8 6, marked T, 3 S, 8. 31 on N. E. R. S.C. S: 6 on S. E. T. 48, S. 1 on S, W, and R, 16,8, 36 on N. W, faces, with 6 notches on each edge, dug, pits 24 x 18 x 12 ins., lengthwise on each line, N, S, E, and W, of post, 6 ft, dist, and raised a mound of earth 21 ft. high, 5 ft, base around post, From which corner I run. 7. 19 35 6, on a true line between sections 6 -31. Val 3°58 Bast. J.B. T. 3 , R. P E. G. & S. R. M.

· balas		
chains.	Retracing	
39.32	Set a post 3 ft. long, 3 ins. diam. with marked stone.	
		H
	12 ins. in the ground, for \ Sec. Cor., marked \ S. on	
	M. face, dug pits, 18 x 18 x 12 ins. 6 . and W. of	
	post 5½ ft. dist., and raised a mound of earth 1½ ft.	T,
	high, 31 ft. base around post.	1
79.32	The corner to sections 5-6-31-63	2
	Land level.	1
	Soil G'rate.	Ī
	Soil B'rate. Perennon, Bunchgrass.	
	June 20, 1884,	
	Julia so, o o o o	ľ
	For Amal, calle and took	
	For final oaths and book.	
		-
	y = x .	1
	ment to the the	
		-

U. S. Surveyor General's Office,
Tucson, Arizona, 1885
The foregoing Field Notes of the Survey of the
in the same of the same of the
Retain Et of
Retoring Extensi Lin of Tps. 2 5. R. 9 9 × 10 E, and " 3 5. R 5 8 × 10 "
25 PS 0
95, 1= 8710"
Of the Gila and Salt River Base and Meridian, Arizona, execu-
ed by a. E. Chouneker
Deputy Surveyor, under his contract of the
ay of August, 1882, having been
ritically examined and the necessary corrections and explana-
ions made, the said Field Notes and the surveys they describe
re hereby approve.d
Ruyala Juhnou Surveyor General.
Surveyor General.