

BOOK 1503

1503  
**Field Notes**

OF THE SURVEY OF

*Fourth Standard South*  
*- through -*

*Range 4 East and a portion of*  
*Range 3 East.*

BOOK 1503

1503

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By *Lewis Wolfley* — D. S.

Under contract dated *Feb. 28<sup>th</sup>* 1885.

Survey commenced *April 28<sup>th</sup>* 1886.

Survey completed *May 1<sup>st</sup>* 1886.

1503

# Index

BOOK 1503

4<sup>th</sup> Standard Route Through.  
Range 4 East 1  
" 3 East (Track) 13

Ret. Dps. 20 & 21 S.

	31	32	33	34	35	36
			21	19	16	14
	6	5	4	3	2	1

	31	32	33	34	35	36
	11	9	7	5	3	1
	6	5	4	3	2	1

1A  
Preliminary Oaths of Assistants.

BOOK 1503

We Jas M. Causton  
and J. C. Cowles

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability and in accordance with instructions given us in the survey of the

H<sup>o</sup> Standard S.  
Yors R. Meridian  
& Retraing of the International  
boundary

of the principal base and meridian in the Territory of Arizona.

Jas M Causton Chainman.

J. C. Cowles Chainman.

Subscribed and sworn before me, this 27<sup>th</sup>

day of April 1886

Levi Wolfley  
Notary Public

We *Jno. A. Douvan & Jose M. Vidal* and *Ysobel Vidal*

do solemnly swear that we will well and truly perform the the duties of *Chairmen*

and *ground men*

in the establishment of corners and other duties according to instructions given us, and to the best of our skill and ability,

in the survey of the *H Standard*

*S. - G. S. R. Meridian*  
+ *Retracing of the International boundary*

of the principal base and meridian in the Territory of Arizona.

*Jno. A. Douvan*  
*Jose M. Vidal*  
*Ysobel Vidal*

Subscribed and sworn to before me this *27*

day of *April* 188*6*



*Sweet Valley*  
Notary Public.

1503

BOOK 1503

For description of instrument  
see book No. 1.

Before beginning this work  
I thoroughly tested my instru-  
ment and found it to be  
correct.

For the reasons stated in  
my letter to the Surveyor General  
and in accordance with his  
letter of the 19<sup>th</sup> and approval  
thereof by the Hon<sup>l</sup> Commissioner  
of the 28<sup>th</sup> of May 1885. This  
Contract was delayed and  
is only now completed.

May 8<sup>th</sup> 1886.

4<sup>th</sup> Standard South

Range 4 East. G. &amp; S. R. M.

Beginning at the Standard  
 Cor. to Sp. 20 S. Ranges 4 + 5 E,  
 lately established by me  
 I run W. on a true line  
 on S. Boundary of Sec. 36.  
 Va  $13^{\circ} 2' E$ .

Main

Gradually ascending

4000 Set a post 3 ft long 3 ins sq., with  
 marked stone, 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. Mar-  
 ket S.E.  $\frac{1}{4}$  S. on N. face  
 dug pits 18 x 18 x 12 ins E. & W.  
 of post  $5\frac{1}{2}$  ft. dist., and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base a-  
 round post

8000 Set a post 4 ft. long 4 ins sq.  
 with marked stone, 12 ins

4<sup>th</sup> Standard South

G. 4

Chains in the ground for Standard  
 Corner to Secs 35 + 36 Modus  
 S.C. T. 20 S. R. 4 E. on N.  
 S. 36 on E. and

S. 35 on W. faces, with 1  
 notch on E. and 5 on W.  
 faces, dug pits 18x18x12  
 ins N. 2 + W. of post 5 1/2  
 ft. dist, and raised a  
 mound of earth 2 ft high  
 4 1/2 ft base around post

Land poor  
 Grass fair  
 Dense brush

Scattering Palo Verde and Mes-  
 quite trees -

Papago town of Tohowa, on  
 N. abt 18 ms. dist + Artesa

## Range H E.

## D. R. Meridian -

N. about 25 miles - Araya is about 5 ms S.W. of Topowa and Tecolote is about 15 miles N.W. of Topowa.

Their principal town is Fresnal which is about 12 miles E. of Topowa and just N. & N. of the Fresnal or Barboquivari<sup>pk</sup>. The official maps are wrong.

N. on S. boundary of Sec. 35.  
 Va 13° 02' E

Gradually ascending

4400 Set a post 3 ft. long 3 ins sq. with a marked stone, 12 ins in the ground for Standard

4<sup>th</sup> Standard S.

G +

Chains  $\frac{1}{4}$  Sec. Cor. Marked S.C.  
 $\frac{1}{4}$  on N. face, dug pits  
 18 x 18 x 12 ins. E. & W. of post  
 5  $\frac{1}{2}$  ft dist. and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$   
 ft. base around post.

8000 Set a post 4 ft. long 4 in sq.  
 with marked stones 12 ins. in  
 the ground for Standard Cor. to  
 Secs 34 + 35. Marked S.C.  $\hat{N}$ . 205.  
 R. 4 E. on N.

D. 35 on E. and

S. 34 on W. faces, with 2  
 Noletus on E. and 4 Noletus  
 on W. faces, dug pits 18 x 18  
 x 12 ins N. E. + W. of post 5  $\frac{1}{2}$   
 ft. dist. and raised a mound  
 of earth 2 ft. high 4  $\frac{1}{2}$  ft base

Range 4 E.

P. R. Meridian.

Chains round post.

A Palo Verde Tree - 10 ins. diam.

brs N.  $15^{\circ}$  W. 25 lks dist.


Marker T. 20 S. R. 4 E. S. 34. 18<sup>th</sup>.

Land 3<sup>d</sup> rate

Grass fair

Dense brush

Scat Palo Verde & Mesquite Trees



West on S. Boundary of Sec. 34.

to 13<sup>02</sup> E

gradually ascending.

3300 Cross Trail brs N. & S.

4000 Set a post 3 ft long 3 ins sq.  
with a marker stone, 12 ins

4<sup>th</sup> Standard S.

G. +

Chairs in the ground for Standard 1/4  
Sec. Cor. Marked S.C. 1/4 S. on  
N. face, dug pits 18x18x12  
ins E. & W. of post 5 1/2 ft  
dist, and raised a mound  
of earth 1 1/2 ft high 3 1/2 ft  
base around post.

8000 Set a post 4 ft. long 4 ins  
sq. with marker stone 12 ins  
in the ground for Standard  
Cor. to Secs 33 & 34 marked,  
S.C. S. 20 S. R. 4 E. on N.  
S. 34 on E.

S 33 on W. faces, with  
3 notches on E. & W. faces  
dug pits 18x18x12 ins N. E. &  
W. of post. 5 1/2 ft. dist, and  
raised a mound of earth

Range 4. E.

S. R. Meridian

Chains 2 ft. high  $4\frac{1}{2}$  ft. base round post.

Soil 3<sup>d</sup> rate

Grass fair

Bunch brush

Scattering Palo Verde and Mesquite trees.

April 28<sup>th</sup> 1886.

"

N. on S. boundary of Sec. 33.

N.  $13^{\circ}02'E$ .

Gradually ascending

4000 Put a post 3 ft. long 3 ins. sq. with marker stone, 12 ins in the ground for standard  $\frac{1}{4}$  Sec. Cor. Marked S.E.  $\frac{1}{4}$  S. on N. face, dig pits  $18 \times 18 \times 12$  ins E. & W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of

4<sup>th</sup> Standard S.

G. &amp;

Chs earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft  
base, around post.

8000 Set a post 4 ft. long 4 ins sq.  
with marker stones 12 ins. in  
The ground for Standard Cor.  
to Recs. 32 + 33, markers  
S.C. 9. 20 S.R. 4 E. on N.  
S. 33 on E. and  
S. 32 on W. faces with 4  
notches on E. and 2 notches  
on W. faces, dug pits  $18 \times$   
 $18 \times 12$  ins. N, E & W. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth 2 ft. high  $4\frac{1}{2}$   
ft. base, round post.  
Soil 3<sup>d</sup> rate  
Grass fair

Range 4 E.

S. R. Meridian

chs dense brush  
 Scattering Palo Verde + Mesquite  
 trees. April 29<sup>th</sup> 1886.

W. on S. boundary of Sec 32.  
 Nw  $13^{\circ}02' E$ .

gradually ascending

- 4000 Set a post 3 ft. long 3 ins. sq.  
 with marker stone, 12 ins in  
 the ground for Standard  $\frac{1}{4}$  Sec.  
 Cor. marked S.C.  $\frac{1}{4}$  S. on N.  
 face, dug pits 18x18x12 ins E.  
 & W. of post  $5\frac{1}{2}$  ft. dist, and  
 raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft. base around post.
- 8000 Set a post 4 ft. long 4 ins. sq.  
 with marker stone 12 ins in the

4<sup>th</sup> Standard S.

G +  
 the ground for Standard Cor. to  
 Rees 31 + 32. marker  
 S. C. T. 20 S. R. 4 E. on N  
 S. 32 on E. and  
 S. 31 on W. faces with 5  
 notches on the E. and 1 notch  
 on the W. faces; dug pits  
 18 x 18 x 12. N, E, & W, of post  
 5 1/2 ft. dist. and raised a  
 mound of earth 2 ft. high  
 4 1/2 ft. base round post.  
 A Palo Verde tree 14 ins diam. brs.  
 N. 2° W. 53 lks dist marked  
 T. 20 S. R. 4 E. S. 31. B. T.

Soil 3<sup>d</sup> rate

Grass good  
 Dense brush  
 Scattered Palo Verde & Mesquite trees.

Range H E.

S. R. Meridian

0.00 N. on S. boundary of Sec 31.  
 Va 13°02' E.

Gradually ascending

10.00 Set a post 3 ft. long 3 ins sq.  
 with marked stone, 12 ins in  
 the ground for Standard  $\frac{1}{4}$  Sec  
 Cor. Marked S. C.  $\frac{1}{4}$  S. on N.  
 face, dug pits 18 x 18 x 12 ins  
 E. & W. of post 5  $\frac{1}{2}$  ft. dist  
 and raised a mound of earth  
 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base a-  
 round post.

13.00 Cross trail b/w N. E. & S. W.

20.00 Set a post 4  $\frac{1}{2}$  ft. long 4 ins.  
 sq. with marked stone 12  
 ins in the ground for Standard  
 Cor. to Tps 20 S. Rs. 3+4 E.

4<sup>th</sup> Standard S.

y +

chs. Marked.

S.C. T. 20. S on W.

R. 4 E. S. 31 on E. and

R. 3 E. S. 36 on W. faces

with 6 notches on N. E. &amp; W.

faces. dug pits 24x18x12 ins

Crosswise on each line N.E.

and W. of post. 6 ft. dist.

and raised a mound of earth  
2 1/2 ft high 5 ft. base around  
post.

A Mesquite 12 ins diam brs N.

40° N. 40 lbs dist. Marked

T. 20 S. R. 3 E. S. 36. B. T.

A Mesquite 10 ins diam brs N. 30° 15' E.

148 lbs. dist. Marked.

T. 20 S. R. 4 E. S. 31. B. T.

N.W. P<sup>K</sup> La Union Alto bus

Ranges 3 + 4 E.  
D. R. Meridian.

Chs. S. 64° 30' E.  
Bartoguirari P<sup>h</sup> bos. N. 72° 02'  
Soil 3<sup>d</sup> rate  
grass fair  
Dense brush  
Scattering Palo Verde + Mesquite  
trees -

This T<sup>p</sup>. line runs across  
the low foot of the La Union  
Mts. on their N. foot, and  
looks to the N. over a very  
fine valley with rich  
soil here and there Indian  
Villages and their grain  
fields. With Artesian  
wells it would be a  
very rich valley of many miles  
N. S. + N.

4<sup>th</sup> Standard S.

G. +

Chs.

From the Standard Cor. to Sp  
20 S. Rs 3 & 4 E. I run  
N. on the S. boundary of Sec. 36.  
Va 13° 02' E

Gradually ascending.

40.00 Set a post 3 ft. long 3 ins dia.  
with marked stone 12 ins in the  
ground for Standard 1/4 Sec Cor.  
Marked S. E. C. 1/4 S. on N. face  
dig pits 2 x N 18 x 18 x 12 ins  
and 5 1/2 ft dist from post  
and raise a mound of earth  
1 1/2 ft high 3 1/2 ft base a  
round post

56.00 Cross trail on N. E. & W.

Range 3 E.

S.R. Meridian

cks

71.50 Crosser trail bet N.E. + S.W.

80.00 Set a post 4 ft long 4 ins dia. with marker stone 12 ins in the ground for Standard Cor. to Secs. 35 + 36. Marker S.E.  $\bar{T}$ , 20 S. R. 3.E. on N. S. 36 on E.

S. 35 on W. faces with 1 notch on E. and 5 notches on W. faces, dug pits 18x18x12 ins. N. E. + W. of post  $5\frac{1}{2}$  ft dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post. a Paly Verde, 12 ins dia bet N. 5° W. 112 lks dist. Marked

4<sup>th</sup> Standard South

G. +

chs T. 20 S. R. 3 E. S. 35 B. P.

gradually ascending to W.  
 Dense brush  
 Soil 3<sup>rd</sup> rate

grass fair

Scat. Mesquite + Palo Verde

April 30<sup>th</sup> 1886

N. on S. Boundary of Sec 35  
 Va 13° 2' E

gradually ascending

1700 Foot of a short Ridge cut  
 ascent abruptly

2400 Top of Ridge bro N.W. + S.E.  
 about 100 ft high

2500 descent abruptly

3100 Foot of Ridge cut along Mur

4000 Cut a post 3 ft long 3 ins sq.

## Range 3 E.

J.R. Mendean

chs with marker Stone 12 ins in  
the ground. for Standard  
1/4 Sec. Cor. Marker S.E. 1/4 S.  
on N. face, dug pits  
18 x 18 x 12 ins E + W. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft high  
3 1/2 ft. base around post.

65.50 Cross a Wash Cr. N.W.

78.50 Cross a Trail to Cabato,  
Cros N.E. + S.W.

80.00 Set a post 4 ft long 4 ins sq.  
with marker Stone 12 ins in  
the ground, for Standard Cor.  
to Secs. 34 + 35. Marker  
S.E. S. 20 S. R. 3 E. on N.  
S. 35 on E. and  
S. 34 on W. faces, with 2

4<sup>th</sup> Standard South

G. +

chs. Notches on E. and 4. notches  
 on W. faces. dug pits 18x  
 18x12 ins. N, E, + W, of post  
 5 $\frac{1}{2}$  ft. dist, and raised a  
 mound of earth 2 ft. high  
 4 $\frac{1}{2}$  ft. base around post

Land, with exception of  
 Ridge, rolling  
 Soil & water  
 Dense brush  
 Scat. trees.

---

R. 3 East

O. R. Meridian

40.00 W. on S. boundary of Sec. 34.  
Va  $13^{\circ} 02' E$

Slightly rolling

40.00 Set a post 3 ft. long 3 ins sq.  
with a marked stone 12 ins in  
the ground, for Standard  $\frac{1}{4}$   
Sec. Cor. Marked  $\frac{1}{4}$  S. on N.  
face, dug pits 18 x 18 x 12 ins  
E. & W. of post 5 ft dist  
and raised a mound of earth  
1 ft. high 3 ft. base a-  
rounded post.

67.50 Cross Wash Cr. N. W.

73.25 Cross Trail Cr N.W. + S. E.

80.00 Set a post 4 ft long 4 ins sq.  
with marked stone, 12 ins in  
the ground, for Standard Cor.

4<sup>th</sup> Standard South

Gila and

chs. to Secs. 33 + 34 marked.

S. C. T. 20 S. R. 3 E. on N.

S. 34 on E. and

S. 33 on W. faces. with

3 notches on E. & W. faces  
dug pits 18 x 18 x 12 ins N. E. & W.

of post 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft high 4 1/2 ft base around  
post

A Mesquite 16 ins. in dia brs

N. 5° W. 124 lbs dist. marked

T. 20 S. R. 3 E. S. 33 B. P.

surface slightly rolling  
dense brush

grass fair  
scat trees

## Range 3 East.

## Salt River Meridian.

Chs N. on S. boundary of Sec. 33.  
Var  $130^{\circ} 02' E$ ,

21.59 Intract International Boundary  
2. Miles 37 chs, 50 Chs S.  $69^{\circ}$   
 $20' E$ . of Mon. No. 13. of the  
International Boundary as  
found by me by retracing  
said line. at which point  
I set a post 5 ft. long 5 in  
sq. for Standard Closing  
Co. with International Bound-  
ary marked S. C. C. U. S.  
on N. and

I. B. on E. + W. and  
M. I. B. on S. faces  
dug pits  $24 \times 18 \times 12$  in  
 $5\frac{1}{2}$  ft dist. N. N.  $69^{\circ} 20' W$ .  
+ S.  $69^{\circ} 20' E$  of post, and

H<sup>rd</sup> Standard South

Gila and

chs. raised a mound of  
earth 3 ft high 5 ft  
base around post, from  
which.

Barboquiviri Pt to N.  $78^{\circ}20' E$   
N.W. Pt<sup>th</sup> La Union Mts to S.  $72^{\circ} E$ .

The soil of this valley  
is very fair and would  
with water raise any  
Crop. Artesian Wells  
seem feasible  
May 1<sup>st</sup> 1886.

For final notes see  
book N<sup>o</sup>.

Range 3 East

Salt River Mendocino

Sho

U. S. Surveyor General's Office,

Tucson, Arizona, June 14 1886

The foregoing Field Notes of the Survey of the

4<sup>th</sup> Standard Parallel  
South through Range  
4 and a part of Range  
3 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by Lewis Wolfley

Deputy Surveyor, under his contract of the 28<sup>th</sup>  
day of February, 1885, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approve.d

John Wise  
Surveyor General.