

(R)

NORTH BOUNDARY  
T.13 S., R.R. 1 E.  
Rockfellow.

1598

BOOK 1598

4-671


**FIELD NOTES**  
**GENERAL LAND OFFICE.**

1598

**1598**

BOOK 1598

S. 12 S., R. 21 E.



S. 13 S., R. 21 E.

Concluded from Book 1595.

North Body T. 13 S. R. 21 E.

chis

- 67.45- Enter wash 35-lks wide  
course S. W.  
68.00 Wash joined by one from N.  
70.35 Lean wash  
74.70 Lean bottom  
78.10 Rocky pointed course S. W.  
80.00 Set a volcanic rock 15 x 10 x  
10 ins 10 ins in the ground  
for corsees, 3, 4, 33 and 34  
marked with 3 notches  
on the E and W. edges  
raise end of stone  $8\frac{1}{2}$  ft -  
base  $2\frac{1}{2}$  ft high W. of cor  
Pits impracticable  
Land rolling and  
mountainous.  
Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate  
No timber, little brush  
Mountainous land 80 chis

North Boundary  
clus val. 1° 30' E

E bit. secs 3 and 34

Over mountainous country

along W. slope of steep ridge across a succession of sharp ridges and gulches, running N. into main canon

40.00

Set a volcanic rock  
16x10x6 ins 11 ins in the ground  
marked  $\frac{1}{4}$  on N. face  
raise end of stone 3 ft  
base  $2\frac{1}{2}$  ft high N. of cor.

Pits impracticable  
Thence over a continuation of ridges and gulches running N. into the main canon

80.00

Set a volcanic rock  
16x10x7 ins 11 ins in the

7.13 S. R. 21 E.

ground for cor secs  
2, 3, 34 and 35 marked  
with 2 notches on E. and  
4 on W. edges; raise  
md of stone 4 ft-base  
2 $\frac{1}{2}$  ft high W. of cor.

Land mountainous  
Soil 3<sup>rd</sup> rate

A few scattering cedar  
trees, little brush.

Mountainous land 80 chs

---

E bet. secs 2 and 35-  
var 12° 35' E

On rough ground along  
the N. slope of a high ridge  
course E. and W.

10.10 Deep gully-wash 5 ft wide  
course N.

14.60 Sharp ridge, spur from  
main ridge bet S. and N.

North Boundary

the

17.00

Lean N. slope of ridge

40.00

\* Set a granite rock 17x10x8 ins  
 12 ins in the ground for  
 $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N.  
 face; dig pit 18x18x12 ins  
 on line E and S. of cor  
 $3\frac{1}{2}$  ft dist; raise end  
 of earth  $3\frac{1}{2}$  ft base,  $2\frac{1}{2}$  ft  
 high N. of cor.

Thence along slope and up  
 a long steep point on to  
 height of ground.

80.00

Set a volcanic rock 16x11x  
 7 ins 11 ins in ground  
 for cor sect 1, 2, 35 and 36  
 marked 1 notch on E. and  
 5 on S. edges; raise  
 end of stone 4 ft base  
 2 ft high N. of cor,  
 pit impracticable.

\* Entire wash of main canon

22 like wide courses W. N. E.

26.5 lbs Lean wash stone  
 along N. bank of canon

7/13 S.R. 21 E.

Land mountainous  
 Soil good rate

No timber

Mountainous land  
 80 chs

var 12° 40' E

E bit secs 1 and 36

over mountainous land

Wash in cañon 25 lks wide  
 course N. S. W.

40.00 Set a volcanic rock  
 14 x 12 x 8 ins 10 ins in ground  
 for 1/4 sec. cor. marked  
 $\frac{1}{4}$  on N. face; raise end  
 of stone 4 ft base 2 ft  
 high N. of cor.

Pit impracticable

Wash in cañon, course S.

Divide bns N. S. W.

8.00 Wash in cañon 18 lks

North Bdy. T. 13 S., R. 21 E.  
cls

nide, course S.W.

Ascent gradually.

80.00 Cov Sp's 12 and 13 S. Ran-  
ges 21 and 22 E.

Land mountainous

Soil 2<sup>d</sup> and 3<sup>d</sup> rate

No timber

Mountainous land

80 cls.

Dec 5, 1900

✓

John S. Rockfellow  
U.S. Deputy Surveyor  
Dec 29, 1900

# List of Names.

BOOK 1598

67

A List of the Names of the Individuals  
employed by John A. Rockfellow  
U. S. Deputy Surveyor, to assist in running, meas-  
uring and marking the lines and corners described  
in the foregoing Field Notes of the survey of the  
Boundaries of  
Tps. 13 South  
Ranges 21 and 22 E.,

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, showing the respective  
capacities in which they acted.

Ost Howard ..... Chainman.  
Edward Huber ..... Chainman.  
John T. Poffet ..... Chainman.  
..... Chainman.

Axeman.  
John Spear ..... Monitor Axeman.  
James Johnson ..... Flagman.

67 A

## Final Oath of Assistants.

We hereby certify that we assisted John  
A Rockfeller U. S. Deputy Surveyor, in  
surveying all those parts or portions of the  
Boundaries Sec 13 South  
Rango 21 522 East

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, as are represented in the  
foregoing field notes as having been surveyed by him  
and under his direction; and that said Survey has  
been in all respects, to the best of our knowledge  
and belief, well and faithfully surveyed, and the  
corner monuments established according to the  
instructions furnished by the United States Surveyor  
General for Arizona.

W. W. Howard Chairman.

Edward Huber Chairman.

Jewett Rockwell Chairman.

Chairman.

Axeman.

John P. Sabin <sup>monum</sup> Axeman.

James Johnson, Flagman.

Sworn to and subscribed before me, this ~~24~~ 18th  
day of December, 1891 1900

John A. Rockwell  
Notary Public.

[SEAL.]

My com expires  
Apr 10 1903

Final Oath of U. S. Deputy Surveyor.

68

I, John A. Rockfellow

U. S. Deputy Surveyor, do solemnly swear that in  
pursuance of a contract received from Royal A. Geo.  
Burke Johnson, United States Surveyor-General for Ari-

zona, bearing date of the 22d day of

May 1900

189

, I have well, faithfully,  
fully, and truly, in my own proper person, and in  
strict conformity with the instructions furnished by  
the United States Surveyor-General for Arizona,  
the Manual of Surveying Instructions, and the  
laws of the United States, surveyed all those parts

or portions of the Boundaries

of Tps. 13 South

Ranges 21 & 22 E

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, as are represented in the  
foregoing Field Notes as having been surveyed by  
me and under my direction; and I do further  
solemnly swear that all the corners of said surveys  
have been established and perpetuated in strict  
accordance with the Manual of printed instructions,  
the special instructions of the United States Sur-  
veyor-General for Arizona, and in the specific

69  
manner described in the field notes, and that the  
foregoing are the true Field Notes of such survey;  
and should any fraud be detected I will suffer the  
penalty of perjury, under the provisions of an act  
of Congress approved August 8, 1846.

*John A Rockfellow*  
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 29<sup>th</sup>  
day of December, 1890.

*A. H. Emmanuel*  
clerk,



BOOK 1598

## BOOK 1598


## APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GEN'L

Tucson Arizona, 1902.

The foregoing field notes of the surveys of 1/4 North - East - South & West  
Rds of T. 13 S; R. 21 E.

Gila & Salt River Meridian,  
executed by John A. Rockfellow D.S.  
under his contract No. 66 dated 5/2/1900  
having been critically examined, and the  
necessary corrections and explanations  
made, the field notes, and the surveys  
they describe, are hereby approved.



U. S. Surveyor General for Ariz