

See Index
Deputy Surveyor.

T. R.

1648

Meridian.

1648

BOOK 1648

Field Notes

OF

the ^② Range Line between Townships 8.9+10 N. ^② Lines of
Range 5+6 W. (including 9.50 chs of Standard)
Township 5 miles of Range ~~5~~ Exterior 3/4 6 miles
of Sec. lines in T. 11 N. Range 6 W. and 8 miles
of sec. lines in T. 12 N. Meridian, California, Range
6 W. - Gila & Salt River Meridian, Arizona.

BY

S. W. Foreman Deputy Surveyor,

under his Contract of May 29th 1871 18

Survey commenced July 22nd 1871

Survey completed July 27th 1871

② Resurvey between Rs 5+6 W T. 9 N.
by Contzen D.S. Contract No-48.
Platted, Feb. 11th 1897.

Copied for Washington,

Transcript sent to Commissioner,

1A

BOOK 1648

Preliminary Oaths of Assistants

I, _____ do
 swear that I will well and truly perform the
 Compassman, according to instructions given me
 the best of my skill and ability.

Subscribed and sworn to before me, this

1877

U. S. Deputy S.



We, *Joseph Penner*
C. L. Harris

do solemnly swear that we will faithfully execute the duties
 of Chain Carriers; that we will level the chain

1648

18

BOOK 1648

round, and plumb the tally pins, whether by sticking or
 dropping the same; that we will report the true distance to
 all notable objects, and the true length of all lines, that we
 will assist in measuring, to the best of our skill and ability.

Joseph Renu
 J. L. Harris

Subscribed and sworn to before me, this 10th day of
 June 1871

J. C. Mc Caffry
~~Notary Public~~
 Notary Public

We, James Daly & Geo. W. Carr
do solemnly swear that ~~we~~ will well and truly perform the
duties of ~~Assessors~~ ~~& Assessors~~
according to instructions given ~~us~~, and to the best of ~~our~~
skill and ability.

X

James Daly
Geo. W. Carr

Subscribed and sworn the be before me, this 10th
day of June 1871

J. C. Mc Caffrey
~~H. S. Deputy Sheriff~~
Notary Public



1648

Index

BOOK 1648

10

Bet- T 8 N; R 5+6 W

" - " 8+9 " ; " 6 W

(#) " - " 9 " ; " 5+6 W

" - " 10 " ; " 5+6 "


~~Int T 10 N R 5+6~~

" - " 11 " ; " 6 "

Traverse W-Bdy through sec

32+33 to T's 11+12 N; R. 6 W.

See Resurvey - Contzen. Contract
No 43- 1897.



Between Townships 8 North, Ranges 5th and 6th West, 6 West
 4th and Salt River Meridian line

I began at the corner, established by G.
 myself, to townships 7th and 8th North E.
 of Ranges 5th and 6th West., and run. in
 North, between sections 31 and 36.
 var $14^{\circ} 01'$ East.

(as per transit observation of Polaris)

00 Set a $\frac{1}{4}$ section corner post in a mound and pits, as per instructions.
 No trees near.

00 Set a post in a mound and pits near
 as per instructions for the corner to E.
 sections 30, 31, 35 and 36.
 No trees near.

Land level

Soil 1st and 2^d rate

No timber and no water.

(Copied)

Between Townships 8 North, Range 5th West.
Gila and Salt River Meridian

Sec North, between sections 25th and 30.

var. $14^{\circ} 01'$ East

40.00 Set a $\frac{1}{4}$ section post in a mound
and pits, as per instructions.
No trees near.

80.00 Set a post in mound and pits
as per instructions, for the corner
to sections 19, 30, 24th and 25.
No trees near.

Land level smooth table lands.
Soil 2^d rate.
No timber and
No Water.

Between Townships 8 North, Range 5 and 6 West
 4th and Salt River Meridian

Chs North, between sections 24 and 19,
 var. $14^{\circ} 01'$ East.

40.00 Set a $1/4$ section corner post in
 a mound and file as per
 instructions.

No trees near.

68.00 Road runs north west and south east.

80.00 Set a post in a mound and file
 as per instructions, for the corner
 to sections, 18, 19, 13 and 24.

No trees near.

Land level and dry.

Soil 2^o rate.

No timber and no water

Good grass.

Steward Townships 8 North, Range 5th and 6th West
Gila and Salt River Meridian

Chs North, between sections 13th and 18.

var. $14^{\circ} 01'$ East

40.00 Set a $\frac{1}{4}$ section corner post in a mound
and pits as per instructions.

No trees near.

80.00 Set a post in a mound and pits
as per instructions, for the corner
to sections 7, 18, 12th and 13.

No trees near.

Land level, and dry

Soil 2nd rate.

No timber and no water.

Between Townships 8 North Range 5th 6 West.
 Gila and Salt River Meridian

40 North, between sections 7th and 12,
 var. $14^{\circ} 01'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in a
 mound and pile as per instructions
 No trees near.

80.00 Set a post in a mound and
 pile as per instructions, for the
 corner to sections 1, 12, 6th and 7.
 No trees near.

Land level: Soil 2^d rate.

No timber: No water: Good grass.

Between Townships 8 North, Ranges 5th and 6 West
Gila and Salt River Meridians

Chs North, between sections 1st and 6.

var. $14^{\circ} 01'$ East

40.00 Set a $\frac{1}{4}$ section corner post in a mound and file as per instructions
No trees near.

80.00 Set a post in a mound and file as per instructions, for the corner to sections 1st and 6., being the closing corner on the 2^d standard line, North, to townships No. 8 North of ranges 5th and 6 West.

Land level and dry.

Soil 2^d rate, sandy.

No timber and no water.

Between Townships 8th and 9th North, Range 6 West.
Gila and Salt River Meridian

Chs. From the closing corner to
Townships 8 North of Ranges 5th and 6
West, I run along the North
boundary of Section No. 1. of
Townships 8 North, Range 6 West,
on the 2^d standard north of
Gila and Salt River Base and
Meridian. —

West, along North boundary Section 1.
var. $14^{\circ} 01'$ East.

(as per north and south line.)

9. 50. Set a post in a mound and
pile as per instructions, for the
standard corner to sections
31st and 36 of Townships 9 North
Ranges 5th and 6 West.

No trees near.

And from this corner I run North
as per the following notes. —

Between Townships 9 North, Ranges 5 and 6 West.
Gila and Salt River Meridian

Chs North, between sections 31 and 36.

var. $14^{\circ} 05'$ East
(as per transit observation of Polaris)
Beginning at the standard corner,
at —.

40.00 Set a $1/4$ section corner post in
a mound and pits as per instructions
No trees near.

80.00 Set a post in mound and pits as
per instructions, for the corner
to sections 25, 36, 30 and 31.
No trees near

Land level and dry.

Soil 2^d rate

No timber.

Good grass land.

July 22th 1891.

Settlers Townships 9 North, Ranges 5th & 6th West.
Gila and Salt River Meridian

As North, between sections 25th and 30.

var. $14^{\circ} 05'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in
a mound with pits as per
instructions. No trees near.

80.00 Set a post in a mound with
pits as per instructions, for the
corner to sections 24, 25,
19th and 30.

No trees near.

Land level: Soil 2^d rate.

No timber and no water.

This Plain extends west for
many miles, and if water could
be procured, the lands would
be of superior quality for grazing
and farming.

Between Townships 9 North, Ranges 5th and 6th West

Gila^{co} Salt River Meridian

The North, between sections 19th and 24th.
var 140° 05' East

4 40.00 Set a 1/4 section corner post in a mound and set as per instructions
No trees near

8 80.00 Set a post in a mound with sets as per instructions for the corner to sections 18, 19, 13th and 24th.
No trees near.

Land level

Soil 2nd rate

No timber and no water.

And here the locusts are fast disappearing.

Between Townships 9 North Ranges 5th & 6 West
Gila and Salt River Meridian

Chs North, between sections 13th and 18.

var $14^{\circ} 05'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in a
mound and pit as per instructions
No trees near.

80.00 Set a post in a mound with
pit as per instructions, for the
corner to sections 7, 18, 12th and 13.
No trees near.

Land level and dry.

Soil 2^d rate

No timber; No Water

Good grass.

Petroleum Townships 9 North, Ranges 5th and 6th West
Gila and Salt River Meridian

No North, between sections 7th and 12).

var. $14^{\circ} 05'$ East

40.00 Set a $1/4$ section corner post in a mound and pits as per instructions
No trees near.

80.00 Set a post in a mound with pits as per instructions for the corner to sections 1, 12, 6th of.
No trees near.

Land level. Soil 2nd rate.

No timber and no water.

Returned Townships 9 North, Ranges 5th & 6th West
Giland Salt River Meridian

As North, between sections 1st and 6.
var. $14^{\circ} 06'$ East.
(as per ford and back Sight)
Gently ascending to the north.

40.00 Set a $\frac{1}{4}$ section corner post in a mound with pile, as per instructions.
No trees near.

80.00 Set a post in a mound, with pile, as per instructions, for the corner to sections 1, 6, 31st & 36th, and corner to townships 9th & 10th North, of Ranges 5th & 6th West.

Land level or gently sloping south.

Soil 2^d rate: No timber.

July 24th 1871

General Description

For the last twelve miles the line passes over a smooth level plain covered with grass, and, with a liberal supply of water, the lands would be of good quality for farming purposes.

There is a luxuriant growth of grass of superior quality.

Petroleum Township 10 Nots. Range 3rd 6 West
Gila and Salt River Meridian

the North, between sections 31st and 36.
var. $14^{\circ} 06'$ East.
(as per fore and back sights.)

40.00 Set a $\frac{1}{4}$ section corner post in
a mound and pits as per
instructions.

No trees near.
80.00 Set a post in a mound and
pits as per instructions, for
the corner to sections
25, 36, 30th 31.

No trees near.

Land ascending to the North,
nearly level.

Soil 2nd rate

No timber: No water.

Between Townships 10 North. Ranges 5th & 6th West
Gila and Salt River Meridian

No North, between sections 25th and 30.
var. $14^{\circ} 06'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in
a mound and pits as per
instructions.

No trees near.

80.00 Set a Post in a mound and pits
as per instructions for the corner
to sections 24, 25, 19th and 30.

No trees near.

Land level

Soil 2nd rate

No timber.

Between Townships 10 North. Ranges 5th & 6 West
Gila and Salt River Meridian

to North, between sections 19th and 24.

var. $14^{\circ} 06'$ East.

31.00 Road bears north east and south west.

40.00 Set a $\frac{1}{4}$ section corner stone
 $14 \times 8 \times 8$ inches in a mound
as per instructions.

No trees near.

48.00 Dry creek, 10 links wide, runs south west.

80.00 Set a stone $16 \times 10 \times 8$ inches in a
stone mound, as per instructions,
for the corner to sections
18, 19, 13th & 24.

No trees near.

Land ascending to north.

Soil 3rd rate.

No timber: good grass.

Between Townships 10 North, Ranges 3rd & 6th West,
Gila & Salt River Meridian

40 North, between sections 13th and 18.
var. 14° 06' East.

18.00 Begin ascent of east end of mountain.

40.00 Set a $\frac{1}{4}$ section corner post in
a stone mound as per instructions.
on top of east end of point of
mountain, and begin to descend.
No trees near.

60.00 Dry creek, 10 links wide, runs Southeast.

65.50 Road bears north west and south east.

80.00 Set a stone 18x10x6 inches in a
stone mound as per instructions
for the corner to sections 7, 18,
12 and 13.

No trees near.

Land broken; Soil 3rd rate.
No timber.

Between Townships 10 North, Range 5th and 6th West.
Gila and Salt River Meridian.

No North. between sections 12th and 7.
var. 14° 06' East.

40.00 Set a $\frac{1}{4}$ section corner post in
a stone mound with pits as
per instructions. and begin
steep ascent.

80.00 Set a stone 18 x 14 x 8 inches
in a stone mound as per in-
structions, for the corner to sections
1. 12. 6th and 7.
No trees near.

Land sloping south and
stony. Soil 2nd rate: No timber.

Good grass, and on this
mile the oak brush begins
to appear.

At this point this line

Township 10 North Range 6 West.
Gila and Salt River Meridians

No becomes impassable, on account of perpendicular cliffs of rocks on the south west slope of a high rock mountain about 2000 feet high; I therefore run,

West, between sections 1st and 12.

var. $14^{\circ} 06'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in a stone mound as per instructions.

No trees near.

60.00 Enter loc. land north westnd south east.

80.00 Set a stone $18 \times 10 \times 8$ inches as per instructions, for the corner to sections 1, 2, 11th and 12.

No trees near.

A house 10 chains west of corner.

Land, first steep south west slope then level. Soil 3rd and 1st rate.

No timber.

Township 10 North, Range 6 West.
Gila and Salt River Meridian

No North, between sections 1 and 2.

var $14^{\circ} 06'$ East.

(as per east and west line.)

3.60 Range runs south west.

12.00 Begin steep ascent, bears north west ^{East} 40° South.

40.00 Set a $\frac{1}{4}$ section corner stone $18 \times 12 \times 10$ inches, as per instructions.

No trees near.

and begin to descend.

65.00 Bottom of descent and ascend.

80.00 Set a stone $30 \times 12 \times 10$ inches in a stone mound as per instructions for the corner to sections 1, 2, 35 and 36.

No trees near.

Land broken and stony.

Soil poor; no timber, and about 20 chains north, there is a perpendicular cliff of rocks 500 feet high.

July 25th 1871.

Between Townships 10th and 11th North. Range 6 West.
Gila and Salt River Meridian

No West. between sections 2 and 35.

Lat. $13^{\circ} 54'$ East

(a few transit observations of Polaris)

27.00 Dry ravine runs south.

34.00 Begin ascent of southeast slope

40.00 Set a stone $16 \times 8 \times 5$ inches in a
stone mound, as per instructions.

No trees near.

53.00 Top of ascent and descent.

61.00 Enter level land.

80.00 Set a stone $14 \times 14 \times 10$ inches in
a mound and pits, as per
instructions, for the corner to
sections 2, 3, 34th and 35.

No trees near.

Land broken and stony
Soil 2nd rate

Good valley south of line
No timber.

Between Townships 10th and 11th North, Range 6 West.
Gila & Salt River Meridian

Ch. West. between sections 3rd & 34.
var. $13^{\circ} 54'$ East.

40.00 Set a $\frac{1}{4}$ section corner stone
18 x 10 x 10 inches in a stone mound
as per instructions.

No trees near.

41.00 Base of rocky knoll.

45.00 Top of same 100 feet high.

80.00 Set a stone 18 x 10 x 10 inches
in a stone mound as per
instructions, for the corner to
sections 3, 4, 33rd & 34.

No trees near.

Land broken and granite rock.
Soil good for grass.
No timber.

Between Townships 10th & 11th North, Range 6 West
Gila and Salt River Meridian

- do West. between sections 4th and 33.
var. 13° 54' East.
- 5.00 Top of round hill, 50 feet high,
Summit between Date Creek and
Hassayampa.
- 10.00 Dry creek, 20 links wide, runs north west.
- 30.00 Road north west and south east.
- 24.35 Same creek runs south.
- 34.00 do do north west.
- 40.00 Set a 1/4 section corner stone
30 x 10 x 8 inches as per instructions.
No trees near.
- 45.00 Begin ascent of hill.
- 51.00 Top of same, bears north & south & descend.
- 59.00 Bottom of same.
- 80.00 Set a stone 18 x 8 x 6 inches as
per instructions for the corner
to sections 4, 5, 32 and 33.
No trees near
Land broken and stony; soil poor.
No timber.

Township 11 North, Range 6 West.
Gila and Salt River Meridian

Begin at the corner to sections
4, 5, 32nd and 33, and run,
North, between sections 32nd and 33.
var. $13^{\circ}54'$ East.

28.50 Dry creek 50 links wide, runs
north west.

40.00 Set a 1st section corner post in
a mound and fix as per
instructions. No trees near.

46.00 Road north westnd and south east.

80.00 Set a post in a mound and
fix as per instructions for the
corner to sections 28, 29, 32nd and 33.
No trees near.

Land rolling. Soil 1stnd and 2nd rate.
No timber.

This is in the south east side
of Date Creek Valley.

A high rough mountain
east of line.

Camp Date Creek bears west 100 chains distant.

Township 11 North, Range 6 West.
Gila and Salt River Meridian

Chs North, between sections 28th & 29.
var. $13^{\circ} 8' 4''$ East

19.00 Dry creek, 20 links wide runs west.

40.00 Set a 14 section corner stone
 $16 \times 10 \times 8$ inches as per instructions
No trees near.

80.00 Set a Post in a mound and
pile as per instructions, for
the corner to sections 20, 21,
28th and 29.
No trees near

Land level on line, and to
the west stony, and mountainous
on the east.
Soil 1st rate: No timber.

Township 11 North, Range 6 West.
Gila and Salt River Meridian

No North, between sections 20th & 21st
var. $13^{\circ}54'$ East.

35.00 Dry creek runs south west, 10 links wide.

40.00 Set a $\frac{1}{4}$ section corner post in mound and pits as per instructions.
No trees near.

80.00 Set a post in mound and pits as per instructions, for the corner to sections 16, 17, 20th & 21st.
No trees near.

Land ascending to the north
Soil 2nd rate: no timber.

Townships 11 North, Range 6 West.
Gila and Salt River Meridian

Ch North, between sections 16 and 17.
var. $13^{\circ} 5' 4''$ East.

40.00 Set a $\frac{1}{4}$ section corner stone
 $16 \times 14 \times 8$ inches as per instructions.
No trees near.

80.00 Set a stone $18 \times 10 \times 6$ inches as
per instructions for the corner
to sections, 8, 9, 16 and 17.
No trees near.

Land ascending to the north
Soil 2^d rate; no timber.

Township 11 North. Range 6 West.
Gila and Salt River Meridian

do North, between sections 8th and 9.
var. $13^{\circ}54'$ East.

40.00 Set a $\frac{1}{4}$ section corner Post in
a mound and pits as per in-
structions.

No trees near.

80.00 Set a stone $18 \times 10 \times 6$ inches as
per instructions for the corner to
sections 4, 5, 8th and 9.

No trees near.

Land, west base of high
rocky mountain.

Soil 2^o rate.

No timber.

Township 11 North, Range 6 West.

Gila and Salt River Meridian

No North, between sections 4th and 5.

Var. $13^{\circ} 54'$ East.

- 21.00 Ascend westerly spur of mountain.
- 40.00 Set $\frac{1}{4}$ section corner stone
 $18 \times 8 \times 4$ inches as per instructions,
 on steep west slope; - and descend.
- 51.50 Dry creek 20 links wide in deep
 cañon and runs south west.
- 62.00 North side of Cañon and ascend
 steep bluff at the north west
 end of rocky mountain.
- 68.50 Top of bluff and enter high
 table land.
- 80.00 Set a stone $18 \times 10 \times 8$ inches
 as per instructions, for the corner
 to sections 4, 5, 32nd and 33.

Land broken; Soil poor.

July 26th to timber.

July 26th 1871.

Townships 13 North, Range 6 West.
 Gila and Salt River Meridian

From the corner to sections 32
 and 33 and 4th 5., on the south
 boundary. - I read -

North, between sections 32nd and 33.

Var. $13^{\circ} 39'$ East

(as per transit observation of Polaris)

40.00 Set a $\frac{1}{4}$ section corner Post in
 a stone mound as per instructions.

No trees near.

80.00 Set a stone $16 \times 10 \times 8$ inches in a
 stone mound as per instructions,
 for the corner to sections 28, 29,
 32nd and 33.

No trees near.

Land, high, rolling and stony.
 Soil, good for grass. No timber.
 High rocky mountains to the
 south east.

Township 12 North Range 6 West.
Gila and Salt River Meridian

Go East. between sections 38^{and} 33.

Sar. $13^{\circ} 39'$ East.
(as per north and south line.)

40.00 Set a $\frac{1}{4}$ section corner stone,
 $16 \times 10 \times 8$ inches as per instructions.
No trees near.

80.00 Set a stone $18 \times 10 \times 8$ inches, in
a stone mound as per instructions
for the corner to sections 27,
28, 33^{and} 34.
No trees near.

Land. high, rolling mesa and
stony. Soil 2^d rate.
No timber.

Township 12 North. Range 6 West.

Gila and Salt River Meridian

Sec North, between sections 27th and 28.
var $13^{\circ} 39'$ East.

40.00 Set a $\frac{1}{4}$ section corner Post in
a mound of stones as per instructions.
No trees near.

80.00 Set a stone $20 \times 10 \times 8$ inches
as per instructions, for the
corner to sections,
21. 22, 27th and 28.
No trees near.

Land, high and rolling.
Soil 2nd rate.
No timber.

34

Township 12 North. Range 6 West
Gda and Salt River Meridian

Ch North, between sections 21^{and} 22.
Var. $13^{\circ} 39'$ East.

40.00 Set a $\frac{1}{4}$ section corner Post in
mound and pits as per instructions.
No trees near.

46.50 Road runs east and west.

61.00 Ravine runs west.

80.00 Set a stone $18 \times 10 \times 6$ inches
as per instructions, for the
corner to sections
15, 16, 21^{and} 22.

No trees near.

Land. rolling.

Soil good for grass.

No timber.

Township 13 North. Range 6 West
Gila and Salt River Meridian

Chs East. between sections 15 and 22.
Var $13^{\circ} 39'$ East

23.00 Ragins runs south west.

40.00 Set a $\frac{1}{4}$ section corner stone
as per instructions.

No trees near.

44.00 Summit of ridge runs north east
and south west.

80.00 Set a stone $16 \times 10 \times 6$ inches as
per instructions, for the corner
to sections

14, 15, 22 and 23.

No trees near.

Land rolling and stony.

Soil 3^d rate.

Oak Brush

No timber.

Township 12 North, Range 6 West
Gila and Salt River Meridian
Ch North, between sections 14th and 15.
var. $13^{\circ} 39'$ East

40.00 Set a "4 section corner post
in stone mound as per instructions
No trees near.

80.00 Set a stone, $16 \times 10 \times 4$ inches
as per instructions, for the
corner to sections
10, 11, 14th and 15.
No trees near.

Land, broken, and massive
granite rocks.

Soil 3rd rate: No timber.

Township 12 North, Range 6 West
Gila and Salt River Meridian
No North, between sections 10 and 11
Var. $13^{\circ}39'$ East

40.00 Set a $\frac{1}{4}$ section corner stone
 $14 \times 8 \times 6$ inches as per instructions.
No trees near.

80.00 Set a stone $18 \times 8 \times 6$ inches as
per instructions, for the corner
to sections,
2, 3, 10 ^{and} 11.
No trees near.

Land, broken and rocky.
Soil good for grass.
No timber.

Great masses of granite rocks
scattered over the surface.

Township 12 North, Range 6 West
 Gila and Salt River Meridian

1/4 Sec North, between sections 2nd and 3.
 var. $13^{\circ} 39'$ East

40.00 Set a 1/4 section corner stone
 16 x 10 x 4 inches, as per instructions
 No trees near

80.00 Set a stone 18 x 10 x 10 inches,
 in stone mound for the closing
 corner to sections. 2nd and 3., on
 the 3rd standard line North,
 as per instructions.
 No trees near.

Land, rolling and rocky.
 Soil 3rd rate.

July 27 No timber.
 July 27th 1871.

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of The Range lines bet Cps. 8, 9 & 10 of Ranges 5 & 6 N. & 3 miles Eps. lines & E. Quads sections lines in Eps. 11 N. R. 6 W. & 8 miles of Sec. lines in Eps. 12 N. R. 6 W. of Gela & Salt River Meridian & Base lines showing the respective capacities in which they acted.

Joseph Yenne	Compassman.
J. L. Harris	Chainman.
Geo. W. Carr	Chainman.
James Caly	Axeman.
	Glossman

Final Oaths of Assistants.

We hereby certify that we assisted Solomon W. Foreman Deputy Surveyor, in surveying The Range line between Townships. 8. 9 & 10 N. of Ranges 5 & 6. W. & part of the South boundary & a line through, Twp. 11 N. of Range 6 W. & 8 miles of Section lines in Twp. 12 N. Range 6 W of Gila & Salt River Base & Meridian and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Joseph Gravel
J. L. Harris
George W. Carr
James Daly

Subscribed & sworn to before
me this 28th day of July
1871. Cowdell
Olen B. Dist Court
3^d Dist Arizona

Final Oath of Deputy Surveyor.

I, Solomon W. Horwath
Deputy Surveyor, do solemnly swear that, in pursuance
with a contract with John Wasson
United States Surveyor-General for Arizona; bearing date
the day of , I have well, faithfully
and truly, in my own proper person, and in strict con-
formity with the instructions furnished by the Surveyor-
General, the Surveying Manual, and the laws of the
United States, surveyed all those parts or portions of The
Range line between Sp. 8, 9 & 10 N. of
Ranges 5 & 6 West. & 4 miles of the South
boundary & 6 miles of section lines of Sp.
N. Range 6 W. and Eight miles of
Section lines in Township 12 N. in
Range 6 West of Gila & Salt
River Base & Meridian line.

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Salomon W. Foreman
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this **28th**
day of *July* 1871

Edw. Wells
Clerk Dist Court
3^d Dist Arizona



43

General Description.

BOOK 1648

The lands along the foregoing line are only valuable for grazing purposes, excepting in Township 11 North, Range 6 West, which embraces the best portion of Date Creek Valley.

The mountains south of Camp Date Creek are rich in argentiferous gold bearing quartz lodes and on the south side of the mountain there is a lode now being worked called the Mayflower.

In the range of mountains north and east of the south portion of the line, some two miles east, there is a mining camp, designated by the name of Weaver, where surface and quartz mining are being done.

S. M. Foreman
U. S. Dep't. Surveyor

Surveyor General's Office
Tucson Ar.

October 20th 1871

The foregoing field Notes of the surveys of the Range line between Townships 8, 9 & 10 N. of Range 5th & 6 W. (including 9.50 chains of Standard) 3 miles of the S. boundary & 6 miles of Section lines of Township 11 N. Range 6 W. and 8 miles of Section lines in Township 12 N. Range 6 W. Gila & Salt River Base & Meridian line in the Territory of Arizona, executed by S. A. Foreman, Deputy Surveyor under his contract dated May 29th 1871, having been critically examined, the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved.

Wm. H. Bassett
Adj. Surveyor General
for Arizona