

Book 2
of

1697

Subdivisions.
of

T.31.N.R.3W.

BOOK 1697

and

North Boundary, - fractional.

4-671

1697

FIELD NOTES

GENERAL LAND OFFICE.

This book should
stay in Ex-bundle.

1697

Sube. Indexed, Book 1115.

60

BOOK 1697

66	60	72	71	68
6	5	3	2	1
	17	3	16	
	20	6	21	

A. B. N. R. 39H.

Subdivision of T. 31 N. R. 3 W.

Chains From W C for Cor of Secs
20, 21, 28 and 29 I run
N⁰03' W 6 chains thence
E 4 chains to N and 5 line
bet Secs 20 and 21

6,00 N of Sec Cor

Set a limestone 18x8x5 ins
12 ins in the ground for
W.C. for Secs 20, 21, 28 and 29
mark W C on N face
with 2 notches on S and
4 notches on E edges
and raise a mound of stone
3 ft base, 2 ft high W of this

From which

a Cedar 10 ins in diam
bears N 11° 15' E 81 links
marked T. 31. N. R. 3 W. S 20 BT.

a Cedar 17 ins in diam

Subdivision of T. 31 N R. 3 W

Chains	bears S $73^{\circ}45'$ W 32 links marked T. 31. N. R. 3. W. S 29 BT. A Cedar 10 ins in diam
18.00	bears N $59^{\circ}30'$ W 82 chains marked T. 31. N. R. 3 W. S 20. BT Ascend
23.00	Bottom of Cañon 300ft deep ascend
31.00	Top of bank
40.00	Set a limestone $24 \times 12 \times 4$ ins for $\frac{1}{4}$ Sec Cor marked $\frac{1}{4}$ on W face From which A Cedar 10 ins in diam bears S $68^{\circ}15'$ E 46 links marked T. 31. N. R. 3 W. S 21 BT. A Cedar 12 ins in diam bears N 180° W 295 links marked T. 31. N. R. 3 W. S 20 BT.
58.00	Bank of Cataract Cañon Land rough and boggy Soil rocky 4 th rate mountainous land and dense undergrowth 58 chs

Subdivision of T. 31 N R. 3 W

Chains	From the Cor of secs 8, 9, 16 and 17 I run N ^o 03' W bet secs 8 and 9 over rough land through dense undergrowth of Chic scrub Ods. and Sage brush ascend
16.00	Descend
40.00	Set a limestone 24X10X6 ins 18 ins in the ground for 1/4 Sec Cor marked 1/4 on W face and raise a mound of stone 3 ft base, 2 ft high W of Cor Pits impracticable
48.00	Gulch Course N 60° E
60.00	Bank of Cañon bro N W 45° SE
80.00	The Cor of secs 4, 5, 8 and 9 Land broken and rocky Soil rocky 4 th rate Mountainous land and dense undergrowth 80 chs

North boundary of T31 N R3 W

From the cor of Secs 56.31
 and 32 $S. 89^{\circ} 55' E$,
 East on
 N bdy of the Sp bet Secs
 5 and 32

10.00 Descend

Bottom of Cañon 1000 ft.

1800 deep ascend top of bank.

34.50 Point for the $\frac{1}{4}$ sec cor
 being inaccessible &
 set a limestone $36 \times 18 \times 6$ in
 12 ins in the ground, sur-
 rounded by earth and
 stone, for W.C. for $\frac{1}{4}$ sec
 Cor marked W.C. N for
 N face

From which

a Cedar 8 ins in diam
 bears N $73^{\circ} 30'$ W 94 links
 marked T31 N R3 W S32 BT. W.C.
 a Cedar 6 ins in diam

bears S $59^{\circ} 30'$ W 78 links
 marked T31 N R3 W S5 BT. W.C.

North boundary of T31N R3W

Chains marked T.31.N. R.3.W S.S. BT.

63,00 Set a limestone 18x8x6 ins
12 ins in the ground for
N.E. for Cor of Secs 4.5.
32 and 33 marked N.E. $\frac{1}{4}$.
with 2 notches N and 4 notches on E. Edges
on N face, and raise a
mound of stone $3\frac{1}{2}$ ft
base, 2 ft high N of Cor
Land broken and rocky
Soil rocky 4th rate
Timber scattered Cedar
mountainous land
and dense undergrowth

63 ch

From the Cor of Secs
5.6.31 and 32 I run
N. $89^{\circ}55'W$.
bet Secs 6 and 31
over broken land and
through dense undergrowth

11,20

Descent

North boundary of T31N R3W

Chains

- 12.60 Guess, course N
- 14.00 Top of bank
- 30.00 Descend
- 40.00 Set a limestone 18x6x6 in
12 ins in the ground
for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N
face
From which
A Cedar 14 ins in diam
bears S 34° E 134 links
marked T.31. N. R 3 W S 6. BT.
A Cedar 12 ins in diam
bears N 14° W 189 links
marked T.31. N. R 3 W. S 32 BT.
- 48.00 Rim of Cañon
Land rough and broken
Soil rocky 4th rate
Timber scrub Cedar
mountainous land
and dense undergrowth
September 22^d 1901 48 chs

north boundary of J. 31. N. R. 3 W.

Chains	<p>On account of the peculiar topography of the land and especially of Cataract Cañon which it is impossible to cross on the 3^d line of Tps 31 and 32 N. R. 3 W. I run ^{N. 59° 55' W.} from the 3^d Cor of Tps 31 and 32 N. of Rgs. 2 and 3 W. bet Secs 1 and 36.</p> <p>Ascend over rocky broken ground</p>
8.00	Summit of flat ridge 30 ft higher than Cor
22.00	Descent
26.00	Ascend over rocky land
30.00	Top of rocky point. Course N and S
	Descent
36.00	Bottom of Cañon 2 Chs wide

North boundary of J 31 N R 3 W

- | | |
|--------|--|
| Chains | Course $N 5^{\circ} W$
Ascend |
| 3800 | Descend to Cañon |
| 4000 | Set a limestone $28 \times 10 \times 8$ in
12 in in the ground for $1/4$ sec Co
of Sec 1, marked $1/4$ on N face
for Sec 36 and raise a
mound of stone $2 \frac{1}{2}$ ft base
2 ft high N of cor
Pits impracticable |
| 4100 | Head of branch of Dead
Horse Cañon, ch wide
25 ft deep. Course $N 5^{\circ} W$
Ascend |
| 4900 | Top of ridge 30 ft high
Course $N 10^{\circ} E$
Descend over broken
rocky ground |
| 5800 | Right bank of a branch of
Dead Horse Cañon 97 lines wide |

North boundary of T. 31 N. R. 3 W

- Chains 40 ft. deep. Course $N 2^{\circ} W$.
- 58.92 Ascend over rocks broken
land
- 80.00 on N.E. slope of a rocky hill
Set a limestone $16 \times 8 \times 10$ ins
in the ground and
raise a mound of stone $2\frac{1}{2}$ ft
base 1 ft high for Cor of Sec
1, 2, 35, and 36. 1 mark 1 notch
on E and 5 notches on W
edges and raise a mound
of stone $2\frac{1}{2}$ ft base, 2 ft high
N of Cor. Pits impracticable
18 Chs N. left base of Seat
House Canon 800 ft deep
Land very badly broken in
Sec 36, not so badly in Sec 1.
Soil stony and loam 2^d and 4th rate
Timber None
Mountainous land 80 Chs

North boundary of T. 31 N R. 3 W

chains	N. 89° 55' W. bet sects 2 and 35
	Ascent through dense growth of chico. sage and scrub hyson
10.00	Top of ascent. level mesa soil light red loam dense growth of chico. Sage and scrub hyson brush
40.00	Set a limestone 24X10X8 ins 12 ins in the ground for 1/2 See Cor. marked '48 on N face and raise a mound of stone 2 1/2 ft base 2 ft high top Cor. Pits impracticable Left bank of Dead Horse Canon 40 chs North
50.00	Right bank of a branch of Dead Horse Canon 40 ft high

North boundary of J 31 N R 3 W

Chains

53.00 Left bank of Canon 50 ft
high Course N 40° W

80.00 Set a limestone 22x12x6 ins
19 ins in the ground for cor of
Secs 2, 3, 34 and 35. Marked
with 7 notches on E and 4
notches on W edges and
raise a mound of stone 3 1/2 ft
base 2 ft high W of cor

Pits impracticable
land level and rolling
Soil loam and stony 2nd
and 4th rate

Timber none

Dense weedgrowth 80%

N. 89° 55' W

bet Secs 3 and 34

Low level rocky land through
dense growth of sage and chard

North boundary of J. 31 N R 3 W

Chains and scrub byson

2800

Right bank of Cataract Cañon
about 2800 ft high course

N 27 W

Set a limestone 24 x 20 x 6 in
12 in in the ground for WC

Cor for $\frac{1}{4}$ Sec Cor of Secs 3 and 34

mark ^{W.C.} 5 $\frac{1}{4}$ A on N face and
raise a mound of stone $3\frac{1}{2}$ ft base 2 ft
high N of cor
It's impracticable

Impassable to cross

Cañon here

hard to west unworkable

Soil rocky, and light loam

2nd and 4th rate

Timber a few scattered

scrub cedar

Mountainous land

and dense undergrowth

78 Chs

7 74
E
General Description

This township is very rough being traversed from South East to North west by the cataract cañon and its side cañons

It is a succession of ridges and cañons and is covered with undergrowth of Sage and cholla brush and many varieties of cacti.

There is no settlements on the township and no water save some small springs in the cañon

Francis B. Jacobs
Commissioner

A P P R O V A L

OFFICE OF THE U. S. SURVEYOR GENERAL.

Phoenix, Arizona.

August 2-1902.

The foregoing field notes of the sur-

vey of

*Subdivisions of**Tp 21 N. R. 3 W. & North bdy.*executed by *F. C. Jacobs* *Compassman*under ~~his~~ Contract No. *71* dated *June**13*, 1900. having been critically

examined, and the necessary corrections

and explanations made, the said field

notes, and the surveys they describe,

are hereby approved.

Hugh H. Rice

U.S. Sur. Gen. for Arizona.