

SUBDIVISIONS ^{AND} MEANDERS 17
T. I., N. R. 24, W.
V

1733

BOOK 1733

1733

SUI

451

FIELD NOTES
GENERAL LAND OFFICE

1733

ex 22. compared T. & L.
Lat + Long missing

6/26

copied, S. A. L., in dup.
Orig & 1 Copy G.H.G.

Compared 3/14/04 G.H.G. & m.G.

Other sheets copied by comit. 4/30/04.
also checked G.H.G. & J.D.A.

1733 BOOK 1733

Field Notes
of the Survey of the
Subdivision and Meander
lines of
Township No. 1 North,
Range No. 24 West,
of the
Gila and Salt River
Base and Meridian
in the
Territory of Arizona,
As surveyed by
John A. Barry,
U. S. Deputy Surveyor.
Under his contract, No. 84,
Dated July 13, 1901

Survey commenced May 10, 1902
Survey completed May 12, 1902

Page 3 Does not exist
BOOK 1733

Names and Duties of Assistants

C. Hamilton Chairman.

J. E. Snow Chairman.


Miguel Villa Ademan.

J. D. Downs Flagman.

INDEX.

Township I N. R. 24 W.

BOOK 1733



Subdivision of T. I. N., R. 24 W.

For description of instrument see West
Day 5 S. R. 23, W.
Commence May 10, 1902
at the cor. of secs. 25, 30, 31, and 36
on the E. bdy. of the Tp.

Latitude $33^{\circ} 22' 40''$ N.,
longitude $114^{\circ} 54'$ W.

Look north along the range
line as established by me April
3, 1902; on a true meridian.
Observe that the needle shows
mean mag. decl. of $14^{\circ} 00'$ E.

Turn off from the true
meridian a right angle
to the west;

Then run
West on a true line

bet. secs. 25 and 36
over level bottom land.

Through timber and
cotton-wood timber

Subdivision of T. I N.

Chains

and dense undergrowth
of arrow-wood

- 40.00 Set a tennes post, 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. 25 on N. face; 36 on
S. face; from which
 A tennes bms. diam.; bears
 3.15° W., 6 lks. dist., marked
 $\frac{1}{4}$ S. B.T.
 A cottonwood bms. diam.; bears
 $N. 84^{\circ} W.$, 50 lks. dist., marked
 $\frac{1}{4}$ S. B.T.

- 45.00 Leave the tennes cottonwood
and arrow-wood, bear N. and S.
and enter dense, willow
and cotton-wood saplings
and brush.

- 50.00 Set a tennes post, 3 ft. long,

BOOK 1733
R. 24 W.; - continued.

chains

4 ins. sq., with marked stone, 24 ins.
in the ground, for cor. of recs.

25, 26, 35 and 36, marked

T. 1 N., S. 25, on N. E.,

R. 24 W., S. 36, on S. E.,

S. 35 on S. W., and

S. 26 on N. W., faces; with
match on S. and E. edges;
dug pits, 18 x 18 x 12 ins., in each
rec. 5½ ft. dist., and raised
a mound of earth 4 ft. base,
2 ft. high, W. of cor.; small
cottonwood and willow none
suitable for bearing trees.
Sand, level; and all subject
to over flow, 3 to 4 ft. deep
Soil, loam and sandy;

1st-rate

Timber, tules, cottonwood

chains

Subdivision of T. I N.

and willow; undergrowth
torneo, arrow-wood, willow
and cottonwood.

Dense undergrowth 80.000 chs.

S. 0° 1' E., on a true line
bet. secs. 35 and 36.

Over level sandy bottom
through dense willow and
cottonwood saplings.

40.00 Set an almo post, 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S, 35 on W. face; 36 on

E ~~W.~~ face; from which
A cottonwood, 5 ins. diam.; bears
N. 33° E., 25 pks. dist., marked
 $\frac{1}{4}$ S. B.T.

R. 23 W., continued.

chains

A cottonwood 5 ins. diam., bears
N. 26° W., 25 lks. dist., marked
 $\frac{1}{4}S$ B.T.

42.50 Corral bears N. 15° chs.

To left bank of Colorado River
Set an alamo post, 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for meander corr. of fract.
secs. 35 and 36 marked

M.C. on S.,

T.I.N. on N.,

R. 24 W., S. 35, on W. and
S. 36 on E. faces; from which
A cottonwood 6 ins. diam., bears
S. 42° E., 16 lks. dist., marked

T.I.N., R. 24 W., S. 36, M.C. B.T.

A cottonwood 6 ins. diam., bears
N. 17° W., 92 lks. dist., marked
T.I.N., R. 24 W., S. 35, M.C. B.T.

Chains

Subdivision of T. 1 N.

Sand level; and subject to
overflow 2 to 4 ft. deep.

Soil, sandy loam, 1st rate.
Timber cottonwood and

willow saplings and under-
growth

Dense undergrowth, 54.50 chs.

West on a true line

bet. secs. 26 and 35

Over sandy bottom land

Through willow brush.

To left bank of Colorado River

Set an alimo post 3 ft. long,
5 ins. sq., with marked stone, 24 ins. in
the ground for meander cor. of
frac. secs. 26 and 35 marked

M. C. on W.

R. 24 W., -continued.

Chains

T. 1 N., on E.,

R. 24 W., S. 26 on N. and

S. 35, on S. faces; dig a pit,
36x36x12 ins., 8 ft. E. of post,
and raised a mound of
earth, 4 ft. base, 2 ft. high, E. of em.
Sand level, and subject to
over flow, 2 to 4 ft. deep.

Soil, sandy loam; 1st-rate.

No timber

Divide under growth 13.00 ch.

N. 0° 1' W. bet. sec. 25 and 26

Through willow brush

24.00 To left bank of Colorado River
Set an alimo post, 3 ft. long,
5 ins. sq.; with marked stone, 24 ins. in
the ground, for meander cur. of fract.

Subdivision of T. I N.

Chains

secs. 25 and 26, marked

N. C. on N.

T. I N. on S.,

R. 24 W., S. 25 on E., and
S. 26 on W., faces; dug a pit
36x36x12 ins., S. of post; 8 ft.
dust, and raised a mound
of earth, 4 ft. base, 2 ft. high,
S. of cor.

Sand, level; subject to overflow
2 to 4 ft. deep.

Soil, sandy; 1 st rate.

No timber.

Dense undergrowth 2400 chs.

From the cor. of secs.; 19, 24, 25 and 30
on the E. bdy. of the Tr.,
9 runs.

R. 23 W., -continued

Chains

West, on a true line.

bet. sec. 24 and 25

Over level bottom land.

Through timber, and dense undergrowth.

26.80 To left bank of Colorado River

Set an alimo post; 3 ft. long,
4 ins. sq., 24 ins. in the ground,
for meander corr. of fract.

secs. 24 and 25 marked

M.C. on W.,

T.I.N. on E.,

R. 24 W., S. 24 on N., and
S. 25 on S. faces; from which

A willow, 12 ins. diam, bears

N. 53° E., 90 lks. dist., marked

T.I.N., R. 24, W., S. 24, M.C.B.T.

A willow 8 ins. diam, bears

S. 27° E., 41 lks. dist., marked

Chains.

Subdivision of T. 1 N., R. 24 W.

T. 1 N., R. 24 W., S. 25, M. C. B. T.

Sand, level; and subject to
overflow about 2 ft. deep.

Soil, alluvial; 1st-rate

Timber, tennes, cottonwood, and
willow; undergrowth

arrow-word and tennes.

Dense undergrowth 26-80 chs.

May 10, 1912Meanders of the ~~right~~^{left}-bank
of Colorado River, upstream.I commence at the meander
cor. of fract, sec. 36 on the
S. bdy. of the Tp.Thence I run with
meanders of sec. 36

Through dense undergrowth

Meander, T1N, R. 23W.

North 13.00 chs Bank 4 ft high.

N. 45° W. 17.70 " To the meander
end of... fract.

secs. 35 and 36

Sand level; subject to over -
flow, 2 to 4 ft. dep.

Soil sandy; 1 st-rate

Timber, cottonwood and willow
saplings, and undergrowth.

Dense undergrowth 30.70 chs.

Thence in sec. 35

Through dense undergrowth

N. 55° W., 30.00 chs. Bank 4 ft high

North 20.00 "

N. 33 3/4° E., 20.80 " To the meander end

of fract. secs. 2 & 35

Sand level; subject to

Meanders, T. I N.,

overflow 2 to 4 ft. deep.

Soil, sandy loam; 1st rate
Timber, cottonwood and willow
saplings and brush.

Dense undergrowth, 70-80 chs.

Thence in sec. 26.

Through willow brush

N. 10° E., 11.00 chs. Bank 4 ft. high.

N. 40° E., 17.20 " To the meander
cor. of fract. secs.

26 and 25.

Land level; subject to
overflows; 2 to 4 ft. deep.

Soil, sandy, 2nd rate.

No timber.

Dense undergrowth, 28-30 chs.

R. 24 W.; -continued.

Thence in sec. 25-

Through timber and under-growth

N. $43\frac{1}{2}^{\circ}$ E., 77.20 chs.; Bank 4 ft. high

To the meander line,

of frac. secs. 24 and 25-

Sand level; subject to overflow
2 to 4 ft. deep.

Soil, sandy and alluvial;
strate.

Timber, cottonwood and willow;
undergrowth, willow, tamarac
and arrow-wood.

Dense undergrowth 77.20 chs.

Thence in sec. 24

Through timber and under-growth

Meanders, T. 1 N., R. 23 W.

~~N. 64 $\frac{1}{2}$ ° E. 29.70~~

~~N. 62 $\frac{3}{4}$ ° E., 30± chs. Bank 4 ft. high~~

To this meander corr. of fract.

secs. 19 and 24, on E. bdy. of the
Tp.

Sand level; subject to overfl.
2 to 4 ft. deep.

Soil, alluvial; 1st rate.

Timber, cottonwood and willow
undergrowth, torme, mesqu,
willow and arrow-wood.

May 12, 1902

General Description

This fract. Tp.; alongside the Col.
River, is rich bottom land, very
densely covered with brush and
mostly subject to overflow 1 to 4
deep.

John A. Barry

W.S. Deputy Surveyor.

FINAL OATH OF U. S. DEPUTY SURVEYOR.

I, *John A. Barry* BOOK 1738 18

United States Deputy Surveyor, do solemnly swear that in pursuance of a contract received from *Nath'l. St. Geor. Dixie*, United States Surveyor General for ~~California~~, bearing date of the *15th* day of *July*, 1842, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor General for ~~California~~, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of ~~the subdivision and meander~~ lines of Township No. 1 North, of Range No. 23 East ~~West~~ of the

~~of the Gila & Salt River~~ ~~territory Arizona~~ base and Meridian, in the State of ~~California~~, which are represented in the foregoing field notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions and the special written instructions of the U. S. Surveyor General for ~~California~~, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

John A. Barry
United States Deputy Surveyor.

Subscribed by said *John A. Barry* and sworn to before me this *28* day of *May*, 1842.

W. E. Farrand

*County Clerk of Ventura County, State of California
and ex officio Clerk of the Superior Court of the*

BOOK 1733

LIST OF NAMES.

A list of the names of the individuals employed by
John A. Barry, United States
Deputy Surveyor, to assist in running, measuring, and
marking the lines and corners described in the foregoing
field notes of the survey of the subdivision and
meander lines of Township No. 1 North,
of Range Nos 23 & 24 West, of the Gila
and Salt Rivers Bear and Meridian,
in the Territory of Arizona!

showing the respective capacities in which they acted.

C. Hamilton, Chainman.

J. E. Snow, Chainman.

, Chainman.

, Chainman.

Mcgill Villa, Axman.

J. D. Doron, Axman.

, Flagman.

FINAL OATHS OF ASSISTANTS.

BOOK 1733

20

We hereby certify that we assisted John A. Barry, United States Deputy Surveyor, in surveying all those parts or portions of the subdivision and meander lines of Township No. 1 North, of Ranges Nos. 23 & 24 West, of the Gila and Salt River Baso and Meridian, in the Territory of Arizona of the base and

Meridian, State of California, which are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for California Arizona.

L. Hamilton Chainman.
J. E. Snow Chainman.
..... Chainman.
..... Chainman.
..... Axman.
..... Axman.
Miguel Villa Axman.
J. D. Doons Flagman.

Subscribed and sworn to before me this 14th
day of May, 1892

John A. Barry
U. S. Deputy Surveyor.

21
Note:-

BOOK 1733

The preliminary and final oaths of my associate were administered by me. No person authorized to administer oaths, other than myself, was available without great delay and expense.

John A. Barry
U. S. Deputy Surveyor

BOOK 1733

22

A P P R O V A L.

Office of the

United States Surveyor-General,
Phoenix, Arizona.

March 15 - 1904

The foregoing field notes of the survey of the subdivision & boundary lines of Twp 1 N. R. 24 West
of the Gila and Salt River Base and Meridian, in the Territory of Arizona.

Executed by John A. Bang

United States Deputy Surveyor, under his contract No. 84 , dated July 13 1901 , having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank Singale

U. S. Surveyor-General.