


BOOK 1945

4-674.

Township 19^N, R. 11^W.

Navajo Special Base and Meridian



7919b5m4-08

4-674.

Township 3 N., R. 11 W.


Navajo Special Base and Meridian

6	5	4	3	2	19	1
				19	19	
7	8	9	10	11	18	12
				18	18	
18	17	16	15	14	17	13
				17	17	
19	20	21	22	23	16	24
				16	15	
30	29	28	27	26	15	25
				15	14	
31	32	33	34	35	14	36

7919b5m4-08

General Index

	<u>P. 91</u>	<u>P. 91 Pages</u>
• 1	11	1
• 2	11	7
• 3	11	14
• 4	11	20
• 5	11	27
• 6	11	33
• 7	11	39
• 8	11	46
• 9	11	53



BOOK 1945

4-674.

Township 2 N., R. 11 W.
Navajo Special Base and Meridian

6	5	4	3	2	13	1
				13		12
7	8	9	10	11	12	12
				12		11
18	17	16	15	14	11	13
				10		10
19	20	21	22	23	10	24
				9		9
30	29	28	27	26	8	25
				8		8
31	32	33	34	35	7	36

State Boundary of Reservation

7A

BOOK 1945

4-674.

Township 4 N., R. 11 W.
Navajo Special Base and Meridian


6	5	4	3	2	26	1
7	8	9	10	11	25	12
18	17	16	15	14	24	13
19	20	21	22	23	23	24
30	29	28	27	26	21	25
31	32	33	34	35	20	36

West Boundary of Reservation

BOOK 1945

4-674.

Township 5th, R. 11th,
Navajo Special Base and Meridian.



7919b5m4-08

BOOK 1945

4-674.

Township 6 N., R. 11 W.

Manjo Special Base and Meridian


6	5	4	3	2	38	1
7	8	9	10	11	38	38
18	17	16	15	14	37	37
19	20	21	22	23	36	13
30	29	28	27	26	36	36
31	32	33	34	35	34	34

West Boundary of Reservation

BOOK 1945

4-674.

Township 7 N., R. 11 W.
Navajo Special Base and Meridian.



7919b5m4-08

BOOK 1945

4-674.

45A

Township 8th, R. 11th,
Navajo Special Base and Meridian.

6	5	4	3		51 1
7	8	9	10		50 12
18	17	16	15		49 13
19	20	21	22		48 48
30	29	28	27		47 25
31	32	33	34		46 46

West Boundary of Reservation

4-674. BOOK 1945

Township 9th, R. 11th,
Navajo Special Base and Meridian.

6	5	4	3	2	57	1
7	8	9	10	11	56	12
18	17	16	15	14	56	13
19	20	21	22	23	55	24
30	29	28	27	26	54	25
31	32	33	34	35	53	36

Yard Boundary of Reservation

7919b5m4-08

1945

1945

BOOK 1945

1945

Savoyard

Surveys in Navajo Indian
Reservation.

1945

Field Notes of the Subdivision
Lines of Townships No. 1, 2,
3, 4, 5, 6, 7, 8 and 9 North,
Range 11 west of the Navajo
Special Meridian in the
Territory of Arizona, surveyed
under the directions of

Hon. Jos: S Wilson

Commissioner of the General
Land Office, by Ehud A
Darling, U.S. Surveyor, under
his contract bearing date
Washington, D.C. April 29th
1869, and subsequent
special instructions, dated
May 4th 1870.

Commenced August 30th and
completed November 25th 1869.

1945

1945

Names of Assistants.
Willard S. Paul, Compassman,
Sheldon W. Shaffer, Chainmen,
John Horne, Robert C. Darling,
William Hare, Cornermen,
Measuring chain compared
with standard and found correct.

Field Notes of the Subdivisional Lines of fractional

Chains

BOOK 1945

Commenced and completed
August 30th 1869.

North between Secs. 35 and 36,

Var. 14° 45' East

- 21.00 Leaves scattering Pinon and Cedar
timber, bears N.E. and S.W.
40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ sec, corner,
as per instructions.
80.00 Deposited marked stone, set charred
post, marked, built mound and
dug pits as per instructions, for
the corner to secs. 25, 26, 35 & 36.
Surface rolling, mostly prairie.
Soil 2nd rate.
-

East on Random between Secs.
25 and 36.

Var. 14° 45' East.

- 37.50 Trail bears North and South,
40.00 Set temporary $\frac{1}{4}$ sec. corner
80.26 Intersect Range Line 6 lks North
of corner to Secs. 25, 30, 31 & 36.

Then at 89° 57' W. on true line.

Var. 14° 45' East.

- 40.12 Set sand stone, 18x12x8, for $\frac{1}{4}$
sec. corner, as per instructions.
80.26 Corner to Secs. 25, 26, 35 & 36.
Surface rolling. Prairie.
Soil 2nd rate.
-

West on Random between
Secs. 26 and 35

Var. 14° 45' East

- 7.50 Trail, bears North & South,
40.82 Intersect West Boundary of
Reservation, 5 lks North of
1st mile corner.

Township 1 North, Range 11 West of the C.S. M.

Lehains

Then N. $89^{\circ} 58'$ E. on True Line,
Var. $14^{\circ} 45'$ East.

BOOK 1945

- 40.82 Corner to Secs. 25, 26, 35 & 36.
Surface level, Prairie.
Soil 1st rate.

North between Secs. 25 and 26,
Var. $14^{\circ} 45'$ E.

- 40.00 Set charred post, built mound and
dug pits, as per instructions, for 3
Sec, corner.
41.50 Trail, bears N.E. and S.W.
80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 23, 24, 25 and 26.
Surface level. Prairie.
Soil 1st rate.
-

East on Random between Secs.
24 and 25.

Var. $14^{\circ} 45'$ East.

- 81.0 Indian trail, bears North & South,
40.00 Set temporary 3/4 Sec, corner.
80.06 Intersect Range Line, 10 lks
North of corner to Secs.
19, 24, 25 and 30.

Then N. $89^{\circ} 53'$ W. on True
Line, Var. $14^{\circ} 45'$ E.

- 40.03 Set charred post, built mound
and dug pits, as per instruc-
tions, for 3/4 Sec, corner.
80.06 Corner to Secs. 23, 24, 25
and 26.
Surface level. Prairie.
Soil 1st rate.
-

3 Field Notes of the Subdivisional Lines of Fractional

Chains
BOOK 1945

West on Random between
secs. 23 and 26.

Var. $14^{\circ} 45'$ E.

40.04 Intersect West Boundary of
Reservation, 7 lks North
of corner to $\frac{1}{4}$ mile.

Then N. $89^{\circ} 57'$ E. on True Line,
Var. $14^{\circ} 45'$ East.

40.04 Corner to secs. 23, 24, 25 and 26,
Surface level. Prairie. Soil 1st rate.

North between secs. 23 and 24,
Var. $14^{\circ} 45'$ East.

40.00 Set charred post and built
mound ^{*dug grits} for $\frac{1}{4}$ sec. corner,
as per instructions, for the
corner to secs. 13, 14, 23 and
24.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug grits, as per
instructions, for the corner
to secs. 13, 14, 23 and 24.
Surface level. Prairie.
Soil 1st rate.

East on Random between secs.
13 and 24,

Var. $14^{\circ} 45'$ East.

22.80 Indian trail, bears N.E. & S.W.
40.00 Set temporary $\frac{1}{4}$ sec. corner.
79.94 Intersect Range line, 7 lks
North of corner to secs. 13, 15,
19 and 24.

Then N. $89^{\circ} 57'$ W. on True
Line, Var. $14^{\circ} 45'$ East.

39.97 Set charred post and built

Township 1 North, Range 11 West of the M.S. M. & P.

Chains

BOOK 1945

mound + dug pits, as per instructions.

- 39.94 Corner to Secs. 13, 14, 23 + 24.
Surface rolling. Prairie.
Soil 2nd rate.
-

West on Random between
Secs. 13 and 23.

Var. 14° 45' East.

- 39.85 Intersect West Boundary of
Reservation, 9 links North of
2nd mile corner.

Then N. 89° 5' E. on True Line,
Var. 14° 45' East.

- 39.85 Corner to Secs. 12, 14, 23 + 24.
Surface level. Prairie.
Soil 1st rate.
-

North between Secs. 13 and 14.

Var. 14° 45' East.

- 40.00 Set charred post, built mound
and dug pits, as per instructions,
for 3rd Sec. corner.

- 80.00 Deposited marked stone,
set charred post, marked,
built mound and dug pits,
as per instructions, for the
corner to Secs. 11, 12, 13 + 14.
Surface level. Prairie.
Soil 1st rate.
-

East on Random between
Secs. 12 and 13.

Var. 14° 45' East.

- 40.00 Set temporary 3rd Sec. corner,
80.00 Intersect Range line, 8 links
South of corner to Secs.

5 Field Notes of the Subdivisional Lines of Fractional

Chains
BOOK 1945

Station 589°57' W on a
true line.

7. 12, 13 and 14.
40.03 Set charred post, built mound
and dug pits, for 3 Sec. corner,
as per instructions.
80.06 Corner to Secs. 11, 12, 13 & 14.
Surface level. Prairie.
Soil 1st rate.
-

Weston Random between
secs. 11 and 14.

Var. 14° 45' East.

- 39.70 Intersect West Boundary of
Reservation, 12 lks south
of corner to 4th mile.

Then S. 89° 55' E. on True Line,
Var. 14° 45' East.

- 39.70 Corner to Secs. 11, 12, 13 and 14.
Surface level. Prairie.
Soil 1st rate.
-

North between Secs. 11 and 12.
Var. 14° 45' East.

- 1.50 Indian trail bears East & West.
40.00 Set charred post, built mound
and dug pits, for 3 Sec. cor.,
as per instructions.
80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 1, 2, 11 and 12.
Surface level. Prairie.
Soil 1st rate.
-

Easton Random between
secs. 1 and 2.
Var. 14° 45' East.

Township 1 North, Range 11 West of the Chs. on, 6

Chains,

BOOK 1946

8.50 Ravine, 70 lks wide, course

N. West.

40.00 Set temporary & See, corner,

80.15 Intersect Range line 12
links South of corner to
secs. 1, 6, 7, and 12.

Then S. $89^{\circ} 55'$ W. on True Line,
with Var. $14^{\circ} 45'$ East.

40.07 Set charred post, built mound
and dug pits, & See, corner,
as per instructions.

80.15 Corner to secs. 1, 2, 11 & 12.
Surface level. Prairie.
Soil 1st rate.

West on Random between
secs. 2 and 11.

Var. $14^{\circ} 45'$ East.

6.50 Indian Trail, bears N.E. & S.W.

39.55 Intersect West Boundary of Reser-
vation, 9 lks South of $5\frac{1}{2}$ mile
corner.

Then S. $89^{\circ} 56'$ East on True Line,
Var. $14^{\circ} 45'$ East.

39.55 Corner to secs. 1, 2, 11 and 12.
Surface level. Prairie.
Soil 1st rate.

North on Random between
secs. 1 and 2.

Var. $14^{\circ} 45'$ East

7.75 Ravine, 80 lks wide, course N.W.

10.25 Indian Trail, bears N.E. and S.W.

40.00 Set temporary & See, corner.

50.25 Ravine, 120 lks wide, course west.

80.10 Intersect North Boundary of
Township, 14 links West

Chains of corner to Secs. 1, 2, 35 and 36.

Then S. 6° W. on True Line,
Var. $14^{\circ} 45'$ East.

- 40.10 Set charred post, built mound
and dug pits, for $\frac{1}{2}$ See, corner,
as per instructions.
80.10 Corner to Secs. 1, 2, 11 + 12.
Surface level, Prairie.
Soil 1st rate.

General Description of Fractional
Township 1 North, Range 11 West
of the Navajo Special Meridian.

This Township is mostly prairie,
surface generally level.

It is well adapted to farming
and grazing purposes.

Soil generally 1st rate. There is
a very fine spring in Sec. 36.

The Northern part of the
Township is well cultivated.

Township 2 North, Range 11 west,
Commenced and completed
September 6th 1869.
Measuring chain compared
with Standard and found correct.

North between Secs. 35 + 36.
Var $18^{\circ} 50'$ E.

- \$4.00 Indian Trail, bears N.E. + SW.
40.00 Set charred post, and built
mound for $\frac{1}{2}$ See, corner,
as per instructions.

Township No. 2, Clark, Range 11 west of the C.S. M.

Chains.

80.00 Deposited marked stone, set
charred post, marked, built mound
and dug pits, as per instructions,
for the corner to Secs. 25,
26, 35 and 36.
Surface level, Prairie. Soil 1st rate,

BOOK 8
1945

Easton Random between Secs.
25 and 36.

Var. 14° 45' E.

40.00 Set temporary 4 See. corner,
14.50 Indian Trail, beds N.E. and S.W.
79.85 Intersect Range line 14 lks south
of corner to Secs. 25, 30, 31 & 36.

Then S. 89° 54' W. on True line,

Var. 14° 45' East.

39.92 Set charred post, built mound
and dug pits, for 4 See. corner,
as per instructions.
79.85 Corner to Secs. 25, 26, 35 & 36,
Surface level, Prairie.
Soil 1st rate.

Weston Random between
Secs. 26 and 35.

Var. 14° 45' E.

39.40 Intersect West Boundary
of Reservation, 12 lks
South of 7th mile corner,

Then S. 89° 51' E. on True line,

Var. 14° 45' East.

39.80 Corner to Secs. 25, 26, 35 & 36,
Surface level, Prairie.
Soil 1st rate,

North between Secs. 25 & 26,

Var. 14° 45' E.

9	Chains	
BOOK	40.00	Set charred post and built mound for 3 Sec. corner, as per instructions.
	1945	
	80.00	Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 23, 24, 25 and 26. Surface level. Prairie. Soil 1 st rate.
		East on Random between Secs. 24 and 25.
		Var. $14^{\circ} 45' E.$
	40.00	Set temporary 3 Sec. corner,
	79.90	intersect Range line, 7 lks. South of corner to Sections 19, 24, 25 and 30.
		Then S. $89^{\circ} 5' W.$ on True Line with Var. $14^{\circ} 45' E.$ East.
	39.90	Set charred post, built mound and dug pits, for 3 Sec. cor. as per instructions.
	79.90	corner to Secs. 23, 24, 25 + 26. Surface rolling. Prairie. Soil 2 nd rate
		West on Random between Secs. 23 and 26.
		Var. $14^{\circ} 45' E.$ East
	39.90	intersect West Boundary of Reservation, 12 lks South of corner to 8 th mile.
		Then S. $89^{\circ} 5' E.$ on True Line. Var. $14^{\circ} 45' E.$ East
	39.90	Corner to Secs. 23, 24, 25 and 26. Surface level. Prairie. Soil 1 st rate.

North between Secs. 23 and 24,

Var. $14^{\circ} 45'$ East.

- 40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions.

- 80.00 Deposited marked stone, sets charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 13, 14, 23 and 24.

Surface level. Prairie. Soil 1st rate.

East on Random between Sections 13 and 24.

Var. $14^{\circ} 45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner.
- 58.00 Indian trail, bears N & S.
- 79.60 Bluff, bears North & South.
- 79.91 Intersect Range line, 18 lks. South of corner to secs. 7, 12, 13 and 18.

Then S. $89^{\circ} 52'$ W. on true line, with the same variation.

- 39.95 Set charred post and built mound for $\frac{1}{4}$ Sec. corner, as per instructions.

- 79.91 Corner to Secs. 13, 14, 23 and 24.

Surface level. Prairie.

Soil 1st rate.

West on Random between Secs. 14 and 23.

Var. $14^{\circ} 45'$ East.

- 89.75 Intersect West Boundary of Reservation, 18 lks. South of 9th mile corner.

Chamis

BOOK 1945

39.75

Then S. $89^{\circ} 5' 2''$ E. on True Line.
Var. $14^{\circ} 45'$ East
Corner to Secs. 13, 14, 23 & 24,
Surface level, Prairie.
Soil 1 $\frac{1}{4}$ rate.

North Between Secs. 13 and 14.

Var. $14^{\circ} 45'$ East

40.00 Set charred post, built mound
and dug pits, for 3 sec. corner,
as per instructions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 11, 12, 13 & 14.
Surface level, Prairie.
Soil 1 $\frac{1}{4}$ rate.

East on Random between
Secs. 12 and 13.

Var. $14^{\circ} 45'$ East

40.00 Set temporary 3 sec. corner,
Indian trail, bears N & South,
Bluff, bears North and South,
80.10 Intersect Range line, 10
cts North of corner to Secs.
7, 12, 13 and 14.

Then W. $89^{\circ} 5' 6''$ W. on True
Line, with var. $14^{\circ} 45'$ East,

40.00 Set charred post, built mound
and dug pits, as per instruc-
tions, for 3 sec. corner
corner to Secs. 11, 12, 13 & 14.
Surface broken, Prairie.
Soil 3 $\frac{1}{4}$ rate.

West on Random between
Secs. 11 and 14.

Var. $14^{\circ} 45'$ East.

39.50 Intersect West Boundary of
Reservation, 6 lks North of $10\frac{1}{4}$
mile corner.

Then W. $89^{\circ} 5' E.$ on True Line.

Var. $14^{\circ} 45'$ East.

39.50 Corner to Secs. 11, 12, 13 and 14.
Surface level, Prairie.
Soil 1st rate.

North between Secs. 11 and 12.

Var. $14^{\circ} 45'$ East.

40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ sec, cor.,
as per instructions.

80.00 Deposited marked stone, set charred
post, marked, built mound and
dug pits, as per instructions, for
the corner to Sections 1, 2,

11 and 12,
Surface level, Prairie, Soil 1st rate.

East on Random between
Secs. 1 and 12.

Var. $14^{\circ} 45'$ E.

40.00 Set temporary $\frac{1}{4}$ sec, corner,

68.00 Indian Trail, bears North & South,

71.00 Bluff, bears N.E. & S.W.

80.20 Intersect Range line, 12 lks
North of corner to Secs.
1, 6, 7 and 12.

Then W. $89^{\circ} 5' W.$ on True
Line. Var. $14^{\circ} 45'$ East,

80.10 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ sec, cor.,
as per instructions.

B Chaine

80.20

Corner to Secs. 1, 2, 11 and 12.
Surface broken. Prairie. Soil 3rd rate.

BOOK 1945

Weston Random between Secs. 2 & 11,
Var. 14° 45' E.39.30 Intersect West Boundary of
Reservation, 14 lbs north of
11th mile corner.Then at 89° 54' E. on True Line,
Var. 14° 45' East,
39.39 Corner to Secs. 1, 2, 11 and 12,
Surface level. Prairie.
Soil 1st rate,North on Random between
Secs. 1 and 2.

Var. 14° 45' East,

40.00 Set temporary 3' See. corner,
79.87 Intersect North Boundary
of Township. 7 lbs East of
corner to Secs. 1, 2, 35 & 36.Then S. 3° E. on True Line,
Var. 14° 45' East.39.87 Set charred post, built mound
and dug pits, for 3' See. corner,
as per instructions.79.87 Corner to Secs. 1, 2, 11 and 12.
Surface level. Prairie;
Soil 1st rate.General Description of Fractional
Township, No. 2. Sixth, Range
No. 11, West of the Colorado
Special MeridianThis Township is all
prairie, surface generally
rolling. It is well adapted

Chains

BOOK 1945

to farming and grazing purposes,
Soil generally 2nd rate,
There are a few Pinon trees
along the edge of the bluff
but not enough to be des-
ignated as timber.

Township 3 North, Range 11
West, commenced and com-
pleted September 13th 1869.

Measuring chain compared
with Standard and adjusted.

North between Secs. 35 and 36.

Var. 14° 35' E.

\$10.00 Set charred post, built mound
and dug pits, for 1/4 sec. corner,
as per instructions.

\$80.00 Deposited marked stone, set
charred post, marked, built mound
and dug pits, as per instruc-
tions, for the corner to Secs.
25. 26. 35 and 36.

Surface rolling. Prairie.
Soil 2nd rate.

Easton Random between
Secs. 25 and 36.

Var. 14° 45' East.

\$40.00 Set temporary 1/4 sec. corner,
intersect Range line, 14 lbs
North of corner to Secs.
25. 26. 35 and 36,

Then at 89° 52' W. on true
line, with var. 14° 45' East.

Lehman's

- 39.95 Set charred post, built mound
and dug pits for $\frac{1}{4}$ Sec. corner,
as per instructions.
39.90 Corner to Secs. 25. 26. 35 & 36.
Surface rolling. Prairie
Soil 2nd rate.

West on Random Between Secs.
26 and 35.

Var. $14^{\circ} 45'$ East.

- 39.90 Intersect West Boundary of
Reservation, 16 lks west of $\frac{1}{5}$ th
mile corner.

Then N. $89^{\circ} 5' 3''$ East on True
Line, with var. $14^{\circ} 45'$ East,

- 39.90 Corner to Secs. 25. 26. 35
and 36.

Surface rolling. Prairie.
Soil 2nd rate.

North Between Secs. 25 and 26,
Var. $14^{\circ} 45'$ E.

- 40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec. corner,
as per instructions.

- 80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 23. 24. 25
and 26.

Surface rolling. Prairie.
Soil 2nd rate.

East on Random Between
Secs. 24 and 25.

Var. $14^{\circ} 45'$ East

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner,

Township No. 3. North, Range 11 West of the M. S. M.

Chains

BOOK 1945

16

8/15

79.95 Intersect Range line, 12 lks North
of corner to Secs. 19. 24. 25 + 30.

Then N. $89^{\circ} 5' 51''$ W. on True Line
Var. $14^{\circ} 45'$ East.

39.97² Set charred post, built mound and
dug pits, as per instructions, for
1/3 Sec. corner,

79.95 Corner to Secs. 19. 24. 25 and 30.
Surface rolling. Prairie. Soil 2⁴ rate.

West on Random between
Secs. 23 and 26.

Var. $14^{\circ} 40'$ East.

39.70 Intersect west Boundary of
Reservation, 8 lks North of
14th mile corner.

Then N. $89^{\circ} 5' 6''$ E. on True Line
Var. $14^{\circ} 45'$ East.

39.70 Corner to Secs. 23. 24. 25 + 26.
Surface rolling. Prairie.
Soil 2⁴ rate.

North between Secs. 23 and 24.

Var. $14^{\circ} 45'$ East.

40.00 Set charred post, built mound
and dug pits, as per
instructions, for 1/3 Sec. corner.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner to
Sections 13. 14. 23 and 24.

Surface rolling. Prairie.
Soil 2⁴ rate.

East on Random between

Field Notes of the Subdivision Lines of Tract

17 chains

17 BOOK 1945

Secs. 13 and 24.

Var. $14^{\circ} 45'$ East.

40.00 Set temporary $\frac{1}{4}$ See, corner,

80.00 Intersect Range Line, 7 lks north
of corner to secs. 13, 18, 19 and 24.

Then S. $89^{\circ} 58'$ W. on True Line.

Var. $14^{\circ} 45'$ East.

40.00 Set charred post, built mound and
dug pits, for $\frac{1}{4}$ See, corner, as per
instructions,

80.00 Corner to Secs. 13, 14, 23 & 24.

Surface rolling. Prairie.

Soil 2nd rate.

Weston Random Between Secs.

14 and 23.

Var. $14^{\circ} 45'$ East.

39.60 Intersect West Boundary of Res-
ervation, 4 lks. South of 15th
mile corner,

Then S. $89^{\circ} 58'$ E. on True Line.

Var. $14^{\circ} 45'$ East.

39.60 Corner to Secs. 12, 14, 23 and 24.

Surface rolling. Prairie.

Soil 2nd rate.

North Between Secs. 13 and 14.

Var. $14^{\circ} 45'$ East.

40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ See, corner,
as per instructions.

80.00 Deposited marked stone, set charred
post, marked, built mound and
dug pits, as per instructions,
for the corner to Secs.
11, 12, 13 and 14.

Surface rolling. Prairie. Soil 2nd rate.

Township No. 3 North, Range 11 West of the C.S.M.

Chains

BOOK 1945

18

East on Random between Secs.
12 and 13.

Var. $14^{\circ} 45'$ East.

4000. Set temporary & See, corner,
80.10. Intersect Range line, 12 lks
North of corner to Secs.

7, 12, 13 and 14.

Then N. $89^{\circ} 55'$ W. on True Line
Var. $14^{\circ} 45'$ East.

4000. Set charred post, built mound
and dug pits, for 1/4 sec. corner,
as per instructions.

80.10. Corner to Secs. 11, 12, 13 & 14,
Surface rolling. Prairie.
Soil 2nd rate.

West on Random between
Secs. 11 and 14.

Var. $14^{\circ} 45'$ East.

39.45. Intersect West Boundary of
Reservation, 9 lks North
of 16th mile corner.

Then N. $89^{\circ} 56'$ E. on True Line,
Var. $14^{\circ} 45'$ East.

39.45. Corner to Secs. 11, 12, 13 & 14.
Surface rolling. Prairie.
Soil 2nd rate.

North between Secs. 11 & 12.

Var. $14^{\circ} 45'$ East.

40,000. Set charred post, built mound
and dug pits, for 1/4 sec. corner,
as per instructions.

38,000. Indian Trail, bears N.W. & S.E.

80,000. Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per

19 Field Notes of the Subdivision Lines of Tract

Chamis

BOOK 1945

instructions, for the corner
to Secs. 1, 2, 11 and 12.
Surface rolling. Prairie.
Soil 2nd rate.

East on Random between
Secs. 1 and 12.

Var. $14^{\circ} 45'$ East.

40.00 Set temporary 3 Secs. corner,
80.06 Intersect Range line 6 lks South
of corner to Secs. 1, 6, 7 and 12.

Then S. $89^{\circ} 57'$ W. on True line.

Var. $14^{\circ} 45'$ East.

40.03 Set charred post and ^{built round} dug pits, as
per instructions, for 3 Secs. corner,
80.06 Corner to Secs. 1, 2, 11 & 12.

Surface rolling. Prairie.
Soil 2nd rate.

West on Random between Secs.
2 and 11.

Var. $14^{\circ} 45'$ East.

18.00 Indian trail, bears North & South.
39.20 Intersect West Boundary of
Reservation, 18 links West of
Corner to 17th mile,

Then W. $89^{\circ} 51' 2''$ E. on True line.

Var. $14^{\circ} 45'$ East.

39.20 Corner to Secs. 1, 2, 11 & 12.
Surface rolling. Prairie.
Soil 2nd rate.

North on Random between
Secs. 1 and 2.

Var. $14^{\circ} 45'$ East.

37.00 Indian trail, bears East & west,

Township 3 North. Range 11 west of the d.s.m. 20

Chains

BOOK 1945 20

- 30.00 Set temporary & Sec corner.
80.15 Intersect North Boundary of
Township, 18 links west of corner
to Secs. 1, 2, 3 & and 36.

Then S. 8° west on True Line.

Var. 14° 45' East.

- 4007^{1/2} Set charred post, built mound
and dug pits, for 3 Sec. corner,
as per instructions.
80.15 Corner to Secs. 1, 2, 11 and 12,
Surface rolling. Prairie.
Soil 2^{1/2} ft. rate.

General Description of Fractional
Township 3 North, Range 11
West of the Meridian Special
Meridian.

This Township is all
rolling upland, 2^{1/2} ft. rate prairie.
It is well adapted to
farming and grazing purpo-
ses, especially to the latter.

Township 4 North. Range 11 West.
commenced September 24th
and completed September, 25th
1889.

Measuring chain compared with
Standard and found correct.

North between Secs. 30 and 36,

Var 15° East.

- 4000 Set charred post, built mound
and dug pits, for 4 Sec. cor.,
as per instructions.
8000 Deposited marked stone, set
charred post, marked, built

Field Notes of the Subdivision Lines of tract

21

Chains

BOOK 1945

mound and dug pits, as per
instructions, for the corner
to Secs. 25, 26, 35 and 36.
Surface rolling, Prairie,
Soil 2nd rate,

East on Random between
Secs. 25 and 36.

Var, 15° East.

40.00 Set temporary 1/4 sec. corner
58.00 Bluff beds north and south,
79.80 Intersect Range line, 14 lks
South of corner to Secs. 25, 30,
31 and 36.

Then S. 89° 55' W. on True Line,
Var, 15° East.

39.90 Set charred post, built mound
and dug pits, for 1/4 sec. corner,
as per instructions.
79.80 Corner to Secs. 25, 26, 35 & 36.
Surface rolling, Prairie.
Soil 2nd and 3rd rate,

West on Random between
Secs. 26 and 30.

Var, 15° East.

39.80 Intersect West Boundary of
Reservation, 12 lks South
of corner to 19th mile,

Then S. 89° 55' E. on True
Line, Var, 15° East.

39.80 Corner to Secs. 25, 26, 35 & 36.
Surface rolling, Prairie.
Soil 1/2nd rate,

North between Secs. 25 & 26,

Township 4 North. Range 11 west of the 1st m.

Chains

BOOK 22
1945

Var. 15° East,

4000 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ sec, corner,
as per instructions.

8000 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 23, 24, 25 and 26.
Surface rolling. Prairie.
Soil $\frac{2}{4}$ rate.

East on Random between
Secs. 24 and 25.

Var. 15° East.

4000 Set temporary $\frac{1}{4}$ sec, corner.

4300 Bluff. Bears North & South.

7985 Intersect Range line, 6 lks
South of corner to Secs.
19, 24, 25 and 30.

Then S. $89^{\circ} 57'$ W. on True Line.

Var. 15° East.

39.92 $\frac{1}{2}$ Set charred post built mound
and dug pits, for $\frac{1}{4}$ sec, corner,
as per instructions.

79.85 Corner to Secs. 23, 24, 25
and 26.

Surface broken, Prairie.
Soil $\frac{2}{4}$ rate.

West on Random between
Secs. 23 and 26.

Var. 15° East.

89,60 Intersect West Boundary of
Reservation .8 links South of
corner to 20 $\frac{1}{2}$ mile.

Then S. $89^{\circ} 56'$ E. on True Line

Field Notes of the Subdivision Lines of Israel

23

22 chains.

BOOK 1945

\$9.60

Var. 15° East.

Corner to Secs. 23. 24. 25 & 26.
Surface rolling. Prairie. Soil
2nd rate

North between Secs. 23 and 24,
Var. 15° East.

40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ See, corner,
as per instructions.

80.00 Deposited marked stone,
set charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 13. 14. 23
and 24.

Surface rolling. Prairie.
Soil 2nd rate.

East on Random between
Secs. 13 and 24.

Var. 15° East.

40.00 Set temporary $\frac{1}{4}$ See, corner.

52.00 Bluff, bears North & South,

78.00 Ravine, 80 lks wide, courses N.E.

79.85 Intersect Range line, 5 lks
North of corner to Secs.
13. 14. 19 and 24.

Then N. 89° 5' 8" W. on True
Line, Var. 15° East.

39.92 Set sand stone 14 x 10 x 6, for
 $\frac{1}{4}$ See, corner, as per instruc-
tions,

79.85 Corner to Secs. 13. 14. 23 + 24.
Surface broken. Prairie.
Soil 3rd rate.

Chains. Range 11 West of the N. S. m.

BOOK 1945

24

West on Random between Secs. 12 and 23.

Var. 15° East.

Intersect West Boundary of Reservation, 3 lks South of $21\frac{1}{4}$ mile corner.

Then S. $89^{\circ} 59'$ East, on True Line,
 15° East.

Corner to Secs. 12, 14, 23 & 24.
Surface rolling. Prairie.

Soil 2^d rate.

North between Secs. 13 and 14.

Var. 15° East.

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 11, 12, 13 and 14.
Surface rolling. Prairie.

Soil 2^d rate

East on Random between Secs. 12 and 13.

Var. 15° East.

40.00 Set temporary $\frac{1}{4}$ Sec. corner, Bluff, bears North & South, Intersect Range line, 12 lks North of corner to Secs. 11, 12, 13 and 14.

Then W. $89^{\circ} 59'$ W. on True Line,
Var. 15° East.

32.95 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions,

BOOK

Chains
79.90

1945

Corner to Secs. 11, 12, 13 and 14.
 Surface broken, Prairie.
 Soil 2nd rate.

West on Random between Secs.
 11 and 14.

Var. 15° East,

38.28 Intersect West Boundary of
 Reservation, 13 lks north
 of corner to 22nd mile.

Then N. 89° 54' E. on True Line.
 Var. 15° East,

38.28 Corner to Secs. 11, 12, 13 and 14.
 Surface rolling, Prairie.
 Soil 2nd rate.

North between Secs. 11 and 12.

Var. 15° East,

40.00 Set charred post, built mound
 and dug pits, for 3 sec, box,
 as per instructions.

80.00 Deposited marked stone, set
 charred post, marked, built mound
 and dug pits, as per instructions,
 for the corner to secs. 1, 2, 11 & 12.
 Surface rolling, Prairie.
 Soil 2nd rate.

East on Random between Secs.
 1 and 12.

Var. 15° East,

40.00 Set temporary 3 sec, corner,

Bluff, bears North & South.

66.00 Intersect Range Line, 18 lks
 North of corner to Secs.

1, 6, 7 and 12.

Then N. 89° 52' W. on True Line,

Chains

BOOK 1945

26

- Var. 15° East.
 40.00 Set charred post, built mound
 and dug pits, for $\frac{1}{4}$ Sec. corner,
 as per instructions.
 80.10 Corner to Secs. 1, 2, 11 & 12.
 Surface rolling. Prairie.
 Soil $2^{\frac{1}{4}}$ rate.

West on Random between Secs. 2
 and 11.

Var. 15° East.

- 38.18 Intersect West Boundary
 of Reservation, 15 lks East
 of corner to $2\frac{1}{4}$ mile,
 Then N. $89^{\circ} 53' E.$ on True Line.
 Var. 15° East.
 38.18 Corner to Secs. 1, 2, 11 and 12.
 Surface rolling. Prairie.
 Soil $2^{\frac{1}{4}}$ rate.

North on Random between
 Secs. 1 and 2.

Var. 15° East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner.
 79.90 Intersect North Boundary
 of Township, 28 lks East of corner to
 Secs. 1, 2, 35 and 36.

Then S. $11^{\circ} E.$ on True Line.

Var. 15° East.

- 39.90 Set charred post, built mound
 and dug pits, for $\frac{1}{4}$ Sec. corner,
 as per instructions.
 79.90 Corner to Secs. 1, 2, 11 and 12.
 Surface rolling. Prairie.
 Soil $2^{\frac{1}{4}}$ rate.

General Description of Fractional
 Township. No. 4 North, Range 11

chains

1945

West of the Navajo Special Meridian
This Township is for
the most part rolling upland.

Well adapted to grazing and
some portions of it to farming
purposes. Soil generally 2nd rate.

Township 5 North. Range 11
West, commenced and com-
pleted September 30th 1869.

North between Secs 35 and 36.
Var. 15° East.

24.50 Leave Bluff, bears East and West
40.00 Set charred post, built mound
and dug pits, for 1/4 sec, cor.,
as per instructions.
80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 25, 26, 35 and 36.
Surface mostly level. Prairie.
Soil 1st rate.

East on Random between Secs.
25 and 36.

Var. 15° East.

40.00 Set temporary 1/4 sec, corner,
80.12 Intersect Range Line, 12 lks South
of corner to Secs. 25, 30, 31 & 36.

Then S. 89° 53' W. on True Line,

Var. 15° East.

40.00 Set charred post, built mound
and dug pits, for 1/4 sec, corner
as per instructions.

80.12 Corner to Secs. 25, 26, 35 & 36,
Surface level. Prairie. Soil 1st rate.

Chains

BOOK 1945

28

West on Random between Secs.
26 and 35.

Var. 15° East.

38.20 Intersect West Boundary of
Reservation, 18 links South of
 $25\frac{1}{4}$ mile corner.

Then S. $89^{\circ} 5' 2''$ East on True
Line, Var. 15° East.

38.20 Corner to Secs. 25, 26, 35 & 36,
surface level. Prairie.

Soil 1st rate.

North between Secs. 25 and 26,

Var. 15° East.

40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec corner,
as per instructions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 23, 24, 25, & 26.

Surface level. Prairie, Soil 1st rate.

East on Random between Secs.
24 and 25.

Var. 15° East.

40.00 Set temporary $\frac{1}{4}$ Sec corner,
Intersect Range line, 8 links
South of corner to sec.,
19, 24, 25 and 30.

Then S. $89^{\circ} 5' 6''$ W. on True Line,
Var. 15° East.

40.33 Set charred post, built mound
and dug pits, as per instructions,
for $\frac{1}{4}$ Sec corner,

Corner to Secs. 23, 24, 25
and 26.

Field Notes of the subdivision areas of the

29
Chains
BOOK 1945

Surface level. Prairie. Soil 1st rate.

Weston Random between Secs.
23 and 26.

Var. 15° East.

37.80 Intersect West Boundary of Res-
ervation, 4 links North of 26^{1/4}
mile corner,

Then at. 89° 58' E. on True Line,
Var. 15° East.

37.40 Corner to Secs. 23, 24, 25 & 26.
Surface rolling. Prairie.
Soil 1st rate.

North between Secs. 23 and 24.

Var. 15° East.

40.00 Set charred post, built mound
and dug pits, for 1/4 Sec. corner, as
per instructions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner to
Secs. 13, 14, 23 and 24.
Surface level. Prairie. Soil 1st rate.

Easton Random between Secs.
13 and 24.

Var. 15° East.

40.00 Set temporary 1/4 Sec. corner.
79.95 Intersect Range line 6 lks
North of corner to secs. 13, 18,
19 and 24.

Then at. 89° 57' W. on True
Line, Var. 15° East.

39.97^{1/2} Set charred post, built mound
and dug pits, for 1/4 Sec. cor-

Chains

BOOK 1945

30

79.90 as per instructions,
Corner to Sections 13, 14, 23 & 24,
Surface level. Prairie.
Soil 1st rate,

West on Random Between Secs.
14 and 23.

Var. 15° East.

31.00 Bluff bears North and South,
intersect West Boundary of
Reservation, 14 links North
of 27th mile corner,

Then W. 89° 54' E. on True
Line, Var. 15° East,

37.50 Corner to Secs. 13, 14, 23 & 24,
Surface rolling. Prairie.
Soil 2nd rate.

North between Secs. 13 and 14.

Var. 15° East.

39.50 Ravine, 70 lks wide, course East,
Set sand stone 14 x 12 x 3, on side
of ravine, for 3/4 Sec. corner, as
per instructions,

78.00 Ravine, 50 lks wide, course East.
Deposited marked stone, set
charred post, marked, built mound
and dug pits, as per instructions,
for the corner to Secs. 11, 12, 13
and 14.

Surface rolling. Prairie. Soil 2nd rate.

East on Random Between
Secs. 12 and 13.

Var. 15° East,

14.20 Ravine, 80 lks wide, course NE.
Set temporary 3/4 Sec. corner,
Ravine, 120 lks wide, course NE,
Intersect Range line, 10 lks apart

Field Notes of the Subdivision Lines of Township and

31 Chains.

BOOK 1945

of corner to Secs. 7, 12, 13 and 18,
Then N. $89^{\circ} 5' 6''$ W. on True Line.
Var. 15° East,

39.95 Set charred post, built mound
and dug pits, for 4 sec corner,
as per instructions.

39.90 Corner to Secs. 11, 12, 13 and 14.
Surface rolling. Prairie. Soil 2nd rate,

West on Random between Secs.
11 and 14.

Var. 15° East.

28.00 Bluff bears north and south.
37.20 Intersect West Boundary of Reservation, 10 links North of 28th
mile corner,

Then dr. $89^{\circ} 3' 6''$ E. on True Line,
Var. 15° East.

37.20 Corner to Secs. 11, 12, 13 & 14.
Surface rolling. Prairie.
Soil 2nd rate,

North between Secs. 11 and 12,
Var. 15° East.

40.00 Set sand stone, 18 x 18 x 8. for
4 sec corner, as per instruc-
tions.

80.00 Set sand stone, 18 x 18 x 6.
marked as per instructions, for
the corner to Secs. 1, 2, 11
and 12.
Surface rolling. Prairie.
Soil 2nd rate,

East on Random between
Secs. 1 and 12,

Var. 15° East,

Chains

- 40.00 Set temporary & See, Corner,
79.85 Intersect Range line 18 cks
North of corner to sees,
1. 6. 7 and 12.

Then N. $89^{\circ} 51' W.$ on True
Line, var. 15° East,

- 3992^t Set charred post, built
mound and dug pits, for 4
See, corner as per instruc-
tions.

- 79.85 Corner to sees, 1. 2. 11 and 12.
Surface rolling. Prairie.
Soil 2^d rate,

West on Random between
sees. 2 and 11.

- Var. 15° East,
Bluff, bears north & south,
36.75 Intersect west boundary of
Reservation, 15 cks North
of 29^t mile corner

Then N. $89^{\circ} 51' E.$ on True
Line, var. 15° East,

- 36.75 Corner to sees. 1. 2. 11 & 12.
Surface rolling, Prairie.
Soil 3^d rate.

North on True Line between
sees. 1 and 2.

Var. 15° East,

- 40.00 Set sand stone, 16 x 10 x 8, for
4 See, corner, as per instruc-
tions.

- 80.80 Intersect First Standard.

Parallel, 24. 2¹¹ cks, East
of Standard corner to sees,
85 and 86, and set sand
stone, 16 x 14 x 8, marked.

BOOK

1945

Chains

"C.C." for the closing corner
to Secs. 1 and 2, as per
instructions.

Surface rolling. Prairie.
Soil 1st rate.

General Description of Terra-
tional Township No. 5 North
Range 11 west of the Marajo
Special Meridian.

This Township is principally
rolling upland, all prairie.

It is well adapted to grazing
purposes and large portions of
it to farming.

Soil 2nd, 1st and 3rd rate.

Township 6 North, Range 11
west, commenced and com-
pleted November, 6th 1869,

Measuring chain compared
with Standard and found
correct.

North between Secs. 35 & 36.

Var. 15° E.

40.00 Set charred post, built mound
and dug pits, for 3 sec. loc.,
as per instructions.

80.00 Deposited marked stone,
set charred post, marked,
built mound and dug pits,
as per instructions, for
the corner to Secs. 25, 26,
35 and 36.

Surface level. Prairie.
Soil 1st rate.

Lehman

East on Random between Secs.
25 and 36,
Var. 15° East.

40.00 Set temporary 4' See, corner.
80.10 Intersect Range line & links South
of corner to Secs. 23, 30, 31 & 36.

Then S. 89° 5' W. on True Line.
Var. 15° East,

40.00 Set charred post built mound and
dug pits, for 4' See, corner, as per
instructions.

80.10 Corner to Secs. 25, 26, 31 & 36.
Surface level. Prairie. Soil 1st rate,

West on True Line between Secs.
26 and 35.

Var. 15° East.

13.00 To 31st mile corner,
Surface level. Prairie.
Soil 1st rate.

North between Secs. 25 and 26,
Var. 15° East.

20.00 Dry bed of creek, 20' lks wide,
course East.

27.50 Bluff bears East & West,
40.00 Set sand stone, 16 x 14 x 4,
for 4' See, corner, as per
instructions.

50.00 Set sand stone, 18 x 12 x 8,
marked as per instructions,
for the corner to Secs. 23, 24,
25 and 26,
Surface broken, Prairie,
Soil 3rd rate,

East on Random between
Secs. 24 and 25,

Field Notes of the Subdivision Lines of Israel

35

Chains	
BOOK 1945	
24.50	Var. 15° East Bluff, bears North and South, Set temporary $\frac{1}{4}$ Sec corner,
40.00	Dry bed of creek, 30 lks wide, Course N.E.
62.50	Intersect Range Line 12 lks South of corner to Sections 19. 24. 25 and 30.
	Then S. $89^{\circ} 55' W.$ on True Line, Var. 15° East,
40.07	Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec corner, as per instructions,
80.15	Corner to Sections 23. 24. 25 & 26, Surface rolling. Prairie. Soil 2^{nd} rate,
	West on True Line between Secs. 23 and 26,
	Var. 15° East
13.10	Intersect West Boundary of Reservation at the $3\frac{1}{2}$ mile corner, Surface rolling. Prairie. Soil 2^{nd} rate,
	North between Secs. 23 & 24.
	Var. 15° East,
40.00	Set sand stone, $14 \times 12 \times 5$, for $\frac{1}{4}$ Sec corner, as per instruc- tions.
80.00	Set sand stone, $18 \times 12 \times 6$, marked as per instructions, for the corner to secs. 13. 14. 23 and 24, Surface rolling. Prairie. Soil 2^{nd} rate,

East on Random between Secs.
13 and 24.

Var, 15° East.

- 19.00 Bluff, bears N.W. and S.E.
40.00 Set temporary 4 See, corner,
71.00 Dry bed of creek, 2 or lks
wide, course N.W.
80.07 Intersect Range Line, 5 lks
South of corner to Secs.
13, 18, 19 and 24.

Then S. 89° 58' W. on True
Line, var, 15° East.

- 40.03² Set charred post, built
mound and dug pits for 4 See,
corner, as per instructions.
80.07 Corner to Secs, 13, 14, 23 and 24.
Surface rolling. Prairie.
Soil 2nd rate.

West on True Line, between Secs.
14 and 23.

Var, 15° East.

- 13.18 Intersect West Boundary of
Reservation at the 33¹/₂ mile corner,
surface rolling. Prairie.
Soil 2nd rate.

North between Secs. 13 and 14.

Var 15° East.

- 40.00 Sets sand stone, 16x12x5. for 4 See,
corner, as per instructions.
45.00 Bluff, bears N.W. and S.E.
80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 11, 12, 13 & 14.
Surface rolling. Prairie. Soil 2nd rate,

Field Notes of the Subdivision Lines of Trail

37

Chains

BOOK 1945

Easton Random between Secs.
12 and 13.

Var. 15° East.

- 40.00 Set temporary t See, corner,
49.50 Dry bed of creek, 35' lks wide,
course North,
79.90 Intersect Range line 14 lks
North of corner to Secs.
7, 12, 13 and 14.

Then N. 89° S 4' W. on True Line.

Var. 15° East,

- 39.95 Set charred post, built mound
and dug pits, for 4 See, corner,
as per instructions.
79.90 Corner to Secs. 11, 12, 13 & 14,
surface level. Prairie.
Soil 1st rate,

Weston True Line, between Secs.,

11 and 14,

Var. 15° East

- 13.30 Intersect West Boundary of
Reservation, at the 3 $\frac{1}{4}$ mile
corner.
Surface rolling. Prairie.
Soil 1st rate,
-

North between Secs. 11 and 12,

Var. 15° East,

- 40.00 Set charred post, built mound
and dug pits, for 4 See, corner,
as per instructions.
80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 1, 2, 11
and 12.
Surface level. Prairie. Soil 1st rate.

Chains

BOOK 1945

38

East on Random between Secs.
1 and 12.Var. 15° East.

40.00 Set temporary 3' See, corner,

79.80 Intersect Range Line, 16 eks
North of corner to Secs. 1, 6,
7 and 12.Then W. $89^{\circ} 53'$ W. on True
Line, Var. 15° East.39.92 $\frac{1}{2}$ Set charred post, built mound
and dug pits for 3' See, corner, as
per instructions.79.80 Corner to Secs. 1, 2, 11 and 12,
surface level. Prairie. Soil 1st rate.West on True Line, between Secs.
2 and 11.Var. 15° East.10.50 Intersect West Boundary of
Reservation at 30th Mile
corner.Surface level. Prairie.
Soil 1st rate.North on Random between
Secs. 1 and 2.Var. 15° East.

40.00 Set temporary 3' See, corner,

79.80 Intersect North Boundary of
Township, 17 eks East of corner to
Secs. 1, 2, 35 and 36.

Then S. 8' E. on True Line.

Var. 15° East.39.80 Set charred post, built mound,
and dug pits, for 3' See, corner,
as per instructions.

79.80 Corner to Secs. 1, 2, 11 & 12.

Surface level. Prairie. Soil 1 $\frac{1}{2}$ rate.

General Description of Fractional Township No. 6 North, Range No. 11 west of the Navajo Special Meridian,

The greater portion of this Township is 1 $\frac{1}{2}$ rate bottom land, well adapted to farming and grazing purposes. A good sized creek runs through it.

There is a large cornfield in Sec. 12, in fact the whole Township gives evidence of having been well cultivated hitherto.

There is no timber.

Township 6 North, Range 11 West
commenced and completed

November 16th 1869.

Measuring chain compared with
standard and found correct.

North between Secs. 35 and 36.

Var. 15° 15' East.

4.000 Set charred post, built mound and dug pits, for 3 Secs. corner, as per instructions.

5.8.00 Ravine, 100 lks wide, course N.E.

8.000 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 25, 26, 35 & 36.

Field Notes of the Subdivision lines of Tracy
Township No 7 North. Range 11 West of U.S. M.

Chains

BOOK 1945

40

Surface level. Prairie. Soil 1st rate.

East on Random between Secs.
25 and 36.

Var. 15° 15' East.

31.00 Ravine 120 lks wide, course N.E.

40.00 Set temporary 1/4 See. Corner,

79.80 Intersect Range Line 18 lks north
of corner to Secs. 25, 30, 31 and 36.

Then N. 89° 5' 2" W. on True Line.

Var. 15° 15' East,

39.92 Set charred post, built mound
and dug pits, for 1/4 See. Corner,
as per instructions,

79.80 Corner to Secs. 25, 26, 35 & 36.

Surface rolling. Prairie.

Soil 2nd rate.

West on True Line, between Secs.
26 and 35.

Var. 15° 15' East.

14.10 Intersect West Boundary of
Reservation at the 3 1/4 mile
corner,

Surface level. Prairie. Soil 1st rate.

North between Secs. 25 and 26.

Var. 15° 15' East.

40.00 Set charred post, built mound
and dug pits, as per instruc-
tions for 1/4 See. corner,

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 25, 26.

25 and 26,

Surface level. Prairie. Soil 1st rate.

Field Notes of the Subdivision Survey of Townships

41

Chains

BOOK

1945

	East on Random between Secs. 24 and 25, Var. $15^{\circ} 15'$ East.
40.00	Set temporary 4' See, corner.
74.60	Dry bed of Creek, 20 lks, course North,
79.90	Intersect Range Line 13 lks north of corner to Secs. 19, 28, 29 and 30,
	Then at $89^{\circ} 51'$ W. on True Line, Var. $15^{\circ} 15'$ East
39.95	Set charred post, built mound and dug pits, for 4' See, cor., as per instructions.
79.80	Corner to dees, 23, 24, 29 & 26, surface level. Prairie. Soil 1 st rate.

West on True Line between
Secs. 23 and 26.Var. $15^{\circ} 15'$ East

1412	Intersect west Boundary of Reservation at the $38\frac{1}{2}$ mile corner, surface level. Prairie. Soil 1 st rate.
------	-------------------------------------------------------------------------------------------------------------------------------------------

North between Secs. 23 and 24,

Var. $15^{\circ} 15'$ East

40.00	Set charred post, built mound and dug pits, for 4' See, cor., as per instructions.
80.00	Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to dees, 13, 14, 23 & 24, surface level, Prairie. Soil 1 st rate.

Chamis

BOOK 1945

Easton Random between
secs. 18 and 24.

Var. $15^{\circ} 15'$ East.

- 4000 Set temporary & See corner,
7600 Dry bed of Creek, 30 kcs wide,
course North,
80.04 Intersect Range Line 4 kcs
North of corner to secs.
13. 18. 19 and 24.

Then N. $89^{\circ} 48'$ West on True Line.

Var. $15^{\circ} 15'$ East,

- 40.02 Set charred post, built mound
and dug pits, as per instruc-
tions, for 4 sec. corner,
80.04 Corner to secs. 13. 14. 23 + 24.
Surface level. Prairie.
Soil 1st rate,

Weston True Line, Between Secs.
18 and 23,

Var. $15^{\circ} 15'$ East.

- 13.75 Intersect west boundary of
Reservation at the 3 & $\frac{1}{2}$ mile
corner,
Surface level. Prairie. Soil 1st rate.

North Between Secs. 13 and 14.

Var. $15^{\circ} 15'$ East

- 31.50 Dry bed of creek, 30 kcs wide,
course N.E.
4000 Set charred post, built mound
and dug pits, for 3 sec cor,
as per instructions.
8000 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 11. 12. 13
& 14. Surface level. Prairie.
Soil 1st rate.

Chains

BOOK

1945

East on Random between
secs. 12 and 13.

Var. $15^{\circ} 15'$ East.

- 86.00 Dry bed of creek, 35 lks wide, course d,
set temporary & see corner,
48.00 " Rio Puerco" course north,
Leave same, Low banks, sandy bottom
and gentle current,
51.00 Intersect Range line, 9 lks
South of corner to secs. 7, 12, 13
and 18.

Then S. $89^{\circ} 06'$ W. on True Line,

Var. $15^{\circ} 15'$ East.

- 40.07 Set charred post, built mound and
dug pits, for & see corner as
per instructions.
80.14 Corner to secs. 11, 12, 13 and 14,
surface level. Prairie. Soil 1st rate.

West on True Line, between secs.
11 and 14.

Var. $15^{\circ} 15'$ East.

- 13.60 Intersect West Boundary of
Reservation, 7 links north
of corner to 40th mile,
surface level. Prairie. Soil 1st rate.

North between secs. 11 and 12.

Var. $15^{\circ} 15'$ East.

- 40.00 Set charred post, built mound
and dug pits, for & see corner,
as per instructions.
80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner to
Sections 1, 2, 11 and 12,
surface level. Prairie.
Soil 1st rate.

East on Random between Secs.
1 and 12,

Var. $15^{\circ} 15'$ East

- 4.000 Set temporary 1/4 sec. corner,
59.00 "Rio Puerco" course 1118.
63.00 Leave same. Low banks, sandy
bottom and gentle current.
79.80 Intersect Range Line, 16 lks
North of corner to Secs. 1, 6,
7 and 12.

Then N. $89^{\circ} 5' 3''$ W. on True
Line, with Var. $15^{\circ} 15'$ East,

- 39.92 Set charred post, built mound
and dug pits for 1/4 sec. corner, as
per instructions.
79.80 Corner to Secs. 1, 2, 11 and 12,
surface level, Prairie.
Soil 1st rate,

West on True Line, between Secs.
2 and 11.

Var. $15^{\circ} 15'$ E.

- 13.80 Intersect West Boundary of
Reservation at the 41st mile
corner
Surface level, Prairie, Soil 1st rate.

North on Random between
Secs 1 and 2,

Var. $15^{\circ} 15'$ East

- 4.000 Set temporary 1/4 sec. corner,
79.80 Intersect North Boundary of
Township 13 lks East of
Corner to Secs. 1, 2, 35 & 36.

Then S. 4' E. on True Line,
Var. $15^{\circ} 15'$ East

- 39.80 Set charred post, built mound
and dug pits, for 1/4 sec. corner,
as per instructions.

Chains

79.80 Corner to Dees. 1, 2, 11 and 12,
Surface level. Prairie.
Soil 1st rate.

General Description of Fractional
Township No. 8 north, Range
No. 11 west of the Navajo
Special Meridian.

This fractional Township is
all prairie, bottom land, surface
level and soil 1st rate.

It is well adapted to farming and
grazing purposes. The Rio
Puerco enters the Town in
sec. 13 and leaves it in sec. 1
It has an average width of
three chains; low banks,
sandy bottom and gentle
current about a foot in
depth.

BOOK 11
1945

Township 8 North Range 11
West, commenced and com-
pleted October 30th, 1869.

Measuring chain compared
with Standard and adjusted.

North between Secs. 35 & 36,
Var. 15° 20' East.

32.00 Ravine, 50 ells wide, coarse East,
4000 Set charred post, built mound
and dug pits, as per instructions,
for ~~4~~ See. corner,

80.00 Deposited marked stone, set
charred post, marked, built mound
and dug pits, as per instructions,
for the corner to Secs. 25. 26.

35 and 36,
surface level. Prairie. Soil 1st rate.

East on Random between Secs.
25 and 36,

Var. 15° 20' E.

4000 Set temporary ~~4~~ See. corner,

63.00 Dry bed of creek, 30 ells wide,
course st. E.

79.90 Intersect. Range line 18 ells
north of corner to Secs.
25. 30. 31 and 36.

Then st. 89° 08' W. on True
Line, Var. 15° 20' East,

39.90 Set charred post, built mound
and dug pits, for ~~4~~ See. corner
as per instructions.

79.90 Corner to Secs. 25. 26. 35 & 36,
surface level. Prairie. Soil 1st rate.

West on True Line between Secs.

BOOK

1945

Chains

26 and 35.

Var. $15^{\circ} 20'$ East.13.20 Intersect West Boundary of Reservation at the $43\frac{1}{4}$ mile corner.Surface level. Prairie. Soil 1st rate.

North between Secs. 25 and 26.

Var. $15^{\circ} 20'$ E4000 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.

61.50 Ravine, 25 lks wide, coarse W.E.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 23. 24, 25 and 26.

Surface level. Prairie. Soil 1st rate.

East on Random between Secs. 24 and 25.

Var. $15^{\circ} 20'$ East.

22.25 Ravine, 50 lks wide, coarse N.E.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

71.00 Dry creek, 25 lks wide, course north.

79.95 Intersect Range Line 7 links North of corner to Sections 19. 24. 25 and 30.

Then W. $89^{\circ} 57'$ W. on true line. Var. $15^{\circ} 20'$ East.39.97 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corners as per instructions.

79.95 Corner to Secs. 23. 24. 25 & 26. Surface level. Prairie.

Soil 1st rate.

~~Chains~~

BOOK 1945

48

West on True Line between Secs.

23 and 26.

Var. 15° 20' East

13.45 Intersect West Boundary of Reservation at the $\frac{1}{4}$ mile corner.

Surface level. Prairie.

Soil 1st rate.

North Between Secs. 23 & 24.

Var. 15° 20' East

40.00 Set charred post, built mound and dug pits, for 1/4 Sec. Corner as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 13. 14. 23 and 24.

Surface level. Prairie. Soil 1st rate.East on Random Between Secs.,
18 and 24.

Var. 15° 20' E.

40.00 Set temporary 1/4 Sec. Corner,

69.06 Dry bed of Creek, 40 lks wide, course of ar.

80.07 Intersect Range Line, 8 links South of corner to Secs. 13. 18. 19 & 24.

Then S. 89° 56' W. on True Line.

Var. 15° 20' East.

40.03 Set charred post, built mound and dug pits, for 1/4 Sec. Cor., as per instructions.

80.07 Corner to Sections, 13. 18. 23 & 24.
Surface level. Prairie. Soil 1st rate.West on True Line, Between Secs. 14
and 23.

Var. 15° 20' East.

BOOK

Chains

13.70

1945

Intersect West Boundary of Reservation, at the $\frac{1}{4}$ mile corner.
Surface level, Prairie. Soil $1\frac{1}{2}$ rate.

North between Secs. 13 and 14.

Va. $15^{\circ} 20'$ East.

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 11, 12, 13 and 14.

Surface level. Prairie. Soil $1\frac{1}{2}$ rate.

East on Random between Secs. 12 and 13.

Va. $15^{\circ} 20'$ East.

40.00 Set temporary $\frac{1}{4}$ Sec. corner,

dry bed of creek .40 lks wide, course North.

80.15 Intersect Range Line, 15 lks south of corner to Secs. 7, 12, 13 and 14.

Then S. $89^{\circ} 5' W.$ on True Line, Va. $15^{\circ} 20'$ East.

40.07 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions.

80.15 Corner to Secs. 11, 12, 13 & 14.

Surface level, Prairie.
Soil $1\frac{1}{2}$ rate.

West on True Line between Secs. 11 and 14.

Va. $15^{\circ} 20'$ E.

Chancz

BOOK 1945

- 14.00 Intersect West Boundary of Reservation at the $\frac{1}{2}$ mile corner.
 Surface level. Prairie.
 Soil 1st rate.
-

North between Secs. 11 and 12.

Var. $15^{\circ} 20'$ East.

- 40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions.
 42.00 Dry bed of creek, 40 lks wide, course East.
 50.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 1, 2, 11 and 12.
 Surface level. Prairie.
 Soil 1st rate.
-

Easton Random between Secs. 1 and 12.

Var. $15^{\circ} 20'$ E.

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner,
 80.18 Intersect Range line, 20 lks South of corner to Secs. 1, 6, 7 and 12.

Then S. $89^{\circ} 51'$ W. on True Line, Var. $15^{\circ} 20'$ E.

- 40.09 Set charred post, built mound and dug pits for $\frac{1}{4}$ Sec. corner, as per instructions.
 80.18 Corner to Secs. 1, 2, 11 & 12, surface level. Prairie.
 Soil 1st rate.
-

BOOK

1945

Chains

West on True Line between
Secs. 2 and 11.

Var. $15^{\circ} 20'$ East.
14.10 Intersect West Boundary
of Reservation at the
 $47^{\frac{1}{4}}$ mile corner,
surface level. Prairie.
Soil 2nd rate.

North on Random between
Secs. 1 and 2.

Var. $15^{\circ} 20'$ East.
40.00 Set temporary 4 sec. corner,
80.25 intersect North Boundary of
Township 13 links West
of the corner to Secs. 1, 2,
35 and 36.

Then S. 6' W. on True Line.

Var. $15^{\circ} 20'$ East.
40.12 Set charred post, built
mound and dug pits, for
4 sec. corner, as per
instructions.
80.25 corner to Secs. 1, 2, 11 & 12.
surface level. Prairie.
Soil 1st rate.

General Description of Fra-
ctional Township 1st 8. North,
Range 11 west of the Sarajo
Special Meridian.

This fractional Township
is all level, bottom land,
soil 1st rate.

It is well adapted to farm-
ing and grazing purposes,
and is extensively used for
such.

There is quite a settlement in
secs. 11 and 12.

There is no timber in the
Township.

Township 9 North, Range 11
West commenced and com-
pleted November, 25th 1869.

Measuring chain compared
with Standard and adjusted.

BOOK

Chains
1945

North between Secs. 35 and 36.
Var. $15^{\circ} 15'$ East.
\$10.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.

\$80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 25, 26, 35 and 36.

Surface level, Prairie
Soil 1st rate.

East on Random between Secs.
25 and 36.

Var. $15^{\circ} 15'$ East.

\$74.25 Ravine, course S.E. 15 links wide.
\$40.00 Set temporary $\frac{1}{4}$ sec. corner.
\$80.15 Intersect Range line 18 links
North of corner to secs. 19, 24,
25 and 30.

Then N. $89^{\circ} 5' 2''$ W. on True Line.

Var. $15^{\circ} 15'$ East.

\$40.00 Set charred post, built mound, and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.
\$80.15 Corner to Secs. 23, 24, 25 and 26.
Surface level, Prairie. Soil 1st rate.

West on True Line between Secs.
26 and 35.

Var. $15^{\circ} 15'$ East.

\$18.25 Intersect West Boundary of Reservation at the $\frac{4}{9}$ mile corner.
Surface level, Prairie,
Soil 1st rate.

Range 11 West of the Navajo Special Meridian.

<u>Chains.</u>	BOOK 1945 54
	North between Secs. 25 and 26, Var. $15^{\circ} 15'$ East.
40.00	Set sand stone, $14 \times 12 \times 3$. for $\frac{1}{4}$ See, corner, as per instructions.
80.00	Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 23, 24, 25 and 26. Surface rolling. Prairie. Soil 2 $\frac{1}{4}$ rate.

East on Random Between
Secs. 24 and 25.

	Var. $15^{\circ} 15'$ East.
18.25	Prairie, 50 links wide, course S. E.
40.00	Set temporary $\frac{1}{4}$ See., Corner,
80.15	Intersect Ridge Line, 18 links north of corner to Secs. 19, 24, 25 and 30.
	Then N. $89^{\circ} 5' W.$ on True Line, Var. $15^{\circ} 15'$ East.
40.00	Set charred post, built mound and dug pits, for $\frac{1}{4}$ See, cor. as per instructions.
80.15	Corner to Secs. 23, 24, 25 & 26. Surface rolling. Prairie. Soil 2 $\frac{1}{4}$ rate.

West on True Line, between
Secs. 23 and 26,

Var. $15^{\circ} 15'$ E.

14.10	Intersect West Boundary of Reservation at the 50^{th} mile corner, Surface rolling. Prairie. Soil 2 $\frac{1}{4}$ rate.
-------	----------------------------------------------------------------------------------------------------------------------------------------------

Field Notes of the Subdivision Lines of

55

Chains
BOOK 1945North between Secs. 23
and 24.

Var. 15° E.

- 7.88 Ravine, 30 lks wide,
course East,
40.00 Set charred post, built mound
and dug pits, for ~~4~~ See cor.,
as per instructions,
80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, for
the corner to Secs. 13, 14,
23 and 24, as per instructions.
Surface level. Prairie.
Soil 1st rate,
-

East on Random Between:
Secs. 13 and 24.

Var. 15° East

- 40.00 Set temporary ~~4~~ See corner.
80.06 Intersect Range Line, 7 lks
North of corner to Secs.
13, 18, 19 and 24.

Then N. 89° 57' W. on
True Line. with Var 15° E.
40.03 Set charred post, built mound
and dug pits, as per instructions,
for ~~4~~ See corner.
80.06 Corner to Secs. 13, 14, 23 + 24.
Surface level. Prairie.
Soil 1st rate.

As it was impossible
to project the line over
high and perpendicular
bluff, laying immediately
West of corner to Secs.
13, 14, 23 and 24. I
did not run any further

Chain

West

BOOK 1945

56

100

North between Secs. 13 & 14

Var. 15° East,40.00 Set sand stone, $14 \times 10 \times 9$.for $\frac{1}{4}$ See, corner, as per
instructions.80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, for the
corner to Secs. 11, 12, 13 & 14,
as per instructions.Surface level. Prairie Soil 1st rate,East on Random between
Secs. 12 and 13.Var. 15° East,40.00 Set temporary $\frac{1}{4}$ See, corner.69.50 Slough, course north, 50 lks
wide.79.95 Intersect Range line, 5 lks
South of corner to Secs. 11, 12,
13 and 14.Then S. $89^{\circ} 58' W.$ on True
Line, Var. 15° East,39.97^{1/2} Set charred post, built
mound and dug pits, for
 $\frac{1}{4}$ See, corner, as per
instructions.79.95 Corner to Sections 11, 12, 13 & 14.
Surface level. Prairie
Soil 1st rate.

North between Secs. 11 and 12.

Var. $14^{\circ} 45' E.$ 40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ See Cor.
as per instructions.

57		Chains 80.00	Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the Corner to Secs. 1, 2, 11 and 12. Surface rolling. Prairie. Soil 2 nd rate.
BOOK		1945	
			East on Random between Secs. 1 and 12. Var, 14° 45' East, Set temporary $\frac{1}{4}$ Sec, corner, intersect Range Line, $\frac{1}{2}$ links South of corner to Secs. 1, 6, 7 and 12.
		40.00	Then S. 89° 52' W. on True Line, Var. 14° 45' East, Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec, corner, as per instructions.
		39.90	Corner to Secs. 1, 2, 11 and 12. Surface rolling. Prairie. Soil 2 nd rate.
		79.80	
		40.00	North on Random between Secs. 1 and 2. Var. 14° 45' East, Set temporary $\frac{1}{4}$ Sec, corner, intersect North Boundary of Township, 25 lls East of corner to Secs. 1, 2, 35 & 36.
		50.15	
		40.15	Then S. 11° E. on True Line, Var. 14° 45' East, Set sand stone 15 x 12 x 5, for $\frac{1}{4}$ Sec, corner, as per instructions.
		80.15	Corner to Secs. 1, 2, 11 & 12.

Chains

BOOK 1945-58 55

Surface rolling Prairie.
Soil 2^d rate.

General Description

This Township is all prairie, surface generally rolling.

It is well adapted to grazing and some portions of it to farming purposes.

There is a sand stone bluff in the western portion of the Township, the average height of which is 300 feet.

We hereby certify that we assisted Ehdud J. Darling, U.S. Surveyor, in subdividing fractional Townships No. 1, 2, 3, 4, 5, 6, 7, 8 and 9, North,

Range 11 west of the Marajo Special Meridian, in the Territory of Arizona, and that said fractional Townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office of the United States.

Willard S Paul. Compassman,
Robt C Darling
William J Hare B Cornermen,
Sheldon W Shafer
John Howe I Chaimen.

Subscribed and sworn to
by the above named persons
Before me Ehud A
Darling U.S. Surveyor, in
Township 1 North, Range
6 West of the Navajo
Special Meridian, in the
Territory of Arizona, this 26th
day of January, 1870.

Ehud A Darling,
U.S. Surveyor.

I, Ehud A Darling, U.S. Surveyor, do solemnly swear
that in pursuance of a
contract with Hon. Jos. S.
Wilson, Commissioner
of the General Land Office,
dated Washington, D.C.
April 29th 1869, and sub-
sequent special instruc-
tions, dated Washington, D.C.
May, 4th 1870, and in strict
conformity to the laws of the
United States and instructions
furnished by the Commissioner
of the General Land Office,
I have faithfully surveyed the
Subdivisional Lines of
Fractional Townships No 1, 2,
3, 4, 5, 6, 7, 8 and 9, North
Range 11 West of the

Navajo Special Meridian,
in the Territory of Arizona,
and do further solemnly
swear that the foregoing
are the true and original
field notes of such survey.

Ehud A Darling,
U.S. Surveyor.

Subscribed by said Ehdud A.
Darling, U.S. Surveyor, and sworn
to before me a Justice of the
Peace for Washington D.C.
this 21st day of May, 1870.

Wm Martin J.D.
Seal

Department of the Interior
General Land Office.

March, 7th 1871.

The foregoing field notes of
the survey of Townships 1, 2, 3,
4, 5, 6, 7, 8 and 9 North, Range
11 West, Navajo Special Merid-
ian, in the Territory of Arizona,
executed by Ehdud A. Darling,
U.S. Surveyor, under his
contract of April 29th, 1869,
and special instructions of
May, 8th, 1870, in the months
of August, September, October
and November 1869, having
been critically examined, the
necessary corrections and
explanations made, the said
field notes and the surveys
they describe, are hereby
approved.

Willis Drummond
Commissioner

Department of the Interior
General Land Office
February 26th 1871

A true copy

J. M. L. M.
Commissioner