

No. 6.

1996

BOOK 1996

1996

4-671

1996

FIELD NOTES

GENERAL LAND OFFICE.

SUBDIVISIONS

PAPAGO INDIAN RESERVATION

T 16 S. - R 12 E.

1996

311

Index for
INDEX.

BOOK
 BOOK
 BOOK
 BOOK
 BOOK
 BOOK
 BOOK
 1996

Township 16 South, Range 12 East,

GILA AND SALT RIVER MERIDIAN.

318	316	223. 221	167. 166	112. 110	58. 56
314	316 312	220 215	169. 168	109. 107.	55. 53
309	311 307	218 216	162. 160	107. 105	53. 51
304	308 302.	215 213	159. 157.	104. 102.	50. 48
298	301 296	212 210	158. 154	101. 99	48. 45
294	296 281	209 207	153. 151	98. 96	44. 42
289	291 287	206 204	157. 149	96. 94	41. 39
284	286 283	204 201	148. 146	93. 91	38. 36
278	281 276	200 198	145. 143.	90. 87	35. 33
273	276 271	197 195	142. 140	87. 85.	32. 30
268	271 266	195 192	139. 137	84. 82	29. 27
264	266 261	192. 190	137. 135	82. 79	27. 24
258	260 256	188. 186	138. 131	78. 76	25. 21
253	255 257	186 184	130. 128	75. 73	20. 18
248	260 246	183. 181	126. 125	73. 70	18. 15
244	246 241	180 178	124. 122	70. 68.	15. 13
238	240 235	177 174	122. 118	67. 65.	11. 9
233	235. 230	174. 172	118. 116	64. 62	8. 6
229	230 225	170 169	115. 113	62. 60	6. 4
225	168	113	67.	3.	

(312)

Sub-Divisions T. 16 S. R. 13. E.
In Papago Indian Reservation
BOOK 1996

Hence Easton a random
line thro. center of Sec. 5,
Var. $13^{\circ} 08' E.$

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
38.10 Dry Wash 3.5 lks. wide Course N.
40.00 Set temporary $\frac{1}{14}$ Sec. Cor.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
80.05 Intersect N & S. line 11 lks S.
of $\frac{1}{14}$ Sec. Cor.

Hence I ran S. $89^{\circ} 53' W.$
on a true line thro center of
Sec. 5. with same var.

- 20.01 Set a post 3 ft. long 3 ins. sq with
chipped stake 13 ins in the
ground for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ Sec. on N. face dug pits 18 x 18
x 12 ins. E. SW. of Post 5 $\frac{1}{2}$ ft dist.
and raised a mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
around Post.

40.02 Set a Post 3 ft. long 3 in. sq. with charred stake 12 in. in the ground for $\frac{1}{4}$ Sec Cor. Marked $\frac{1}{4}$ S. on N. face dug pits 18x18 x12 in. E & W of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.

60.03 Set a Post 3 ft. long 3 in. sq. with charred stake 12 in. in the ground for $\frac{1}{6}$ Sec Cor. Marked $\frac{1}{6}$ S. on N. face dug pits 18x18 x12 in. E & W of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.

80.05 The $\frac{1}{4}$ Sec Cor.
Land mostly level
Soil good rate
scattering trees

Palo Verde & Mesquite brush sochs

Hence West on a random line
thru. center of Sec. 6.

Var. $130^{\circ} 08' E.$

- 0.00 Set temporary $\frac{1}{16}$ Sec. Cor.
- 9.90 Road to Stevens Ranch bro. N.E. 88 m.
- 4.00 Set temporary $\frac{1}{16}$ Sec. Cor.
- 0.00 Set temporary $\frac{1}{16}$ Sec. Cor.
- 0.03 Intersect West Bdy. of Dpi. 7 W.
N. of $\frac{1}{16}$ Sec. Cor.

Hence from N. $84^{\circ} 05' E$
our true line thru. center of
Sec. 6. with same var.
0.00 Set a post 3 ft. long 3 ins $\frac{1}{4}$ in. with
charred stakes 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ S. on N. face dug pits 18x18
x12 ins E & W. of Post $5\frac{1}{2}$ ft. deep

and raised a mound of earth
1 $\frac{1}{2}$ ft. high & 4 ft. base around
Post

40.01 This cor. coming in a road. at a
point 30 lks. West I set a Post 3 ft.
long 3 ins Sq. with charred
stake 12 ins in the ground for
witness corner to 1 $\frac{1}{2}$ sec. cor.
Marked N.C. 1 $\frac{1}{2}$ S. on N face. dug pits
18x18x12 ins E & W of Post 5 ft. ft.
dirt and raised a mound
of earth 1 $\frac{1}{2}$ ft. high & 4 ft base
around Post.

60.01 Set a Post 3 ft. long 3 ins Sq with
charred stake 12 ins. in the
ground for 1 $\frac{1}{2}$ sec cor. Marked
1 $\frac{1}{2}$ S. on N. face. dug pits 18x18x
12 ins. E & W. of Post. 5 ft. ft. dirt.
and raised a mound of earth
1 $\frac{1}{2}$ ft. high & 4 ft. base around Post.

20.03 The 1/4 Sec. Cor

Land mostly level

Soil 2nd Rate

Scattering trees

Palo Verde & Mesquite brush socks

Hence North between Secs 5 & 6.

Var $13^{\circ} 08' E.$

20.00 Set a Post 3 ft long 3 ins Sq. with
chained stake 12 ins in the ground
for 1/4 Sec. Cor. marked 1/4 S. on
W. face dug pits 18 x 18 x 12 ins
N & S. of Post. 5 1/2 ft. dist. and
raised a mound of earth 1 1/2 ft.
high 3 1/2 ft. bare around Post.

Hence East on a random
line thro. N 1/4 of Sec. 5.

Var $13^{\circ} 08' E$

20.00 Set temporary 1/4 Sec cor

- 40.00 Set temporary $\frac{1}{16}$ Sec Cor
 48.30 Dry Wash 30 lks wide curved N.
 60.00 Set temporary $\frac{1}{16}$ Sec. cor.
 80.00 Intersect N & S. line q lks S. of
 $\frac{1}{16}$ Sec. Cor.

Thence I run S $89^{\circ}56'$ W. on
 a true line thro. $\frac{1}{16}$ of Sec. 5
 with same var.

- 20.00 Set a Post 3 ft. long 3 ins Sq with
 charred stake 12 ins in the
 ground, for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits 18X18X
 12 ins E & W of Post 5 $\frac{1}{2}$ ft. deep
 and raised a mound of
 Earth 14 ft. high 3 $\frac{1}{2}$ ft. base
 around Post.
- 40.00 Set a Post 3 ft. long 3 ins Sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face. dug pits 18X18

X12 ins E of Post 5 $\frac{1}{2}$ ft. dist.
and raised a mound of Earth
1 $\frac{1}{2}$ ft. high 342 ft. base around
Post.

0.00 Set a Post 3 ft. long 3 ins sq with
chained stake 13 ins. in the
ground for 4 $\frac{1}{2}$ Sec Cor. marked
4 $\frac{1}{2}$ ft. out face. dug pits 18x18x
12 ins E of Post 5 $\frac{1}{2}$ ft dist.
and raised a mound of
Earth 1 $\frac{1}{2}$ ft. high 311 ft base
around Post.

0.01 The 4 $\frac{1}{2}$ Sec. Cor.
Land mostly level
Soil 2nd Rate
Scattering Trees
Palo Verde & Mesquite brush 80 cts.

There was a random

line thro. N 1/2 of Sec. 6
Var $13^{\circ} 08' E.$

- 16.90 Road to Stevens Ranches, Nelson
20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 60.00
80.04 Intersect West Bd. of Sp. 13
N 1/2 S. of $\frac{1}{16}$ Sec. Cor.
Thence I run S. $89^{\circ} 53'$
E. on a true line thro. N 1/2
of Sec. 6 with same Var.
20.01 Set a Post 3 ft. long 3 in. sq. with
charred stake 12 in. in the
ground for $\frac{1}{16}$ Sec. Cor. Marker
 $\frac{1}{16}$ S. on N. face day pit 18x18x
12 in. E & W. of Post 5 ft. dist.
and raised a mound of earth
14 ft. high 3 ft. base around
Post.
40.02 Set a Post 3 ft. long 3 in. sq. with
charred stake 12 in. in the

ground for $\frac{1}{16}$ Sec. Cor.
marked $\frac{1}{16}$ S. on N. face dug pits
 $18 \times 18 \times 12$ ins E & W of Post $5\frac{1}{2}$ ft. deep
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
Post.

60.03 Set a Post $2\frac{1}{2}$ ft. long 2 ins Sq
with channeled stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor marked
 $\frac{1}{16}$ S. on N. face, dug pits 18×18
 $\times 12$ ins E & W of Post $5\frac{1}{2}$ ft. deep
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
Post

80.04 The $\frac{1}{16}$ Sec. Cor.
Land mostly level
Soil 2nd Rate
Scattered Trees
Palo Verde & Mesquite Bushes etc.

Thence North between Secs. 5 & 6,

Nar $13^{\circ} 08' E.$

- 4.70 Road to Stevens Ranch on S.E. corner
29.91 Intersect 3rd Standard Parallel
South 42 lks East of Standard
Cor. to Secs 31, 432. T. 15 S. R. 12
E. where I set a Post 4 ft. long
4 ins sq. with charred stake
12 ins in the ground for corner
Cor to Secs. 5, 6. Marked
C.C. T. 16 S. R. 12 E. on S.
S. 5. on E. and
S. 6. on W. faces with 5 notches
on E. and 1 notch on W. face
dug pits $18 \times 18 \times 12$ ins S. E &
W. of Post 5 ft. dia. and
raised a mound of earth
3 ft. high 4 ft. base around
Post.
Sand for socks. between

secs. 5 & 6. mostly level
Soil 2nd Rate
Scattering Trees
Ralo Verde & Marquita bush docks.
Feb 2nd 1888.

General Description

With the exception of portions of secs. 28 & 29, nearly all the soil in this fractional township can be classed as 2nd Rate. With water the land could all be cultivated.

The Eastern half of this township has a gentle slope to the East, while the Western portion slopes to the North and West, and in places

land is rolling. With few exceptions the dry sand washes mentioned are mostly even with the ground and more in the nature of deposits.

The fractional township is covered with Mesquite and Palo Verde brush, with scattering Mesquite and Palo Verde trees throughout. There are no settlers, or improvements of any kind in this township.

T. D. Ollison

U. S. Dep'y, Surveyor.

U. S. Surveyor-General's Office,

TUCSON, A. T. July 11th 1888

The foregoing Field Notes of the Surveys of
Subdivision J 16. R 12.
E. in Papago Indian
Reservation

Gila and Salt River Meridian
in Arizona Terr., executed by
L D Chiles

U. S. Deputy Surveyor, under his contract dated
November 30th 1887.

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Hise
U. S. Surveyor-General
for the Territory of Arizona.