

2030

BOOK 2030

Field Notes

OF THE SURVEY OF

The Exterior Boundaries
of the

Willcox Townsite

Cochise County
(late Pinal Co.)

2030

2030

~~Gila and Salt River Base and Meridian~~

ARIZONA.

By Theodore F. White D. S.

Under contract dated Nov 23, 1880.

Survey commenced Feb 3, 1881.

Survey completed Feb 3, 1881.

2030

Willcox Townsite


Exterior Boundaries
as surveyed under Contract
dated November 23, 1880.

Surveyed Feb 3, 1880

by
Theodore J. White.

U. S. L. S.

Willeys Townsite
Exterior Boundaries




Preliminary Oaths of Assistants.

We, C. H. Patchett
and William Green
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

C. H. Patchett
William Green

Sworn to and subscribed before me, this 2nd
day of February 1881

Thomas Boston
Notary Public



BOOK 2030

We,

do solemnly swear that we will well and truly perform the duties of

according to instructions given us, and to the best of our skill and ability.

*The chairman also
acted as layman
for the ceremony
of the White
Dress*

Sworn to and subscribed before me this
day of, 187..

*Thos A Boston
Notary Public*



ie

Wilcox Townsite

Cochise County Arizona
(late Pima Co.)

Survey of Exterior Boundaries

I commence at the west corner of the townsite, which I more permanently mark by setting a post 6x6 in. square, 15½ ft. long, 2½ ft. in the ground; top of post painted white, and marked in black "W. T. S., W. Co."

From this cor. the township cor. to Tps. 13 & 14 S. Rs. 24 & 25 East bears N. 50° 54' W. Dist. 12° 39' E.

and is 22.21½ chains distant.

The above variation was found by observation of Polaris

Willcox Townsite

Exterior Boundaries

From this west cor. of
the townsite I run along
the S.W. end line
S. $59^{\circ}43'E.$

Var. $12^{\circ}39'E.$

(Found by observation of
Polaris as above stated)

chs. at

- 25.00 Centre of track of Southern
Pacific Railroad of Arizona
which I cross at right angles.
- 50.00 To the South Cor. of town-
site, which I mark by
setting a post 6x6 in. square,
 $5\frac{1}{2}$ ft. long, $2\frac{1}{2}$ ft. in the
ground; top of post
painted white and mark-
ed in black "W. T. S., S. Cor"

Wilcox Townsite
Exterior Boundaries

From this South Cor. of townsite, I run along S.E. side line, parallel with railroad line

Obs. $N. 30^{\circ} 17' E.$

Var. $12^{\circ} 39' E.$

64.00 To East Cor. of townsite, which I mark by setting post 6x6 in. square, $5\frac{1}{2}$ ft. long, $2\frac{1}{2}$ ft in the ground, top of post painted white, and marked in black, "W.T.S. E. Cor."

From this East cor. I run along N.E. end line of townsite
 $N. 59^{\circ} 43' W.$

Var. $12^{\circ} 39' E.$

Wilcox Townsite

Exterior Boundaries

Chs. at

- 25.00 Centre of track of S.P.R.R.
of A. Cross it at right angles.
- 50.00 To the North cor. of town
site; which I mark by
setting a post 6x6 in. square
5½ ft. long, 2½ ft. in the
ground; top of post painted
white, and marked in black
"W. T. S., N. cor."

From this North cor. I
run along N.W. side of town
site

S. 30° 17' W.

Var. 12° 39' E.

- 64.00 To place of beginning

The townsite contains
320 acres

Wilcox Townsite

Gen. Description: -

The townsite of Wilcox is situated in the Sulphur Springs Valley, in the new County of Cochise, (lately Pima) Arizona Territory. It is on a level grassy plain; there is no other vegetation than grass - no timber or brush. There is no running water or water on the surface, but it is found at the depth of from three to ten feet by digging.

Survey made Feb 3^d 1881

Theodore F. White
U.S. Deputy Surveyor

LIST BOOK
List of Names.

BOOK 2030

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

the Exterior boundaries of the townsite of Wilcox situated in Sulphur Springs Valley Cochise County (late Pima Co.) Arizona Territory

Showing the respective capacities in which they acted.

C. H. Patchell Chainman.

William Green Chainman,

----- Axeman.

----- Flagman.



Final Oath of Assistants.

We hereby certify that we assisted.....

Theodore F. White U. S. Deputy Surveyor, in
 surveying *the Exterior bound-*
aries of the townsite of
Wilcox, situated in the Sulphur
Springs Valley Cochise County
(late Pima Co.) Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

.....
C. M. Patchell Chairman.


.....
William G. ... Chainman,

.....
 Axeman.

.....
 Flagman.

Sworn to and subscribed before me, this *4th*
 day of *February*, 18*81*

Thomas A. Boston
 Notary Public



Final Oath of Deputy Surveyor.

I, Theodore L. White
 U. S. Deputy Surveyor, do solemnly swear that
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the 23rd day of November

1889. I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of.....

The Exterior boundaries of
the townsite of Wilcox, situ-
ated in the Sulphur Springs Valley,
Cochise County, (late Pima Co.)
Arizona Territory

..... as are repre-
 sented in the foregoing Field Notes as having
 been surveyed under my directions; and I do
 further solemnly swear that all the corners of
 said surveys have been established and perpet-
 uated in strict accordance with the Surveying
 Manual and printed instructions, and also in ac-
 cordance with the additional requirements con-

9
tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

BOOK 2030

Theodore G. White
Deputy Surveyor.

Sworn to and subscribed before me, this ^{4th} day of February, 1881

Thomas A. Boston
Notary Public



U. S. Surveyor General's Office,
Tucson, Arizona, February 21, 1887

The foregoing Field Notes of the survey of the
Exterior boundaries of the Willcox
Townsite, Cochise County
{late Pinal Co}

~~of the Gila and Salt River Base and Meridian, Arizona,~~
executed by Theodore J. White,
D. S., under his contract of the 23^d day of
November, 1880, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.