

Subdivisional
BOOK G-

2535

FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines of Township
No 26 North, Range No 17 East

of the Gila and Salt River Base and Meridian,

in the Territory of Arizona

EXECUTED
AS SURVEYED BY

Sidney E Blout

Examiner of Survey
United States Deputy Surveyor

Special Instructions from the Commissioner of the General Land Office
Under his contract No _____, dated October 21st 1907 and May 15th 1908

Survey commenced September 8th, 1908

Survey completed September 15th, 1908


NAMES AND DUTIES OF ASSISTANTS.

Harry Lake WayComptrollerBred C. WarnerChairmanVan R. WhiteChairmanRalph P. WestraadChairmanWalter A. SnufferChairmanR. E. ColborneFlagmanCharles L. ShumwayFlagmanHarry J. HunterMouthmanHenry JenningsMouthmanCharles A. DutoreAceman

49
18

BOOK 2585

INDEX DIAGRAM.
Subdivisions



PRELIMINARY OATHS OF ASSISTANTS.
(see Subdivisional Book "A")

WE, _____ and _____
do solemnly swear that we will well and faithfully execute the duties of chainmen; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distances to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of _____

, Chainman.

, Chainman.

Subscribed and sworn to before me this _____
day of _____, 190 _____ }



WE, _____ and _____
do solemnly swear that we will well and truly perform the duties of moundmen in the establishment of corners, according to the instructions given us, to the best of our skill and ability, in the survey of _____

, Moundman.

, Moundman.

Subscribed and sworn to before me this _____
day of _____, 190 _____ }



WE, _____ and _____
do solemnly swear that we will well and truly perform the duties of axmen in the establishment of corners and other duties, according to instructions given us, to the best of our skill and ability, in the survey of _____

, Axman.

, Axman.

Subscribed and sworn to before me this _____
day of _____, 190 _____ }



I, _____, do solemnly swear that I will well and truly perform the duties of flagman according to instructions given me, to the best of my skill and ability, in the survey of _____

, Flagman.

Subscribed and sworn to before me this _____
day of _____, 190 _____ }



Chains

Survey Commenced September 8th 1908 and executed with a Young and Sons light mountain transit No. 10 with Smith's solar attachment the horizontal limb is provided with two double verniers placed opposite to each other reading to single minutes of arc. which is also the least count of the verniers of the latitude and declination arcs.

Determine the adjustments of the transit and find the levels and line of collimation to be in perfect adjustment; then to test the solar apparatus by comparing its indications resulting from solar observations made during a.m. and p.m. hours with a meridian determined by observation on Polaris I proceed as follows;

At my Camp. which is located near the cor. of sec. 11, 12, 13 and 14 Tl. 26 N. R17 E. Latitude $35^{\circ}39'N.$ Longitude $110^{\circ}39\frac{1}{2}'W.D.$ Set off $35^{\circ}39'N.$ on the lat. arc. $5^{\circ}35\frac{1}{2}'E.$ on the decl. arc. and at $4^{\text{h}}28^{\text{m}}$ p.m. l.m.t. determine a meridian with the solar and mark a point thereof by a nail driven in a stake set in the ground 5 chs N. of my instrument. At 8th 20^m p.m. l.m.t. I observed Polaris at Eastern elongation in accordance with instructions in the Manual. and mark the direction thus determined by a nail driven in a stick set in the ground 5 chs. N. of my instrument.

Sept. 8th 1908

Sept. 9th At 6^h 30^m a.m. I lay off the azimuth of Polaris $1^{\circ}27'$ to the W.W. and mark the meridian thus determined by driving a nail in the stake set Sept 8th on which the Meridian falls W. 0.2 ins East of the point determined by the solar. At 6^h 58^m a.m. l.m.t. I set off $35^{\circ}39'N.$ on the lat. arc. $5^{\circ}22\frac{1}{2}'W.$ on the decl. arc and determine a meridian with the solar and mark a point thereof by a nail driven in the stake already set 5 chs N. of my instrument.

Subdivision of T. 26 N. R. 17 E.

BOOK 2585

This point falls 0.1 ins. east of the meridian determined by the Polaris observation.

The solar apparatus by sun and moon observations defines positions for meridians respectively about $0^{\circ}10'$ west. and $0^{\circ}05'$ east. of the meridian established by the Polaris observation; therefore I conclude that the adjustments of the instrument are satisfactory.

I commenced at the cor. of sec. 1, 2, 35 and 36, on the S. bdy of the N. pl., in Exterior Book "G" recently established by me & described.

Latitude $35^{\circ}36' N.$ Longitude $110^{\circ}29\frac{1}{2}' W$

At this cor. I set off $35^{\circ}36' N.$ on the lat. arc. $5^{\circ}20' N.$ on the decl. arc. and at $8^h 18^m$ a.m. I n.t. determined a meridian with the solar Thence I run

$IV 0^{\circ}01' W.$ Bet. sec. 35 and 36.

Over rolling sandy land covered with sage and greasewood brush and bunch grass.

40.00 Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec cor. marked on brass cap $\frac{1}{4}$ S 35 on W. half and S 36 on E. half.

Dig pits $18 \times 18 \times 12$ ins. N. and S. of post. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

42.00 Top of sand ridge bear N.E. and S.W. descend gently

60.00 Center of depression bear N.W. and S.E. thence over rolling land.

80.00 Set a. iron post 3 ft long 2 ins. in diam 24 ins. in the ground for cor. of sec. 25, 26, 35 and 36. marked on brass cap T 26 N. S 26 in N.W. R. 17 E. S 25 in N.E. S 36 in S.E. S 35 in S.W. quadrants.

Dig pits $18 \times 18 \times 12$ ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Sandy rolling and hilly.

Soil sandy & poor.

No timber.

Chains

Subdivision of Tp 26 N. R. 17 E.

	$S. 89^{\circ} 56' E.$ on a random line bet. secs. 25 & 36
40.00	Set temp $\frac{1}{4}$ sec. cor.
80.00	Intersect E bdry. of Tp. 3 blks S of the cor. of secs. 25-30-31 and 36, ^{recently re-established by me} & described in Exterior Book "G" Thence I run
	$N. 89^{\circ} 57' W.$ on a true line bet. secs. 25 and 36
	Over low rolling sand ridges, through sage and greasewood brush.
40.00	Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S 25 on N. half and S 36 on S half.
	Dig pits 18x18x12 ins. E and W. of post 3 ft dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high $\frac{1}{4}$ of cor.
80.00	The cor. of secs. 25-26-35 and 36, ^{hereinbefore} described. Land rolling. Soil sandy, 3 rd rate No timber.

	$N. 0^{\circ} 01' W.$ bet. secs. 25 and 26
40.00	Ascend gradually over rolling sandy land through sage and greasewood brush and bunch grass. Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S 26 on W. half and S. 25 on E. half.
	Dig pits 18x18x12 ins. N and S. of post 3 ft dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high $\frac{1}{4}$ of cor.
80.00	Set an iron post 3 ft long 2 ins. in diam 24 ins. in the ground for cor. of secs 23-24- 25 and 26 marked on brass cap T 26 N S 23 in N.W., R 17 E. S 24 in N.C. S. 25 in S.E. and S. 26 in S.W. quadrant.
	Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft dist. and raise a mound of earth 4 ft base 2 ft high. $\frac{1}{4}$ N. of cor.
	Land rolling. Soil sandy 2 nd and 3 rd rate. No timber.

Subdivision of Tp. 26 N. R. 17 E.

BOOK 2585

		S. $89^{\circ} 51' E.$ on a random line bet. secs. 24 and 25 Set temp $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp. 5 blks N. of the cor. of secs. 19-24-25 and 30, & described in Exterior Book "G" Thence I run N. $89^{\circ} 55' W.$ on a true line bet. secs. 24 and 25 Descend very gradually over NW slope, sandy land, through sage and greasewood brush and bunch grass.
40.00		Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4} S 24$ on N half and S. 25 on S half. Dig pits 18x18x12 ins. E and W. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high N. of cor. Ascend rolling S.E. slope, the cor. of secs. 23-24-25 and 26, hereinbefore described. Sand rolling. Soil sandy 3rd rate. No timber.
80.04		N. $0^{\circ} 01' W.$ bet. secs. 23 and 24 Over rolling sandy land slopes to the S.E. through sage and greasewood brush and bunch grass.
40.00		Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4} S 23$ on N half and S. 24 on E. half. Dig pits 18x18x12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft high N. of cor.
45.00		Top of sand ridge bears N.E. and S.W. desc. over N.W. slope
80.00		Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 13-14-23 and 24 marked on brass cap T 26 N. S. 14 in N.W. R. 17 E. S. 13 in N.E. S. 24 in S.E. and S. 23 in S.W. quadrant. Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth $1\frac{1}{2}$ ft. base 2 ft high

Remarks

W of cor.

Land rolling and hilly.

Soil sandy 3rd rate.

No timber.

- 40.00 S89°55' E on a random line bet. Recd. 13 and 24
Set temp. $\frac{1}{4}$ Recd. cor.
Intersect E bdry of Mp 2 lhd 8. of the cor. of sec
recently re-established by me and
13, 18, 19 and 24, described in Exterior Book "G"
Thence down
N89°56' W on a true line bet. sec. 13 and 24
Ascend N.E. slope over low rolling sand hills
Covered with bunch grass.
- 39.99 Set an iron post. 3 ft long 1 in. diam. 26 ins.
in the ground for $\frac{1}{4}$ Recd. cor marked on brass
Cap $\frac{1}{4}$ 8/13 on N. half and 8/24 on S half.
Dig pits 18x18x12 ins. E and W. of post 3 ft. dist.
and raise a mound of earth $3\frac{1}{2}$ ft. base. $1\frac{1}{2}$
ft. high. W. of cor.
79.98 Thw cor of sec 13, 14, 23 and 24, hereinbefore described
Land rolling and hilly.
Soil sandy 3rd rate.
No timber.

- N001 W bet sec 13 and 14
Descend gradually N.W. slope over low rolling
sand ridges covered with scattering sage brush
and bunch grass.
- 40.00 Set an iron post. 3 ft long 1 in. in diam. 26 ins.
in the ground for $\frac{1}{4}$ Recd. cor. marked on brass
Cap $\frac{1}{4}$ 8/14 on W half and 8/13 on E. half.
Dig pits 18x18x12 ins. N and S. of post 3 ft. dist.
and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high W. of cor.
80.00 Set an iron post. 3 ft. long 2 ins. in diam. 24
ins. in the ground for cor. of sec. 11, 12, 13 and
14, marked on brass Cap. T26 M. 8/11 in NW
8/17 8/12 in N.E. 8/13 in S.E. and 8/14 in S.W. quadrants
Dig pits 18x18x12 ins. in each sec 5 $\frac{1}{2}$ ft. dist.
and raise a mound of earth 4 ft. base
2 ft. high W. of cor.
Land rolling and hilly.

Subdivision of 9th 26 N., R 17 E

6 columns

BOOK 2585

Soil sandy 3rd rate.
No timber.

September 9 1908

September 11th 1908 A.M. 7^h 57^m am. L. m. S
Sth off. 35° 34' N. of the lat. and 44° 35' N. of the
decl. arc and determine a meridian with
the solar at the cor. of sec. 11, 12, 13, and 14,
hereinbefore described.
Thence Draw

N 89° 56' E. of a random line bet. sec. 12 and 13

40.00 Sub temp. 1/4 sec. cor.

80.00 Dated E. by dry. of M. at the cor. of sec. 7, 12
13 and 18, recently re-established by me & described in Exterior Book "G,"
Thence Draw

N 89° 56' W. of a true line bet. sec. 12 and 13.

Descend N.W. slope over rolling sandy land
through scattering sagebrush and bunch grass

40.00 Set an iron post. 3 ft. long 1 in. in diam. 26
ins. in the ground for 1/4 sec. cor. marked on
brass cap. 1/4 S 12 on N. half and S 13 on S.
half.

Dig pit 18x18x12 ins. N and W. of post. 3 ft.
dust and raise a mound of earth 3 1/2 ft.
base, 1 1/2 ft. high N. of cor.

80.00 The cor. of sec. 11, 12, 13 and 14, hereinbefore described.
Laid rolling.

Soil sandy 3rd rate.

No timber.

W 0° 01' W. bet. sec. 11 and 12

Descend gradually N.W. slope over rolling sandy
land covered with sage and greasewood
brush undergrowth and bunch grass.

40.00 Set an iron post. 3 ft. long 1 in. in diam.
26 ins. in the ground for 1/4 sec. cor. marked
on brass cap 1/4 S 11 on W. half and S 12 on
on S. half.

Dig pit 18x18x12 ins. N and S. of post. 3 ft.
dust, and raise a mound of earth 3 1/2
ft base 1 1/2 ft. high W. of cor.

Chains

Subdivision of Tp. 26 N. R. 17 C.

7

80.00	<p>Set an iron post 3 ft long 2 ins in diam 24 ins in the ground for cor. of secs 1-2-11 and 12, marked on brass cap T 26 N 8 S 2 in N.W. R 17 E. S 1 in N.E. S 12 in S.E. and S 11 in S.W. quadrant.</p> <p>Dig pits 18x18x12 ins. in each sec. 5 1/2 ft dist. and raise mound of earth 4 ft base 2 ft high W of cor.</p> <p>Land rolling</p> <p>Soil sandy 3rd rate</p> <p>No Timber</p>
40.00	<p>S. 89° 56' E. on a random line bet. secs. 1 and 12.</p> <p>Set temp. 1/4 sec. cor.</p>
79.96	<p>Intersect E. bdry. of Tp. 22 Lks. N. of the cor of secs 1-6-7 and 12, recently re-established by me and described in Exterior Book "G"</p> <p>Thence I run</p> <p>N. 89° 47' W. on a true line bet. secs 1 and 12</p> <p>Over rolling sandy land covered with sage and greasewood brush and bunch-grass.</p>
39.98	<p>Set an iron post 3 ft long 1 in. in diam 26 ins. in the ground for 1/4 sec. cor. marked on brass cap 1/4 S 1 on N. half and S 12 on S. half</p> <p>Dig pits 18x18x12 ins E and W. of post 3 ft dist and raise mound of earth 3 1/2 ft base 1 1/2 ft high N. of cor.</p>
79.96	<p>The cor. of secs. 1-2-11 and 12, hereinbefore described.</p> <p>Land rolling</p> <p>Soil sandy 3rd rate</p> <p>No Timber</p>
40.00	<p>N. 0° 01' W. on a random line bet. secs 1 and 2</p> <p>Set temp 1/4 sec cor.</p>
80.38	<p>Intersect N. bdry of Tp 5 Lks. N. 89° 58' E. of the cor of secs 1-2-35 and 36, recently re-stab. by me & described in Exterior Book "G"</p> <p>Thence I run</p> <p>S. 0° 03' E. on a true line bet. secs 1 and 2</p> <p>Ascend gradually a N. slope over rolling sandy land through sage and greasewood brush, and scattering bunch grass</p>

BOOK 2585

	40.38	Set an iron post 3 ft long 1 in. in diam 26 ins. in the ground for $\frac{1}{4}$ sec cor. marked on brass cap $\frac{1}{4} S 2$ on W. half and $S 1$ on E. half. Dig pits 18x18x12 ins N. and S of post 3 ft dist. and raise mound of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft. high N of cor. The cor of secs 1-2-11 and 12, heretofore described. Land rolling Soil sandy 3rd rate No timber.
NOTE		At this cor. I set off $4^{\circ}30' 27''$ on the decl. arc. and at 11 ^h 57 ^m A.M. L.M.T. observe the sun on the meridian, the resulting latitude being $35^{\circ}40' 27''$.
		September 11 th 1908
		September 9 th 1908 at 9 ^h 00 ^m A.M. L.M.T. I set off $35^{\circ}36' 27''$ on the lat. arc. $5^{\circ}19' 27''$ on the decl. arc. and determine a meridian with the solar at the cor. of secs. 2-3-34 and 35 on the E. bdry of the Tp., recently established by me and described in Exterior Book "G," Thence I run. N. $0^{\circ}01'$ W. bet. secs. 34 and 35 Ascend S. slope over low rolling sand hills covered with sage and greasewood brush.
40.00		Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec cor. marked on brass cap $\frac{1}{4} S 34$ on W. half and $S 35$ on E. half. Dig pits 18x18x12 ins N. and S of post 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ foot base 1 $\frac{1}{2}$ ft. high N. of cor.
80.00		Set an iron post 3 ft long 2 ins. in diam. 24 ins. in the ground for cor. of secs. 26-27-34 and 35 marked on brass cap T 26 N. S 27 in N.W., R. 17 E. S 26 in the N.E., S. 35 in S.E. and S. 34 in S.W. quadrant. Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist.

Chains

and raise a mound of earth 4 ft base 2 ft high
W of cor.

Land hilly

Soil sandy ~~3rd rate~~.

No timber.

$88^{\circ}56' E$ on a random line bet sec. 26
and 35.

40.00 Set temp $\frac{1}{4}$ sec. cor.

80.10 Intercept N and S line at the cor. of sec. 25-26
35 and 36, hereinbefore described.

Three Drums

$N 89^{\circ}56' W$ on a true line bet sec. 26 and 35 -
Over low rolling sand hills through sage and
greasewood brush undergrowth and bunchgrass.

40.05 Set an iron post. 3 ft. long 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
 $\frac{1}{4}$ S 26 on N half and S 35 on S half.

Dig pits $18 \times 18 \times 12$ ins. E and W of post. 3 ft. deep.
and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$
ft high N of cor.

80.10 The cor. of secs 26, 27, 34 and 35, ^{hereinbefore} described.

Land hilly.

Soil sandy ~~3rd rate~~.

No timber.

$N 0^{\circ}01' W$ bet sec. 26 and 27

Cross S slope over low rolling sand hills through
sage and greasewood brush undergrowth
and bunchgrass.

40.00 Set an iron post. 3 ft. long 1 in. in diam. 26 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked on brass
cap. $\frac{1}{4}$ S 27 on W half and S 26 on E half.

Dig pits $18 \times 18 \times 12$ ins. N and S. of post. 3 ft..
deep. and raise a mound of earth $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft high W of cor.

70.00 Top of ridge bet N.E. and S.W. dec. steeply
over N.E. slope.

80.00 Set an iron post. 3 ft. long, 2 ins. in diam.
24 ins. in the ground for cor. of sec.

22, 23, 26 and 27 marked on brass cap

Subdivision of Twp 26 N. R17 E

BOOK 2585

	T 26 N. S 22 in N.W., R17 E S 23 in N.E. S 26 in S.E. and S 27 in S.W. quadrants. Dig pits 18x18x12 ins in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land hilly. Soil sandy 3 rd rate. No timber.
889°56'	Cow a random line betw. secs. 23 and 26
40.00	Set temp. ¼ sec. cor.
80.12	Intersect N and S line at the cor. of secs. 23, 24, 25 and 26, hereinbefore described. Thence S run
	W 89°56' W on a true line betw. secs 23 and 26 across S.E. slope over low rolling sand hills. through scattering sage and greasewood brush undergrowth and bunch grass.
40.06	Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for ¼ sec. cor. marked on brass cap ¼ S 23 on N. half and S 26 on S. half. Dig pits 18x18x12 ins E and W of post 3 ft. dist. and raise a mound of earth 3½ ft. base 1½ ft. high N. of cor.
70.00	Top of sand ridge betw. N.E. and S.W. desc. N.W. slope over ridge and ravines.
80.12	The cor. of secs. 22, 23, 26 and 27, hereinbefore described. Land hilly and broken. Soil sandy 3 rd rate. No timber.
	N 0°01' W betw. secs. 22 and 23. across S slope over low rolling sand hills, through sage and greasewood brush and bunch grass.
35.00	South edge of mesa bars E. and W.
39.50	North edge of mesa bars E. and W. desc N. slope
40.00	Set an iron post 3 ft long 1 in. in diam.

Subdivision of Tr. 26 N., R. 17 E.

11

Place

36 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ 322 on W. half and 323 on E. half.

Dig pits 18x18x12 ins. N and S. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high. W. of cor.

80.00 Set an iron post. 3 ft. long 2 ins. in diam 24 ins. in the ground for cor. of secs 14, 15, 22 and 23 marked on brass cap T 26 N. 3 15 ins N.W. TR 17 E S 14 in N.E. 323 in S.E. and 322 in S.W. quadrant

Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base 2 ft. high. W. of cor.

Land hilly.

Soil sandy and stony 3^{rd} and 4^{th} rate
No timber

S 89° 56' E. on a random line bet. secs 14 and 23

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.16 Intersect N and S. line 3 lbs. S. of the cor. of secs 13, 14, 23 and 24, heretofore described,
Thence down

N 89° 57' W. over tree line bet. secs. 14 and 23

Over low rolling sand hills through sage and
greasewood brush and bunch grass.

25.00 Dry ravine 20 lbs. wide 2 ft. deep course N.W.

40.08 Set an iron post 3 ft. long. 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ 322 on N. half and 323 on E. half.

Dig pits 18x18x12 ins. E and W. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high. N. of cor.

73.00 Dry ravine 15 lbs. wide 3 ft. deep course N. and

80.16 The cor. of secs. 14, 15, 22 and 23, heretofore described.
Land hilly.

Soil sandy and clayey 3^{rd} rate

No timber.

September 9th 1905

12 Chains

Subdivision of Tr 26 N. R 16 E.

BOOK 2585

	Sept 11 th 1908 at 6 ^h 57 ^m a.m. Land set off. 35° 38' 21" N. on the lat. arc. 4° 37' W. on the decl. arc and determine a meridian with the solar at the cor. of sec., 14 15, 22, and 23, hereinbefore described. Then I run N 89° 57' E. bet. sec. 14 and 15 descend gradually and N. slopes through sage and greasewood bush and bunch grass.
11.00	Dry ravine 20 lbs. wide 3 ft. deep covered W.
40.00	Bet an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked. on base cap $\frac{1}{4}$ 8 15 on N. half and 3 14 on S. half
	Dig pits 18x18x12 ins. N. and S. of post 8 ft. distant raise a mound of earth 3 $\frac{1}{2}$ ft. base 1 $\frac{1}{2}$ ft. high W. of cor.
79.50	Dry ravine 15 lbs. wide 8 ft. deep covered N.W.
80.00	Bet an iron post. 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 10 11, 14, and 16 marked on base cap T 26 N S 10 in N.W. T 27 E S 11 in N.E. S 14 in S.E. and S 15 in S.W. quadrant.
	Dig pits 18x18x12 ins. in each sec 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base. 2 ft. high W. of cor.
	Land hilly.
	Soil sandy. 3 $\frac{1}{2}$ soil.
	No timber.
40.00	S 89° 57' E on a random line bet. sec. 11 and 14 Bet temp. $\frac{1}{4}$ sec. cor.
80.18	Intersect N. and S. line 10 lbs. S of the cor. of sec. 11, 12, 13 and 14, hereinbefore described, Then I run S 89° 57' W. on a true line bet. sec. 11 and 14
	Over rolling sandy land. Covered with sage and greasewood undergrowth and bunch grass.
40.09	Bet an iron post. 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on base cap $\frac{1}{4}$ S 11 on N. half and S 14 on S. half.

Channel

Subdivision of Tl. 26 N. R17 E.

13

Dig pits 18x18x12 ins E. and W. of post 3 ft. dist.
and raise a mound of earth 3 $\frac{1}{2}$ ft. base 1 $\frac{1}{2}$
ft. high N. of cor.

80.18 The cor of seeds 10.11.14 and 15, hereinbefore
described.
Laid rolling.
Soil sandy 3rd rate.
No timber.

No 001 W. Lep. recs. 10 and 11.

Descend NW. slopes over rolling sandy land through
sage and greasewood brush and bunch grass
40.00 Set an iron post 3 ft long 1 in. in diam.
26 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked on brass cap 4 S 10 on W half
and S 11 on E half
Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.
and raise a mound of earth 3 $\frac{1}{2}$ ft. base 1 $\frac{1}{2}$ ft.
high W. of cor.

80.00 Set an iron post 3 ft. long 2 ins. in
diam. 24 ins. in the ground for cor.
of seeds 2.3.10 and 11 marked on brass cap
T 26 N 8 S in N.W. R17 E 3 2 in N.E. S 11
in S.E. and S 10 in S.W. quadrants
Dig pits 18x18x12 ins. in each seed. 5 $\frac{1}{2}$ ft. dist.
and raise a mound of earth 4 ft. base 2 ft.
high W. of cor

Laid rolling.

Soil sandy 3rd rate.

No timber.

N 89° 59' E on a random line Lep. seeds 2 and 11

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.18 Dotted on N and S. line 5 lbs. N. of the cor of
seeds 1.2.11 and 12, hereinbefore described
Three Drums

N 89° 59' W. on a true line Lep. seeds 2 and 11

Over rolling sandy land. Sloped to N.E. through
sage and greasewood brush 2 ft. high.

40.09 Set an iron post 3 ft. long 1 in. in diam.
26 ins. in the ground for 2 sec. cor.

	marked over grass cap $\frac{1}{4}$ s 2 on W half and 811 on S half
80.18	Dig pits $18 \times 18 \times 12$ ins. East & W. of. post. 3 ft. dist. and raised a mound of earth $3\frac{1}{2}$ ft. high; $1\frac{1}{2}$ ft. high N. of cor.
	The cor. of secs. 2, 3, 10 and 11, heretofore described. Land rolling. Soil sandy 3^{rd} rate. No timber.
40.00	W $0^{\circ} 01' W$ on a random line bet. secs. 2 and 3 Set tangent to sec. cor.
80.31	Intersect N. bdy. of Mp. 16 lth. $5^{\circ} 39' 58'' W.$ of the cor. of secs. 2, 3, 34 and 35, recently re-established by me and described in Exterior Book "G". Thence down $80^{\circ} 06' W.$ on a true line bet. secs. 2 and 3. descend gradually N. slope over rolling sandy land covered with sage and greasewood. undergrowth.
40.31	Set an iron post. 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. mid. on grass cap. $\frac{1}{4}$ s 3 s. on W half and 32 on E. half - Dig pits $18 \times 18 \times 12$ ins. N. and. S. of. post. 3 ft. dist. and raised a mound of earth $3\frac{1}{2}$ ft. high $1\frac{1}{2}$ ft. high W. of cor.
80.31	The cor. of secs. 2, 3, 10 and 11, heretofore described. Land rolling. Soil sandy 3^{rd} rate. No timber.
<u>September 11th 1908</u>	
	September 10 th 1908. At 7 th 57 th am. I set off. $35^{\circ} 36' N.$ on the lat. arc., $4^{\circ} 58' N.$ on the dec. arc and determine a meridian with the solar at the cor. of secs. 8, 4, 33 and 34 on the E. bdy. of Mp. recently established by me & described in Exterior Book "G". Thence down $W 0^{\circ} 02' W.$ bet. secs. 33 and 34 descend N. slope over rolling sandy land. Covered with sage and greasewood brush about 2 ft. high -

Chains

Subdivision of Tp 26 N R 17 E.

40.00	Set an iron post 3 ft long 1 in. in diam 26 ins in the ground for $\frac{1}{4}$ sec cor. marked on brass cap $\frac{1}{4} S 33$ on N half and $S 34$ on E. half Dig pits 18x18x12 ins N and S of post 3 ft dist and raise a mound of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high N of cor.
65.00	Cross dry ravine 20 lks wide 4 ft deeps course N. $80^{\circ} W$ ascend over S.W. slope hilly land.
80.00	Set an iron post 3 ft long 2 ins in diam 27 ins. in the ground for cor of secs 27-28-33 and 34 marked on brass cap $T 26 N S 28$ in N.W. R. 17 E. S 27 in N.E. S 34 in S.E. and S 33 in S.W. quadrant Dig pits 18x18x12 ins in each sec $5\frac{1}{2}$ ft dist and raise a mound of earth 4 ft base 2 ft high N of cor. Land rolling Soil sandy 3 rd rate No timber.

	$S 89^{\circ} 56' E.$ on a random line between secs 27 and 34
40.00	Set temp $\frac{1}{4}$ sec cor.
79.84	Intersect N and S lines at the cor of secs 26-27-34 and 35, hereinbefore described. Thence I run
	$N. 89^{\circ} 56' W.$ on a true line between secs 27 and 34 Descend W slope over rolling sandy land through scattering sage and grease wood brush undergrowth and bunch grass.
39.92	Set an iron post 3 ft long 1 in. in diam 26 ins. in the ground for $\frac{1}{4}$ sec cor. marked on brass cap $\frac{1}{4} S 27$ on N half and $S 34$ on E half. Dig pits 18x18x12 ins E & W of post 3 ft dist and raise a mound of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high N of cor.
61.00	Dry ravine 10 lks wide 4 ft deep course N.E.
71.00	Same ravine 15 lks wide 4 ft deep course S.W.
79.84	The cor of secs 27-28-33 and 34, hereinbefore described.

	Land rolling Soil sandy 3 rd rate No timber
	N. 8° 02' W. bet secs 27 and 28 Ascend gently over S. slope through scattering sage and greasewood brush undergrowth and bunch grass
40.00	Set an iron post 3 ft long 1 in. in diam 26 ins. in the ground for $\frac{1}{4}$ sec cor marked on brass cap 42S 28 on W half and S 27 on E half. Dig pits 18x18x12 ins N and S of post 3 ft dist. and raise a mound of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high W of cor.
65.00	Top of sand ridge bears N.E. and S.W. desc. over N.W. slope
80.00	Set an iron post 3 ft long 2 ins. in diam. 27 ins. in the ground for cor. of secs 21-22-27 and 28 marked on brass cap T 26 N S 21 in N.W., R. 17 E., S 22 in N.E., S 27 in S.E. and S 28 in S.W. quadrant. Raise a mound of stone 2 ft base 1 $\frac{1}{2}$ ft high W. of cor. Pits impracticable Land hilly Soil sandy 3 rd rate No timber
	S. 89° 56' E. on a random line bet secs 22 and 27
40.00	Set temp $\frac{1}{4}$ sec cor.
79.88	Intersect N and S. line 12 lks. N of the cor of secs 22-23-26 and 27, ^{hereinbefore} described. Thence I run
	N. 89° 51' W. on a true line bet secs. 22 and 27.
35.00	Over rolling sandy land through sage and greasewood brush undergrowth and bunch grass.
39.94	Top of sand stone ridge bears N.W. and S.E. desc. The point for the $\frac{1}{4}$ sec cor falls in the bottom of a dry ravine where natural causes would destroy

Chains

Subdivisions of Tp. 26 N. R. 17 E.

17

it: therefore at.

- 37.75 Set an iron post 3 ft. long 1 in. in diam 26 ins. in the ground for witness cor. to the $\frac{1}{4}$ sec. cor. marked on brass cap T26N.R17E. S. 22 on N. half, S. 21 on S. half and W.C. $\frac{1}{4}$ on W. half.
Raise a mound of stone 2 ft. base $1\frac{1}{2}$ ft. high N. of cor. Pits impracticable.
- 39.96 Dry ravine course N.W. asc. over ridges and ravines.
- 61.50 Top of ridge bears N.W. and S.E. desc. over broken ridges.
- 75.50 Top of sand stone cliff 20 ft. high bears N.E. and S.W. desc.
- 79.88 The cor. of secs. 21-22-27 and 28, ^{hereinbefore} described.
Land hilly and broken.
Soil sandy, clayey and stony 3rd and 4th rate.
No timber.
- NOTE. At the witness cor. to the $\frac{1}{4}$ sec. cor. bet. secs. 22 and 27, ^{above described} set off $4^{\circ}53\frac{1}{2}'$ N. on the decl. arc and at $11^{\text{h}} 57^{\text{m}}$ a.m. I.M.T. observe the sun on the meridian, the resulting latitude being $35^{\circ}37\frac{1}{2}'$ N. nearly.

- N. 0° 02' W. bet. secs. 21 and 22
descend N.W. slope over hilly sandy
adobe land. through scattering sage and
greasewood brush, under growth.
- 40.00 Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S. 21 on N. half and S. 22 on E. half.
Dig pits 18x18x12 ins N. and S. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high N. of cor.
- 39.70 Dry ravine 20 lks. wide banks 5 ft. high course N.
- 80.00 Set an iron post 3 ft long 2 ins in diam. 24 ins in the ground for cor. of secs. 15-16-21 and 22 marked on brass cap T26N. S. 16 ins N.W. R.17E. S. 15 ins N.E. S. 22 ins S.E. and

BOOK 2585

	S. 21 in S.W. quadrant. Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raise a mound of earth 4 ft base 2 ft. high W. of cor. Sand hilly and broken. Soil sandy 3 rd rate. No timber.
40.00	S. 89° 51' E. on a random line bet secs 15 and 22 Set temp 4 sec. cor.
79.80	Intersect N and 25, line 18 lks. S. of the cor. of secs. 14-15-22 and 23, hereinbefore described, Thence I run N. 89° 59' W. on a true line bet. secs 15 and 22
	Over broken. hilly sandy land, through sage and greasewood brush undergrowth.
20.50	Dry ravine 20 lks. wide 3 ft. deep course N.W.
39.90	Set an iron post 3 ft long 1 in. in diam 26 ins. in the ground for 4 sec. cor. marked on brass cap 1/4 S. 15 on N. half and S. 22 on S. half. dig pits 18x18x12 ins E and W. of post 3 ft. dist, and raise a mound of earth 3 1/2 ft. base 1 1/2 ft. high N of cor.
61.00	Dry sand wash 80 lks. wide 8 ft. deep course N.
79.80	The cor. of secs. 15-16-21 and 22, hereinbefore described.
	Sand hilly and broken. Soil sandy 3 rd rate. No timber.
	September 10 th , 1908
40.00	Sept. 11, 1908. At 7 ^h 57 ^m A.M. L.M.L. Decl. off. 35° 38' N. or lat. are 43° 32' N. or decl. are and determine a meridian with the solar at the cor. of secs. 15, 16, 21 and 22, Thence from hereinbefore N. 0° 02' W. bet. secs. 15 and 16 described Descend N.E. slope over rolling sandy land through sage and greasewood undergrowth and bunch grass. Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for 4 sec. cor., marked on brass cap. 1/4 S 16 on N. half and S. 15 on E. half. dig pits 18x18x12 ins. N and S. of post 3 ft. dist and raise a mound of earth 3 1/2 ft. base 1 1/2 ft.

Chains)

high W. of cor.

80.00 Set an iron post 3 ft. long 2 in. in diam. 24 ins. in
the ground for cor. of sec. 9, 10, 15 and 16 marked on
brass cap T 26 N. S 39 in N.W. R 17 E S 10 in N.E. S 15 -
in S.E. and S 16 in S.W. quadrant.

Dig pits 18 x 18 x 12 ins. in each sec 5 $\frac{1}{2}$ ft. deep, and
raise a mound of earth 4 ft. base, 2 ft. high.
W. of cor.

Loud rolling.

Soil sandy 3rd rate.

No timber.

S. 89° 59' E on a random line betw. recd. 10 and 15 -

40.00 Set temp. $\frac{1}{4}$ Rec. Cor.

79.78 Intersect N and S line 5 lbs of the cor. of recd 10
11, 14, and 15, hereinbefore described,
Thence D run

S. 89° 59' W on a true line betw. recd 10 and 15 -

Descend N.W. slope over rolling sandy land through
Sayv and greenwood brush undergrowth and
Bunch grass

0.50 Dig raised 10 lbs. wood 3 ft. deep course N.W.

39.89 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in
the ground for 4 sec cor. marked on brass cap
 $\frac{1}{4}$ S 10 in N. half and S 15 in S. half

Dig pits 18 x 18 x 12 ins. E and W. of post 3 ft. deep,
and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$
ft. high. N. of cor.

79.78 Th. cor. of recd. 9, 10, 15 and 16, hereinbefore described.

Loud rolling.

Soil sandy 3rd rate.

No timber.

September 11th 1908

September 12th 1908 at 8th 57th am. Lmt. Ick off.
35° 39' N. on the lat. arc 14° 11' 47" on the dec.
arc and determine a meridian with the
solar abs. the cor. of recd. 9, 10, 15 and 16, described
hereinbefore
Thence D run

Chassis

BOOK 2585

Subdivision of Mp 26 M. P 17 E.

		W ^o od W. lat. Sec. 9 and 10
40.00		Descend N. slope over rolling sandy land through Sage and greasewood brush and bunch grass. Set an iron post 3 ft. long 1 in. diam. 26 ins. in the ground for cor. sec. cor. marked out brass cap & 33 on N. half. and 310 on E half. Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base 1 $\frac{1}{2}$ ft. high W. of cor.
80.00		Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 3, 4, 9 and 10 marked out brass cap. T 26 M 3 $\frac{1}{4}$ in N.W. P 17 E 33 in N.E. 310 in S.E. and 39 in S.W. quadrant. Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land rolling. Soil sandy 3 rd rate. No timber.
40.00		N 89° 59' E at random line betw. sec. 3 and 10 Septemp. 1/4 sec. cor.
79.84		Intersect N and S line 3 lbs. N. of the cor. of sec. 2, 3, 10 and 11, heretofore described, Thence down West. on a true line betw. sec. 3 and 10 Ascend gradually S.E. slope over rolling sandy land through Sage and greasewood brush and bunch grass.
39.92		Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for cor. cor. marked out brass cap & 33 on N. half and 310 on E half. Dig pits 18x18x12 ins. E and W. of post 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
79.84		The cor. of sec. 3, 4, 9 and 10 heretofore described Land rolling. Soil sandy 3 rd rate

Chaves

Subdivision of Mp 26 N. R 17 E.

No timber.

- W^o 02' W on a random line bet sec 3 and 4
Set temp. 4 sec. cov.
40. 00 Dutesch N. bdry. of Mp. 8 like N^{89°58'E} of the Cov. of sec 1
3, 4, 33 and 34, recently re-established by me and
Placed I run
S^o 05' E on a true line bet sec 3 and 4
Over rolling sandy and adobe land covered
with sage and greasewood brush and
bunch grass.
40. 32 Set and iron post. 3 ft. long, 1 in. diameter,
26 ins. in the ground for 4 sec. cov marked
on brass cap 4 8 4 on W half and 8 3 on E
half.
Dig pits 18 x 18 x 12 ins. and 3. of post 3 ft.
dust and raise a mound of earth 3 1/2 ft base
1 1/2 ft high W. of cov.
80. 32 The cov. of secs. 3, 4, 9 and 10, hereinbefore
Lands rolling
Soil sandy and adobe 2nd and 3rd rate.
W. timber

Sept. 12th 1908 At the cov. of secs. 3, 4, 33 and
34, on the N. bdry. of Mp. ^{above described} 1 & set off 4° 08' N.
on the decl. arc. and at 11^h 57^m am. lmt.
observe the sun on the meridian, the resulting
lat. being 35° 41' N.

September 10th 1908 D. set off 35° 36' N. on the lat. arc
4° 57' N. on the decl. arc. and at 8^h 30^m am lmt.
determine a meridian with the solar at the
cov. of secs. 4, 5, 32 and 33 on the S. bdry. of
the Mp., recently estab. by me & described in Exterior Book "G,"
Placed I run
W^o 08' W. bet sec 32 and 33.

BOOK 2585

	Precend N. along over rolling sandy land through sage and greasewood brush and bunch grass.
30.35	Dry ravine 25 lds. wide 5 ft. deep course S.W. asc.
34.50	Dry ravine 10 lds. wide 4 ft. deep course S.W. asc. S.E. slope of ridge
38.45	Top of sand ridge hard N.E. and S.W. descl.
40.00	Set an iron post. 3 ft. long 1 in. in diam. 26 ins. in the ground for cor. of sec. cor. marked on brass cap to 32 on W. half and 33 on E half. Dig pits 18 x 18 x 12 ins. Naud. S. of post. 3 ft. diam. and raise a mound of earth 3 $\frac{1}{2}$ ft. base. 1 $\frac{1}{2}$ ft. high. W. of cor.
40.45	Dry ravine 20 lds. wide 4 ft. deep course S.W. ascend S.E. slope of ridge.
66.00	Top of sand ridge hard N.E. and S.W. descl.
73.75	Dry ravine course S.W. asc.
80.00	Set an iron post. 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 28. 29 32 and 33. marked on brass cap 726 N. S 29 in N.W. R 17 E 328 in N.E. 333 in S.E. and 332 in S.W. quadrants Raise a mound of stone 2 ft base 1 $\frac{1}{2}$ ft high. W. of cor. This impracticable.
	Layd rolling.
	Soil sandy and rate.
	No timber.
	889°56' Now a random line beh. seed 28 and 33
40.00	Set temp. 1/4 sec. cor.
80.04	Intersect Naud S. line 5 lds. S. of the cor. of sec. 27, 28, 33 and 34, heretofore described, thence down
	W 89°58' Now a true line beh. seed 28 and 33
	Precend E. slope over rolling sandy land through sage and greasewood brush and bunch grass and bunch grass.
12.00	Top of ridge hard N. and S. descl.
23.60	Dry ravine course S.W. asc.
33.60	Top of sand ridge hard N.E. and S.W. descl.
40.02	Set an iron post. 3 ft. long 1 in. in diam.

Chains

Subdivision of Tp. 26 N. R. 17 E.

23

	26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S. 28 on N. half and S. 33 on S. half. Dig pits 18x18x12 ins. E and W. of post 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base 1 $\frac{1}{2}$ ft. high N. of cor. Dry ravine course S.W. asc. Top of ridge bears N.E. and S.W. desc. Dry ravine course S.W. asc. The cor. of secs. 28, 29, 32 and 33, described hereinbefore. Land hilly. Soil sandy 3 rd rate. No timber.
51.45	
58.00	
73.15	
80.04	

	N. 0° 0' W. bet. secs. 28 and 29 Ascend S.E. slope of ridge over sandy land through sage and greasewood brush and bunch grass. Top of ridge bears N.E. and S.W. desc. Dry ravine course S.W. asc. Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S. 29 on N. half and S. 28 on E. half. Dig pits 18x18x12 ins. N and S. of post 3 ft dist. and raise a mound of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft. high N. of cor. Top of sand ridge bears E and W. desc. Set an iron post 3 ft. long 2 in. in diam. 24 ins in the ground for cor. of secs. 20-21 28 and 29 marked on brass cap T. 26 N. S. 20 in N.W. R. 17 E. S. 21 in N.E., S. 28 in S.E. and S. 29 in S.W. quadrant Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 7 ft. base 2 ft. high N. of cor. Land hilly. Soil sandy 3 rd rate. No timber.
14.00	
30.10	
40.00	
44.00	
80.00	

Subdivision of Tp. 26 N., R. 17 E.

BOOK 2585

		S. $89^{\circ} 58' E.$ on a random line bet. secs 21 and 28
	40.00	Set a temp $\frac{1}{4}$ sec. cor.
	80.04	Intersect N and S. line 12 lks. S of the cor. of secs. 21-22-27 and 28, hereinbefore described, Thence I run
		S. $89^{\circ} 57' W.$ on a true line bet. secs. 21 and 28
		Descend N.W. slope over hilly land through sage and greasewood brush undergrowth.
	340	Dry ravine course N.W. asc.
	27.00	Top sand ridge bears N and S.
	40.02	Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S 21 on N. half and S 28 on S. half.
		Dig pits 18x18x12 ins. E and W. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high N. of cor.
	44.25	Dry ravine course N.W. ascend.
	46.20	Top of ridge bears N and S. desc.
	80.04	The cor. of secs. 20-21-28 and 29, ^{hereinbefore} described.
		Land hilly.
		Soil sandy 3 rd rate.
		No timber.
		N. $0^{\circ} 03' W.$ bet. secs. 20 and 21
		Over rolling sandy land through sage and greasewood brush undergrowth 2 ft. high
	40.00	Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S. 20 on W. half and S 21 on E. half.
		Dig pits 18x18x12 ins. N and S. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high W. of cor.
	80.00	Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of secs. 16-17-20 and 21, marked on brass cap T. 26 N. S. 17 in N.W., R. 17 E. S. 16 in N.E., S 21 in S.E. and S. 20 in S.W. quadrant.
		Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base 2 ft. high

Chains

W of cor.
Land rolling
Soil sandy 3rd rate
No timber.

- 40.00 N. 89° 57' E. on a random line bet secs 16 and 21
Set temp $\frac{1}{4}$ sec cor.
80.04 Intersect N and S. line 18 thks S of the cor
of secs 15-16-21 and 22, hereinbefore described,
Thence I run
S. 89° 49' W. on a true line bet secs 16 and 21
Ascend E. slope over rolling sandy land
through sage and greasewood brush under-
growth and bunch grass.
13.00 Top of ridge bears N and S. descend
gradually over W. slope.
40.02 Set an iron post 3 ft long 1 in. in diam
26 ins. in. the ground for $\frac{1}{4}$ sec cor.
marked on brass caps $\frac{1}{4}$, S 16 on N half and
S. 21 on S. half.
Dig pits 18x18x12 ins E and W of post 3 ft
dist and raise a mound of earth 3 $\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of cor.
80.04 The cor of secs 16-17-20 and 21, hereinbefore
described.
Land rolling
Soil sandy 3rd rate
No timber

September 10th 1908

- September 12th 1908. At 7 $\frac{1}{2}$ a.m. I set
off 3538 $\frac{1}{2}$ N on the lat. arc $4^{\circ} 13' 37''$ on the decl.
arc and determine a meridian with the solar
at the cor of secs 16-17-20 and 21, hereinbefore
described.
Thence I run
N. 0° 03' W. bet. secs 16 and 17
Over rolling sandy land through sage and
greasewood brush, undergrowth and bunch grass.
40.00 Set an iron post 3 ft long 1 in. in diam 26 ins.
in the ground for $\frac{1}{4}$ sec cor. marked
on brass caps $\frac{1}{4}$, S 17 on W. half and
S. 16 on E. half. Dig pits 18x18x12 ins. N and S. of post
3 ft dist and raise a mound of earth 3 $\frac{1}{2}$ ft. base. $1\frac{1}{2}$ ft.

Subdivision of Tp 26 N R. 17 E.

BOOK 2585

	high. W. of cor.
80.00	Set an iron post 3 ft long 2 ins in diam 24 ins in the ground for cor. of secs 8-9-16 and 17 marked on brass cap T. 26 N. S 8 in N.W. R. 17 E. S 9 in N.E. S 16 in S.E. and S. 17 in S.W. quadrant. Dig pits 18x18x12 ins in each sec 5 $\frac{1}{2}$ ft dist and raise a mound of earth 4 ft. base 2 ft high W of cor. Land rolling Soil sandy 3 rd rate No timber
40.00	S. 89° 49' E. on a random line bet secs 9 and 16 Set Temp $\frac{1}{4}$ sec. cor.
79.98	Intersect N and S line 4 blks N of the cor of secs 9-10-15 and 16, hereinbefore described, Thence I run S. 89° 47' W. on a true line bet secs 9 and 16 Over rolling sandy land covered with sage and greasewood brush undergrowth and bunch grass
39.99	Set an iron post 3 ft long 1 in in diam 26 ins in the ground for $\frac{1}{4}$ sec cor. marked on brass cap $\frac{1}{4}$ S 9 on N half and S 16 on S. half. Dig pits 18x18x12 ins. E and W of post 3 ft dist and raise a mound of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N. of cor.
77.98	The cor of secs 8-9-16 and 17, hereinbefore described. Land rolling Soil sandy 3 rd rate No timber.

September 12th 1908

40.00	September 14 th 1908 At 7 ^h 57 ^m a.m. l.m.t. I set off 35° 39' 27" on the lat arc 3° 26' 21" on the decl arc and determines a meridian with the solar at the cor of secs 8-9-16 and 17, hereinbefore described Thence I run N. 0° 03' W. bet secs 8 and 9 Descend gently over N slope through sage and grasewood brush undergrowth and bunch grass Set an iron post 3 ft long 1 in in diam 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked
-------	--

Claims

27

- on brass cap $\frac{1}{4}$ 88 on W half and 89 on S half.
- Dig pits $18 \times 18 \times 12$ ins. N and S. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 4. 5. 8 and 9 marked on brass cap T 26 N S 5 in N.W. T 26 E S 4 in N.E. S 9 in S.E. and 88 in S.W. quadrant.
- Dig pits $18 \times 18 \times 12$ ins in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high. W. of cor.
- Land rolling.
- Soil sandy 3^{rd} rate.
- No timber.
-
- SV 89° 47' E. on a random line bet. secs 4 and 9.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect N and S. line at the cor. of secs 3. 4. 9 and 10; hereinbefore described.
- Timed Driv.
- S 89° 47' W on a true line bet. secs 4 and 9. Descent gently N.W. slope over rolling sandy land through scattering sage and greasewood bush and bunch grass.
- 40.00 Set an iron post 3 ft long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ 84 on N. half and 89 on S. half.
- Dig pits $18 \times 18 \times 12$ ins. E and W. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high W. of cor.
- The cor. of secs. 4. 5. 8. and 9, hereinbefore described.
- Land rolling.
- Soil sandy 3^{rd} rate.
- No timber.

BOOK 2585

- No. 03 W. on a random line bch. sec. 4 and 5-
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.36 Intersect N. bdry. of 9th 2 lns. N. 89° 58' E.
4. 5. 32 and 38, recently re-established by me & described in
Tunneled Draw
80° 04' E. on a true line bch. sec. 4 and 5-
Ascend N. slope over rolling sandy land through
Sage and greasewood brush undergrowth
40.36 The point for the $\frac{1}{4}$ sec. cor. falls in a deep sand
wash where natural causes would insure its
destruction. Therefore at -
36.36 Set an iron post. 3 ft long 1 in. in diam.
26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on base cap T 26 N. 1918.
35 on W half S 4 on E half and W.C. to on
3 half.
Dig pits 18x18x12 ins. N and S. of post. 3 ft. dist.
and raise a mound of earth $3\frac{1}{2}$ ft. high. 1 $\frac{1}{2}$
ft. high W. of cor.
40.35 Placed Wash. 100 lns. wide 16 ft. deep. Course
SW. ascend gently over rolling land.
80.36 The cor. of sec. 4. 5: 8 and 9, hereinbefore
described.
Land rolling.
Soil sandy $\frac{3}{4}$ " rate.
No timber.

September 12th 1908

September 12th 1908 At 7th 30 m am. I.M.F.
Set off 35° 36' N. on the lat. arc. 4° 13' N. on the decl.
arc. and determine a meridian with the solar
at the cor. of sec. 5. 6. 31 and 32. on the S. bdry.
of the 9th, recently estab. by me & described in Exterior Book "G,"
Tunneled Draw

- No. 03 W. bch. sec. 31 and 32.
Descend N.W. slope over rolling sandy land.
Covered with sage and greasewood brush under-
growth and bunch grass.
40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked on base
cap. $\frac{1}{4}$ S 31 on W half and 332 on E half
Dig pits 18x18x12 ins. N and S. of post. 3 ft. on

Subdivision of Pp 2671. R17E.

Claims

29

	and raised a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high W of cor.
68.00	Dry ravine at foot of descent Course N.W. Enter nearly level land bears N.W. and S.E.
80.00	Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sect. 29, 30, 31 and 32 marked on brass cap T 2671 S 30 in N.W. T 2671 S 29 in N.E. 332 in S.E. and 331 in S.W. quadrant Dig pits $18 \times 18 \times 12$ ins in each rec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W of cor. Land rolling.. Soil sandy 3 rd rate. No timber.

	S $84^{\circ}56' E$ on a random line bet. sect. 29 and 32
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	Intersect N. and S. line at the cor. of sect. 28, 29, 32, and 33, hereinbefore described, Tinney Draw
	N $89^{\circ}56' W$. rec. at true line bet. sect. 29 and 32
	Second E. slope of land ridge over hilly sandy land covered with scattering sage and greasewood brush undergrowth and scattering bunch grass.
2.00	Mop of ridge bears N and S. decl.
20.00	Mop of descent in dry ravine Course S.W. asc.
21.25	Point of ridge bears N.E. and S.W. decl.
23.80	Dry ravine Course N.W. ascend ridge.
24.50	Mop of ridge bears N.W. and S.E. decl..
25.35	Dry ravined Course S.W. asc ridge.
26.00	Mop of ridge bears N.E. and S.W. decl.
27.20	Dry ravined Course N.W. asc.
29.75	Mop of 2nd ridge bears N.W. and S.E.
32.00	Dry ravined Course S.W. asc.
36.40	Mop of ridge bears N.E. and S.W. decl.
40.01	Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor marked on brass cap $\frac{1}{4}$ 3 29 on 7 half and 332 on 8 half.

Subdivision of Mp. 26 N. R17 E.

Sections

BOOK 2585

	Dig pits 18x18x12 ins E. and W. of post 3 ft. dist. and raise a mound of earth 3 1/2 ft. base 1 1/2 ft. high N. of cor.
49.00	Pool of desert sage hilly land bears N.E. and S.W. later rolling land bears N.E. and S.W.
80.02	The cor. of sect. 29, 30, 31 and 32, ^{hereinbefore} described. Land rolling and hilly. Soil sandy 3 rd rate. No timber.
40.00	N 89° 55' W on a random line bet. sects. 30 and 31 Sub. temp. 4 sec. cor.
86.94	Ditch 4 th Grade Muddy Creek, 5 chs. S. of the cor. of sect. 25, 30, 31 and 36; ^{recently estab. by me &} described in Standard Book "A", Thence down N 89° 54' E. on a true line bet. sects. 30 and 31 Across W. slope of sand ridge over hilly land through scattering sage and greasewood brush undergrowth and bunch grass.
19.50	Hop of sand ridge bears N. and S. desc. E. slope.
46.94	Seb an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S 30 on N half, and S 31 on S. half.
	Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high N. of cor.
49.82	Dry ravine Course N.W. sec.
66.30	Hop of ridge bears N.E. and S.W. desc.
75.70	Dry ravine Course S.W. thence on broken land.
81.50	Dry ravine 30 chl. wide 5 ft. deep Course N.W.
86.94	The cor. of sect. 29, 30, 31, and 32; ^{hereinbefore} described. Land hilly. Soil sandy 3 rd rate. No timber.
22.00	N 89° 03' W bet. sects 29 and 30 across S. slope of sand ridge over hilly land. through sage and greasewood brush 2 ft. high. Hop of sand ridge bears N.E. and S.W. desc.

Subdivision of 10th 26th R 17^E. BOOK 2585

81

31

Section

40.00	Set an iron post. 3ft long 1 in. in diam. 26 ins. in the ground for 4 rec. cor. marked on board cap. 1/4 S 30 on W half and 329 on E half. Dig pits 18x18x12 ins. and 3. of post 3ft dist. and raise a mound of earth 3 1/2 ft base 1 1/2 ft high W. of cor.
41.00	Dry ravine course S.W. asl. S.E. slope.
53.00	Top of sand ridge bears N.E. and S.W. decl. gradually over N.W. slope.
80.00	Set an iron post. 3ft long 2 ins. in diam. 24 ins. in the ground for cor. of sect 19, 20, 29 and 30 marked on board cap 1/2 6 N 319 ins N.W. R 17 E S 20 in N.E. 329 in S.E. and 330 in S.W. quadrants. Dig pits 18x18x12 ins. in each sec 5 1/2 ft. dist. and raise a mound of earth 4 ft base 2 ft high W. of cor. Land hilly. Soil sandy 3rd rate. No timber.
40.00	S 89° 56' E on a random line bet. recs 20 and 29 Set turf. 1/4 rec. cor.
80.06	Intersect N and 3 line at the cor. of recs 20 21, 28. and 29, herem before described, Thence down
	N 89° 56' W. on a true line bet. recs 20 and 29 Descend N.W. slope over rolling sandy land through scattering sage and greenwood brush undergrowth and bunch grass.
40.03	Set an iron post. 3ft. long 1 in. in diam. 26 ins. in the ground for 4 rec. cor marked on board cap 1/4 S 20 on N. half and 329 on E half. Dig pits 18x18x12 ins. and 3. of post 3ft. dist. and raise a mound of earth 3 1/2 ft base 1 1/2 ft high N. of cor.
80.06	The cor. of recs 19, 20, 29 and 30; described herem before Land rolling. Soil sandy 3rd rate. No timber.

Subdivision of Twp 26 N. R 17 E

- $N 89^{\circ} 54' W$ on a random line bet secs 19 and 30
Set temp. $\frac{1}{4}$ sec cor.
- 86.82 Intersect 4^{th} Guide Meridian East. 12 lhd m.
of the cor. of secs 19, 24, 25 and 30, & described in Standard
recently estab. by me
Book "A"
Three Drums
- $S 89^{\circ} 54' E$ on a true line bet secs. 19 and 30
Ascend NW. slope over rolling sandy land through
sage and greasewood brush and bunch grass
Set an iron post. 3 ft. long 1 in. in diam. 26 ins.
in the ground for $\frac{1}{4}$ sec. cor marked on brass
cap $\frac{1}{4}$ 319 on N. half and 3 20 on S half.
Dig pits $18 \times 18 \times 12$ ins E. and W. of post 3 ft. dist.
and raise a mound of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft.
high N. of cor.
- 86.82 The cor. of secs 19, 20, 29 and 30, heretofore
Land rolling.
Soil sandy 3^{rd} rate.
No timber.

Sept 12th 1908.

- September 14th Ah. 7th 15^m ^{l.m.t.} set off $35^{\circ} 27\frac{1}{2}' N.$
on the lat. arc. $3^{\circ} 27\frac{1}{2}' N.$ on the dec. arc and
determine a meridian with the solar at the
cor. of secs 19, 20, 29 and 30, heretofore described,
Three Drums
- $N 0^{\circ} 03' W$ bet. secs. 19 and 20
Descend gradually N. slope over rolling sandy
land through sage and greasewood brush
undergrowth and bunch grass.
- 40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked on
brass cap $\frac{1}{4}$ 319 on W. half and 3 20 on E half.
Dig pits $18 \times 18 \times 12$ ins. N. and S. of post 3 ft. dist.
and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
ft. high W. of cor.
- 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24
ins. in the ground for cor. of secs 17
18, 19, and 20, marked on brass cap.
T 26 N. S 18 in N.W. 1/4 R 17 E S 17 in N.E. 3 20
in S.E. and S 19 in S.W. quadrant.

Chains

Subdivision of Tp. 26 N. R. 17 E.

33

Dig pits 18x18x12 ins in each sec. 5 $\frac{1}{2}$ ft dist
and raise a mound of earth 4 ft. base, 2 ft high
W. of cor.

Land rolling

Soil sandy 3rd rate

No timber

S. 89° 56' E. on a random line bet secs 17 and 20
Set temp $\frac{1}{4}$ sec cor.

Intersect N and S line 5 lks. S of the cor. of
secs. 16-17-20 and 21, hereinbefore described,
Thence I run

N. 89° 58' W. on a true line bet secs 17 and 20
Over rolling sandy land slopes to the N.W.
through scattering sage and greasewood brush.
Set an iron post 3 ft long 1 in. in diam 26 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked on
brass cap. $\frac{1}{4}$ S 17 on N. half and S 20 on S. half.

Dig pits 18x18x12 ins E and W of post
3 ft dist and raise a mound of earth
3 $\frac{1}{2}$ ft. base 1 $\frac{1}{2}$ ft high N. of cor.

The cor. of secs. 17, 18, 19, and 20, hereinbefore
described

Land rolling

Soil sandy 3rd rate

No Timber.

N. 89° 59' W. on a random line bet. secs
18 and 19

Set temp $\frac{1}{4}$ sec cor.

Intersect 4th Guide Meridian East, 210 lks. S
of the witness cor. to cor. of secs 13-18-19 and 24
recently established by me & described in Standard Book "A"
Thence I run from true point for cor. secs
13-18-19 and 24 S. 89° 55' E. on a true line bet secs 18 and 19

In bed of Polacca Wash course S.W.

Leave the Polacca Wash course S.W. Enter
level adobe bottom land covered with sage
and greasewood brush undergrowth.

Set an iron post 3 ft long 1 in. in diam 26
ins. in the ground for $\frac{1}{4}$ sec. cor. marked
on brass cap. $\frac{1}{4}$ S 18 on N. half and S 19 on

BOOK 2585

S. half.
 Dig pits 18x18x12 ins E. and W. of post
 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft
 base, 1 $\frac{1}{2}$ ft high N. of cor. Ascend.
 Top sand ridge b/w N.W. and S.E. descr.
 The cor. of secs. 17-18-19 and 20, described ^{herebefore}.
 Land rolling and hilly
 Soil sandy and adobe 3rd rate
 No timber.

NOTE. Sept. 14th 1908 at the $\frac{1}{4}$ sec cor bet. secs 18
 and 19 ^{above described} I set off. 3° 22' N. on the decl. arc and
 at 11^h 57^m A.M. L.M.T. observe the sun on the
 meridian and obtain on the lat. arc a
 reading of 35° 38 $\frac{1}{2}$ ' N.

N. 0° 03' W. between secs. 17 and 18.
 Over rolling sandy land slopes to the N.W.
 through sage and greasewood brush undergrowth.
 Set an iron post 3 ft. long 1 in. in diam
 26 ins in the ground for $\frac{1}{4}$ sec cor. marked
 on brass cap. $\frac{1}{4}$ S. 18 on W. half. and
 S. 17 on E. half.
 Dig pits 18x18x12 ins N and S of post 3 ft
 dist. and raise mound of earth 3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft
 high N. of cor.
 Enter adobe flat. bears N.E. and S.W. and
 light rolling land bears N.C. and S.W.
 Set an iron post 3 ft long 2 ins in diam 27 ins
 in the ground for cor. of secs 7-8-17
 and 18. marked on brass cap T. 26 N.
 S. 7 in N.W. R. 17 C. 2 S. 8 in N.E. S. 17 in
 S.E. and S. 18 in S.W. quadrant.
 Dig pits 18x18x12 ins in each sec. 5 $\frac{1}{2}$ ft
 dist. and raise mound of earth 4 ft base 2 ft
 high N. of cor.
 Land level and rolling
 Soil sandy and adobe 3rd rate
 No timber

Chains

Subdivision of Pp 26 N. P 17 E

35

- $88^{\circ}58' E$ on a random line bet. secs 8 and 17
40.00 Set temp. 4 feet cov.
80.04 Intersect N and S. line 14 lbs. N. of the cov. of
secs. 8, 9 16 and 17, herembefore described,
Thence Drun
 $W89^{\circ}52' W$ on a true line bet. secs 18 and 17
Over rolling Sandy and adobe land through
Sage and greasewood brush undergrowth
and bunch grass.
25.00 Round rolling land bears N.E. and S.W. enter
level adobe land bears N.E. and S.W.
40.02 Set an iron post 3 ft long in a drain 26
ins. in the ground for 4 sec. cov marked
on brass cap $\frac{1}{4}$ 87 on N. half and 81 on
S half.
Dig pits 18x18x12 ins. E and W of post 3 ft.
dist. and raised a mound of earth $3\frac{1}{2}$ ft. base
 $1\frac{1}{2}$ ft high. N. of cov.
80.04 Thel cov. of secs. 7, 8, 17 and 18, herembefore described.
Land level and rolling.
Soil sandy and adobe $2\frac{1}{2}$ and $3\frac{1}{2}$ ins. " "
No timber.

- $W89^{\circ}55' W$ on a random line bet. secs 7 and 18.
40.00 Set temp. 4 sec. cov.
86.58 Intersect 14th Guide Meridian East. 6 lbs.
N. of the cov. of secs. 7, 12, 13 and 18, me & described in
recently estab. by
Standard Book "A"
Thence Drun
 $88^{\circ}58' E$ on a true line bet. secs. 7 and 18.
Second S.E. slope over rolling Sandy land
through bunch grass.
46.58 Set an iron post. 3 ft. long 1 in. in drain. 26
ins. in the ground for 4 sec. cov. marked on
brass cap $\frac{1}{4}$ 87 on N. half and 81 on S half.
Dig pits 18x18x12 ins. E and W of post 3 ft.
dist. and raised a mound of earth $3\frac{1}{2}$ ft. base
 $1\frac{1}{2}$ ft high N. of cov.
The Polacca Wash. 100 lbs. wide banks
 $2\frac{1}{2}$ ft high. Course S.W.
The cov. of secs. 7, 8, 17 and 18, herembefore described.
Land rolling.

BOOK 2585

Soil sandy and adobe 2nd and 3rd rate.
No timber.

- No 03' beh sec 7 and 8.
Over rolling sandy land through sage and
greasewood brush undergrowth and bunch grass.
40.00 Set an iron post. 3 ft. long 1 in. in diam. 26
ins. in the ground for 4 sec. cor. marked
on base cap 4 37 on W half and 38 on E
half.
Dig pits 18 x 18 x 12 ins. End 3 of post 3 ft. dist.
and raise a mound of earth 3 1/2 ft. base 11 1/2
ft. high. W. of cor.
53.00 Th Polaccia Wash 200 lks. wide. Banks 20 ft.
high course S.E.
80.00 Beh an iron post. 3 ft. long 2 ins. in diam.
24 ins. in the ground for cor. of sec. 5, 6
7 and 8. marked on base cap 7 26 N 36 in
W.W. R17E 35 in N.E. 38 in. S.E. end 37 in S.W.
quadranth.
Dig pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft.
dist. and raise a mound of earth 14 ft. base
2 ft. high W. of cor.
Land rolling.
Soil sandy and adobe 2nd and 3rd rate.
No timber.

89°52' E on a random line beh. sec 5 and 8.
40.00 Set temp. 4 sec. cor.
80.04 Intersect N and S line 5 lks. N. of the cor. of
secs 4, 5, 8 and 9, herein before described,
Three Drums
N 89°50' W on a true line beh. sec 5 and 8
Over rolling sandy and adobe land through sage
and greasewood brush undergrowth and bunch grass.
40.02 Set an iron post. 3 ft. long 1 in. in diam. 26 ins.
in the ground for 4 sec. cor. marked on base cap
4 35 on N half and 38 on S half.
Dig pits 18 x 18 x 12 ins. End 3 of post 3 ft.

- dist and raise a mound of earth 3 1/2 ft base
1 1/2 ft high N. of cov.
53.00 Polacca Wash (dry) 100 lks wide banks
15 ft. high course S.W.
80.04 The cov. of secs. 5-6-7 and 8, hereinbefore described.
Land rolling.
Soil sandy and adobe 3rd sat.
No timber.

September 14 1908

- Sept 15th 1908. At 8^h 56^m a.m. l.m.t. set off 35° 40' N. mlat and
3° 01 1/2' N. on decl. and determine a meridian with the solar
at the cov. of secs. 5-6-7 and 8, ^{hereinbefore described} thence I run
N 82° 58' W. on a random line bet. secs. 6 and 7.
Set temp 1/4 sec. cov.
Intersect the 4th Guide Meridian East. 5 lks
N. of the cov. of secs. 1-6-7 and 12, & described in Standard
Book "A"
Thence I run
East, on a true line bet. secs 6 and 7
Over low rolling sand hills, through
scattering sage and greasewood brush.
Road from Winslow to Payson, bears N.E. and S.W.
Set an iron post 3 ft. long 100 in diam.
26 ins. in the ground far 1/4 sec. cov.
marked on brass cap 1/4 86 on N. half and
S. 7 on S. half.
Dig pit 18x18x12 ins E and W. of post 3 ft.
dist and raise a mound of earth 3 1/2 ft base
1 1/2 ft. high N. of cov.
Begin descent over S.E. slope.
The cov. of secs. 5-6-7 and 8, hereinbefore described
Land hilly and rolling.
Soil sandy and adobe 3rd sat.
No timber.

- N. 0° 03' W. on a random line bet. secs. 5-
and 6.
Set temp. 1/4 sec. cov.
Intersect N. bdry. of Tp. 8 lks ^{5.89:58' W.} of the
cov. of secs 5-6-31 and 32, recently re-estab. by me & described
in Exterior Book "G,"
Thence I run
South on a true line bet. secs. 5 and 6.
Over rolling adobe land through sage and

Subdivision of Tp 26 N. R. 17 E.

BOOK 2585

30.00	greasewood brush and bunch grass. Road from Winslow to Morenci runs N.E. and S.W. Set an iron post 3 ft. long 1 in. in diam.
40.06	26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S 6 on W. half and S 5 on E half. Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
45.00	Scarce adobe land bears N.E. and S.W. ascend N.W. slope over hilly land bears N.E. and S.W.
49.00	Top of steep ascent on ridge bears N.E. and S.W. thence over low rolling hills.
80.06	The cor. of secs. 5-6-7 and 8, hereinbefore described. Land rolling and hilly. Soil sandy and adobe, 2 nd and 3 rd rate. No timber.

September 15th 1908

General Description.

The land in this township consists chiefly of rolling sand hills, is highest in the southern part, and slopes gently to the N.W.

The soil which can nearly all be classed as 3rd rate is covered with a good growth of nutritious grasses, which furnished excellent pasture for numerous bands of sheep and goats belonging to the Hopi Indians.

There is some level land along the Polaceo Wash which crosses the north western part of the township in a southwesterly direction, this land is of a 2nd rate character and will produce corn and short season crops without irrigation.

There is no timber in the township and no minerals or stone of commercial value.

The Burro Spring in Sec. 7, furnished the only water found in the township during the dry summer months.

Cham:

39

There are no permanent settlers in the township although at different seasons of the year, Indians who own bands of sheep occupy the buildings constructed for them in the vicinity of Burro Spring.

Sept. 15. 1908.

Sidney E. Bloch
U.S. Examiner of Surveys

90

40

Patent

Subdivision of Pfeifer's Pt. E.

BOOK 2585

U.S. EXAMINER OF SURVEYS
FINAL OATHS OF DEPUTY SURVEYOR AND HIS ASSISTANTS.

LIST OF NAMES.

A list of the names of the individuals employed by Sidney E. Blout
Examiner of Surveys, United States Deputy Surveyor, to assist in running, measuring, and
marking the lines and corners described in the foregoing field notes of the survey of the subdivision lines
of Twp 26 N. R17 E. of the Gila and Salt River Base and Meridian in the Territory of Arizona
showing the respective capacities in which they acted:

Harry A. Kenney, Compassman
Fred L. Warner and Van L. White, Chainman.
Ralph D. Wetstrand and Walter A. Swaffer, Chainman.
Henry Jennings, Moundman.
Harry J. Hessler, Moundman.
Charles A. Dutton, Axman.
Bob E. Claborn, Flagman.
Chas L. Shumway, Flagman.

FINAL OATH OF ASSISTANTS.

We hereby certify that we assisted Sidney E. Blout
Examiner of Surveys, United States Deputy Surveyor, in surveying all

those parts or portions of the Subdivision lines of
Township 26 North, Range 17 East

Salt River Base and Meridian, Territory of Arizona, which are represented
in the foregoing field notes as having been surveyed by him and under his direction; and that said survey
has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the
corner monuments established according to the instructions furnished by the Commissioner of the
General Land Office.

See Seal, Chainman.

See Seal, Chainman.

See Seal, Moundman.

See Seal, Moundman.

See Seal, Axman.

See Seal, Axman.

See Seal, Flagman.

Subscribed and sworn to before me this _____
day of _____, 190_____ }



92
42
BOOK 255

EXAMINER OF SURVEYS
FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.

I, Sidney E. Blout, ^{Examiner of Surveys} United States Deputy Surveyor, do solemnly swear that, in pursuance of Special Instructions received from the Commissioner of the United States Surveyor General Land Office, bearing date of the 2nd day of Oct. 1907 & 15th day of May, 1908, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor General Land Office, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the

Subdivision lines of
Township 26 North, Range 17 East

of the Gila & Salt River

Base and Meridian, in the territory of Arizona, which are represented in the foregoing field notes as having been surveyed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the United States Surveyor General Land Office, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

See Subdivisional Book "I"

United States Deputy Surveyor.
Examiner of Surveys.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 190_____ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona APR 25 1914

The foregoing field notes of the survey of the

Subdivision lines of

Township 26 North, Range 17 East of the
Gila and Salt River Base and Meridian, Arizona,

executed by Sidney E. Blout, U.S. Examiner of Surveys
Special Instructions from the Commissioner of the General Land Office, dated Oct. 2, 1907 and May 15, 1908, ¹⁰⁰, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Hank D. Ingalls

United States Surveyor General
STATE OF ARIZONA

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

United States Surveyor General.