

*141*  
2754

4-679

2754

Book "T"

150-1314

Subdivisions  
**FIELD NOTES**

BOOK 2754

OF THE SURVEY OF THE

Subdivision of T. 7 S., R. 8 E.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Jesse B. Wright,

and

William H. Elliott,

In the capacity of U. S. Surveyors, under instructions dated July 24, 1913,  
issued by the United States Surveyor General to govern surveys included in  
Group No. 30, which were approved by the Commissioner of the General Land  
Office, August 4, 1913, pursuant to authority contained in the Act of  
Congress dated June 23, 1913.

Survey commenced November 12, 1913, 1913

Survey completed November 18, 1913, 1913

BOOK 2754

**INDEX DIAGRAM.***Township 7 S., Range 8 E.*

6	18	5	14	4	9	8	5	2	1	1
19		18		14		10		5		1
7	19	8	14	9	10	10	6	11	2	12
20		19		15		10		6		2
18	20	17	15	16	11	15	6	14	2	13
21		20		16		11		7		3
19	21	20	16	21	11	22	7	23	3	24
22		21		16		12		8		3
30	22	29	17	28	12	27	8	26	4	25
23		22		17		13		8		4
31	23	32	17	33	13	34	9	35	4	36

6-151

Book A.

## Subdivision of T.7 S., R.8 E.

## Chains.

Survey commenced Nov. 12, 1913, and executed jointly by Jesse B. Wright and William H. Elliott, U. S. Surveyors, Using Young & Son's light mountain transits Nos. 8145 and 8492, description and field tests heretofore given in books "D" and "E".

(Lines run by Wright and Elliott designated by J. B. W. and W. H. E., respectively.

Knowing from recent and repeated tests made on a true meridian established by observations of Polaris at our camp, that our instruments are in correct adjustment,

At 8h. 8m. 11.7s. we proceeded as follows:- J. B. W.  
At the cor. of secs. 1, 2, 35 and 36 on the N. bdry. of the Tp. recently re-established by William H. Elliott and by him described in book "A", I set off  $17^{\circ}37' S.$  on the decl. arc, and  $32^{\circ}51\frac{1}{2}' N.$  on the lat. arc, and determine a meridian with the solar.

Thence I run,

S.  $0^{\circ}8' W.$  bet. secs. 1 & 2

Over gently rolling land, through thick brush.  
40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 2 in W., and

S 1 in E. half; from which

A mesquite tree 20 ins. dia., bears  $S.79^{\circ}E.54$  lks. dist., marked  $\frac{1}{4}$  S 1 B T

A mesquite tree 8 ins. dia., bears  $S.36^{\circ}W.22$  lks. dist., Marked  $\frac{1}{4}$  S 2 B T

50.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 1, 2, 11 & 12, marked on brass cap,

1913 near S. edge;

T 7 S R 8 E in N. half;

S 2 in NW.,

S 1 in NE.,

S 12 in SE. and

S. 11 in SW. quad., from which

A mesquite tree 8 ins. dia., bears  $N.45^{\circ} E.119$  lks. dist., marked T 7 S R 8 E S 1 B T

A mesquite tree 14 ins. dia., bears  $S.9\frac{3}{4}^{\circ} E. 48$  lks. dist., marked T 7 S R 8 E S 12 B T

A mesquite tree 8 ins. dia., bears  $S.71^{\circ}W. 66$  lks. dist., marked T 7 S R 8 E S 11 B T

A mesquite tree 14 ins. dia., bears  $N.31^{\circ}W.130$  lks. dist., marked T 7 S R 8 E S 2 B T

Land, slightly rolling.

Soil, sandy, dry, 2nd rate.

Mesquite, greasewood and other brush.

40.00 N.  $89^{\circ}46' E.$ , on a random line bet. secs. 1 & 12.

Set temp.  $\frac{1}{4}$  sec. cor.

80.08 Intersect E. bdry. of Tp. 7 lks. N. of the cor. of secs. 1 & 12 recently re-established by William H. Elliott, and by him described in book "A";

Thence I run

S.  $89^{\circ}49' W.$ , on a true line bet. secs. 1 & 12.

Over gently rolling land.

40.04 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 1 in N., and

S 12 in S. half;

dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of post.

80.08 Cor. of secs. 1, 2, 11 & 12.

Land, slightly rolling.

Soil, loam, dry, 2nd rate.

Mesquite, greasewood and other brush.

## Subdivision of T.7 S., R.8 E.

Chains. S.0°8'W. bet. secs. 11 & 12.

Over gently rolling land, through thick brush.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 12 in E., and

S 11 in W. half; from which

A mesquite tree, 18 ins. dia., bears S.55°E. 160 lks. dist.,

marked  $\frac{1}{4}$  S 12 B T.

A mesquite tree, 14 ins. dia., bears S.50°W. 63 lks. dist.,

marked  $\frac{1}{4}$  S 11 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 11, 12, 13 & 14, marked on brass cap,

1913 near S. edge;

T 7 S R 8 E in N. half;

S 11 in NW.,

S 12 in NE.,

S 13 in SE. and

S 14 in SW. quad.;

dig pits 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, slightly rolling.

Soil, fine loam, 2nd rate.

Mesquite, greasewood and other brush.

At this cor., at noon I set off 17°41' S. on the decl. arc, and observe the sun on the meridian. The resulting latitude is 32°50' N.

N.89°49' E. on a random line bet. secs. 12 & 13.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.10 Intersect E. bdry. of Tp. at cor. of secs. 12 & 13 recently re-established by William H. Elliott and described in book "A".

Thence I run,

S.89°49' W., on a true line bet. secs. 12 & 13.

Over gently rolling land, through thick brush.

40.05 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 12 in N.,

S 13 in S. half; from which

A mesquite tree 18 ins. dia., bears N.84° W. 174 lks. dist.,

marked  $\frac{1}{4}$  S 12 B T

A mesquite tree 12 ins. dia., bears S.61 $\frac{1}{4}$ °W. 242 lks. dist.,

marked  $\frac{1}{4}$  S 13 B T

80.10 Cor. of secs. 11, 12, 13 & 14.

Land, slightly rolling.

Soil, fine loam, 2nd rate.

Mesquite, greasewood and other brush.

S.0°8'W. bet. secs. 13 & 14.

Over gently rolling land, through thick brush.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 13 in E. and

S 14 in W. half;

dig pits 18x18x12 ins., N. & S. of cor., 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of post.

80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 13, 14, 23 & 24, marked on brass cap,

1913 near S. edge;

T 7 S R 8 E in N. half;

S 14 in NW.,

S 13 in NE.,

S 24 in SE. and

S 23 in SW. quad., from which

A mesquite tree 6 ins. dia., bears S.50 $\frac{1}{2}$ °W. 176 lks. dist.,

marked T 7 S R 8 E S 23 B T

no other bearings available.

dig pits 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and

raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling. Soil, 2nd rate, Mesquite, greasewood.

## Subdivision of T.7 S., R.8 E.

BOOK 2754

1953

Chains. N.  $89^{\circ}49'$  E., on a random line bet. secs. 13 & 24.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.12 Intersect E.bdry. of Tp. 5 lks. S. of cor. of secs. 13 & 24,  
     recently re-established by William H. Elliott, and  
     described in book "A".  
 Thence I run,  
 S.  $89^{\circ}47'$  W., on a true line bet. secs. 13 & 24.  
 Over gently rolling land through thick brush.  
 40.06 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 13 in N. and  
         S 24 in S.half;  
         dig pits 18x18x12 ins., E. & W. of cor., 3 ft. dist., and  
         raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of post.  
 80.12 Cor. of secs. 13, 14, 23 & 24.  
 Land, gently rolling.  
 Soil, dry loam, 2nd rate.  
 Mesquite, greasewood and other brush.

Nov. 12, 1913.  
J. B. W.

J. B. W.  
 Nov. 14, 1913. At 8 h.a.m., l.m.t., I set off  $18^{\circ}9'$  S. on the  
 decl.arc;  $32^{\circ}48\frac{1}{2}'$  N. on the lat.arc, and determine a meridian  
 with the solar at the cor. of secs. 13, 14, 23 & 24,  
 hereinbefore described.  
 Thence I run  
 S.  $0^{\circ}8'$  W. bet. secs. 23 & 24.  
 Over gently rolling land, through thick brush.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 24 in E. and  
         S 23 in W.half;  
         dig pits, 18x18x12 ins., N. & S. of cor. 3 ft. dist., and  
         raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of post.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
     ground, for cor. of secs. 23, 24, 25 & 26, marked on brass cap,  
         1913 near S.edge;  
         T 7 S R 8 E in N.half;  
         S 23 in NW.,  
         S 24 in NE.,  
         S 25 in SE. and  
         S 26 in SW.quad.;  
         dig pits 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and  
         raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

40.00 N.  $89^{\circ}47'$  E., on a random line bet. secs. 24 & 25.  
 80.16 Set temp.  $\frac{1}{4}$  sec.cor.  
 Intersect E.bdry. of Tp. at cor. of secs. 24 & 25, recently  
     re-established by William H. Elliott, and described in  
     book "A".  
 Thence I run  
 S.  $89^{\circ}47'$  W., on a true line bet. secs. 24 & 25.  
 Over gently undulating land, through thick brush.  
 40.08 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge.  
          $\frac{1}{4}$  S 24 in N. and  
         S 25 in S.half; from which  
         A mesquite tree, 16 ins. dia., bears S.  $64^{\circ}$  E. 340 lks. dist.,  
         marked  $\frac{1}{4}$  S 25 B T  
         A mesquite tree, 14 ins. dia., bears N.  $81^{\circ}$  W. 77 lks. dist.,  
         marked  $\frac{1}{4}$  S 24 B T  
 80.16 Cor. of secs. 23, 24, 25 & 26.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

## Subdivision of T.7 S., R.8 E.

## Chains.

- S.0°8'W.bet.secs.25 & 26.  
 Over gently undulating land, through thick brush.  
 40.00 Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 25 in E., and  
     S 26 in W.half; from which  
     A mesquite tree, 12 ins.dia., bears N.78 $\frac{1}{2}$ °E.69 lks.dist., marked  $\frac{1}{4}$  S 25 B T  
     A mesquite tree 6 ins.dia., bears S.1°W. 438 lks.dist., marked  $\frac{1}{4}$  S 26 B T  
 80.00 Set an iron post, 3 ft.long, 2 ins.in dia., 24 ins.in the ground, for cor.of secs.25,26,35 & 36, marked on brass cap,  
     1913 near S.edge;  
     T 7 S. R 8 E in N.half;  
     S 26 in NW.,  
     S 25 in NE.,  
     S 36 in SE. and  
     S 35 in SW.quad.;  
     dig pits 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft.dist., and raise a mound of earth, 4 ft.base, 2 ft.high, W.of cor.  
 Land, slightly undulating.  
 Soil,dry,fine loam,2nd rate.  
 Mesquite,greasewood and other brush.  
 At this cor., at noon, I set off 18°13'S.on the decl.arc, and observe the sun on the meridian. The resulting latitude is 32°47'N.

- N.89°47'E., on a random line bet.secs.25 & 36.  
 40.00 Set temp. $\frac{1}{4}$  sec.cor.  
 80.18 Intersect E.bdry.of Tp.7 lks.N.of cor.of secs.25 & 36, recently re-established by William H.Elliott, and described in book "A".  
 Thence I run  
 S.89°50'W., on a true line bet.secs.25 & 36.  
 Over gently undulating land, through thick brush.  
 40.09 Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913,near S.edge;  
      $\frac{1}{4}$  S 25 in N. and  
     S 36 in S.half; from which  
     A mesquite tree 8 ins.dia., bears S.84°W.109 lks.dist., marked  $\frac{1}{4}$  S 36 B T  
     A mesquite tree 10 ins.dia., bears N.74°W.108 lks.dist., marked  $\frac{1}{4}$  S 25 B T.  
 80.18 Cor.of secs.25,26,35 & 36.  
 Land,gently undulating.  
 Soil,dry,fine loam,2nd rate.  
 Mesquite,greasewood and other brush.

- S.0°8'W.bet.secs.35 & 36.  
 Over gently undulating land, through thick brush.  
 40.00 Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 35 in W. and  
     S 36 in E. half;  
     dig pits, 18x18x12 ins., N.& S.of cor., 3 ft.dist., and raise a mound of earth,  $3\frac{1}{2}$  ft.base,  $1\frac{1}{2}$  ft.high, W.of post.  
 79.71 Intersect N.bdry.of T.8 S., R.8 E., at a point, whence the(book "A"  
     cor.of secs.1 & 2 bears S.89°14'W.56 lks.dist.described in  
     Set an iron post, 3 ft.long, 2 ins.in dia., 24 ins.in the ground, for closing cor.of secs.35 & 36,marked on brass cap,  
     1913 near S.edge;  
     CC N.of center;  
     R 8 E in W.half,  
     T 7 S in N.half and  
     T 8 S S 1 S 2 in S.half;  
     S 35 in NW. and  
     S 36 in NE.quad.;

## Subdivision of T.7 S., R.8 E.

BOOK 2754

Chains. dig pits,  $2\frac{1}{4} \times 18 \times 12$  ins., crosswise in each line, E. & W., 3 ft., and N. of post, 7 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, N. of cor.  
 Land, slightly undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

Nov. 14, 1913. J. B. W.

## W. H. E.

Nov. 14, 1913, at 8h., a.m.l.m.t., at the cor. of secs. 2, 3, 34 & 35 on the N. bdry. of p. recently re-established by me and described in book "A", I set off  $18^{\circ}9' S.$  on the decl. arc, and  $32^{\circ}51\frac{1}{2}' N.$  on the lat. arc, and determine a meridian with the solar.

Thence I run

S.  $0^{\circ}8' W.$  bet. secs. 2 & 3.

Over gently undulating land, through thick brush.

10.80 Road, NE. &amp; SW.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
 1913 near S. edge; $\frac{1}{4}$  S 3 in W. and

S 2 in E. half;

dig pits,  $18 \times 18 \times 12$  ins., N. & S. of cor., 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of post.

80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 2, 3, 10 &amp; 11, marked on brass cap,

1913 near S. edge;

T 7 S R 8 E in N. half;

S 3 in NW.,

S 2 in NE.,

S 11 in SE. and

S 10 in SW. quad.;

dig pits,  $18 \times 18 \times 12$  ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently undulating.

Soil, dry, fine loam, 2nd rate.

Mesquite, greasewood and other brush.

N.  $89^{\circ}53' E.$ , on a random line bet. secs. 2 & 11.40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.20 Intersect N. &amp; S. line, 12 lks. of cor. of secs. 1, 2, 11 &amp; hereinbefore described.

Thence I run

S.  $89^{\circ}48' W.$ , on a true line bet. secs. 2 & 11.

Over gently undulating land, through thick brush.

40.10 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

 $\frac{1}{4}$  S 2 in N. and

S 11 in S. half;

dig pits,  $18 \times 18 \times 12$  ins., E. & W. of cor., 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of post.

80.20 Cor. of secs. 2, 3, 10 &amp; 11.

Land, slightly undulating.

Soil, dry, fine loam, 2nd rate.

Mesquite, greasewood and other brush.

## Subdivision of T.7 S., R.8 E.

C  
Chains.

- S.0°8'W., bet. secs. 10 & 11.  
 Over gently undulating land, through thick brush.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S. edge;  
      $\frac{1}{4}$  S 10 in W., and  
     S 11 in E. half; from which  
     A mesquite tree, 12 ins. dia., bears N. 50° E. 65 lks. dist.,  
     marked  $\frac{1}{4}$  S 11 B T  
     A mesquite tree, 24 ins. dia., bears S. 40° W. 243 lks. dist.,  
     marked  $\frac{1}{4}$  S 10 B T  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 10, 11, 14 & 15, marked on brass cap,  
     1913 near S. edge;  
     T. 7 S., R. 8 E. in N. half;  
     S 10 in NW.,  
     S 11 in NE.,  
     S 14 in SE. and  
     15 in SW. quad.; from which  
     A mesquite tree, 12 ins. dia., bears N. 84 $\frac{1}{2}$ ° E. 350 lks. dist.,  
     marked T 7 S R 8 E S 11 B T  
     A mesquite tree, 12 ins. dia., bears S. 31 $\frac{1}{2}$ ° E. 77 lks. dist.,  
     marked T 7 S R 8 E S 14 B T  
     A mesquite tree, 14 ins. dia., bears S. 64 $\frac{3}{4}$ ° W. 167 lks. dist.,  
     marked T 7 S R 8 E S 15 B T  
     A mesquite tree, 10 ins. dia., bears N. 45° W. 234 lks. dist.,  
     marked T 7 S R 8 E S 10 B T  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.  
 At this cor., at noon, I set off 18°13'S. on the decl. arc,  
 and observe the sun on the meridian. The resulting  
 latitude is 32°50'N.

- 
- N. 89°48' E., on a random line, bet. secs. 11 & 14.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.18 Intersect N. & S. line, 14 lks. N. of cor. of secs. 11, 12, 13 & 14, hereinbefore described.  
 Thence I run  
 S. 89°54' W., on a true line bet. secs. 11 & 14.  
 Over gently undulating land, through thick brush.  
 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S. edge;  
      $\frac{1}{4}$  S 11 in N. and  
     S 14 in S. half; from which  
     A mesquite tree, 12 ins. dia., bears N. 74 $\frac{1}{2}$ ° E. 418 lks. dist.,  
     marked  $\frac{1}{4}$  S 11 B T  
     A mesquite tree 10 ins. dia., bears S. 80° E. 147 lks. dist.,  
     marked  $\frac{1}{4}$  S 14 B T  
 80.18 Cor. of secs. 10, 11, 14 & 15.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.
- 

- S.0°8'W., bet. secs. 14 & 15.  
 Over gently undulating land, through thick brush.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S. edge;  
      $\frac{1}{4}$  S 15 in W. and  
     S 14 in E. half; from which  
     A mesquite tree, 10 ins. dia., bears N. 87 $\frac{1}{4}$ ° E. 112 lks. dist.,  
     marked  $\frac{1}{4}$  S 14 B T  
     A mesquite tree, 10 ins. dia., bears S. 50 $\frac{1}{2}$ ° W. 126 lks. dist.,  
     marked  $\frac{1}{4}$  S 15 B T  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 14, 15, 22 & 23, marked on brass cap,  
     1913 near S. edge;  
     T 7 S R 8 E in N. half;

## Subdivision of T. 7 S., R. 8 E.

BOOK 274

**Chains.**

S 15 in NW.,  
 S 14 in NE.,  
 S 23 in SE. and  
 S 22 in SW.quad.;  
 dig pits 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

---

- 40.00 N.  $89^{\circ}54' E.$ , on a random line, bet. secs. 14 & 23.  
 Set temp.  $\frac{1}{4}$  sec.cor.
- 80.22 Intersect N. & S. line, 9 lks.S. of cor. of secs. 13, 14, 23 & 24,  
 hereinbefore described.  
 Thence I run  
 S.  $89^{\circ}50' W.$ , on a true line bet. secs. 14 & 23.  
 Over gently undulating land, through thick brush.  
 40.11 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
 1913 near S.edge;  
 $\frac{1}{4}$  S 14 in N. and  
 S 23 in S.half; from which  
 A mesquite tree, 10 ins.dia., bears S.  $89^{\circ}W.147$  lks.dist.,  
 marked  $\frac{1}{4}$  S 23 B T  
 A mesquite tree, 24 ins.dia., bears N.  $8^{\circ}W.266$  lks.dist.,  
 marked  $\frac{1}{4}$  S 14 B T
- 80.22 Cor. of secs. 14, 15, 22 & 23.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

W. H. E.  
Nov. 14, 1913.

- W. H. E. Nov. 15, 1913. At 8h., a.m., l.m.t., I set off  $18^{\circ}24\frac{1}{2}' S.$  on the  
 decl.arc, and  $32^{\circ}48\frac{1}{2}' N.$  on the lat.arc, and determine a  
 meridian with the solar, at the cor. of secs. 14, 15, 22 & 23.  
 Thence I run,  
 S.  $0^{\circ}8' W.$  bet. secs. 22 & 23.  
 Over gently undulating land, through thick brush.  
 40.00 Waah 15 lks.wide, course NNW. so at  
 39.75 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
 ground, for W.C. to  $\frac{1}{4}$  sec.cor., marked on brass cap,  
 1913 near S.edge;  
 WC  $\frac{1}{4}$  S. of center;  
 S 22 in W. and  
 S 23 in E.half; from which  
 A mesquite tree, 8 ins.dia., bears N.  $75\frac{1}{2}^{\circ}E.80$  lks.dist.,  
 marked  $\frac{1}{4}$  S 23 B T W C  
 A mesquite tree, 12 ins.dia., bears N.  $65^{\circ}W.76$  lks.dist.,  
 marked  $\frac{1}{4}$  S 22 B T W C
- 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
 ground, for cor. of secs. 22, 23, 26 & 27, marked on brass cap,  
 1913 near S edge;  
 T 7 S R 8 E in N.half;  
 S 22 in NW.,  
 S 23 in NE.,  
 S 26 in SE. and  
 S 27 in SW.quad.; from which  
 A mesquite tree, 10 ins.dia., bears N.  $69\frac{3}{4}^{\circ}E.222$  lks.dist.,  
 marked T 7 S R 8 E S 23 B T  
 A mesquite tree, 10 ins.dia., bears S.  $49\frac{1}{2}^{\circ}E.26$  lks.dist.,  
 marked T 7 S R 8 E S 26 B T  
 A mesquite tree, 10 ins.dia., bears S.  $71\frac{1}{4}^{\circ}W.282$  lks.dist.,  
 marked T 7 S R 8 E S 27 B T  
 A mesquite tree, 12 ins.dia., bears N.  $85\frac{1}{4}^{\circ}W.253$  lks.dist.,  
 marked T 7 S R 8 E S 22 B T
- Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.
-

## Subdivision of T. 7 S., R. 8 E.

## Chains.

- N.89°50'E., on a random line, bet. secs. 23 & 26.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor. S  
 80.20 Intersect N. & S. line 5 lks. of cor. of secs. 23, 24, 25 & 26,  
     as hereinbefore described.  
 Thence I run  
     S.89°48'W., on a true line bet. secs. 23 & 26.  
     Over gently undulating land, through thick brush.  
 40.10 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 23 in N. and  
         S 26 in S.half;  
         dig pits, 18x18x12 ins., E. & W. of cor., 3 ft. dist., and  
         raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of post.  
 80.20 Cor. of secs. 22, 23, 26 & 27.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

S.0°8'W., bet. secs. 26 &amp; 27.

- Over gently undulating land, through thick brush.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 27 in W. and  
         S 26 in E.half; from which  
         A mesquite tree 12 ins.dia., bears S.40°E.143 lks.dist.,  
         marked  $\frac{1}{4}$  S 26 B T  
         A mesquite tree, 10 ins.dia., bears S.28°W.319 lks.dist.,  
         marked  $\frac{1}{4}$  S 27 B T  
 80.00 Set an iron post, 3 ft. long, 2 ins.dia., 24 ins. in the  
     ground, for cor. of secs. 26, 27, 34 & 35, marked on brass cap,  
         1913 near S.edge;  
         T 7 S R 8 E in N.half;  
         S 27 in NW.,  
         S 26 in NE.,  
         S 35 in SE. and  
         S 34 in SW.quad.; from which  
         A mesquite tree 14 ins.dia., bears N.14 $\frac{1}{2}$ E. 64 lks.dist.,  
         marked T 7 S R 8 E S 26 B T  
         A mesquite tree, 10 ins.dia., bears S.37 $\frac{1}{2}$ E.108 lks.dist.,  
         marked T 7 S R 8 E S 35 B T  
         A mesquite tree 12 ins.dia., bears S. 5 $\frac{1}{2}$ W.198 lks.dist.,  
         marked T 7 S R 8 E S 34 B T  
         A mesquite tree 8 ins.dia., bears N. 71°W.195 lks.dist.,  
         marked T 7 S R 8 E S 27 B T  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.  
 At this cor., at noon, I set off 18°28 $\frac{1}{2}$ 'S. on the decl.arc,  
     and observe the sun on the meridian. The resulting  
     latitude is 32°47'N.

N.89°48'E., on a random line, bet. secs. 26 &amp; 35.

- 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.20 Intersect cor. of secs. 25, 26, 35 & 36, hereinbefore  
     described.  
 Thence I run  
     S.89°48'W., on a true line, bet. secs. 26 & 35.  
     Over gently undulating land, through thick brush.  
 40.10 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 26 in N. and  
         S 35 in S.half;  
         dig pits, 18x18x12 ins., E. & W. of cor., 3 ft. dist., and  
         raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of post.  
 80.20 Cor. of secs. 26, 27, 34 & 35.  
 Land, gently rolling. Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

## Subdivision of T. 7 S., R. 8 E.

## Chains.

- S.0°8'W., bet. secs. 34 & 35.  
 Over gently undulating land, through thick brush.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 34 in W. and  
     S 35 in E.half; from which  
     A mesquite tree, 6 ins. dia., bears N.20 $\frac{1}{2}$ °E.63 lks.dist., marked  $\frac{1}{4}$  S 35 B T  
     A mesquite tree, 6 ins. dia., bears West 70 lks.dist., marked  $\frac{1}{4}$  S 34 B T  
 80.44 Intersect S.bdry.of Tp. at a point whence the cor. of secs. 2&3 of T.8 S.R.8E bears S.89 $\frac{1}{4}$ °W.105 lks.dist., which is an iron post, as described by Jesse B. Wright in book "A"  
     Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for closing cor. of secs. 34 & 35, marked on brass cap,  
     1913 near S.edge;  
     S 6 N.of center;  
     R 8 E in W.,  
     T 7 S in N. and  
     T 8 S S 2 S 3 in S.half;  
     S 34 in NW. and  
     S 35 in NE.quad.;  
     dig pits, 24x18x12 ins., crosswise on each line, E. & W., 3 ft., and N.of post, 7 ft.dist.; and raise a mound of earth, 4 ft.base, 2 ft.high, N.of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

Nov. 15, 1913. W. H. E/

## J. B. W.

- Nov. 15, 1913. At 8h., a.m., 1.m.t., I set off 18°24 $\frac{1}{2}$ 'S. on the decl.arc, and 32°51 $\frac{1}{2}$ 'N.on the lat.arc, and determine a meridian with the solar, at the cor.of secs. 3, 4, 33 & 34 on the N.bdry.of Tp.recently re-established by William H. Elliott and described in book "A".  
 Thence I run  
 S.0°7'W., bet. secs. 3 & 4.  
 Over nearly level, cleared land.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 4 in W. and  
     S 3 in E.half;  
     dig pits, 18x18x12 ins., N. & S of post, 3 ft.dist., and raise a mound of earth, 3 $\frac{1}{2}$  ft.base, 1 $\frac{1}{2}$  ft.high, W.of cor.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 3, 4, 9 & 10, marked on brass cap,  
     1913 near S.edge;  
     T 7 S.R 8 E in N.half;  
     S 4 in NW.,  
     S 3 in NE.,  
     S 10 in SE. and  
     S 9 in SW.quad; from which  
     A mesquite tree 16 ins. dia., bears S. 2°E.197 lks.dist., marked T 7 S.R 8 E S 10 B T  
     A mesquite tree, 18 ins. dia., bears S.14°W.145 lks.dist., marked T 7 S R 8 E S 9 B T  
 No other bearings available.  
 dig pits, 18x18x12 ins., in each sec., 5 $\frac{1}{2}$  ft.dist., and raise a mound of earth, 4 ft.base, 2 ft.high, W.of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite along S. $\frac{1}{2}$  of line.

## Subdivision of T.7 S., R.8 E.

## Chains.

- N.89°46' E., on a random line, bet. secs. 3 & 10.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.18 Intersect N. & S. line 9 lks. N. of cor. of secs. 2, 3, 10 & 11,  
       hereinbefore described.  
 Thence I run  
 S.89°50' W., on a true line, bet. secs. 3 & 10.  
 Over gently rolling land, through scattering mesquite.  
 40.09 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
       ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
             1913 near S. edge;  
              $\frac{1}{4}$  S 3 in N. and  
             S 10 in S. half;  
             dig pits, 18x18x12 ins., E. & W. of post, 3 ft. dist., and  
             raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
 80.18 Cor. of secs. 3, 4, 9 & 10.  
 Land, gently rolling.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite and greasewood.

#→ 46.60

- S.0°7' W., bet. secs. 9 & 10.  
 Over gently undulating land, through scattering brush.  
 35.00 House of Roy S. Ward bears E. about 15 chs. dist.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
       ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
             1913 near S. edge;  
              $\frac{1}{4}$  S 9 in W. and  
             S 10 in E. half;  
             dig pits, 18x18x12 ins., N. & S. of post, 3 ft. dist., and  
             raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
       ground, for cor. of secs. 9, 10, 15 & 16, marked on brass cap,  
             1913 near S. edge;  
             T 7 S R 8 E in N. half;  
             S 9 in NW.,  
             S 10 in NE.,  
             S 15 in SE. and  
             S 16 in SW. quad.;  
             dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and  
             raise a mound of earth, 4 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite and greasewood.

- N.89°50' E., on a random line, bet. secs. 10 & 15.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.18 Intersect N. & S. line, 5 lks. S. of cor. of secs. 10, 11, 14 & 15,  
       as hereinbefore described.  
 Thence I run  
 S.89°48' W., on a true line bet. secs. 10 & 15.  
 Over gently undulating land, through scattering brush.  
 40.09 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
       ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
             1913 near S. edge;  
              $\frac{1}{4}$  S 10 in N. and  
             S 15 in S. half; from which  
             A mesquite tree, 10 ins. dia., bears S.  $57\frac{1}{2}^{\circ}$  W. 107 lks. dist.,  
             marked  $\frac{1}{4}$  S 15 B T  
             A mesquite tree, 10 ins. dia., bears N.  $41\frac{3}{4}^{\circ}$  E. 112 lks. dist.,  
             marked  $\frac{1}{4}$  S 10 B T  
 80.18 Cor. of secs. 9, 10, 15 & 16.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite and greasewood.  
 At this cor., at noon, I set off  $18^{\circ}28\frac{1}{2}'$  S. on the decl. arc,  
       and observe the sun on the meridian. The resulting  
       latitude is  $32^{\circ}49'$  N.

## Subdivision of T.7-S., R.8 E.

E.O.C. 1754

## Chains.

- S.0°7'W., bet. secs. 15 & 16.  
 Over gently undulating land, through scattering brush.  
 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
 1913 near S.edge;  
 $\frac{1}{4}$  S 16 in W. and  
 S 15 in E.half; from which  
 A mesquite tree, 8 ins.dia., bears N.8°E. 87 lks.dist.,  
 marked  $\frac{1}{4}$  S 15 B T.  
 A mesquite tree, 20 ins.dia., bears N.9°W. 287 lks.dist.,  
 marked  $\frac{1}{4}$  S 16 B T
- 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
 ground, for cor.of secs. 15, 16, 21 & 22, marked on brass  
 cap, 1913 near S.edge;  
 T 7 S R 8 E in N.half;  
 S 16 in NW.,  
 S 15 in NE.,  
 S 22 in SE. and  
 S 21 in SW.quad.; from which  
 A mesquite tree 12 ins.dia., bears N.70°E. 46 lks.dist.,  
 marked T 7 S R 8 E S 15 B T.  
 A mesquite tree, 20 ins.dia., bears S.24°E. 39 lks.dist., mar  
 marked T 7 S R 8 E S 22 B T.  
 A mesquite tree, 14 ins.dia., bears S.69°W. 77 lks.dist.,  
 marked T 7 S R 8 E S 21 B T.  
 A mesquite tree, 22 ins.dia., bears N.10°W. 388 lks.dist.,  
 marked T 7 S R 8 E S 16 B T.

Land, gently undulating.

Soil, dry, fine loam, 2nd rate.

Scattering mesquite and greasewood.

40.00

N.89°48'E., on a random line bet. secs. 15 &amp; 22.

80.16

Set temp.  $\frac{1}{4}$  sec.cor.  
 Intersect N. & S.line, 2 lks.N. of cor.of secs. 14, 15, 22 & 23,  
 hereinbefore described.

Thence I run

S.89°49'W., on a true line, bet. secs. 15 &amp; 22.

20.00

Over gently undulating land, through scattering brush.

31.90

House of Wm.E.Chantry bears S.about 25 chs.dist.

36.20

House of John A.Chantry bears N., about 5 chs.dist.

37.60

House of Wm.Burke bears S., about 22 chs.dist.

40.08

House of Laura B.Chantry bears N., about 5 chs.dist.

Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the

ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

1913 near S.edge;

 $\frac{1}{4}$  S 15 in N. and

S 22 in S.half; from which

A mesquite tree, 12 ins.dia., bears S.50°W. 38 lks.dist.,  
 marked  $\frac{1}{4}$  S 22 B T.A mesquite tree, 8 ins.dia., bears N.60°E. 39 lks.dist.,  
 marked  $\frac{1}{4}$  S 15 B T

80.16

Cor.of secs. 15, 16, 21, &amp; 22.

Land, gently undulating.

Soil, dry, fine loam, 2nd rate.

Scattering mesquite and greasewood.

8.90

S.0°7'W., bet. secs. 21 &amp; 22.

40.00

Over gently undulating land, through thick brush.

Road, E.&amp; W.

Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

1913 near S.edge;

 $\frac{1}{4}$  S 21 in W. and

S 22 in E.half; from which

A mesquite tree, 12 ins.dia., bears S.29°E. 171 lks.dist.,  
 marked  $\frac{1}{4}$  S 22 B T.A mesquite tree, 10 ins.dia., bears S.34°W. 221 lks.dist.,  
 marked  $\frac{1}{4}$  S 21 B T

## Subdivision of T.7 S., R.8 E.

## Chains.

- 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 21, 22, 27 & 28, marked on brass cap, 1913 near S. edge;  
 T 7 S R 8 E in N. half;  
 S 21 in NW.,  
 S 22 in NE.,  
 S 27 in SE. and  
 S 28 in SW. quad.; from which  
 A mesquite tree, 12 ins. dia., bears S.  $50\frac{1}{2}^{\circ}$  E. 103 lks. dist., marked T 7 S R 8 E S 27 B T  
 A mesquite tree, 10 ins. dia., bears S.  $8\frac{1}{4}^{\circ}$  W. 223 lks. dist., marked T 7 S R 8 E S 28 B T  
 no other bearings available  
 dig pits 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

- 40.00 N.  $89^{\circ}49' E.$ , on a random line, bet. secs. 22 & 27.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.16 Intersect N. & S. line, 2 lks. N. of cor. of secs. 22, 23, 26 & 27, hereinbefore described.  
 Thence I run,  
 S.  $89^{\circ}50' W.$ , on a true line, bet. secs. 22 & 27.  
 Over gently undulating land, through thick brush.  
 40.08 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
 1913 near S. edge;  
 $\frac{1}{4}$  S 22 in N. and  
 $\frac{1}{4}$  S 27 in S. half; from which  
 A mesquite tree, 10 ins. dia., bears N.  $17\frac{1}{2}^{\circ}$  W. 59 lks. dist., marked  $\frac{1}{4}$  S 22 B T  
 A mesquite tree, 12 ins. dia., bears S.  $16^{\circ} W.$  67 lks. dist., marked  $\frac{1}{4}$  S 27 B T  
 80.16 Cor. of secs. 21, 22, 27 & 28.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

Nov. 15, 1913. J. B. W.

## W. H. E.

- Nov. 18, 1913. At 8h. a.m., 1.m.t., I set off  $19^{\circ}8\frac{1}{2}' S.$  on the decl. arc, and  $32^{\circ}48' N.$  on the lat. arc, and determine a meridian with the solar, at the cor. of secs. 21, 22, 27 & 28, hereinbefore described.  
 Thence I run,  
 S.  $0^{\circ}7' W.$ , bet. secs. 27 & 28.  
 Over gently undulating land, through thick brush.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
 1913 near S. edge;  
 $\frac{1}{4}$  S 28 in W. and  
 $\frac{1}{4}$  S 27 in E. half; from which  
 A mesquite tree, 10 ins. dia., bears N.  $2\frac{1}{2}^{\circ}$  E. 276 lks. dist., marked  $\frac{1}{4}$  S 27 B T  
 A mesquite tree, 12 ins. dia., bears S.  $81\frac{1}{2}^{\circ}$  W. 136 lks. dist., marked  $\frac{1}{4}$  S 28 B T  
 70.00 Road, NW. & SE.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 27, 28, 33 & 34, marked on brass cap, 1913 near S. edge;  
 T 7 S R 8 E in N. half;,,  
 S 28 in NW.,  
 S 27 in NE.,  
 S 34 in SE. and  
 S 33 in SW. quad.; from which  
 A mesquite tree, 10 ins. dia., bears N.  $70\frac{1}{2}^{\circ}$  E. 140 lks. dist., marked T 7 S R 8 E S 27 B T  
 A mesquite tree, 8 ins. dia., bears S.  $53\frac{1}{2}^{\circ}$  E. 91 lks. dist., marked T 7 S R 8 E S 34 B T

## Subdivision of T.7 S., R.8 E.

BOOK 2754

Chaine:

A mesquite tree, 10 ins. dia., bears S.  $63^{\circ}W.$  .49 lks. dist.,  
marked T 7 S R 8 E S 33 B T

A mesquite tree, 12 ins. dia., bears N.  $72\frac{1}{4}^{\circ}W.$  .309 lks. dist.,  
marked T 7 S R 8 E S 28 B T

Land, gently undulating.

Soil, dry, fine loam, 2nd rate.

Mesquite, greasewood and other brush.

40.00 N.  $89^{\circ}50'W.$ , on a random line, bet. secs. 27 & 34.

Set temp.  $\frac{1}{4}$  sec. cor.

80.22 Intersect N. & S. line, 5 lks. N. of cor. of secs. 26, 27, 34 & 35,  
hereinbefore described.

Thence I run,

S.  $89^{\circ}52'W.$ , on a true line, bet. secs. 27 & 34.

Over gently undulating land, through thick brush.

40.11 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 27 in N. and

S 34 in S. half; from which

A mesquite tree, 14 ins. dia., bears N.  $35^{\circ}W.$  .114 lks. dist.,  
marked  $\frac{1}{4}$  S 27 B T

A mesquite tree, 6 ins. dia., bears S.  $17^{\circ}W.$  .33 lks. dist.,  
marked  $\frac{1}{4}$  S 34 B T

73.00 Road, NW. & SE.

80.22 Cor. of secs. 27, 28, 33 & 34.

Land, gently undulating.

Soil, dry, fine loam, 2nd rate.

Mesquite, greasewood and other brush.

18.00 S.  $0^{\circ}7'W.$ , bet. secs. 33 & 34.

Over gently undulating land, through thick brush.

House of Elmer R. Todd bears W. about 15 chs. dist.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 33 in W. and

S 34 in E. half; from which

A mesquite tree, 14 ins. dia., bears N.  $42^{\circ}E.$  .17 lks. dist.,  
marked  $\frac{1}{4}$  S 34 B T

A mesquite tree, 12 ins. dia., bears S.  $60\frac{1}{4}^{\circ}W.$  .132 lks. dist.,  
marked  $\frac{1}{4}$  S 33 B T

48.00 House of A. J. Brant bears W. about 28 chs. dist.

81.27 Intersect S. bdry. of Tp., at a point, whence the cor. of secs.  
3&4, of Tp. 8 S. R. 8 E, bears S.  $89^{\circ}14'W.$  .155 lks. dist.,  
as described by Jesse B. Wright in book "A".

Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
ground, for closing cor. of secs. 33 & 34, marked on brass  
cap, 1913 near S. edge;

C C N. of center;

R 8 E in W.,

T 7 S in N. and

T 8 S S 4 S 3 in S. half;

S 33 in NW. and

S 34 in NE. quad.; from which

A mesquite tree, 10 ins. dia., bears N.  $56\frac{1}{2}^{\circ}E.$  .212 lks. dist.,  
marked T 7 S R 8 E S 34 B T

A mesquite tree, 12 ins. dia., bears N.  $13\frac{1}{4}^{\circ}W.$  .214 lks. dist.,  
marked T 7 S R 8 E S 33 B T

Land, gently undulating.

Soil, dry, fine loam, 2nd rate.

Mesquite, greasewood and other brush.

W. H. E.

Nov. 18, 1913.

## Subdivision of T.7 S., R.8 E.

Chains.

W. H. E.

Nov. 16, 1913. At 8h., a.m., l.m.t., I set off  $18^{\circ}39\frac{1}{2}'$  S. on the decl. arc,  $32^{\circ}51\frac{1}{2}'$  N. on the lat. arc, and determine a meridian with the solar, at the cor. of secs. 4, 5, 32 & 33, on the N. bdry. of T previously re-established by me and described in book "A".

Thence I run,

S.  $0^{\circ}7'$  W., bet. secs. 4 & 5.

Over gently undulating, cleared land.

2.50 House of R. H. Miller bears E. about 3 chs. dist.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 5 in W. and

S 4 in E. half; from which

A mesquite tree, 12 ins. dia., bears S.  $15^{\circ}E.$  173 lks. dist., marked  $\frac{1}{4}$  S 4 B T

A mesquite tree, 10 ins. dia., bears N.  $40^{\circ}W.$  475 lks. dist., Marked  $\frac{1}{4}$  S 5 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 4, 5, 8 & 9, marked on brass cap,

1913 near S. edge;

T 7 S R 8 E in N. half;

S 5 in NW.,

S 4 in NE.,

S 9 in SE. and

S 8 in SW. quad.; from which

A mesquite tree, 8 ins. dia., bears N.  $24\frac{3}{4}^{\circ}E.$  132 lks. dist., marked T 7 S R 8 E S 4 B T

A mesquite tree, 12 ins. dia., bears S.  $36\frac{1}{2}^{\circ}E.$  261 lks. dist., marked T 7 S R 8 E S 9 B T

A mesquite tree, 12 ins. dia., bears S.  $13^{\circ}W.$  245 lks. dist., marked T 7 S R 8 E S 8 B T

A mesquite tree, 12 ins. dia., bears N.  $18\frac{1}{2}^{\circ}W.$  59 lks. dist., marked T 7 S R 8 E S 5 B T

Land, gently undulating.

Soil, dry, fine sandy loam, 2nd rate.

Mesquite, greasewood and other brush in last  $\frac{1}{2}$  mile.

N.  $89^{\circ}55' E.$ , on a random line bet. secs. 4 & 9.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.02 Intersect cor. of secs. 3, 4, 9 & 10, hereinbefore described.

Thence I run,

S.  $89^{\circ}55' W.$ , on a true line, bet. secs. 4 & 9.

Over gently undulating land, through thick brush.

40.01 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 4 in N. and

S 9 in S. half;

dig pits 18x18x12 ins., E. & W. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

80.02 Cor. of secs. 4, 5, 8 & 9.

Land, gently undulating.

Soil, dry, sandy loam, 2nd rate.

Scattering mesquite, greasewood and other brush.

S.  $0^{\circ}7' W.$ , bet. secs. 8 & 9.

Over gently undulating land, through scattering brush.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

$\frac{1}{4}$  S 8 in W. and

S 9 in E. half; from which

A mesquite tree, 12 ins. dia., bears S.  $35\frac{1}{2}^{\circ}E.$  81 lks. dist., marked  $\frac{1}{4}$  S 9 B T

A mesquite tree, 8 ins. dia., bears N.  $43^{\circ}W.$  130 lks. dist., marked  $\frac{1}{4}$  S 8 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the

## Subdivision of T.7 S., R.8 E.

**Chains.** ground, for cor. of secs. 8, 9, 16 & 17, marked on brass cap,  
 1913 near S. edge;  
 T 7 S R 8 E in N. half;  
 S 8 in NW.,  
 S 9 in NE.,  
 S 16 in SE. and  
 S 17 in SW. quad.;  
 dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite.

---

N.  $89^{\circ}55'$  E., on a random line, bet. secs. 9 & 16.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.10 Intersect N. & S. line, 7 lks. N. of cor. of secs. 9, 10, 15 & 16,  
 hereinbefore described.  
 Thence I run,  
 S.  $89^{\circ}58'$  W., on a true line, bet. secs. 9 & 16.  
 Over gently undulating land, through scattering brush.  
 40.05 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
 1913 near S. edge;  
 $\frac{1}{4}$  S 9 in N. and  
 S 16 in S. half;  
 dig pits, 18x18x12 ins., E. & W. of post, 3 ft. dist., and  
 raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
 80.10 Cor. of secs. 8, 9, 16 & 17.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.  
 At this cor., at noon, I set off  $18^{\circ}43\frac{1}{2}'$  S. on the decl. arc,  
 and observe the sun on the meridian. The resulting  
 latitude is  $32^{\circ}49'$  N.

---

S.  $0^{\circ}7'$  W., bet. secs. 16 & 17  
 Over gently undulating land, through thick brush.  
 17.50 Wash, 10 lks. wide, course NNW.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
 1913 near S. edge;  
 $\frac{1}{4}$  S 17 in W. and  
 S 16 in E. half; from which  
 A mesquite tree, 16 ins. dia., bears N.  $18^{\circ}$  E. 97 lks. dist.,  
 marked  $\frac{1}{4}$  S 16 B T  
 A mesquite tree, 8 ins. dia., bears n.  $9\frac{1}{4}^{\circ}$  W. 152 lks. dist.,  
 marked  $\frac{1}{4}$  S 17 B T  
 68.00 Wash, 10 lks. wide, course NNW.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
 ground, for cor. of secs. 16, 17 20 & 21, marked on brass  
 cap, 1913 near S. edge;  
 T 7 S R 8 E in N. half;  
 S 17 in NW.,  
 S 16 in NE.,  
 S 21 in SE. and  
 S 20 in SW. quad.; from which  
 A mesquite tree, 8 ins. dia., bears N.  $38\frac{1}{2}^{\circ}$  E. 111 lks. dist.,  
 marked T 7 S R 8 E S 16 B T  
 A mesquite tree, 14 ins. dia., bears S.  $18\frac{1}{4}^{\circ}$  E. 333 lks. dist.,  
 marked T 7 S R 8 E S 21 B T  
 A mesquite tree, 14 ins. dia., bears S.  $78^{\circ}$  W. 93 lks. dist.,  
 marked T 7 S R 8 E S 20 B T  
 A mesquite tree, 8 ins. dia., bears N.  $2\frac{1}{2}^{\circ}$  W. 165 lks. dist.,  
 marked T 7 S R 8 E S 17 B T  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

---

## Subdivision of T.7 S., R.8 E.

- Chains. N. $89^{\circ}58'$ E., on a random line, bet. secs. 16 & 21.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 30.06 Intersect N. & S. line, 5 lks. S. of cor. of secs. 15, 16, 21 & 22,  
     hereinbefore described.  
 Thence I run,  
 S. $89^{\circ}56'$ W., on a true line, bet. secs. 16 & 21.  
 Over gently undulating land through scattering brush.  
 20.10 Road, bears NNE. & SSW.  
 40.03 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 16 in N. and  
         S 21 in S.half;  
     dig pits 18x18x12 ins., E. & W. of post, 3 ft. dist., and  
     raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
 51.00 Wash, 10 lks. wide, course NNW.  
 30.06 Cor. of secs. 16, 17, 20 & 21.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.

- S. $0^{\circ}7'$ W., bet. secs. 20 & 21.  
 Over gently undulating land, through thick brush.  
 6.50 Road, bears E & W.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 20 in W. and  
         S 21 in E.half; from which  
     A mesquite tree, 12 ins. dia., bears S. $42\frac{1}{2}^{\circ}$ E. 110 lks. dist.,  
     marked  $\frac{1}{4}$  S 21 B T  
     A mesquite tree, 20 ins. dia., bears S.  $80^{\circ}$ W. 62 lks. dist.,  
     marked  $\frac{1}{4}$  S 20 B T  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
     ground, for cor. of secs. 20, 21, 28 & 29, marked on brass  
     cap,                  1913 near S.edge;  
                         T 7 S R 8 E in N.half;  
                         S 20 in NW.,  
                         S 21 in NE.,  
                         S 28 in SE. and  
                         S 29 in SW.quad.; from which  
     A mesquite tree, 10 ins. dia., bears N. $22^{\circ}$ E. 190 lks. dist.,  
     marked T 7 S R 8 E S 21 B T  
     A mesquite tree, 8 ins. dia., bears N. $84^{\circ}$ W. 114 lks. dist.,  
     marked T 7 S R 8 E S 20 BT  
 No other bearings available.  
 dig pits, 18x18x12 ins. in each sec.,  $5\frac{1}{2}$  ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

- N. $89^{\circ}56'$ E., on a random line, bet. secs. 21 & 28.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 30.06 Intersect cor. of secs. 21, 22, 27 & 28, hereinbefore  
     described.  
 Thence I run,  
 S. $89^{\circ}56'$ W., on a true line bet. secs. 21 & 28.  
 Over gently undulating land, through scattering brush.  
 10.00 Tent house, owner unknown, bears S. about 4 chs. dist.  
 40.03 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
         1913 near S.edge;  
          $\frac{1}{4}$  S 21 B in N. and  
         S 28 in S.half;  
     dig pits 18x18x12 ins., E. & W. of post, 3 ft. dist., and  
     raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
 40.10 Road, bears N. & S.  
 30.06 Cor. of secs. 20, 21, 28 & 29.  
 Land, gently undulating.  
 Soil, dry, fine loam.  
 Scattering mesquite, greasewood and other brush. W.H.H.  
Nov. 16, 1913.

## Subdivision of T.7 S., R.8 E.

- Chains.** W.H.E. Nov. 18, 1913. At 1h., p.m., l.m.t., I set off  $19^{\circ}13\frac{1}{2}'S.$  on the decl. arc,  $32^{\circ}48'N.$  on the lat. arc, and determine a meridian with the solar, at the cor. of secs. 20, 21, 28 & 29 hereinbefore described.
- Thence I run,  
S.  $0^{\circ}7'W.$ , bet. secs. 28 & 29.  
Over gently undulating land, through scattering brush.  
38.50 House of L. A. Hutton bears W. about 17 chs. dist.  
House of W.T.. Hutton bears E. about 2 chs. dist.  
40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
1913 near S. edge;  
 $\frac{1}{4}$  S 29 in W. and  
S 28 in E. half; from which  
A mesquite tree, 10 ins. dia., bears N.  $70^{\circ}W.$  170 lks. dist.,  
marked  $\frac{1}{4}$  S 29 B T  
A mesquite tree, 10 ins. dia., bears N.  $38^{\circ}E.$  220 lks. dist.,  
marked  $\frac{1}{4}$  S 28 B T  
80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 28, 29, 32 & 33, marked on brass cap,  
1913 near S. edge;  
T 7 S R 8 E in N. half;  
S 29 in NW.,  
S 28 in NE.,  
S 33 in SE. and  
S 32 in SW. quad.;  
dig pits,  $18 \times 18 \times 12$  ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
Land, gently undulating.  
Soil, dry, fine loam, 2nd rate.  
Scattering mesquite, greasewood and other brush.
- 
- 40.00 N.  $89^{\circ}56'E.$ , on a random line, bet. secs. 28 & 33.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.08 Intersect cor. of secs. 27, 28, 33 & 34, hereinbefore described.  
Thence I run,  
S.  $89^{\circ}56'W.$ , on a true line bet. secs. 28 & 33.  
Over gently undulating land, through scattering brush.  
40.04 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
1913 near S. edge;  
 $\frac{1}{4}$  S 28 in N. and  
S 33 in S. half; from which  
A mesquite tree, 12 ins. dia., bears S.  $15^{\circ}E.$  70 lks. dist.,  
marked  $\frac{1}{4}$  S 33 B T  
A mesquite tree, 8 ins. dia., bears N.  $13\frac{1}{2}^{\circ}W.$  130 lks. dist.,  
marked  $\frac{1}{4}$  S 28 B T  
80.08 Cor. of secs. 28, 29, 32 & 33.  
Land, gently undulating.  
Soil, dry, fine loam, 2nd rate.  
Scattering mesquite, greasewood and other brush.
- 
- 17.00 S.  $0^{\circ}7'W.$ , bet. secs. 32 & 33.  
Over gently undulating land, through thick brush.  
40.00 House of Viola Gingirch bears E. about 6 chs. dist.  
Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
1913 near S. edge;  
 $\frac{1}{4}$  S 32 in W. and  
S 33 in E. half; from which  
A mesquite tree, 10 ins. dia., bears N.  $79\frac{1}{2}^{\circ}W.$  123 lks. dist.,  
marked  $\frac{1}{4}$  S 32 B T  
A mesquite tree, 10 ins. dia., bears N.  $33\frac{1}{2}^{\circ}E.$  185 lks. dist.,  
marked  $\frac{1}{4}$  S 33 B T  
83.01 Intersect the S. bdry. of Tp. at a point whence the cor. of secs. 4 & 5, of Tp. 8 S. R. 8 E. bears S.  $88^{\circ}35'W.$  240 lks. dist.,  
described by Jesse B. Wright in book "A"  
Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the

## Subdivision of T.7 S., R.8 E.

Chains.

ground, for closing cor. of secs. 32 & 33, marked on brass cap, 1913 near S. edge;  
 C C N. of center;  
 R 8 E in W.,  
 T 7 S in N. and  
 T 8 S S 5 S 4 in S. half;  
 S 32 in NW. and  
 S 33 in NE. quad.; from which  
 A mesquite tree, 10 ins. dia., bears N.  $33^{\circ}W.$  240 lks. dist.,  
 marked T 7 S R 8 E S 32 B T  
 A mesquite tree, 10 ins. dia., bears N.  $47\frac{1}{2}^{\circ}E.$  98 lks. dist.,  
 marked T 7 S R 8 E S 33 B T  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Mesquite, greasewood and other brush.

Nov. 18, 1913. W. H. E.

J. B. W.

Nov. 16, 1913. At 8h., a.m., l.m.t., I set off  $18^{\circ}39\frac{1}{2}'S.$  on the decl. arc,  $32^{\circ}51\frac{1}{2}'N.$  on the lat. arc; and determine a meridian with the solar, at the cor. of secs. 5, 6, 31 & 32, on the N. bdry. <sup>of T. 8</sup> as recently re-established by William H. Elliott, and by him described in book "A".

Thence I run,

S.  $0^{\circ}6'W.$ , bet. secs. 5 & 6.

Over gently undulating land, through scattering brush.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

 $\frac{1}{4}$  S 6 in W. and

S 5 in E. half;

dig pits,  $18 \times 18 \times 12$  ins., N. & S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

55.50 Tent house, owner unknown, bears W. 150 lks. dist.

67.00 Road, bears NNW. & SE.

80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs. 5, 6, 7, & 8, marked on brass cap,

1913 near S. edge;

T 7 S R 8 E in N. half;

S 6 in NW.,

S 5 in NE.,

S 8 in SE. and

S 7 in SW. quad.;

dig pits,  $18 \times 18 \times 12$  ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently undulating.

Soil, dry, fine sandy loam, 2nd rate.

Scattering mesquite, greasewood and other brush.

N.  $89^{\circ}43'E.$ , on a random line, bet. secs. 5 & 8.40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.16 Intersect cor. of secs. 4, 5, 8 &amp; 9, hereinbefore described.

Thence I run,

S.  $89^{\circ}43'W.$ , on a true line, bet. secs. 5 & 8.

Over gently undulating land, through scattering brush.

40.08 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

1913 near S. edge;

 $\frac{1}{4}$  S 5 in N. and

S 8 in S. half;

dig pits,  $18 \times 18 \times 12$  ins., E. & W. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

71.80 Road, bears NW & SE.

80.16 Cor. of secs. 5, 6, 7 & 8.

Land, gently undulating.

Soil, dry, fine sandy loam, 2nd rate.

Scattering mesquite, greasewood and other brush.

## Subdivision of T.7 S., R.8 E.

Chains.

- S.89°51'W., on a random line, bet. secs. 6 & 7.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 83.26 Intersect W.bdry. of Tp.12 lks.N.of cor. of secs. 1, 6, 7 & 12,  
     is recently re-established and described by me in book "A"  
     Thence I run,  
     N.89°46'E., on a true line, bet. secs. 6 & 7.  
     Over slightly rolling land, through thick brush.  
 43.26 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 6 in N. and  
     S 7 in S.half; from which  
     A mesquite tree, 16 ins. dia., bears N.45°E.102 lks.dist.,  
     marked  $\frac{1}{4}$  S 6 B T  
     A mesquite tree, 24 ins. dia., bears S.38 $\frac{1}{4}$ °W.29 lks.dist.,  
     marked  $\frac{1}{4}$  S 7 B T  
 83.26 Cor. of secs. 5, 6, 7 & 8.  
     Land, gently rolling.  
     Soil, dry, heavy loam, 2nd rate.  
     Mesquite, greasewood and other brush.

- S.0°6'W., bet. secs. 7 & 8.  
 Over gently undulating land, through scattering brush.  
 3,90 Frame house, owner unknown, bears W. 110 lks.dist.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 7 in W. and  
     S 8 in E.half;  
     dig pits, 18x18x12 ins., N. & S. of post, 3 ft.dist., and  
     raise a mound of earth,  $3\frac{1}{2}$  ft.base,  $1\frac{1}{2}$  ft.high, W.of cor.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
     ground, for cor. of secs. 7, 8, 17 & 18, marked on brass cap,  
     1913 near S.edge;  
     T 7 S R 8 E in N.half;  
     S 7 in NW.,  
     S 8 in NE.,  
     S 17 in SE. and  
     S 18 in SW.quad.;  
     dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft.dist., and  
     raise a mound of earth, 4 ft.base, 2 ft.high, W.of cor.  
     Land, gently undulating.  
     Soil, dry, fine loam, 2nd rate.  
     Mesquite, greasewood and other brush.

- N.89°43'E., on a random line, bet. secs. 8 & 17.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.10 Intersect cor. of secs. 8, 9, 16 & 17, hereinbefore  
     described.  
     Thence I run,  
     S.89°43'W., on a true line, bet. secs. 8 & 17.  
     Over gently undulating land, through thick brush.  
 11.00 Wash, 10 lks.wide, course N.  
 32.00 House and well of Adolph Kurz, bears N.3 chs.dist.  
 40.05 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 8 in N. and  
     S 17 in S.half; from which  
     A mesquite tree, 12 in. dia., bears N.75°E.67 lks.dist.,  
     marked  $\frac{1}{4}$  S 8 B T  
     A mesquite tree, 10 ins. dia., bears S.10°W.82 lks.dist.,  
     marked  $\frac{1}{4}$  S 17 B T  
 46.45 Wash, 10 lks.wide, course NW.  
 80.10 Cor. of secs. 7, 8, 17 & 18.  
     Land, gently undulating.  
     Soil, dry, fine loam, 2nd rate.  
     Mesquite, greasewood and other brush.  
     At this cor. at noon I set off  $18^{\circ}43\frac{1}{2}'S.$ , on the decl.arc,  
     and observe the sun on the meridian. The resulting  
     latitude is  $32^{\circ}49'N.$

## Subdivision of T.7 S., R.8 E.

## Chains.

- S.89°46'W., on a random line, bet. secs. 7 & 18.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 83.45 Intersect W.bdry.of Tp.14 lks.N.of cor.of secs.7,12,13 & 18, recently re-established, and described by me in book "A".  
 Thence I run,  
 N.89°40'E., on a true line, bet. secs. 7 & 18.  
 Over gently undulating land, through scattering brush.  
 43.45 Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 7 in N. and  
     S 18 in S.half;  
     dig pits, 18x18x12 ins., E.& W.of post, 3 ft.dist., and raise a mound of earth,  $3\frac{1}{2}$  ft.base,  $1\frac{1}{2}$  ft.high, N.of cor.  
 83.45 Cor.of secs.7,8,17 & 18.  
 Land, gently undulating.  
 Soil,dry,fine loam,2nd rate.  
 Scattering mesquite,greasewood and other brush.

- S.0°6'W., bet. secs. 17 & 18.  
 Over gently undulating land, through scattering brush.  
 40.00 Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 18 in W. and  
     S 17 in E.half;  
     dig pits, 18x18x12 ins., N.& S.of post, 3 ft.dist., and raise a mound of earth,  $3\frac{1}{2}$  ft.base,  $1\frac{1}{2}$  ft.high, W.of cor.  
 78.00 House of C. H. Himmel bears W. about 6.50 chs.dist.  
 80.00 Set an iron post, 3 ft.long, 2 ins.in dia., 24 ins.in the ground, for cor.of secs.17,18,19 & 20,marked on brass cap,  
     1913 near S.edge;  
     T 7 S R 8 E in N.half;  
     S 18 in NW.,  
     S 17 in NE.,  
     S 20 in SE. and  
     S 19 in SW.quad.;  
     dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft.dist., and raise a mound of earth, 4 ft.base, 2 ft.high, W.of cor.  
 Land, gently undulating.  
 Soil,dry,fine loam,2nd rate.  
 Scattering mesquite,greasewood and other brush.

- N.89°43'E., on a random line, bet. secs. 17 & 20.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.20 Intersect N.& S.line, 7 lks.S.of cor.of secs.16,17,20 & 21, hereinbefore described.  
 Thence I run,  
 S.89°40'W., on a true line, bet. secs. 17 & 20.  
 Over gently undulating land, through scattering brush.  
 2.00 Wash, 10 lks.wide, course N.  
 → 17.00 Wash, 10 lks.wide, course N.  
 40.10 Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
     1913 near S.edge;  
      $\frac{1}{4}$  S 17 in N. and  
     S 20 in S.half; from which  
     A mesquite tre, 10 ins.dia., bears N.48° E.235 lks.dist.,  
     marked  $\frac{1}{4}$  S 17 B T  
     A mesquite tree 20 ins.dia., bears S.32 $\frac{3}{4}$ ° W.120 lks.dist.,  
     marked  $\frac{1}{4}$  S 20 B T  
 → 38.00 House of J. C. Herlley, bears S. about 8 chs.dist.  
 80.20 Cor.of secs.17,18,19 & 20.  
 Land, gently undulating.  
 Soil,dry,fine loam,2nd rate.  
 Scattering mesquite,greasewood and other brush.

## Subdivision of T.7 S., R.8 E.

Chains.

- Knowing from the re-survey of the E.bdry.of T.7 S.,R.7 E., that my falling will be out of limits, I run, S. $89^{\circ}51'W.$ , on a true line bet.secs.18 & 19. Over gently undulating land, through scattering brush. Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap, 1913 near S.edge;  $\frac{1}{4}$  S 18 in N. and S 19 in S.half; dig pits, 18x18x12 ins., E.& W.of post, 3 ft.dist., and raise a mound of earth,  $3\frac{1}{2}$  ft.base,  $1\frac{1}{2}$  ft.high, N.of cor. House of W. H. McGinnis, bears N. 2 chs.dist. Intersect E.bdry.of T7S,R7E., at a point, whence the cor.of secs.13 & 24 bears S. $0^{\circ}24'E.$ , 59 lks.dist., as recently re-established by me and described in book "A". Set an iron post, 3 ft.long, 2 ins.in dia., 24 ins.in the ground, for closing cor.of secs.18 & 19,marked on brass cap, 1913 near S.edge; C C W.of center; T 7 S in N. and S 13 S 24 R 7 E in W.half; S 18 in NE. and S 19 R 8 E in SE.quad.; dig pits,  $2\frac{1}{4}$ x18x12 ins., crosswise on each line, N.& S., 3 ft.dist., and E.of post, 7 ft.dist.; and raise a mound of earth, 4 ft.base, 2 ft.high, E.of cor. Land, gently rolling. Soil,dry,fine loam,2nd rate. Scattering mesquite,greasewood and other brush.

Nov. 16, 1913.

J.B.W.

J.B.W.  
Nov.18,1913. At 8h.,a.m.,l.m.t., I set off  $19^{\circ}8\frac{1}{2}'S.$  on the decl.arc,  $32^{\circ}48\frac{1}{2}'N.$ on the lat.arc, and determine a meridian with the solar,at the cor.of secs.17,18,19 & 20.

Thence I run,

S. $0^{\circ}6'W.$ ,bet.secs.19 & 20.

- Over gently undulating land, through scattering brush. Set an iron post, 3 ft.long.1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

1913 near S.edge;

 $\frac{1}{4}$  S 19 in W. and S 20 in E.half;dig pits, 18x18x12 ins., N.& S.of post.3 ft.dist., and raise a mound of earth,  $3\frac{1}{2}$  ft.base,  $1\frac{1}{2}$  ft.high, W.of cor.

- Set an iron post, 3 ft.long, 2 ins.in dia., 24 ins.in the ground, for cor.of secs.19,20,29 & 30,marked on brass cap,

1913 near S.edge;

T 7 S R 8 E in N half;

S 19 in NW.,

S 20 in NE.,

S 29 in SE. and

S 30 in SW.quad.;

dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft.dist., and raise a mound of earth, 4 ft.base, 2 ft.high, W.of cor.

Land, gently undulating.

Soil,dry,fine loam,2nd rate.

Scattering mesquite and other brush.

N. $89^{\circ}40'E.$ ,on a random line,bet.secs.20 & 29.

- 40.00 Set temp. $\frac{1}{4}$  sec.cor.

- 80.16 Intersect N.& S.line,23 lks.N.of cor.of secs.20,21,28 & 29, hereinbefore described.

Thence I run,

S. $89^{\circ}50'W.$ ,on a true line,bet.secs.20 & 29.

- Over gently undulating land, through scattering brush. Set an iron post, 3 ft.long, 1 in.in dia., 26 ins.in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

1913 near S.edge;

 $\frac{1}{4}$  S 20 in N. and

S 29 in S.half; from which

A mesquite tree,24 ins.dia.,bears S. $51\frac{1}{2}'E.$ 69 lks.dist., marked  $\frac{1}{4}$  S 29 B T

## Subdivision of T.7 S., R.8 E.

## Chains.

No other bearings available;  
 dig pits, 18x18x12 ins., E. & W. of post, 3 ft. dist., and  
 raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
 41.00 House of Mrs. A. J. Sandiforth bears N., about 6 chs. dist.  
 80.16 Cor. of secs. 19, 20, 29 & 30.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.

S.  $89^{\circ}51'$  W., on a true line, bet. secs. 19 & 30.  
 Over gently undulating land, through scattering brush.  
 8.30 House of Chas. Reynolds bears S. 25 lks. dist.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
     1913 near S. edge;  
      $\frac{1}{4}$  S 19 in N. and  
     S 30 in S. half;  
     dig pits, 18x18x12 ins., E. & W. of post, 3 ft. dist., and  
     raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
 47.50 House of Mrs. M. D. Chantry bears N., about 250 lks. dist.  
 83.00 Intersect E. bdry. of T7 S. R7 E. at a point, whence the cor. of  
     secs. 24 & 25 bears S.  $0^{\circ}8'$  W. 80 lks. dist., recently re-  
     established by me, and described in book "A".  
     Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
     ground, for closing cor. of secs. 19 & 30, marked on brass  
     cap,      1913 near S. edge;  
     C C W. of center;  
     T 7 S in N. and  
     S 24 S 25 R 7 E in W. half;  
     S 19 in NE. and  
     S 30 R 8 E in SE. quad.;  
     dig pits, 24x18x12 ins., crosswise on each line, N. & S. 3 ft..  
     and E. of post 7 ft. dist.; and raise a mound of earth,  
     4 ft. base, 2 ft. high, E. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.

S.  $0^{\circ}6'$  W., bet. secs. 29 & 30.  
 Over gently undulating land, through scattering brush.  
 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the  
     ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
     1913 near S. edge;  
      $\frac{1}{4}$  S 30 in W. and  
     S 29 in E. half;  
     dig pits, 18x18x12 ins., N. & S. of post, 3 ft. dist., and  
     raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the  
     ground, for cor. of secs. 29, 30, 31 & 32, marked on brass  
     cap,      1913 near S. edge;  
     T 7 S R 8 E in N. half;  
     S 30 in NW.,  
     S 29 in NE.,  
     S 32 in SE. and  
     S 31 in SW. quad.;  
     dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and  
     raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.

N.  $89^{\circ}50'$  E., on a random line, bet. secs. 29 & 32.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.14 Intersect N. & S. line, 14 lks. S. of cor. of secs. 28, 29, 32 &  
     33, hereinbefore described.  
 Thenne I run,  
 S.  $89^{\circ}44'$  W., on a true line, bet. secs. 29 & 32.  
 Over gently undulating land, through scattering brush.

Book 2754

## Subdivision of T.7 S., R.8 E.

Chains.

- 40.07 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
 1913 near S.edge;  
 $\frac{1}{4}$  S 29 in N. and  
 S 32 in S.half; from which  
 A mesquite tree, 8 ins. dia., bears N. $23^{\frac{3}{4}}$ E. 93 lks.dist.,  
 marked  $\frac{1}{4}$  S 29 B T  
 A mesquite tree, 12 ins. dia., bears S. $71^{\circ}$ W. 26 lks.dist.,  
 marked  $\frac{1}{4}$  S 32 B T
- 66.50 House of Dan. Gingirch bears S. 100 lks.dist.
- 80.14 Cor. of secs. 29, 30, 31 & 32.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.
- 
- 40.00 S. $89^{\circ}51'$ W., on a true line, bet. secs. 30 & 31.  
 Over gently undulating land, through scattering brush.  
 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
 1913 near S.edge;  
 $\frac{1}{4}$  S 30 in N. and  
 S 31 in S.half;  
 dig pits, 18x18x12 ins., E. & W. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 41.00 House of Anna C. Davis bears N. about 17 chs.dist.
- 42.00 House of Nell K. White bears S. about 6 chs.dist.
- 43.50 Well and derrick 150 lks.N. of line.
- 45.00 House of Ames Davis, bears N. about 15 chs.dist.
- 46.50 House of Fred Powers bears S. about 6 chs.dist.
- 82.36 Intersect E.bdry.of T7SR7E., at a point, whence the cor. of secs. 25 & 36 bears S. $0^{\circ}12'$ E., 120 lks.dist., as recently re-established by me, and described in book "A".  
 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for closing cor. of secs. 30 & 31, marked on brass cap,  
 1913 near S.edge;  
 C C W. of center;  
 T 7 S in N. and  
 S 25 S 36 R 7 E in W.half;  
 S 30 in NE. and  
 S 31 R 8 E in SE.quad.;  
 dig pits, 24x18x12 ins., crosswise on each line, N. & S., 3 ft., and E. of post, 7 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.
- 
- 4.00 S. $0^{\circ}6'$ W., bet. secs. 31 & 32.  
 Over gently undulating land, through scattering brush.  
 Road, bears E & W.
- 40.00 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,  
 1913 near S.edge;  
 $\frac{1}{4}$  S 31 in W. and  
 S 32 in E.half;  
 dig pits, 18x18x12 ins., N. & S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 81.93 Intersect the S.bdry.of Tp., at a point, whence the cor. of secs. 5&6 of T8S.R.8 E, bears N. $89^{\circ}8'$ W. 291 lks.dist., recently re-established by me, and described in book "A".  
 Set an iron post, 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for closing cor. of secs. 31 & 32, marked on brass cap,  
 1913 near S.edge;  
 C C N. of center;  
 R 8 E in W.,  
 T 7 S in N. and  
 T 8 S S 6 S 5 in S.half;  
 S 31 in NW. and  
 S 32 in NE.quad.;  
 dig pits, 24x18x12 ins., crosswise on each line, E.W. 3 ft. and N. of post, 7 ft. dist.; and raise a mound of earth,

## Subdivision of T.7 S., R.8 E.

4 ft. base, 2 ft. high, N. of cor.  
 Land, gently undulating.  
 Soil, dry, fine loam, 2nd rate.  
 Scattering mesquite, greasewood and other brush.

J. B. W.

Note: The S. bdry. of this Tp. being defective in alignment  
 and measurement we subdivided from the N. to the S.

## General Description.

T.7 S., R.8 E., is in a gently undulating valley, nearly level, draining to the NW. The soil is alluvial, being underlaid in parts of the NW. portion with a stratum of caliche at a depth of from 12 ins. to 24 ins.

The Tp. is covered with a good growth of mesquite and greasewood, but no timber of commercial value.


There are many settlers in the Tp. who have made permanent improvements, such as houses, well, pumps, corrals etc., and several who have recently moved in who are clearing their land. The settlers noted are:

R. H. Miller in sec. 4, E. Michael in sec. 6, Roy S. Ward in sec. 10, John A. Chantry and Laura B. Chantry in sec. 15, C. H. Himmel and W. H. McGinnis in sec. 18, M. D. Chantry in sec. 19, Mrs. A. J. Sandiforth in sec. 20, WM. Burkeland WM. E. Chantry in sec. 22, W. T. Hutton in sec. 28, L. A. Hutton in sec. 29, Chas. Reynolds, Anna C. Davis and Ames Davis in sec. 30, Fred Powers and Nell K. White in sec. 31, Dan Gingrich in sec. 32, Viola Gingrich, Elmer R. Todd and A. J. Brandt in sec. 33 and Adolph Kurz in sec. 8.

Water for irrigation is found at a depth of from 50 ft. to 80 ft.

The roads shown will soon be changed to conform with the sec. lines.

Nov. 18, 1913.



J. B. Chantry  
 William G. Elliott  
 U. S. Surveyors.

168  
23  
BOOK 215A

For FINAL OATHS OF UNITED STATES SURVEYORS.

See Book "D"

I, \_\_\_\_\_, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for \_\_\_\_\_ bearing date of the \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_\_, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of \_\_\_\_\_ of the \_\_\_\_\_ Meridian, in the State of \_\_\_\_\_, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for \_\_\_\_\_ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said \_\_\_\_\_, and sworn to before me }  
this \_\_\_\_\_ day of \_\_\_\_\_, 191 }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,  
DECEMBER 30  
Phoenix, Arizona, 1914.

The foregoing field notes of the survey of \_\_\_\_\_

**The Subdivision lines of Township 7 South, Range 8 East, of the  
Gila and Salt River Base and Meridian, in the State of Arizona.**

executed by Jesse B. Wright, and William H. Elliott, U.S. Surveyors, under his special instructions dated July 24, 1913, Group 30, 191\_\_\_\_\_, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank L. Engalls  
U. S. Surveyor General.  
of Arizona.

I certify that the foregoing transcript of the field notes of the above described surveys in \_\_\_\_\_, has been correctly copied from the original notes on file in this office.