BCCK 2998

## FIELD NOTES

OF THE SURVEY OF THE

		<u>s</u> 1	UBDIVISIO	N LINES			
			of	·			
		TOWNSHI	P 26 N <b>O</b> RI	H, RANGE	1 WEST,		
,							
						<del></del>	
							·
						· <del>-</del>	
			· 				
				·		·	
In the	Of the			ver Base		eridian,	
In the		·		ona.		eridian,	
	State of	E	Ariz EXECUT	ena. ED BY	·		
		E	Ariz EXECUT	ED BY			
	State of	E	Ariz EXECUT	ED BY			
	State of	E	Ariz	ona. ED BY			
In the	State of	Surveyor.	Ariz EXECUT W. H. Th	ona. ED BY orn,  nstructions	dated Me	arch 6,	, 1915
In the	State ofcapacity of U.S.	Surveyor	Ariz EXECUT W. H. Th, under i	eneral to	dated Me	arch 6,	, 1915 uded
In the dissued	State ofcapacity of U.S.	Surveyor States S	Ariz EXECUT W. H. Th , under i	eneral to	dated Me	arch 6,	, 191 uded

Survey completed August 2,

Executed under Assignment, Instructions dated May 6,1916.

GROUP 54.
Book "E".

BOOK 2998

## INDEX DIAGRAM.

												B
	6	30	. 5	22	4	17	8	12	2	\$	1	rveyed
4	29		29		22		16		11		6	dre
	7	29	8	21	9	<b>1</b> 6	10	11	11	6	12	- Resu
4	28		28		21		15		10		5	ridian-
	18	27	17	20	16	15	15	10	14	5	13	Meria
Book,	27		26		20		14		9		4	[`
C0	<b>19</b>	26	20	19	21	14	22	9	23		24	River
	25		25		19		14_		9		<u>3</u>	Salt
	<b>30</b>	24	29	18	28	13	27	8	26	3	25	
4	24		23		18		13		8		2	and
	81	23	32	17	88	12	84	7	85	2	36	Gila

Lines surveyed under this group--notes in this book.

Lines surveyed under this group--notes in book "A".

13

July 19. J. On Ja

DATE DPAGRAM

BOOK 2998

AIII.

T. 260N. PR. 1 W.

		· .	8/18	- <i>16</i>	1	1 "	
	91-49 8/2-16	5 6/2-16	4. 8/1-16	3 1/29-16	91-9 2 2/16 7/29-16	1 7/25-16	surveyed.
	7 18	8 %	9 163/16	10 1/29-16	11 27/16	12 7/25-16	dian-(Re
91-12	18 1 8/2 - 16 8	17 // 7/51 -16	16 17 1/28/16	15 LAK 1/27-16	14 7/27-16	13 7/2546	er Meria
11	19 1-16 7/31-16	2 <b>0</b> 27/2 7/31-16		22 2	23 19	24 7/13-16	alt Riva
	30 15/L 7/31-16	29 87/ 7/31-16	10	29 9	· / /	25 7/13-16	and
· <u>( ( )</u>	31 <i>91-</i> 1871	32 <i>31-83/L</i>	33 121	34 97 <u>/</u>	35 <u>- 21/</u>	36	Gila
	A Commence of the Commence of	adari Amerika	7/	22-16	gg		

Lines dated in red were executed by W. H. Thorn, U. S. Surveyor, on the dates shown on the above diagram.

,		Cubdivision of M Of M D 1 W
•	Chains.	Subdivision of T. 26 N., R. 1 W.
		Survey commenced July 13, 1916, and executed with Young and Sons' light mountain transit No. 8592, with Smith solar attachment. For description of instrument, certificate of approval, and tests of adjustment, see Book "A".
		I commence at the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., which is an iron post, described in Book "A".  Thence N.O° 1' W., bet. secs. 35 and 36.
	25.00 40.00	Over gently rolling land, through dense timber.  Desc, gradually, 60 ft.  Set an iron post, 3 ft. long, 1 in. diam. 26 ins. in the
		ground, for 4 sec. cor., marked on brass cap
		$\begin{vmatrix} \mathbf{s}_{35}^{\frac{1}{4}} \\ \mathbf{s}_{36} \end{vmatrix}$ $\mathbf{s}_{36}$
	,	From which A cedar, 16 ins. diam., brs. S.69° E., 171 lks. dist., marked $\frac{1}{4}$ S36 BT.
		A cedar, 12 ins. diam., brs. S.65° W., 229 lks. dist., marked $\frac{1}{4}$ S35 BT.
	51.40 55.00	Draw, course N.40° W. Asc. SW. slope, 90 ft. to
	86.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on
		brass cap
		\$26   \$25 \$35   \$36 1916
		From Which
÷	ing Pagan	A cedar, 14 ins diam., brs. S.17° W., 159 lks. dist., marked T26N R1W S35 BT.
		A cedar, 16 ins. diam., brs. N.77° W., 348 lks. dist., marked T26N R1W S26 BT.
	`. <del>'</del>	No other trees within limits. Raise a mound of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high, W. of cor. Land, gently rolling.
*		Soil, sandy clay; stony; 2nd rate. Timber, cedar and pinion.
	•	Under
		East on a random line, bet secs. 25 and 36.
	40.00 79.98	Set temp. \(\frac{1}{4}\) sec. cor.  Intersect Gila and Salt River Meridian, 2 lks. S. of the
		cor. of secs. 25, 30, 31 and 36, which is an iron post, reestablished as described in Book "A".
	* ***	Thence S.89° 59' W., on a true line, bet. secs. 25 and 36. Over gently rolling land, through scattering undergrowth.
	15.00 25.00	Enter scattering timber, brs. NE. and SW. Leave scattering timber, brs. NE. and SW.
		Draw, course N.40° W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
		1 S25 536 1916
	45.00	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Road, brs. N. and S. Head of draw, course N.
	79.98	The cor. of secs. 25, 26, 35 and 36.

```
Chains.
            Land, gently rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate.
           Timber, scattering cedar.
           Undergrowth, sagebrush.
           N.0° 1' W., bet. secs. 25 and 26.
Over gently rolling land, through scattering timber and
               undergrowth.
           Desc. gradually:
           Draw, course N.40° W. Asc. gradually.

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 2 ft. base, 1½ ft. high,
 35.00
40.00
                for \( \frac{1}{4} \) sec. cor., marked on brass cap
                                            s26 s25
                                               1916
                And raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high, \forall.
           of cor. Desc. NE. slope to
 55.00
           Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on
                                            T26N R1W
                                             $23 $24
$26 $25
                                                1916
                From which
                A cedar, 6 ins. diam.
                                                 brs. N.8\frac{1}{4}° E., 255 lks. dist.,
                marked T26N Rlw S24 BT.
               A cedar, 8 ins. diam., brs. S.43½° E., 410 lks. dist., marked T26N R1W S25 BT.

A cedar, 6 ins. diam., brs. N.19½° W., 290 lks. dist., marked T26N R1W S23 BT.
           No other trees within limits. Raise a mound of stone, 2 ft. base, 1 ft. high, W. of cor.
           Land, gently rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate.
           Timber, scattering cedar.
           Undergrowth, sagebrush.
           East on a random line, bet. secs. 24 and 25.
           Set temp. \(\frac{1}{4}\) sec. cor.

Intersect Gila and Salt River Meridian, at the cor. of secs.
 40.00
 00..08
               19, 24, 25 and 30, which is an iron post, reestablished
               as described in Book "A".
           Phence
           West on a true line, bet. secs. 24 and 25.

Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
 40.00
                And raise a mound of stone, 2 ft. base, 12 ft. high, N
           of cor.
Draw, course N.40° W. Asc. gradually.
Road, brs. N.40° W. and S.40° E.
 65.00
 65.80
           The cor. of secs. 23, 24, 25 and 26.
 80.00
           Land, gently rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate.
```

```
Subdivision of T. 26 N. R. 1 W.
4.
   mains.
               No timber.
               Undergrowth, sagebrush.
               N.0° 1' W., bet. secs. 23 and 24.
               Over gently rolling land, through scattering timber and
                    undergrowth.
              Desc. gradually.
Road, brs. N.30° W. and S.30° E.
Draw, course N.30° W. Asc. 65 ft.
Earth dam across draw, brs. W. about 18 chs. dist.
    13.50
14.80
    30.00
     5.00
               Thence along W. slope.
               Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor, marked on brass cap
    40.00
                    And raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high, W
               Top of ascent, brs. N.10° W. and S.10° E. Desc. gradually. Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of earth and stone, 3 ft. base, 2 ft. high, for cor. of secs. 13, 14, 23 and 24, marked on
    71.00
    80.00
                    brass cap
                                              T26N R1W

S14 S13

S23 S24

1916
                   Dig pits, 18 \times 18 \times 12 ins., in each sec., 5\frac{1}{2} ft. dist; and spread the dirt around the post.
               Land, gently rolling.
               Soil, sandy clay; stony; limestone formation; 2nd rate.
               Timber, very scattering cedar. Undergrowth, sagebrush.
               East on a random line, bet. secs. 13 and 24. Set temp. \frac{1}{4} sec. cor.
    40.00
               Intersect Gila and Salt River Meridian, 2 lks. S. of the cor. of secs. 13, 18, 19 and 24, which is an iron post
    79.99
                  reestablished as described in Book "A".
               Thence
               S.89° 59' W., on a true line, bet. secs. 13 and 24. Over gently rolling land, through scattering undergrowth.
              Along N. slope.
    16.80
            Draw, course N. Asc.
Desc. along N. slope.
                                         Asc. to
    25.00
    39.99½ Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high,
                    for \frac{1}{4} sec. cor., marked on brass cap
                    Dig pits, 18 \times 18 \times 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
    45.00
               Desc. to
               Draw, course N. Asc. to
    79•99
               The cor. of secs, 13, 14, 23 and 24.
               Land, gently rolling.
               Soil, sandy clay; stony; limestone formation; 2nd rate.
               No timber.
```

Undergrowth, sagebrush.

```
Subdivision of T. 26 N., R. 1 W.
Chains.
           N.0° 1 W., bet. secs. 13 and 14. Over gently rolling land, through scattering undergrowth.
           Desc. gradually.
           Head of draw, course N.70° W.
   6.40
           Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 2 ft. base, 12 ft. high,
 40.00
                for \frac{1}{4} sec. cor., marked on brass cap
                                            S14 S13
                                               1916
                Dig pits 18 X 18 X 12 ins., N. andS. of post, 3 ft. dist.; and spread the dirt around the post.
           Draw, course NW. Thence along W. slope.

Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, 4 ft. base, 2½ ft. high, for cor. of secs. 11, 12, 13 and 14, marked on brass cap
 50.00
 80.00
                                           T26N R1W
S11 S12
S14 S13
                                                 1916
                And raise a moundoof stone, 3 ft. base, 2 ft. high, W.
                of cor.
            Land, gently rolling.
            Soil, sandy clay; stony; limestone formation; 2nd rate.
            No timber.
            Undergrowth, algerita and sagebrush.
            East on a random line, bet. secs. 12 and 13. Set temp. \frac{1}{4} sec. cor.
  40.00
            Intersect Gila and Salt River Meridian, 5 lks. S. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, reestablished as described in Book "A".
  79.96
            Thence
            S.89° 58! W., on a true line, bet. secs. 12 and 13.
            Over gently rolling land, through scattering undergrowth.
            Thence along N. slope
            Road, brs. N.70° W. and S.60° E.
Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
                                              1 S12
4 S13
1916
                And raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
                N. of cor.
            Draw, 5 chs. wide, course N.60° W. Asc. to Desc. to
 40.75
45.95
54.75
59.95
            Draw, course N.20° E.
            Earth dam, brs. N. about 20 chs. dist.
            Top of ascent; thence along N. slope to Desc. W. slope to
  69.95
79.96
            The cor. of secs. 11, 12, 13 and 14.
            Land, gently rolling.
            Soil, sandy clay; stony; limestone formation; 2nd rate.
            No timber.
            Undergrowth, sagebrush.
```

```
Subdivision of T. 26 N. R. 1
Chains.
           N.0° 1' W., bet. secs. 11 and 12.
Over gently rolling land, through scattering undergrowth.
           Along W. slope. Desc. to
 17.00
23.00
28.60
           Enter bottom land, 12 chs. wide.
           Road, brs. N.80° E. and S.80° W.
           Draw, course N.5° E.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
 38.90
 40.00
                                            $\frac{1}{4} | $12
                                              - 1916
                And raise a mound of stone, 2 ft. base, 1 ft. high, w
                of cor.
           Draw, course N.40° W.
Leave bottom land; asc. SW. slope, 50 ft. to
Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
stone, 4 ft. base, 2½ ft. nigh, for cor. of secs. 1, 2
ll and 12, marked on brass cap
 54.00
59.00
80.00
                                            T26N RlW
                                             S 2 S 1
                                             S11 312
                                                 1916
               And raise a mound of stone, 3 ft. base, 2 ft. high, W.
           Land, gently rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate.
           No timber.
           Undergrowth, sagebrush.
           East on a random line, bet. secs. 1 and 12.
40.00
           Set temp. \frac{1}{4} sec. cor.
           Intersect Gila and Salt River Meridian, 8 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, reestablished as described in Book "A".
79.99
           S.89° 57' W., on a true line, bet. secs. 1 and 12. Over rolling land, through scattering undergrowth.
           Desc. to
9.50
37.80
           Draw, course N.60° W. Continue descent.
           Draw. course N.10° W.
                                           Asc.
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
39 • 99 <del>1</del>
               And raise a mound of stone, 3 ft. base, 2 ft. high, N.
               of cor.
 47.00
           Top of ascent; desc. 110 ft. to
67.40
73.80
79.99
          Draw, course N.10° E. Asc. 30 ft. Road, brs. N. and S.
           The cor. of secs. 1, 2, 11 and 12.
           Land, rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate.
           No timber.
           Undergrowth, sagebrush.
```

N.0° 1' W., on a random line, bet. secs. 1 and 2.

	Subdivision of T. 26 N., R. 1 W. 7.
40.00 80.25	Set temp. \(\frac{1}{4}\) sec. cor.  Intersect N. bdy. of Tp., 2 lks. W. of the cor. of secs.  l,and 2, T. 26 N., R. l W., which is an iron post,  described in Book "A".
	Thence South on a true line, bet. secs. 1 and 2. Over gently rolling land, through scattering undergrowth. Desc. gradually.
34·45 40·25	Head of draw, course NW. Asc. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high, for \( \frac{1}{4} \) sec. cor., marked on brass cap
1 1	$\begin{bmatrix} \frac{1}{4} \\ \mathbf{S} \end{bmatrix}$ S 1
	1916
	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
50.25 80.25	Low ridge, brs. N.30° E. and S.30° W. Desc. gradually. The cor. of secs. 1, 2, 11 and 12.
	Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber.
	Undergrowth, sagebrush.
100 J.M.	From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., which is an iron post, described in Book "A".  N.00 l' W., bet. secs. 34 and 35.  Over gently rolling land, through dense timber.
16.00	Asc. 05 ft. to Top of ascent, brs. N.20° E. and S.40° W. Thence along W
25.00	slope. Low ridge, brs. N.10° E. and N.80° W. Thence along W.
40.00	slope. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
	s34 s35 1916
	1916
	From which A cedar, 6 ins. diam., brs. N.69\frac{1}{2}\circ E., 21 lks. dist.,
	marked 4S35 BT.
48,30	A cedar, 6 ins. diam., brs. S.68° W., 39 lks. dist., marked 4S34 BT. Head of draw, course W. Asc. 25 ft. to
58.00 72.30	Top of ascent, brs. N.70° W. and S.70° E. Desc. 45 ft. to
80.60	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on
	brass cap T26N Rlw
	<b>S27</b>   <b>S26</b>   <b>S34</b>   <b>S35</b>
	1916
	From which A cedar, 6 ins. diam., brs. N.81° E., 73 lks. dist.,
*	marked T26N R1W S26 BT. A cedar, 6 ins. diam., brs. S.1° E., 163 lks. dist.,
	marked T26N R1W S35 BT. A cedar, 6 ins. diam., brs. S.24% W., 86 lks. dist.,
	marked T26N R1W S34 BT. A cedar, 8 ins. diam., ors. N.56° W., 97 lks. dist.,

Subdivision of T. 26 N., R. 1 W. onsuns marked T26N RIW S27 BT. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. Timber, cedar and pinion. East on a random line, bet. secs. 26 and 35. Set temp. 4 sec. cor.
Intersect N, and S. line, 5 lks. S. of the cor. of secs.
25, 26, 35 and 36. 40.00 79.93 Thence S.89° 58' W., on a true line, bet. secs. 26 and 35. Over gently rolling land, through scattering timber and undergrowth. Desc. Leave timber, brs. N.30° W. and S.10° E. 29:95 32.45 Draw, course N.30° W. Asc.
39.962 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of earth and stone, 3 ft. base, 12 ft. high, for 1 sec. cor., marked on brass cap 1 S26 4 S35 1916 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post. Enter timber, ors. N.20° W. and S.30° E. The cor. of secs. 26, 27, 34 and 35. 62.95 79.93 Land, gently rolling. Soil, sandy clay; gravelly and stony; limestone formation; 2nd rate. Timber, scattering cetar and pinion. Undergrowth, sagebrush. N.0° 1' W., bet. secs. 26 and 27. Over gently rolling land, through dense timber.and 2.00 Desc. NE. slope. Leave timber, brs. S.70° E. and W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor, marked on brass cap **2**7.00 40.00 **\$2**7 **\$2**6 1916 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. Continue descent of N. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on 50.00 80.00 brass cap T26N R1W S22 S23 S27 S26 1916 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.

		Subdivision of T. 26 N., R. 1 W.	•
	Chains.	East on a random line, bet. secs. 23 and 26.	
	40.00 <b>7</b> 9.96	Set temp. ½ sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of sec	ss.
	e ee	23, 24, 25 and 26. Thence S.89° 58' W., on a true line, bet. secs. 23 and 26. Over gently rolling land, through scattering timber ar undergrowth. Asc. to	ıđ
	14.95 28.95 39.98	Desc. 105 ft. Leave timber, brs. N. and S. Set an iron post, 3 ft. long, 1 in diam., 26 ins. in ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap	ı the
		1 S23 4 S26 1916	
		And raise a mound of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high of cor.	ı, N.
	52.55 62.95 79.96	Draw, course N. Asc. to Thence along N. slope to The cor. of secs. 22, 23, 26 and 27. Land, gently rolling.	
		Soil, E. 30 chs., stony; 2nd rate; W. 50 chs., sandy clast rate.	lay;
	,	Timber, scattering cedar. Undergrowth, sagebrush.	
	•		
	1.50 10.00 40.00	N.0° 1' W., bet. secs. 22 and 23.  Over gently rolling land, through scattering undergrow Desc. gradually.  Road, brs. N.40° E. and S.40° W.  Head of draw, course N.40° W. Asc. to  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap	
		\$\frac{1}{2} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
		1916	
		And raise a mound of stone, 2 ft. base, laft. high, of cor.	₩.
	80.00	Desc. gradually. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in ground, for cor. of secs. 14, 15, 22 and 23, marked	
		brass cap T26N R1W S15 S14 S22 S23 1916	
		And raise a mound of stone, 3 ft. base, 2 ft. high, of cor. Land, gently rolling. Soil, sandy clay; limestone formation; lst rate. No timber. Undergrowth, sagebrush.	w .
			·
	40.00 <b>\$</b> 0.01	East on a random line, bet. secs. 14 and 23.  Set temp. ½ sec. cor.  Intersect N. and S. line, 5 lks. S. of the cor. of sec.  13, 14, 23 and 24.  Thence  S.89° 58' W., on a true line, bet. secs. 14 and 23.	88.
- 1			1

```
10.
                           Subdivision of T. 26 N., R. 1 W.
  chains.
             Over gently rolling land, through scattering undergrowth.
             Desc. 100 ft.
             Road, brs. N. and S. Draw, course N.40° W. Asc. gradually.
   24.20
   32.50
   40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., markedon brass cap
                                                1 S14
4 S23
1916
                  Dig pits, 18 X 18X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
             Low ridge, brs. N. and S.40° E. Desc. 40 ft. to Draw, course N.30° W. Thence along N. slope. The cor. of secs. 14, 15, 22 and 23.
   50.00
   65.00
   80.01
             Land, gently rolling.
             Soil, sandy clay; limestone formation; 2nd rate.
             No timber.
             Undergrowth, sagebrush.
             N.0° 1' W., bet. secs. 14 and 15
Over gently rolling land, through scattering undergrowth.
             Desc. gradually.
             Draw, course N.60° W. Asc. gradually.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap
   35.00
   40.00
                                               S15 S14
                                                  1916
                  And raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
                  W. of cor.
             Desc. to
             Draw, course S.80° W. Asc. 30 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on
   63.75
   80.00
                  brass cap
                                               T26N R1W
S10 S11
                                                 $15 | $14
1916
                  And raise a mound of stone, 3 ft. base, 2 ft. high, W.
                  of cor.
              Land, gently rolling.
              Soil, sandy clay; stony; 2nd rate.
              No timber.
              Undergrowth, sagebrush.
              East on a random line, bet. secs. 11 and 14.

Set temp. \( \frac{1}{4} \) sec. cor.

Intersect N. and S. line, 5 lks. S. of the cor. of secs.
   40.00
   80.06
                  11, 12, 13 and 14.
              Thence
              S.89° 58' W., on a true line, bet. secs. 11 and 14.
              Over gently rolling land, through scattering undergrowth.
              Desc. to
              Draw, course N.15° E.
   12.95
13.65
                                               Asc.
              Road, brs. N.10° E. and S.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec cor., marked on brass cap
   40.03
```

	Subdivision of T. 26 N., R. 1 W. 11.
Chains.	1 S11.
42.05 73.65 80.06	And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.  Top of ascent, brs. N. and S. Desc.  Draw, course S. Asc.  The cor. of secs. 10, 11, 14 and 15.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 2nd rate.  No timber.  Undergrowth, sagebrush.
,	
40.00	N.O° 1' W., bet. secs. 10 and 11.  Over gently rolling land, through scattering undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	sio sii
	1916
*	And raise a mound of stone, 2 ft. base, $l_{\mathbb{R}}^{\frac{1}{2}}$ ft. high, $\mathbb{W}$ of cor.
45.00 58.00 80.00	Top of ascent, brs. S.20° W. and N.40° E. Desc. gradually. Draw, course W. Asc. gradually. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap
	T26N R1W S 3 S 2 S10   S11 1916
	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.
•	
40.00	East on a random line, bet. secs. 2 and 11.  Set temp. \( \frac{1}{4} \) sec cor.  Intersect N. and S. line, 10 lks. S. of the cor. of secs.
80.12	1, 2, 11 and 12.  Thence S.89° 56' W., on a true line, bet. secs. 2 and 11.  Over gently rolling land, through scattering undergrowth.
12.10 40.06	Desc. 40 ft. Draw, 7 chs. wide, course N.35° W. Asc gradually, 60 ft. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a moundof earth and stone, 3 ft. base, 1½ ft. high, for ½ sec. cor., marked on brass cap
	1 S 2 4 S11 1916
51.40 62.10 66.10 80.12	Dig pits, 18 X 18 X12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.  Draw, course NE. Asc. to  Desc. to  Head of draw, course N.40° W. Asc.  The cor. of secs. 2, 3, 10 and 11.
_	

Subdivision of T. 26 N. R. 1 W. 12 Chains. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush. N.O° 1' W., on a random line, bet. secs. 2 and 3.
Set temp. \( \frac{1}{4} \) sec.cor.
Intersect N. bdy. of Tp., 10 lks. W. of the cor. of secs.
2 and 3, T. 26 N., R. 1 W., which is an iron post,
described in Book "A". 40.00 80.29 Thence S.0° 3' W., on a true line, bet. secs. 2 and 3. Over gently rolling land, through scattering undergrowth. Desc. Draw, course N.60° E. Asc. to 22.30 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base,  $1\frac{1}{2}$  ft. high, 40.29 for  $\frac{1}{4}$  sec. cor., marked on brass cap s 3 s 2 1916 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Desc. to
Draw, course N.40° W. Asc. gradually. ) Subject 64.30 80.29 The cor. of secs. 2, 3, 10 and 11. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, algerita and sagebrush. From the cor. of secs. 3, 4, 35 and 34, on the S. ody. of the Tp., which is an iron post, described in Book "A", N.O° 2' W., bet. secs. 33 and 34.

Over gently rolling land, through scattering undergrowth. 20.00 Asc. gradually. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the 40.00 ground, for 1/2 sec. cor., marked on brass cap Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. Earth dam brs. W. 10 chs, dist. Desc. gradually. Draw, course N.30° E. Road, brs. N.40° E. and S.40° W. Draw, course N.30° W. 48.00 60.00 68.20 73.40 86.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap T26N R1W S28 S27 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, gently rolling. Soil, sandy clay; 1st and 2nd rates.

	Subdivision of T. 26 N., R. 1 W. 13.
Chains.	No timber. Undergrowth, sagebrush.
40.00 80.18	East on a random line, bet. secs. 27 and 34. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line, 2 lks. N. of the cor. of secs. 26, 27,34 and 35.
11.60 40.09	Thence N.89° 59' W., on a true line, bet. secs. 27 and 34. Over gently rolling land, through dense timber. Draw, course N.80° W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap
	1 S27 4 S34 1916
43.20 50.20 54.20 68.50 80.18	From which A cedar, 8 ins. diam., brs. N.27° W., 41 lks. dist., marked \$227 BT. A cedar, 8 ins. diam., brs. S.10° E., 77 lks. dist., marked \$334 BT.  Leave dense timber, brs. N.60° E. and S. Thence through scattering timber.  Draw, course N.30° W. Asc. gradually.  Leave scattering timber, brs. N.30° E. and S. Road, brs. N.50° E. and S.45° W.  The cor. of secs. 27, 28, 33 and 34.  Lend, gently rolling.  Soil, gravelly and stony; 2nd rate.  Timber, cedar and pinion.  Undergrowth, sagebrush.
25.00 40.00	N.0° 2' W., bet. secs. 27 and 28.  Over gently rolling land through scattering undergrowth.  Along gentle W. slope.  Draw, course W.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap  \[ \frac{1}{4} \)  S28 S27  1916
54.00 68.00 80.00	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.  Enter bottom of draw, 8 chs. wide, course N.5° E.  Leave draw, course N.5° E.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap  T26N R1W  S21 S22  S28 S27  1916
	Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.  Land, gently rolling.  Soil, sandy clay; stony; 2nd rate for 1st 54 chs.; last 26 chs., 1st rate.  No timber.  Undergrowth, sage brush.

14.		Subdivision of T. 26 N., R. 1 W.
	40.00 80.09	East on a random line, bet. secs. 22 and 27.  Set temp. \(\frac{1}{4}\) sec. cor.  Intersect N. and S. line, 3 lks. S. of the cor. of secs.  22, 23, 26 and 27.
		Thence S.89° 59' W., on a true line, bet. secs. 22 and 27.  Over gently rolling land, through scattering undergrowth.  Road, brs. N.40° E. and S.40° W.  Head of draw, course N. Thence along N. slope.  Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap
		1 S22 4 S27 1916
•	55.10 72.10 78.30 80.09	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.  Desc. to Enter bottom of draw, course N.5° W. Leave draw, course N.5° W. Asc. The cor. of secs. 21, 22, 27 and 28. Land, gently rolling. Soil, sandy clay; gravelly; limestone formation; 2nd rate No timber. Undergrowth, sagebrush.
	23.00	N.0° l' W., bet. secs. 21 and 22.  Over gently rolling land, through scattering undergrowth.  Draw, course N.20° W. Continue across bottom land.  Leave bottom land, asc. gradually.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., marked on brass cap
		\$21 S22
		1916
	80.00	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap
		T26N R1W S16 \$15 S21   S22 1916
		And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling.
		Soil, sandy clay; gravelly; limestone formation; 2nd rate No timber. Undergrowth, sagebrush.
. •		
•	40.00 80.02	East on a random line, bet. secs. 15 and 22.  Set temp. \( \frac{1}{4} \) sec. cor.  Intersect N. and S. line, 2 lks. N. of the cor. of secs.  14, 15, 22 and 23.  Thence  N.89° 59' W., on a true line, bet. secs. 15 and 22.
	16.50 33.00	Over gently rolling land, through scattering undergrowth.  Draw, course N. Asc. to  Low ridge, brs. N. and S. Desc.

	$BOO_K$
	Subdivision of T. 26 N., R. 1 W. 15.
Chains 40.01	
	1 S15 4 S22 1916
45.00 55.00 80.02	And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.  Draw, course N.30° W. Thence along N. slope.  Desc. gradually.  The cor. of secs. 15, 16, 21 and 22.  Land, gently rolling.  Soil, sandy clay; gravelly and stone; 2nd rate; limestone formation.  No timber.  Undergrowth, sagebrush.
2.60 4.70 18.40	Road, brs. N.5° E. to Grand Canyon, and S.5° W. to Ash Fork.  Draw, course E.
23.30	Raad, brs. N.10° W. to Grand Canyon, and S.5° E. to Ash Fork.  Draw, course N.10° W.
36.20 36.40 37.40 39.50 40.00	Road, brs. NE. to Grand Canyon and SW. to Ash Fork.  E. end of dam, 4 chs., long, brs. W.  Road, brs. NW. to Grand Canyon and SE. to Ash Fork.  Draw, course N.20° E.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
	s16 s15
	1916
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
43.30 56.00 65.00	of cor.  Road, brs. N.10° E. to Grand Canyon and S.5° W. to Ash. For Draw, course E. Asc.  Road, brs. N.20° W. to Grand Canyon and S.10° E. to Ash
80.00	Fork.  Set an iron post, 3 ft. long, 2 ins diam., 12 ins. in the ground, in a mound of earth and stone, 3 ft. base, 1½ ft. high, for cor. of secs. 9, 10, 15 and 16, marked on brass cap  T26N R1W
	\$ 9 \$10 \$16 \$15 1916
	Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.  Land, gently rolling.  Soil, sandy clay; stony; 2nd rate; limestone formation.  No timber.
	Undergrowth, sagebrush.
*:	
40.00 79.97	East on a random line, bet. secs. 10 and 15.  Set temp. ½ sec. cor.  Intersect N. and S. line, at the cor. of secs. 10, 11, 14  and 15.
	Thence
1	· I

```
16.
                                 Subdivision of T. 26 N., R. 1 W.
                  West on a true line, bet. secs. 10 and 15. Over gently rolling land, through scattering undergrowth. Asc. to
        4.95
26.75
                  Desc. to
                  Draw, course S.30° W.
        39•25
39•98<del>1</del>
                  Draw, course N.40° W.
                                                  Asc.
                  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor., marked on brass cap
                                                   1916
                      Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
                      dist.; and spread the dirt around the post.
        54·95
73·45
79·97
                  Desc. to
                  Draw, course N.20° E. Asc.
The cor. of secs. 9, 10, 15 and 16.
                  Land, gently rolling.
                          sandy clay; stony; limestone formation; 2nd rate.
                  Soil,
                  No timber.
                  Undergrowth, sagebrush.
                  N.0° 2' W., bet. secs. 9 and 10. Over gently rolling land, through scattering undergrowth.
                  Along E. slope.
                  Set an iron post, 3 ft. long, l in. diam., in a mound of stone, 4 ft. base, 2\frac{1}{2} ft. high, for \frac{1}{4} sec. cor., marked
        40.00
                       on brass cap
                                                  s 9 | s10
                                                    1916
                      And raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high, W.
                      of cor.
                 Draw, course N.50° W., 4 chs. wide.
Earth dam, 5 chs. long, extending N. and S., brs. W. about
Lail2.chs. dist.
        43.80
        48.00
                  Enter bottom land, 5 chs. wide, brs. N10° W. and S.30° W. Draw, course N.5° W.; comes from SW. Leave bottom land.
        64.00
        68.00
        77.00
                  Set an iron post, 3 ft. long, 2 ins. dism., 20 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, for cor. of secs. 3, 4, 9 and 10, marked on brass cap
        80.00
                                                  T26N Rlw
                      And raise a mound of stone, 3 ft. base, 2 ft. high, W.
                       of cor.
                  Land, gently rolling.
                  Soil, sandy clay; stony; limestone formation; 2nd rate.
                  No timber.
                  Undergrowth, sagebrush.
                  East on a random line, bet. secs. 3 and 10.
                  Set temp. 2 sec. cor.
        40.00
                  Intersect N. and S. line, 4 lks. S. of the cor. of secs.
        80.00
                       2, 3, 10 and 11.
                  Thence
```

S.89°58 W., on a true line, bet. secs. 3 and 10. Over gently rolling land, through scattering undergrowth.

Subdivision of T. 26 N., R. 1 W. 17. Desc. gradually. Draw, course N.40° W. Asc. gradually.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap 25.00 40.00 And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor. Top of ascent, ors. N.10° W. and S.10° E. Desc. to 41.00 68.40 Draw, course N.50° W. The cor. of secs. 3, 4, 9 and 10. 80.00 Land, gently rolling. sandy clay; stony; limestone formation; 2nd rate Soil, No timber. Undergrowth, algerita and sagebrush. N.0° 2' W., on a random line, bet. secs. 3 and 4. Set temp. 4 sec. cor. 40.00 Intersect N. bdy. of Tp., 5 lks. W. of the cor. of secs. 3. and 4, T. 26, N., R. 1 W.. which is an iron post, described in Book "A". 80.19 Thence South on a true line, bet. secs. 3 and 4. Over gently rolling land, through scattering undergrowth. Desc. to Draw, course N.80° W. Thence along W. slope. 5.90 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the 40.19 ground, in a mound of stone, 2 ft. base, 1 ft. high, for ½ sec. cor., marked on brass cap s 4 s 3 And raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor. Desc. 40 ft. Spur, slopes W. Draw, course N.60° W. Asc. gradually. The cor. of secs. 3, 4, 9 and 10 Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2ndrate. No timber. Undergrowth, algerita and sagebrush. From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.O° 3' W., bet. secs. 32 and 33. Over gently rolling land, through scattering timber and undergrowth. Along W. slope. Desc. gradually.
Leave timber, brs. E. and N.70° W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap 2.60 13.00 40.00

s32 s33

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.

Subdivision of T. 26 N. R. 1 W.

```
Chains
               dist.; and spread the dirt around the post.
           Draw, course N.40° E. Asc.
Enter scattering timber.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on
 52.80
 77.00
               brass cap
                                           T26N R1W
                                             S29 | S28
               From which
           A cedar, 8 ins. diam., brs. N.21° 30' E., 319 lks. dist., marked T26N Rlw S28 BT.

A cedar, 12 ins. diam., brs. S3½° E., 211 lks. dist., marked T26N Rlw S33 BT.

No other trees within limits. Raise a mound of stone, 2
           ft. base, l_{\overline{k}} ft. high, W. of cor. Land, gently rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate. Timber, scattering cedar and pinion.
           Undergrowth, algerita and sagebrush.
           East on a random line, bet. secs. 28 and 33.
 40.00
           Set temp. \frac{1}{4} sec. cor.
80.02
           Intersect N. and S. line, 2 lks. N. of the cor. of secs.
              27, 28, 33 and 34.
           Thence
           N.89^{\circ} 59' W., on a true line, bet. secs. 28 and 33.
           Over gently rolling land, through scattering undergrowth.
          Road, brs. N. to Grand Canyon and S. to Ash Fork.
  3.40
          Draw, course N.10° W. Asc. gradually, 50 ft. Top of ascent, brs. N.20° W. and S20° E. Desc. gradually
4.90 18.00
          Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
40.01
                                            1 S28
333
1916
               Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
               dist.; and spread the dirt around the post.
47.40
          Draw, course N.40° E.
70.00
          Head of draw, course N.60° E. Asc.
          The cor. of secs. 28, 29, 32 and 33.
80.02
          Land, gently rolling.
           Soil, sandyclay; limestone formation; 2nd rate.
          No timber.
          Undergrowth, sagebrush.
          N.0° 3' W., bet. secs. 28 and 79. Over gently rolling land, through very scattering timber
              and undergrowth.
          Asc. gradually, 30 ft.
          Desc. gradually, 40 ft.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
30.00
40.00
                                          s29 s28
                                             1916
```

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.

20. Subdivision of T. 26 N. R. 1 W. chains 320 S21 1916 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. Thence through scattering timber. 46.20 Draw, course N.80° E. 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap T26N RIW S17 S16 S20 S21 1916 From which A cedar, 12 ins. diam., brs. N.36° E., 308 lks. dist., marked T26N R1W S16 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. Timber, scattering cedar. Undergrowth, sagebrush. East on a random line, bet. secs. 16 and 21. Set temp.  $\frac{1}{4}$  sec. cor. 40.00 80.01 Intersect N. and S. line, at the cor. of secs. 15, 16, 21 and 22. Thence West on a true line, bet. secs. 16 and 21.

Over gently rolling land, through scattering timber and undergrowth. Draw, course N.5° E. Road, brs. N5° E. to Grand Canyon, and S.10° W. to Ash 1.40 2.00 Fork. 40.001 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap 1 S16 4 S21 1916 And raise a mound of stone, 2 ft. base, 1 ft. high, N. of cor. 40.50 62.00 Draw, course N.45° E. Asc. to Thence along N. slope. 80.01 The cor. of secs. 16, 17, 20 and 21. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. Timber, scattering cedar. Undergrowth, sagebrush. N.0° 3' W., bet. secs. 16 and 17. Over gently rolling land, through scattering timber and undergrowth. Draw, course N.80° E. 4.00 Asc. 35 ft. to Thence along E. slope to 15.00 Draw, course S.70° E. 32.20 Set an iron post, 3 ft. long, 1 in. diam., in a mound of 40.00 stone, for \frac{1}{4} sec. cor., marked on brass cap

enrisno	Subdivision of T. 26 N., R. 1 W. 21	•
	$\begin{bmatrix} s_1^4 \\ s_1^6 \end{bmatrix}$	
	1916	
48.00	From which A cedar, 8 ins. diam., brs. S.30° E., 164 lks. dist., marked \(\frac{1}{4}\)S16 BT.  A cedar, 10 ins. diam., brs. N.37\(\frac{1}{2}\)° W., 184 lks. dist., marked \(\frac{1}{4}\)S17 BT.  Desc. gradually, 60 ft.	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap	6
,	\$ 8   \$ 9 \$17   \$16 1916	
Les Van	Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist and spread the dirt around the post.  Land, gently rolling.	<b>,</b>
	Soil, sandy clay; stony; limestone formation; 2nd rate. Timber, very scattering cedar. Undergrowth, sagebrush.	
		+
40.00 80.02	East on a random line, bet. secs. 9 and 16.  Set temp. \(\frac{1}{4}\) sec. cor.  Intersect N. and S. line, 5 lks. S. of the cor. of secs.  9, 10, 15 and 16.	
<b>5.</b> 90	Thence S.89° 58' W., on a true line, bet. secs. 9 and 16. Over gantly rolling land, through scattering undergrowth. Asc. gradually. Road, brs. N.20° W. to Grand Canyon and S.20° E. to Ash Fork.	
32.00 40.01	Top of ascent, brs. N. and S. Desc. gradually. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap	
	1 S 9	
64.00 80.02	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.  Draw, course NW. Asc. gradually.  The cor. of secs. 8, 9, 16 and 17.  Land, gently rolling.  Soil, sandy clay; gravelly and stony; limestone formation; 2nd rate.  No timber.	
	Undergrowth, sagebrush.	-
19.00 31.30	N.0° 3' W., bet. secs. 8 and 91 Over gently rolling land, through scattering undergrowth. Desc. gradually. Draw, course N.30° W. Draw, course S.70° W. Asc. Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for ½ sec. cor., marked on brass cap	

2.2.

		Subdivision of T. 26 N., R. 1 W.
	chains.	s <sup>2</sup> 8 s 9
-	·	1916
demand against contact property and account of the second	70.00 80.00	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  Draw, course W.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap
	· .	T26N R1W  S 5 S 4  S 8 S 9  1916
The second secon		And raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 3rd rate.
to section place and another the section of the section of		No timber. Undergrowth, sagebrush.
0.00		
	40.00 80.03	East on a random line, bet. secs. 4 and 9.  Set temp. 4 sec. cor.  Intersect N. and S. line, 4 lks. S. of the cor. of secs.  3, 4, 9 and 10.
	2.55	Thence S.89° 58' W., on a true line, bet. secs. 4 and 9. Over gently rolling land, through scattering undergrowth. Draw. course N.
		Road, brs. N.10° W.cto GrandCanyon and S.20° E. to Ash Fork.
	36.45 40.01€	Head of draw, course S.20° E. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brassscap
		1 S 4 5 S 9 1916
	<b>52.</b> 05 80 <b>.</b> 03	And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.  Asc. gradually.  Top of ascent, brs. N. and S.20° E. Desc. gradually.  The cor. of secs. 4, 5, 8 and 9.
		Land, gently rolling. Soil, sandy clay; stony; limestone formation; 3rd rate. No timber. Undergrowth, sagebrush.
	40.00	N.O° 3' W., on a random line, bet. secs. 4 and 5. Set temp. 4 sec. cor.
	80.21	Intersect N. bdy. of Tp., at the cor. of secs. 4 and 5, T. 26 N., R. 1 W., which is an iron post, described in Book "A".  Thence
	10.20	S.0° 3' E., on a true line, bet. secs. 4 and 5. Over gently rolling land, through scattering undergrowth. Asc. 40 ft. to Top of ascent, brs. N.35° W. and S.40° E. Desc. gradually.
-	29.00 40.21	Draw, course N.40° W. Asc. gradually. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

Charms.    Soldivision of T. 26 N. R. 1 W. 23.   Soldivision of T. 26 N. R. 1 W. 25.   1916			998
Jig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. desc. to Draw, course N.80° W. Asc. The cor. of secs. 4, 5, 8 and 9. Lind, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.  From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 31 and 32. Over gently rolling land, through dense timber. Along E. slope. Leave timber, brs. E. and N.40° W. Set an iron post, 5 ft. long, 1 in. dism., 26 ins. in the ground, for 2 sec. cor., marked on brass cap  Big pits, 18 X 18 X 12 ins., N. and S. of nost, 3 ft. dist.; and spread the dirt sround the post. From this cor., earth dem brs. E. seout 18 chs. dist. Praw, course N.40° W. Set an iron post, 5 ft. long, 2 ins. dism.; 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N   N		Subdivision of To 26 N., R. 1 W. 23.	:
Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist; and spread the dirt around the post.  Desc. to Desc. to Desc. to Drsw, course N.80° W. Asc. 30.21  The cor. of secs. 4, 5, 8 and 5. Lind, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.  From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 31 and 32. Over gently rolling lynd, through dense timber. Along E. slope. 40.00  Set an iron post, 5 ft. long, 1 in. dism., 2t ins. in the ground, for 3 sec. cor., marked on brass cap  1916  Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. From this cor., earth dam brs. E. soout 18 cbs. dist. Drsw, course N.40° W. Soil send, and the dirt around the post. From this cor., earth dam brs. E. about 18 cbs. dist. Drsw, course N.40° W. Soil Send, and Tyle Sec. cor. 1916  From which A cedar, 5 ins diam., brs. N144° E., 167 lks. dist., marked 720k Rlw S29 ET. No other trees within limits. Ralse a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land gently rolling. Soil, sendy clay; limestone formation; 2nd rate. Timber, cedar and ninion. Undergrowth, segebrush.  Bast on a random line, bet. secs. 29 and 32. Set temp. 1 sec. cor. 79.99  Thence S.80° 50: W. on a true line, bet secs. 29 and 32. Over gently, rolling lend; through sesttering timber. Asc. gradually, Desc. to 95.909 Set an iron post, 5 ft. long, 1 in. dism., 26 ins. in the	Chains.	s 5 s 4	
Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist; and spread the dirt around the post.  Desc. to Desc. to Desc. to Drsw, course N.80° W. Asc. 30.21  The cor. of secs. 4, 5, 8 and 5. Lind, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.  From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 31 and 32. Over gently rolling lynd, through dense timber. Along E. slope. 40.00  Set an iron post, 5 ft. long, 1 in. dism., 2t ins. in the ground, for 3 sec. cor., marked on brass cap  1916  Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. From this cor., earth dam brs. E. soout 18 cbs. dist. Drsw, course N.40° W. Soil send, and the dirt around the post. From this cor., earth dam brs. E. about 18 cbs. dist. Drsw, course N.40° W. Soil Send, and Tyle Sec. cor. 1916  From which A cedar, 5 ins diam., brs. N144° E., 167 lks. dist., marked 720k Rlw S29 ET. No other trees within limits. Ralse a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land gently rolling. Soil, sendy clay; limestone formation; 2nd rate. Timber, cedar and ninion. Undergrowth, segebrush.  Bast on a random line, bet. secs. 29 and 32. Set temp. 1 sec. cor. 79.99  Thence S.80° 50: W. on a true line, bet secs. 29 and 32. Over gently, rolling lend; through sesttering timber. Asc. gradually, Desc. to 95.909 Set an iron post, 5 ft. long, 1 in. dism., 26 ins. in the	·	1916	
61.80 Draw, course N.80° W. Asc. The cor. of sees. 4, 5, 8 and 9. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.  From the cor. of sees. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "A". N.0° 5' W., bet. sees. 31 and 32. Over gently rolling land, through dense timber. Along E. slope. Leave timber, brs. E. and N.40° W. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, for ½ sec. cor., marked on brass cap  131 S32  1916  Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt sround the post. From this cor., earth dam brs. E. acout 18 chs. dist. Draw, course N.40° W. Set an iron post, 3 ft. long, 2 ins. diem., 24 ins. in the ground for cor. of sees. 29, 30, 31 and 32, marked on brass cap  126N Alw S30 S29 S311 S32 1916  From which A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked 72bN RlW S20 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.  40.00  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.80° 59' W., on a true line, bet sees. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to 59,000 Draw, course N.50° W. Asc. 39,993 Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the	<b>45.2</b> 0	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.	
From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 5' W., bet. secs. 31 and 32. Over gently rolling land, through dense timber. Along E. slope.  33.50 Leave timber, ors. E. and N.40° W. Set an iron post, 3 ft. long, 1 in. diam., 2t ins. in the ground, for ½ sec. cor., marked on brass cap  Big pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. From this cor., earth dam brs. E. about 18 chs. dist. Draw, course N.40° W.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N AlW  S50 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N AlW  S30 S29  S31 S32  1916  From which A cedar, 5 ins diam., brs. N144° E., 167 lks. dist., marked T25N RIW S29.BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and printon. Undergrowth, segebrush.  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.80° 59' W. on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. 39.99½ Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the	61.80	The cor. of secs. 4, 5, 8 and 9. Land, gently rolling.	
the Tp., which is an iron most, described in Book "A", N.0° 3' W. bet. secs. 31 and 32.  Over gently rolling land, through dense timber. Along E. slope.  Leave timber, ors. E. and N.40° W.  Set an iron most, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap  1916  Dig pits, 18 X 18 X 12 ins., N. and S. of most, 3 ft. dist.; and spread the dirt around the most.  From this cor., earth dam brs. E. about 18 chs. dist.  Draw, course N.40° W.  Set an iron most, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  126N  1370  From which  A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T20N RIW 329 BT.  No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  Land, gently rolling.  Soil, sandy clay; limestone formation; 2nd rate.  Timber, cedar and pinion.  Undergrowth, segebrush.  Bast on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor.  Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 35.  Thence  S.80° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land; through scattering timber.  Asc. gradually.  Desc. to  Draw, course N.30° W. Asc. 39.994  Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the		No timber.	
the Tp., which is an iron most, described in Book "A", N.0° 3' W. bet. secs. 31 and 32.  Over gently rolling land, through dense timber. Along E. slope.  Leave timber, ors. E. and N.40° W.  Set an iron most, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap  1916  Dig pits, 18 X 18 X 12 ins., N. and S. of most, 3 ft. dist.; and spread the dirt around the most.  From this cor., earth dam brs. E. about 18 chs. dist.  Draw, course N.40° W.  Set an iron most, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  126N  1370  From which  A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T20N RIW 329 BT.  No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  Land, gently rolling.  Soil, sandy clay; limestone formation; 2nd rate.  Timber, cedar and pinion.  Undergrowth, segebrush.  Bast on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor.  Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 35.  Thence  S.80° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land; through scattering timber.  Asc. gradually.  Desc. to  Draw, course N.30° W. Asc. 39.994  Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the	en Vie		
the Tp., which is an iron most, described in Book "A", N.0° 3' W. bet. secs. 31 and 32.  Over gently rolling land, through dense timber. Along E. slope.  Leave timber, ors. E. and N.40° W.  Set an iron most, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap  1916  Dig pits, 18 X 18 X 12 ins., N. and S. of most, 3 ft. dist.; and spread the dirt around the most.  From this cor., earth dam brs. E. about 18 chs. dist.  Draw, course N.40° W.  Set an iron most, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  126N  1370  From which  A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T20N RIW 329 BT.  No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  Land, gently rolling.  Soil, sandy clay; limestone formation; 2nd rate.  Timber, cedar and pinion.  Undergrowth, segebrush.  Bast on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor.  Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 35.  Thence  S.80° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land; through scattering timber.  Asc. gradually.  Desc. to  Draw, course N.30° W. Asc. 39.994  Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the		and the state of t	
January Services of the servic		the Tp., which is an iron post, described in Book "A", N.O° 3' W., bet. secs. 31 and 32. Over gently rolling land, through dense timber.	
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap  1916  Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. From this cor., earth dam brs. E. about 18 chs. dist. Draw, course N.40° W. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  126N  130   S29   S31   S32   1916  From which A cedar, 5 ins diam., brs. N144° E., 167 lks. dist., marked T26N R1W S29. BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.  40.00 Rast on a random line, bet. secs. 29 and 32. Set temp. 2 sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.80° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. 39.994 Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the	33.50		
Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.  From this cor., earth dam brs. E. about 18 chs. dist. Draw, course N.40° W.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N N1W  S30   S29  S31   S32  1916  From which A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T26N R1W S29 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.  40.00 79.99  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.80° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. 39.99 Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the		Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	
Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.  From this cor., earth dam brs. E. about 18 chs. dist. Draw, course N.40° W.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N N1W  S30   S29  S31   S32  1916  From which A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T26N R1W S29 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.  40.00 79.99  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.80° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. 39.99 Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the	:	\$\frac{1}{847} \ \$3.2	
Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.  From this cor., earth dam brs. E. about 18 chs. dist. Draw, course N.40° W.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N N1W  S30   S29  S31   S32  1916  From which A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T26N R1W S29 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.  40.00 79.99  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.80° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. 39.99 Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the	to the second		
dist.; and spread the dirt around the post. From this cor., earth dam brs. E. about 18 chs. dist. Draw, course N.40° W. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N M1W  \$30 \$29 \$31 \$32 \$1916  From which A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T26N R1W \$29 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.80° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the		1916	
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap  T26N RIW  \$330 \$229  \$311 \$352  1916  From which A cedar, 5 ins diam., brs. N144° E., 167 lks. dist., marked T26N RIW \$29 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, segebrush.  East on a random line, bet. secs. 29 and 32.  \$28, 29, 32 and 33. Thence \$3.89° \$59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. 39.99\$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	69.00	dist.; and spread the dirt around the post. From this cor., earth dam brs. E. about 18 chs. dist. Draw. course N.40° W.	
From which A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T26N RlW S29 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, segebrush.  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. 79.99 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.89° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually. Desc. to Draw, course N.30° W. Asc. Set an iron post, 5 ft. long, 1 in. diam., 26 ins. in the	80.00	ground, for cor. of secs. 29, 30, 31 and 32, marked or brass cap	e
A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T26N RlW S29 BT.  No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  Land, gently rolling.  Soil, sandy clay; limestone formation; 2nd rate.  Timber, cedar and pinion.  Undergrowth, sagebrush.  East on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor.  Intersect N. and S. line, 2 lks. S. of the cor. of secs.  28, 29, 32 and 33.  Thence  S.89° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land; through scattering timber.  Asc. gradually.  Desc. to  Draw, course N.30° W. Asc.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		<u>831 832</u>	
A cedar, 5 ins diam., brs. N14½° E., 167 lks. dist., marked T26N RlW S29 BT.  No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  Land, gently rolling.  Soil, sandy clay; limestone formation; 2nd rate.  Timber, cedar and pinion.  Undergrowth, sagebrush.  East on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor.  Intersect N. and S. line, 2 lks. S. of the cor. of secs.  28, 29, 32 and 33.  Thence  S.89° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land; through scattering timber.  Asc. gradually.  Desc. to  Draw, course N.30° W. Asc.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		From which	
ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, cedar and pinion. Undergrowth, sagebrush.  East on a random line, bet. secs. 29 and 32. Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.89° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually.  Desc. to Draw, course N.30° W. Asc. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		A cedar, 5 ins diam., brs. $N14\frac{1}{4}$ ° E., 167 lks. dist., marked T26N RlW S29 BT.	
Soil, sandy clay; limestone formation; 2nd rate.  Timber, cedar and pinion. Undergrowth, sagebrush.  East on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33.  Thence S.89° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land; through scattering timber. Asc. gradually.  Desc. to Draw, course N.30° W. Asc. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	•	ft. base, 2 ft. high, W. of cor.	
Timber, cedar and pinion. Undergrowth, sagebrush.  East on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33.  Thence S.89° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land, through scattering timber. Asc. gradually.  Desc. to Draw, course N.30° W. Asc. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		Soil. sandy clay; limestone formation; 2nd rate.	
East on a random line, bet. secs. 29 and 32.  Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33.  Thence S.89° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land, through scattering timber. Asc. gradually.  Desc. to Draw, course N.30° W. Asc. 39.99½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		Timber, cedar and pinion.	
40.00 79.99  Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.89° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually.  13.00 Desc. to Draw, course N.30° W. Asc. 39.99½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		United at the state of the stat	
40.00 79.99  Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.89° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually.  13.00 Desc. to Draw, course N.30° W. Asc. 39.99½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the			ļ ·
40.00 79.99  Set temp. ½ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.89° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land; through scattering timber. Asc. gradually.  13.00 Desc. to Draw, course N.30° W. Asc. 39.99½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		Rast on a random line bet. secs. 29 and 32.	
28, 29, 32 and 33.  Thence S.89° 59' W., on a true line, bet secs. 29 and 32.  Over gently rolling land, through scattering timber.  Asc. gradually.  13.00 Desc. to Draw, course N.30° W. Asc.  39.99½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		Set temp. $\frac{1}{2}$ sec. cor.	
S.89° 59' W., on a true line, bet secs. 29 and 32. Over gently rolling land, through scattering timber. Asc. gradually. 13.00 Desc. to Draw, course N.30° W. Asc. 39.99½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	79 • 99	28, 29, 32 and 33.	
Over gently rolling land; through scattering timber.  Asc. gradually.  13.00 Desc. to Draw, course N.30° W. Asc. 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the			
13.00 Desc. to 39.00 Draw, course N.30° W. Asc. 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		Over gently rolling land, through scattering timber.	
$39.99\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the		Desc. to	
		Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	

2 /	4.	Subdivision of T. 26 N., R. 1 W.
	Chains.	
		1 S29 4 S32 1916
		And raise a mound of stone, 2 ft. base, $l_{\frac{1}{2}}$ ft. high, N. of cor.
	48.00 79.99	Top of ascent, brs. N.10° W. and S.10° E. Desc. The cor. of secs. 29, 30, 31 and 32. Land, gently rolling. Soil, sandy clay; limestone formation; 2nd rate. Timber, scattering cedar. Undergrowth, sagebrush.
		· · · · · · · · · · · · · · · · · · ·
	40.00 79.51	West on a random line, bet. secs. 30 and 31.  Set temp. \( \frac{1}{4} \) sec. cor.  Intersect W. bdy. of Tp., 5 lks. N. of the cor. of secs.
		Intersect W. bdy. of Tp., 5 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A".  Thence N.89° 58' E., on a true line, bet. secs. 30 and 31.
		Over gently rolling land, through scattering timber and undergrowth.
	26.10	Draw, course N.40° W. Asc. gradually to
	30.50	Low ridge, brs. N.20° W. and S.10° E. Desc.
	39.51	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
		1916
	53.50 72.50 79.51	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.  Head of draw, course N.40° W.  Draw, course N.35° W. Asc. to  The cor. of secs. 29, 30, 31 and 32.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 2nd rate.  Timber, scattering cedar.  Undergrowth, sagebrush.
•		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	11.50 40.00	N.0° 3' W., bet. secs. 29 and 30.  Over gently rolling land, through scattering timber and undergrowth.  Draw, course S.80° W. Asc.  Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 5 ft. base, 2 ft. high, for
		$\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S29 1916
	<b>57.</b> 60	From which A cedar, 24 ins. diam., brs. N.53½° E., 344 lks. dist. marked ½S29 BT. A cedar, 10 ins. diam., brs. S.17° W., 152 lks. dist., marked ½S30 BT. Top of ascent, brs. N.30° W. and S.30° E. Desc. gradually.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap

Subdivision	of	φ.	26	N.	$\mathbb{R}$ .	٦	W	
DUNGTATRIOU	UL	<u>.</u> •	20	TA •	76.0		** •	

		Subdivision of T. 20 N., R. 1 W. 25.
	Chains.	T26N R1W S19 S20 S30 S29 1916
		From which A cedar, 6 ins. diam., brs. N;18 $\frac{1}{2}$ ° E.,126 lks. dist., marked T26N R1W S20 BT.
		A cedar, 8 ins. diam., brs. S.59° E., 162 lks. dist., marked T26N RlW S29 BT.
		A cedar, 12 ins. diam., brs. S.64%° W., 288 lks. dist., marked T26N R1W S30 BT.
		A cedar, 6 ins diam., brs. N.29° W., 45 lks. dist., marked T26N RlW S19 BT. Land, gently rolling.
	,	Soil, sendy clay; stony; limestone formation; 2nd rate. Timber, scattering cedar.
	•	Undergrowth, sagebrush.
		East on a random line, bet. secs. 20 and 29.
	40.00 <b>7</b> 9.92	Set temp. \(\frac{1}{4}\) sec. cor.  Intersect N. and S. line, 3 lks. S. of the cor. of secs.  20, 21, 28 and 29.
-		Thence S.89° 59' W., on a true line, bet. secs. 20 and 29. Over gently rolling land, through scattering undergrowth. Asc. gradually.
	9.90 <b>3</b> 9.96	Desc. gradually.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
		1 S20 4 S29 1916
	49.90 71.90 79.92	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.  Enter timber, brs. N. and S. Draw, course N.30° W. The cor. of secs. 19, 20, 29 and 30. Land, gently rolling. Soil, sandy clay; shallow; stony; limestone formation; 2nd rate.  Timber, scattering cedar. Undergrowth, sagebrush.
		West on a random line, bet. secs. 19 and 30.
	40.00 79.53	Set temp. ½ sec. cor.  Intersect W. bdy. of T., 3 lks. S. of the cor. of secs.  19, 24, 25 and 30, which is an iron post, described in Book "A".
	17.05 29.55 38.35	Thence S.89° 59' E., on a true line, bet. secs. 19 and 30. Over gently rolling land, through scattering undergrowth. Draw, course S.45° W. Asc. to Desc. to
	38.35 39.53	Draw, course S.20° W. Asc. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for \( \frac{1}{4} \) sec. cor., marked on brass cap
		1 S19 4 S30 1916
		And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N of cor.

```
Subdivision of T. 26 N., R. 1 W.
  Chains.
46.53
61.55
64.55
79.53
          Top of ascent, brs. S.60° E. and N.40° W. Desc. Head of draw, course N.10° E.
          Enter scattering timber, brs. N. and S.
          The cor. of secs. 19, 20, 29 and 30.
           Land, gently rolling.
          Soil, sandy clay; stony; limestone formation; 2nd rate. Timber, scattering cedar.
          Undergrowth, sagebrush.
          N.0° 3' W., bet. secs. 19 and 20.
Over gently rolling land, through scattering timber and
              undergrowth.
          Desc. gradually
20.00
          Draw, course N.40° W.
31.90
          Draw, course W.
          Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high,
40.00
              for $\frac{1}{4}$ sec. cor., marked on brass cap
                                          s19 s20
              And raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
              W. of cor.
          Head of draw, course S.70° W. Asc. gradually.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on
49.40
80.00
              brass cap
                                          T26N R1W
S18 S17
S19 S20
                                               1916
              From which
          A cedar, 6 ins. diam., brs. N.41° E., 318 lks. dist., marked T26N Rlw S17 BT.

No other trees within limits. Dig pits, 18 x 18 ins., SE., Sw., and Nw. of post, 5 ftr. dist.
          Land, gently rolling.
          Soil, sandy clay; stony; limestone formation; 2nd rate.
          Timber, scattering cedar.
          Undergrowth, algerita and sagebrush.
          East on a random line, bet. secs. 17 and 20.
40.00
          Set temp. \frac{1}{4} sec. cor.
          Intersect N. and S. line, at the cor. of secs. 16, 17, 20
79.97
              and 21.
          Thence
          West on a true line, bet. secs. 17 and 20. Over gently rolling land, through scattering timber and
              undergrowth.
          Asc. to
          Top of ascent, brs. N.20° W. and S.20° E. Desc. gradually Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
19,95
39.98<del>1</del>
              ground, in a mound of stone, 3 ft. base, 1 ft. high,
              for \frac{1}{4} sec. cor., marked on brass cap
```

1 S17 4 S20 1916

And raise a mound of stone, 2 ft. base,  $l^{\frac{1}{2}}$  ft. high, N of cor.

Subdivision of T. 26 N., R. 1 W.

```
27.
nains
           The cor. of secs. 17, 18, 19 and 20.
79 • 97
           Land, gently rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate.
           Timber, very scattering cedar.
           Undergrowth, algerita and sagebrush.
           West on a random line, bet secs. 18 and 19.
          Set temp. 4 sec. cor.
Intersect W. bdy. of Tp., 3 lks. S. of the cor. of secs.
13, 18, 19 and 24, which is an iron post, described in
40.00
79.40
               Book "A".
           Thence
           S.89° 59' E., on a true line, bet. secs. 18 and 19.
           Over gently rolling land, through scattering undergrowth.
           Desc. to
12.60
           Head of draw, course S.70° W. Asc. to
          Top of ascent, brs. N.20° W. and S.20° E. Enter times. N. and S. Desc. 75 ft. to
Draw, course N.35° W. Leave timber, brs. N. and S.
18.10
                                                                           Enter timber,
32.30
               gradually.
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground. for 4 sec. cor., marked on brass cap
39.40
                                             1 S18
4 S19
1916
               Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
           Desc. to
           Draw, course S.80° W. Asc. gradually, 50 ft. The cor. of secs. 17, 18, 19 and 20.
40.40
79.40
           Land, gently rolling.
           Soil, sandy clay; stony; limestone formation; 2nd rate.
           Timber, scattering cedar.
           Undergrowth, algerita and sagebrush.
          N.0° 3' W., bet. secs. 17 and 18. Over gently rolling land, through scattering timber and
               undergrowth.
          Asc. gradually, 30 ft.

Desc. 30 ft. to

Draw, course S.70° W. Asc. 65 ft.

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
25.00
30.20
40.00
               ground, in a mound of stone, 3 ft. base, 2 ft. high,
               for 4 sec. cor., marked on brass cap
                                            \frac{1}{4} 8 | $17
                                            1916
               From which
               A cedar, 10 ins. diam., brs. 5.58\frac{1}{2}° E., 139 lks. dist. marked \frac{1}{2}S17 BT. A cedar, 6 ins. diam., brs. N.52\frac{1}{2}° W., 53 lks. dist.,
               A cedar, 6 ins. marked \frac{1}{4}S18 8T.
           Desc. 45 ft. to
          Draw, course N.50° W. Asc. gradually, 60 ft.
Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, 4 ft. base, 3 ft. high, for cor. of secs. 7, 8
53.40
80.00
               17 and 18, marked on brass cap
```

28.	Subdivision of T. 26 N., R. 1 W.	
cnains.	T26N R1W S 7 S 8 S18 S17 1916	
	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 3rd rate.  Timber, scattering cedar.  Undergrowth, algerita and sagebrush.	
•		
40.00 80.00	East on a random line, bet. secs. 8 and 17.  Set temp. ½ sec. cor.  Intersect N. and S. line, 2 lks. N. of the cor. of secs.  8, 9, 16 and 17.	
20.00	Thence N:89° 59' W., on a true line, bet. secs. 8 and 17. Over gently rolling land, through scattering undergrowth. Asc. 45 ft. to	
25.00 40.00	Desc. 20 ft. to Draw, course N.30° E. Asc. 80 ft. Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, for ½ sec. cor., marked or brass cap	1
	1 S 8 4 S17 1916	
41.00 53.30 65.00 80.00	And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.  Top of ascent, brs. N.20° E. and S.20° W. Desc. 50 ft. to Draw, course N.20° E. Asc. 35 ft to  Top of ascent, brs. N. and S. Desc. 45 ft. to  The cor. of secs. 7, 8, 17 and 18.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 2nd rate.  No timber.	כ
-	Undergrowth, algerita and sagebrush.	
40.00 79.40	West on a random line, bet. secs. 7 and 18.  Set temp. ½ sec. cor.  Intersect W. bdy. of Tp., at the cor. of secs. 7, 12, 13  and 18, which is an iron post, described in Book "A".	
17.00 39.40	Thence East on a true line, bet. secs. 7 and 18.  Over gently rolling land, through scattering undergrowth.  Desc. gradually, 30 ft. to  Draw, course N.30° E. Asc. 130 ft.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap	
, , , , , , , , , , , , , , , , , , ,	1 S 7 4 S18 1916	
40.40 69.40 79.40	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.  Draw, course N.50° W. Continue ascent.  Top of ascent, brs. N.30° W. and S.70° E. Desc. 15 ft.  The cor. of secs. 7, 8, 17 and 18.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 2nd rate.  No timber.	
	Undergrowth, algerita and sagebrusn.	

	Subdivision of T. 26 N., R. 1 W. 29.
Chains.	N.0° 3' W., bet. secs. 7 and 8. Over gently rolling land, through scattering timber and undergrowth.
10.00	Desc. 50 ft. to Draw, course N.50° W. Asc. 40 ft. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	s <sup>4</sup> 7 s 8 1916
42.40	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
80.00	Top of ascent; desc. 75 ft. to Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in th ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap
	T26N R1W S 6 S 5 S 7 S 8 1916
, #8	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling.
	Soil, sandy clay; stony; limestone formation; 2nd rate.  Scattering cedar timber.  Undergrowth, algerita and sagebrush.
40.00 80.00	East on a random line, bet. secs. 5 and 8. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line, at the cor. of secs. 4, 5, 8 and
00.00	9. Thence West on a true line, bet. secs. 5 and 8. Over gently rolling land, through scattering undergrowth.
35.00 40.00	Desc. 75 ft. to Draw, course N.70° W. Asc. 50 ft. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	1 S 5 4 S 8 1916
70.00 79.60	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.  Spur, slopes N. Desc. 30 ft. to  Draw, course N.40° W.
80.00	The cor. of secs. 5, 6, 7 and 8.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 2nd rate.  No timber.
	Undergrowth, sagebrush.
40.00 79. <b>2</b> 8	West on a random line, bet. secs. 6 and 7. Set temp. \(\frac{1}{4}\) sec. cor. Intersect W. bdy. of Tp., at the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "A". Thence
	East on a true line, bet. secs. 6 and 7. Over gently rolling land, through scattering undergrowth. Asc. 30 ft.

30

	nains.	Subdivision of T. 26 N., R. 1 W.
	25.55 39.28	Top of ascent, brs. N.30° E. and S.20° W. Desc. 175 ft. Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, 4 ft. base, 2½ft. high, for ½ sec. cor., marked on brass cap
÷		1 S 6 4 S 7 1916
	58.70 79. <b>2</b> 8	And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.  Draw, course N.30° E. Asc. 25 ft. to The cor. of secs. 5, 6, 7 and 8.  Land, gently rolling.  Soil, sandy clay; stony; limestone formation; 2nd rate.  No timber.  Undergrowth, algerita and sagebrush.
	. •	
	40.00 80.14	N.0° 3' W., on a random line, bet. secs. 5 and 6.  Set temp. 4 sec. cor.  Intersect N. bdy. of Tp., 5 lks. W. of the cor. of secs.  5, and 6, T. 260N. R. 1-W. which is an iron post,  described in Book "A".
	29,15 36.95 40.14	Thence S.0° 1' E., on a true line, bet. secs. 5 and 6. Over gently rolling land, through scattering undergrowth. Asc. gradually. Top of ascent, brs. NE. and SW. Desc. 60 ft. Enter bottom land, brs. NE. and SW. Set an ironopost, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap
	· · · · · · · · ·	s 6 s 5
		1916
	43·35 65.15	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.  Draw, course 4.40° E. Leave bottom land, brs. S.70° W. and S.70° E. Asc. 30 ft.
	75.15 79.55 80.14	to Desc. 15 ft. to Draw, course N.40° W. The cor. of secs. 5, 6, 7 and 8. Land, gently rolling.
		Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, algerita and sagebrush.
	•	
		General Description.
		The township consists of rolling land, draining north-

The township consists of rolling land, draining northward, covered in the southern part, with a growth of cedar and pinion, and in the northern part with sagebrush, algerita and a good growth of native grasses.

The soil is sandy clay, 6 to 18 ins. deep, stony and rocky; limestone formation; 2nd rate, except in the draws where it is first rate.

There are no settlers. There is no water in the township, except in dams built across the draws for the collection of flood water.

ion of flood water.

## FOR CERTIFICATES OF UNITED STATES SURVEYOR.

See See	Book "B", Group 54.
	. S. Surveyor General for
	, 191 , I have well, faithfully, and truly,
	conformity with said instructions, the Manual of Surveying
	states, surveyed all those parts or portions of
\	
	of the, which are represented in
	executed by me, and under my direction; and I do further
	survey have been established and perpetuated in strict accord-
•	tions, and the special written instructions of the U.S. Surveyor
General fora	and in the specific manner described in the field notes, and that
the foregoing are the original field notes of	such survey.
/ .	
	TI Q Q
	U. S. Surveyor.
Subscribed by said	and sworn to before me)
this day of	, 191
	,
/xxxxxxxx	
SEAL	
<u></u>	
	<del></del>
Δ	PPROVAL.
	THOVAL.
Offic	EE OF THE UNITED STATES SURVEYOR GENERAL,
	Phoenix, Arizona, Chiquet 2, 1918
	191 g
The foregoing field notes of the survey	y ofthe
Sub	division Lines of
TOWNSHIP 26 NORT	H, RANGE 1 WEST,
<u></u>	
of the Gila and Salt River Base	e and Meridian, in the State of Arizona,
executed by W. H. Thorn, U.	S. Surveyor,
	h 6,1915, for Group 54, Arizona91 , having been
	rections and explanations made, the said field notes, and the
surveys they describe, are hereby approved.	
,	Frank & drox
	U. S. Surveyor General.
Leartify that the foregoing transcript o	of Arizona.
·	correctly copied from the original notes on file in this office.
. 2 2 400	· · · · · · · · · · · · · · · · · · ·
6—276 :	H. S. Surveyor General