Book "C."

BOOK 3043

JUL 20, 1918

(Subdivisions)

## FIELD NOTES

OF THE SURVEY OF THE

·	SUBDIVISION LINES.	
		· · · · · · · · · · · · · · · · · · ·
,	of	·
·	TOWNSHIP 1 NORTH, RANGE 19 WEST,	
•		
·		
· 		·
	······································	·
gi.	EXECUTED BY	
	Woodbury Abbey, U.S. Surveyor,	
	and	i
	Roy J. Gill, U. S. Transitman,	. <b></b>
In the capacity of		oer 12, 191
,	f U.S. Surveyor, under instructions dated December 1981. Surveyor General to govern surveyor General t	·
issued by the U	$f\ U.\ S.\ Surveyor$ , under instructions dated <code>Decemb</code>	eys included
issued by the U	f U.S. Surveyor, under instructions dated December 1981 and 1982 and 198	eys included
issued by the U	f U.S. Surveyor, under instructions dated Decembrated States Surveyor General to govern surveyor, which were approved by the Commissioner of t	eys included

Executed under Assignment
Instructions dated Dec. 12, 1912

Book "C" (Subdivisions)

ECOK 3043

## INDEX DIAGRAM.

-	Tou	insk	<i>i</i> ρ1	. No	rth,		Range	e]	9 West		
Selection (Selection) is (Selection)	6	2.	5	2	8 4	13	. 3	9	2	ŗ	1
	23		23		17		13		9		5
	7	23	8	17	9	18	10	8	11	4	12
-	22		22		17		12		8		4
	18	22	17	16	16	12	15	8	14	3	18
$\bot$	21		21		16	•	12		7		3
	19	20	20	15	21	<b>1</b>	22	7	28	3	24
<u> </u>	20		20		15				7		2
	30	19	29	19	28	10	27	6	26	2	25
	19		19		14		10		6		2
	<b>31</b>	18	32	1.	33	10	<b>34</b>	5	35	1	36

Gila and Salt River Base Line.

Subdivision lines surveyed under this Group.
Township boundaries surveyed under this Group Notes in Book "B."
Standard lines surveyed under this Group. Notes in Book "B."
 Unsurveyed lines.

#### Chains

Survey commensed Jan. 14, 1915, and executed jointly by Woodbury Abbey, U. S. Surveyor, and Roy J. Gill, U. S. Transitman. on dates shown on diagram on page 25 of this book.

A description of instruments used, with record of approval by the assistant supervisor of surveys and field tests appears in Book up u.

All lines were originated by deflection from the secant, on the G. and S. R. Base Line, a reword of which appears in Book "A"; and from a meridian determined by observation on Polaris at western elongation, a record of which follows herein; lines being projected by means of fore and back sights and carefully measured angles.

#### Observation on Polaris at Western Elongation.

Latitude,.....33°25'

Date,.....Jan. 25, 1915. Hour,....llh 08m p.m., 1.m.t.

Declination of Polaris, +88°51'30.2""

Azimuth of Polaris, .... 1°21 % w. of N.

The magnetic bearing of the true meridian, at 8h 00m a.m. 1.m.t., is N.14°30 W. The angle thus determined gives the mag. decl. 14°30'E.

I begin at the standard cor. of secs. 35 and 36, on the S. Bdy. of Tp,, described in Book "A". (On G. and S. R. Base Line).

Thence,

N.0°01'W., bet. secs. 35 and 36, over level desert land, through scattering timber and dense undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the 40.00 ground, for 4 sec. cor., with brass cap, marked

in N.,
S 35 in W., and
S 36 in E. half, and

1915 in S. rim; and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

Road bears NW. and SE. 51.20

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap, marked

T 1 N S 26 in NW.,
R 19 W S 25 in NE.,
S 36 in SE., and
S 35 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, 12 ft. high, W. of cor.

Land, level desert.

Soil, 2nd and 3rd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, cactus and sage.

Labora	Subdivision of T. 1 N. R. 19 W.
Chain	East, on a random line, bet. secs. 25 and 36.
40.00 80.1	O   Set temp. \(\frac{1}{4}\) sec. cor.
40.0	Thence N.89°59 W., on a true line, bet. secs. 25 and 36, over level land, through scattering timber and dense undergfowth.  Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked \( \frac{2}{5} \) in N. half, \( \frac{3}{5} \) in S. half, and \( \frac{1915}{5} \) in S. rim;
42.2 80.1	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Road bears NW. and SE.
	N.0°01'W., bet. secs. 25 and 26, over level land, through scattering timber and dense undergrowth.
40.00	Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N.,
2	\$ 25 in E., and \$ 26 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
75.70	W. of cor.
	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
40.00 80.2	the original state of the state
40.1	ground, for i sec. cor., with brass cap, marked  i S 24 in N. and; S 25 in S. half, and 1915 in S. rim;
80.2	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

```
Subdivision of T. 1 N.
                                                                                                                               R
 Chains
                           Land, level desert.
                           Soil, 1st and 2nd rate.
                           Timber, paloverde and catclaw.
                           Undergrowth, sage, greasewood and cactus.
                     N.0°01'W., bet. secs. 23 and 24, over level desert, through scattering timber and dense
                           undergrowth.
                    Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
40.00
                          ground, for a sec. cor., with brass cap, marked
                          fround, for 4 sec. cor., with state of the first of and S 24 in E. half; and 1915 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3 ft. base, 1 ft. high,
                          W. of cor.
                    Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass
80.00
                          cap, marked
                                                        T 1 N S 14 in NW.,
R 19 W S 13 in NE.,
                                                         S 24 in SE., and
                                                        S 23 in SW. quadrant; and 1915 in S. rim;
                          and raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
                          W. of cor.
                     Land, level desert.
                     Soil, 2nd and 3rd rate.
                     Timber, paloverde and catclaw.
                     Undergrowth, greasewood, sage and cactus.
                     East, on a random line, bet. secs. 13 and 24.
                    Set temp. 

Set te
40.00
80.28
                     Thence N.89°54'W., on a true line, bet. secs. 13 and 24, over level desert, through scattering timber and dense
                          undergrowth.
                    Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{2} sec. cor., with brass cap, marked \frac{1}{2} S 13 in N. and,
40.14
                          z S 15 in N. and , S 24 in S. half, and 1915 in S. rim; and raise a mound of stone, 2 ft. base, l\frac{1}{z} ft. high,
                          N. of cor.
                    The cor. of secs. 13, 14, 23 and 24. Land, level desert.
Soil, 2nd and 3rd rate.
80.28
                          Timber, paloverde and catclaw.
                          Undergrowth, greasewood, sage and cactus.
                    N.0°01'W., bet. secs. 13 and 14,
                          over level desert land, through scattering timber and
                          dense undergrowth.
                    Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor., with brass cap, marked
40.00
                                                        in N.,
S 13 in E., and
S 14 in W. half; and
                         1915 in S. rim; dig pits, 18x18x12 ins., N.and S. of post, 3 ft. dist., and raise a mound of earth, 3 ft. base, 1 ft. high, W. of cor.
```

```
Subdivision of T. 1
                                                              N.
Chains
            Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs.11, 12, 13 and 14, with brass
 80.00
               cap, marked
                                 l N
                                         S 11 in NW.,
                               R 19 W S 12 in NE.,
               S 13 in SE., and
S 14 in SW. quadrant; and
1915 in S. rim;
dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist., and
raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
            Land, level desert.
Soil, 2nd and 3rd rate.
Timber, paloverde and catclaw.
            Undergrowth, greasewood, cactus and sage.
            East, on a random line, bet. secs. 12 and 13. Set temp. ½ sec. cor. Intersect E. bdy. of Tp. 4 lks. N. of the cor. of secs.
 40.00
 80.30
               7, 12, 13 and 18, described in Book "B".
            Thence N.89°58'W., on a true line, bet. secw. 12 and 13, over level land, through scattering timber and dense
               undergrowth.
            Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ $ 12 in N., and,
 40.15
                               $ 13 in S. half, and
                               1915 in S. rim;
               dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dis and raise a mound of earth, 31 ft. base, 11 ft. high,
                                                                                     3 ft. dist.
            N. of cor.
The cor. of secs. 11, 12, 13 and 14.
Land, level desert.
 80.30
               Soil, 2nd rate.
               Timber, paloverde and catclaw.
               Undergrowth, greasewood, sage and cactus.
            N.0°01'W., bet. secs. 11 and 12, over level desert, through scattering timber and dense
               undergrowth.
            Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 40.00
               ground, for \frac{1}{4} sec. cor., with brass cap, marked \frac{1}{4} in N., S ll in W., and S l2 in E. half; and
                               1915 in S. rim;
               dig pits, 18x18x12 ins., N. and S. pf post, 3 ft. dist., and raise a mound of earth, 3 ft. base, 1 ft. high,
               W. of cor.
            Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, with brass
 80.00
               cap, marked
                               TlN S2 in NW.,
R19 W Slin NE.,
                               S 12 in SE., and
                               S 11 in SW. quadrant; and
               1915 in S. rim; and raise a mound of stone, 2 ft. base, l\frac{1}{2} ft. high,
               W. of cor.
            Land, level desert.
            Soil, 2nd and 3rd rate.
            Timber, paloverde and catclaw.
            Undergrowth, greasewood, cactus and sage.
```

		The state of the s	
		Subdivision of T. 1 N. R. 19 W.	5
	Chains		
		East, on a random line, bet. secs. 1 and 12.	
	40.00	Set temp. 4 sec. cor.:	
	:80.34	Intersect E. bdy. of Tp. 2 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in Book "B".	
		1, 0, / and 12, described in book "b".	
	•	Thence N.89°59'W., on a true line, bet. secs. 1 and 12,	
		over level land, through scattering timber and dense undergrowth.	
	2.50	Wash, 75 lks. wide, course NW.	
	40.17	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	,
		ground. for 1 sec. cor. with brass cap, marked	·
		½ S l in N. and, S 12 in S. half, and	
		1915 in S. rim;	·
		and raise a mound of stone, 2 ft. base, 1 ft. high,	
	58.00	N. of cor. Wash, 50 lks. wide, course NW.	
	80.34	The cor. of secs. 1, 2, 11 and 12.	
:		Land, level.	
		Soil, 2nd rate.	
		Wimber, ironwood. Undergrowth, greasewood and cactus.	
		0.0000.000	
	40.00	N.0°01'W., on a random line, bet. secs. 1 and 2.	
	40.00 79.93	Set temp. 4 sec. cor. Intersect N. bdy. of Tp. 28 lks. W. of the cor. of secs.	
	() • ) )	1, 2, 35 and 36, described in Book "B."	
		Thence S.0°11'W., on a true line, bet. secs. 1 and 2, over level desert, through scattering timber and dense	
		undergrowth.	
	10.90	Wash, 100 lks. wide, course NE.	
	39 <b>· 9</b> 3	Set an iron post, 3 ft. long, 1 in; diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked	
		½ in N.,	
		½ in N., S l in E., and	
		S 2 in W. half; and 1915 in S. rim:	
		and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,	
•	70.07	W. of cor.	
	79•93	The cor. of secs. 1, 2, 11 and 12.  Land, level desert.	
		Soil, 2nd and 3rd rate.	
		Timber, paloverde and catclaw.	
	·	Undergrowth, greasewood eactus and sage.	
	,		
		From the standard cor. of secs. 34 and 35, on the S. bdy. of Tp., and G. and S. R. Base Line, described in Book	
		of Tp., and G. and S. R. Base Line, described in Book	-
	. 1	N.0°01 W., bet. secs. 34 and 35,	
		over level land, through scattering timber and dense undergrowth.	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	
		ground, for 4 sec. cor., with brass cap, marked	
		½ in N., S 34 in W., and S 35 in E. half and	•
		S 35 in E. half; and	
		1915 in S. rim; and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. di and raise a mound of earth 3+ ft. base 1+ ft. bigh	at 📴
		. The result of	0 • 9
	80 00	W. of cor.	
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass	
		cap, marked	
		<b>,</b>	

6

Undergrowth, greasewood and cactus.

Bully, cons

```
Subdivision of T. 1
                                                              N.
Chains
           East, on a random line, bet. secs. 23 and 26. Set temp. 4 sec. cor. Intersect N. and S. line at the cor. of secs. 23, 24, 25
40.00
79.80
              and 26.
           Thence West, on a true line, bet. secs. 23 and 26, over level desert, through scattering timber and dense indergrowth.
  3.50
           Road, bys. NW and SE
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{2} sec. cor., with brass cap, marked \frac{1}{2} S 23 in N. and , S 26 in S. half; and
39.90
                              1915 in S. rim;
              and raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
           N. of cor.
The cor. of secs. 22, 23, 26 and 27.
Land, level.
Soil, 1st and 2nd rate.
79.80
              Timber, paloverde and catclaw.
              Undergrowth, greasewood, sage and cactus.
           N.0°01/W., bet. secs. 22 and 23
              over level desert, through scattering timber and dense
              undergrowth.
           Draw, course NW.
  7.70
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
40.00
           ground, for 4 sec. cor., with brass cap, marked
                              in N.,
S 22 in W., and
S 23 in E. half; and
                              1915 in S. rim;
              dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
              and raise a mound of stone, 2 ft. base, l_{2}^{1} ft. high,
              W. of cor.
           Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 33, with brass
              cap, marked
                              T 1 N S 15 in NW.,
R 19 W S 14 in NE.,
                              S = 2\overline{3} in SE., and
                              S 22 in SW. quadrant; and
              1915 in S. rim; dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
           Land, level.
           Soil, 1st rate.
           Timber, ironwood.
           Undergrowth, greasewood and cactus.
          East, on a random line, bet. secs. 14 and 23. Set temp. \frac{1}{4} sec. cor. Intersect N. and S. line 6 lks. N. of the cor. of secs.
40.00
79.74
              13, 14, 23 and 24.
          Thence N.89°57'W., on a true line, bet. secs. 14 and 23, over level desert, through scattering timber and dense
              undergrowth.
          Road bears NW. and SE.
          Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for a sec. cor., with brass cap, marked \(\frac{1}{4}\) S 14 in N, \(\text{land}\), \(\frac{1}{2}\) and \(\frac{1}{2}\) in S. half; and
                              1915 in S; rim;
             dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3 ft. base, 1 ft. high,
```

N. of cor.

	Subdivision of T. 1 N., R. 19 W.
Chains	
79.74	The cor. of secs. 14, 15, 22 and 23. Land, level desert.
	Soil, 2nd and 3rd rate. Timber, paloverde, catclaw and mesquite. Undergrowth, greasewood, sage and cactus.
·	N.0°01'W., bet. secs. 14 and 15, over level land, through scattering timber and dense undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap, marked
	S 14 in E., and S 15 in W. half; and
	1915 in S. rim; dig pits, $18x18x12$ ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
00.08	W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass
	cap, marked T 1 N S 10 in NW., R 19 W S 11 in NE.,
	S 14 in SE., and S 15 in SW. quadrant; and 1915 in S. rim;
	dig pits, $18x18x12$ ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
	Land, level. Soil, 1st rate. Timber, ironwood.
	Undergrowth, greasewood and cactus.
40.00	East, on a random line, bet. secs. 11 and 14.
79.76	Set temp. ½ sec. cor. Intersect N. and S. line, 6 lks. N. of the cor. of secs. 11, 12, 13 and 14.
	Thence N.89°57'W., on a true line, bet. secs. 11 and 14, over level land, through scattering timber and dense
39.88	undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap, marked
	\$ 11 in N. and  \$ 14 in S. half; and 1915 in S. rin;
	dig pits, $18x18x12$ ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
63.75 79.76	Road bears NW. and SE. The cor. of secs 10,11,14 and 15.
	Land, level desert. Soil, 1st and 2nd rate. Timber, paloverde and catclaw.
	Undergrowth, greasewood and cactus.
	N.0°01'W., bet. secs. 10 and 11, over level land, through scattering timber and dense
33.25 39.70	undergrowth. Road bears NW. and SE. Draw, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{2} \) sec. cor., with brass cap, marked

```
Subdivision of T. 1 N...
 Chains
               in N.,
S 10 in W., and
S 11 in E. half, and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.
and raise a mound of earth, 3½ ft.base, 1½ ft. high,
               W. of cor.
80.00
            Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass
               cap, marked
                                T 1 N S 3 in NW.,
R 19 W S 2 in NE.,
                                   ll in SE., and
                                S 10 in SW. quadrant; and
               1915 in S. rim; dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist., and raise a mound of earth, 4 ft. base, 1\frac{1}{2} ft. high,
               W. of cor.
            Land, level.
            Soil, 2nd rate.
            Timber, ironwood.
            Undergrowth, greasewood and cactus.
           East, on a random line, bet. secs. 2 and 11. Set temp. 4 sec. cor. Intersect N. and S. line, 6 lks. N. of the cor. of secs.
40.00
79.70
               1, 2, 11 and 12.
           Thence N.89°57'W., on a true line, bet. secs. 2 and 11, over level land, through scattering timber and dense
               undergrowth.
26.70
39.85
           Draw, course NW.
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap, marked 4 S 2 in N.and 5 S 11 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 12 ft. high,
              N. of cor.
           The cor. of secs. 2, 3, 10 and 11.
Land, level.
Soil, 1st rate.
79.70
               Timber, ironwood and paloverde.
              Undergrowth, greasewood and cactus.
           N.0°Ol'W., on a random line, bet. secs. 2 and 3. Set temp. ½ sec. cor.
Intersect N. bdy. of Tp. 6 lks. W. of the cor. of secs. 2, 3, 34 and 35, described in Book "B."
40.00
79.74
           Thence S.0°02'W., on a true line, bet. secs. 2 and 3,
              over level land, through scattering timber and dense
              undergrowth.
 6.05
           Draw, course NW.
<u>3</u>7.15
           Draw, course NW.
39.74
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
              ground, for 2 sec. cor., with brass cap, marked
                                  in N_{\bullet},
                               $ 2 in E., and
                               S 3 in W. half; and
              1915 in 3. rim; and raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
              W. of cor
           The cor. of secs. 2, 3, 10 and 11.
79.74
              Land, level,
Soil, 3rd rate. Timber, ironwood.
Undergrowth, greasewood and cactus.
```

.0	Chains	Subdivision of T. 1 N. R. 19 W.
		From the standard cor. of secs. 33 and 34, on S. bdw. of Tp., (G. and S. R. Base Line) described in Book "A",
	40.00	N.0°02'W., bet. secs. 33 and 34, over level desert, through scattering timber and dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap, marked 4 in N., S 33 in W., and
	80.00	S 34 in E. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap, marked
		T 1 N S 28 in NW., R 19 W S 27 in NE., S 34 in SE., and S 33 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, level desert. Soil, 1st and 2nd rate. Timber, paloverde and catclaw.
		Undergrowth, greasewood and sage and cactus.
	40.00 80.04	
	40.02	Thence S.89°57'W., on a true line, bet. secs. 27 and 34, over level desert, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \$\frac{1}{4}\$ sec. cor., with brass cap, marked \$\frac{1}{4}\$ S 27 in N., and \$\frac{1}{5}\$ 34 in S. half; and
	80.04	1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor. The cor. of secs. 27, 28, 33 and 34. Land, level desert. Soil, 1st and 2nd rate. Timber, catclaw. Undergrowth, greasewood, sage and cactus.
	40.00	N.0°02'W., bet. secs. 27 and 28, over level desert, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap, marked 4 in N., 5 27 in E., and 5 28 in W. half; and 1915 in S. rim; and dig pits, 18x18x12 ins., N. and S. of poat, 3 ft. dist.,
	80.00	and raise a mound of sarth, 3½ ft. base, 1½ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the

```
Subdivision of T.
                                                    l N.
Chains
            ground, for cor., of secs. 21, 22, 27 and 28, with brass
             cap, marked
                           T 1 N S 21 in NW.,
R 19 W S 22 in NE.,
                           S 27 in SE., and
                           S 28 in SW. quadrant; and
            1915 in S. rim; dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist., and raise a mound of sarth, 4 ft. base, 2 ft. high,
            W. of cor.
          Land, level desert. Soil, 1st and 2nd rate.
          Timber, catclaw and paloverde.
          Undergrowth, greasewood, sage and cactus.
          East, on a random line, bet. secs. 22 and 27.
          Set a temp. 1/4 sec. cor.
40.00
80.18
          Intersect N. and S. line, 2 1ks. N. of cor. of secs. 22,
            23, 26 and 27.
          Thence N.89°59'W., on a true line, bet. secs. 22 and 27,
            over level desert, through scattering timber and dense
            undergrowth.
          Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., with brass cap, marked $\frac{1}{2}$$ $ 22 in N., and ,
40.09
                           S 27 in S. half; and
                           1915 in S. rim;
            dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high,
            N. of cor.
80.18
          The cor. of secs. 21, 22, 27 and 28.
            Iand, level desert.
            Soil, 1st rate.
            Timber, catclaw.
            Undergrowth, greasewood, sage and cactus.
         N.0^{\circ}02'W., bet. secs. 21 and 22,
            over level desert, through scattering timber and dense
            undergrowth.
          Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
40.00
            ground, for ½ sec. cor., with brass cap, marked ½ in N., S 21 in W., and
                           S 22 in E. half; and 1915 in S. rim;
            dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dis and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high,
                                                                            3 ft. dist.
            W. of cor.
80.00
         Set an iron post, 3 ft. long, 2 ins, diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass
            cap, marked
                          T 1 N S 16 in NW.,
R 19 W S 15 in NE.,
                           S 22 in SE., and
            S 21 in SW. quadrant; and 1915 in S. rim; dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high,
            W. of cor.
         Land, level desert.
Soil, 1st and 2nd rate.
         Timber, paloverde and catclaw.
         Undergrowth, greasewood, cactus and sage.
```

Subdivision of T. k N. Chains East, on a random line, bet. secs. 15 and 22. Set temp. 2 sec. cor. Intersect N. and S. line at the cor. of secs. 14, 15, 22 40.00 80.20 and 23. Thence West, on a true line, bet. secs. 15 and 22, over level desert, through scattering timber and dense undergfowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap, marked 4 5 15 in N., and, 40.10 S 22 in S. half; and 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist, and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor. The cor. of secs. 15, 16, 21 and 22. Land, level desert. Soil, 2nd rate. 80.20 Timber, paloverde, mesquite and catclaw. Undergrowth, greasewood, sage and cactus. N.0°02 W., bet. secs. 15 and 16, over level desert, through scattering timber and dense undergrowth. Set an iron post, 3 ft. long, 1 in . diam., 26 ins. in the ground, for ‡ sec. cor., with brass cap, marked 40.00 in N.,
S 15 in E.k and
S 16 in W. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dis and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, 3 ft. dist., W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for wor. of secs. 9, 10, 15 and 16, with brass 80.00 cap, marked T 1 N S 9 in NW., R 19 W S 10 in NE., S 15 in SE., and S 16 in SW. quadrant; and 1915 in S. Fim; dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level desert. Soil, gravelly: 1st and 2nd rate. Timber, paloverde and catclaw. Undergrowth, greasewood, cactus and sage. East, on a random line, bet. secs. 10 and 15. Set temp. ½ sec. cor. Intersect N. and S. line 10 lks. S. of the cor. of secs. 40.00 80.18 10, 11, 14 and 15. Thence S.89°56'W., on a true line, bet. secs. 10 and 15, over level land, through scattering timber and dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  $\frac{1}{4}$  S 10 in N.and S 15 in S. half; and 40.09 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of sarth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

		10 miles 1 mil
	· .	Subdivision of T. 1 N. R. 19 W. 13
=	Chains	
	80.18	The cor. of secs. 9, 10, 15 and 16.  Iand, level desert.  Soil, 1st rate.
		Timber, paloverde. Undergrowth, greasewood, sage and cactus.
	40.00	N.0°02'W., bet. secs. 9 and 10, over level desert, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked \( \frac{1}{4} \) in N., \( S \) 9 in W., and \( S \) 10 in E. half; and \( 1915 \) in S. rim; \( \text{dig pits, } 18x18x12 \) ins., N. and S. of post, 3 ft. dist., \( \text{and raise a mound of earth, } \frac{1}{2} \) att. base, \( 1\frac{1}{2} \) ft. high,
	80.00	W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap, marked
		T 1 N S 4 in NW., R 19 W S 3 in NE., S 10 in SE., and S 9 in SW. quadrant; and 1915 in S. tim;
		dig pits, $18x18x12$ ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level desert.  Soil, gravelly; 1st and 2nd rate.  Timber, paloverde and catclaw.  Undergrowth, greasewood, sage and cactus.
	40.00 80.20	East, on a random line, bet. secs. 3 and 10. Set temp. ½ sec. cor. Intersect N. and S. line, at the cor. of secs. 2, 3, 10 and 11.
	20.15 40.10	Thence West, on a true line, bet. secs. 3 and 10, over level land, through scattering timber and dense undergrowth.  Road bears NW. and XE.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ S 3 in N., and , S 10 in S. half; and 1915 in S. rim;
	80.20	dig pits, 18x18x12 ins., E, and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.  The cor. of secs. 3, 4, 9 and 10.  Land, level.  Soil, 1st rate.  Timber, ironwood.  Undergrowth, greasewood, cactus and sage.
	40.00 79.68	N.0°02'W., on a random line, bet. secs. 3 and 4. Set temp. ½ sec. cor. Intersect N. bdy. of Tp. 33 lks. W. of the cor. of secs. 3, 4, 33 and 34, described in Book"B."
		Thence S.0°12'W., on a true line, bet. secs. 3 and 4,

BOOK 3043

4		Subdivision of T. 1 N., R. 19 W.
	Chains	
		over level desert, through scattering timber and dense
	2.70	undergrowth. Road bears NW. and SE.
	7.20	Road bears NW. and SE.
	39.68	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked
		½ in N., S 3 in E., and
		S 3 in E., and S 4 in W. half; and
		1915 in S. rim;
		dig pits, $18x18x12$ ins., N. and S. of post, 3 ft. dist, and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
	70 CO	W. of .cor.
	79•68	The cor. of secs. 3, 4, 9 and 10.  Land. level desert.
		Soil, gravelly; 1st and 2nd rate.
		Timber, paloverde and catclaw. Undergrowth, greasewood, cactus and sage.
	·	From the standard cor. of secs. 32 and 33, on the S. bay.,
		of Tphe G. and S. R. Base Line) described in Book "A",
		N.0°02'W., bet. secs. 32 and 33, over level desert, through scattering timber and dense
		undergrowth.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{2} \) sec. cor., with brass cap, marked
		1 in N.,
		S 32 in W., and S 33 in E. half; and
		1915 in S. rim:
		dig pits, $18x18x12$ ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
	80.00	W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
	00.00	ground, for cor. of secs. 28, 29, 32 and 33, with brass
		cap, marked T 1 N S 29 in NW.,
		R 19 W S 28 in NE.
		S 33 in SE., and S 32 in SW. quadrant; and
		1915 in S. rim;
		and raiss a mound of stone, 2 ft. base, 1 ft. high, W. of cor.
		Land, level desert.
		Soil, gravelly; 1st rate. Timber, paloverde and catclaw.
		Undergrowth, greasewood, cactus and sage.
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	40.00	East, on a random line, bet. secs. 28 and 33.
	40.00 79.92	Set temp. ½ sec. cor., Intersect N. and S. line 6 lks. S. of the cor. of secs.
	1505	27, 28, 33 and 34.
		Thence S.89°57'W., on a true line, bet. secs. 28 and 33,
	·	over level desert, through scattering timber and dense
	39.96	undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
		ground, for \(\frac{1}{4}\) sec. cor., with brass cap, marked \(\frac{1}{4}\) S 28 in N., and \(\frac{1}{2}\);
		S 33 in S. half? and
		1915 in S. rim; dig pits, 1818x12 ins., E. and W. of post, 3 ft. dist.,
		and raise a mound of earth, 2 ft. base, $1\frac{1}{2}$ ft. high,

ACRES CERTS

	Dubuliviolou of the first me me	15
Chains 72.90 79.92	Road bears N. and S. The cor. of secs. 28, 29, 32 and 33. Land, level. Soil, 1st rate. Timber, catclaw. Undergrowth, greasewood, sage and catclaw.	
	N.0°02'W., bet. secs. 28 and 29,	entered the second of the second of the second
40.00	over level desert, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked	Marie and the control of the control
	½ in N., \$ 28 in E., and \$ 29 in W. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. and raise a mound of earth, 3½ ft. base, 1½ ft. high,	,
66.50 80.00	W. of cor. Road bears N.10°W. and S.10°E. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap, marked	Ф
	T 1 N S 20 in NW., R 19 W S 21 in NE., S 28 in SE., and S 29 in SW. quadrant; and 1915 in S. rim;	A CONTRACTOR OF THE CONTRACTOR
	and raise a mound of stone, 2 ft. base, 12 ft. high, W. of cor.  Land, level.  Soil, gravelly; 1st rate.  Timber, catclaw.	The second secon
	Undergrowth, greasewood, cactus and sage.	
40.00 79.86		ere in
	Thence West, on a true line, bet. secs. 21 and 28, over level desert, through scattering timber and dense undergrowth.	
39.93	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ S 21 in N., and, S 28 in S. half; and	
Company was a series of the se	1915 in S. rim; dig pits, $18x18x12$ ins., E. and W. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.	,
79.86	The cor. of secs. 20, 21, 28 and 29.  Land, level.  Soil, 1st rate.  Timber, paloverde.  Undergrowth, greasewood, sage and cactus.	The second secon
40.00	N.0°02'W., bet. secs. 20 and 21, over level desert, through scattering timber and dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ in N S 20 in W., and	E CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DE LA CONTRA DEL CONTRA DE LA
	S 20 in W., and S 21 in E. half; and	

BOOK - 3043

	16	Subdivision of T. 1 N. R. 19 W.
7	ha ins	
	66.50 80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, with brass cap, marked  T 1 N S 17 in NW
		R 19 W S 16 in NÉ., S 21 in SE., and S 20 in SW. quadrant; and 1915 in S. rim; and dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of sarth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 1st rate. Timber, catclaw. Undergrowth, greasewood, sage and cactus.
	40.00 79.82	
	39.91	Thence N.89°57°W., on a true line, bet. secs. 16 and 21, over level desert, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked  \$\frac{1}{4}\$ S 16 in N., and  \$\frac{1}{4}\$ S 16 in S. half; and
	79•82	1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.  The cor. of secs. 16, 17, 20 and21.  Land, level.  Soil, 1st and 2nd rate.  Timber, paloverde and catclaw.  Undergrowth, greasewood, sage and cactus.
	40.00	N.0°02'W., bet. secs. 16 and 17, over level desert, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ in N., S 16 in E., and S 17 in W. half; and
	80.00	1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap, marked  T 1 N S 8 in NW., R 19 W S 9 in NE.
		S 16 in SE., and S 17 in SW. quadrant; and 1915 in S. rim; dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft.high, W. of cor.

•

	Subdivision of T. 1 N. R. 19 W.	17
Chains		
	Land, level.	
	Soil, gravelly; 1st rate. Timber, catclaw.	
	Undergrowth, greasewood, cactus and sage.	,.
	East, on a random line, bet. secs. 9 and 16.	
40.00	Set temp. \(\frac{1}{4}\) sec. cor.	
79.80	Intersect N. and S. line, 4 lks. S. of the cor. of secs. 9, 10, 15 and 16.	
	Thence S.89°58'W., on a true line, bet. secs. 9 and 16,	
·	over level desert, through scattering timber and dense undergrowth.	
39 • 90	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	}
	ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 9 in N. and	•
, , ,	½ S 9 in N., and S 16 in S. half; and	
•	1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.	•
4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	and raise a mound of earth, $3\frac{1}{2}$ ft.base, $1\frac{1}{2}$ ft. high, N. of cor.	
79.80	The cor. of secs. 8, 9, 16 and 17.	
	L and, level. Soil, gravelly; 1st and 2nd rate.	
70. THE RESERVE OF TH	Timber, paloverde.	:
	Undergrowth, greasewood, sage and cactus.	
To a supplement		
	N.0°02'W., bet. secs. 8 and 9, over level desert, through scattering timber and dense	# 1
40.00	undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the	•
7-0-0	ground, for \frac{1}{4} sec. cor., with brass cap, marked	
O.B. COLUMN COMMON AND ADDRESS OF THE PARTY	½ in N., S 8 in W., and	
	S 9 in E. half; and	
	1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.	
	and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.	
80.00	Set an iron post. 3 ft. long. 2 ins. diam. 24 ins. in th	L <b>e</b>
•	ground, for cor. of secs. 4, 5, 8 and 9, with brass cap, marked	
	TlN S5 in NW.,	
-	R 19 W S 4 in NE., S 9 in SE., and	i
	S 8 in SW. quadrant; and	
in a second seco	length of 1915 in S. rim; dig pits, $18 \times 18 \times 12$ ins., in each sec., $5\frac{1}{2}$ ft. dist., and	าส์
	raise a mound of earth, 4 ft. base, 2 ft. high, W. of o	or.
	Iand, level. Soil, gravelly: 1st rate.	
	Timber, catclaw.	i
The state of the s	Undergrowth, greasewood, sage and cactus.	
40.00	East, on a random line, bet. secs. 4 and 9. Set temp. $\frac{1}{4}$ sec. cor.	!
79.80	Intersect N. and S. line, at the cor. of secs. 3, 4, 9	<u> </u>
	and 90.	
	Thence West, on a true line, bet. secs. 4 and 9,	200 A
e de company de la company de	over level desert, through scattering timber and dense undergrowth.	

3		Subdivision of T. 1 N. R. 19 W.
	Chains	
	39•90	Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for ½ sec. cor., with bfass cap, marked ½ S 4 in N., and , S 9 in S. half, and
		1915 in S. nail, and 1915 in S. rim; dig pits, $18x18x12$ ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
	79.80	The cor. of secs. 4, 5, 8 and 9.  Land, level.
		Soil, gravelly; 1st and 2nd rate. Timber, catclaw. Undergrowth, greasewood, sage and cactus.
	40.00 .79.74	
		Thence South, on a true line, bet. secs. 4 and 5, over level desert, through scattering timber and dense undergrowth.
	39•74	Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked \( \frac{1}{4} \) in N., \( \text{S} \) 4 in E., and
	79•74	S 5 in W. half; and 1915 in S. rim; dig pits, $18x18x12$ ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{8}$ ft. high, W. of cor.  The cor. of secs. 4, 5, 8 and 9.  Land, level.  Soil, 1st and 2nd rate.
		Timber, paloverde and catclaw. Undergrowth, greasewood, cactus and sage.
		From the standard cor. of secs. 31 and 32, on S. bdy. of Tp., on G. (G. and S. R. Base Line) described in Book
		N.0°03'W., bet. secs. 31 and 32, over level desert, through scattering timber and dense undergrowth.
	40.00	Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked \( \frac{1}{4} \) in N.,
		S 31 inw., and S 32 in E. halfl and 1915 in S. rim:
	00.00	dig pits, $18x18x12$ ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap, marked
		T 1 N S 30 in NW., R 19 W S 29 in NE., S 32 in SE., and
		S 31 in SW. quadrant; and 1915 in S. pim; dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and
		raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, levelSoil, 1st rateTimber, mesquite. Undergrowth, greasewood.
- [	1	

	Subdivision of T. 1 N. R. 19 W.
Chains	
40.00 79.96	
15.00 39.98	
79•96	1915 in S. rim; dig pits, $18x18x12$ ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
	,
40.00 79.82	
39•57 39•82	ground, for \(\frac{1}{4}\) sec. cor., with brass cap, marked \(\frac{1}{4}\) S 30 in N, and ,
43.80 79.82	S 31 in S. half, and 1915 in S. rim; dig pits, $18x18x12$ ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
40.00	N.0°03'W., bet. secs. 29 and 30, over level land, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. hong, 1 in. dism., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap, marked \(\frac{1}{4}\) in N., \(\frac{1}{2}\) oin E., and \(\frac{1}{2}\) in W. half; and \(\frac{1}{2}\) in S. rim;
80.00	dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with orass cap, marked  T 1 N S 19 in NW., R 19 W S 20 in NE.,
	S 29 in SE., and S 30 in SW. quadrant; and 1915 in S. rim;

20

Chains	Subdivision of T. 1 N., R. 19 W.
	dig pits, $18x18x12$ ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor Land, level.  Soil, 1st rate.  Timber, mesquite.  Undergrowth, greasewood.
40.00 80.14	East, on a random line, bet. secs. 20 and 29. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line at the cor. of secs. 20, 21, 28 and 29.
1.65 40.07	Thence West, on a true line, bet. secs. 20 and 29, over level land, through scattering timber and dense undergrowth.  Road bears N. and S.  Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for \$\frac{1}{4}\$ sec. cor., with brass cap, marked \$\frac{1}{4}\$ \$20 in N., and \$\frac{1}{4}\$.
79.15 80.14	S 29 in S. half, and 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Wash, 50 lks. wide, course NW. The cor. of secs. 19, 20, 29 and 30. Land, level. Soil, 1st rate. Timber, mesquite. Undergrowth, greasewood and cactus.
40.00 79.68	
39.68	over level land, through scattering timber and dense undergrowth.  Set an iron post, 3 ft.long. 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2}\) sec. cor., with brass cap, marked \(\frac{1}{2}\) S 19 in N., and \(\frac{1}{2}\) S in S. half; and
45•25 79•68	1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, ½ ft. high, N. of cor.  Draw, course NW. The cor. of secs. 19, 20, 29 and 30.  Land, level.  Soil, 1st rate.  Timber, mesquite.  Undergrowth, greasewood and cactus.
1.70 40.00	N.0°03'W., bet. secs. 19 and 20, over level land, through scattering timber and dense undergrowth.  Wash, 50 lks. wide, course NW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ in N., S 19 in W., and S 20 in E. half; and 1915 in S. rim;

reen coas

```
Subdivision of T. 1 N., R. 19 W
Chains
                 dig pits, 18x18x12 ins., N. and S. of post., 3 ft. dist., and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high,
                 W. of cor.
             Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass
80.00
                 cap, marked
                                    T 1 N S 18 in NW.,
R 19 W S 17 in NE.,
S 20 in SE., and
S 19 in SW. quadrant; and
                                    1915 in S. rim;
                 dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
             Land, level.
Soil, 1st rate.
             Timber, mesquite.
             Undergrowth, greasewood.
             East, on a random line, bet. secs. 17 and 20.
             Set temp. ½ sec. cor.
Intersect N. and S. line, 3 lks. S. of the cor. of secs.
40.00
79.95
                 16, 17, 20 and 21.
             Thence S.89°59'W., on a true line, bet. secs. 17 and 20, over level land, through scattering timber and dense
                 undergrowth.
             Road bears N. and S.
39.972 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ $ 17 in N. and , $ 20 in S. half; and
                 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high,
            N. of cor.
The cor. of secs. 17, 18, 19 and 20.
79.95
                 Land, level.
                 Soil, ast rate.
                 Timber, mesquite.
                 Undergrowth, greasewood and cactus.
             West, on a random line, bet. secs. 18 and 19.
Set temp. ½ sec. cor.
Intersect W. bdy. of Tp. 22 lks. N. of the cor. of secs.
13, 18, 19 and 24, described in Book "B."
40.00
79.68
             Thence N.89°51'E., on a true line, bet. secs. 18 and 19, over level land, through dense undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
39.68
                ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked \( \frac{1}{4} \) $18 in N., and \( \text{S 19 in S. half; and 1915 in S. rim; } \) dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3\( \frac{1}{2} \) ft. base, 1\( \frac{1}{2} \) ft. high,
                 N. of cor.
             Draw, course NW. Wash, 50 lks. wide, course NW.
48.43
             The cor. of secs. 17, 18, 19 and 20.
                 Land, level.
Soil, 1st rate.
                 Timber, none.
                Undergrowth, greasewood.
```

BCCK EC43

```
Subdivision of T. 1 N.
Chains
            N.0°03'W., bet. secs. 17 and 18,
               over level land, through scattering timber and dense
               undergrowth.
            Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked \( \frac{1}{4} \) in N.,
\( \frac{1}{5} \) in E., and
\( \frac{1}{5} \) in W. half; and
40.00
                                1915 in S. rim;
               dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist, and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high,
               W. of cor.
            Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, with bfass
80.00
               cap, marked
                                T 1 N S 7 in NW.,
R 19 W S 8 in NE.,
                                S 17 in SE., and
S 18 in SW. quadrant; and
                                1915 in S. rim;
               dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high,
               W. of cor.
            Land, level. Soil, 1st rate.
            Timber, mesquite.
            Undergrowth, greasewood.
           East, on a random line, bet. secs. 8 and 17. Set temp. \frac{1}{4} sec. cor. Intersect N. and S. line, 8 lks. N. of the cor. of secs.
40.00
80.00
               8, 9, 16 and 17.
           Thence N.89°57'W., on a true line, bet. secs. 8 and 17, over level land, through dense undergrowth. Road bears N. and S.
10.45
36.80
           Draw, course NW.
           Set an iron post, 3 ft. long, 1 in. dism., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap, marked \( \frac{1}{4} \) S in N., land,
40.00
               $ 17 in S. half, and 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high,
               N. of cor.
80.00
           The cor. of secs. 7, 8, 17 and 18.
               Iand, level.
Soil, 1st rate.
               No timber.
               Undergrowth, greasewood and cactus.
           West, on a random line, bet. secs. 7 and 18.
           Set temp. 1 sec. cor.
40.00
           Intersect W. bdy. of Tp. 26 lks. N. of the cor. of secs. 7, 12, 13 and 18, described in Book "B."
79.62
            Thence N.89°49'E., on a true line, bet. secs. 7 and 18,
               over level land, through scattering timber and dense
               undergrowth.
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
39.62
              ground, for ½ sec. cor., with brass cap, marked ½ $ 7 in N., and , $ 18 in S. half; and
                               1915 in S. rim;
              dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dis and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high,
                                                                                         3 ft. dist.,
```

N of cor.

Chains	Subdivision of T. 1 N. R. 19 W.	23
43.00 79.62	Wash, 40 lks. wide, course N. The cor. of secs. 7, 8, 17 and 18. Land, level. Soil, 1st rate.	
	Timber, mesquite. Undergrowth, greasewood and cactus.	
39.00	N.0°03'W., bet. secs. 7 and 8, over level land, through scattering timber and dense undergrowth. Draw, course NW.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{2} \) sec. cor., with brass cap, marked \( \frac{1}{2} \) in N	
	\$ 7 in W., and \$ 8 in E. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.	
80.00	and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap	
	marked T l N S 6 in NW., R 19 W S 5 in NE., S 8 in SE., and S 7 in SW. quadrant; and 1915 in S. tim;	
	dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raime a mound of earth, 4 ft. base, 2 ft. high, W. of co Land, level.  Soil, 1st rate.  Timber, mesquite.	r.
	Undergrowth, greasewood.	
40. <b>0</b> 0 79.94	East, on a random line, bet. secs. 5 and 8. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line 8 lks. N. of the cor. of secs. 4, 5, 8 and 9.	
	Thence N.89°57'W., on a true line, bet. secs. 5 and 8, over level land, through dense undergrowth. Road bears N. and S.	
39•97	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ S 5 in N., and S 8 in S. half; and 1915 in S. rim;	
79•94	dig pits, $18 \times 18 \times 12$ ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.	
13•34	The cor. of secs. 5, 6, 7 and 8.  Iand, level.  Soil, 1st rate.  No timber.  Undergrowth, greasewood and cactus.	
40.00 79.52	West, on a random line, bet. secs. 6 and 7. Set temp. \(\frac{1}{4}\) sec. cor. Intersect W. bdy. of Tp. 35 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in Book "B."	
	Thence N.89°45'E., on a true line, bet. secs. 6 and 7,	

	Subdivision of T. 1 N. R. 19 W.
Chains	
18.50 39.52	over level land, through scattering timber and dense undergrowth.  Wash, 40 lks. wide, course NW.  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap, marked \(\frac{1}{4}\) S 6 in N.and  S 7 in S. half, and
59•5 <b>0</b> 79•52	1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 31 ft. base, 12 ft. high, N. of cor.  Draw, course NW.  The cor. of secs. 5, 6, 7 and 8.  Land, level.  Soil, 1st rate.  Timber, mesquite.  Undergrowth, greasewood and cactus.
40.00 79.62	N.0°03'W., on a random line, bet. secs. 5 and 6. Set temp. ½ sec. cor. Intersect N. bdy. of Tp. 16 lks. W. of the cor. of secs. 5, 6, 31 and 32, described in Book "B."
39.62	Thence S.0°04'W., on a true line, bet. secs. 5 and 6, over level land, through scattering timber and dense undergrowth.  Set an iron post, 3 ft. long, 1 in. diam, 26 ins. in the ground, for ½ sec. cor., with brass cap, marked ½ in N.,  S 5 in E., and S 6 in W. half; and 1915 in S. rim; dig nits 18x18x12 ins. N. and S. of nost 3 ft. dist
79.62	dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.  The cor. of secs. 5, 6, 7 and 8.  Land, level.  Soil, 1st rate.  Timber, mesquite.  Undergrowth, greasewood.

### GENERAL DESCRIPTION.

This township consists of practically level desert land, with general NW. drainage; being a part of la Posa plain.

The soil is of good quality, but owing to lack of water, produces nothing but desert growth such as mesquite, paloverde, catclaw, ironwood, greasewood, cactus and sagebrush.

The township contains no permanent water and no settlers.

# SUBDIVISIONS OF TOWNSHIP 1 NORTH, RANGE 19 WEST

### DATE DIAGRAM.

	1-13-15	1-13-15	1-13-15	1-14-15	1-14-15	1-14-15
1-13-15	о 1-26-15	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4-26-15	2 1-27-15	5 5 7 7 7	1 21-
ı	7-30-75	1-27-15	1-26-15	7-27-15	1-27-15	1-27-155
-13-15	1-56-1	ه ا <u>-25-15</u>	o 1-26-15	1-27-1	•	12 21-13-13
	1-30-15	1-30-15	1-26-15	1-30-15	1-30-15	1-30-15
1-13-15	18 1 - 25-15	17	91 -26-15	15 - I	14 41	13 [-
ŀ	1-25-15	1-25-15	1-26-15	1-30-15	1-30-15	1-14-15
1-13-15	19 -25-15	20 20 1-25-15	]-	22 -1-27-15	23 - 1-27-15	24 - 1 1-27-15
1-13-15	30 -26-12 1-26-12	29 29 1-25-15	28 -27-15	1-27-15	90 - 14-15	25 E 1-27-15
1-13-15	31 -56-15	32 50 1-12-15	33 -1-12-15 1-12-15	1	1-12-15 <sup>1</sup>	36 - 1-12-15
	1-12-15	Gila and		r BaselLin		1-12-15

Lines dated in black were surveyed by Woodbury Abbey,

U.S.Surveyor.

Lines dated in red were surveyed by R. J. Gill.

U.S.Transitman.

,	T. S. N	Ž N	ž F 239
- 5 5 7 8		<b>.</b>	F 239
4 = 4 8 4 - 28			
K. H. & B. Y. W. W. o a 40 22 22 24 24 24 24 24 24 24 24 24 24 24			. 27
ά t · z i z z i i i i i i i i i i i i i i i			
n e T 8 8 8			
0 K 5 E 5 K 10			
- 4 5 2 2 2 %	- 5 x x x x	no.	
4 = 7 8 % %	2 2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		C-2043 - F
y v 5 ñ ¼ ½ ½ ½	7		Long the transfer of the second
K + 4 4 2 8 8	क्ष के इस	o nako e jihar bako e. Tangan	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	n 60 E 8 8 8	Parakan di jar 📆 irang	
9 L 8 E	P P P P P P P P P P P P P P P P P P P		in , e.u. të
- 21 25 28 36 36 36 36 36 36 36 36 36 36 36 36 36	- 5 5 8 8 8	- & & & - & -	25 25 88 A
4 = <del>+</del> 2 3 8 8		4 = 4 8 8 8 4	= 4 80 8 E
w 5 m 2 2 2 2		w 5 8 9 9 4 w	5 5 K K K K K K K K K K K K K K K K K K
H		+ 0 = 2 2 8 8 4	3 2 8 2 8 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
7 0 T 0 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	70 00 F 05 05 05	8 2 2 0 12 G	23 22 23
2 F 8 5 V V	<del></del>	0 V 6 0 8 W	V 55 50 10 10
- 5 5 5 4 4 4 8	- 7 2 2 4 4		with
4 = 4 5 % %	1 日 生 内 名 . 湯 :		U.S.T. U.S.T.
R 4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	n 5 5 7 7 7 7	M ~  e Surveys  uted by  fransitman  Group 39,	دم. ال + ال
	4 0 4 2 2 8	Sur ed ns i	466 111 0 ig
	2 2 20 12		
9 r g g R .ñ	7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	SAA cetiv cxec nd J for ONA	Yoodbury Abl Roy J. Gill Hans D. Voig
	<u> </u>	DIAGRAM ~ the respective Sursion Lines executed urveyor and Trans ructions for Group ARAZONA.	by Woodbury Abbey, U.S. Roy J. Gill, U.S. "Hans D. Voigt, U.S.
	N 0 0 2 2 2 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5	A C Line Yor	<u> </u>
<b>A</b> : <b>A:</b> See Sign of Mark 10, 18, 11	+ - 2 2 2 3	the the	
	12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	wing the responsion Lines J.S. Surveyor a instructions ARIZ	Surveyed
ر با الله الله الله الله الله الله الله ا	2	Write Solic S.S.	Su
		Showing the respective Surveys of Subdivision Lines executed by each U.S. Surveyor and Transitman under instructions for Group 39, ARIZONA.	
•		o o o o o o o o o o o o o o o o o o o	
- 4 5 4 5 8	- 4 5 4 5	z z 2 2 2 -	5 E 2 2 X
2 = 4 8 8 8	5 7 8 8 8 8 8 8 8		= 4 8 8 10
H. 18 W. 12 82 55 74 74 74 75 75 75 75 75 75 75 75 75 75 75 75 75	. no. 2 - 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		5 5 2 2 2
	4 6 2 2 3 4 4	e	v 3 2 2 2 2
n	T 2 2 2 1 0	8 77 82 22 24	8 7 20 27 28
2	3 3 3 3 3	7 . 55 52 58 1½ A	r s 5 2 2 2
x - x - x - x	· # · # · # · # · # · # · # · # · # · #	· · · · · · · · · · · · · · · · · · ·	元
v = 7 % % %	五件 计数据 20 元	= 7 25 88 28 8	= 4 8 8 8
W 0. 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	m 2 2 2 1 1 1 1 n		5 7 7 7 7
	4 6 5 2 2 8 8 4		v & 2 2 % K
2 2 2 α α α α α α α α α α α α α α α α α	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		8 2 8 4
N N N N N N N N N N N N N N N N N N N			<u> </u>
T. 4. N.	L N N	<b>X</b>	Z N

. ;

We, the undersigned, hereby certify on honor that, in pursuance of special instructions received from the U.S.Surveyor General for Arizona, bearing date of Degember 4, 1914, we have well, faithfully, and truly, in our own proper persons, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the Subdivision Lines of

#### GROUP 39, ARIZONA,

which are represented on the diagram on the reverse hereof as having severally been executed by us, and under our direction; and we do further certify on honor that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U.S.Surveyor General for Arizona, and in the specific manner described in our respective field notes.

U.S. Surveyor.

S. Transitman.

APPROVAL.

OFFICE OF UNITED STATES SURVEYOR GENERAL,
Phoenix, Arizona, JUL 20 1918

The foregoing field notes of the survey of the SUBDIVISION LINES

TOWNSHIP 1 NORTH, RANGE 19 WEST, of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by Woodbury Abbey, U.S. Surveyor, and Roy J.Gill, U.S. Transitman, under special instructions dated December 12, 1914, for Group 39, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

L cortify that the foregoing transcript of the field notes of the above-described surveys in Book "O" has been correctly copied from the original notes on file in this office.

Surveyor General.