Book **O"

(Subdivisions)

EGGK 8055

95

FIELD NOTES

OF THE SURVEY OF THE

	SUBDIVISION LINES
	of
	TOWNSHIP 4 NORTH, RANGE 3 WEST,

	<u> </u>
	Of the Gila and Salt River Base and Meridian,
In the S	tate ofArizona.
	EXECUTED BY
	Roy J. Gill and Hans D. Voigt,
	U. S. Transitmen.
In the e	apacity of U.S. Surveyor, under instructions dated December 12, , 19
	by the United States Surveyor General to govern surveys included
1000000	Vo. 39 which were approved by the Commissioner of the General Le
Cross 7	
•	*
•	January 7,
•	January 7,
•	*

Executed under Assignment

Book "O" (Subdivisions)

BCCN 305**5**

Group 39-Ariz.

INDEX DIAGRAM.

		- 1	First		tanda	rd I	aralle	el .	North.			
Accept	+ 6	4) 5	20	4	16	3	1	h 2	7	1	
-	26	_	25		20	,	7.	5	11		7	rey
State of the state	73	25	8	1	9	1	10	10	11	6	12	··· Resur
	25		24		19		15		10		6	
e prior i sua compaña - mongrafia	-18	4/	1 17	1	3 16	1	15	10	14	5	13	···Retraced · · ·
enter de la company de la comp	23		23		18		14		9		5	Ret
Alle de terres est ann des als est	-19	23	20	1	3 21	1	3 22	9	28	4	24	Resurv
	22		22		17		13	·	9		. 4	Š
	-30	22	29	17	28	1	3 27	8	26	3	25	
	21		21		17		12	·	8		3	Retraced
- 1. Official and the gravaligate of the law of pro-	-31	20	32	1	5 ₃₃	1	2 34	.7	35	3	36	AX.
					a was san county was to						· · · · · · · · · · · · · · · · · · ·	Sury.
						į		i i				1

Township boundaries resurveyed under this Group. Notes in Book "B." Standard lines resurveyed under this Group. Notes in Book "A." - Accepted surveys.

--- Unsurveyed lines.

BQCK 3055

SUBDIVISIONS OF

TOWNSHIP 4 NORTH, RANGE 3 WEST.

				AGRAM.			
1-3-1	6 I	irst Stand	lard Paral	lel North,	Resurvey	1_2_16_1=	- 5-3
12-20-1	7 0 0 1 1 7 1 2-29-15	5 1-3-16	91 - 8-16	3 3 12-28-15	2 2 12-28-15	1 2 27-15	vey
12-20-31	7 - 52 - 21 12 - 20 - 15	8 1-3-16	9 % 12-28-15	10 86-6 12-28-15	11 12-27-15	12	Resur
12-20-15	18 % % % % % % % % % % % % % % % % % % %	្រ 17 ៈ 12-26-15	16 - 28-15	15 S	14 27 - 15	13 &	-Retraced
12-20-14	19 %	-15	-15	22 %- \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	23 2-21-15 12-21-15	24 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Resurv
12-20-15	30 30 12-28-17	29 - 27 - 12 - 27 - 1	2 2 3 4 1 7 12-27-15	27 C	26 -15 15-24-15	25 25 27 12-25-15	traced
12-20-15	31 &	32 32-27-15	33 & CT 12-17-15	34 % 12-20-15	35 - 20 - 215	36 21-21 12-21-15	Surv. Ret

Lines dated in red were surveyed by Roy J. Gill,

U. S. Transitman.

Lines dated in green were surveyed by Hand D. Voigt,

Ul S. Transitman.

C. Car

Subdivision of T.4 N, R. W. Chains Survey executed by Roy J. Gill, U. S. Transitman, and Hans D. Voigt, U. S. Transitman, using Young and Son's light mountain transits, Nos. 8583 and 8293 respectively, as described in book B." From recent and repeated field tests of the transits and solar attachments, they are known to be in satisfactory adjustment. From the cor. of secs. 1, 2, 35 and 36, on 5 bdy.of Tp., described in Book "B,"
N. 0° 4' E. bet. secs. 35 and 36. Over rolling land, through scattering undegrowth. Desc. 237 ft. to Top of spur slopes, N. 30° W., desc. 274 ft. to Wash, 15 lks. wide, 6 ft. deep, course, W. Asc. over gradual slope, 34 ft. to Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in 5.20 29.50 40.00 the ground, for $\frac{1}{4}$ sec. c or., with brass cap mkd. S 35:S 36 1915 and raise a mound of earth; 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Desc. 62 ft. to 41.60 Over rolling land. Wash, 45 lks. wide, 10 ft. deep, course, W. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with 49.50 00.08 brass cap mkd. T 4 N R 3 W 26:\$ 25 35:S 1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high; W. of cor. Land, mountainous and rolling. Soil, rocky 4th rate. Timber, none. Undergrowth, cat claw. East on a random line bey. secs. 25 and 36. 40.00 Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., 21 lks. S. of original cor. of secs. 79.65 25, 30, 31 and 36, described bin BeckerButbed in the notice of the permanent of the British the the Thence S. 89° 51' W. on a true line bet. secs. 25 and 36. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in dim., 26 ins. in the ground, for 4 sec. cor., with bress cap mkd. 39.82\frac{1}{2} dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft high, N. of cor. Cor. of secs. 25, 26, 35 and 36. 79.65 Land, level. Soil, 2nd rate. No timber. Undergrowth, palo verde. N. 0° 4' E. bet. secs. 25 and 26. Over level land, through scattering undergrowth.

Wash, 75 lks. wide, 4 ft. deep, course, NE.

1.50

4

```
Subdivision of T.4 N. R.3 W.
 Chains
          Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
40.00
                 the ground, for & sec. cor., with brass cap mkd.
                                     S 26:S 25
                                        1915
               dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high, W. of cor.
           Wagon road, brs. E. and W.
Set an iron post, 3 ft. long, 2 ins.in diam., 24 ins. in the ground, for cor. of secs. 23. 24. 25 and 26, with
55.40
00.08
                 brass cap mkd.
                                    T 4 N R 3 W S 23; S 24
                                      S 26:S 25
                                         1915
                 dig pats, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2} ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
           Land, level.
           Soil, 2nd rate.
           No timber.
           Undergrowth, greasewood, palo verde and cat claw.
           East on, a random line bet. secs. 24 and 25.
           Set temp. \(\frac{1}{4}\) sec. cor.
Intersect E. bdy. of Tp., 14 lks. S. of the reestablished
40.00
79.69
                 Books"B("the me.
           Thence
           S. 89° 54' W. on a true line bet. secs. 24 and 25.
           Over level land, through scattering undergrowth.
10.30
           Wagon road brs. SE. and NW.
33.30
           Wagon road brs. NE. and SW.
            Set an iron post, 3 ft. long, I in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd.
39.84号
                                    1915
                dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft.
                high, N. of cor.
           Cor. 3 of Secs. 23, 24, 25, and, 26, 161 26.
79:69
           Land, level.
           Soil, 2nd rate.
           No timber.
           Undergrowth, scattering palo verde,
          N. 0° 4' E. bet. secs. 23 and 24.

Over level land, through scattering undergrowth.

Wagon road brs. N. and Sw.
21.80 , |
40.00
           Sethan iron post, 3 ft. long, 1 in. in diam., 26 ins. in
                 the ground, for \( \frac{1}{4} \) sec. cor., with brass cap mkd.,
                                    S 23:S 24
                                       1915
                dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2}
          ft. high, W. of cor.
Wagon road brs. NW. and SE.
Wash, 75 lks. wide, 3 ft. deep, course, NW.
43.10
45.00
54.50 m
           Intersection of wagon roads, E., W., NE. and SW.
59.60
           Wagon road, brs. NE. and SW.
```

Subdivision of	T.4 N., R.3 W.
67.00 Wagon road, brs. NW. a 80.00 Set an iron post 3 ft.	long, 2 ins. in diam., 24 ins. in
brass cap mkd.	of secs. 13, 14, 23 and 24, with
S 1 S 2	4:S 13 3:S 24
dig pits 18 X18 X and raise a mound	915 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. of earth 4 ft. base, 2 ft. high,
W. of cor. Land, level. Soil, 2nd rate.	
No timber. Undergrowth, scattering	palo werde.
East on a random line 1 40.00 Set temp. \(\frac{1}{4}\) sec. cor. 79.63 Intersect E. pdv. of To	pet. secs. 13 and 24.
13, 18, 19 and 24, no took of the mesons	described in Book of B. Wood in the
Over level land, through	e line bet. secs. 13 and 24. The scattering undergrowth.
16.40 Wagon road, brs. N. and 26.60 Barbed wire fence brs. 34.10 Barbed wire fence brs.	N. and S.
34.60 Cabin and adobe tank be $39.81\frac{1}{2}$ Set an iron post 3 ft.	long, l in. in diam., 26 ins. in c. cor. with brass cap mkd.
<u> </u>	
1915	
	12 ins. E. and W. of post, 3 ft. cound of earth, $3\frac{1}{2}$ ft. case, $1\frac{1}{2}$ it.
51.10 Barbed wire fence ors. 52.70 Wagon road, brs. NE. an 62.00 Wagon road, brs. NE. an	d SW.
79.63 Cor. of secs. 13, 14, 2 Land, level.	3 and 24.
Soil, 1st and 2nd rates No timber. Undergrowth, scattering	
N. 0° 4' E. bet. secs. Over level land, through	13 and 14. h scattering undergrowth.
	long, l in. in diam., 26 ins. in c. cor. with brass cap mkd.
s 14:	S 13
dist. and raise a m	12 ins. N. and S. of post, 3 ft. ound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
	long, 2 ins. in diam., 24 ins. in of secs. 11, 12, 13 and 14, with
brass cap mkd.	R 3 W
S 14	:S 12 :S 13 15
	2 ins. in each sec. $5\frac{1}{2}$ ft. dist. f earth 4 ft. base, 2 ft. high,

Chains	
	Land, level.
	Soil, 1st and 2nd rates. No timber.
	Undergrowth, greasewood and palo verde.
	East on a random line bet. secs. 12 and 13.
40.00	Set temp. 1 sec. cor.
80:00	Intersect E. bdy. of Tp., 1 lks. S. of cor. of secs. 7,
	12, 13 and 18, am described in Book of Bett in the notes of the energy of the L. of the fire.
	Thence
40.00	West on a true line bet. secs. 12 and 13.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd.
	$\frac{1}{4}$ $\frac{S}{S}$ $\frac{12}{13}$
	1915
,	dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
	high, N. of cor.
52.40	Wagon road, brs. N. and S.
79.00 80.00	Wagon road, brs. N. and S. Cor. of secs. 11, 12, 13 and 14.
00.00	Land, level.
	Soil, 1st and 2nd rates.
•	No timber.
	Undergrowth, scattering palo werde.
	N 00 41 M bet goes 13 and 19
	N. 0° 4' E. bet. secs. 11 and 12.
*	
1.70	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE.
9.50	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W.
9.50	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
9.50	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \(\frac{1}{4}\) sec. cor. with brass cap mkd.
9.50	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
9.50	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \(\frac{1}{4}\) sec. cor. with brass cap mkd. S 11:S 12
9.50	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. Sll:Sl2 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
9.50	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for 4 sec. cor. with brass cap mkd. Sll:Sl2 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. Sll:Sl2 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\(\frac{1}{2} \) ft. base, l\(\frac{1}{2} \) ft. high, W. of cor.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. \$\frac{1}{4}\$ S 11:S 12 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2}\$ ft. base, 1\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. Sll:Sl2 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\$\frac{1}{2}\$ ft. base, 1\$\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. \$\frac{1}{4}\$ Sll:Sl2 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, \$\frac{1}{2}\$ ft. base, \$\limeth{1}\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. T 4 N R 3 E.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. Sll:Sl2 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\$\frac{1}{2}\$ ft. base, 1\$\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. \[\frac{1}{4} \] S 11:S 12 \[\frac{1915}{4} \] dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\(\frac{1}{2}\) ft. base, 1\(\frac{1}{2}\) ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. \[\frac{S 2 : S 1}{S 11:S 12} \] 1915
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. \$\frac{1}{4}\$ S 11:S 12 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, \$\frac{1}{2}\$ ft. base, \$\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. T 4 N R 3 E. \$\frac{S 2 : S 1}{S 11:S 12}\$ dig pits, 18 X 18 X 12 ins., in each sec., \$\frac{5}{2}\$ ft. dist
	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. \[\text{S11:S12} \] \text{1915} \text{dig pits,18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\(\frac{1}{2} \) ft. base, 1\(\frac{1}{2} \) ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. \[\text{T 4 N R 3 E.} \] \[\text{S2:S1} \] \[\text{S11:S12} \] \[\text{1915} \] dig pits,18 X 18 X 12 ins., in each sec., 5\(\frac{1}{2} \) ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. Sl1:S 12 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2}\$ ft. base, 1\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. T 4 N R 3 E. S2:S1 S1:S 12 1915 dig pits, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2}\$ ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. \[\frac{1}{4} \] S ll:S l2 \[\text{1915} \] dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. \[\text{T 4 N R 3 E.} \] \[\text{S 2 :S 1} \] \[\text{1915} \] dig pits, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2} ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate, with "gumbo" subsoil.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. \[\frac{1}{4} \] Sliss 12 \[\frac{1915}{1915} \] dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\(\frac{1}{2}\) ft. base, 1\(\frac{1}{2}\) ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. \[\frac{5}{2} \cdots 1 \] Sliss 12 \[\frac{1915}{1915} \] dig pits, 18 X 18 X 12 ins., in each sec., 5\(\frac{1}{2}\) ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate, with "gumbo" subsoil. No timber.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. \[\frac{1}{4} \] S ll:S l2 \[\text{1915} \] dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. \[\text{T 4 N R 3 E.} \] \[\text{S 2 :S 1} \] \[\text{1915} \] dig pits, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2} ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate, with "gumbo" subsoil.
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. S 11:S 12 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. T 4 N R 3 E. \$\frac{S 2 : S 1}{S 11:S 12}\$ dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate, with "gumbo" subsoil. No timber. Undergrowth, palo verde, mesquite, greasewood, cat claw,
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. S 11:S 12 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. T 4 N R 3 E. \$\frac{S 2 : S 1}{S 11:S 12}\$ dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate, with "gumbo" subsoil. No timber. Undergrowth, palo verde, mesquite, greasewood, cat claw,
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor. with brass cap mkd. \[\] \[
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. \$\frac{1}{4}\$ S 11:S 12 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\$\frac{1}{2}\$ ft. base, 1\$\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. \$\frac{1}{2}\$ \frac{1}{2}\$
9.50 40.00	Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wash, 15 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. \$\frac{1}{4}\$ 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2}\$ ft. base, 1\frac{1}{2}\$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd. \$\frac{1}{2}\$ 18 X 18 X 18 E. \$\frac{2}{2}\$ 18 S 11:S 12 \$\frac{1}{2}\$ 1915 dig pits, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2}\$ ft. dist and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate, with "gumbo" subsoil. No timber. Undergrowth, palo verde, mesquite, greasewood, cat claw, sagebrush and cacti. East on a random line bet. secs. 1 and 12.

Stati

	Chains	Subdivision of T.4 N., R.3 W. 7	
	Chains	Thence	-
		N. 89° 57' W. on a true line bet. secs. 1 and 12.	
	40.01	Over level land, through scattering undergrowth. Set an iron post 3 ft. long, l in. in diam., 26 ins. in	
	20.012	the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.	
		$\frac{181}{4812}$	
	,	1915	
	, .	dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft.	
		dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.	
	80.03	high, N. of cor. Cor. of secs. 1, 2, 11 and 12.	
		Land, level.	
		Soil, 1st and 2nd rates.	
		Undergrowth, scattering palo verde and cat claw.	
	·		
	-	N. 0° 4' E. on a true line bet. secs. 1 and 2.	
	40.00	Over level land, through scattering undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in	
	40.00	the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.	
		· · · · · · · · · · · · · · · · · · ·	
		S 2:S 1	
		1915	
(dig pits 18 X 18 X 12 ins., N. and S. of post, 3 ft.	
	T Commence of the Commence of	dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.	
	69.60	Wagon road, brs. E. and W.	
	69.88	Intersect 1st standard parallel N., 15.64 chs.E.oforeestab.	
		standard cor. of secs. 35 and 36, T.5 N., R.3 W., described in book "A," At point of intersection,	
		Set an iron post, 3,ft. long, 2 ins. indiam., 24 ins. in	
		the ground, for C.C. of secs. 1 and 2, with brass cap mkd. T 5 N R 3 W	
		S36	
		S 2:S 1	
		T 4 N R 3 W	
		1915	
		dig pits, 24 X 18 X 12 ins., crosswise on each line, E. and W., 3 ft., and S. of cor. 7 ft. dist.; and	
		raise a mound of earth, 4 ft. base, 2 ft. high, S. of	
		cor.	
		Land, level. Soil, 2nd rate.	
		Timber, none.	
	, ,	Undergrowth, scattering palo verde and cat claw.	
		From the cor. of secs. 2, 3, 34 and 35, on S.bdy. of Tp., de-	
		scribed in Book "B."	
	,	N. 0° 4' E. bet secs. 34 and 35.	
		Over mountainous land, through scattering undergrowth. Desc. N. slope, of mountain, 205 ft. to	
	19.72	Foot of mountain.	
	40.00	On west bank of wash, 45 lks. wide, 5 ft. deep, course	
		N. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in	
	,	the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.	
		1	
		S 34:S 35	
		, 1915,	
		and raise a mound of stone, 2 ft. base, l2 ft. high, W. of cor.	
	63.00	Wash, 45 lks. wide, 7 ft. deep, course, N. 30° E.	
		The state with the deep, course, M. 300 E.	

```
8
                       Subdivision of T.4 N. R.3 W.
 Chains
            Set an iron post 3 ft. long, 2 ins. in diam., 12 ins. in the ground, to solid rock, in a mound of stone, for
 80.00
                  cor. of secs. 26, 27, 34 and 35, with brass cap mkd. T A N R 3 W
                                        S 27:S 26
                                        S 34:S
                                           1915
                  and raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
                  W. of cor.
            Land, mountainous and rolling. Soil, 4th rate.
            No timber.
            Undergrowth, scattering palo verde and 'cat claw.
            East on a random line bet. secs. 26 and 35.
 40.00
            Set temp. \frac{1}{4} sec. cor.
 79.94
            Intersect N. and S. line, 28 lks. S. of cor. of secs.
                  25, 26, 35 and 36.
            Thence
            S. 89° 48' W. on a true line bet. secs. 26 and 35.
            Over level land, through scattering undergrowth.

Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., with brass cap mkd.
 39.97
                                    $\frac{8}{5} \frac{26}{5}
                                     1915
                and raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high.
                  N. of cor.
            Wash, 150 lks. wide, 4 ft. deep, course, N. Wash, 45 lks. wide, 5 ft. deep, course, N. Wash, 40 lks. wide, 7 ft. deep, course, NE. Cor. of secs. 26, 27, 34 and 35.
 46.95
 59.45
 75.45
 79.94
            Land, level.
            Soil,
                    2nd rate.
            No timber.
            Undergrowth, scattering palo verde.
            N. 0° 4' E. bet. secs. 26 and 27.
            Over level land, through scattering undergrowth. Set an iron post 3 ft. long, 1 in., in diam., 26 ins. in
 40.00
                  the ground for \frac{1}{4} sec. cor. with brass cap mkd.
                                       S 27:S 26
                                          1915
                  dig pits 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft.
                  high, W. of cor.
            Road, brs. E. and W.
 43.50
            Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 22, 523, 26 and 27,
 80.00
                  with brass cap mkd.
                                       T 4 N R 3 W
                                        S, 22:S 23
                                        S 27:S
                                           1915
                  dig pits, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2} ft.
                  dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
            Land, level.
             Soil. 2nd rate.
            No timber.
            Undergrowth, palo verde, mesquite, greasewood, sagebrush, cat claw and cacti.
```

	Subdivision of T.4 N.R.3 W.
Chains	East on a random line bet. secs. 23 and 26.
40.00 79.97	Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 21 lks. S. of cor. of secs. 23, 24, 25 and 26.
36.07 39.98½	Thence S. 89° 51' W. on a true line bet. secs. 23 and 26. Over level land, through scattering undergrowth. Road, brs. NE. and SW. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ½ sec. cor., with brass cap mkd.
,	\$\frac{\sin \frac{23}{5 \frac{26}{5 \frac{26}{1915}}}{1915}
79.97	dig pits 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. Cor. of secs. 22, 23, 26 and 27. Land, level. Soil, 2nd rate.
ę	No timber. Undergrowth, scattering palo verde, mesquite, cat claw, greasewood, sagebrush and cacti.
 3.30 40.00	N. 09 4' E. bet. secs. 22 and 23. Over level land, through scattering undergrowth. Wagon road, brs. NE. and SW. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. with brass cap mkd. \$\frac{1}{4}\$
75.00 76.20 80.00	dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Wash, 75 lks. wide, 3 ft. deep, course, W. Wagon road, brs. NW. and SE. Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd. T 4 N R 3 W S 15:8-14 S 22:S 23 1915 dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate. Timber, none. Undergrowth, scattering palo verde and cat claw.
40.00 79.87 39.93½	East on a random line bet. secs. 14 and 23. Set temp. \(\frac{1}{4} \) sec. cor. Intersect N. and S. line, 35 lks. S. of cor. of secs. 13, 14, 23 and 24. Thence S. 89° 45' W. on a true line bet. secs. 14 and 23. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, l in. in diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	\$\frac{14}{8} \frac{23}{23} \\ 1915

16	Subdivision of T.4 N.R.3 W.
Chains 79.87	Cor. of secs. 14, 15, 22 and 23. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde and cat claw.
40 .00	N. 0° 4' E. bet. secs. 14 and 15. Over level land, through scattering undergrowth. Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd. S 15:S 14
80.00	1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd. T 4 N R 3 W
	S 10:S 11 S 15: S 14 1915 dig pits, 18 X18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, & ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde, cat claw, greasewood, sagebrush, mesquite and cacti.
40.00 79.76 34.86 39.88	East on a random line bet. secs. ll and 14. Set temp. ½ sec. cor. Intersect N. and S. line, 10 lks. S. of cor. of secs. 11, 12, 13 and 14. Thence S. 89° 56' W. on a true line bet. secs. ll and 14. Over level land, through scattering undergrowth. Wash, 20 lks. wide, 4 ft. deep, course, NW, Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground, for ½ sec. cor., with brass cap mkd.
66.36	dig pits, 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Road, brs. NW. and SE., dim wood road Cor. of secs. 10, 11, 14 and 15. Land, level. Soil, 2md rate. No timber. Undergrowth, palo verde, mesquite, cat claw, greasewood, sagebrush and cacti.
40.00	N. 0° 4° E. bet. secs. 10 and 11. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd.

	Subdivision of T.4 N., R.3 W.	11
78.20, 80.00	S 10:S 11 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Wash, 40 lks. wide, 5 ft. deep, course, NW. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd. T 4 N R 3 W	
T	S 3.28 2 S 10:8 11 1915 dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde.	
40.00 79.6 3	East on a random line bet. secs. 2 and 11. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line, 23 lks. S. of cor. of secs. 1, 2, 11 and 12.	
34.10 39.81½	Thence S. 89° 50' W. on a true line bet. secs. 2 and ll. Over level land, through scattering undergrowth. Wash, 25 lks. wide, 5 ft. deep, course, N. Set an iron post 3 ft. long, l in. in diam., 26 ins. in the ground, for, ½ sec. cor., with brass cap mkd.	
50.10 53.60 79.63	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Wagon road brs. N. and S. Wagon road brs. NE. and SW. Cor. of secs. 2, 3, 10 and 11. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde.	
40.00	N. 0° 4' E. on a true line bet. secs. 2 and 3. Over level land, through scattering undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \$\frac{1}{4}\$ sec. cor., with brass cap mkd. \$\frac{1}{4}\$ S 3 :S 2	
49.40 69.74	dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, ½ ft. high, W. of cor. Road, brs. NW. and SE. Intersect 1st standard parallel N., 16.02 chs. E. of reestal standard cor. of secs. 34 and 35, and described in book "A." At point of intersection, Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for C.C. of secs. 2 and 3, with brass cap mkd.	

Subdivision of T.4 N., R.3 W. 12 5 N K 3 S35 Chains S 3:S 2 4 N:R 3 W C C : 1915 dig pits, 24 X 18 X 12 ins., crosswise on each line, E. and W., 3 ft. and S. of post, 7 ft., dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, S. of cor. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering paloverde, mesquite, cat claw, greasewood, sagebrush and cacti. From the cor. of secs. 3, 4, 33 and 34, on S.bay. of Tp.,, described in book "B." N. 0° 3' E. bet. secs. 33 and 34. Over rolling land, through scattering undergrowth. 25.00 Wash, 20 lks. wide, course, NE. Wash, 18 lks. wide, course, NE. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd. 30.00 40.00 S 33:S 34 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Road, brs. NE. and SW.
Road, brs. N. 70° E. and S. 70° W.
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with 44.00 54.50 .00 brass cap mkd. T 4 N R 3 W S 28:S 27 S 33:S 34 dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde, mesquite, eat claw, greasewood, sagebrush and cacti. East on a random line bet. secs. 27 and 34. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 12 lks. S. of cor. of secs. 40.00 79.92 26, 27, 34 and 35. Thence S. 89° 55' W. on a true line bet. secs. 27 and 34. Over level land, through scattering undergrowth. Wash, 20 lks. wide, 4 ft. deep, course, N. 10° E. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd. 34.40 39.96 ½ S 27 S 34 1915 and raise a mound of stone, 2 ft. base, la ft. high,

N. of cor.

BCCK SOES

			13
,	Chains 40.40 70.40 79.92	Road, brs. N. 10° E. and S. 10° W. hoad, brs. N. and S. Cor. of secs. 27, 28, 33 and 34. Land, level Soil, 4th rate.	
	ę	Undergrowth, palo verde, cat claw, mesquite, greasewood, sagebrush and cacti.	
	6.50 40.00	N: 0° 3' E. bet. secs. 27 and 28. Over level land, through scattering undergrowth. Wagon road brs. E. and W. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec.cor., with brass cap mkd. \$\frac{1}{4}\$	
	64.30	1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft high, W. of cor. Wagon road brs. E. and W.	•
	80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd. T 4 N R 3 W S 21:5 22	
4	,	S 28:S 27 1915 dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level Soil, 2nd rate. No timber. Undergrowth, scattering palo verde and cat claw.	
	40.00 79.85	East on a random line bet. secs. 22 and 20. Set temp. ½ sec. cor. Intersect N. and S. line, 25 lks. S. of cor. of secs. 22, 23, 26 and 27.	
	3.85 39.92½	Thence S. 89° 49' W. on a true line bet, secs. 22 and 27. Over level land, through scattering undergrowth. Wagon road brs. NE. and SW. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd. \[\frac{1}{4}\frac{S}{5}\frac{27}{27}\]	
	79.85	1915 dig pits, 18 X 18 X 12ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Cor. of secs. 21, 22, 27 and 28. Land, level Soil, 2nd rate.	
		No timber. Undergrowth, scattering palo verde and cat claw. N. 0° 2' E. bet. secs. 21 and 22.	
	40.00	Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec., cor., with brass cap mkd. S 21:S 22 1915	
	80.00	dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.	
		T 4 N R 3 W S 16:S 15 S 21:S 22 1915	

Subdivision of T.4 N., R.3 W. 14 Chains dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.;; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate. Soil, No timber. Undergrowth, scattering palo verde, cat claw, mesquite, greasewood, sagebrush and cacti. East on a random line bet. secs. 15 and 22. 40.00 79.96 Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 12 lks. S. of cor. of secs. 14, 15, 22, and 23. S. 89° 55' W. on a true line bet. secs. 15 and 22. Over level land, through scattering undergrowth.
Road, brs. S. 70° E. and N. 70° W.
Wash, 20 lks. wide, 4 ft. deep, course, NE.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in 15.85 37.85 39.98 , the ground, for & sec. cor., with brass cap mkd. $\frac{1}{4} \frac{5}{5} \frac{15}{22}$ 1915 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Wash, 20 lks. wide, course, NE. 75.85 79.96 Cor. of secs. 15, 16, 21 and 22. Land, level. Soil, 2nd rate. Timber, none. Undergrowth, ,palo verde, cat claw, mesquite, greasewood, sagebrush and cacti. N. 0° 3' E. bet. secs. 15 and 16. Over level land, through scattering undergrowth. Wagon road brs. E. and W. 25.15 Wash, 45 lks. wide, 3 ft. deep, course, W. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in 35.30 40.00 the ground, for a sec. cor. with brass cap mkd. \$ 16:S 15 1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with 00.08 brass cap mkd. T 4 N R 3 W S 9 :S 10 s 16:S 15 1915 dig pits, 18 X 18 X 12 ins., in each sec. $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 1st and 2nd rates. No timber. Undergrowth, scattering palo verde.

```
Subdivision of T.4 N., R.3 W.
Chains
          E ast on a random line bet. secs. 10 and 15.
40.00
          Set temp. \frac{1}{4} sec. cor.
          Intersect N. and S. line, 16 lks. S. of cor. of secs. 10, 11, 14 and 15.
79.93
          Thence
          S. 89° 53' W. on a true line bet. secs. 10 and 15.
          Over level land, through scattering undergrowth.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
39.96±
                the ground, for 1 sec. cor., with brass cap mkd.
                                1 S 10
S 15
1915
                dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft.
                high, N. of cor.
79.93
          Cor. of secs. 9, 10, 15 and 16.
          Land, level.
Soil, 2nd rate.
          No timber.
 1. 13.16
          Undergrowth, palo verde and cat claw.
          N. 0° 3' E. bet. secs. 9 and 10.
Over level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins.
40.00
               in the ground, for 2 sec. cor., with brass cap mkd.
                                   S 9 :S 10
                                     1915
                dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
                dist.; and raise a mound of earth, 32 ft. base, 12
                ft. high, W. of cor.
          Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. the ground, for cor. of secs. 3, 4, 9 and 10, with
                                                                          24 ins. in
80.00
                brass cap mkd.
                                   T 4 N R 3 W
                                    S 4 :S 3
S 9 :S 10
 e.. 0°,
                                    1915
                dig pits, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2} ft.
                dist.; and raise a mound of earth, 4 ft. base, 2 ft.
                high, W. of cor.
          Land, level.
Soil, 2nd rate.
          Soil,
          No timber.
          Undergrowth, palo verde, mesquite, cat claw, greasewood,
                sagebrush and cacti.
          East on a random line bet. secs. 3 and 10.
40.00
          Set temp. 1 sec. cor.
          Intersect N. and S. line, 7 lks. S. of cor. of secs.
80.03
               2, 3, 10 and 11.
          Thence
          S. 89° 57' W. on a true line bet. secs. 3 and 10.
          Over level land, through scattering undergrowth. Wash, 20 lks. wide, 4 ft. deep, course, N. 109 W. Road, brs. N. 30° W. and S. 30° E., dim wood road.
 1.50
38.70
          Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
40.01호
                the ground, for \frac{1}{4} sec. cor., with brass cap mkd.
                                \frac{1}{4} \frac{S}{S} \frac{3}{10}
```

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$

ft. high, N. of cor.

```
16
                        Subdivision of T.4 N.R.3 W.
 Chains
             Cor. of secs. 3, 4, 9 and 10.
 80.03
             Land, level.
             Soil, 2nd rate.
             No timber.
             Undergrowth, palo verde, cat claw, mesquite, greasewood, sagebrush and cacti.
             N. 0° 3' N. on a true line bet. secs. 3 and 4. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 40.00
                   the ground, for + sec. cor., with brass cap mkd.
                                       'S 4 :S 3
                                            1915
                   dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft.
                   high, W. of cor.
             Intersect 1st standard parallel N., 15.97 chs E. of reestab.
 70.23
             standard cor. of secs. 33 and 34, described in book "A"." At point of intersection,
Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for C.C. of secs. 3 and 4, with brass cap mkd.

T 5 N R 3 W
                                        S'4:S 3
4 N:B 3 W
                                         A C C B T
                                          1915
                   and raise a mound of stone, 2 ft. base, l^{\frac{1}{2}} ft. high,
                   S. of cor.
             Land, level. Soil, 2nd rate.
             No timber.
             Undergrowth, scattering palo verde.
             From the cor. of secs. 4, 5, described in book "B,",
                                                         32 and 33, on S bdy. of Tp.,
             N. 0° 3' E. bet. secs. 32 and 33.
Over level land, through scattering undergrowth.
             Wagon road brs. E. and W.
 15.00
             Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd.
 40.00
                                        S 32:S 33
                                            1915
                   dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high, W. of cor.
             Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
 00.08
                   the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.
                                         T 4 N R 3 W
                                          S 29:S 28
S 32:S 33
                                             1915
                   dig pits, 18 X 18 X 12 ins., in each sec., 5\frac{1}{2} ft. dist.,
                   and raise a mound of earth, 4 ft. base, 2 ft., high,
                   W. of cor.
             Land, level.
Soil, 2nd rate.
             Soil,
             No timber.
             Undergrowth, scattering palo verde and cat claw.
```

BCCX 3055

		Subdivision of T.4 N., R.3 W.	ਰੁ 17
	Chains	East on a random line bet. secs. 28 and 33.	
	40:00 ' 79.94	Set temp. 1 sec. cor. Intersect N. and S. line, 14 lks. S. of cor. of secs. 27, 28, 33 and 34.	
	10.45	Thence S. 89° 54' W. on a true line bet. secs. 28 and 33. Over level land, through scattering undergrowth. Wagon road, brs. NE. and SW. Set an iron post, 3 ft. long, l in. in diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.	
		\$\frac{\sqrt{8}}{\sqrt{8}} \frac{33}{33} \\ \tag{1915}	
	79.94	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Cor. of secs. 28, 29, 32 and 33. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde and cat claw.	
		characteristic para verde and date of an	
	40.00	N. 0° 3° E. bet. secs. 28 and 29. Over level land; through scattering undergrowth. Set an iron post; 3 ft. long; 1 in in, diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.	
	,	S 29:S 28	
		dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and mise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.	
	57.20 71.40	Road brs. NE. and SW., dim wood road. Road, brs. N. 70° E. and S. 70° W.	
	80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd., T 4 N R 3 W S 20:S 21 S 29:S 28 1915	
		dig pts, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist and raise a mound of earth, 4 ft. base, 2 ft. high,	• ;
		W. of cor. Land, level. Soil, 2nd rate. No timber. Undergrowth, palo verde, cat claw, mesquite, greasewood, sagebrush and cacti.	
•	40.00	East on a random line bet. secs. 21 and 28. Set temp. ½ sec. cor. Intersect N. and S. line, 14 lks. S. of cor. of secs. 21, 22, 27 and 28. Thence	
	39.98	S. 89° 54' W. on a true line bet. secs. 21 and 28. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd.	,
		\$\frac{1}{4} \frac{\text{S}}{\text{S}} \frac{21}{28} \\ 1915	

18 Subdivision of T.4 N. R.3 W Chains dig pits, 18 X 18 X12 ins., E. and W. of post, 3 ft. dist., and mise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Wash, 15 lks. wide, course, NE.

Cor. of secs. 20, 21, 28 and 29. 44.23 79.96 Land, level. Soil, 2nd rate. No timber. Undergrowth, palo verde, cat claw, mesquite, greasewood, sagebrush and cacti. N. 0° 3' E. bet. secs. 20 and 21. Over level land, through scattering undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in 40.00 the ground, for \$\frac{1}{4}\$ sec. cor., with brass cap mkd. S 20:S 21 1915 dig puts, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs., 16, 17, 20 and 21, with 00.08 brass cap mkd. T'4 N'R 3 W' S 17:S 16 S 20:S 21 1915 dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate. No timber. Undergrowth, palo verde and cat claw. East on a random line bet. secs. 16 and 21. 40.00 Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 16 lks. S. of cor. of secs. 15, 16, 21 and 22. 79.90 Thence S. 89° 53' W. on a true line bet. secs. 16 and 21. Over level land, through scattering undergrowth.

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd. 39.95 1915 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. 79.90 Cor. of secs. 16, 17, 20 and 21. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde and cat cla. N. 0° 3' E. bet. secs. 16 and 17. Over level land, through scattering undergrowth. Road brs. NW. and SE. 34.80

	BOOK 8055
, Chains	Subdivision of T.4 N.R.3 W.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	s 17:s 16
45.37 80.00	l915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Road, brs. E. and W. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with
	brass cap mkd. T 4 N R 3 W. S 8 :S 9 S 17:S 16 1915 dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft.
	dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate. No timber. Undergrowth, palo verde, mesquite, cat claw, greasewood, sagebrush and cacti.
40.00 79.94	East on a random line bet. secs. 9 and 16. Set temp. ½ sec. cor. Intersect N. and S. line, 21 lks. S. of cor. of secs. 9, 10, 15 and 16,
39.97	Thence S. 89° 51' W. on a true line bet. secs. 9 and 16. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
	1 S 9 S 16 1915
79.94	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft high, N. of cor. Cor. of secs. 8, 9, 16 and 17. Land, level. Soil, 2nd rate. No timber.
	Undergrowth, palo verde, cat claw, mesquite, greasewood, sagebrush and cacti.
40.00	N. 0° 3' E. bet. secs. Sand 9. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd. S 8:S 9
80.00	1915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.
a ·	T 4 N R 3 W S 5 : S 4 S 8 : S 9 1916

116

20 Subdivision of T.4 N.R.3 W. Chains dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde. East on a random line bet. secs. 4 and 9. Set temp. $\frac{1}{4}$ sec. cor. 40.00 79.91 Intersect N. and S. line, 18 lks. S. of cor. of secs. 3, 4, 9 and 10.
Thence S.89°52'W., on a true line, bet.secs.4 and 9.
Over level land, through scattering undergrowth. 9.90 Dim road brs.N., and S. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd. 39.95½ 1916 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. 12:50 Cori, of secs. 4, 5, 8 and 9. --- Land, level. 79.91 Soil, 2nd rate. No timber. Undegrowth, scattering palo verde. N. 0° 3' E. on a true line bet. secs. 4 and 5. Over level land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd. 40.00 S 5 :S 4 1915 dig pits, 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Intersect 1st. standard parallel N., 16.01 chs. E. of reestab. standard cor. of secs. 32 and 33, T.5 N., R.3 W., described in book "A" v At point of intersection, 70.42 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for C.C. of secs. 4 and 5, with brass cap mkd. T 5 N R 3 W <u>S 333</u> S 5:S 4 T A N:R 3 W t C C C T 1916 dig pits, 24 X 18 X 12 ins., crosswide on each line, E. and W., 3 ft., and S. of post, 7 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, S. of cor. Land, level.
Soil, 2nd rate. No timber. Undergrowth, scattering palo verde. From the cor. of secs. 5, 6, 31 and 32, on. S. bdy. of Tp., described in book "B."

N. 0° 2' E. bet. secs. 31 and 32.

Over level land, through scattering undergrowth.

		ECS = 30
		Subdivision of T.4 N., R.3 W. 2
	Chains	
	18.10	Enter mountainous country. Asc. S. slope, 138 ft. to
	27.90 38.95	Point of spur slopes W., desc. N. slope, 152 ft. to
	40.00	Road brs. E. and W., enter rolling land. Set an iron post, 3 ft. long, l in. in diam., 26 ins. in
	10.00	the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
		1 de de la
		S 31:S 32
	•	
		1915
		and raise a mound of stone, 2 ft. base, $l_2^{\frac{1}{2}}$ ft. high,
		W. of cor.
		Wash, 15 lks. wide, course, NE.
	80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
	,	the ground, for cor. of secs. 29, 30, 31 and 32, with, brass cap mkd.,
	* .	T 4 N R 3 W
		<u>s 30:s 29</u>
		S 31:S 32
		1915
		and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
		W. of cor.
		Land, rolling.
		Soil, 2nd and 3rd rates.
	,	No timber. Undergrowth, scattering palo verde, cat claw, mesquite,
		greasewood, sagebrush and cacti.
		Brothowort, notions and onotive
		East on a random line bet. secs. 29 and 32.
	40.00	Set temp. # sec. cor.
	80.04	Intersect N. and S. line, 14 lks. S. of cor. of secs. 28, 29, 32 and 33.
		Thence
		S. 89° 54' W. on a true line bet. secs. 29 and 32.
	40.08	Over level land, through scattering undergrowth.
	40.02	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
		the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
		c 20
		1 S 29 5 32
,		1915
		and raise a mound of stone, 2 ft. base, lt ft. high,
		N. of cor.
	53.30	Wash, 20 lks. wide, 4 ft. deep, course, NE.
	80.04	Cor. of secs, 29, 30, 31 and 32.
		Land, level.
	*.	Soil 4th rate.
		No timber.
		Undergrowth, scattering palo verde, mesquite, greasewood, sagebrush, cat claw and cacti.
		Pagentunii, our otas and ocost.
	,	
	, ,	
		West on a random line bet. secs. 30 and 31.
	40.00	Set temp. + sec. cor.
	40.25	Intersect W. bdy. of Tp.12 lks. N. of cor. of secs. 25,
		30, 31 and 36, described in book "B." Thence
		N. 89° 50'E. on a true line bet. secs. 30 and 31.
		Over level land, through scattering undergrowth.
	.25	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
		the ground, for + sec. cor., with brass cap mkd.
		$\frac{1}{4} \frac{S}{S} \frac{30}{31}$
	,	1915
i	,	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
		ft. high, N. of cor.
		- 11 mgm, 11 01 00 00 00 00 00 00 00 00 00 00 00

/18

22 Chains	Subdivision of T.4 N., R.3 W.
9.05 40.00 40.25	Road brs. N. 10° W. and S. 10° E., dim wood road. Wash, 20 lks. wide, 3 ft. deep, course, N. Cor. of secs. 29, 30, 31 and 32. Land, level. Soil, 2nd rate. No timber. Undergrowth, palo verde, mesquite, cat claw, greasewood, sagebrush and cacti.
,	
40 .00	N. 0° 2' E. bet. secs.29 and 30. Over level land, through scattering undergrowth. Set an iron post 3 ft. long, l in in diam., 26 ins. in the ground, for 4 sec.cor., with brass cap mkd. S 30:S 29
42.50	1915 and raise a mound of stone, 2 ft. base, $l\frac{1}{2}$ ft. high, W. of cor. Wagon road brs. E. and W.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap.mkd. T 4 N R 3 W
	$\frac{\text{S } 19: \text{S } 20}{\text{S } 30: \text{S } 29}$ 1915 dig pits, 18 X 18 X 12 ins., in each sec. $5\frac{1}{2}$ ft. dist.;
	and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, rolling and level. Soil, 2nd and 3rd rates. No timber. Undergrowth, scattering palo verde and cat claw.
40.00 80.04	East on a random line bet. secs. 20 and 29. Set temp. ‡ sec. cor. Intersect N. and S. line, 14 lks. S. of cor. of secs. 20, 21, 28 and 29.
40.02	Thence S. 89° 54' W. on a true line bet. secs. 20 and 29. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor, with brass cap mkd.
, t	1 5 20 5 29 1915
-	dig pits, 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
80.04	Cor. of secs. 19, 20, 29 and 30. Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde and cat claw.
40.00	West on a random line bet. secs. 19 and 30. Set temp. ½ sec. cor. Intersect W. bdy. of Tp. 4 lks. N. of cor. of secs. 19, 24, 25 and 30, described in book *B."! Thence N. 89° 57' E. on'a true line bet. secs. 19 and 30.
	Over level 'land, through scattering undergrowth.

	ECCK 305
Chains	Sugdivision of T.4 N., R.3 W.
.30	Set an iron post 3 ft. long, 1 in in diam., 26 ins. in the ground for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1 S 19 3 30 1915
	dig pits, $18 \times 18 \times 12$ ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
40.30	Cor. of secs. 19, 20, 29 and 30. Land, level. Soil, 2nd rate.
	No timber. Undergrowth, scattering palo verde and cat claw.
40.00	N. 0° 2' E. bet. secs. 19 and 20. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ½ sec. cor., with brass cap mkd.
	S 19:S 20 1915
80.00	dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs., 17, 18, 19 and 20, with brass cap mkd. T 4 N R 3 W
	S 18:S 17 S 19:S 20 dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level. Soil, 2nd rate.
Alle e	Timber none. Undergrowth, greasewood, palo verde, mesquite, cat claw, sagebrush and cacti.
40.00	East on a random line bet. secs. 17 and 20.
80.12	Set temp. ½ sec. cor. Intersect N. and S. line, 14 lks. S. of cor. of secs. 16, 17, 20 and 21. Thence
40.06	S. 89° 54' W. on a true line bet. secs. 17 and 20. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
,	1 S 17 S 20 1915
	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
80.12	Cor. of secs. 17, 18, 19 and 20. Land, level, Soil, 2nd rate.
ŧ	Undergrowth, palo verde, mesquite, cat claw, greasewood, sagebrush and cacti.
•	
	West on a random line bet. secs. 18 and 19.

	24	Supdivision of T.4 N.,R.3 W
_	Chains 40.00	Set temp. 2 sec. cor.
	40.34	Intersect W. bdy. of Tp.,6 lks. N. of cor. of secs. 13, 18, 19 and 24, described in book "Bu!"
	•34	Thence N. 89° 55' E. on a true line bet. secs. 18 and 19. Over level land, through scattering undergrowth. Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
		the ground, for $\frac{1}{4}$ sec. cor. with brase cap mkd.
	·	S 18 S 19 1915
	40.34	dig pits, 18 X 18 X 12 ins., E. and W., offpost; 3.ft. dist.; and raise a mound of earth, 32 ft. base, 12 ft. high, N. of cor. Cor. of secs. 17, 18, 19 and 20. Land, level.
		Soil, 2nd rate.
		No timber. Undergrowth, palo verde, mesquite, greasewood, cat claw, sagebrush and cacti.
	, .	
		N. 0° 2' E. bet. secs. 17 and 18. Over level land, through scattering undergrowth.
	32.00 40.00	Wagon road brs. E. and W. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor. with brass cap mkd.
		s 18:s 17
	P	1915: dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft., dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
	68.80 80.00	ft. high, W. of cor. Wagon road brs. E. and W. Set an iron post, 3 ft. long, 2 ins., in diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, with
	ŧ	brass cap mkd.
		$rac{S}{S} rac{7}{18:S} rac{17}{1915}$ dig pits, 18 X 18 X 12 ins., in each sec. $5rac{1}{2}$ ft. dist.;
		and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level.
		Soil, 2nd rate. No timber. Undergrowth, scattering palo verde.
		The state of the s
	40.00	East on a random line bet. secs. 8 and 17. Set temp. * sec. cor. Intersect N. and S. line, 18 lks. S. of cor. of secs. 8, 9, 16 and 17.
	,	Thence S.89° 52' W. on a true line bet. secs. 8 and 17.
	40.05	Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 4 sec. cor., with brass cap mkd.
	,	\frac{\S}{4} \frac{\S}{\S} \frac{17}{17} \tag{1916}
	80.10	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Cor. of secs. 7, 8, 17 and 18.
	ļ	

```
Subdivision of T.4 N.R.3 W.
                                                                                                 25
Chains
           Land, level.
Soil, 2nd rate.
            No timber.
            Undergrowth, scattering palo verde.
           West on a random line bet. secs. 7 and 18.
           Set temp. ½ sec. cor.
Intersect W. bdy. of Tp., 4 lks. N. of cor. of secs.
7, 12, 13 and 18, described in book "B."
40.00
40.42
           N. 89° 57' E. on a true line bet. secs. 7 and 18.
           Over level land, through scattering undergrowth.
Set an iron post, 3 ft. long, l in indiam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
   .42
                 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
                 dist.; and raiseaa mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2}
           ft. high, N. of cor. Wagon road brs. NW. and SE. Cor. of secs. 7, 8, 17 and 18.
 2.20
40.42
           Land, level.
           Soil, 2nd rate.
           No timber.
           Undergrowth, scattering palo verde.
           N. 0° 2' E. bet. secs. 7 and 8.
           Over level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
40.00
                 the ground, for \frac{1}{4} sec. cor., with brass cap mkd.
                                      S 7 :S 8
               dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3\frac{1}{2} ft. base, 1\frac{1}{2} ft. high, W. of cor.
           Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with
80.00
                 brass cap mkd.
                                      T 4 N R 3 W
                                        S 6 :S 5
S 7 :S 8
                                          1915
                 dig pits, 18 X 18 X 12 ins., in each sec. 5\frac{1}{2} ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high,
                 W. of cor.
           Land, level.
           Soil, 2nd rate.
           No timber.
           Undergrowth, scattering pald verde.
           East on a random line bet? Secs. 5 and 8.
           Set temp. \(\frac{1}{4}\) sec. cor.

Intersect N. and S. line, 14 lks. S. of cor. of secs.
40.00
00.08
                4, 5, 8 and 9.
           Thence
           S. 89° 54' W. on a true line bet. secs. 5 and 8.
           Over level land, through scattering undergrowth.
```

26	Subdivision of T.4 N.R.3 W.
Chains 40.00	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
80.00	$\frac{1}{2} \frac{S}{S} \frac{5}{S} \frac{8}{S}$ 1916 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Cor. of secs. 5, 6, 7 and 8.
	Land, level. Soil, 2nd rate. No timber. Undergrowth, scattering palo verde.
40.00	West on a random line bet. secs. 6 and 7. Set temp. ½ sec. cor. Intersect W. bdy. of Tp., 1 lk. N. of cor. of secs. 1, 6, 7 and 12, described in book "B.". Thence N. 89° 59' E. on a true line bet. secs. 6 and 7.
•54	Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
	1 S 6 S 7 1915
40.54	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft ft. high N. of cor. Cor. of secs. 5, 6, 7 and 8. Land, level. Soil, 2nd rate. No timber.
	Undergrowth, scattering palo verde.
40.00	N. 0° 2' E. on a true line bet. secs. 5 and 6. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
58.40	l915 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Wagon road, brs. NE. and SW.
70.67	Intersect 1st. standard parallel N., 16.05 chs. E. of reestab. standard cor. of secs. 31 and 32, described in book MA.M. At point of intersection, Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for C.C. of secs. 5 and 6, with brass cap mkd. T 5 N R 3 W
	S 638 5 T 4 N:R 3 W C C ,1915 dig pits, 24 X 18 X 12 ins., crosswise on each line, E. and W*,3 ft. and S. of post, 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, S. of
	cor. Land, level. Soil, And rate. No timber. Undergrowth, scattering palo verde.

27

GENERAL DESCRIPTION

This township consists of rolling, hilly and mountainous land in the southern part, along the S. boundary, changing in the secondtier of sections from the south to level or nearly level land.

The soil varies from rocky 4th rate in the southern part to 2nd rate in the remainder of the Tp.

The vegetation throughout the Tp. consists of scattering palo verde, mesquite, cat claw, greasewood, sagebrush and cacti.

A cabin and adobe tank belonging to Nunez, are situated in sec. 13, near the ½ cor. of secs.13 and 24. There are no settlers in the township.

No water has been developed.

CERTIFICATES Form Form FINAL OATH OF UNITED STATES SURVEYOR TRANSIT

	See Book "C"
I,	, U. S. Surveyor, do solemnly swear that, in pursuance
of special instruction	s received from the U.S. Surveyor General for
bearing date of the	, 191 , I have well, faithfully, and truly
in my own proper p	erson, and in strict conformity with said instructions, the Manual of Surveying
Instructions, and the	laws of the United States, surveyed all those parts or portions of
-055	of the
-CV-	of the
G	Meridian, in the State of, which are represented in
	otes as having been executed by me, and under my direction; and I do furthe
	all the corners of said survey have been established and perpetuated in strict accord
	of Surveying Instructions, and the special written instructions of the U.S. Surveyo
	and in the specific manner described in the field notes, and tha
	original field notes of such survey.
0 0	
	U. S. Surveyor.
Subscribed by said	, and sworn to before me
	day of

SEAL X	
	APPROVAL.
	Office of the United States Surveyor General,
	-
	Phoenix, Arizona, JUL 20 1918,
	eld notes of the survey ofthe
	SUBDIVISION LINES
	o.f.
	TOWNSHIP 4 NORTH, RANGE 3 WEST,
of the Cile	as asla Diver Page and Maridian in the State fif Arizona
oi the Glia a	nd Salt River Base and Meridian, in the State of Arizona,
evecuted by Pov	J. Gill and Hans D. Voigt, U. S. Transitmen,
•	ructions dated Dec. 12,1914, for Group 39, Arizons, having been
	and the necessary corrections and explanations made, the said field notes, and the
	, are hereby approved.
Lar. Opt only describ	Frank All-Sil
	U. S. Surveyor General.
-I certify that the	foregoing transcript of the field notes of the above-described surveys in
	has been correctly copied from the original notes on file in this office.