BOCK 3101

JAN 5 1918 Flad 1918

FIELD NOTES

OF THE SURVEY OF THE

	EAST AND NORTH BOUNDARIES	
	and	
	SUBDIVISION LINES	
	•	
^	and	
	RETRACEMENT OF A PORTION OF THE SOUTH BOUNDARY	
•	of	
•	TOWNSHIP 26 NORTH, RANGE 3 EAST,	
	•	
	·	
·		
	Of the Gila and Salt River Base and Meridian,	
<i>T</i> -2	the State ofArizona.	
17	v one source of	
	EXECUTED BY	
•	Thomas B. Matthews, U. S. Surveyor,	
	and	
•	William L. Nash, U. S. Transitman,	
I_{i}	the capacity of U.S. Surveyor, under instructions dated March 8, 1	9.
is	sued by the United States Surveyor General to govern surveys include	d
G	roup No. 55 , which were approved by the Commissioner of the General 3	Lc
01	ffice, December 14. , 1915.	
•		
tre	ecement & Survey commenced July 6, , 1916.	
	cement & Survey completed July 18, , 1916.	

3101

Book "H"

Group 55 - - - Arizona.

BCOK 3101

INDEX DIAGRAM.

			· · · · · · · · · · · · · · · · · · ·		· 1			<u>.</u> .	·			
	/ r	7	8		' 9		10		'n		11	
	6	3	5	4	1 _. 4	25	8,	20	2	1/4	1	6
	37		37		32		26		21		15	
	7	3	7 8	32	9	27	10	21	. 11	1 5	12	5.
₽-	3 8		38		33		27		2 2		16	
	18	39		33	7. 26	27 N-	15 R. 3E	22		1 6	13	5
╄	39		39		33		28		22		17	-
	19	4	20	7	4 21	2В	22	23	23	17	24	4
	41		40		34		29		23		18	
	30	4	- 29	3	5 28	29	27	24	26	18	25	3.
	42		42		35		30		24		19	
	31	4:	32	3	6 вз	3 1	34	25	35	19	36	3.
	 				ļ		l		1.		2	
						XIII						

Lines surveyed under this group.

Lines retraced under this group.

Accepted surveys.

Areas surveyed as per accepted plats on file.

1B

```
Survey of Subdivision lines of Township 26 North, Range 3 East.
Chains.
           Retracement and survey hereinafter described, executed on
               dates shown on diagram on page 45 hereof, by Thomas B.
               Matthews, U.S. Surveyor, and William L. Nash, U.S. Transitman, using Buff and Buff transit No. 10124, and Young
               and Sons' light mountain transit No.8535, respectively
                described in Book "A.
           From the original cor. of secs.4,5,32 and 33, on the S.bdy of the Tp., which is a malpais stone,8x6x6 ins.above
                ground, firmly set, marked and witnessed as described by
           the surveyor-general, S.89 34 E., on a true line, bet. secs.4 and 33.
           Over gently rolling land, thru scattering undergrowth.
  40.05 Intersect the original & sec.cor., which is a limestone,
               8x8x8 ins. above ground, firmly set, marked and witnessed, as described by the surveyor general.
  Thence, s.89° 35'E., on a true line, bet. secs.4 and 33 (F.1/2).

40.06 Intersect the original cor.of secs. 3,4,33 and 34, which is a limestone 4x8x6 ins. above ground, firmly set, marked and witnessed, as described by the surveyor-
                general.
           Land, gently rolling.
           Soil, coarse texture, 26 ins.deep.
           Timber, none.
           Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed
               1 ft.high.
           Fair grass.
           S.89 32'E., on a true line, bet. secs. 3 and 34. Over gently rolling land, thru.scattering undergrowth.
  40.05 Intersect the original is sec. cor., which is a limestone, 6x10x6 ins. above ground, firmly set, marked and wit-
               nessed as described by the surveyor general.
           Thence
           s.89^{\circ} 25'E., on a true line, bet. secs. 3 and 34, (\mathbf{E}.\frac{1}{2}).
    5.00 Enter scattering timber.
   35.00 Leave timber.
38.00 Draw, course NE.
   39.89 Intersect the original cor. of secs. 2,3, 34 and 35, which is a limestone, 12x16x10 ins., above ground, firmly set,
               marked and witnessed as described by the surveyor gener-
           Land, gently rolling.
           Soil, 26 ins. deep.
           Timber, scattering cedar and pinon.
           Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed.
                1 ft. high.
           Fair grass.
           S.89°42'E., on a true line, bet. secs. 2 and 35. Over gently rolling land, thru.scattering undergrowth.
  7.50 Enter scattering timber.
31.50 Rim rock, ors.NE and DSW.
35.00 Leave timber.
   40.14 Intersect the original 4 sec. cor., which is a limestone,
               16x12x7 ins. above ground, firmly set, marked and witnessed as described by the surveyor general.
           Thence
           N.89^{\circ}48^{\circ}E., on a true line, bet. secs.2 and 35, (E.\frac{1}{2}).
  0.91 Ditch, 3 lks.wide, 1 ft. deep, course NE. 14.00 Ditch, 15 lks.wide, 1 ft. deep, course NW.
  23.00 Enter scattering timber.
40.01 Intersect the original cor.of secs. 1,2, 35 and 36, which
```

is a limestone, 8x12x4 ins. above ground, firmly set, marked and witnessed, as described by the surveyor

```
2. Retracement of a portion of the S.bdy.of T.26 N.R.3 E. Chains.
               general.
           Land, gently rolling.
           Soil, coarse texture, 26 ins. deep.
           Timber, scrub cedar and pinon,
           Undergrowth, sage brush, 1 to 2 ft. high.
          Fair grass.
          5.89^{\circ} 31' E., on a true line, bet. secs.1 and 36.
          Over gently rolling land, thru.scattering timber and under-
               growth.
  15.00 Draw, course N.
 21.30 Ditch, 4 lks.wide, 1 ft. deep, course NW.
40.00 Intersect the original 4 sec.cor., which is a limestone,
               10x12x4 ins. above ground, firmly set, marked and witnessed as described by the surveyor general.
 Thence, S.89° 21'E., on a true line, bet.secs.l and 36.(E之)

39.94 Intersect the original cor.of Ts. 25 and 26 N., Rs.3 and 4 E., which is a limestone, 12x8x6 ins., above ground, firmly set, marked and witnessed as described by the
           surveyor general. Land, gently rolling.
           Soil, coarse texture, 26 ins. deep.
          rimber, scrub cedar and pinon.
Undergrowth, sage brush, 1 to 3 ft. high, and broom weed
               1 ft.high.
           Fair grass.
```

Rock Sint

```
Survey of East bdy of Township 26 North Range 3 East
Chains
            From the original cor. of Ts. 25 and 26 N., Rs. 3 and 4 E.
            hereinbefore described, North, bet. secs. 31 and 36.
            Over gently rolling land, thru. scattering timber and un-
                 dergrowth.
 43.16 (40.00 chs. plus the southing of the south boundary),
Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in the
                  ground, for { sec.cor., marked on brass cap,
                                                      1536 S31
                                                          1916.
                  from which.
                              A cedar, 8 ins. in diam., brs. N. 69\frac{1}{2}°E., 73 lks.
 dist., marked 2 S 31 B T.

A cedar, 8 ins.in diam., brs.N.232°W., 148 lks.

dist., marked 2 S 36 BT.

(80.00 chs. plus the southing of the south boundary),

Set an iron post, 3 ft.long, 3 ins. in diam., 24 ins. in
the ground, for cor. of secs. 25, 30, 31 and 36, marked
                  on brass cap.
                                                           T26N
                                                          R3E R4E
                 from which,
                              A pinon, 12 ins. diam., brs. N. 45½ °E., 42 lks.dist., marked T26N R4E S30BT.

A pinon, 10 ins. in diam., brs. S. 68°E., 34 lks. dist., marked T26N R4E S31BT.

A pinon, 8 ins. in diam., brs. S. 59½ °W., 112 lks. dist., marked T26N R3E S36BT.
                              A pinon, 14 ins. in diam., brs. N. 53°W., 92 lks. dist., marked T26N R3E S25BT.
            Land, gently rolling.
            Soil, coarse texture, 26 ins. deep.
            Timber, scrub cedar and pinon.
            Undergrowth, sage brush and Brigham brush, 1 to 3 ft.high, and broom weed, 8 to 12 ins.high.
            Fair grass.
           North, bet. secs.25 and 30.
Over gently rolling land, thru.scattering timber and under-
                 growth.
 Road brs.E and W.
33.50 Road, brs.NW. and SE.
40.00 Set an iron post, 3 ft.long, 1 in. indiam., 12 ins/ in the ground, in a mound of stone, for 2 sec.cor., marked
                 on brass cap.
                                                     4s25 s30
                 from which,
                              A pinon, 15 ins. in diam., brs.N.7°E.,20 lks.dist., marked ½ S 30 B T.
A pinon,10 ins. in diam., brs.S.29°W., 23 lks.
                                   dist., marked 4 S 25 B T.
49.40 Old road, brs. E. and W. 80.00 Set an iron post, 3 ft.long, 3 ins. in diam., 24 ins. in the ground, for cor. of secs. 19,24, 25 and 30, marked
```

on brass cap,

Survey of East bdy. of Township 26 North Range 3 East. Chains. T26N R3E R4E S24 S19 S25 S30 from which. A pinon, 14 ins. in diam., brs.N.58°E.,28 lks. dist., marked T26N R4E S19BT.
A pinon, 8 ins. in diam., brs.S.83°E.,89 lks. dist., marked T26N R4E S30BT.

A pinon, 8 ins. in diam., brs.S.612°W., 17 lks.dist., marked T26N R3E S25 BT.

A pinon, 10 ins. in diam., brs.N.102°W., 77 lks. dist., marked T26N, R3E S24 BT. Land, gently rolling.
Soil, coarse texture, 10 to 20 ins.deep. Timber, cedar and pinon. Undergrowth, holly brush. Fair grass. North, bet. secs.19 and 24. Over gently rolling land, thru scattering timber and undergrowth. 14.00 Road brs.NE and SW. 20.00 Dim road brs.NW. and SE. 40.00 Set an iron post, 3 ft.long, 1 in.in diam., 26 ins. in the ground, for 4 sec.cor., marked on brass cap, 324 S19 . 1916 . from which, A pinon,8 ins. in diam., brs.S.42 % E., 171 lks. dist., marked & S.19 B T.

A juniper, 10 ins. in diam., brs.S.28 W., 120 1 lks.dist., marked & S.24 B T. Ascend 50 ft.to

80.00 Set an iron post, 3 ft.long, 3 ins. in diam., 12 ins.in the ground, in a mound of stone, for cor.of secs.13, 18,19 and 24, marked on brass cap, T26N R3E R4E S13 S18 S24 | S19 1916 A pinon, 14 ins. in diam., brs. N. 65% °E., 146
lks.dist., marked T26N R4E S18BT.

No other trees within limits. Raise a mound of stone 3 ft.
base, 3 ft. high, W. of cor.

Land, gently rolling.

Soil, coarse texture; loose, red loam, over sandstone and malpais formation. Timber, juniper and pinon. Undergrowth, squaw brush and sage brush.

East Boundary of T. 26 N. Survey

Chains.

North bet. secs. 13 and 18.

Over rolling land, through scattering timber and undergrowth.

Ravine, 30 lks. wide, course W. Asc. 50 ft. to Desc. to 5.00

10.00

16.00 -Ravine, 20 lks. wide, course W. Thence over gently rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for 4 sec. cor., marked on brass cap

> 1513 S18 1916

From which 10 ins. diam., brs. N.85° E., 42 lks. dist., A pinion. marked \$\frac{1}{4}\$18 BT. A pinion, 10 ins. diam., brs. $8.65\frac{3}{4}$ ° W., 190 lks. dist.

marked $\frac{1}{4}$ S13 BT. 49.00

76.00

Ravine, 20 lks. wide, course W.
Ravine, 15 lks. wide, course SW.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on 80.00 brass cap

> T26N R3E R4E S12 | S 7 S13 | S18 1916

From which A pinion, 14 ins. diam., brs. N.33 $\frac{3}{4}$ ° E., 150 lks. dist., marked T26N R4E S7 BT. A pinion, 9 ins. diam., brs. S.363° E., 170 lks. dist., marked T26N R4E S18 BT. A pinion, 9 ins. diam., brs. S.193° W., 150 lks. dist., marked T26N R3E S13 BT. A pinion, 13 ins. diam., brs. $N.64\frac{1}{4}$ ° W., 98 lks. dist., marked T26N R3E S12 BT.

Land, rolling and gently rolling.
Soil, loose, dark rocky loam, over malpais formation. Timber, pinion and juniper.

Undergrowth, sagebrush, squawbrush and short broom weed.

North bet. secs. 7 and 12.

Over rolling land, through heavy timber and scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap

From which A pinion, 10 ins. diam., brs. N.183° E., 301 lks. dist., marked $\frac{1}{4}$ S7 BT. A pinion, 12 ins. diam., brs. S.72 $\frac{1}{2}$ ° W., 140 lks. dist., marked $\frac{1}{4}$ S12 BT.

66.20 Road, brs. NW. and SE.

Set an iron post, 3 ft. long, 3 ins. dism., 20 ins. in the ground, fn a mound of stone, for cor. of secs. 1, 6, 7 and 12, marked on brass cap

6.

Survey of East Boundary of T. 26 N. R. 3 E Chains. T26N R3E R4E s 1 | s 6 S12 S 1916 From which A pinion, 8 ins. diam., brs. N.26° E., 79 lks. dist., marked T26N R4E S6 BT. A pinion, 6 ins. diam., brs. $S.17\frac{1}{2}$ ° E., 74 lks. dist., marked T 6N R4E S7 BT. A pinion, 8 ins. diam., brs. $S.32\frac{1}{4}^{\circ}$ W., 69 lks. dist., marked T26N R3E S12 BT. A pinion, 9 ins. diam., brs. $N.20\frac{1}{2}$ ° W., 41 lks. dist., marked T26N R3E S1 BT. Land, gently rolling.
Soil, loose, yellow loam, over malpais formation.
Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush and short weeds. North bet. secs. 1 and 6. Over gently rolling land, through heavy timber and undergrowth. Leave heavy, enter scattering timber, brs. NE. and SW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor, marked on brass cap 39.70 40.00 15 1 S 6 1916 From which A pinion, 12 ins. diam., brs. S.31° E., 80 lks. dist., marked \$56 BT. A pinion, 10 ins. diam., brs. S.55° W., 92 lks. dist., marked 4S1 BT.

a iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of Ts. 26 N., Rs. 3 and 4 K., marked on 80.00 brass cap T27N R3E R3E R4E T26N 1916 And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor. Land, gently rolling. Soil, dark, loose, yellow loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weed, 6 ins. high. Fair grass.

From the cor. of Ts. 26 N., Rs. 3 and 4 E., which is an iron post, hereinbefore described, set 6.52 chs. S.89° 57' W. of the cor. of Ts. 27 N., Rs. 3 and 4 E., also an iron post, described in Book "I", West on a random line, along the N. bdy. of T. 26 N., R. 3 E., setting temp. ½ sec. and sec. cors for the areas S. of line at intervals of 40.00 chs. from the cor. of Ts. 26 N., Rs. 3 and 4 E., and temp. ½ sec. and sec. cors. for the areas N. of line, at intervals of 40.00 chs. from the cors. of Ts. 27 N., Rs. 3 and 4 E.; and at 481.46 chs. from the cor. of Ts. 26 N., Rs. 3 and 4 E., intersect W. bdy. of T. 26 N., R. 3 E., 20 lks. S. of the cor. of Ts. 26 N., Rs. 2 and 3 E., which is an iron post, described in Book "F". The falling answers to a correction of 0° 1', or 3 lks. N. per mile, counting from the NE. cor. of the Tp.; therefore

S.89° 59' E., on a true line, along the N. bdy. of sec. 6, T226 N., R. 3 E. Over gently rolling land, through scattering timber and

undergrowth.

The cor. of Ts. 27 N., Rs. 2 and 3 E., which is an iron post, described in Book "G". 9.67 41.46

Set an iron post, 3 ft. long, 1 in diam., 26 ins. in the ground, for 4 sec. cor.of sec.6, marked on brass cap,

₹8 6 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor. (38.31 chs. from the cor. of Ts. 27 N., Rs. 2 and 3 E.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor.of sec.31, marked on brass cap,

1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 5 and 6, T. 26 N., R. 3 E., marked on brass cap

T27N R3E T26N R3E 1916

From which A pinion, 12 ins. diam., brs. S. $22\frac{1}{2}$ ° E., 540 lks. dist., marked T26N R3E S5 BT. A pinion, 16 ins. diam., brs. $S.6^{3}$ W., 390 lks. dist., marked T26N R3E S6 BT. Land, gently rolling.
Soil, loose, yellow loam, over limestone formation.
Timber, pinion and juniper.

Undergrowth, sagebrush and broom weed.

81.46

47.98

Survey of North Boundary of T. 26 N., R. 3 E. Chains. S.89° 59' E., on a true line, along the N. bdy. of sec. 5, T. 26 N., R. 3 E. Over gently rolling land, through heavy timber and scattering undergrowth. (78.31 chs. from the cor. of Tps. 27 N., Rs. 2 and 3 E.)
Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 31 and 32, T. 27 N., R. 3 E., 6.52 marked on brass cap T27N R3E S31 S32 т26п я́3е 1916 From which 8 ins. diam., brs. $N.69\frac{1}{4}$ ° E, 146 lks. dist., A juniper. marked T27N R3E S32 BT. A juniper, 12 ins. diam., brs. N.7° W., 232 lks. dist. marked T27N R3E S31 BT. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. cor. of sec. 5, marked on brass cap, 40.00 表 1916 From which A juniper, 10 ins. diam., brs. S.87% E., 80 lks. dist., marked \$55 BT.
A pinion, 8 ins. diam., brs. S.49° W., 20 lks. dist., marked 455 BT. 46.52 (40.00 chs. from the cor. of secs. 31 and 32, T. 27 N., R 3 E.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor. of sec. 32, marked on brass cap, 1832 1916 A pinion, 10 ins. diam., brs. N.33° E., 112 lks. dist. marked \(\frac{1}{4} \)S32 BT. From which 14 ins. diam., brs. N.57 $\frac{1}{4}$ ° W., 55 lks. dist A juniper, 14 in marked 4832 BT. Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 4 and 5, T. 26 N., R. 3 E., marked on brass cap 80.00 T27N R3E S32 S 5 S 4 T26N R3E 1916 From which A pinion, 12 ins. diam., brs. S.18° E., 98 lks dist., marked T26N R3E S4 BT.
A pinion, 8 ins. diam., brs. S.51° W., 107 lks. dist., marked T26N R3E S5 BT. Land, gently rolling. Soil, dark, loose, yellow loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush and squawbrush, and broom weed, 6 ins. high. Fair grass.

Survey of North Boundary of T. 26 N., R. 3 E. 9. Chains S.89° 59' E', on a true line, along the N. bdy. of sec. 4, T. 26 N., R. 3 E.

Over gently rolling land, through heavy timber and scattering undergrowth. 6.52 (80.00 chs. from the cor. of secs. 31 and 32, T. 27 N., R. 3 E.)
Set an iron post, 3 ft. long, 5 ins. diam., 24 ins. in the ground, for cor. of secs. 32 and 33, T. 27 N., R. 3 E., marked on brass cap T27N R3E S32 S33 S 4 T26N R3E 1916 From which A juniper, 24 ins. dism., brs. $N.51\frac{1}{4}$ ° E., 292 lks. dist., marked T27N R3E S33 BT.
A pinion, 10 ins. diam., brs. N.75½° W., 283 lks. dist., marked T27N R3E S32 BT.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., of sec.4, marked on brass cap, 40.00 ₹**S 4** 1916 From which A pinion, 14 ins. diam., brs. S.87° E., 60 lks. dist., marked $\frac{1}{4}$ \$4 BT. A pinion, 8 ins. diam., brs. S.2 $\frac{1}{4}$ ° W., 130 lks. dist., marked $\frac{1}{4}$ S4 BT. 46.52 (40.00 chs. from the cor. of secs. 32 and 33, T. 27 N., R. 3 E.)
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., of sec. 33, marked on brass cap. ₹833 1916 From which A pinion, 16 ins. diam., brs. N.59 $\frac{3}{4}$ ° E., 102 lks. dist., marked 4833 BT. 14 ins. diam., brs. $N.26\frac{1}{2}$ ° W., 416 lks. dist. A pinion. marked 4S33 BT.

Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 3 and 4, T. 26 N., R. 3 E., marked on brass cap 80.00 T27N R3E \$33 \$ 4 \$ 3 T26N R3E 1916 From which A pinion, 14 ins. diam., brs. $S.74\frac{1}{2}$ ° E., 132 lks. dist., marked T26N R3E S3 BT. A pinion, 12 ins. diam., brs. $S.13\frac{3}{4}$ ° W., 284 lks. dist., marked T26N R3E S4 BT. Land, gently rolling. Soil, dark, loose, yellow loom, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush and broom weed, 6 ins. high.

Fair grass.

10.

BOOK 3101

Survey of North Boundary of T. 26 N., R. 3 E. Chains. S.89° 59' E., on a true line, along the N. bdy. of sec. 3, T. 26 N., R. 3 E. Over gently rolling land, through heavy timber and scattering undergrowth. (80.00 chs. from the cor. of secs. 32 and 33, T. 27 N., R. 6.52 3 E.) Set an iron post, 3 ft. long, 3 ins. diam., 8 ins. in the ground, in a mound of stone, for cor. of secs. 33 and 34, T. 27 N., R. 3 E., marked on brass cap T26N K3E 1916 From which A pinion, 10 ins. diam., brs. N.37° E., 407 lks. dist., marked T27N R3E S34 BT.

A juniper, 14 ins. diam., brs. N.56° W., 123 lks. dist., marked T27N R3E S33 BT.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor. of sec. 3, marked on brass cap, 40.00 ₹**S** 3 From which A pinion, 6 ins. diam., brs. S.383° E., 55 lks. dist., marked 483 BT. A pinion, 6 ins. diam., brs. $S.2\frac{1}{4}^{\circ}$ W., 90 lks. dist., marked $\frac{1}{4}S_{3}^{\circ}$ BT. 46.52 (40.00 chs. from the cor. of secs. 33 and 34, T. 27 N., R. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the cap of marked on brass cap, ground, for a sec. cor.of sec. 34, marked on brass cap, 334 1916 From which A pinion, 10 ins. diam., brs. N.25 E., 108 lks. dist., marked \$334 BT. A pinion, 10 ins diam., brs. N.16\frac{1}{2}\circ \text{W., 272 lks. dist.} marked \(\frac{1}{4}\)S34 BT.

Set an iron post, 3 ft. long, 3 ins. diam., 6 ins. in the ground, in a mound of stone, for cor. of secs. 2 and 3, T. 26 N., R. 3 E., marked on brass cap 80.00 T27N R3E S34 S 3 S 2 T26N R3E From which A pinion, 10 ins. diam., brs. S.473° E., 103 lks. dist., marked T26N R3E S2 BT. A juniper, 12 ins. diam., brs. $S.25\frac{1}{4}$ ° W., 98 lks. dist., marked T26N R3E S3 BT. Land, gently rolling.
Soil, loose, yellow loam, over limestone formation.
Timber, pinion and juniper. Undergrowth, sagebrush and squawbrush, and broom weed, $oldsymbol{6}$ ins. high. Fair grass.

E. Collinson Survey of North Boundary of T. 26 N., R. 3 E. Chains. S.89° 59' E., on a true line, along the N. bdy. of sec. T. 26 N., R. 3 E. Over gently rolling land, through heavy timber and undergrowth. (80.00 chs. from the cor. of secs. 33 and 34, T. 27 N., R. 6.52 3 E.) Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 34 and 35, T. 27 N., R. 3 E., markedon brass cap T27N R3E T26N R3E 1916 From which 14 ins. diam., brs. N.53\frac{1}{2}\circ E., 324 lks. dist., A pinion, marked T27N R3E S35 BT. A pinion, 14 ins. diam., brs. N.24° W., 276 lks. dist., marked T27N R3E S34 BT. 1.00 Draw, 4 chs. wide, course SE. 34.30 Road, brs. NW. and SE. 31.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. corof sec. 2, marked on brass cap, **4**Ó.00 15 2 1916 And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor. 46.52 (40.00 chs. from the cor. of secs. 34 and 35, T. 27 N., R. 3 E.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., of sec. 35, marked on brass cap. - ¹835 1916 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 1 and 2, T. 26 N., R. 3 E., 80.00 26 ins. in the marked on brass cap T27N R3E T26N | R3E And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor. Land, gently rolling.
Soil, dark, loose, yellow loam, over limestone formation.
Timber, pinion and juniper. Undergrowth, sagebrush and squawbrush, and broom weed, 6 ins. high. Fair grass.

S.89° 59' E., on a true line, along the N. bdy. of sec. 1, T. 26 N., R. 3 E.

Over rolling land, through heavy timber and scattering undergrowth.

(80.00 chs. from the cor. of secs. 34 and 35, T. 27 N., R.

6.52

L 2		Survey of North Boundary of T. 26 N., R. 3 E.
	Chains.	3 E.) Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 35 and 36, T. 27 N., R. 3 E., marked on brass cap
,	, ,	T27N R3E S35 S36 S 1
•	*	T26N R3E 1916
	13.00 23.00 40.00	From which A pinion, 10 ins. diam., brs. N.16° E., 195 lks. dist. marked T27N R3E S36 BT. A juniper, 12 ins. diam., brs. N.32° W., 97 lks. dist. marked T27N R3E S35 BT. Asc. 55 ft. to Edge of mesa; thence over gently rolling land. Leave heavy, enter scattering.timber. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor. of sec. 1, marked on brass cap.
		∓s 1 1916
	46.52	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. (40.00 chs. from the cor. of secs. 35 and 36, T. 27 N., R.
	, • •	3 E.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor.of sec. 36, marked on brass cap,
		1 836
		1916
	80.00	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. The cor. of Tps. 26 N., Rs. 3 and 4 E. hereinbefore described. Land, rolling and gently rolling. Soil, dark, loose, yellow loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush and squawbrush and broom weed, 6 ins. high. Fair grass.

Boundaries of T. 26 N., R. 3 E.

· · · · · · · · · · · · · · · · · · ·	•					
	Latitudes, dep	artures	and clo	sing er	rors.	i
			Lati	tudes.	Depai	tures
Line designated.	True bearing.	Dist.	N.	s.	Ε.	. W.
3		chs.	chs.	chs.	chs.	chs
	N.89°21'W.	39.94	•45	,		39.9
	N.89°31 W.	40.00	.34			40.0
	s.89°48'W.	40.01	1	.14	,	40.0
	N.89°42'W.	40.14	.21			40.1
	N.89°25 W.	39.89	.41		•	39.8
South Boundary.	N.89°32'W.	40.05	.41 .33 .31			40.0
	N.89°33'W.	40.06	.31			40.0
I'm a land	N.89°34'W.	40.05	.30			40.0
	N.89°40'W.	161.26	•94			161.2
West Boundary.	North.	480.00	480.00			
North Boundary.	s.89°59'E.	481.46		.14	481.46	
East Boundary.	South.	483.16		483.16		
Convergency.					.52	
Totals			483.29	483 .44	481.98	481.4
	<u></u>			483.39	481.40	
· ! · !			L			L
Error in latitud	е	- -		0.15		
Error in departu	re		*		0.58	

Survey of Subdivision of T. 26 N., R. 3 E

Chains.

TEST OF INSTRUMENT, BY WILLIAM L. NASH, U.S. TRANSITMAN.

-1.1

Examine the adjustments of instrument No. 8535, and correct all errors; then, to test the solar apparatus, by comparing its indications, resulting from solar observa-tions made during a.m. and p.m. hours, with a meridian determined by observations on Polaris at elongation, proceed as follows:-

July 9, 1917. At camp, in sec. 27, T. 26 N., R. 3 E., in lat. 35° 35' N., long. 112° 3' W., at 0 hrs. 26.5 m., a.m., 1.m.t., by watch, which is set to correct local mean time, observe Polaris at eastern elongation, in accordance with the Manual of Instructions, and mark a point in the line thus determined by a tack driven

in a stake, set in the ground, 5 chs. N. of my station.
July 10, 1917. At 7 hrs. 0 m., a.m., l.m.t., lay off the azimuth of Polaris, 1° 23½! to the west, and mark a point in the meridian thus determined, by a tack driven

in a stake set in the ground, 5 chs. N. of station.

At 8 hrs. 0 m., a.m., l.m.t., I set off 35° 35' N. on the lat. arc; 22° 29' N. on the decl. arc; and determine a meridian with the solar. The line thus determined coincides withthe meridian determined by observations on Polaris at elongation.

At 4 hrs. 0 m., p.m., l.m.t., set off 35° 35' N. on the lat. arc; 22° 20' N. on the decl. arc; and determine a meridian with the solar. The line thus determined set off 35° 35! N. on the coincides with the true meridian determined by observations. on Polaris at elongation.

The solar apparatus, by a.m. and p.m. observations, defines positions for meridians which coincide with the meridian determined by observations on Polaris at elongation; therefore, conclude that the adjustments of the instruments are satisfactory.

From the cor. of secs. 1 and 2, on the N. bdy. of the Tp. which is an iron post, hereinbefore described, S.O° 1' E., bet. secs. 1 and 2.

Over gently rolling land, through scattering timber and undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap

> 4S 2 S 1 1916

From which A cedar, 8 ins. diam., brs. S.80° E., 45 lks. dist., marked 4S 1 BT.
A pinion, 10 ins. diam., brs. S.84° W., 36 lks. dist., marked 4S 2 BT.
Road, brs. NW. and SE.

58.00

Draw, course W. 80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap

T26N R3E S 2 | S 1 S11 S12 1916

From which

40.00

61.00

15.

Subdivision of T. 26 N., R. 3 E.

A pinion, 12 ins. diam., brs. $N.17\frac{1}{2}$ ° E., 360 lks. dist., marked T26N R3E S1 BT. A pinion, 20 ins. diam., brs. S.56° E., 394 lks. dist., marked T2bN R3E S12 BT. No other trees within limits. Raise a mound of stone, 2 ft. base, $2\frac{1}{2}$ ft. high, W. of cor. Land, slightly rolling. Soil, coarse texture, 12 to 26 ins. deep. Timber, cedar and pinion. Undergrowth, sagebrush and buckbrush. Thin grass.

S.89° 59' E., on a random line, bet. secs. 1 and 12.

40.00 Set temp. 4 sec. cor.

80.00 Intersect E. bdy. of Tp., 16 lks. N. of the cor. of secs.

1, 5, 7 and 12, which is an iron post, hereinbefore described.

> Thence N.89° 52' W., on a true line, bet. secs. 1 and 12. Over gently rolling land, through scattering timber and undergrowth.

Old road, brs. NW. and SE. 38.15

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap 40.00

From which A pinion, 12 ins. diam., brs. N.8° E., 26 lks. dist., marked $\frac{1}{4}$ Sl BT. A pinion, 10 ins. diam., ors. $5.75\frac{1}{2}$ ° E., 24 lks. dist.,

marked $\frac{1}{4}$ S12 BT. The cor. of secs. 1, 2, 11 and 12. The cor. of Souling. Land, gently rolling. 80.00 Soil, coarse texture, 16 to 26 ins. deep. Timber, cedar and pinion. Undergrowth, sagebrush and Brigham brush. Fair grass.

> S.0° 1' E., bet. secs. 11 and 12.

Over gently rolling land, through scattering undergrowth.

1.00

10.00

Draw, course NW.
Enter scattering timber.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 40.00

1916

From which A pinion, 8 ins. diam., brs. S.79\frac{1}{2}\circ E., 16 lks. dist., marked \$\frac{1}{4}\$12 BT. A pinion, 12 ins. diam., brs. $N.86\frac{1}{4}$ ° W., 78 lks. dist., marked $\frac{1}{4}$ Sll BT.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on 26 ins. in the 80.00 brass cap

> T26N R3E S11 | S12 S14 S13 1916

98

	Subdivision of T. 26 N., R. 3 E.
Chains.	
	From which A pinion, 10 ins. diam., brs. N.59° E., 58 lks. dist.
	marked T26N R3E S12 BT. A pinion, 12 ins. diam., brs. S.232° E., 61 lks. dist
	marked T26N R3E S13 BT.
	A pinion, 14 ins. diam., brs. S.4 $\frac{3}{4}$ ° W., 71 lks. dist. marked T26N R3E S14 BT.
	A pinion, 8 ins. dism., brs. N.60° W., 32 lks. dist., marked T26N R3E S11 BT.
	Land, gently rolling.
	Soil, coarse texture, 12 to 26 ins. deep. Timber. scattering cedar and pinion.
	Undergrowth, sagebrush and Brigham brush. Thin grass.
-	
-	S.89° 52' E., on a random line, bet. secs. 12 and 13.
40.00 7 9. 98	Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., 11 lks. S. of the cor. of secs
13000	7, 12, 13 and 18, which is an iron post, hereinbefore
	described. Thence
	N.89° 57' W., on a true line, bet. secs. 12 and 13. Over gently rolling land, through scattering timber and
5.05	undergrowth. Desc. 65 ft. to
10.00	Thence over gently rolling land.
14.00 24.35	Leave timber. Road, brs. N. and S. Draw, course N.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground. for \(\frac{1}{2} \) sec. cor. marked on brass cap
	1 812
	<u>\$13</u>
	1916
	From which A pinion, 24 ins. diam., brs. $N.7\frac{1}{2}$ ° E., 332 lks. dist
	marked $\frac{1}{4}$ Sl2 BT. A pinion, 8 ins. dism., brs. S.51° E., 202 lks. dist.
4= 00	marked \$13 BT.
45.00 79.98	Enter timber. The cor. of secs. 11, 12, 13 and 14.
	Land, gently rolling. Soil, thin and rocky.
	Timber, scattering cedar and pinion.
	Undergrowth, sagebrush and Brigham brush. Thin grass.
	en e
	S.O° 1' E., bet. secs. 13 and 14.
	Over gently rolling land, through scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. cor., marked on brass cap
	1 814 813
	1916
	From which A cedar, 10 ins. diam., brs. N.43 $\frac{3}{4}$ ° E., 62 lks. dist.
TI A A A A A A A A A A A A A A A A A A A	marked $\frac{1}{4}$ S13 BT. A pinion, 10 ins. diam., brs. N.19 $\frac{1}{2}$ ° W., 152 lks. dis
P7 00	$marked \frac{1}{4}S14 BT.$
73.00	Leave timber.

17.

ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap

T26N R3E S14 S13 S23 S24 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling. Soil, coarse texture, 16 to 26 ins. deep.

Timber, pinion and cedar. Undergrowth, sagebrush and Brigham brush, 1 to 3 ft. high, and broom weed, 6 ins. high.

Fair grass.

S.89° 57' E., on a random line, bet. secs. 13 and 24. 40.00 Set temp. $\frac{1}{4}$ sec. cor.

Intersect E. bdy. of Tp., 9 lks. N. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in 79.94 hereinbefore.

> Thence N.89° 53' W., on a true line, bet. secs. 13 and 24. Over rolling land, through scattering timber and undergrowth.

Ridge, brs. N. and S. Desc. 100 ft. to Thence over gently rolling land. 1.10

9.95 18.10

Draw, course SE. Road, in draw, brsr NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. cor., marked on brass cap 39.97

From which A pinion, 14 ins. diam., brs. N.41 $\frac{1}{2}$ ° W., 24 lks. dist., marked $\frac{1}{4}$ S15 BT. A pinion, 8 ins. diam., brs. S.35 $\frac{1}{4}$ ° W., 60 lks. dist., marked $\frac{1}{4}$ S24 BT.

Leave timber.

Draw, course NE. The cor. of secs. 13, 14, 23 and 24. Land, rolling and gently rolling. Soil, coarse texture, 26 ins. deep. Timber, cedar and pinion. Undergrowth, sagebrush and Brigham brush. Fair grass.

S.0° l' E., bet. secs. 23 and 24. Over gently rolling land, through scattering undergrowth. Draw, course NE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap 40.00

> 1523 S24 1916

A cedar, 16 ins. dism., brs. N.88° E., 113 lks. dist., marked 4824 BT. A pinion, 18 ins. diam., brs. S.85° W., 371 lks. dist., marked 4\$23 BT. Enter scattering timber.

```
18.
                            Subdivision of T. 26 N. R. 3 E.
   Chains
             Draw, course SE. Road in draw, brs. NW. and SE. Set an iron post, 3 ft. long, 2 ins. dism., 26 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on
    48.10
80.00
                  brass cap
                                         T26N R3E
S23 S24
S25 S25
                                             1916
                  From which
                 A pinion, 8 ins. diam., brs. N.81° E., 77 lks. dist., marked T26N R3E S24 BT.
                 A pinion, 12 ins. diam., brs. S.54° E., 136 lks. dist.
                 marked T26N R3E S25 BT.
                 A pinion, 12 ins. diam., brs. 5.36\frac{1}{4}° W., 184 lks. dist., marked T26N R3E S26 BT.
                 A pinion, 10 ins. diam., brs. N.43° W., 169 lks. dist.
                 marked T26N R3E S23 BT.
             Land, slightly rolling.
             Soil, coarse texture, 26 ins. deep.
             Undergrowth, sagebrush and holly brush, 1 to 3 ft. high.
             Timber, cedar and pinion.
             Fair grass.
             S.89° 53' E., on a random line, bet. secs. 24 and 25.
             Set temp. 1 sec. cor.
Intersect E. bdy. of Tp., 9 lks. N. of the cor. of secs.
19, 24, 25 and 30, which is an iron post, hereinbefore
    40.00
    80.18
                 described.
             Thence
             N.89° 49' W., on a true line, bet. secs. 24 and 25.
             Over gently rolling land, through scattering timber and
                 undergrowth.
    16.60
             Road, brs. NE. and SW.
             Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor., marked on brass cap
    40.09
                 From which
                 A pinion, 10 ins. diam., brs. N.31° W., 124 lks. dist.
                 marked $\frac{1}{4}$24 BT.
                 A pinion, 14 ins. diam., brs. 5.69\frac{1}{2}° E., 271 lks. dist.
             marked 4525 BT.
Road, brs. NW. and SE.
    61.20
             The cor. of secs. 23, 24, 25 and 26.
    80.18
             Land, gently rolling.
             Soil, coarse texture, 26 ins. deep.
             Timber, scattering cedar and pinion.
             Undergrowth, sagebrush and holly brush, 1 to 3 ft. high,
                 and broom weed, 1 ft high.
             Fair grass.
             S.0° 1' E., bet. secs. 25 and 26. Over gently rolling land, through scattering timber and
                undergrowth.
   10.00
             Leave timber.
   26.00
            Enter timber.
   30;20
            Road, brs. E. and W.
             Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor., marked on brass cap
   40.00
```

Subdivision of T. 26 N. R. 3 E 4826 S25 1916

From which A pinion, 12 ins. diam., brs. $S.46\frac{1}{4}$ ° E., 167 lks. dist., marked \$25 BT.
A pinion, 8 ins. diam., brs. S.23° W., 178 lks. dist.,

marked $\frac{1}{4}$ S26 BT.

Chains.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap

T26N R3H \$26 | \$25

From which 12 ins. diam., brs. N.38\frac{1}{2}\circ E., 96 lks. dist., A pinion. marked T26N R3E S25 BT.
A pinion, 8 ins. diam. brs. S.49½° E., 83 lks. dist., marked T26N R3E S36 BT. A pinion, 12 ins. diam., brs. $S.88\frac{1}{2}$ ° W., 100 lks. dist., marked T26N R3E S35 BT. A pinion, 10 ins. diam., brs. N.16° W., 66 lks. dist., marked T26N R3E S26 BT. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, cedar and pinion. Undergrowth, sagebrush and holly brush, and broom weed, 6 ins. high. Fair grass.

S.89° 49' E., on a random line, bet. secs. 25 and 36.

40.00. Set temp. 1/2 sec. cor.

Intersect E. bdy. of Tp., 2 lks. S. of the cor. of secs. 80.17 25, 30, 31 and 36, which is an iron post, hereinbefore described.

Thence N.89° 50' W., on a true line, bet.secs. 25 and 36. Over gently rolling land, through scattering timber and undergrowth.

Draw, course N. 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked on brass cap

From which A pinion, 9 ins. diam., brs. $N.18\frac{1}{4}$ ° E., 47 lks. dist., marked $\frac{1}{4}S25$ BT. A pinion, 8 ins. diam., brs. $S.43\frac{1}{2}$ ° W., 41 lks. dist., marked $\frac{1}{4}$ \$36 BT.

59.00 Road, brs. NE. and SW. The cor. of secs. 25, 26, 35 and 36. Land, gently rolling. Soil, coarse texture, 26 ins. deep. · Timber, cedar and pinion. Undergrowth, sagebrush and holly brush. Thin grass.

S.0° l' E., on a random line, bet. secs. 35 and 36. Set temp. 4 sec. cor.

82.76 Intersect S. bdy. of Tp., 10 lks. W. of the cor. of secs.

20.

Subdivision of T. 26 N.

```
Chains.
                  2, 35 and 36, which is a limestone, hereinbefore
               described.
           Thence
           N.0° 5' W., bet. secs. 35 and 36.
           Over rolling land, through scattering timber and undergrowth. Ditch, 8 lks. wide, 1 ft. deep, in bottom of draw, course
   9.60
 34·75
42.76
           Leave scattering timber.
           Draw, course SE.
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for a sec. cor, marked on brass cap
                                        $35 | $36
               And raise a mound of stone, 2 ft. base, 2 ft. high. 7
               of cor.
 65.65
           Road, brs. NE. and SW. Enter timber.
 70.75
82.76
           The cor. of secs. 25, 26, 35 and 36. Land, rolling and gently rolling. Soil, coarse texture, 16 to 26 ins. deep.
           Timber, scattering cedar and pinion.
           Undergrowth, sagebrush, 1 to 3 ft. high.
           Thin grass.
           From the cor. of secs. 2 and 3, on the N. bdy. of the Tp. which is an iron post, hereinbefore described, S.O° 1' T., bet. secs. 2 and 3.
           Over gently rolling land, through scattering timber and
              undergrowth.
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor., marked on brass cap
 40.00
                                        4S 3 S 2
                                            1916
               From which
               A pinion, 10 ins. diam., brs. N.663° E., 64 lks. dist. marked 48 2 BT.
               A pinion,
                           10 ins. diam., brs. N.61° W., 53 lks. dist..
               marked \frac{1}{4}S 3 BT.
           Set an iron post, 3 ft.long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on
 80.00
               brass cap
                                        T26N R3E
                                         S 3 S 2
                                         S10 S11
                                            1916
               From which
               A pinion, 12 ins. diam., brs. N.672° E., 48 lks. dist.
               marked T26N R3E S2 BT.
A pinion, 8 ins. diam., brs. S.65% E., 120 lks. dist.
marked T26N R3E S11 BT.
               A pinion, 6 ins. diam., brs. 5.32\frac{1}{2}° W., 69 lks. dist.,
               marked T26N R3E S10 BT.
               A pinion, 6 ins. diam., brs. N.38½° W., 45 lks. dist., marked T26N R3E S3 BT.
           Land, gently rolling.
           Soil, loose, red, sandy clay and loam.
           Timber, pinion and juniper.
           Undergrowth, sagebrush, squawbrush and broom weed, 6 ins.
               high.
```

Fair grass.

```
Subdivision of T. 26 N., R. 3 E.
                                                                                        21.
Chains.
           S.89° 59' E., on a random line, bet. secs. 2 and 11.
          Set temp. \frac{1}{4} sec. cor. Intersect N. and S. line, 11 lks. S. of the cor. of secs.
 40.00
 79.97
              1, 2, 11 and 12.
          Thence
          S.89° 56' W., on a true line, bet. secs. 2 and 11.
          Over gently rolling land, through scattering timber and
              undergrowth.
 39.98\frac{1}{2} Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor., marked on brass cap
                                       1/3 S 2
S11
                                       1916
              From which
              A pinion, 10 ins. diam., brs. N.51\frac{1}{4}° E., 11 lks. dist.
              marked \frac{1}{4}S2 BT.
              A pinion, 11 ins. diam., brs. S.543° E., 62 lks. dist.,
              marked 4511 BT.
 79.97 The cor. of secs. 2, 3, 10 and 11.
         Land, gently rolling.
Soil, loose, red sandy clay, over sandstone formation.
          Timber, pinion and juniper.
         Undergrowth, sagebrush and broom weed, 6 ins. high.
          Fair grass.
          S.0° 1' E., bet. secs. 10 and 11.
Over gently rolling land, through scattering undergrowth
          and heavy timber.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor, marked on brass cap
 40.00
                                       1 S10 S11
                                           1916
              From which
              A pinion, 14 ins. diam., brs. N.59\frac{1}{2}^{\circ} E., 43 lks. dist., marked \frac{1}{4}Sll BT.
              A pinion, 12 ins. diam., brs. N.44° W..19 lks. dist..
          marked $\frac{1}{4}$$10 BT.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on
 80.00
              brass cap
                                       T26N R3E
                                         $10 | $11
                                         S15 S14
                                            1916
              From which
              A juniper, 6 ins. diam., brs. N.76\frac{1}{2}° E., 99 lks. dist., marked T26N R3E S11 BT.
              A pinion, 7 ins. diam., brs. S.63° E., 283 lks. dist., marked T26N R3E S14 BT.
              A pinion, 12 ins. diam., brs. S.12\frac{1}{2}° W., 360 lks. dist.,
              marked T26N R3E S15 BT.
A pinion, 12 ins. diam., brs. N.604° W., 132 lks. dist., marked T26N R3E S10 BT.
          Land, gently rolling.
Soil, loose, red, sandy clay and loam.
          Timber, pinion and juniper.
          Undergrowth, sagebrush and squawbrush, and broom weed, 1
              ft. high.
          Fair grass.
```

22.		Subdivision of T. 26 N., R. 3 E.
Ť	Chains.	
	40.00 80.02	N.89° 56' E., on a random line, bet. secs. 11 and 14. Set temp. 3 sec. cor. Intersect N. and S. line, 10 lks. N. of the cor. of secs. 11. 12. 13 and 14.
	40.01	Thence West on a true line, bet.secs. ll and 14 Over gently rolling land, through heavy timber. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap \[\frac{1}{4}\frac{1}{514} \] 1016
		From which A pinion, 10 ins. diam., brs. N.72½° E., 65 lks. dist., marked ½Sll BT. A juniper, 14 ins. diam., brs. S.14° E., 40 lks. dist., marked ½Sl4 BT. The cor. of secs. 10, 11, 14 and 15 Land, gently rolling. Soil, loose, red, sandy clay and loam, over sandstone formation. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush and broom weed. Fair grass.
	40.00	S.0° l' E., bet. secs. 14 and 15. Over gently rolling land, through heavy timber. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap \[\frac{1}{4}\S15 \S14 \\ 1916
	43.00 45.00 63.70 78.20 80.00	From which A pinion, 12 ins. diam., brs. N.87° 30' E., 108 lks. dist., marked \(\frac{1}{4}\)S14 BT. A pinion, 10 ins. diam., brs. N.20\(\frac{3}{4}\)° W., 161 lks. dist. marked \(\frac{1}{4}\)S15 BT. Leave heavy timber, brs. NE.and SW. Draw, 1 ch. wide, course SW. Draw, 1 ch. wide, 30 ft. deep, course W. Road, brs. NW. and SE. Set an iron post, 3 ft. long, 2 ins.diam., 26 ins. in the ground, for cor. of secs. 14,15, 22 and 23, marked on brass cap \[\text{T26NR3E} \\ \text{S15} \ \text{S14} \\ \text{S22} \ \text{S23} \\ \text{1916} \]
	. •	And raise a mound of stone, 3 ft.base, 3 ft. high, W. of cor. Land, gently rolling. Soil, loose, red, sandy clay and loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush and broom weed.
	40.00 79.88	East on a random line, bet. secs. 14 and 23 Set temp. 1 sec. cor. Intersect the cor of secs. 13, 14, 23 and 24.
	1	

Subdivision of T. 26 N., R. 3 E. Chains. West on a true line, bet. secs. 14 and 23. Over rolling land, through scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap From which A pinion, 16 ins. diam., brs. $N.63\frac{1}{4}$ ° E., 134 lks. dist., marked $\frac{1}{4}$ S14 BT. A pinion, 16 ins. diam., brs. S.71° E., 383 lks. dist., marked \$\frac{1}{4}\$S23 BT.

Dim road, brs. NW. and SE.

Draw, 1 ch. wide, course NW.

The cor. of secs. 14, 15, 22 and 23. 68.10 68.40 79.88 Land, gently rolling. Soil, loose, dark, red gravelly loam. Timber, pinion and juniper. Undergrowth, sagebrush, and broom weed, 1 ft. high. S.0° 1' E., bet. secs. 22 and 23. Over rolling land, through scattering timber and undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 40.00 1522 S23 1916

> From which A juniper, 6 ins. diam., brs. $5.59\frac{1}{4}$ ° E., 150 lks. dist., marked 1823 BT. A pinion, 10 ins. diam., brs. $8.4\frac{1}{2}$ ° W., 196 lks. dist., marked $\frac{1}{4}$ S22 BT.

Draw, 1 ch. wide, course NW.
Set an iron post, 3 ft. long, 2 ins. dism., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on 52.00 80.00 brass cap

T26N R3E S22 | S23 S27 S26 1916

From which A pinion, 16 ins. diam., brs. $N.64\frac{1}{2}$ ° E., 98 lks. dist., marked T26N R3E S23 BT. A pinion, 10 ins. diam., brs. S.44 $\frac{1}{2}$ ° E., 97 lks. dist., marked T26N R3E S26 BT. A pinion, 16 ins. diam., brs. S.4 $\frac{1}{2}$ ° W., 187 lks. dist., marked T26N R3E S27 BT. A pinion, 6 ins. diam., brs. N.20 $\frac{3}{4}$ ° W., 130 lks. dist., marked T26N R3E S22 β T. Land, rolling. Soil, dark, red, gravelly loam, over sandstone formation. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft. high. Sparse grass.

East on a random line, bet. secs. 23 and 26.

Set temp. $\frac{1}{4}$ sec. cor. 40.00

Intersect N. and S. line, 12 lks. S. of the cor. of secs.

2	4	Subdivision of T. 26 N., R. 3 E.
	Chains.	23, 24, 25 and 26.
	70.00	Thence S.89° 55' W., on a true line, bet. secs. 23 and 26. Over rolling land, through scattering timber and undergrowth.
	39.92	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for ½ sec. cor., marked on orass cap
•		\$23 \$26 1916
		From which A pinion, 12 ins. diam., brs. N.40½° E., 102 lks. dist., marked ½523 BT.
	60.85 7 9.84	A juniper, 24 ins. diam., brs. S.49° E., 116 lks. dist., marked \$\frac{1}{4}\$S26 BT. Draw, 2 chs. wide, course N. The cor. of secs. 22, 23, 26 and 27.
	79.04	Land, rolling. Soil, dark, red, sandy clay and loam, over sandstone and limestone formation.
		Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft. high.
		Sparse grass.
	5.00	S.0° 1' E., bet. secs. 26 and 27. Over gently rolling land, through scattering timber and undergrowth. Leave timber, brs. NW. and SE.
	12.80	Road, brs. NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap
,		1916
		Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
	45.00 80.00	dist. Enter scattering timber, brs. E. and W. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
		ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap T26N R3E
		\$27 \$26 \$34 \$35 1916
		From which A juniper, 12 ins. diam., brs. N.523° E., 198 lks. dist.,
·		marked T26N R3E S26 BT. A juniper. 14 ins. diam. brs. S.227° E. 14 lks. dist.
		marked T26N R3E S35 BT. A juniper 10 ins. diam. brs. S. 173° W. 127 lks. dist.
		marked T26 N R3E S34 BT. A pinion, 14 ins. diam., brs. N.362 W., 190 lks. dist., marked T26N R3E S27 BT. Land, gently rolling.
		Soil, loose, yellow loam. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft.
		high.

Subdivision of T. 26 N., R. 3 E.

25.

Chains. N.89° 55' E., on a random line, bet. secs. 26 and 35. Set temp. 4 sec. cor.
Intersect Intersect Las. 45 the cor. of secs. 25, 26, 35 79.84 and 36.

Thence S.89° 55' W., on a true line, bet. secs. 26 and 35. Over gently rolling land, through scattering timber and undergrowth.

9.85 Leave timber. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap 39.92

From which A pinion, 10 ins. diam., brs. N.64° W., 55 lks. dist., marked \$2526 BT. A pinion, 14 ins. diam., brs. S.39 $\frac{1}{2}$ ° W., 264 lks. dist., marked \$35 BT.

Enter scattering timber, brs. NE. and SW. 40.35 47.65 63.85

Road, ors. NE. and SW.

Draw, 5 chs. wide, course N. The cor. of secs. 26, 27, 34 and 35. Land, gently rolling. Soil, loose, yellow loam. imber, pinion and juniper. Undergrowth, sagebrush, and broom weed, 1 ft. high. Good grass.

40.00

S.0° 1' E., on a random line, bet. secs. 34 and 35.
Set temp. # sec. cor.
Intersect S. bdy. of Tp., at the cor. of secs. 2, 3, 34 82.47 and 35, which is a limestone, hereinbefore described. Thence N.0° 1' W., on a true line, bet. secs. 34 and 35. Over gently rolling land, through scattering undergrowth.

Enter scattering timber.

Set an iron post, 3 ft long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap 42.47

1\$34 \$35

From which A pinion, 12 ins. diam., brs. N.84 $\frac{1}{2}$ ° E., 279 lks. dist., marked 4535 BT.
A pinion, 14 ins. diam., brs. S.15° W., 186 lks. dist., marked 4834 BT.
Dim road, brs. NE. and SW.
Road, brs. E. and W.

51.95 70.95 82.47 The cor. of secs. 26, 27, 34 and 35.

Land, gently rolling.

Soil, loose, yellow, sandy clay and loam. timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weeds, 1 ft. high.

Fair grass.

From the cor. of secs. 3 and 4, on the N. bdy. of the Tp., which is an iron post, hereinbefore described, S.O° 2' E., bet. secs. 3 and 4. Over gently rolling land, through scattering timber and undergrowth.

26

BOOK 3101

```
Subdivision of T. 26
Chains
 40.00
            Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
                 ground, for 4 sec. cor., marked on brass cap
                                              1/4 S 4 S 3
                 From which
                 A pinion, 16 ins. diam., brs. N.50\frac{1}{4}° E., 89 lks. dist.
                 marked $\frac{1}{4}$\frac{1}{3}$ BT.

A pinion, 9 ins. diam., brs. $\frac{1}{3}$\frac{3}{4}$\circ$ W., 131 lks. dist.,
            marked \(\frac{1}{4}\)S4 BT.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on
 80.00
                 brass cap
                                              T26N R3E
                                               $ 4 | $ 3
$ 9 | $10
1916
                 From which
                A cedar, 10 ins. diam., brs. N.21° E., 42 lks. dist., marked T26N R3E S3 BT.

A pinion, 10 ins. diam., brs. S.193° E., 145 lks. dist., marked T26N R3E S10 BT.

A pinion, 8 ins. diam., brs. S.81° W., 35 lks. dist., marked T26N R3E S9 BT.

A pinion 12 ins. diam. brs. N.574° W. 145 lks. dist.
                 A pinion, 12 ins. diam., brs. N.57\frac{1}{2}° W., 145 lks. dist.,
                 marked T26N R3E S4 BT.
            Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
            Timber, cedar and pinion.
            Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed.
                 6 ins. high.
            Fair grass.
            S.89° 59 E., on a random line, bet. secs. 3 and 10;
Set temp: 4 sec. cor.
Intersect N. and S. line, 5 lks. N. of the cor. of secs.
 40.00
 80.14
            T_{\text{hence}} 2, 3, 10 and 11.
            N.89° 57' W., on a true line, bet. secs. 3 and 10.
            Over gently rolling land, through scattering timber and
                undergrowth.
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \frac{1}{4} sec. cor., marked on brass cap
40.07
                From which
                A pinion, 12 ins. diam., brs. N.584° W., 193 lks. dist., marked 483 BT.
A pinion, 14 ins. diam., brs. S.44° W., 160 lks. dist.,
                marked 4$10 BT.
42.15
59.15
80.14
           Leave timber. Enter timber.
           The cor. of secs. 3, 4, 9 and 10. Land, gently rolling.
            Soil, coarse texture, 26 ins. deep.
            Timber, cedar and pinion.
            Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed,
                1 ft. high.
            Fair grass.
```

Subdivision of T. 26 N., R. 3 E.

S.0° 2' E., bet. secs. 9 and 10.

Over gently rolling land, through scattering timber and undergrowth.

Leave timber.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap

\[
\frac{1}{4}\S 9 \S10

\]

1916

of cor.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap

And raise a mound of stone, 2 ft. base, $2\frac{1}{2}$ ft. high, W.

T26N R3E S 9 S10 S16 S15 1916

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, cedar and pinion.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Fair grass.

S.89° 57' E., on a random line, bet. secs. 10 and 15.

40.00 Set temp. \(\frac{1}{4}\) sec. cor.

79.97 Intersect N. and S. line, 7 lks. N. of the cor. of secs.

Thence
N.89° 54' W., on a true line, bet. secs. 10 and 15.
Over gently rolling land, through scattering timber and

undergrowth.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

\$15 1916

From which
A pinion, 14 ins. diam., brs. N.36° E., 165 lks. dist.,
marked \(\frac{1}{4}\)S10 BT.
A pinion, 12 ins. diam., brs. S.9° W., 83 lks. dist.,
marked \(\frac{1}{4}\)S15 BT.
Old road, brs. NW. and SE.

79.97 The cor. of secs. 9, 10, 15 and 16.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, cedar and pinion.
Undergrowth, sagebrush, 1 to 3 ft. high,
Fair grass.

S.0° 2' E., bet. secs. 15 and 16.
Over gently rolling land, through scattering timber and undergrowth.

5.00 Draw, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap

28.		Subdivision of T. 26 N., R. 3 E.
	Chains.	½s16 s15
* .		1916
	E3 E0	And raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.
	51.50	Wash, 150 lks. wide, 10 ft. deep, course NW. Reservoir brs. E. 10 chs. dist.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap
,		• T26N R3E S16 S15
		\$21 \$22 1916
		From which A pinion, 16 ins. diam., brs. N.65½° E., 471 lks. dist.
		marked T26N R3E S15 BT. A pinion, 10 ins. diam., brs. S.1° E., 235 lks. dist.
		marked T26N R3E S22 BT. A pinion, 10 ins. diam., brs. S.13½° W., 158 lks. dist.
		marked T26N R3E S21 BT. A cedar, 8 ins diam., brs. N.20% W., 54 lks. dist.
		marked T26N RyE S16 BT.
		Land, gently rolling. Soil, coarse texture, 26 ins. deep.
		Timber, cedar and pinion. Undergrowth, sagebrus and buck, brush, 1 to 3 ft. high, and
		broom weed, 8 ins. high. Fair grass.
	•	
	40.00	S.89° 54' E., on a random line, bet. secs. 15 and 22. Set temp. \(\frac{1}{4}\) sec. cor.
	79.94	Intersect N. and S. line, 11 lks. N. of the cor. of secs. 14, 15, 22 and 23. Thence
		N.89° 49' W., on a true line, bet. secs. 15 and 22. Over gently rolling land, through scattering timber and undergrowth.
	20.15 39.97	Draw, 3 chs. wide, course N. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap
		½S15
		\$22 1916
	-	From which A cedar, 10 ins. diam., brs. N.60° W., 86 lks. dist., marked 4S15 BT.
		A cedar, 12 ins. diam., brs. $S.\frac{1}{2}$ ° W., 123 lks. dist., marked $\frac{1}{4}S22$ BT.
	79.94	The cor. of secs. 15, 16, 21 and 22. Land, gently rolling.
		Soil, coarse texture, 26 ins. deep. Timber, cedar and pinion.
		Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1
		ft. high. Fair grass.
	-	
		S.0° 2' E., bet. secs. 21 and 22.
		Over gently rolling land, through scattering timber and
	25. 00	undergrowth. Road, brs. NW. and SE.

ECCK 3701

Subdivision of T. 26 N. R. 3 E.

25.47 Ditch, 8 lks. wide, 1 ft. deep, in bottom of draw, course NW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 40.00 1321 S22

1916

From which A pinion, 10 ins. diem., brs. $N.63\frac{1}{2}$ ° E., 109 lks. dist., marked 4S22 BT. A pinion, 12 ins. diam., ors. $5.59\frac{1}{4}$ ° W., 77 lks. dist., marked 2S21 BT.

Leave timber. 51.00

Road, brs. NW. and SE.

70.35 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap

T26N R3E S21 | S22 S28 S27 1916

And raise a mound of stone, 2 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Land, slightly rolling. Soil, coarse texture, 26 ins. deep.

Timber, cedar and pinion.

Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.

Fair grass.

S.89° 49' E., on a random line, bet. secs. 22 and 27.

40.00

Set temp. 4 sec. cor. Intersect N. and S. line, 11 lks. N. of the cor. of secs. 79.95 22, 23, 26 and 27.

Thence

N.89° 44' W., on a true line, bet. secs. 22 and 27. Over gently rolling land, through scattering timber and undergrowth.

4.95 Leave timber.

29.80 Ditch, 10 lks. wide, 1 ft. deep, course NW.
39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., marked on brass cap

From which A pinion, 8 ins. diam., brs. N.52 $\frac{1}{2}$ ° E., 288 lks. dist., marked \$322 BT. A pinion, 10 ins. diam., brs. S.25½° W., 450 lks. dist., marked ½S27 BT.
Road, brs. NW. and SE.

44.10

The cor. of secs. 21, 22, 27 and 28. **79 •95** Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, a few scattering cedar and pinion trees. Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high. Fair grass.

30.	hî	Subdivision of T. 26 N. R. 3 F.
	Chains.	Over gently rolling land, through scattering timber and undergrowth.
	35.60 40.00	Road, brs. NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	,	½S28 S27
		1916
		From which A pinion, 12 ins. diam., brs. S.84½° E., 270 lks. dist., marked 4S27 BT. A pinion, 10 ins. diam., brs. N.16¾° W., 360 lks. dist.,
,	47.95 67.60 80.00	marked 4528 BT. Draw, course NW. Draw, course NW. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on
		brass cap T26N R3E S28 S27 S33 S34 1916
		From which A pinion, 14 ins. diam., brs. N.324° E., 255 lks. dist., marked *26N R3E S27 BT. A pinion, 12 ins. diam., brs. S.138° E., 307 lks. dist., marked *726N R3E S34 BT. A pinion, 8 ins. diam., brs. S.56° W., 181 lks. dist., marked *726N R3E S33 BT. A pinion, 10 ins. diam., brs. N.878° W., 89 lks. dist. marked *726N R3E S28 BT. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, cedar and pinon Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high. Fair grass.
	40.00 79.96	S.89° 44' E., on a random line, bet. secs. 27 and 34. Set temp. ½ sec. cor. Intersect N. and S. line, 16 lks. S. of the cor. of secs. 26, 27,34 and 35. Thence
	4.96 21.95 39.98	N.89° 51' W., on a true line, bet. secs. 27 and 34. Over gently rolling land, through scattering timber and undergrowth. Leave timber, brs. Road, brs. NW. and SE. Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. cor., marked on brass cap
		1/4 S 2 7 S 3 4 1916
	49.95 60.20 79.96	From which A pinion, 8 ins. diam., brs. N.24½° E., 229 lks. dist. marked ½S27 BT. A pinion, 6 ins. diam., brs. S.41° E., 91 lks. dist., marked ½S34 BT. Enter timber, brs. N. and S. Ditch, 3 lks. wide, 10 ins. deep, course NW. The cor. of secs. 27, 28, 33 and 34. Land, gently rolling. Soil, coarse texture, 26 ins. deep.

Subdivision of T. 26 N., R. 3 E.

Chains.

Timber, cedar and pinion. Undergrowth, sagebrush, 1 to 3 ft. high. Fair grass.

S.O° 2' E., on a random line, bet. secs. 33 and 34.

Set temp. 2 sec. cor.

Intersect S. bdy. of Tp., 4 lks. W. of the cor. of secs.

3, 4, 33 and 34, which is a limestone, hereinbefore 40.00 82.10 described.

Thence N.0° 4' W., on a true line, bet. secs. 33 and 34.

Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \$\frac{1}{2}\$ sec. cor., marked on brass cap

₹833 | \$34 1916

A pinion, 9 ins. diam., brs. S.182° E., 163 lks. dist., marked 4834 BT. A pinion, 12 ins. diam., brs. S.25° W., 217 lks. dist., marked 2833 BT.

61.70

77.10 Enter timber, brs. E. and W. 32.10 The cor. of secs. 27, 28, 33 and 34. 82.10 Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, a few scattering cedar trees, and pinon. Undergrowth, sagebrush, 1 to 3 ft. high. Fair grass.

From the cor. of secs. 4 and 5, on the N. bdy. of the Tp., which is an iron post, hereinbefore described, S.0° 3' E., bet. secs. 4 and 5. Over gently rolling land, through scattering timber and undergrowth. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap

> 1/3 5 S 4 1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Draw, course SW. **57.**00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on 00.08 brass cap

T26N R3E S 5 S 4 S 8 S 9

From which A cedar, 10 ins. diam., brs. N.74° E., 48 lks. dist., marked T26N R3E S4 BT. A pinion, 10 ins. diam., brs. $8.69\frac{1}{2}$ ° E., 150 lks. dist., marked T26N R3E S9 BT. 10 ins. diam., brs. S.79° W., 114 lks. dist., A pinion, marked T26N R3E S8 BT. A pinion, 10 ins. diam., brs. N.3630 W., 121 lks. dist., marked T26N R3E S5 BT.

•		Subdivision of T. 26 N. R. 3 E.
	Chains.	Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, cedar and pinion. Undergrowth, sagebrush and holly brush, 1 to 4 ft. high, and broom weed, 1 ft. high. Fair grass.
	40.00 79.88	S.89° 59' E., on a random line, bet. secs. 4 and 9. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line, 9 lks. N. of the cor. of secs. 3, 4, 9 and 10. Thence N.89° 55' W., on a true line, bet. secs. 4 and 9. Over gently rolling land, through secttoring timber and
	39.94	Over gently rolling land, through scattering timber and undergrowth. Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for ½ sec. cor., marked on brass cap
		1/4 S 4 S 9 1916
	7 9.88	From which A pinion, 12 ins. diam., brs. N.41° W., 241 lks. dist. marked \$\frac{1}{4}\$S4 BT. A pinion, 12 ins. diam., brs. S.64\frac{1}{2}\$° W., 100 lks. dist. marked \$\frac{1}{4}\$ S 9 BT. The cor. of secs. 4, 5, 8 and 9. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, scrub cedar and pinon. Undergrowth, sagebrush and holly brush, 1 to 3 ft. high. Fair grass.
	15.00 40.00	S.0° 3' E., bet. secs. 8 and 9. Over gently rolling land, through scattering timber and undergrowth. Draw, course W. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for \(\frac{1}{4} \) sec. cor., marked on brass cap \[\frac{1}{4}S 8 \section{8} S 9 \] 1916
	00.00	From which A pinion, 12 ins. diam., brs. S.47° E., 146 lks. dist. marked \$\frac{1}{4}\$S9 BT. A pinion, 10 ins. diam., brs. S.15\frac{1}{4}° W., 89 lks. dist. marked \$\frac{1}{4}\$S8 BT.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 2 4 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap T26N R3E S 8 S 9 S17 S16 1916
		And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, scattering cedar and pinion. Undergrowth, sagebrush, 1 to 3 ft. high. Fair grass.

Subdivision of T. 26 N. R. 3 E. 33. Chains. S.89° 55' E., on a random line, bet. secs. 9 and 16. Set temp. 1 sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of secs. 40.00 9, 10, 15 and 16. Thence N.89° 57' W., on a true line, bet. secs. 9 and 16. Over gently rolling land, through scattering undergrowth. Draw, course NW. Enter scattering timber. 5.85 16.05 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 1/3 9 S16 From which A pinion, 12 ins diam., brs..N.9° E., 46 lks. dist.. marked $\frac{1}{4}$ S9 BT.

A pinion, 12 ins. diam., brs. S.35\frac{3}{4}\circ \text{W., 96 lks. dist.}

marked $\frac{1}{4}$ S16 BT. Leave timber. Dim road, brs. N. and S. The cor. of secs. 8, 9, 16 and 17. Land, gently rolling.
Soil, coarse texture, 26 ins. deep. Timber, cedar and pinion. Undergrowth, sagebrush and holly brush, 1 to 5 ft. high. Fair grass. S.0° 3' E., bet. secs. 16 and 17. Over gently rolling land, through scattering undergrowth. Miller wash, course NW. 1.00 Draw, course NE. 16.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap 40.00 1317 S16 1916 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist. Draw, course NE. Road, brs. NE. and SW. 54.00 79.25 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap T26N R3E S17 S16 S20 S21 1916 And raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, coarse texture, 26 ins. deep. No timber. Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, 8 ins. high. S.89° 57' E., on a random line, bet. secs. 16 and 21. Set temp. 1 sec. cor. Intersect N. and S. line, 7 lks. S. of the cor. of secs. 40.00 79.97

15, 16, 21 and 22.

34.		* Subdivision of T. 26 N., R. 3 E.
	17.90 32.75 39.982	Thence West on a true line, bet. secs. 16 and 21. Over gently rolling land, through scattering timber and undergrowth. Wash, 7 lks. wide, 18 ins. deep, course NW., in bottom of draw, course NW. Draw, course NW. Draw, course N. Reservoir brs. NW. 15 chs. dist. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	7 9•97	And raise a mound of stone, 2 ft. base, 2 ft. high, N. of cor. The cor. of secs. 16, 17, 20 and 21. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, a few scattering cedar and pinion trees. Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, ins. high. Thin grass.
	40.00	S.0° 3' E., bet. secs. 20 and 21. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap
		1916
	66.35 80.00	And raise a mound of stone, 2 ft. base, 2½ ft. high, W. of cor. Road, brs. E. and W. Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of secs. 20, 21, 28 and 29, marked on brass cap
		T26N R3E
	-	And raise a mound of stone, 2 ft. base, $2\frac{1}{2}$ ft. high, W. of cor. Land, gently rolling. Soil, coarse texture, 26 ins. deep. No timber. Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, ft. high. Thin grass.
	40.00 7 9.92	East on a random line, bet. secs. 21 and 28. Set temp. 4 sec. cor. Intersect N. and S. line, 4 lks. S. of the cor. of secs. 21, 22, 27 and 28. Thence
	39 . 96	S.89° 58' W., on a true line, bet. secs. 21 and 28. Over gently rolling land, through scattering timber and undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., marked on brass cap

35 ⋅ ·

Subdivision of T: 26 N. R. 3 E

Chains.

1821 828 1916

A pinion, 10 ins. diam., brs. S.70° E., 92 lks. dist., marked 1828 BT. Raise a mound of stone, 3 No other trees within limits.

ft. base, 3 ft. high, N. of cor. From this cor., reservoir brs. S. 12 chs. dist. Old road, brs. NW. and SE.

47.35 50.10 Draw, course NW.

79.92 The cor. of secs. 20, 21, 28 and 29.

Land, gently rolling.

Soil, coarse texture, 26 ins. deep.

Timber, cedar and pinion.

Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high. Fair grass.

S.0° 3' E., bet. secs. 28 and 29.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor, marked on brass cap

를S29 | S28 1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on 24 ins. in the brass cap

> T26N R3E S29 S28 . 832 | 833 1916

And raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.

Soil, coarse textere, 26 ins. deep.

No timber.

Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.

Fair grass.

40.00

N.89° 58' E., on a random line, bet. secs. 28 and 33. Set temp. \(\frac{1}{4} \) sec. cor. Intersect N. and S. line, 5 lks. N. of the cor. of secs. 79 • 97 27, 28, 33 and 34. Thence

West on a true line, bet. secs. 28 and 33. Over gently rolling land, through scattering timber and

undergrowth. Leave timber, brs. N. and S.

39.982 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

3	6. Chains.	Subdivision of T. 26 N., R. 3 E.
	onains.	And raise a mound of stone, 3 ft.base, 3 ft. high, N. of cor.
	79 •97	The cor. of secs. 28, 29, 32 and 33. Land, gently rolling.
		Soil, coarse texture, 26 ins. deep. Timber, a few scattering cedar and pinion trees.
		Undergrowth, sagebrush and holly brush, 1 to 5 ft. high, and broom weed. 1 ft. high.
	·	
	40.00	S.0° 3' E., on a random line, bet. secs. 32 and 33. Set temp. 4 sec. cor.
	81.30	Intersect S. bdy. of Tp., 12 lks. E. of the cor. of secs. 4, 5, 32 and 33, which is a malpais stone, hereinbefore
	٠.	described. Thence
		N.0° 2' E., on a true line, bet. secs. 32 and 33. Over gently rolling land, through scattering timber and
	41.30	undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap
		1√2 s33 s33
		1916
		From which
		A pinion, 8 ins. diam., brs. N.73 $\frac{1}{2}$ ° E., 172 lks. dist. marked $\frac{1}{4}$ S33 BT.
		A pinion, 8 ins. diam., brs. S.84½° W., 68 lks. dist., marked 4S32 BT.
	81.30	The cor. of secs. 28, 29, 32 and 33. Land, gently rolling.
		Soil, coarse texture, 26 ins. deep. Timber, a few scrub cedar and pinion trees.
		Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
		Fair grass.
		From the cor. of secs. 5 and 6, on the N. bdy. of the Tp. which is an iron post, hereinbefore described,
		S.0° 3' E., bet. secs. 5 and 6. Over gently rolling land, through scattering timber and
	30.00	undergrowth. Leave scattering timber, brs. NW. and SE.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap
-	e e	. 3 6 S 5
		1916
	80.00	Dig pits, 18 X 18 X 12, N. and S. of post, 3 ft. dist. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap
		T26N R3E S 6 S 5 S 7 S 8 1916
		And raise a mound of stone, 3 ft. base, 3 ft. high, W.
		of cor. Land, gently rolling.
		Soil, loose, yellow loam.

Subdivision of T. 26 N. R. 3 E

Chains.

Timber, cedar and pinion. Undergrowth, sagebrush, broom weed and squawbrush. Fair grass.

S.89° 59' E., on a random line, bet. secs. 5 and 8.

40.00 Set temp. \(\frac{1}{4}\) sec. cor. 79.98 Intersect the cor. of secs. 4, 5, 8 and 9 . Thence N.89° 59' W., on a true line, bet. secs. 5 and 8. Over gently rolling land, through scattering timber and undergrowth.

19.00 Draw, 50 lks. wide, course S.

25.00

Leave scattering timber, brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 39.99

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

79.98 The cor. of secs. 5, 6, 7 and 8. Land, gently rolling. Soil, loose, yellow loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft. high. Fair grass.

N.89° 59' W., on a random line, bet. secs. 6 and 7.

40.00

Set temp. \(\frac{1}{4} \) sec. cor.

Intersect W. bdy. of Tp., at the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "F". 81.55 S.89° 59' E., on a true line, bet. secs. 6 and 7. Over gently rolling land, through scattering timber and

undergrowth.

Leave timber, brs. N. and S.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

Draw, 1 ch. wide, course N. The cor. of secs. 5, 6, 7 and 8. Land, gently rolling.
Soil, loose, yellow loam.
Timber, scattering cedar and pinion. Undergrowth, sagebrush, and broom weed, 1 ft. high. Fair grass.

S.0° 3' E., bet. secs. 7 and 8.

Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap 40.00

7 0		
38.	Chains.	Subdivision of T. 26 N., R. 3 E.
		1 S 7 S 8
	١.	1916
		1910
•		Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
	80.00	dist. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
		ground, for cor. of secs. 7, 8, 17 and 18, marked on
		orass cap T26N R3E
		S 7 S 8 S18 S17
		1916
		And dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft.
		Land, gently rolling.
		Soil, loose, yellow, gravelly loam. No timber.
		Undergrowth, sagebrush and broom weed, 1 ft. high. Fair grass.
	- '	rall grass.
		S.89° 59' E., on a random line, bet. secs. 8 and 17.
	40.00	Set temp. ½ sec. cor. Intersect N. and S. line, 6 lks. N. of the cor. of secs.
	19.04	8, 9, 16 and 17.
		Thence N.89° 56' W., on a true line, bet. secs. 8 and 17.
	4.85	Over gently rolling land, through scattering undergrowth. Miller's wash, 5 chs. wide, coarse NW.
	31.85	Draw, 1 ch. wide, course NE.
	39.92	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap
	,	1/4 S 8
		13 8 317 1916
		And dig pits, 18 X 18 X 12 ins., E. and W. of post, 3
	5 0 04	ft dist.
	79.84	The cor. of secs. 7, 8, 17 and 18. Land, gently rolling.
		Soil, loose, yellow, gravelly loam, over limestone formation. No timber.
		Undergrowth, sagebrush, and broom weed, 1 ft. high. Fair grass.
		Ball Elass.
		N.89° 59' W., on a random line, bet. secs. 7 and 18.
	40.00 81.69	Set temp. \(\frac{1}{4}\) sec. cor. Intersect \(\mathbb{W}\). of \(\mathbb{T}\)p., 5 lks. S. of the cor. of secs.
		7, 12, 13 and 18, which is an iron post, described in
		Book "F" Thence
		S.89° 57' E., on a true line, bet. secs. 7 and 18. Over gently rolling land, through scattering undergrowth.
	20.20	Draw, 2 chs. wide, course N. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
		ground, for ½ sec. cor., marked on brass cap
		1/3 7 01 R
-		1916
	1	

Subdivision of T. 26 N., R. 3 E.

Chains. And dig pits, 18 X 18 X 12 ins., E. and N. of post, 3

ft. dist. 60.70

Draw, 1 ch. wide, course N. The cor. of secs. 7, 8, 17 and 18. Land, gently rolling.

Soil, loose, yellow, gravelly loam. Undergrowth, sagebrush, and broom weed, 1 ft. high. Fair grass.

No timber.

S.0° 3'E.., bet. secs. 17 and 18.

Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 40.00

14S18 S17

And dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Set an iron post, 5 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on 3 00.08 brass cap

T26N R3E S18 | S17 \$19 | \$20 1916

And dig pits, $18 \times 18 \times 12$ ins., in each sec., $5\frac{1}{2}$ ft.

Land, gently rolling. Soil, loose, yellow loam.

No timber.

Undergrowth, sagebrush, and broom weed 1 ft. high. Thin grass.

S.89° 56' E., on a random line, bet. secs. 17 and 20.

40.00

Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of secs. 79.98 16, 17, 20 and 21. Thence

N.89° 58' W., on a true line, bet. secs. 17 and 20.

Over gently rolling land, through scattering undergrowth.

1.00 Dim road, brs. NE. and SW.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

1916

And dig pits, 18 X 18 X 12 ins., E. and W. of post, 3

ft. dist.
The cor. of secs. 17, 18, 19 and 20. Land, gently rolling.
Soil, loose, yellow, gravelly loam.
No timber. Undergrowth, sagebrush, and broom weed, 8 ins. high. Thin grass.

N.89° 57' W., on a random line, bet. secs. 18 and 19. Set temp. \(\frac{1}{4}\) sec. cor.

0.		Subdivision of T. 26 N., R. 3 E.
	Chains. 81.63	Intersect W. bdy. of Tp., 14 lks. N. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in Book TFU
	16.75 41.63	N.89° 57' E., on a true line, bet. secs. 18 and 19. Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
		‡s18 *** \$19 1916
	81.63	And dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. The cor. of secs. 17, 18, 19 and 20. Land, gently rolling. Soil, loose, yellow, gravelly loam. No timber.
		Undergrowth, sagebrush, and broom weed, 1 ft. high. Thin grass.
	22.00 33.60 40.00	S.0° 3' E., be.t. secs. 19 and 20. Over gently rolling land, through scattering undergrowth. Dim road, brs. E. and W. Road, brs. NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., marked on brass cap
		1916 And dig pits, 18 X 18 X 12 ins., N. and S. of post, 3
	55.00 80.00	Enter scattering timber, brs. NW. and SE. SEt an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap
		T26N R3E S19 S20 S30 S29 1916
		From which A pinion, 12 ins. diam., brs. N.33° E., 90 lks. dist., marked T26N R3E S20 BT. A pinion, 12 ins. diam., brs. S.813° E., 21 lks. dist., marked T26N R3E S29 BT. A juniper, 14 ins. diam., brs. S.62° W., 41 lks. dist., marked T26N R3E S30 BT. A juniper, 8 ins. diam., brs. N.13½° W., 77 lks. dist., marked T26N R3E S19 BT. Land, gently rolling. Soil, loose, yellow, sandy clay and loam, over sandstone formation. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft. high. Thin grass.
	40.00 79.90	S.89° 58' E., on a random line, bet. secs. 20 and 29. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of secs.

Chains.

20, 21, 28 and 29.

Thence

West on a true line, bet. secs. 20 and 29.

Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap **39.95**

\$29 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

44.90 Enter scattering timber, brs. NW. and SE. The cor. of secs. 19, 20, 29 and 30.

79.90

Land, gently rolling.

Soil, loose, yellow loam.

Timber, pinion and juniper.

Undergrowth, sagebrush and squawbrush, and broom weed, 1 ft. high.

Thin grass.

S.89° 57' W., on a random line, bet. secs. 19 and 30. Set temp. $\frac{1}{4}$ sec. cor.

Intersect W. bdy. of Tp., 7 lks. N. of the cor. of secs. 81.70 19, 24, 25 and 30, described in Book "F". Thence

N.89° 54' E., on a true line, bet. secs. 19 and 30.

Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 41.70

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

Enter scattering timber, brs. NW. and SE. 71.70

81.70 The cor. of secs. 19, 20, 29 and 30.

Land, gently rolling.
Soil, loose, yellow, gravelly loam, over limestone formation.
Timber, pinion and juniper.

Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft. high.

Thin grass.

S.0° 3' E., bet. secs. 29 and 30.

Over rolling land, through scattering timber and undergrowth.

Leave scattering timber, brs. NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 in ground, for ½ sec. cor., marked on brass cap 40.00 26 ins. in the

> 1830 829 1916

And dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

65.00

75.00

79.50 80.00

Draw, 1 ch. wide, course SW.
Draw, 6 chs. wide, course W.
Enter scattering timber brs, E. and W.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

1	Subdivision of T. 26 N. R. 3 E.	
Chains.	T26N R3E S30 S29 S31 S32 1916	
	From which A juniper, 12 ins. diam., brs. N.89° E., 63 lks. dist. marked T26N R3E S29 BT. A juniper, 14 ins. diam., brs. S.32½° E., 254 lks. dist marked T26N R3E S32 BT. A juniper, 12 ins. diam., brs. S.16½° W., 138 lks. dist marked T26N R3E S30 BT.	•
	A juniper, 12 ins. diam., brs. N.40° W., 8 lks. dist., marked T26N R3E S30 BT. Land, gently rolling. Soil, loose, yellow, rocky loam, over limestone formation. Timber, pinion and juniper. Undergrowth, squawbrush and sagebrush.	_
40.00 79.84	East on a random line, bet. secs. 29 and 32. Set temp. 4 sec. cor. Intersect N. and S. line, 4 lks. N. of the cor. of secs. 28, 29, 32 and 33, december 1 Thence N.89° 58' W., on a true line, bet. secs. 29 and 32.	
39 • 92	Over gently rolling land, through scattering timber and undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 2529	
62.00 79.84	From which A cedar, 10 ins. diam., brs. S.763° E., 320 lks. dist. marked \$332 BT. No other trees within limits. Raise a mound of stone, 2 It. base, 2½ ft. high, N. of cor. Low rim, brs. NW. and SE. The cor. of secs. 29, 30, 31 and 32. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, a few scattering cedar and pinion trees. Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high. Fair grass.	
40.00 81.72	S.89° 54' W., on a random line, bet. secs. 30 and 31. Set temp. \(\frac{1}{4}\) sec. cor. Intersect W. bdy. of Tp., 9 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "F". Thence	•
11.70 27.70 41.72	N.89° 50' E., on a true line, bet. secs. 30 and 31. Over gently rolling land, through scattering undergrowth. Draw, 1 ch. wide, course NW. Draw, 2 chs. wide, course N. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. cor., marked on brass cap	
,		

Subdivision of T. 26 N. R. 3 E

Chains.

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

71.70 81.72 Enter scattering timber, brs. NE. and SE.

The cor. of secs. 29, 30, 31 and 32.

Land, gently rolling. Soil, loose, gravelly loam, over limestone and malpais

formation. Timber, pinion and juniper. Undergrowth, sagebrush.

Fair grass.

40.00

S.0° 3' E., on a random line, bet. secs. 31 and 32.

Set temp. \(\frac{1}{2} \) sec. cor.

Intersect S. bdy. of the Tp., 45 lks. E. of original cor. of secs. 5.6,31 and 32, which is a limestone, 14x14x4 ins. above ground, firmly set, and marked and witnessed as described by the surveyor general. Thence,

N.0° 16' E. on a true line bet. secs. 31 and 32. 80.73 described by the surveyor general. Thence,
N.O° 16' E., on a true line, bet. secs. 31 and 32.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

40.73

₹831 S32

1916

And dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Enter scattering timber, brs. E. and W. The cor. of secs. 29, 30, 31 and 32.

Land, gently rolling.

Soil, loose, yellow, gravelly loam. Timber, pinion and juniper.

Undergrowth, sagebrush.

Fair grass.

General Description.

This township consists of gently rolling and rolling land, covered with a scattering growth of sagebrush, squaw brush and broom weed undergrowth, and cedar, pinion and juniper timber. The soil is a loose, rocky loam, of coarse juniper timber. The soil is a l texture, 10 to 26 ins. in depth.

There are no settlers. Several earth dams have been constructed in draws, for the impounding of flood waters.

Diagram showing the respective surveys executed by Thomas B. Matthews, U.S.S., and William L. Nash, U.S.T., under instructionsfor Group No.55, Arizona.

Book "H"

Township	26	North,	Range	3	East.
----------	----	--------	-------	---	-------

_	7-6-16	7-6-16	7-7-16	7-8-16	7-8-16.	7-8-16
6-20-16	Ø 7-17-16	7	♣ 7-14-16	3 -11-16	•	7-8-16
	7-17-16	7-17-16	7-17-16	7-14-16	7-11-16	7-11-16
6-2016	7-17-16	8 <u>-1</u> -2 7-17-16	5- 12-16 5-4-7-10	9, kl 10 kl 7-14-16	11 2-12-16	91-8-2 12 91-91-91-91-91-91-91-91-91-91-91-91-91-9
6-20-16	18 12-12-19	, ,				, , , , , , , , , , , , , , , , , , , ,
	7-18-16	7-17-16	7-18-16	7-15-16	7-14-16	7-12-16
91-02-9	99 - 19 89 - 18-16	20 % 7-18-16	21 <u>9</u> - 21 <u>8</u> 7-18-16	22 1 7-15-16	23 2 23 4 7-15-16	24 <u>0</u> 24 <u>0</u> 7-13-16
91-02-9	. 30 81-2 - 2-18-16	4	7.	91-91-91-91-91-91-91-91-91-91-91-91-91-9	26 E 7-15-16	25 % 25 % 7-13-16
ŀ	7-18-16	7-18:16	7-18-16	7-19-16	/ 10-10	, 10 10
6-20-16	. 31 81-Z	32 \ 31-81-K	33 9- 	34 <u>4</u> ½ ½ 7-6-16,7-7-16	35 kg 7-7-16	7-7-16 3-6-7-9-4-7

Blue lines indicate surveys by Thomas B. Matthews, U.S.S., on the various dates shown.

Red lines indicate surveys by William L. Nash, U.S.T.

on the various dates shown.

Green lines indicate surveys by Deane J. Wolff, U.S.T. on the various dates shown.

46

CERTIFICATES OF U. S. SURVEYOR AND U. S. TRANSITMAN.

We, Thomas B. Matthews, and William L.Nash, U.S Surveyor and U.S. Transitman, respectively, hereby certify on honor that, in and U.S. Transitman, respectively, hereby certify on honor that, in pursuance of special instructions received from the U.S. Surveyor General fof Arizona for Group No.55, Arizona, bearing date of the 8th day of March, 1915, we have well, faitfully and truly, in our own proper persons and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the East and North boundaries and Subdivision lines, and retraced all those parts or portions of the South boundary of

TOWNSHIP 26 NORTH, RANGE 3 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes, and by the diagram on the reverse hereof, as having been executed by us, and under our direction; and we do further certify on honor that all the corners of said resurvey and retracement have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the veying Instructions, and the special written instructions of the U.S.Surveyor General of Arizona for Group No.55, and in the specific manner described in our respective field notes, and that the foregoing are the original field notes of such surveys and tetrace-

Thomas 3. Matthur William 2. hash U.S. Transit man.

APPROVAL

OFFICE OF UNITED STATES SURVEYOR GENERAL.

Phoenix, Arizona,

SEP 28 1918.

The foregoing field notes of the Survey of the East and North boundaries, and Subdivision lines, and Retracement of a portion of the South boundary of

TOWNSHIP 26 NORTH, RANGE 3 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by Thomas B. Matthews, U.S. Surveyor, and William L. Nash, U.S. Transitman, under special instructions dated March 8, 1915 for Group 55, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the survey and retracements they describe, are hereby approved.

S. Surveyor General of Arizona.

I cortify that the foregoing transcript of the field notes the above described surveys and retracements in Book "H," of Group 55, has been correctly copied from the original notes on file in this office.

U. S. Surveyor Coneral of Arizons.