Book "C"

BCOK 3365

FIELD NOTES

OF THE SURVEY OF THE

Sungity 18	ion Lines	·	·	
	·	of		·
	Townshi	P 18 NORTH. R	ANGE 14 EAST,	· · · · · · · · · · · · · · · · · · ·
•				
			·	·
······································			·	
	······			
				· ·
		•	·	·
				· · · · · · · · · · · · · · · · · · ·
	•			
		•	·	
Of	the Gila and S	Alt Biver Book	7.7.	dian
		~ + 1 11 	and	
			and	:
				:
		Arizona.	BY	
		Arizona.		
		Arizona.	BY	
In the State of	Transitma	Arizona. EXECUTED William L. Nas	BY	
In the State of In the capacity o	Transitma of U.S. Surveyor	Arizona. EXECUTED William L. Nas	BY sh, ustructions dated	Dec. 1, ,
In the State of In the capacity of issued by the t	Transitman of U.S. Surveyor United States Su	Arizona. EXECUTED William L. Nas n, , under Special In	BY sh, structions dated so govern surveys	Dec. 1, ,
In the State of _ In the capacity of _ issued by the line of _ No79, _Arizo	Transitman of U.S. Surveyor United States Su	Arizona. EXECUTED William L. Nas n, , under Special In rveyor General to approved by the	BY sh, structions dated co govern surveys to govern of	Dec. 1, , included in (
In the State of _ In the capacity of _ issued by the line of _ No. 79, Arizo	Transitman of U.S. Surveyor United States Su	Arizona. EXECUTED William L. Nas n, , under Special In rveyor General to approved by the	BY sh, structions dated so govern surveys	Dec. 1, , included in (

BOOK 3365

Book "C"

Group 79 - - - Arizona.

INDEX DIAGRAM.

		$T_{CC_{i}(S_{i})}$	<i>ij</i> = 2.3		& £\y	, Range i			Man.
		6	. 5		4 .	8	• • • • • • • • • • • • • • • • • • •	1	
	4	8	13	14	19	.9 * 24 2	5 ₃₁	3 2 _	
	В	7	8	13	9			12 31	, 1
		7	13	12	18	23	30	30	-
•	3	18 7	17 7 12	2 12	7. [8] 17	P.14E.	14 ** 23 2 8	13 29 29	
		19	20		21	22	28	24	
	2	6	11	<u> </u>	16	21	2 2 27	28 27_	
	2	80	29		28	27	26	25	
	2	<u>ā</u>	10	10	15	21	21 26	26	
	1	81	82	g	88	34	35 2 0	36 25	
4									

	Lines	surveyed	under this group.
	Lines	retraced	or resurveyed under this group.
	Lines	surveyed	under Group 78.
	Lines	retraced	or resurveyed under Group 78.
7/////////			or mor secented plats on file.

Chains

hereinafter described,

Surveys, executed on dates shown on diagram on page 34 of this book, by Wm. L. Nash, U. S. Transitman.

For description of instrument, with record of approval and field tests, see Book A.

The mean magnetic declination is 15° E.

Survey of W. Bdy. of T. 18 N., R. 14 E.

From the cor. of Ts. 17 and 18 N., Rs. 13 and 14 E., described in book B;

North, on a random line, bet. Rs. 13 and 14 E., setting temp. cors. at intervals of 40 chs.

184.25 Fall 113 Tks.W. of cor. of Ts. 18 & 19 N., Rs. 13 & 14 E., established under current group 78; which is an iron post, 3 ins. diam., with brass cap, firmly set, properly witnessed and marked as follows:

True course and dist. of W,bdy. of T. 18 N., R. 14 E., are therefore N.0°08 E., 484.25 chs.
Returning to the cor. of Ts. 17 and 18 N., Rs. 13 and 14

N.0°08'E., on a true line, bet. secs. 31 and 36, over gently rolling, open land.
Old road. bears E. and W.

12.00 Old road, bears E. and W. 34.70 Road, bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

77.50 Draw, course NE.
Chasm, 10 ft. wide, 30 ft. deep, bears NW. and SE.
Set an iron post, 3 ft. long, 3 ins. diam., 16 ins. in the ground, and 8 ins. in a mound of stone, for cor. of secs.
25, 30, 31 and 36, marked on brass cap

Chains

Survey of W. Bdy. of T. 18 N., R. 14 E.

and raise a mound of stone, 2 ft. vase, $l_{2}^{\frac{1}{2}}$ ft. high, W. of cor.

Land, rolling. Soil, stony; 4th rate. No timber. Undergrowth, sage brush.

N.0°08'L., pet. secs. 25 and 30,
over gently rolling land, through scattering sage.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 7 ins. in the ground and 19 ins. in a mound of stone, for 4 sec. cor., marked on prass cap

and raise a mound of stone, 2 ft. pase, $l_{\overline{z}}$ ft. nigh, W. of cor.

59.90 Wash, 8 lks. wide, course E.
80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, marked on brass cap

and dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist.

Land, rolling. Soil, stony; 3rd and 4th rate., No timber. Undergrowth, sage.

0.0008'E., bet. secs. 19 and 24, over gently rolling land, through scattering sage. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

58.00 wash, 5 lks. wide, course NE.
80.00 set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, marked on brass cap

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

	Survey of W. Bdy. of T. 18 N., R. 14 E.
Chains	
	Land, rolling. Soil, rocky, 8 to 30 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
1.20	N.0°08'E., bet. secs. 13 and 18, over rolling land, through scattering sage. Draw, course NE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	S13 S18
	1917 and districts 18v18v12 ins. N. and S. at west 7. %
74 • 20 80 • 00	and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Road, bears NE. to Winslow and SW. to Camp Verde. Set an iron post, 3 ft.long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on
	T18N R13E R14E S12 S7 S13 S18
	1917 and dig pits, $18x18x12$ ins., in each sec., $5\frac{1}{2}$ ft. dist.
	Land, rolling. Soil, sandy loam; 3rd rate. No timber. Undergrowth, sage. Good grazing.
37 • 40 40 • 00	N.0°08'E., bet. secs. 7 and 12, over rolling land, through scattering sage. Road, bears Eastoand west. and w. to Competende. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	Sl2 S 7
	19 ½7
179.00	and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Begin gradual ascent over broken S. slope. Top of slope, bears NW. and SE. Desc. gradually. Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, marked on brass cap
	T18N R13E R14E S1 S6 S12 S 7
	1917

and raise a mound of stone, 2 ft. base, $l_2^{\frac{1}{2}}$ ft. high, W. of cor.

Survey of W. Bdy. of T. 18 N., R. 14 E.

Chains

4

Land, rolling. Soil, sandy, 1 to 3 ft. deep; 3rd and 4th rate. No timber.

Undergrowth, sage. Good grazing.

N.0°08'E., bet. secs. 1 and 6, over rolling land, through scattering sage; descending gradually.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

s1 s6

and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

47.00 Draw, course NE.

84.25 The cor. of Ts. 18 and 19 N., Rs. 13 and 14 E., hereinbefore described.

Land, rolling. Soil, sandy; 3rd rate. No timber. Undergrowth, sage. Good grazing.

Subdivision of T. 18 N., R. 14 E.

From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp., described in Book B;

N.0°09'E., bet. secs. 31 and 32, over rolling land, through scattering sage.

15.00 Road bears E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground and 12 ins. in a mound of stone, for \(\frac{1}{4}\) sec. cor., marked on brass cap

S31 S32

and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, supported by a mound of stone, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

T18N R14E S30 S29 S31 S32

1917

from which

Chains A cedar, 8 ins. diam., bears S.72½°W., 359 lks. dist., marked T18N R14E S31 BT. No other trees available. Dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist. Land, rolling. Soil, sandy, 4 to 12 ins. deep; 3rd and 4th rate. No timber. (One cedar only near sec. cor.) Undergrowth, sage. Cood grazing. WEST, on a random line, bet. secs. 31 and 30. Set temp. 2 sec. cor. Intersect W. bdy. of Tp. at the cor. of secs. 25, 30, 31 40.00 80.06 and 36, hereinbefore described. Thence EAST, on a true line, bet. secs. 30 and 31, over rolling land, through scattering sage.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap 40.03 \$30 \$31 1917 and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. 73.00 Draw, course N.20°E. The cor. of secs. 29, 30, 31 and 32. Land, rolling. Soil, sandy and rocky, 4 to 10 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. N.0°09'E., bet. secs. 29 and 30, over rolling land, through scattering sage. 16.50 Draw, course NE. Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground and 10 ins. in a mound of stone, for \(\frac{1}{4}\) sec. cor., marked on brass cap \$30 S29 1917 and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the 80.00 ground, additionally supported by a mound of stone, for cor. of secs. 19, 20, 29 and 30, marked on brass cap T18N R14E S19 S20 S30 S29

> and raise a mound of stone, 2 ft. base, 12 ft. high, W. of cor.

6	Subdivision of T. 18 N. R. 14 E.
Chains	
	Land, rolling. Soil, sandy, 4 to 14 ins. deep; 3rd rate. No timber.
	Undergrowth, sage. Good grazing.
40.00	WEST, on a random line, bet. secs. 19 and 30. Set temp. 4 sec. cor. Intersect W. bdy. of Tp. 2 lks. S. of the cor. of secs. 19, 24, 25 and 30, hereinbefore described.
	Thence S.89°59'E., on a true line, bet. secs. 19 and 30, over rolling land, through scattering sage.
32.00 40.03	Draw, course NE. Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground and 16 ins. in a mound of stone, for \(\frac{1}{4}\) sec. cor., marked on brass cap
	\$19 \$30
	1917
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
80.06	The cor. of secs. 19, 20, 29 and 30.
	Land, rolling. Soil, sandy and rocky, 4 to 12 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
28.50 40.00	N.0°09'E., bet. secs. 19 and 20, over rolling land, through scattering sage. Draw, course NE. Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground and 18 ins. in a mound of stone, for \(\frac{1}{4}\) sec. cor., marked on brass cap
	1 4 1
	S19 s20
	1917
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground and 10 ins. in a mound of stone, for cor. of secs. 17, 18, 19 and 20, marked on brass cap
	T18N R14E S18 S17 \$19 S20
	1917
	and raise a mound of stone, 2 ft. base, $l_{\overline{2}}^{\frac{1}{2}}$ ft. high, W. of cor.
	Land, rolling. Soil, 3rd rate, 4 to 10 ins. deep; limestone formation. No timber. Undergrowth, sage. Good grazing.

Subdivision.of T. 18 N., R. 14 E. Chains N.89°59'W., on a random line, bet. secs. 18 and 19. bet temp. 4 sec. cor.
Intersect W. bdy. of Tp. 2 lks. S. of the cor. of secs. 40.00 80.06 13, 18, 19 and 24, hereinbefore described. Thence S.89°58'E., on a true line, bet. secs. 18 and 19, over rolling land, through scattering sage. 12.45 Draw, course NE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for a sec. cor., marked on brass cap \$18 · S19 and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. The cor. of secs. 17, 1°, 19 and 20. 80.06 Land, rolling. Soil, sandy loam 8 to 16 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. N.0°09'E., bet. secs. 17 and 18,
over rolling land, through scattering sage.
Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the
ground and 4 ins. in a mound of stone, for \(\frac{2}{4}\) sec. cor. 40.00 marked on brass cap s18 s17 and raise a mound of stone, 2 ft. base, 12 ft. high, W. of cor. 79.00 Draw, course NE. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground and 6 ins. in a mound of stone, for cor. of secs. 7, 8, 17 and 18, marked on brass cap T18N | R14E S18 S17 1917 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.
Soil, sandy, 6 to 10 ins. deep; 3rd and 4th rate.
No timber.
Undergrowth, sage. Good grazing.

M.89°58'W., on a random line, bet. secs. 7 and 18.

Set temp. 4 sec. cor.

Intersect N. Edy. of Tp. 4 lks. N. of the cor. of secs.

7, 12, 13 and 18, hereinbefore described.

Thence EAST, on a true line, bet. secs. 7 and 18,

čna ms	Subdivision of T. 18 N., R. 14 E.
15.90 40.02	over rolling land, through scattering sage. Road, bears N.60°E. and S.60°W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	½ S 7 S18
	1917
	and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
80.04	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling. Soil, sandy, 4 to 12 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
26.15 40.00	N.0°09'E., bet. secs. 7 and 8, over rolling land, through scattering sage. Forks of read, bears NE., SW. and W. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground and 14 ins. in a mound of stone, for \(\frac{1}{4} \) sec. cor, marked on brass cap
	\$7 \s8 1917
3	and raise a mound of stone, 2 ft. base, 12 ft. high,
54.00 80.00	W. of cor. Rocky butte 25 ft. high, bears E., 7 chs. dist. Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground and 8 ins. in a mound of stone, for cor. of secs. 5, 6, 7 and 8, marked on brass cap
	T18N R14E
	<u>s6 s5</u> s7 s8
	1918
	and raise a mound of stone, 2 ft. base, l_2 ft. high, w. of cor.
	Land, rolling. Soil, sandy, 4 to 16 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
40.00 80.02	WEST, on a random line, bet. secs. 6 and 7. Set temp. 4 sec. cor. Intersect W. bdy. of Tp. 2 lks. S. of the cor. of secs. 1, 6, 7 and 12, hereinbefore described.
7.00 40.01	Thence S.89°59'E., on a true line, bet. secs. 6 and 7, descending gradually, through sage brush. Ft. of gradual slope. Thence over rolling land. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

Subdivision of T. 18 N., R. 14 E. Chains and dig pits, 18x18x12 ins., 2. and 4. of post, 3 ft. dist. Wash, 8 lks. wide, course NE. 70.40 80.02 The cor. of secs. 5, 6, 7 and 8. Land, rolling. Soil, sandy, 4 to 14 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. N.0°09'E., on a random line, bet. secs. 5 and 6. Set temp. 2 sec. cor. Intersect N. bdy. of 40.00 ersect N. bdy. of Tp. 6 lks. W. of the cor. of secs.

5. 6. 31 and 32.

rent group 78; which is a 3 in. iron post with brass cap, properly set and witnessed, marked as follows: 84.39 T19N R14E 331 332 - S6 S5 TISN 1917 Thence S.0°12'W., on a true line, bet. secs. 5 and 6, over rolling land, through scattering sage. 7.50 22.60 Old road, bears E. and W. Wash, 5 lks. wide, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap 44.39 and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. Dist. Wash, 10 lks. wide, course E. 84.39 The cor. of secs. 5, 6, 7 and 8. Land, rolling. Soil, sandy, 4 to 10 ins. deep; 3rd and 4th rate. Undergrowth, sage. Good grazing. From the core of secs. 4, 5, 32 and 33, on S. bdy. of Tp., described in Book B; N.0°09'E., bet. secs. 32 and 33, over rolling land, through scattering sage. 4.30 40.00 Road bears N.80°E. and S.80°W.

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground and 12 ins. in a mound of stone, for 4 sec. cor,

marked on brass cap

10		Subdivision of T. 18 N., R. 14 E.
Ť	Chains	
		S32 S33
		1917
	·	and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.
	57.50 59.00 65.00 66.60 80.00	Begin gradual ascent. Top of gradual slope. Thence across low mesa. Desc. 30 ft. over N. slope of mesa. Pt. of slope. Thence over rolling land. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap
		T18N R14E S29 S28 S32 S33
		and dig pits, 18x18x12 ins., in each sec., 5½ ft. dist.
A MANAGEMENT AS A STATE OF THE		Land, rolling.
		Soil, sandy, 4 to 10 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
`		ondorgrowth, bage. dood graning.
ļ		
	40.00 79.98	WEST, on a random line, bet. secs. 29 and 32. Set temp. 2 sec. cor. Intersect N. and S. line at the cor. of secs. 29, 30, 31 and 32.
	39•99	Thence EAST, on a true line, bet. secs. 29 and 32, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground; for 4 sec. cor., marked on brass cap
		S29 S32
		1917
		and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
	79•98	The cor. of secs. 28, 29, 32 and 33.
		Land, rolling. Soil, sandy and rocky, 4 to 10 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
•	The state of the s	
	40.00	N.0°09'E., bet. secs. 28 and 29, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
		4
		\$29 528
	1 8 9 1 1 1	1917
٠		and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.
	1	lack

-	Chains	Subdivision of T. 18 N., R. 14 E. 11
	60.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
	. 0.00	ground, for cor. of secs. 20, 21, 28 and 29k marked on brass cap
		T18N R14E S20 S21
		\$29 \$2 8
		and dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
		Land, rolling
	•	
	40.00 79.88	WEST, on a random line, bet. secs. 20 and 29. Set temp. 2 sec. cor. Intersect N. and S. line 5 lks. S. of the cor. of secs. 19, 20, 29 and 30.
	21.40	Thence S.89°58'E., on a true line, bet. secs. 20 and 29, over rolling land, through scattering sage. Draw, course NE.
	39 • 94	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked on brass cap
	,	<u>\$20</u> \$29
		1917
		and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
	79•88	The cor. of secs. 20, 21, 28 and 29.
		Land, rolling. Soil, sandy, 4 to 12 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
	40.00	N.0°09'E.k bet. secs. 20 and 21, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
-	•	
		520 521
		1917
A CONTRACT OF THE PARTY OF THE	55.70 80.00	and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Wash, 8 lks. wide, course NW. Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, additionally supported by a mound of stone,
		for cor. of secs. 16, 17, 20 and 21, marked on brass cap T18N R14E S17 S16 S20 S21
]	1917

```
12
                          Subdivision of T. 18 N., R. 14 E.
  Una ins
              and dig pits, 18x18x12 ins., in each sec., 5\frac{1}{2} ft. dist.
           Land, rolling.
           Soil, sandy, 4 to 14 ins. deep; 3rd and 4th rate.
           No timber.
          Undergrowth, sage. Good grazing.
           N.89°58'W3
              on a random line, bet. secs. 17 and 20.
          Set temp. 4 sec. cor. 5 lks. N. of
Intersect N. and S. line at the cor. of secs. 17, 18, 19
  40.00
  79.92
              and 20.
          Thence EAST, on a true line, pet. secs. 17 and 20,
              over rolling land, through scattering sage.
          Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground and 8 ins. in a mound of stone, for 4 sec. cor.,
  39.96
              marked on brass cap
                                        S17
                                     $ S20
                                      1917
              and raise a mound of stone, 2 ft. base, l\frac{1}{2} ft. high,
              N. of cor.
          Draw, course N. Wash, 10 lks. wide, course N.
  41.30
  54.70
          The cor. of secs. 16, 17, 20 and 21.
          Land, rolling.
          Soil, rocky, 4 to 8 ins. deep; 3rd and 4th rate.
          No timber.
          Undergrowth, sage. Good grazing.
          N.0°09'E., bet. secs. 16 and 17,
          over rolling land, through scattering sage.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
  40.00
             ground, for 4 sec. cor., marked on brass cap
                                     S17 S16
                                      1917
             and dig pits, 18x18x12 ins., N. and S. of post, 3 ft.
             dist.
 80.00
          Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on
              brass cap
                                     T18N | R14E
S8 | S9
                                      S17 S16
                                       1917
              and dig pits, 18x18x12 ins., in each sec., 51 ft. dist.
           land, rolling.
           Soil, sandy; 4 to 12 ins. deep; 3rd and 4th rate.
           No timber.
          Undergrowth, sage. Good grazing.
```

```
Subdivision of T. 18 N., R. 14 E.
 Chains
          WEST, on a random line, bet. secs. 8 and 17.
          Set temp. 2 sec. cor. Intersect N. and S. line at the cor. of secs. 7, 8, 17.
 40.00
80.04
          Thence EAST, on a true line, bet. secs. 8 and 17, over rolling land, through scattering sage.
          Draw, course NE.
   .40
          Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground and 6 ins. in a mound of stone, for 4 sec. cor.
40.02
              marked on brass cap
              and dig pits, 18x18x12 ins., E. and W. of post, 3 ft.
          dist.
Wash, 5 lks. wide, 3 ft. deep, course N.20°E.
The cor. of secs. 8, 9, 16 and 17.
76.05
80.04
          Land, rolling.
          Soil, sandy, 4 to 12 ins. deep; 3rd and 4th rate.
          No timber.
          Undergrowth, sage. Good grazing.
         N.0°09'E., bet. secs. 8 and 9, over rolling land, through scattering sage.
9.50
21.30
          wash, 10 lks. wide, course NE.
         Draw, 10 ft. deep, course NE.

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground and 8 ins. in a mound of stone, for 2 sec. cor.,
40.00
             marked on brass cap
             and raise a mound of stone, 2 ft.base, 12 ft. high,
             W. of cor.
73.20
80.00
         Road, bears Nd. and SW.
         Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground and 14 ins. in a mound of stone, for cor. of secs.
             4, 5, 8 and 9, marked on brass cap
                                       型18m | R14選
85 | 84
                                          s8 s9
                                          1917
             and raise a mound of stone, 2 ft. base, 12 ft. high.
             W. of cor.
         Land, rolling.
         Soil, rocky; 3rd rate. No timber.
         Undergrowth, sage. Good grazing.
         WEST, on a random line, bet. secs. 5 and 8.
         Set temp. 2 sec. cor. Intersect N. and S. line 4 lks. S. of the cor. of secs.
40.00
             5, 6, 7 and 8.
```

· l	4	Subdivision of T. 18 N., R. 14 E.
	Chains	
	39 • 98	Thence S.89°58'E., on a true line, bet. secs. 5 and 8, over rolling land, through scattering sage. Set an iron post, 3 ft. long, l in. diam., in a mound of stone on solid rock, for 4 sec. cor., marked on brass cap
	,	3 5 3 8
		1917
		and raise a mound of stone, 2 ft. base, $l_{\hat{z}}^{\frac{1}{2}}$ ft. high, N. of cor.
	41.70 79.96	i l
		Land, rolling. Soil, rocky, 3rd rate. Limestone formation. No timber. Undergrowth, sage. Good grazing.
	,	
	40.00 84.37	N.0°09'E., on a random line, bet. secs. 4 and 5. Set temp. 4 sec. cor. Intersect N. bdy. of Tp. 13 lks. W. of the cor. of secs. 4; 5, 32 and 33,, established under current group 78; which is a 3 in. iron post with brass cap, properly set and witnessed and marked as follows:
		T19N R14E S32 S33 S5 S4 T18N 1917
		数項 Ben Substance in the process is a section of the first and control of the co
•	30 • 40 44 • 37	Thence S.0°15'W., on a true line, bet. secs. 4 and 5, over rolling land, through scattering sage. Road, bears NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap
Ÿ		\$5 \$4 1917
	68.40 84.37	and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Wash, 10 lks. wide, course E. The cor. of secs. 4, 5, 8 and 9.
		Land, rolling. Soil, rocky, 4 to 8 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
		From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., described in Book B,

N.0°10'E., bet. secs. 33 and 34, over rolling land, through scattering sage.

FCCI 3365

Subdivision of T. 18 N., R. 14 E.

Chains

Road, bears W.70°L. and S.70°W. Road, bears ME. and SW. Road, bears E. and W. 8.60

24.20 34.80

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the 40.00 ground, for 4 sec. cor., marked on brass cap

and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

52.00 55.00

Asc. 25 ft., over gradual S. slope.

Top of slope bears E. and W. Thence across mesa.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass can

> T18N | R14E 833 834

and raise a mound of stone, 2 ft. base, 12 ft. nigh, w. of cor.

Land, rolling. Soil, sandy and stony; 3rd rate. No timber. Undergrowth, sage. Good grazing.

WEST, on a random line, bet. secs. 28 and 33. 40.00

Set temp. 2 sec. cor. Intersect N. and S. line at the cor. of secs. 28, 29, 80.04 32 and 33.

Thence EAST, on a true line, bet. secs. 28 and 33, over rolling land, through scattering sage.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground and 14 ins. in a mound of stone, for 4 sec. cor., 40.02 marked on brass cap

\$28 \$33

1917

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

56.50 58.80

Asc. slope of mesa; bears NE. and SW. Top of slope. Thence over top of mesa. The cor. of secs. 27, 28, 33 and 34.

Land, rolling. Soil, rocky, 4 to 8 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.

. M.O°10 L., bet. secs. 27 and 28, over rolling land, through scattering sage; crossing top of nearly here! mesa.

Desc. N. slope of mesa.

2.80

Ft. of descent. Thence over rolling land. 5.00

16 Chains	Subdivision of T. 18 N., R. 14 E.
	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground and 8 ins. in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	\$28 S27
-	1917
	and raise a mound of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high, W. of cor.
² 0.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap
	T18N R14E S21 S22 S28 S27
	1917
	and dig pits, 18x18x12 ins., in each sec., 5 ft. dist.
	Land, rolling. Soil, sandy, 8 to 30 ins. deep; 3rd rate. No timber. Undergrowth, sage. Good grazing.
40.00 80.10	WEST, on a random line, bet. secs. 21 and 28. Set temp. 2 sec. cor. Intersect N. and S. line 3 lks. S. of the cor. of secs. 20, 21, 28 and 29.
40.05	Thence S.89°59'E., on a true line, bet. secs. 21 and 28, over rolling land, through scattering sage. Set an iron post, 3 ft. long, I in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap
	S21 S28
	1917
	and dig pits, lexlex12 ins., E. and W. of post, 3 ft. dist.
80.10	The cor. of secs. 21, 22, 27 and 28.
	Land, rolling. Soil, sandy, 4 to 14 ins. deep; 3rd rate. No timber.
	Undergrowth, sage. Good grazing.
· · · · · · · · · · · · · · · · · · ·	
40.00	N.O°10'E., bet. secs. 21 and 22, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground and 12 ins. in a mound of stone, for \(\frac{1}{4} \) sec. cor. marked on brass cap
	S21 S22

Chains

and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap

and dig pits, 18x18x12 ins., in each sec., $5\frac{1}{8}$ ft. dist.

Land, rolling. Soil, sandy loam 8 to 30 ins. deep; 3rd. rate. .? No timber.

Undergrowth, sage. Good grazing.

N89°59 W.

, on a random line, bet. secs. 16 and 21.

Set temp. 2 sec. cor.
Intersect N. and S. line 5 lks. N. of the cor. of secs. 40.00 16, 17, 20 and 21.

40.03

Thence M.89°59'E., bet. secs. 16 and 21, on true line, over rolling land, through scattering sage.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

1917

and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.

80.06

The cor. of secs. 15, 16, 21 and 22.

Land, rolling. Soil, sandy, 4 to 12 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.

40.00

N.0°10'E., bet. secs. 15 and 16, over rolling land, through sacttering sage.

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground and 8 ins. in a mound of stone, for 4 sec. cor., marked on brass cap

and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

61.00 63.00 80,00

Asc. 20 ft. on gradual SW. slope. Base bears NW. and SE. Top of slope bears NW. and SE. Thence across low mesa. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on . brass cap

18

Subdivision of T. 18 N., R. 14 E. chains T18N | R14E S 9 S10 S16 S15 1917 and raise a mound of stone, 2 ft. base, 1 ft. high, W. of cor. Land, rolling. Soil, sandy loam 6 to 24 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. S.89°59'W. , on a random line, bet. secs. 9 and 16. 40.00 Set temp. sec. cor. 80.00 Intersect theacor. of secs. 8, .9, .16 and 176. . of secs. Thence N.89°59'E., on a true line, bet. secs. 9 and 16, over rolling land, through scattering sage. wash, 12 lks. wide, course N. Begin ascent of gradual 39.00 W. slope. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the 40.00 ground, for & sec. cor., marked on brass cap 1917 and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. Top of slope, bears IW. and SE., 50 ft. above ft. Thence 64.50 along broken N. slope of mesa. Top of mesa, bears NE. and SW. Thence across top of same. The cor. of secs. 9, 10, 15 and 16. 72.00 80.00 Land, rolling. Soil, sandy and rocky, 4 to 10 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. N.0°10'E., bet. secs. 9 and 10,
over rolling land, through scattering sage.
Desc. 35 ft., over N. slope of mesa.
Ft. of slope, bears E. and SW. Thence over rolling land.
Set an iron post, 3 ft. long, l in. diam., 20 ins. in the ground and 6 ins. in a mound of stone, for 4 sec. cor. 3.00 5.00 46.00 marked on brass cap s 9 s10 1917 and dig pits; 18x18x12 ins., N. and S. of post, 3 ft. dist. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass 80.00

Subdivision of T. 18 N., R. 14 E.

T18N|R14E S4 S3 S 9 S10 1917

and raise a mound of stone, 2 ft. base, 1 ft. high, W. of cor.

Land, rolling. Soil, sandy, 8 to 30 ins. deep; 3rd rate. No timber. Undergrowth, sage. Good grazing.

S.89°59 W.

., on a random line, bet. secs. 4 and 9.

40.00

Set temp. 4 sec. cor. Intersect N. and S. line 12 lks.S. of the cor. of secs. 4, 5, 8 and 9.

Thence S.89°56'E., on a true line, bet. secs. 4 and 9, over rolling land, through scattering sage. Road, bears NE. and SW.

00.8 29.50 Draw, course NE.

40.62 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

\$ 4 \$ 9

1917

and dig pits, 18x10x12 ins., E. and W. of post, 3 ft. dist.

80.04 The cor. of secs. 3, 4, 9 and 10.

> Land, rolling. Soil, sandy, 4 to 12 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.

40.00 84.42

N.0°10'E., on a random line, bet. secs. 3 and 4.
Set temp. 4 sec. cor.
Intersect N. bdy. of Tp. 9 lks. W. of the cor. of secs.

3, 4, 33,4and.34, ..., which is a 3 in. iron post, established under current group No, 78, properly

set and witnessed and marked as follows:

T19N R14E 533 534 S4 S3 . T18N

1917

Thence S.0°14'W., on a true line, bet. secs. 3 and 4, over rolling land, through scattering sage. Road, bears N.75°E. and S.75°W.

31.80 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground and 22 ins. in a mound of stone, for 4 sec. cor., 44.42 marked on brass cap

Subdivision of T. 18 N. R. 14 E. Chains S4 S3 and raise a mound of stone, 2 ft. base, 1 ft. high, W. of cor. From 2 sec. cor. the center of an earth dam bears N.82°45 W., about 25 chs. dist. 84.42 The cor. of secs. 3, 4, 9 and 10. Land, rolling. Soil, rocky, 4 to 8 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. From the cor. of secs. 2, 3, 34 and 35, on S. bdy. of Tp., described in Book B, N.0°10'E, bet. secs. 34 and 35, descending along ledges into Jack Canyon. 3.00 Bottom of Jacks Canyon, 50 ft. below sec. cor.; course NE. Water in bottom. Asc. N. rim of canyon, bears NE. and SW. Thence over rolling land, through scattering sage. 4.80 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for z sec. cor., marked on brass cap \$34 \$35 and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Road, bears NE. and SW.
Road, bears E. and N.
Point for sec. cor. falls in draw, course NE., where it is impracticable to establish a mounment. Therefore 53.40 57.10 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground and 18 ins. in a mound of stone, for witness cor. 79.20 to the cor. of secs. 26, 27, 34 and 35, marked on brass cap TISN R14E S27 S26 1917 and raise a mound of stone 2 ft. base, 12 ft. high, W. of cor. Land, rolling. Soil, sandy loam 6 to 30 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.

```
Subdivision of T. 18 N., R. 14 E.
                                                                           21
Chains
        WEST, on a random line, bet. secs. 27 and 34.
40.00
        Set temp. a sec. cor. Intersect N. and S. line 3 lks. N. of the cor. of secs.
            27, 28, 33 and 34.
        Thence N.89°59'E., on a true line, bet. secs. 27' and 34,
        over rolling land, through scattering sage. Desc. 20 ft. over E. slope of mesa.
 8.50
        Ft. of slope, bears NW: and SE. Thence over rolling land.
15.60
40.05
        Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
            ground, for 4 sec. cor., marked on brass cap
                                   1917
           and dig pits, 18x18x12 ins., E. and W. of post, 3 ft.
            Dist;
51.80
        Road, bears NE. and SW.
        The true point for cor. of secs. 26, 27, 34 and 35.
        Land, rolling.
        Soil, sandy, 6 to 30 ins. deep; 3rd rate.
        No timber.
        Undergrowth, sage. Good grazing.
        From the true point for cor. of secs. 26, 27, 34 and 35, N.O°10'E., bet. secs. 26 and 27, over rolling land, through scattering sage.
39.10
        Road, bears NE. and SW.
40.00
        Set an iron post, 3 ft. long, 1 in. diam., 26 ins. intthe
           ground, for 4 sec. cor., marked on prass cap
                                 s27 S26
           and dig pits, 18x18x12 ins., N. and S. of post, 3 ft.
           dist.
       Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on
80.00
            brass cap
                                 T18m R14E
S22 S23
                                  S27 S26
                                   1917
           and dig pits, 18x18x12 ins., in each sec., 5% ft. dist.
        Land, rolling.
        Soil, sandy loam 8 to 30 ins. deep; 3rd rate.
        No timber.
        Undergrowth, sage. Good grazing.
        S.89°59'W., on a random line, bet. secs. 22 and 27.
        Set temp. 2 sec. cor. Intersect N. and S. line 2 lks. S. of the cor. of secs.
40.00
80.16
```

Thence MAST, on a true line, bet. secs. 22 and 27, over rolling land, through scattering sage.

21, 22, 27 and 28.

	Subdivision of T. 18 N., R. 14 E.
Chains	
30185 40.08	Draw, course NE. Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap
	S22 S27
:	1917
	and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
80.16	The cor. of secs. 22, 23, 26 and 27.
	Land, rolling. Soil, sandy loam 12 to 30 ins. deep; 3rd rate. No timber. Undergrowth, sage. Good grazing.
40.00	over rolling land, through scattering sage. et an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor;, marked on brass cap
	······································
	. S22 S23 1917
	and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.
67.00 80.00	Top of rocky hill 10 ft. high, bears NW. and SE. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap
	T18N R14E S15 S14 S22 S23
	1917
	and dig pits, lexlex12 ins., in each sec., 5 ft. dist.
	Land, rolling. Soil, sandy loam 12 to 24 ins. deep; 3rd rate. No timber. Undergrowth, sage. Good grazing.
40.00 80.14	WEST, on a random line, bet. secs. 15 and 22. Set temp. z sec. cor. Intersect N. and S. line at the cor. of secs. 15, 16, 21 and 22.
32.10 40.07	Thence EAST, on a true line, bet. secs. 15 and 22, over rolling land, through scattering sage. Draw, course N. Begin ascent over rolling SW. slope. Set an iron post, 3 ft. long, 1 in. diam., 26 ins in the ground, for 2 sec. cor., marked on brass cap
	315 S22

```
Subdivision of T. 18 N., R. 14 E.
  Chains
              and dig pits, 18x18x12 ins., E. and W. of post, 3 ft.
               dist.
           Top of slope, 50 ft. above draw. Thence across low mesa. Desc. over E. slope of mesa.
 54.70
56.60
 70.00
           Center of earth dam about 270 ft. long and 6 ft. high
          bears S., about 7 chs. dist. Dam extends N.80°W. Draw, course N., 65 ft. below mesa. The cor. of secs. 14, 15, 22 and 23.
 77.10
           Land, rolling.
           Soil, rocky, 6 to 14 ins. deep; 3rd and 4th rate.
           No timber.
           Undergrowth, sage. Good grazing.
          N.0°10'E., bet. secs. 14 and 15,
over rolling land, through scattering sage.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 40.00
              ground, for 4 sec. cor., marked on brass cap
                                        S15 S14
              and dig pits, 18x18x12 ins., N. and S. of post, 3 ft.
          Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground and 20 ins. in a mound of stone, for cor. of secs. 10, 11, 14 and 15, marked on brass cap
 80.00
                                     218N/R14E
                                      S10 S11
                                      S15 S14
                                       1917
              and raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high,
              W. of cor.
          Land, rolling.
          Soil, 4 to 12 ins. deep over limestone; 3rd and 4th rate.
          No timber.
          Undergrowth, sage. Good grazing.
           WEST, on a random line, bet. secs. 10 and 15.
40.00
          bet temp. 2 sec. cor.
         Intersect N. and S. line 7 lks. N. of the cor. of secs.
80.10
             9, 10, 15 and 16.
         Thence N.89°57'E., on a true line, bet. secs. 10 and 15,
             over rolling land, through seattering sage.
         Desc. over NE. slope of mesa.
 7.00
         Ft. of slope bears NW. and SE. Thence over robling.land. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, for 4 sec. cor., marked on brass cap
10.00
40.05
```

and dig pits, 18x18x12 ins., E. and W. of post, 3 ft.

- Chairs	Subdivision of T. 18 N., R. 14 E.
77.40 80.10	Draw, course N.10°E., 90 ft. below top of mesa. The cor. of secs. 10, 11, 14 and 15. Land, rolling. Soil, 4 to 12 ins. deep over limestone; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
13.00 40.00	N.0°10'E., bet. secs. 10 and 11, over rolling land, through scattering sage. Draw, course NE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap
	$510 511$ 1917 and raise a mound of stone, 2 ft. base, $1\frac{1}{5}$ ft. high,
80.00	W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap
	TI8N R14E $\frac{S3}{S2} \frac{S2}{S10} = \frac{1917}{S10}$ and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Land, rolling. Soil, 4 to 10 ins. deep over limestone; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
40.00 80.10	S.89°57'W., on a random line, bet. secs. 3 and 10. Set temp. 2 sec. cor. Intersect N. and S. line 5 lks. S. of the cor. of secs. 3, 4, 9 and 10.
40.05	Thence N.89°59'E., on a true line, bet. secs. 3 and 10, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap
	S 3 S10 1917
80.10	and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. The cor. of secs. 2, 3, 10 and 11.
	Land, rolling. Soil, 6 to 30 ins. deep over limestone; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.

1 3665 Subdivision of T. 18 N., R. 14 E. Chains N.0°10'E., on a random line, bet. secs. 2 and 3. Set temp. 2 sec. cor. Intersect N. Bdy. of Tp. 2 lks. E. of the cor. of secs. 40.00 84.42 24 3, 34 and 35, ..., which is a 3 in iron post, established under current group No, 78, properly set and witnessed and marked as follows: T19N R14E S34 S35 S3 S2 T18N 1917 Thence S.0°09'W., on a true line, get. secs. 2 and 3, over rolling land, through scattering sage. Road bears NE. and W. 18.70 44.42 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground and 22 ins. in a mound of stone, for 4 sec. cor., marked on brass cap S3 S2 1917 and raise a mound of stone, 2 ft. base, 1 ft. high. W. of cor. 84.42 The cor. of secs. 2, 3, 10 and 11. Land, rolling.
Soil, 8 to 20 ins. deep over limestone formation; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. From the cor. of secs. 2, 2, 35 and 36, on S. bdy. of Tp. described in book s, N.O°11'E., bet. secs. 35 and 36, over rolling land, through scattering sage. Road, bears E. and W. Wire fence bears NW. and SE. 9.40 9.90 S. rim of Jacks Canyon, bears NE. and SW. Desc.,
Bottom of Jacks Canyon, course NE.; 85 ft. below sec. cor. Asc.
N. rim of Jacks Canyon, bears NE. and SW. Asc. over rolling 22.80 24.25 26.70 S. slope. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the 40.00 ground, for 4 sec. cor., marked on brass cap S35 S36 and raise a mound of stone, 2 ft. base, 1 ft. high, W. of cor. Spur extends E., 90 ft. above bottom of canyon. Desc.

over N. slope. 54.10 80.00

42.30

Draw, 15 ft. wide, course E.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs.25, 26, 35 and 36, marked on brass cap

0 (*)		Challed and orders and the TO the De TA De
26	Chains	Subdivision of T. 18 N., R. 14 E.
		1917
	·	and dig pits, 18x18x12 ins., in each sec., $5\frac{1}{k}$ ft. dist.
		Land, rolling. Soil, 3rd rate; limestone formation. Timber, walnut along bottom of canyon. Undergrowth, sage. Good grazing.
	40.00 79.90	WEST, on a random line, bet. secs. 26 and 35. Set temp. 4 sec. cor. Intersect N. and S. line 3 lks. N. of the true point for cor. of secs. 26, 27, 34 and 35.
,	39•95	Thence N.89°50'E., on a true line, bet. secs. 26 and 35, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground and 14 ins. in a mound of stone, for 2 sec. cor., marked on brass cap
		\$26 \$35 1917
		and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
	48.00 79.90	Road, bears NE. and SW. The cor. of secs. 25, 26, 35 and 36.
		Land, rolling. Soil, stony, 8 to 24 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.
:	40.00 79.93	EAST, on a random line, bet. secs. 25 and 36. Set temp. 2 sec. cor. Intersect d. bdy. of Tp. at the cor. of secs. 25, 30, 31 and 36, described in Book A.
	4.90 6.20 8.90 21.40 39.93	Thence WEST, on a true line, bet. secs. 25 and 36, over rolling land, through scattering sage. JacksCanyon, course N.,,15 ft. below sec. cor. Point of spur from SW. sloping NE. Wash, 20 lks. wide, course NE. Same wash, 40 lks. wide, course SE. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground and 14 ins. in a mound of stone, for 4 sec. cor., marked on brass cap
		\$\sigma \frac{\sigma \cince \sigma \frac{\sigma \fin \frac{\sigma \frac{\sigma \frac{\sigma \frac{\sigma \frac{\sigma \fin \finn \frac{\since \finn \fa \finn \frac{\sigma \finn \fin
		1917
		and raise a mound of stone, 2 ft. base, 12 ft. nigh,
	78.30 79.93	N. of cor. Wire fence, bears M. and S. The cor. of secs. 25, 36, 35 and 36.
		Land, rolling. Soil, 3rd rate; limestone formation. No timber. Undergrowth, sage. Good grazing.

PT 077 3365 Subdivision of T. 18 N., R. 14 E. 27 Chains N.0°11'E., bet. secs. 25 and 26, over rolling land, through scattering sage. NW. cor. of wire fence bears E., 160 lks. dist. Fence runs S. and E. Wash, 12 lks. wide, course E. Road, bears NE. and SW. 16.45 19.20 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for a sec. cor., marked on brass cap 40.00 326 325 and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap T18N R14E S23 S24 S36 S25 1917 and dig pits; 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist. Land, rolling. Soil, sandy loam 12 to 36 ins. deep; 3rd rate. No timber. Undergrowth, sage. Good grazing. S.89°59'W. _, on a random line, bet. secs. 23 and 26. set temp. 2 sec. cor. Intersect the cor. of secs. 22, 23, 26 and 27. 40.00 79.90 Thence N.89°59'E., on a true line, bet. secs. 23 and 26, over rolling land, through scattering sage. Butte 30 ft. high bears N., about 7 chs. dist. Road, bears NE. and SW. 22.00 **34.**60 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground and 11 ins. in a mound of stone, for 4 sec. cor., 39 • 95 marked on brass cap \$23 \$26 1917 and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. 79.90 The cor. of secs. 23, 24, 25 and 26. Land, rolling. Soil, sandy, 8 to 24 ins. deep; 3rd rate. No timber. Undergrowth, sage. Good grazing.

EAST, on a random line, bet. secs. 24 and 25.

Set temp. 4 sec. cor. Intersect E. bdy. of Tp. 3 lks. S. of the cor. of secs. 19, 24, 25 and 30, described in Book A.

40.00

79**.96**

14, 15, 22 and 23.

28 · Subdivision of T. 18 N., R. 14 E. cha ins Thence S.89°59'W., on a true line, bet. secs. 24 and 25, over rolling land, through scattering sage.

Asc. over £. slope of mesa. Ft. bears S. and NE.

Top of slope. Thence across mesa, 60 ft. above sec. cor.

Desc. over W. slope or mesa. Top bears N. and S.

Ft. of slope, bears N. and S., 35 ft. below top.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for z sec. cor., marked on brass cap 5.75 9.25 12.65 14.75 **39.**75 1917 and dig pits, 10x10x12 ins., E. and W. of post, 3 ft. dist. 79.75 The cor. of secs. 23, 24, 25 and 26. Land, rolling. Soil, sand No timber. sandy and rocky, 8 to 30 ins. deep; 3rd and 4th rate. Undergrowth, sage. Good grazing. over rolling land, through scattering sage.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap 40.00 and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Draw, 20 ft. below sec. cor., course NW. Asc. over SW. 42.20 slope, 30 ft. Top of mesa, bears SE. and NW. Thence across top. 50.45 55.00 Desc. over NE. slope of mesa. 66.00 Ft. of slope, bears NW. and SE. 61.00 Road bears NE. and SW. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on 80.00 brass can T18M/R14E \$14 \$13 \$23 \$24 1917 and raise a mound of stone, 2 ft. base, 12 ft. high, W. of cor. Land, rolling. Soil, sandy and rocky, 8 to 20 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing. S.89°59'W., on a random line, bet. secs. 14 and 23. Set temp. 2 sec. cor. Intersect N. and S. line 4 lks. N. of the cor. of secs. 40.00

		Subdivision of T. 18 N., R. 14 E.	29
	Chains		
	39. 98	Thence N.89°57'E., on a true line, bet. secs. 14 and 23, over rolling land, through scattering sage. Set an iron post, 3 ft.long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap	
		\$14 \$23	
	. :	1917	
-	65.00 79.96	and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. Draw, course N. The cor. of secs. 13, 14, 23 and 24.	
		Land, rolling. Soil, sandy, 10 to 24 ins. deep; 3rd rate. No timber.	
	•	Undergrowth, sage. Good grazing.	
	•		1 to 10 to 1
	40.00 79.62	N.89°59!E., on a random line, bet. secs. 13 and 24. Set temp. 4 sec. cor. Intersect E. bdy. of 4p. at the cor. of secs. 13, 18, 19 and 24, described in Book A.	
	- 39•62	Thence S.89°59'w., on a true line, bet. secs. 13 and 24, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground and 14 ins. in a mound of stone, for 4 sec.cor. marked on prass cap	
	•	$\frac{\text{S13}}{\text{S24}}$	
		1917	
	53.60 63.50 79.62	and raise a mound of stone, 2 ft. base, 12 ft. high, N. of cor. Draw, course N. Road, bears NE. and SW. The cor. of secs. 13, 14, 23 and 24.	
		Land, rolling. Soil, stony, 8 to 14 ins. deep; 35d and 4th rate. No timber. Undergrowth, sage. Good grazing.	
	. · · · · · · · · · · · · · · · · · · ·		
	40.00	N.O°11'E., bet. secs. 13 and 14, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground and 12 ins. in a mound of stone, for 2 sec. cor marked on brass cap	,
		S14 S13	
		1917	
	•	and dig pits, 18x18x12 ins., N. and S. of post, 3 ft.	
	77•40 80±00	dist. Draw, course NE. Set an iron post, 3 ft.long, 2 ins. diam., 5 ins. in the ground and 19 ins. in a mound of stone, for cor. of sec	· ·

chains

40.00 80.06

40.03

80.06

```
Subdivision of T. 18 N., R. 14 E.
   11, 12, 13 and 14, marked on brass cap
                          T18N|R14E
                            S11 S12
                            S14 S13
                             1917
    and raise a mound of stone, 2 ft. base, 12 ft. high,
    W. of cor.
Land, rolling.
Soil, 3rd rate, 8 to 20 ins. deep. Limestone formation.
No timber.
Undergrowth, sage. Good grazing.
S.89°57'W., on a random line, bet. secs. 11 and 14. Set temp. 4 sec. cor. Intersect N. and S. line at the cor. of secs. 10, 11, 14
    and 15.
Thence N.89°57'E., on a true line, bet. secs. 11 and 14,
over rolling land, through scattering sage.
Set an iron post, 3 ft.long, 1 in. diam., 26 ins. in the
    ground, for a sec. cor., marked on brass cap
                             1917
    and dig pits, 18x18x12 ins., E. and W. of post, 3 ft.
The cor. of secs. 11, 12, 13 and 14.
Land, rolling. Soil, 3rd rate; limestone formation.
No timber.
Undergrowth, sage. Good grazing.
Set temp. 2 sec. cor.
Intersect E. bdy. of Tp. at the cor. of secs. 7, 12, 13
over rolling land, through scattering sage. Road, bears NE. and SW.
```

N.89°59'E., on a random line, bet. secs. 12 and 13.

40.00

79.47 and 18, described in Book A.

Thence S.89°59'W., on a true line, bet secs. 12 and 13,

9.25

18.50 Draw, course NW.

39.47 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., marked on brass cap

1917

and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.

Praw, course N. Draw, course NE.

The cor. of secs. 11, 12, 13 and 14.

-	Chains	Subdivision of T. 18 N., R. 14 E.	3]
	,	land, rolling. Soil, sandy and rocky, 8 to 18 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.	•
	40.00	N.O°ll'E., bet. secs. ll and l2, over rolling land, through scattering sage. Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, for 2 sec. cor., marked on brass cap	
	•	S11 S12 1917	
	43.80 80.00	and dig pits, 18x18x12 ins., N. and S. of post; 3 ft. dist. Draw, course NE. Set an iron post, 3 ft. long, 2 ins. diam;, 14 ins. in the ground and 10 ins. in a mound of stone, for cor. of secs 1, 2, 11 and 12, marked on brass cap	3
		T18N R14E S2 S1 S11 S12	
		and raise a mound of stone, 2 ft. base, 1 ft. high, W. of cor. Land, rolling. Soil, sandy loam 10 to 20 ins. deep; 3rd rate. No timber. Undergrowth, sage. Good grazing.	
	40.00 80.08	S.89°57'W., on a random line, bet. secs. 2 and 11. Set temp. 2 sec. cor. Intersect N. and S. line 9 lks. S. of the cor. of secs. 2, 3, 10 and 11.	
	40.04	Thence S.89°59'E., on a true line, bet. secs. 2 and 11, over rolling land, through scattering sage. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground and 6 ins. in a mound of stone, for 4 sec. cor., marked on brass cap	
*		S 2 S11	
		1917	
	55.10 80.08	and dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. Draw, course W. The cor. of secs. 1, 2, 11 and 12.	
		Land, rolling. Soil, sandy, 4 to 12 ins. deep; 3rd and 4th rate. No timber. Undergrowth, sage. Good grazing.	

```
32
                               Subdivision of T. 18 N., R. 14 E.
 Chains
           12.89^{\circ}59^{\circ}E, on a random line, bet. secs. 1 and 12.
           Set temp. 4 sec. cor.
Intersect E. bdy. of Tp. at the cor. of secs. 1, 6, 7
and 12, described in BOOK A.
 40.00
 79.41
           Thence S.89°59'W., on a true line, bet. secs. 1 and 12,
                over rolling land, through scattering sage.
  9.40
           Draw, course N.
 39.41
           Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
                ground, for a sec. cor., marked on brass cap
                                            1917
               and dig pits, 18x18x12 ins., E. and W. of post, 3 ft.
               dist.
 68.40
           Draw, course M.20°E.
           The cor. of secs. 1, 2, 11 and 12.
 79.41
           Land, rolling.
           soil, sandy loam 12 to 24 ins. deep; 3rd rate.
           No timber.
           Undergrowth, sage. Good grazing.
           N.0°ll'E., on a random line, bet. secs. 1 and 2.

Set temp. 4 sec. cor.

Intersect N. bdy.of Tp. 12 lks. 2. of the cor. of secs.

1, 2. 35 and 36; ..., which is a 3 in. iron post with brass cap, established under current Group No. 78, properly set and witnessed and marked as follows:
 40.00
 84.38
                                            T19N/R14E
                                             S35 336
                                               S2 | S1
                                               T18N
                                               1917
           Thence S.0°6'W., on a true line, bet. secs. 1 and 2, over rolling land, through scattering sage.

Desc. over S. slope of mesa. Top bears E. and W.
  9.40
12.80
           Road bears E. and W.
           wash, 8 lks. wide, course NE.; 40 ft. below top of slope. Set an iron post, 3 ft.long, 1 in. diam., 8 ins. in the ground and 18 ins. in a mound of stone, for 4 sec. cor.,
14.00
44 • 38
               marked on brass cap
                                             S2 | S1
               and dig pits, 18x18x12 ins., N. and S. of post, 3 ft.
               dist.
84.38 The cor. of secs. 1, 2, 11 and 12.
           Land, rolling.
           soil, stony, 4 to 12 ins. deep; 3rd and 4th rate.
```

Undergrowth, sage. Good grazing.

3	3

· <u>l</u> .	atitudes, De	eparture	s and Cl	osing	errors.	
Line designated	True Course	Dist.	Latit	udes	рерагt	ures
			Ν.	S.	E.	₩.
		chs.	chs.	chs.	chs.	chs.
South boundary	WEST	480.00				480.00
West boundary	N.0°8'E.	484.25	484.25		1.13	
North Boundary	N.89°59 E.	479.28	114		479.28	
East Boundary	S.0°6'W.	484.18		484.18		•84
Convergency					•51	
Totals				484-18	480.92	480 · 8 4
			484.18	,	480.84	
Error in latitu	de		.21			
	Error in	departu	re		•08	•
	;		1	1		

General Description.

SURFACE: The surface of this township is rolling; broken by a few low mesas, and in the SE. cor. by JacksCanyon. The drainage is in a general northeasterly direction.

WATER: A small reservoir has been constructed in sec. 4 and another in sec. 22. There is some water in the bottom of Jacks Canyon.

SOIL: The soil is shallow, stony in places, and unsuited to agriculture; generally 3rd and 4th rate.

TIMBER: There is no timber except a small quantity of walnut in Jack Canyon.

OTHER VEGETATION: Sage brush grows in scattering quantity over the entire area. Native grass exists in amounts sufficient to furnish good grazing.

MINERAL: No indications of valuable mineral were noted.

of the township, some unimproved roads, and the reservoirs hereinbefore noted, constitute the improvements. There are no settlers.

Book "C"

Group 79 - Arizona.

Township 18 North, Range 14 East.

DATE DIAGRAM.

		!		1 3			
2-15-17	6. 3-1 2-1	3-12-17	5 3-15-17	4 91-3-17-17-N	3 2-23-17	2-24 -17	1 2-24-17
2-15-17	. 7 3-12-15	-12-17	8 3-14-17	9 3-14-17	ot 10	11 2-24-17	12 2-23-17
2-15-17	18 3-12-1	-12-17	17	16 16	15 15 2-2	14 2-21-17	13
2-15-17	19 3 - 9 -17	-12-17			22 25-17	23 23 1-13	24
2-15-17	30 3-9-17	3-9-17	29 3-13±17	28 3-13-17	27 -20 -1	26 17. 2-21-17 8	25
2-15-17	31	2-9417		33 191	34 7		36
1			The second secon	A se service and a service of the second	Let us result results a result result of the second		

Surveys executed on dates shown on diagram above by William L. Mash, U.S. Transitman.

4--680

FIELD ASSISTANTS. to

William L.	Nash, U.S. Transitman
NAMES.	CAPACITY.
B Wakeman,	lst chainman,
N. O'Connell,	2nd chainman,
Vernon Godbehere,	flagman,
Sam G. Borum,	moundman,
C. Muldoner,	axman.
	•
	-
	• • • • • • • • • • • • • • • • • • • •
······································	
,	
	:

CERTIFICATE OF UNITED STATES SURVEYOR

I, Wm L. Nash , U. S. Surveyer, hereby certify upon honor that, in pursuance
of special instructions received from the U.S. Surveyor General, for Group 79, Arizana.
bearing date of the 15t day of December , 1916, I have well, faithfully, and truly
in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instruc-
tions, and the laws of the United States, surveyed all those parts or portions of the
West boundary, and
Subdivision Lines of
TOWNSHIP 18 NORTH, RANGE 14 EAST,
of the Gila and Salt
Piver Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 34 hereof the foregoing field notes as having been executed by me, and under my direction; and that all the corners of
said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instruc-
tions, and the special written instructions of the U.S. Surveyor General, for Group 79, Arizona
and in the specific manner described in the field notes, and that the foregoing are the original field notes of
such survey. William & hool
U.S. Surveyor . Transitm a n
APPROVAL.
OFFICE OF THE UNITED STATES SURVEYOR GENERAL,
Phoenix Arizona. June 16, 1920.
The foregoing field notes of the survey of _the
West boundary, and
Subdivision Lines of
TOWNSHIP 18 NORTH, RANGE 14 EAST.
of the Gila and Salt River Base and Meridian, in the State of Arizona
executed by Wm. L. Nash, U. S. Transitman,
under the special instructions dated Dec. I,1916 for Group 79. Arizona, having been
critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys
critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.
critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved. U. S. Surveyor General.
critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U.S. Surveyor Gener