BOOK "E"

BOOK 3620

# FIELD NOTES

#### OF THE SURVEY OF THE

	Second Guide Meridian West, through Ts. 34 N.,
	The North Boundary of T.34 N., R.9 W., and
er.	The Subdivisions of T.34 N., R.9 W.
<b>C</b>	
	<del></del>
Ĺ,	
	Of the Gila and Salt River Base and Meridian,
	In the State ofArizona
)	
	EXECUTED BY
	Dupree R. Averill and
	William E. Hiester
	In the capacity of U.S. Surveyors, under Special Instructions dated October 12, 1916,
	issued by the United States Surveyor General to govern surveys included in Group
	No. 72. Arizona, which were approved by the Commissioner of the General Land
	Office, October 24 , 1916, and Assignment Instructions dated April 3 , 1917
	and August 11, 1921.
	Survey commenced May 2 , 1917
	Survey completed November 7 1921.

5020

## Book "E" Group 72- Arizona

BOOK 3620

## INDEX DIAGRAM.

1	Town.	ship	<u>34</u> 8	Ν	rth 9	,	Range		9 West 10		11		
		47	5		. •	32	3 2	25	2 19		1	4	
	47		47	_	38	-	31	-	25		18		1
	7	46	8	31	9	31	. 10 2	2	1 11 1		12	4	West
	45		45		37		30		24		17		2
	18 44	14	17 43	36	7.34 N	(O)/	R.9W.	2	3 <sup>14</sup> 1	•	13 15	5	Merida
!	19	42	. 20	35	21 2	28		2	2 <sup>23</sup> 1	5	24 14	6	Gunder
	42 30	41	29	3.	35 28 2	27	27	2	26	4	25	6	2nd
	40		40_		33		27		20	-	13		
	31	39	32	3	33 3	26	34	1	9 35 ]	-3	36	7	

Lines surveyed under this group.

BOOM, 8620

Book "E" Group 72 - Arizona

DATE DIAGRAM

T.34 N., R.9 W.

	6	-15-17	6-15-17	6-14-17	6-14-17	6-14-17	6-13-17	
Book "F"		0 10-18-21	o 11-7-21	1]-4-21	м 11–2–21	ω 11-2-E1	ب 5-2-17	
	1	0-18-21	11-5-21	11-4-21	11-2-21	11-6-21	11-3-21	
line see		10-18-21	æ 11~5~21	ە 11 <b>-3</b> -21	10 1-1-21	11 -2-21	12 2-3-17	West
this	1	0-15-21	10-17-21	10-29-21	10-29-21	10-31-21	10-25-21	
of		18 10-15-21	17 -01 17 -01	16 10-27-21	15 - 82 - 01	1 <b>4</b> 14 01	13 -4-6 71-4-17	Meridian
survey	1	0-2-21	10-14-21	10-26-21	10-25-21	10-1-21	10-20-21	2
execution of s		19-12-21	0 0 10-14-21	21 26-21	12-92-01 22	88 80 10-20-21	5-4-17	Gui de
ည်	1	D-7-21	10-7-21	10-22-21	10-22-21	10-19-21	11-27-17	
of		30 -01	29 - <b>2-0</b> 0	ა მ 10-22-21	27 27 27	26 27-11	5-4-17	2nd
dates	1	0-6-21	10-4-21	10-21-21	10-21-21	10-19-21	11-27-17	ļ `
For		31 -9-01	32 10-4-21	<b>25</b> 10-21-21	12-61-01 34	35 25-11	36 -2-9 2-9	
,		For dat	es of execut	ion of surv	ey of this	line see Boo	ok "B"	

Lines in black surveyed by Dupree R. Averill.

Lines in red surveyed by William E. Hiester.

Survey commenced May 2, 1917, and executed with Young and Sons light mountain transit No. 8480, and Buff and Buff light mountain transits Nos. 9208, 10125, 9977 and and 9225; each instrument is equipped with full vertical circle and Smith solar attachment; unless otherwise specified, all azimuth determinations are accomplished with the solar attachment.

Field Test of Instruments No. 8480 and 9208.

- April 23, 1917: We examine the adjustments of the instruments and correct all errors; then, to test the solar apparatus, by comparing their indications, resulting from observations made during a.m. and p.m. hours with a meridian established by Polaris observations, we proceed as follows:
- April 24, 1917: In camp near the torm of secs. 4&35, Ts. 34 &. 35 N., R. 9 7., G. and S. R. B. and M., lat. 36°23' N., long. 113°16½W., at 5 hrs. 24.8 m., a.m., l.m.t., we observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and marking the mean point in the line thus determined on a peg driven firmly in the ground, 5 chs. N.
- Azimuth of Polaris at eastern elongation is, 1°24'41"
- At 8 hrs. 0 m., a.m., l.m.t., we lay off the azimuth of Polaris, lo24% to the west, and mark the meridian thus determined by a tack driven in a peg set firmly in the ground, 5 chs. N.
- At 9 hrs. 0 m., a.m., l.m.t., we set off 36°23''N. on the lat. arcs; 12°50½'N. on the decl. arcs; and determine a meridian with each solar. Which we find to agree with the true meridian.
- At apparent noon, with the lat. arcs unchanged, we observe the sun on the meridian with each solar, The resulting readings of the declination arcsare 12°52½ N., which agree with the computed decl. of the sun.
- At 3 hrs. 0 m., p.m., l.m.t., with the lat. arcs unchanged, we set off 12°55'N. on the decl. arcs and determine a meridian with each solar, which we find to agree with the true meridian.
- As all of the solar observations during the usual hours of solar work come within 1'30" of the true meridian, we conclude that the adjustments of the instruments are satisfactory.
- Unless otherwise specified, all measurements are made with a Lufkin steel tape, 5 chs. in length, compared with a Lufkin standard steel tape and found correct. The measurements are made on the slope, the vertical angle 8 determined, and the slope measurements properly reduced to true horizontal distances.
  - Field tests of Instruments Nos. 10125, 9977 and 9225.
- Oct. 2, 1921. We examine the adjustments of the instruments and correct all errors; then, to test the solar apparatus, by comparing their indications, resulting from observations made during a.m. and p.m. hours with a meridian established by Polaris observations, we proceed as follows:
- At camp, near the center of sec. 18, T. 33 N., R. 9 W., G. and S. R. B. and M., Arizona, lat.  $36^{\circ}15\frac{1}{8}$ 'N,,long.

113°18½'W., at 6 hrs. 52.2 m., p.m., l.m.t., we observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and marking the mean point in the line thus determined on a peg driven firmly in the ground, 5 chs. N.

Azimuth of Polaris at eastern elongation is 1°23 ". October 3, 1921.

- At 8 hrs. 0 m., a.m. l.m.t., we lay off the azimuth of Polaris, 1°23 ' to the west and mark the meridian thus determined by a tack driven in a peg set firmly in the ground, 5 chs. N.
- At 9 hrs. 0 m., a.m., l.m.t., we set off 36°15½'N. on the lat. arcs; 3°54½'S. on the decl. arcs; and determine a meridian with each solar, which we find to agree with the true meridian.
- At apparent noon, with the lat. arcs unchanged, we observe the sun on the meridian with each solar. The resulting reading of the declination arc on each solar is 3° 57½ 'S., which is the computed decl. of the sun.
- At 3 hrs. 0 m., p.m., l.m.t., with the lat. arcs unchanged, we set off 4°00' S. on the decl. arcs and determine a meridian with each solar, which we find to agree with the true meridian.
- As all of the solar observations during the usual hours of solar work come within 1'30" of the true meridian, we conclude that the adjustments of the instruments are satisfactory.
- Unless otherwise specified, all measurements are made with a Lufkin steel tape, 5 chs. in length, compared with a Lufkin standard steel tape and found correct. The measurements are made on the slope, the vertical angles determined, and the slope measurements properly reduced to true horizontal distances.

Survey of the 2nd Guide Meridian West Through Ts. 34 N.

```
Chains.
            From the cor. of Ts. 34 and 35 N., Rs. 8 and 9 W., which
                 is an iron post, described in Book "H",
            South bet. secs. 1 and 6.
            Over rolling land, through scattering timber and dense
                 undergrowth.
            Asc. 185 ft.
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, in a mound of stone, for ½ sec. cor., marked on
 40.00
                 brass cap
                                          s lis 6
                                             1917
                 From which
                       A pine, 40 ins. diam., brs. S.40^{\frac{1}{2}}°E.,
           56 lks. dist., marked $\frac{1}{2}$6 3T.

A pine, 32 ins. diam., brs. $\frac{1}{2}$0 3T.

265 lks. dist., marked $\frac{1}{2}$1 3T.

Continue ascent, 35 ft.

Thence over nearly level land.
 55.00
70.00
            Asc. 85 ft.
  79,38spur, slopes NW. Desc. 10 ft.
            Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, in a mound of stone, for cor. of secs. 1, 6, 7 and 12, marked on brass cap
                                             T34N
                                          R9W R8W
S 1 S 6
                 From which
                       A yellow pine, 16 ins. diam.
                                                                     brs. N.82½°E.,
                             113 lks. dist., marked T34N R8W S6 BT.
                       A yellow pine, 30 ins. diam., brs. S.31°E.,
                       168 lks. dist., marked T34N R8W S7 3T.

A yellow pine, 48 ins. diam., brs. S.43% W.,

61 lks. dist., marked T34N R9W S12 BT.
                       A white oak, 14 ins. diam., brs. N.88 W., 119 lks. dist., marked T34N R9W S1 BT.
            Land, rolling.
Soil, 3rd rate.
Timber, yellow pine.and oak.
            Undergrowth, scrub oak.
            South bet. secs. 7 and 12.
            Over rolling and mountainous land, through scattering
                timber and dense undergrowth.
            Desc. 15 ft.
Gulch, 5 lks. wide, course NW. Asc. 315 ft.
Trail, brs. E. and W.
  1.48
 28.44
 37.94
40.00
            Spur, slopes E. Desc.
            Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, in a mound of stone, for \frac{1}{4} sec. cor., marked on
                 brass cap
                                          S12 | S 7
                                             1921
                 From which
                       A pine, 38 ins. diam., brs. S.35°E., 119 lks. dist., marked 57 BT. A pine, 12 ins. diam., brs. S.61°W.,
                              53 lks. dist., marked 3sl2 BT.
            Continue descent, 50 ft.
```

Survey of the 2nd Guide Meridian West Through Ts. Wash, 2 lks. wide, course NE. Asc. 160 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on 56.25 80.06 24 ins. in the brass cap T34N R9W R8W S12 S 7 S13 | S18 1917 From which ' A pine, 18 ins. diam., brs. N.57½°E., 163 lks. dist. marked T34N R8W S7 3T. A pine, 40 ins. diam., brs. S.84½°E.,
100 lks. dist., marked T34N R8W S18 ST.
A pine, 36 ins. diam., brs. S.26½°W.,
54 lks. dist., marked T34N R9W S13 BT.
A pine 30 ins. diam. brs. U.54°W. A pine, 30 ins. diam., brs. H.54°W., 186 lks. dist., marked T34H R9W S12 BT. Land, rolling and mountainous. Soil, 3rd rate; rocky. Timber, yellow pine. Undergrowth, sagebrush and scrub oak. South bet. secs. 13 and 18. Over mountainous land, through scattering timber and undergrowth. Asc. 75 ft Ridge, brs. E. and W. Desc. 45 ft.
Thence over nearly level land.
Set an iron most, 3 ft. long, 1 in. diam., on surface rock supported in a mound of stone, for 1 sec. cor., 4.75 14.20 40.00 marked on brass cap s13 s18 From which A yellow pine, 20 ins. diam. brs. N.23°E., 43 lks dist., marked S18 3T. A pine, 20 ins. diam., brs. S.8210W., 57 lks. dist., marked S13 37. Rim rock, brs. E. and J. Desc. 900 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, marked on 43.40 brass cap T34N R9W R87 S13 S18 S24 S19 1917 From which A pinyon, 10 ins. diam., brs. N.46°E. 69 lks. dist., marked T341 R8W S18 BT. A Juniper, 10 ins. diam., brs. S.22°E., 53 lks dist., marked T34N R8W S19 BT. A pinyon, 6 ins. diam., brs. S.72°W., 94 lks. dist., marked T34N R9W S24 BT. A pinyon, 10 ins. diam., brs. N.6610W. 91 lks. dist., marked T34N R9W S13 8T. Land, nearly level and mountainous. Soil, rocky, 4th rate.

Timber, pinyon and juniper.

Undergrowth, scrub oak and manzanita.

Survey of the 2nd Guide Meridian West Through Ts. 34 N.

	2nd Guide Meridian West Through Ts. 34 N.
Chains.	South bet. secs. 19 and 24.
11.87 18.81 40.00	Over mountainous land, through scattering timber and undergrowth.  Desc. 195 ft.  Wash, 25 lks. wide, course SW. Asc. 50 ft.  Spur, slopes W. Desc. 285 ft.  Set an iron post, 3 ft. long, 1 in. diam., 21 ins. in the ground, in a mound of stone, for 1 sec. cor., marked on brass cap
	s24 s19 1917
42.70 57.06 80.00	From which  A juniper, 18 ins. diam., brs. N.48½°E.,  61 lks dist., marked ½S19 BT.  A juniper, 8 ins. diam., brs. S.34½°W.,  22 lks. dist., marked ½S24 BT.  Continue descent, 270 ft.  Wash, 20 lks. wide, course SW. Continue descent.  Gulch, course W. Continue descent.  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone, for cor. of secs. 19, 24, 25 and 30, marked on brass cap
	T34N R9W R8W S24 S19 S25 S30 1917
	From which  A pinyon, 5 ins. diam., brs. N.75½°E.,  86 lks. dist., marked T34N R8W S19 BT.  A pinyon, 6 ins diam., brs. S.81°E.,  36 lks. dist., marked T34N R8W S30 BT.  A pinyon, 9 ins. diam., brs. S.58°W.,  57 lks. dist., marked T34N R9W S25 BT.  A pinyon, 8 ins. diam., brs. N.50½°W.,  37 lks. dist., marked T34N R9W S24 BT.  Land, mountainous.  Soil, rocky, 4th rate.  Timber, pine and juniper.
-	Undergrowth, scrub oak, sagebrush and manzanita. Fair grazing.
20.10 27.55 40.00	South bet. secs. 25 and 30.  Over rolling land, through scattering timber and undergrowth.  Desc. 145 ft.  Asc. 20 ft.  Desc. 55 ft.  Set an iron post, 3 ft. long, 1 in. diam., on surface rock supported in a mound of stone, for ½ sec. cor., marked
	on brass cap \$25 \big  \$30 1917
	From which  A pinyon, 8 ins. diam., brs. N.75½°E.,  92 lks. dist., marked 2530 BT.  A pinyon, 8 ins. diam., brs. N.81½°W.,  139 lks. dist., marked 2525 BT.  Continue descent, 220 ft., over mountainous land.
62.00	Leave mountainous, enter rolling land, ors. NW. and SE. Continue descent, 40 ft.
•	•

Chains. 80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone, for cor. of secs. 25, 30, 31, and 36, marked on brass cap

R9W R8W S25 S30 S36 S31 1917

From which

A cedar, 14 ins. diam., brs. N.43%°E., 82 lks. dist., marked T34N R8W S30 BT.

A cedar, 8 ins. diam., brs. S.65°E.,

153 lks. dist., marked T34N R8W S31 BT.

A cedar, 8 ins. diam., brs. S.27°W.,

107 lks. dist., marked T34N R9W S36 BT.

A cedar, 24 ins. diam., brs. N.4°W.,

141 lks. dist., marked T34N R9W S25 BT.

Land, rolling and mountainous. Soil, rocky, 4th rate.

Timber, juniper, cedar and pinyon.

Undergrowth, sagebrush and scrub oak.

Fair grazing.

South bet. secs. 31 and 36. Over rolling land, through scattering timber and undergrowth.

27.10 Desc. 50 ft. 40.00

80.00

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, and in a mound of stone, for 1 sec. cor., marked on brass cap

From which

A juniper, 8 ins. diam., brs. N.62% E.,

87 lks. dist., marked 1831 3T. A juniper, 10 ins. diam., brs. S.77°W.,

40 lks. dist., marked 1836 BT.

Continue descent, 170 ft.
Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in the ground, in a mound of stone, for cor. of Ts. 33 and 34 N., Rs. 8 and 9 W., marked on brass cap

From which

A juniper, 10 ins. diam., brs. N.71°E.

A juniper, 10 ins. diam., brs. N.71° N.,

158 lks. dist., marked T34N R8W S31 BT.

A juniper, 8 ins. diam., brs. S.36°E.,

118 lks. dist., marked T33N R8W S6 BT.

A juniper, 12 ins. diam., brs. S.50°W.,

33 lks. dist., marked T33N R9W S1 BT.

A juniper, 16 ins. diam., brs. N.53%°W.,

116 lks. dist. marked T34N R9W S36 37

116 lks. dist., marked T34N R9W S36 3T.

Land, rolling. Soil, rocky, 4th rate.

Timber, juniper, cedar and pinyon. Undergrowth, sagebrush and scrub oak.

Fair grazing.

Chains.

31.35 39.37

52.95 55.60 60.45

71.85

10.55 12.55 24.77

35.50

40.00

From which

Survey of the North Boundary of T. 34 N.. R. 9 W From the cor. of Ts. 34 and 35 N., Rs. 8 and 9 W., which is an iron post, described in Book "H", West on a random line, along the N. bdy. of T. 34 N.,
R. 9 W., setting temp. 2 sec. and sec. cors. at intervals of 40.00 chs.; and at 479.37 chs., fall 50 lks.
N. of the cor. of Ts. 34 and 35 N., Rs. 9 and 10 W.,
which is an iron post, described in Book "F". Thence N.89°56'E. on a true line, bet. secs. 6 and 31.

Over prolling land, through scattering timber and undergrowth. Asc. 75 ft. Thence over gently rolling land.

Set an iron post, 3 ft. long, l in. diam., 26 ins. in the ground, and in a mound of stone, for \( \frac{1}{4} \) sec. cor., marked on brass cap \$31 \$ 6 1917 From which A juniper, -- ins. diam., brs. N.19°E., 99 lks. dist., marked 4831 BT. A pinyon, 6 ins. diam., brs. S.34°E., 67 lks. dist., marked 156 3T. Asc. 85 ft. Desc. 115 ft.
Wash, 10 lks. wide, course S. Asc. 185 ft.
Desc. 15 ft. Thence over gently rolling land.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, marked on brass cap T35N R9W S31,S32 U S T34N 1917 From which A juniper, 6 ins. diam., brs. N.59°E. 101 lks. dist., marked T35N R9W S32 BT. A juniper, 6 ins. diam., brs. S.62°E., 95 lks. dist., marked T34N R9W S5 BT. A pinyon, 10 ins. diam., brs. S.21°W. 56 lks. dist., marked T34N R9W S6 3T.
A pinyon, 12 ins. diam., brs. N.36°W.,
48 lks. dist., marked T35N R9W S31 BT.
Land, gently rolling and rolling. Soil, rocky, 4th rate. Timber, juniper and pinyon. Undergrowth, sagebrush, scrub oak and cactus. Poor grazing. N.89°56'E. on a true line, bet. secs. 5 and 32. Over mountainous land, through scattering timber and undergrowth. Asc. 40 ft.
Desc. 40 ft.
Wash, 20 lks. wide, course sw. Asc. 320 ft. Spur, slopes SW. Desc. 125 ft. Asc. 45 ft. Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, and in a mound of stone for \( \frac{1}{2} \) sec. cor., marked on brass cap

F-62 8020

```
A juniper, 8 ins. diam., brs. N.4°W.,
                        145 lks. dist., marked 1832 BT.
A pinyon, 8 ins. diam., brs. $.39\frac{1}{2}\cdot \textbf{E}.,
107 lks. dist., marked 185 BT.
            Wash, 25 lks. wide, course SW. Asc. 450 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone, for cor. of secs. 4, 5, 32 and 33, marked on brass cap
48.35
                 From Which
                       A pinyon, 8 ins. diam., brs. N.54°E.,
190 lks. dist., marked T35N R9W S33 3T.
A pinyon, 8 ins. diam., brs. S.571°E.,
                        182 iks. dist., marked T34N R9W S4 BT. A pinyon, 8 ins. diam., brs. S.262 W.,
                       63 lks. dist., marked T34N R9W S5 3T. A pinyon, 8 ins. diam., brs. N.48°W.,
                               38 lks. dist., marked T35N R9W S32 3T.
            Land, mountainous.
            Soil, rocky, 4th rate.
            Timber, juniper and pinyon.
            Undergrowth, sagebrush and cactus.
            Poor grazing.
            N.89°56'E. on a true line, bet. secs. 4 and 33.
            Over rolling and mountainous land, through scattering
            timber and undergrowth. Desc. 150 ft.
30.25
37.30
40.00
            Wash, 15 lks. wide, course SE. Asc. 75 ft. Desc. 25 ft.
            Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, and in a mound of stone, for 4 sec cor., marked on brass cap
                 From which
                        A pinyon, 12 ins. diam., brs. N.79°E.,
                        20 lks. dist., marked 533 3T.

A pinyon, 9 ins diam., brs. S.29½°E.,
100 lks. dist., marked 54 3T.
            Continue descent, 110 ft.
           Fence line of juniper rails, ors. SE. and S.70°W. Wash, 15 lks. wide, course NE. Asc. 60 ft. Road, Saw mill to Grand Gulch and St. Thomas, ors. NE.
54.68
57.48
62.90
                 and SW.
76.23
            Spur, slopes N. Desc. 30 ft.
            Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone, for cor. of secs. 3,
                 4, 33 and 34, marked on brass cap
```

From which

10 ins. diam., brs.  $\mathbb{N}.48\frac{1}{2}$ °E., 182 lks. dist., marked T35N R9W 834 3T.

Desc.

4.58 28.00 Survey of the North Boundary of T. 34 N., R. 9 W.

chains. A pine, 20 ins. diam., brs. S.77°°E.,

149 lks. dist., marked T34N R9W S3 3T.

A pine, 28 ins. diam., brs. S.46°W.,

73 lks. dist., marked T34N R9W S4 3T. A pinyon, 10 ins. diam., brs. N.613° 7. 276 lks. dist., marked T35N R9W S33 BT. Land, rolling and mountainous. Soil, rocky, 4th rate. Timber, pinyon, pine and juniper. Undergrowth, sagebrush. Poor grazing. N.89°56'E. on a true line, bet. secs. 3 and 34. Over rolling land, through scattering timber and undergrowth. Wash, 15 lks. wide, course HW. 5.13 9.48 Wash, 10 1ks. wide, course IW. 18.53 23.60 40.00 Wash, 20 lks. wide, course NW. Asc. 45 ft. Thence over gently rolling land.
Set an iron post, 5 ft. long, 1 in. diam., 24 ins. in the ground, and in a mound of stone, for 1 sec. cor., marked on brass cap From which A pinyon, 10 ins. diam., brs. N.893°E., 320 lks. dist., marked \$334 3T.
A pinyon, 8 ins. diam., brs. S.93°E., 199 lks. dist., marked \$33 BT. 45.80 51.87 80.00 Asc. 105 ft. Spur, slopes N. Desc. 65 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground, and in a mound of stone, for cor. of secs. 2, 3, 34 and 35, marked on brass cap T34N From which A pinyon, 16 ins. diam., ors. N.732°E., 20 lks dist., marked T35N R9W S35 3T. A pinyon, 16 ins. diam., brs. S.652°E. 170 lks. dist., marked T34N R9W S2 3T. A pinyon, 12 ins. diam., brs. S.25% W. 60 lks. dist., marked T34N R9W S3 BT. A pinyon, 8 ins. diam., brs. N.462 W. 39 lks. dist., marked T35N R9W S34 BT. Land, rolling and gently rolling. Soil, rocky, 4th rate. Timber, juniper, pinyon and yellow pine. Undergrowth, scrub oak. Poor grazing. N.89°56'E. on a true line, bet. secs. 2 and 35. Over rolling land, through scattering timber and undergrowth.

Wash, 35 lks. wide, course N. Asc. 125 ft. Thence over gently rolling land.

3620

Survey of the North Boundary of T. 34 N., R. 9 W.

```
Chains.
            Wash, 15 lks. wide, course NW. Asc. 160 ft. Set an iron post, 3 ft. long, lin. diam., 14 ins. in the ground, in a mound of stone, for \frac{1}{4} sec. cor., marked
 34.00
 40.00
                 on brass cap
                                             1 S35
S 2
1917
                 From which
                       A pinyon, 8 ins. diam., brs. N.77½°E., 202 lks; dist., marked 1835 BT. A pinyon, 6 ins. diam., brs. S.78½°E., 249 lks. dist., marked 182 BT.
            Asc. 85 ft.
 47.00
            Desc. 255 ft.
            Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, marked on
 80.00
                 brass cap
                                           T35N R9W
S35 S36
S 2 S I
                                                T34N
1917
                 From which
                       Apine, 26 ins. diam., brs. 3.86°E.,
44 lks. dist., marked T35N R9W S36 3T.
                        A pine, 22 ins. diam., brs. 8.84^{3} ^{\circ}E.
                            227 lks. dist., marked T34N R9WS1 BT.
                        A pine, 24 ins. diam., brs. N.86\frac{1}{2}°W., 456 lks. dist., marked T35NR9W S35
            No other trees within limits. Raise a mound of stone, 2 ft. base, 1\frac{1}{2} ft. high, W. of cor.
            Land, rolling.
            Soil, rocky, 4th rate.
            Timper, juniper and pinyon.
            Undergrowth, sagebrush, scrub oak and cactus.
            Poor grazing.
            N.89°56'E. on a true line, bet. secs. 1 and 36.
            Over rolling and hilly land, through scattering timber
                 and undergrowth.
            Desc. 155 ft. From this point, Sawmill prs. S.562°E. about 16.00 chs.
 12.00
                 dist.
 20.10
            Road, brs. N. to St. Thomas and St. George and S. to
                 Sawmill.
            Wash, 30 lks. wide, course NE.
Wash, 10 lks. wide, course NW. Asc. gradual slope.
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground, and in a mound of stone, for 3 sec. cor.,
 25.00
 30.60
 40.00
                 marked on brass cap
                                            1 S 36
4 S 1
1917
                 From which
                       A pine, 26 ins. dism., brs. N.40\frac{1}{2}°E.,
                              18 lks. dist., marked 2536 BT.
            A pine, 12 ins. diam., brs. 9.40°W., 25 lks. dist., marked $51 BT.

Asc. gradual slope, 115 ft.
The cor. of Ts. 34 and 35 N., Rs. 8 and 9 W.
 80.00
            Land, rolling and hilly.
            Soil, rocky, 4th rate.
            Timber, pine, pinyon and junkper. Undergrowth, scrub oak.
```

#### Boundaries of T. 34 N., R. 9 W.

Latitudes, departures and closing errors.

			T	<del></del>				
•				Latit	tudes.	Departures		
Line d	esignated.	True bearing.	Dist.	N.	S.	Ε.	W.	
South	Boundary.	s.89°58'W.	chs. 479.96	chs.	chs. .28	chs.	chs.	
West B	oundary.	North.	480.00	480.00				
North	Boundary.	∏.89°56'E.	479 • 37	.50	•	479 • 37		
(2nd G	oundary. uide W.)	South.	<b>4</b> 80 <b>.</b> 00		480.00			
Conver	gen <b>cy.</b>					•53		
Totals				480.50 480.28	480.28	479.90	479.96	
	or in latitude 0.22						479.90 0.06	

- ∂027°

 $-\cup \mathcal{O}X$ 

```
chains
            From the cor. of secs. 1, 2, 35 and 36, on the S. bdy.
                 of the Tp., which is an iron post, described in 300k
            N.0°1'W. bet. secs. 35 and 36.
            Over rolling land, through scattering timber and under-
                 growth.
 40.00
            Set an iron post, 3 ft. long, 1 in. diam., 17 ins. in the
                 ground, in a mound of stone, for \( \frac{1}{2} \) sec. cor., marked
                 on brass cap
                 From which
                        A cedar, 7 ins. diam., brs. N.49°E.,
149 lks. dist., marked 1836 3T.
A cedar, 8 ins. diam., brs. N.70°W.,
112 lks. dist., marked 1835 3T.
            Asc. 20 ft.
            Desc. 30 ft.
 47.00
            Asc. 35 ft.
Desc. 10 ft.
 70.00
 77.90
            Wash, course SW. Asc.
Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of stone, for cor. of secs. 25, 26
 79.90
80.00
                 35 and 36, marked on brass cap
                                           T34N R9W
S26 S25
                 From which
                        A cedar, 14 ins. diam., brs. 1.29_{4}^{3}°E.
                       433 lks. dist., marked T34N R9W S25 BT.

A cedar, 13 ins. diam., brs. S.362°E.,

139 lks. dist., marked T34N R9W S36 BT.

A cedar, 6 ins. diam., brs. S.8°W.,

58 lks. dist., marked T34N R9W S35 BT.

A cedar, 10 ins. diam., brs. N.662°W.,

103 lks. dist. marked T34N R9W S35 BT.
                              103 lks. dist., merked T34N R9W S26 BT.
            Land rolling.
            Soil, rocky, 3rd and 4th rates. Timber cedar and pinyon.
            Undergrowth, scrub oak, manzanita, sagebrush and cactus.
            N.89°58'E. on a random line, bet. secs. 25 and 36. Set temp. = sec. cor.
 40.00
            Fall 2 lks. N. of the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of Tp., which is an iron post, herein-
 79.94
                 before described.
            S.89°59 W. on a true line, bet. secs. 25 and 36.
            Over rolling and mountainous land, through scattering
            timber and undergrowth.
Desc. 325 ft.
            Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for 3 sec. cor., marked
 39.97
                 on brass cap
                 From which
                        A cedar, 9 ins. diam., brs. N.4\frac{1}{8}°E.,
                       44 lks. dist., marked $25 BT. A cedar, 7 ins. diam., brs. $.23\frac{1}{4}\circ \mathbb{V}\cdots$. 192 lks. dist., marked $256 BT.
```

Survey of the

```
Subdivision of T. 34 N., R. 9 W.
chains
           Continue descent, 265 ft.
 79.84
          Wash, course SW. Asc. The cor. of secs. 25, 26, 35 and 36.
 79.94
          Land, rolling and mountainous. Soil, rocky, lava formation, 4th rate.
          Timber, cedar.
          Undergrowth, sagebrush and scrub oak.
          N.O°l'W. bet. secs. 25 and 26.
          Over rolling and broken land, through scattering timber
               and undergrowth.
           Asc. 225 ft.
 40.00
          Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
               ground, in a mound of stone, for \frac{1}{4} sec. cor., marked
               on brass cap
               From which
                  A cedar, 9 ins. diam., brs. N.52 to E.
                    148 lks. dist., marked 1825 BT. A cedar, 6 ins. diam., brs. S.27°W., 102 lks. dist., marked 526 BT.
           Continue ascent.
          Stream, course SW. Continue ascent, 315 ft. From this point, reservoir brs. East 7.50 chs. dist.
 45.46
 47.30
49.65
80.00
          Wash, course W. Continue ascent.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for cor. of secs. 23, 24, 25 and 26, marked on brass cap
                                                                        18 ins. in the
                                    . T34N R9W
s23 s24
s26 s25
                                          1917
               From Which
                    A cedar, 11 ins. diam., brs. N.312°E.,
154 lks. dist., marked T34N R9W S24 BT.
A cedar, 13 ins. diam., brs. S.72°E.,
                          214 lks. dist., marked T34N R9W S25 BT.
                    A cedar, 10 ins. diam., brs. S.68°W.,
189 lks. dist., marked T34N R9W S26 BT.
A pinyon, 8 ins. diam., brs. N.75\(\frac{1}{2}\)°W.,
252 lks. dist., marked T34N R9W S23 BT.
           Land, rolling and broken.
           Soil, rocky, 3rd and 4th rates.
           Timber, cedar.
           Undergrowth, sagebrush and scrub oak.
           N.89°59 E. on a random line, bet. secs. 24 and 25. Set temp. 3 sec. cor.
 40.00
 80.32
           Fall 26 lks. N. of the cor. of secs. 19, 24, 25 and 30,
               on the E. ody. of Tp., which is an iron post, herein-
               before described.
           Thence
           N.89°50'W. on a true line, bet. secs. 24 and 25.
           Over mountainous land, through heavy
                                                                      timber and under-
               growth.
           Desc. 475 ft.
           Wash, course NW.
                                    Continue descent.
 26.70
 28.27
           Pipe line, flows SW.
           Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 40.16
               ground, in a mound of stone, for \( \frac{1}{2} \) sec. cor., marked
```

V7015 1 11015 on brass cap S24 S25 1917 From which A pinyon, 12 ins. diam., brs. N.38°E., 95 lks. dist., marked 1824 BT. A pinyon, 16 ins. diam., brs. S.31°E.,
101 lks. dist., marked +S25 BT.
Thence over gently rolling land. Leave heavy timber, brs. 56.30 60.97 62.90 66.30 73.27 80.32 Asc. 10 ft. N. & S. Desc. 90 ft. Wash, course SE. Desc. 75 ft. Asc. 30 ft. The cor. of secs. 23, 24, 25 and 26. Land, mountainous and gently rolling. Soil, rocky, lava formation, 4th rate. Timber, pinyon and cedar. Undergrowth, scrub oak and sageorush. N.O°l'W. bet. secs. 23 and 24. Over broken mountainous land, through scattering timber and undergrowth. Asc. 360 ft. Spur, slopes SW. Continue ascent. Set an iron post, 3 ft. long, l in. diam., 26 ins. in the 5.00 40.00 ground, for 4 sec. cor., marked on brass cap S23 S24 1921 From which A pinyon, 14 ins. diam., brs. H.82°E., 39 lks. dist., marked \$524 BT.
A pinyon, 14 ins. diam., brs. S.20½°W., 69 lks dist., marked \$523 BT. Continue ascent, 105 ft.

Spur, slopes W. Desc. 105 ft.

Head of draw, course IW. Asc. 355 ft.

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, in a mound of stone, 4 ft. base, 28 ins. high for cor. of secs. 13, 14, 23 and 24, with stone marked cross (X) at base of post, marked on brass cap 55.00 66:00 80.00 T34N R9W S14 S13 \$23 | \$24 1921 From which A pinyon, 20 ins. diam., brs. S.25°E. 72 1ks. dist., marked T34N R9W S24 BT. A pinyon, 20 ins. diam., brs. S.46°W., 38 1ks. dist., marked T34N R9W S23 3T. No other trees within limits. Land, broken mountainous. Soil, rocky, 3rd and 4th rates. Timber, cedar and pinyon. Undergrowth, scrub oak, manzanita, Spanish bayonet and cactus.

S.89°50'E. on a random line, bet. secs. 13 and 24.

```
Chains
40.00
            Set temp. \frac{1}{4} sec. cor.
            Fall 2 lks. S. of the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of Tp., which is an iron post, hereinbe-
80.26
                 fore described.
            Thence
            N.89°51'W. on a true line, bet. secs. 13 and 24.
            Over mountainous land, through scattering undergrowth
            and heavy timber. Desc.280 ft.
            Draw, course S. Asc. 75 ft.
Spur, slopes S. Desc. 55 ft.
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, 4 ft. base, 28 ins. high,
19.25
36.75
40.13
                 for ½ sec. cor., marked on brass cap
                 From which
                        A cedar, 16 ins. diam., brs. N.59°W., 27 lks. dist., marked 1813 37. A pinyon, 12 ins. diam., brs. S.83°E.,
                               26 lks. dist., marked | S24 BT.
            Draw, course SW. Asc.
Spur, slopes S. Desc. 220 ft.
Draw, course S. Asc.155 ft.
Spur, slopes S. Desc. 165 ft.
The cor. of secs. 13, 14, 23 and 24.
            Land, mountainous.
            Soil, rocky, 3rd and 4th rates. Timber, cedar and pinyon.
            Undergrowth, scrub bak, manzanita, Spanish bayonet and -
                 cactus.
            N.0^{\circ}1'W. bet. secs. 13 and 14.
            Over broken mountainous land, through scattering timber
                 and undergrowth.
            Asc. 310 ft.
Spur, slopes SW. Desc. 85 ft.
15.00
            Draw, course W. Asc. 350 ft.
19.20
            Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in to ground, 15 ins. in a mound of stone, 2 ft. base, for
                                                                                    , 20 ins. in the
40.00
                  a sec. cor., marked on brass cap
                                             S14 S13
                                                 1921
                 From Which
                        A pinyon, 14 ins. diam., brs. S.40°E., 29 iks. dist., marked 1813 BT.
                        A cedar, 16 ins. diam., brs. N.44°W. 35 lks. dist., marked 2814 BT.
            Continue ascent, 265 ft.
            Thence across rock slide, brs. E. and W.
Leave rock slide, ors. E. and W.
Spur, slopes W. Desc. 90 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground, 20 ins. in a mound of stone, 3 ft. high, for cor. of secs. 11, 12, 13 and 14, marked on brass cap
55.00
63.00
68.50
80.00
```

T34N R9W S11 S12 S141S13 1921 From which brs. N.83°E. A pinyon, 6 ins. diam., 23 lks. dist., marked T34N R9W S12 BT. A pinyon, 6 ins. diam., brs. S.39 20 E. 182 lks. dist., marked T34N R9W S13 BT.
A cedar, 20 ins. diam., brs. S.261°W.,
110 lks. dist., marked T34N R9W S14 BT.
A pinyon, 7 ins. diam., brs. N.447°W.,
56 lks. dist., marked T34N R9W S11 BT. Land, broken mountainous. Soil, rocky, 3rd rate. Timber, cedar and pinyon. Undergrowth, scrub oak, manzanita, sagebrush, Spanish bayonet and cactus. S.89°51'E. on a random line, bet. secs. 12 and 13. Set temp. - sec. cor. 40.00 Fall 14 lks. N. of the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of Tp., which is an iron post, hereinbe-80.40 fore described. Thence N.89°45!W. on a true line, bet. secs. 12 and 13. Over rolling and mountainous land, through heavy timber and scattering undergrowth. Draw, course N. Desc. 30 ft. Draw, course N. 0.50 Asc. 50 ft. 4.40 Draw, course N. Asc. 135 ft.

But an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap 12.40 1512 1921 From which A yellow pine, 16 ins. diam., brs. N.2°E.,
72 lks. dist., marked 2S12 BT.
A yellow pine, 12 ins. diam., brs. S.38°W., 99 lks. dist., marked 1813 BT. Continue ascent, 80 ft., across top of Mt. Logan.
Rim rock, 100 ft. high. brs. HW. and SE. Desc. 700 ft.
The cor. of secs. 11, 12, 13 and 14.
Land, rolling and mountainous. 54.00 80.40 Soil, rocky, 4th rate. Timber, yellow pine and cedar. Undergrowth, scrub oak, manzanita and segebrush. N.O°1'W. bet. secs. 11 and 12. Over proken mountainous land, through scattering timber and undergrowth. Asc. 50 ft. Draw, course SW. Continue ascent. Spur, slopes W. Desc. 410 ft. 3.60 10.00 Thence along W. slope. 21.00 Gulch, course W. Gulch, course W. Asc. 30 ft. 31.50 Spur, slopes W. Set an iron-post, 3 ft. long, 1 in. diam. 26-ins. in the ground, for witness cor. to 3 sec. cor., .39.00 marked on brass cap

Asc. 75 ft.

Spur, slopes N. Desc. 80 ft.

42.20

Survey of the Subdivision of T. 34 N., R. 9 W. chains. W S11 S12 1921 And raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  $\sqrt{1}$ . of cor. Desc. 100 ft. 40.00 The true point for 1 sec. cor. falls where it cannot be established. Asc. 505 ft. Cliff, 50 ft. high, ors. W. and SE. Continue ascent. Rim of mountain, brs. W. and SE. Thence through dense thicket of white oaks, 15 ft. high, descending 225 ft. Leave thicket, enter scattering yellow pine, brs. E. and 44.80 67.20 70.50 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, 24 ins. in a mound of stone, 4 ft. base, for cor. of secs. 1, 2, 11 and 12, marked on brass cap 80.00 T34N R9W S 2 S 1 S11 | S12 1921 From which A yellow pine, 40 ins. diam., brs. N.53°E., 112 lks. dist., marked T34N R9W S1 BT. A yellow pine, 18 ins. diam., brs. S.19°E., 243 lks dist., marked T34N R9W S12 BT. A yellow pine, double, 36 ins. diam., brs.

S.48½°W., 181 lks. dist., marked T34N R9W S11

A yellow pine, 44 ins. diam., brs. N.55°W.,

92 lks. dist., marked T34N R9W S2 BT. Land, broken mountainous. Soil, rocky, 3rd and 4th rates. Timber, pine, pinyon and cedar.
Undergrowth, white oak, scrub oak, locust, Spanish bayonet, cactus and sagebrush. S.89°45 E. on a random line, bet. secs. 1 and 12. Set temp. 2 sec. cor. 40.00 Fall 14 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the E. ody. of Tp., which is an iron post, hereinbe-80.22 fore described. Thence N.89°51'W. on a true line, bet. secs. 1 and 12. Over rolling mountainous land, through scattering timber and undergrowth. Desc. 30 ft. 5.70 Draw, course N20°W. Asc. 105 ft. 21.20 Sour, slopes N. Desc. 125 ft. Draw, course N. Asc. 30 ft.
Set an iron post, 3 ft. long, l in. diam., 18 ins. in the ground, 16 ins. in a mound of stone, 2 ft. base, for 32**.2**0 40.11  $\frac{1}{2}$  sec. cor., marked on brass cap 1921 From which A yellow pine, 28 ins. diam., brs. N.59½°W., 183 lks. dist., marked 181 3T. A cedar, 12 ins. diam., brs. S.5½°E., 120 lks. dist., marked 1812 3T.

	Subdivision of T. 94 N. R. 9 N.
Chains 45.20 60.20 65.22 70.30 71.72 80.22	Asc. 35 ft. Spur, slopes M. Desc. Ditch, 3 lks. wide, 6 ft. deep, course M., containing small stream of water. Draw, course M. Asc. 60 ft. From this point. Sawmill brs. M.1030 D.
40.00 79.76	Fall 12 lks. W. of the cor. of secs. 1, 2, 35 and 36, on the N. bdy. of Tp., which is an iron post, hereinbefore described.  Thence S.0°4'W. on a true line, bet. secs. 1 and 2.
6.75 25.85 36.95 39.76	Wash, 10 lks. wide, course NE. Thence along E. slope. Wash, 15 lks wide, 5 ft. deep, course NE. Asc., through heavy timber.
	From which  A yellow pine, 30 ins. diam., brs. N.41°E.,  102 iks. dist., marked 181 87.  A yellow pine, 26 ins diam., brs. S.27°W.,
79.76	44 lks. dist., marked \( \frac{1}{4}\)S2 3T.  Continue ascent, 385 ft.  The cor. of secs. 1, 2, 11 and 12.  Land, rolling mountainous.  Soil, rocky, 3rd rate.  Timoer, yellow pine, cedar and pinyon.  Undergrowth, white oak, locust, and sagebrush.
7.60 18.10 40.00	From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of Tp., which is an iron post, described in Book "B", N.O°l'W. bet. secs. 34 and 35. Over broken land, through scattering timber and undergrowth. Asc. 80 ft. Road, brs. N.15°E. and S.15°W. Draw, course SW. Continue ascent. Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground, in a mound of stone. 32 ins. high, 4 ft. base,
7.	for $\frac{1}{4}$ sec. cor., marked on brass cap $834   835$ 1921

```
chains
                  From which
                         A cedar, 10 ins. diam., brs. S.61°E., 105 lks. dist., marked 1835 BT. A cedar, 24 ins. diam., brs. N.254°W., 82 lks. dist., marked 1834 BT.
             Asc. 33 ft.
             Draw, course SW. Continue ascent.

Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground, in a mound of stone, 32 ins. high, 4 ft. base, for cor. of secs. 26, 27, 34 and 35, marked on brass
 45.60
 86.00
                                              T34N R9W
S27 S26
S34 S35
                                                   1921
                  Fromwhich
                       A cedar, 12 ins. diam., brs. N.42°E.,
50 lks. dist., marked T34N R9W S26 BT.
A cedar, 10 ins. diam., brs. S.482°E.,
106 lks. dist., marked T34N R9W S35 BT.
                       A cedar, 14 ins. diam., brs. S.411°W.,
121 lks. dist., marked T34N R9W S34 3T.
                        A cedar, 20 ins. diam., ors. N., ... 67 lks. dist., marked T34N R9W S27 BT.
             Land, broken.
             Soil, rocky, 3rd rate.
             Timber, cedar.
             Undergrowth, sagebrush, cactus and Spanish bayonet.
             N.89°58'E. on a random line, bet. secs. 26 and 35. Set temp. \(\frac{1}{2}\) sec. cor. Intersect \(\text{II.}\) and \(\text{S.}\) line, 28 lks. S. of the cor. of secs.
 40.00
 79.90
                  25, 26, 35 and 36.
              The nce
             S.89°46'W. on a true line, bet. secs. 26 and 35.
             Over rolling and broken land, through scattering timber
                  and undergrowth. Across lava flow.
             Desc. 40 ft.
             Draw, course M.20°W. Continue descen
Pipe line from Big Spring, flows. SW.
   6.60
                                                   Continue descent, 55 ft.
 17.55
27.90
34.50
             Leave lava flow, brs. N. and S. Continue descent.
             Draw, course SW. Asc.
 39 • 95
             Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, 4 ft. base, 30 ins. high, for \frac{1}{4} sec. cor., marked
                  on brass cap
                  From which
                         A cedar, 18 ins. diam., brs. N.52\frac{1}{2}°W.,
                                105 lks. dist., marked \frac{1}{4}S26 BT.
             A cedar, 14 ins. diam., brs. S.50½°W.,
33 lks. dist., marked 1835 BT.
Cor. stands on left bank of wash, brs. N.&S. Desc. 65 ft.
             Center of wash, course S. Asc.
 43.40
             Right bank of wash, brs. N. and S. Road, brs. N. and S. Desc. 70 ft. The cor. of secs. 26, 27, 34 and 35.
 44.30
45.20
79.90
             Land, rolling and broken.
                      rocky, 4th rate.
             Soil, rocky, 4
Timber, cedar.
             Undergrowth, sagebrush, scrub oak, cactus, and Spanish
                  bayonet.
```

```
Chains.
             N.0°1'W. bet. secs. 26 and 27.
             Over broken land, through scattering timber and under-
                  growth.
            Asc. 45 ft.
Wash, 30 lks. wide, course SW. Asc. 160 ft.
Spur, slopes S.10°W. Set an iron post, 3 ft. long, 1 in.
diam., 8 ins. in the ground, 28 ins. in a mound of
stone, 3 ft. base, for 2 sec. cor., marked on brass
 20.00
 40.00
                                             s27 s26
                                                1921
                  From which
                        A cedar, 18 ins. diam., brs. 5.36\frac{1}{2}°E., 154 lks. dist., marked \frac{1}{2}S26 3T.
                         A cedar, 6 ins. diam., brs. N.832°W.,
             14 lks. dist., marked 2827 3T. Continue ascent, 260 ft.
            Draw, course SW. Continue ascent.
Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground, in a mound of stone, 32 ins. high, 4 ft. base, for cor. of secs. 22, 23, 26 and 27, marked on brass
 66.90
 80.00
                  cap
                                             T34N R9W
S22 S23
                                               <u> 527 | 526</u>
                                                  1921
                  From which
                        A cedar, 14 ins diam., brs. N.33%°E.
                      68 lks. dist., marked T34N R9W S23 8T.

A cedar, 24 ins. diam., brs. S.23 E.,

45 lks. dist., marked T34N R9W S26 3T.

A cedar, 18 ins. diam., brs. S.44 v.,
                        34 lks. dist., marked T34N R9W S27 BT.
A cedar, 20 ins. diam., brs. N.86°W.,
145 lks. dist., marked T34N R9W S22 BT.
            Land, broken and rolling.
            Soil, rocky, 3rd rate.
            Timber, cedar.
             Undergrowth, sagebrush, cactus, scrub oak and Spanish
                  bayonet.
            N.89°46'E. on a random line, bet. secs. 23 and 26. Set temp. = sec. cor;
 40.00
             Intersect the cor. of secs. 23, 24, 25 and 26.
 79.60
            Thence
             S.89°46!W. on a true line, bet. secs. 23 and 26.
             Over broken and rolling mountainous land, through heavy
                  timber and scattering undergrowth.
            Spur, slopes S. Desc. 240 ft. Wash, 50 lks. wide, course SW; mouth of Hell's Hollow. Asc. 355 ft.
   1.60
   8.50
            Spur, slopes S. Desc. 50 ft.
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, 12 ins. in a mound of stone, 4 ft. base, for
 32.60
 39.80
                  1 sec. cor., marked on brass cap
                                              1 S23
1921
                  From which
```

A cedar, 16 ins. diam., brs. N.23°E., 14 lks. dist., marked 1823 3T.

```
Chains.
                        A pinyon, 6 ins. diam., brs. 5.39% E.,
                              74 lks. dist., marked 2 $26 BT.
            Continue descent, 230 ft.
            Draw, course S. Asc. 50 ft.
Spur, slopes SW. Desc. 60 ft.
Draw, course SW. Asc. 95 ft.
Spur, slopes S. Desc. 75 ft.
 50.80
 53.30
56.20
 64.60
78.60
            Draw, course S. Asc. The cor. of secs. 22, 23, 26 and 27.
 79.60
            Land, rolling and broken mountainous.
            Soil, rocky, 4th rate.
            Timber, cedar and pinyon.
            Undergrowth, sagebrush, scrub oak, manzanita, cactus,
                 Spanish bayonet and mescal.
            N.O°l W. bet. secs. 22 and 23.
            Over mountainous land, through heavy timber and scattering
                 undergrowth.
            Asc. 395 ft.
            Desc. 15 ft.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 2 sec. cor., marked on brass cap
 37.10
 40.00
                                           S22 S23
                                              1921
                 From which
                        A pinyon, 18 ins. diam., brs. N.7\frac{1}{8}°E., 56 lks. dist., marked 1823 3T.
                        A cedar, 16 ins. diam., brs. N.72°W.,
                              15 lks. dist., marked 1822 3T.
            Continue descent, 70 ft.
 47.30
59.60
62.70
66.30
            Wash, 20 lks. wide, course SW. Asc. Spur, slopes SE. Desc.
Log fence, brs. NE. and SW.
            Wash, 30 lks. wide, course SE. Asc. 320 ft. Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked
 80.60
                 on brass cap
                                           734N R9W
$15 $14
$22 $23
                                                1921
                 From which
                       A pinyon, 16 ins. diam., brs. N.63°E., 76 lks. dist., marked T34N R9W S14 BT. A pinyon, 10 ins. diam., brs. S.37½°E., 36 lks. dist., marked T34N R9W S23 BT. A pinyon, 10 ins. diam., brs. S.28½°W.,
                        50 lks. dist., marked T34N R9W S22 3T. A pinyon, 10 ins. diam., brs. N.45°W., 4 lks. dist., marked T34N R9W S15 BT.
            Land, mountainous.
            Soil, rocky, 4th rate.
            Timber, cedar, and pinyon.
            Undergrowth, sagebrush, Spanish bayonet and scrub oak.
            N.89°46'E. on a random line, bet. secs. 14 and 23. Set temp. 1 sec. cor. Intersect the cor. of secs. 13, 14, 23 and 24.
 40.00
 79.88
            Thence
            S.89°46'W. on a true line, bet. secs. 14 and 23.
```

•	Chains.	
		Over broken mountainous land, through scattering under-
		growth and heavy timber.
		Desc. 500 ft.
	15.78	Center of wash, 30 lks. wide, course SE; "Hell's Hollow."
	_	Asc. 95 ft.
	22.90	Spur, slopes SE. Desc.
	24.40	Draw, course S. Asc. 195 ft.
	39 • 94	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
		ground, for 1 sec. cor. marked on brass cap
		1 S14 4 S23 1921
		\$ \$23
		1921
		From which
		A pinyon, 8 ins. diam., brs. N.734°V.,
		480 lks. dist., marked 1814 3T.
		A pinyon, 14 ins. diam., brs. S.77°W.,
		576 lks. dist., marked 1823 BT.
	40.40	Continue ascent, 455 ft.
	48.40	Cliff, 40 ft. high, brs. H. and S. Continue ascent.
	52.18	Ridge, brs. N. and S. Peak brs. South 2.00 chs. dist.
	~~ ~~ ^ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Desc.
	74.05	Draw, course S. Asc. 65 ft.
	76.28 78.88	Brush fence, ors. HE. and SW.
	70.00	Spur, slopes S. Desc. 15 ft.
	79.88	The cor. of secs. 14, 15, 22 and 23.
		Land, broken mountainous.
		Soil, rocky, 3rd rate.
		Timoer, pinyon and cedar. Undergrowth, sagebrush, scruboak, cat claw, cactus,
		Spanish bayonet, and manzanita.
		Spanish dayonet, and manzanita.
	-	
		N.001 W. bet. secs. 14 and 15.
		Over mountainous land; through heavy timber and under-
		growth.
į		Asc.
	5.50	Wash, 50 lks. wide, course SW. Continue ascent.
	12.80	Spur, slopes NE. Desc.
	14.40	Wash, 30 lks. wide, 50 ft. deep, course SE. Asc.
	21.20	Wash, 40 lks. wide, course SW., 40 ft. deep, Continue
		ascent.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
		ground, in a mound of stone, 5 ft. base, 2 ft. high,
		for 1 sec. cor., marked on brass cap
		_
ļ		s15 s14
		7007
l	1/4 (	1921
ļ		From which
ı		From which
-		A cedar, 30 ins. diam., brs. N.862°E., 13 lks. dist. marked 1814 BT.
1		A cedar, 12 ins. diam., brs. S.401°W.,
ļ		38 lks. dist., marked 5815 BT.
		Continue ascent, 1040 ft.
	67.80	Trail, brs. NW. and SE.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the
Į		ground, in a mound of stone, 4 ft. base, 2 ft. high,
		for cor. of secs. 10, 11, 14 and 15, marked on brass
		cap
		T34N_R9W
		\$10   \$11
		<u> </u>
ļ	,	1921
		Whom which

From which

```
Survey of the Subdivision of T. 34
                                                34 N., R. 9 W.
OF REPURS
                     A pinyon, 8 ins. diam., ors. N.332°E.
                            22 lks. dist., marked T34N R9W S11 BT.
                     A pinyon, 1/ ins. diam., brs. S.93°E..
97 lks. dist., marked T3/N R9W S14 BT.
A pinyon, 10 ins. diam., brs. S.621°W.,
                     25 lks. dist., marked T34N R9W S15 3T. A pinyon, 8 ins. diam., brs. N.6120W.,
                            14 lks. dist., marked T34N R9W S10 3T.
          Land, mountainous.
           Soil, rockyk 4th rate.
           Timber, cedar and pinyon.
           Undergrowth, scrub oak, sagebrush, cactus and Spanish
               bayonet.
          N.89°46'E. on a random line, bet. secs. 11 and 14. Set temp. 4 sec. cor. Intersect N. and S. line, 12 lks. N. of the cor. of secs.
40.00
79.94
               11, 12, 13 and 14.
          Thence
          8.89°51'W. on a true line, bet. secs. 11 and 14. Over mountainous land, through heavy timber and scatter-
          ing undergrowth.

Desc. 825 ft.

Wash, 30 lks wide, 40 ft. deep, course S. Asc. 110 ft.

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, 1 ft. high,
34·74
39·97
               for 4 sec. cor; , marked on brass cap
                                          Sll
                                       ½ 514
                                         1921
               From which
                     A pinyon, 12 ins. diam., brs. N.91°E.,
                     37 lks. dist., marked Sll 3T.
A pinyon, 12 ins. diam., brs. S.492°E.,
                          49 lks. dist., marked 1514 BT.
          Continue ascent.
           Spur, slopes S. Desc. 50 ft.
41.25
          Wash, 10 1 750 ft.
                   10 lks. wide, course SE.; "Hell's Hole." Asc.
44.05
73.04
73.25
          Ridge, brs. LW. and SE. Desc. 130 ft. Trail, brs HE. and SW.
79.94
          The cor. of secs. 10, 11, 14 and 15.
          Land, mountainous. Soil, rocky, 4th rate.
          Timber, cedar and pinyon.
          Undergrowth, scrub oak, and sagebrush.
          N.O°1'W. bet. secs. 10 and 11.
          Over mountainous land, through heavy timber and scattering
               undergrowth.
         Asc. 175 ft. Desc. 30 ft.
30.50
          Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high,
40.00
               for 1 sec. cor., marked on brass cap
                                      S10 | S11
                                         1921
               From which
                    A white oak, 6 ins. diam., brs. S.83°E.,
```

57 lks. dist., marked 4511 BT.

Survey of the Subdivision of T. 34 N., R. 9 W.

Chains. A cedar, 6 ins. dism., brs.  $N.26\frac{1}{4}$ °W., 26 lks. dist., marked  $\frac{1}{4}$ SlO BT. Continue descent. Wash, 10 lks. wide, course SW. Asc. 270 ft. Ridge, brs. NE. and SW. Desc. 200 ft. Leave heavy timber, brs. NE. and SW.; continue through 41.60 51.60 68.80 heavy undergrowth. Wesh, 20 lks. wide, course NW. Asc. 415 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the
ground, in a mound of stone, 3 ft. base, 2 ft. high,
with stone marked cross (X) alongside post, for cor. 75.80 80.00 of secs. 2, 3, 10 and 11, marked on brass cap T34N R9W S 3 S 2 S10 S11 1921 From which A yellow pine, 6 ins. diam., brs. N.50½°E., 68 lks. dist., marked T34N R9W S2 BT. A cedar, 6 ins. diam., brs.  $5.46\frac{1}{2}$ °E. 31 lks. dist., marked T34N R9W S11 BT. A yellow pine, 24 ins. diam., brs. S.66°W., 261 lks. dist., marked T34N R9W S10 BT. No other trees within limits. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and yellow pine. Undergrowth, scrub oak, sagebrush and cactus. N.89°51'E. on a random line, bet. secs. 2 and 11. Set temp. \( \frac{1}{4} \) sec. cor. Intersect \( \text{N}. \) and \( \text{S}. \) line, \( 7 \) lks. \( \text{N}. \) of the cor. of secs. 40.00 79.84 1, 2, 11 and 12. Thence S.89°54'W. on a true line, bet. secs. 2 and 11. Over mountainous land, through scattering timber and dense undergrowth. Asc. along N. slope.
Asc. 105 ft.
Spur, slopes N. Desc. 75 ft.
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, 2 ft. base, 6 ins. high, 16.45 27.05 39.92 for 1 sec. cor. marked on brass cap 1 S 2 4 S11 1921 From which A yellow pine, 24 ins. diam., brs.  $N.82\frac{1}{4}$ °W., 282 lks. dist., marked  $\frac{1}{4}$ S2 BT. A cedar, 10 ins. diam., brs. S.174°W., 182 lks. dist., marked 4S11 BT. Continue descent, 145 ft. 74.65 **75.**05 79.84 Asc. 30 ft. Spur, slopes N. Desc. 60 ft. The cor. of secs. 2, 3, 10 and 11. Land, mountainous. Soil, rocky, 4th rate. Timber, yellow pine and cedar, locust and white oak. Undergrowth, scrub oak, sagebrush.

N.O°4'E. on a random line, bet. secs. 2 and 3.

44.71

BOCK 8620

Survey of the

Subdivision of T. 34 N., R. 9 W. chains. 40.00 Set temp. 2 sect.cor. Fall 21 lks. E. of the cor. of secs. 2, 3, 34 and 35, on the N. bdy. of Tp. which is an iron post, hereinbe-80.31 fore described. S.0°5'E. on a true line, bet. secs. 2 and 3. Over mountainous land, through scattering timber and dense undergrowth. Asc. 285 ft. Desc. 55 ft. 33.21 40.31

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, in a mound of stone, 3 ft. base, 1 ft. high, for \frac{1}{4} sec. cor., marked on brass cap

s 3 s 2

From which

A yellow pine, 6 ins. diam., brs. S.631°E., 61 lks. dist., marked 152 BT.

A yellow pine, 28 ins. diam., brs. S.213°W.

144 lks. dist., marked 153 BT. brs. S.213°W.,

Continue descent, 35 ft. Wash, 50 lks. wide, course NW. As The cor. of secs. 2, 3, 10 and 11. Asc. 265 ft.

Land, mountainous. Soil, rocky, 4th rate. Timber, cedar, pinyon and white oak. Undergrowth, scrub oak.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of Tp., which is an iron post, described in Book "B", N.0°2'W. bet. secs. 33 and 34.

Over rolling land, through scattering timber and undergrowth.

Desc. 55 ft.

Wash, 20 lks. wide, course SE. Asc. 115 ft.

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, 33.00 40.00 for  $\frac{1}{4}$  sec. cor., marked on brass cap

From which A cedar, 12 ins. diam., brs.  $8.83^{\frac{1}{2}}$ °E.,

232 lks. dist., marked \( \frac{1}{4}834 \) BT.

A cedar, 12 ins. diam., brs. S.75\( \frac{1}{4}\) W.,

170 lks. dist., marked \( \frac{1}{4}833 \) BT.

Cor. stands on spur, sloping SE. Desc.

Wash, course NE. Asc. 90 ft. Spur, slopes E. Desc. 25 ft. 46.30 55.40 72.60

Wash, 20 lks. wide, course SE. Asc. 95 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in
the ground, in a mound of stone, 3 ft. base, 2 ft.
high, for cor. of secs. 27, 28, 33 and 34, marked on brass cap

T34N R9W S28|S27 S33|S34 1921

From which

A cedar, 12 ins. diam., brs. N.40°E., 136 lks. dist., marked T34N R9W S27 BT.

### Survey of the

Subdivision of T. 34 N., R. 9 W. chains. A cedar, 14 ins. diam., brs. S.853°E., 205 lks. dist., marked T34N R9W S34 BT. A cedar, 12 ins. diam., brs. S.413°W., 137 lks. dist., marked T34N R9W S33 BT. A cedar, 18 ins. diam., brs. N.37°W., 216 lks. dist., marked T34N R9W S28 BT. Land, rolling. Soil, rocky, 3rd and 4th rates. Timber, cedar. Undergrowth, sagebrush. N.89°58'E. on a random line, bet. secs. 27 and 34. Set temp. \(\frac{1}{4}\) sec. cor.
Intersect N. and S. line, 2 lks. N. of the cor. of secs. 40.00 80.04 26, 27, 34 and 35. Thence S.89°59'W. on a true line, bet. secs. 27 and 34. Over level land, through heavy timber and scattering undergrowth. 10.65 Wash, 20 lks. wide, course S. Wash, 10 lks. wide, course S.
Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high, 17.25 40.02 for  $\frac{1}{4}$  sec. cor., marked on brass cap From which A cedar, 14 ins. diam., brs. N.3½°W., 95 lks. dist., marked ½S27 BT. A cedar, 10 ins. diam., brs. South 26 lks. dist., marked  $\frac{1}{4}$ S34 BT. Wash, 10 lks. wide, course SW.

Leave heavy, enter scattering timber, brs. N. and S.

Wash, 20 lks. wide, 15 ft. deep, course SW. Asc. 255 ft

Spur, slopes S. Desc. 65 ft.

The cor. of secs. 27, 28, 33 and 34.

Land, level and rolling.

Soil rocky Ath rate. 42.95 44.95 53.05 77.15 80.04 Soil, rocky, 4th rate. Timber, cedar. Undergrowth, sagebrush. N.0°2'W. bet. secs. 27 and 28. Over rolling mountainous land, through scattering timber and undergrowth. Asc. 80 ft. 6.50 16.10 Spur, slopes E. Desc. 50 ft. Wash, 20 lks. wide, course SE. Asc. 50 ft. Spur, slopes SE. Desc. 165 ft.
Wash, 20 lks. wide, 10 ft. deep, course SE.
Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, 23.60 39.60 40.00 for \frac{1}{4} sec. cor., marked on brass cap

s28 s27

From which A cedar, 14 ins. diam., brs. East 138 lks. dist., marked 1827 BT. A cedar, 12 ins. diam., brs. N.613°W., 56 lks. dist., marked  $\frac{1}{4}$ S28 BT.

BOOK 8020 Survey of the Subdivision of T. 34 N., R. 9 W. Asc. 480 ft. 75.00 Desc. 86.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap T34N, R9W S21 S22 S28 S27 1921 From which A cedar, 18 ins. diam., brs. N.87°E. 24 lks. dist., marked T34N R9W S22 BT. A cedar, 12 ins. diam., brs. S.194°E., 26 lks. dist., marked T34N R9W S27 BT. A cedar, 16 ins. diam., brs. S.22°W., 43 lks. dist., marked T34N R9W S28 BT. A cedar, 12 ins. diam., brs.  $N.76\frac{1}{4}$ °W. 59 lks. dist., marked T34N R9W S21 BT. Land, rolling mountainous. Soil, rocky, 4th rate. Timber, cedar. Undergrowth, sagebrush, black brush and Spanish bayonet. N.89°59'E. on a random line, bet. secs. 22 and 27. Set temp. \(\frac{1}{4}\) sec. cor.

Intersect N. and S. line, 5 lks. S. of the cor. of secs. 22, 23, 26 and 27. 40.00 S.89°57'W. on a true line, bet. secs. 22 and 27. Over mountainous land, through heavy timber and scattering undergrowth. Desc. 25% ft. Center of wash, 2 chs. wide, 20 ft. deep, course S. 10.00 Thence along S. slope.

Wash, 50 lks. wide, 20 ft. deep, course S. Asc. 295 ft.

Spur, slopes S. Desc. 170 ft.

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the 26.50 34.70 40.04 ground, in a mound of stone, 4 ft. base, 2 ft. high, for  $\frac{1}{4}$  sec. cor., marked on brass cap ½ S27 From which A pinyon, 12 ins. diam., brs. N.1620W., 31 lks. dist., marked \$22 BT. A pinyon, 18 ins. diam., brs. S.104°W., 40 lks. dist., marked \(\frac{1}{2}\)S27 BT. Continue descent, 115 ft.

Draw, 10 lks. wide, course SW. Continue descent.

Wash, 50 lks. wide, course SE. Asc. 70 ft.

Spur, slopes S. Desc. 40 ft. 40.08 50.40 75.60 80.08 The cor. of secs. 21, 22, 27 and 28. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, sagebrush, cactus and Spanish bayonet.  $N.0^{\circ}2^{\circ}W$ . bet. secs. 21 and 22. Over mountainous land, through heavy timber and scatter-

ing undergrowth. Asc. 820 ft. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the

Chains.

ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

1921

From Which

A cedar, 14 ins. diam., brs.  $S.75\frac{1}{5}$ °E., 71 lks. dist., marked \$222 BT. A pinyon, 14 ins diam., brs. N.19 ow., 71 lks. dist., marked 1821 BT.

Continue ascent, 90 ft. Thence over level land.

46.30 58.90 70.00 80.00

Desc. 75 ft.
Wash, 20 lks. wide, course SW. Asc. 30 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the

ground, in a mound of stone, 4 ft. base, 2 ft. high, for cor. of secs. 15, 16, 21 and 22, marked on brass

T34N R9W S16 S15 521 | 522 1921

From which

A cedar, 10 ins. diam., brs. N.19°E. 9 lks. dist., marked T34N R9W S15 BT.

A cedar, 10 ins. diam., brs. S.362°E.

44 lks dist., marked T34N R9W S22 BT. A cedar, 18 ins. diam., brs. S.55% W., 43 lks dist., marked T34N R9W S21 BT. A cedar, 18 ins. diam., brs. N.37½ W. 31 lks. dist., marked T34N Ŕ9W S16 BT.

Land, mountainous. Soil, rocky, 4th rate.

Timber, cedar and pinyon. Undergrowth, sagebrush and scrub oak.

N.89°57'E. on a random line, bet. secs. 15 and 22.

40.00 80.34

Set temp. \(\frac{1}{4}\) sec. cor.

Intersect N. and S. line, 2 lks S. of the cor. of secs. 14, 15, 22 and 23.

Thence

S.89°56'W. on a true line, bet. secs. 15 and 22. Over mountainous land, through scattering undergrowth and heavy timber.

1.70 10.70 23.70

Desc. 50 ft.

Wash, 20 lks. wide, course S. Asc. 275 ft.

Wash, 15 lks. wide, course SE. Continue ascent.

Ridge, brs. N. and S. Desc. 50 ft.

Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high, 40.17 for  $\frac{1}{4}$  sec. cor., marked on brass cap

From which

A pinyon, 8 ins. diam., brs. N.21°E., 36 lks. dist., marked \$15 BT.
A cedar, 10 ins. diam., brs. S.603°E.,

63 lks. dist., marked  $\frac{1}{2}$ S22 BT. Continue descent, 60 ft.

Wash, 20 lks. wide, course S. Asc. 35 ft. The cor. of secs. 15, 16, 21 and 22.

Land, mountainous.

50.00 80.34 Chains.

80.00

Survey of the Subdivision of T. 34 N., R. 9 W. Soil, rocky, 4th rate. Timber, cedar. Undergrowth, sagebrush, and scrub oak.

N.0°2'W. bet. secs. 15 and 16. Over mountainous land, through heavy timber and scattering undergrowth.

Asc. 150 ft.

9.00 Continue ascent, 20 ft., along ridge, bearing NE. and Sw. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, 6 ins. high, for ½ sec. cor., marked on brass cap

> s16 s15 1921

From which

edar, 10 ins. diam., brs.  $N.20\frac{1}{2}$ °E., 53 lks. dist., marked  $\frac{1}{2}$ S15 BT. A cedar, A cedar, 12 ins. diam., brs.  $\cancel{N}.\cancel{5}6\frac{1}{4}$ ° w., 69 lks. dist., marked  $\frac{1}{4}$ Sl6 BT.

Continue ascent, 210 ft. 68.60

Leave ridge, brs. S. and NE. Desc. 25 ft. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap

T34N R9W S 9 S10 S16 S15 1921

From which

A pinyon, 24 ins. diam., brs. N.73½°E., 47 lks. dist., marked T34N R9W S10 BT. A pinyon, 8 ins. diam., brs. S.73½°E., 19 lks. dist., marked T34N R9W S15 BT.
A pinyon, 16 ins. diam., brs. S.40½°W.,
209 lks. dist., marked T34N R9W S16 BT.
A pinyon, 10 ins. diam., brs. N.8°W.,

136 lks. dist., marked T34N R9W S9 BT.

Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, scrub oak and sagebrush.

N.89°56'E. on a random line, bet. secs. 10 and 15. Set temp.  $\frac{1}{4}$  sec. cor.

40.00 80.40 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 10, 11, 14 and 15.

Thence S.89°57'W. on a true line, bet. secs. 10 and 15. Over mountainous land, through heavy timber and scattering undergrowth.

8.90

Desc. 190 ft.
Trail, brs. N. and S.
Wash, 20 lks. wide, course S. Asc. 205 ft. 11.30

22.10

37.40

Ridge, brs. N. and S. Desc.

Spur, slopes SW. Continue descent.

Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high, for ½ sec. cor., marked on brass cap

> **S10** 1 s15 1921

2021

Survey of the Subdivision of T. 34 N., R. 9 W. Chains. From which A pinyon, 8 ins. diam., brs. N.4°E., 54 lks. dist., marked \$\frac{1}{4}\$SlO BT.

A pinyon, 14 ins. diam., brs. \$\frac{5}{2}\frac{1}{2}\$\cdot \text{E}\$.,

64 lks. dist., marked \$\frac{1}{4}\$Sl5 BT. Continue descent, 180 ft. Wash, 10 lks. wide, course SW. 44.60 Spur, slopes S. Desc. 175 ft. The cor. of secs. 9, 10, 15 and 16. 75.10 80.40 Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, scrub oak and sagebrush. N.O°2 W. bet. secs. 9 and 10 Over mountainous land, through heavy timber and dense undergrowth. Asc. 180 ft. Spur, slopes W. Desc. 50 ft.
Wash, 10 lks. wide, course SW. Asc. 175 ft.
Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high. 19.30 23.20 40.00 for posec. cor., marked on brass cap From which 73 lks. dist., marked \$\frac{1}{2}\$\$\$\$10 BT.

A cedar, 14 ins. diam., brs. N.30°W.,

110 lks. dist., marked \$\frac{1}{4}\$\$\$\$\$\$\$\$\$\$9 BT.

Continue ascent, 30 ft.

Ridge, brs. E. and W. Desc. 50 ft.

Asc. 60 ft.

Spur slones \*\*\*\* 42.70 50.00 66.00 Spur, slopes NW. Desc. 175 ft. Trail, brs. NW. to Spring and SE. to tank. 76.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, in a mound of stone, 4 ft. base, 3 ft. high, for cor. of secs. 3, 4, 9 and 10, marked on brass cap 80.00 T34N R9W S 4 S 3 S 9 S10 1921 From which which
A yellow pine, 18 ins. diam., brs. N.70½°E.,
302 lks. dist., marked T34N R9W S3 BT.
A cedar, 10 ins. diam., brs. S 24°E.,
76 lks. dist., marked T34N R9W S10 BT.
A cedar, 14 ins. diam., brs. S.66½°W.,
170 lks. dist., marked T34N R9W S9 BT.
A yellow pine, 26 ins. diam., brs. N.40½°W.,
62 lks. dist., marked T34N R9W S4 BT. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar, yellow pine, white oak and pinyon. Undergrowth, scrub oak.

N.89°57'E. on a random line, bet. secs. 3 and 10. Set temp. \( \frac{1}{4} \) sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of secs. 40.00 80.32 2, 3, 10 and 11.

40.00 Set temp.  $\frac{1}{4}$  sec. cor. Fall 35 lks. W. of the cor. of secs. 3, 4, 33 and 34, on the N. bdy. of Tp., which is an iron post, hereinbe-S.0°9'W. on a true line, bet. secs. 3 and 4. Over rolling land, through scattering undergrowth and heavy timber. Asc. gradual slope, 140 ft. Wash, 20 lks. wide, course NE., from S. Same wash, course N., from SW. 18.17 27.87 36.17 Same wash, course NW. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, for \( \frac{1}{4} \) sec. cor., marked on brass cap 40.27 1921

From which

A white oak, 6 ins. diam., brs. S.4½°E.,

13 lks. dist., marked ½S3 BT.

A white oak, 10 ins. diam., brs. S.65½°W.,

9 lks. dist., marked ½S4 BT.

Continue ascent, 195 ft.

46.05 Wash, 20 lks. wide, course NE., from SE. Continue

The cor. of secs. 3, 4, 9 and 10. 80.27 Land, rolling. Soil, rocky, 3rd and 4th rates. Timber, cedar, pinyon and white oak. Undergrowth, sagebrush and scrub oak.

#### Survey of the

Subdivision of T. 34 N., R. 9 W. Chains. From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of Tp., which is an iron post, described in Book "B", N.0°3'W. bet. secs. 32 and 33. Over mountainous land, through scattering timber and undergrowth. Asc. 370 ft.

Wash, 20 lks. wide, course SW. Continue ascent.

Ridge, brs. NW. and SE. Desc. 150 ft.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \( \frac{1}{4} \) sec. cor., marked on brass cap 11.70 29.40 40.00 From which A cedar, 18 ins. diam., brs. S.66. E., 41 lks. dist., marked 533 BT. A pinyon, 14 ins. diam., brs. S.86.W., 90 lks. dist., marked 2832 BT. Wash, 20 lks. wide, 3 ft. deep, course E. Ridge, brs. NW. and SE. Desc. 30 ft. Asc. 40 ft. 43.00 59.60 70.80 75.80 80.00 Asc. 345 ft. Desc. 15 ft. Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, in a mound of stone, 3 ft. base, 2½ ft. high, for cor. of secs. 28, 29, 32 and 33, marked on brass cap T34N R9W S29 S28 S32 S33 1921 From which A cedar, 6 ins. diam., brs. N.49% E.,

117 lks. dist., marked T34N R9W S28 BT.

A pinyon, 14 ins. diam., brs. S.77°E.,

197 lks. dist., marked T34N R9W S33 BT.

A cedar, 14 ins. diam., brs. S.7°W.,

16 lks. dist., marked T34N R9W S32 BT. A cedar, 14 ins diam., brs. N.80 W.,
55 lks. dist., marked T34N R9W S29 BT. Land, mountainous. Soil, rocky, 3rd rate. Timber, cedar and pinyon. Undergrowth, sagebrush. д.80°58≀**в.** on a random line, bet. secs. 28 and 33. 40.00 | Set temp. - sec. cor. 79.70 fall 5 lks in of cor. secs. 27, 28, 33 and 34. West on a true line, bet. secs. 28 and 33. Over rolling mountainous land, through scattering timber and undergrowth. Wash, 20 lks. wide, course S. Top of ascent, brs. N. and S. Asc. 105 ft. 2.40 10.60 19.30 38.70 Desc. 30 ft. Wash, course SE. Asc. 40 ft. Desc. 105 ft. **39.8**5 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, 4 ft. base, 3 ft. high. for  $\frac{1}{4}$  sec. cor. marked on brass cap

200K 3620

Survey of the Subdivision of T. 34 N., R. 9 W.

```
Chains.
                      From which
                             A cedar, 8 ins. diam., brs. N.364°W.,
87 lks. dist., marked 4828 BT.
A cedar, 16 ins. diam., brs. S.38°W.,
35 lks. dist., marked 4833 BT.
             Continue descent, 405 ft.
Center of wash, 1 ch. wide, course SE.
Top of ascent, brs. N. and S. Desc.
The cor. of secs. 28, 29, 32 and 33.
 56.70
                                                                                               Asc. 255 ft.
 66.90
               Land, rolling mountainous.
               Soil, rocky, 4th rate.
               Timber, cedar and pinyon.
               Undergrowth, sagebrush.
              N.0°3'W. bet. secs. 28 and 29.
               Over mountainous land, through scattering timber and
                     undergrowth.
               Desc. 185 ft. Wash, 65 lks. wide, 15 ft. deep, course SE.
   9.40
                                                                                                         Asc. gradual
                     slope.
               Wash, 50 lks. wide, course W. Continue ascent. Spur, slopes SE. Desc.
 22.95
25.80
36.30
               Same wash, 1 ch. wide, course E. Asc. 125 ft.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground, in a mound of stone, 3 ft. base, 2 ft. high,
 40.00
                     for \frac{1}{4} sec. cor., marked on brass cap
                                                     s29<sup>‡</sup>s28
                                                         1921
                     From which
                             A cedar, 10 ins. diam., brs. S.53°E., 133 lks. dist., marked $\frac{1}{2}$S28 BT. A cedar, 8 ins. diam., brs. N.313°W.,
                                     36 lks. dist., marked $29 BT.
               Continue ascent, 230 ft.
Ridge, brs. NW. and SE. Desc. 30 ft.
Asc. 85 ft.
 57.60
62.80
 70.30
80.00
               Desc.
               Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for cor. of secs. 20, 21, 28 and 29, marked on brass
                     cap
                                                     T34N R9W
S20 S21
S29 S28
1921
                     From which
                             A cedar, 16 ins. diam., brs. N.763°E.,
232 lks. dist., marked T34N R9W S21 BT.
A cedar, 12 ins. diam., brs. S.804°E.,
175 lks. dist., marked T34N R9W S28 BT.
A cedar, 14 ins. diam., brs. S.373°W.,
128 lks dist., marked T34N R9W S29 BT.
A cedar, 12 ins. diam., brs. N.773°W.,
132 lks. dist., marked T34N R9W S20 BT.
               Land, rolling mountainous.
                Soil, rocky, 3rd and 4th rates.
               Timber, cedar.
               Undergrowth, sagebrush, cactus and Spanish bayonet.
```

Survey of the

Subdivision of T. 34 N., R. 9 W. Chains. East on a random line, bet. secs. 21 and 28. Set temp. 1 sec. cor.
Intersect N. and S. line, 12 lks. N. of the cor. of secs. 40.00 79.64 21, 22, 27 and 28. Thence N.89°55'W. on a true line, bet. secs. 21 and 28. Over mountainous land, through scattering timber and undergrowth. Asc. 25 ft. Spur, slopes SW. Desc. 285 ft.
Enter heavy timber, brs. N. and S.
Wash, 20 lks. wide, course S. Asc. 125 ft.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \$\frac{1}{2}\$ sec. cor., marked on brass cap 5.00 13.50 31.80 39.82 1 S21 2 S28 1921 From which A pinyon, 10 ins. diam., brs. N.50%°W., 64 lks. dist., marked 1821 BT. cedar, 14 ins. diam., brs. S.40°E., 112 lks. dist., marked 1828 BT. Continue ascent, 90 ft. Spur, slopes SW. Desc. 480 ft. Wash, 40 lks. wide, 10 ft. deep, course SW. Asc. 120 ft. The cor. of secs. 20, 21, 28 and 29. 46.50 79.64 Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, sagebrush and scrub oak. N.0°3'W. bet. secs. 20 and 21. Over mountainous land, through scattering timber and undergrowth. Asc. 130 ft. 15.30 40.00 Ridge, brs. NE. and SW. Desc. Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, 3 ft. base, 12 ft. high, for  $\frac{1}{4}$  sec. cor., marked on brass cap S20 S21 1921 From which A cedar, 8 ins. diam., brs. N.67°E.,
51 lks. dist., marked \$\frac{1}{2}\$S21 BT.
A cedar, 16 ins diam., brs. S.863°W.,
143 lks. dist., marked \$\frac{1}{2}\$S20 BT. Continue descent.

Wash, 20 lks. wide, 4 ft. deep, course W. Asc. 290 ft.

Wash, 10 lks. wide, course W. Continue ascent.

Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, in a mound of stone, 4 ft. base, 1 ft. high, for cor. of secs. 16, 17, 20 and 21, marked on brass 43.10 60.50 80.00 cap T34N R9W S17 S16 520 | 521 1921

From Which A pinyon, 12 ins. diam., brs. N.282°E. 36 lks. dist., marked T34NR9W S16 BT. A pinyon, 12 ins. diam., brs. S.491°E.,

Survey of the Subdivision of T. 34 N., R. 9 W.

Undergrowth, sagebrush and scrub oak.

chains.

60 lks. dist., marked T34N R9W S21 BT. A pinyon, 10 ins. diam., brs. S.18½°W., 52 lks. dist., marked T34N R9W S20 BT. A cedar, 16 ins. diam., brs. N.522°W., 11 lks. dist., marked T34N R9W S17 BT. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon.

40.00

S.89°55'E. on a random line, bet. secs. 16 and 21. Set temp. 4 sec. cor. Intersect N. and S. line, 14 lks. N. of the cor. of secs.

79.58 15, 16, 21 and 22.

> N.89°49'W. on a true line, bet. secs. 16 and 21. Over mountainous land, through heavy timber and scattering undergrowth.

Asc. 45 ft.

14.20 Desc. 590 ft.

39.79 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, 4 ft. base, 3 ft. high, for  $\frac{1}{4}$  sec. cor., marked on brass cap

> 1 S16 4 S21 1921

From which

A pinyon, 12 ins. diam., brs. N.37°E., 33 lks. dist., merked 1816 BT.
A cedar, 20 ins. diam., brs. S.71°W., 34 lks. dist., marked 1821 BT.

Continue descent, 465 ft.

47.30 | Wash, 10 lks. wide, course SW. Cont 79.58 The cor. of secs. 16, 17, 20 and 21. Continue descent.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, cedar and linyon.

Undergrowth, sagebrush and cactus.

N.0°3'W. bet. secs. 16 and 17. Over mountainous land, through scattering timber and undergrowth.

Asc. 220 ft.

Spur, slopes SW. Desc. 40 ft. Asc. 210 ft.

7.50 27.90

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, 12 ft. high, W. of cor., for 4 sec. cor., marked on brass cap

s17 s16

From which

A cedar, 8 ins. diam., brs. S.50°E.,
103 lks. dist., marked \(\frac{1}{4}\)S16 BT.
A cedar, 14 ins. diam., brs. N.56°W.,
87 lks. dist., marked \(\frac{1}{4}\)S17 BT.

Continue ascent, 355 ft.

Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, in a mound of stone, with stone marked cross (X) alongside, for cor. of secs. 8, 9, 16 and 17, marked on brass cap

Survey of the Subdivision of T. 34 N., R. 9 W.

Chains.

T34N R9W S 8 S 9 S17 S16 1921

From which

A cedar, 6 ins. diam., brs.  $S.41\frac{1}{4}$ °E. 71 lks. dist., marked T34N R9W S16 BT. A cedar, 4 ins. diam., brs. S.43°W.,

72 lks. dist., marked B7.
A cedar, 14 ins. diam., brs. N.23½°W.,
113 lks. dist., marked T34N R9W S8 BT.

No other trees within limits.

Land, mountainous. Soil, rocky, 4th rate.

Timber, cedar.

Undergrowth, scrub oak, and sagebrush.

40.00

S.89°49'E. on a random line, bet. secs. 9 and 16. Set temp. \(\frac{1}{4}\) sec. cor. Intersect N. and S. line, 14 lks. N. of the cor. of secs.

79.64

9, 10, 15 **a**nd 16.

Thence

N.89°43'W. on a true line, bet. secs. 9 and 16. Over mountainous land, through heavy timber and scattering undergrowth. Desc. 270 ft. over W. slope.

25.00

Wash, 20 1ks. wide. course SE. Asc. 25 ft.
Desc., 70rft. to
Set an iron post, 3 ft. long, 1 in. diam., on ledge rock,
in a mound of stone, 5 ft. base, 3 ft. high, for \( \frac{1}{4} \) sec.
cor., marked on brass cap

From which

A cedar, 10 ins. diam., brs.  $N.65\frac{1}{2}$ °W., 73 lks. dist., marked  $\frac{1}{4}$ S9 BT. A cedar, 12 ins. diam., brs.  $S.27\frac{1}{4}$ °W.,

72 lks. dist., marked 3816 BT.

48.20

Desc. 360 ft. over 3W. slope. Old Trail, bears 3F. and 3W. The cor. of secs. 8, 9, 16 and 17.

Land, mountainous.

Soil, rocky, 4th rate

Timber, cedar and pinyon.

Undergrowth, sagebrush and scrub oak.

40.00

 $N.0^{\circ}3$  W. bet. secs. 8 and 9. Over mountainous land, through heavy timber and dense undergrowth.

Asc. 545 ft.
Set an iron post, 3 ft. ling, 1 in. diam., 18 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

> s 8 s 9 1921

From which A pinyon, 12 ins. diam., brs. S.22°E., 54 lks. dist., marked 189 BT.

BOOK 3830) Survey of the Subdivision of T. 34 N., R. 9 W. chains. A pinyon, 12 ins. diam., brs.  $5.25\frac{1}{4}$ ° W., 73 lks. dist., marked  $\frac{1}{2}$ S8 BT. Continue ascent, 475 ft.

Set an iron post, 3 ft. long, 2 ins. diam., on ledge rock, in a mound of stone, 5 ft. base, 3 ft. high, for cor. of secs. 4, 5, 8 and 9, marked on brass cap 80.00

T34N R9W S 5 S 4 S 8 S 9

From which

A pinyon, 10 ins. diam., brs. N.65°E.,
54 lks. dist., marked T34N R9W S4 BT.
A cedar, 30 ins. diam., brs. S.814°E.,
50 lks. dist., marked T34N R9W S9 BT. A pinyon, 14 ins. diam., brs. S.483°W.

88 lks. dist., marked T34N R9W S8 BT. A pinyon, 10 ins. diam., brs. N.621°W., 68 lks. dist., marked T34NR9W S5 BT.

Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, scrub oak and sagebrush.

S.89°43'E. on a random line, bet. secs. 4 and 9. Set temp.  $\frac{1}{4}$  sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs.

40.00 79.60

3, 4, 9 and 10.

Thence

N.89°44'W. on a true line, bet. secs. 4 and 9.

Over mountainous land, through heavy timber and scattering undergrowth.

2.90 7.80

21.20

Asc. 135 ft.

Trail, brs. NW. to spring and SE. to tank.

Spur, slopes N. Desc. 140 ft.

Wash, 20 lks. wide, course NW. Asc.

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, 3 ft. base, 1½ ft. high, 39.80 for  $\frac{1}{4}$  sec. cor., marked on brass cap

1 S 4 S 9 1921

From which

A cedar, 14 ins. diam., brs. N.17½°E., 37 lks. dist., marked ½S4 BT.
A cedar, 26 ins. diam., brs. S.84½°E., 183 lks. dist., marked ½S9 BT.

Continue ascent, 195 ft.
Cliff, 50 ft. high, brs. N. and S. Continue ascent.
Ridge, brs. NE. and SW. Desc. 80 ft.
The cor. of secs. 4, 5, 8 and 9. 46.50 66.50 79.60

Land, mountainous.
Soil, rocky, 3rd and 4th rates.
Timber, cedar, yellow pine and pinyon.

Undergrowth, scrub oak and sagebrush.

N.008 E. on a random line, bet. secs. 4 and 5.

Set temp.  $\frac{1}{4}$  sec. cor. 40.00 Fall 4.2 lks. E. of the cor. of secs. 4, 5, 32 and 33, on 80.14 the N. bdy. of Tp., which is an iron post, hereinbe-

fore described.

Thence

1 Survey of the Subdivision of T. 34 N., R. 9 W. chains. S.0°10'E. on a true line, bet. secs. 4 and 5. Over mountainous land, through heavy timber and scattering undergrowth.

Desc. 95 ft.

Road, brs. NW. and SE. Asc. 150 ft.

Desc. 15 ft. 13.35 34.95 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap s 5 s 4 From which A pinyon, 12 ins. diam., brs. S.84½°E., 61 lks. dist., marked \$54 BT. A pinyon, 12 ins. diam., brs. N.67% W., 65 lks. dist., marked 185 BT. Continue descent, 55 ft. 42.50 Asc. 220 ft. 73.04 80**.14** Desc. 25 ft. The cor. of secs. 4, 5, 8 and 9. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, sagebrush, scrub oak, Spanish bayonet and cactus.

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of Tp., which is an iron post, described in Book "B", N.0°3'W. bet. secs. 31 and 32.

Over mountainous land, through scattering timber and undergrowth.

Asc. 610 ft.

15.20 15.90 17.10 Cliff, 75 ft. high, brs. NW. and SE. Continue descent. Center of Wash. 2 chs. wide, 10 ft. deep, course SE. Asc. Spur, slopes W. Desc.

Same wash, 2 chs. wide, course SW. Asc. 60 ft. Spur, slopes E. Desc. 35 ft. Center of same wash, 1.80 chs. wide, 8 ft. deep, course SE. Asc.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

> 831 832 1921

From which

A cedar, 12 ins. diam., brs. N.79\(\frac{2}{3}\circ E.\),
155 lks. dist., marked \(\frac{1}{2}\S32\) BT.
A cedar, 12 ins. diam., brs. N. \(\frac{1}{2}\circ W.\),

94 lks. dist., marked  $\frac{1}{4}$ S31 BT.

Continue ascent, 440 ft.

Draw, course W. Continue ascent.
Draw, course SW. Continue ascent.
Set an iron post, 3 ft. long 2 ins. diam., 16 ins. in the ground, in a mound of stone, 5 ft. base, 2 ft. high, with stone marked cross (X) alongside, for cor. of secs.
29, 30, 31 and 32, marked on brass cap

T34N R9W S30 S29

17.80 35.10 38.50

51.90 78.50

BOUK 3020 Survey of the Subdivision of T. 34 N., R. 9 W. Chains. From which A cedar, 14 ins. diam., brs. N.21°E., 72 lks. dist., marked T34N R9W S29 BT. A cedar, 14 ins. diam., brs. S.72°W...1

192 lks. dist., marked T34N R9W S31 BT.
A cedar, 12 ins. diam., brs. N.702°W., 78 lks. dist., marked T34N R9W S30 BT. No other trees within limits. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar. Undergrowth, sagebrush. N.89°58'E. on a random line, bet. secs. 29 and 32. Set temp. 4 sec. cor. 40.00 Intersect N. and S. line, 9 lks. S. of the cor. of secs. 79.76 28, 29, 32 and 33. Thence S.89°54'W. on a true line, bet. secs. 29 and 32. Over mountainous land, through scattering timber and undergrowth. Asc. 95 ft.
Desc. 130 ft.
Wash, 30 lks. wide. course SE. Asc. 280 ft.
Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the
ground, in a mound of stone, 3 ft. base, 2 ft. high,
for ‡ sec. cor., marked on brass cap 13.50 23.00 From which A cedar, 6 ins. diam., brs. N.23°W.,
120 lks. dist., marked \(\frac{1}{4}\)S29 BT.

A cedar, 10 ins. diam., brs. S.36\(\frac{3}{4}\)°W.,
78 lks. dist., marked \(\frac{1}{2}\)S32 BT. Continue ascent, 220 ft. Ridge, brs. NW. and SE. Desc. 375 ft. The cor. of secs. 29, 30, 31 and 32. Land, mountainous. Soil, rocky, 4th rate.

48.20 79.76 Timber, cedar. Undergrowth, sagebrush, cactus and Spanish bayonet.

S.89°58'W. on a random line, bet. secs. 30 and 31.

Set temp.  $\frac{1}{4}$  sec. cor. 40.00 Fall 30 lks. S. of the cor. of secs. 25, 30, 31 and 36, on the W. bdy. of Tp., which is an iron post, described 79.87 in Book "F".

Thence S.89°49'E. on a true line, bet. secs. 30 and 31. Over broken land, through scattering timber and undergrowth.

Asc. Ridge, brs. N. and Desc.
Set an iron post, long, l in. diam., 14 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high, for  $\frac{1}{4}$  sec. cor., marked on brass cap

From which

```
Subdivision of T. 34 N., R. 9 W.
Chains.
                         A cedar, 16 ins. diam., brs. N.19°W.,
                         92 lks. dist., marked $330 BT. A cedar, 8 ins. diam., brs. S.523°W.,
                                58 lks. dist., marked \frac{1}{4}S31 BT.
             Continue descent, 025 ft.
Center of Whiteh, 75 lks. wide, 8 ft. deep, course SE. Asc
The cor. of secs. 29, 30, 31 and 32.

/ 300 ft
 70.05
            Land, broken.
Soil, rocky, 3rd and 4th rates.
Timber, cedar and pinyon.
             Undergrowth, sagebrush, Spanish bayonet and cactus.
            N.0°3'W. bet. secs. 29 and 30. Over broken land, through scattering timber and under-
                  growth.
             Asc. 450 ft.
             Top of ascent, brs. NW. and SE. Thence over rolling land. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for \( \frac{1}{4} \) sec. cor., marked
 35.20
 40.00
                  on brass cap
                                              $30 | $29
                                                 1921
                  From which
                         A pinyon, 18 ins. diam., brs. S.113°E.,
                         126 lks. dist., marked \frac{1}{4}S29 BT. A pinyon, 14 ins. diam , brs. S.72\frac{1}{4}°W.,
                                118 lks. dist., marked \frac{1}{4}S30 BT.
             Asc. 20 ft.
             Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, on ledge rock, in a mound of stone, 3 ft. base, 2 ft. high, for cor. of secs. 19, 20, 29 and 30,
 80.00
                  marked on brass cap
                                              T34N R9W
                                               $19 $20
$30 $29
                                                   1921
                  From which
                         A cedar, 20 ins. diam., brs. N.53½°E.,
130 lks. dist., marked T34N R9W S20 BT.
A cedar, 30 ins. diam., brs. S.12¾°E.,
                                215 lks. dist., marked T34N R9W S29 BT.
                         A cedar, 18 ins. diam., brs. S.474°W.,
402 lks. dist., marked T34N R9W S30 BT.
A cedar, 30 ins. diam., brs. N.68½°W.,
235 lks. dist., marked T34N R9W S19 BT.
             Land, rolling and broken.
Soil, rocky, 3rd and 4th rates.
Timber, cedar and pinyon.
             Undergrowth, sagebrush, cactus and Spanish bayonet.
             N.89°54'E. on a random line bet. secs. 20 and 29. Set temp. \( \frac{1}{4} \) sec. cor.
 40.00
             Intersect N. and S. line, 16 lks. N. of the cor. of secs.
 79.86
                  20, 21, 28 and 29.
             The nce
             N.89°59 W. on a true line, bet. secs. 20 and 29.
```

Over rolling mountainous land, through scattering timber

Asc. 300 ft.

Asc. 75 ft.

Ridge, brs. NE. and SW. Desc. 200 ft.

Wash, 10 lks. wide, 4 ft. deep, course SW.

18.10

and undergrowth.

BOOK 5620 Survey of the Subdivision of T. 34 N. R. 9 W. Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for \( \frac{1}{4} \) sec. cor., marked on brass cap 39.93 1 S20 4 S29 From which A cedar, 6 ins. diam., brs. N.313°W., 155 lks. dist., marked 4S20 BT. A cedar, 10 ins. diam., brs. S.33°E., 77 lks. dist., marked \(\frac{1}{4}\)S29 BT. Continue ascent, 75 ft.
Top of ascent, brs. NW. and SE. 51.80 71.40 79.86 Asc. 70 ft. The cor. of secs. 19, 20, 29 and 30. Land, rolling mountainous. Soil, rocky, 3rd and 4th rates. Timber, cedar. Undergrowth, sagebrush. N.89°49'W. on a random line, bet. secs. 19 and 30. Set temp. 4 sec. cor. 40.00 Fall 35 lks. N. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of Tp., which is an iron post, described 79.74 in Book "F". N.89°56'E. on a true line, bet. secs. 19 and 30. Over rolling mountainoug land, through scattering timber and undergrowth. Desc. Wash, 50 lks. wide, 10 ft. deep, course NE. Asc.

Spur, slopes N. Desc. 85 ft.

Whitmon Wash 5 lks. wide, 8 ft. deep, course S. Asc. 350 ft.

Spur, slopes S. Desc. 95 ft.

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the 9.85 10.20 18.60 ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked qn brass cap 1 S19 4 S30 From which A cedar, 14 ins. diam., brs. N.134°E.,
180 lks. dist., marked 4819 BT.
A cedar, 14 ins. diam., brs. S.484°E.,
266 lks. dist., marked 4830 BT. Continue descent, 80 ft. 43.85 58.25 79.74 Wash, 20 lks. wide, course S. Asc. 290 ft. Top of ascent, brs. N. and S. Desc. 85 ft. The cor. of secs. 19, 20, 29 and 30. Land, rolling mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, sagebrush and cactus. N.0°3'W. bet. secs. 19 and 26. Over rolling land, through attering timber and undergrowth. Along E. slope. Along E. slope.
Ridge, brs. NE. and SW. Desc. 20 ft.
Wash, 15 lks. wide, course NM. Asc.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the 23.70 37.40 40.00

ground, in a mound of stone,  $3\frac{1}{2}$  ft. base, 2 ft. high.

for \frac{1}{4} sec. cor., marked on brass cap

= 00mg

Survey of the Subdivision of T. 34 N., R. 9 W.

```
Chains.
                                                s19<sup>†</sup>s20
                                                   1921
                   From which
                          A cedar, 20 ins. diam., brs. N.25% E., 115 lks. dist., marked $20 BT. A cedar, 10 ins. diam., brs. S.60% W.,
                                 95 lks. dist., marked \frac{1}{4}S19 BT.
             Desc. 45 ft.
Wash, 30 lks. wide, course E.
Spur, slopes SE. Desc. 85 ft.
45.80
52.60
58.80
                                                                   Asc. 60 ft.
             Wash, 20 lks. wide, course E.
                                                                    Asc. 135 ft.
             Spur, slopes SE. Desc. 140 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on
 67.20
 80.00
                  brass cap
                                               T34N R9W
S18 S17
                                                 S19 | S20
                                                    1921
                  From which
                         A cedar, 6 ins. diam., brs. N.282°E.,

113 lks. dist., marked T34N R9W S17 BT.

A cedar, 6 ins. diam., brs. S.92°E.,

114 lks. dist., marked T34N R9W S20 BT.

A cedar, 12 ins. diam., brs. S.22°W.,

163 lks. dist., marked T34N R9W S19 BT.
                         A cedar, 4 ins. diam., brs. N.54°W.,
87 lks. dist., marked BT.
             Land, rolling and rolling mountainous.
             Soil, rocky, 3rd and 4th rates. Timber, cedar and pinyon.
             Undergrowth, sagebrush, cactus and Spanish bayonet.
             S.89°59 E. on a random line, bet. secs. 17 and 20. Set temp. \frac{1}{4} sec. cor.
40.00
79.78
             Intersect N. and S. line, 2 lks. S. of the cor. of secs.
                  16, 17, 20 and 21.
             Thence
             West on a true line, bet. secs. 17 and 20.
             Over mountainous land, through scattering timber and
                  undergrowth.
             Asc. 95 ft.
3.90
25.20
39.89
            Spur, slopes SE. Desc. 215 ft.
Wash, 50 lks wide, 6 ft. deep, course SW. Asc. 50 ft.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground, in a mound of stone, 3 ft. base, 2 ft. high,
                  for \( \frac{1}{4} \) sec. cor., marked on brass cap
                                                1 S17
4 S20
1921
                  From which
                         A cedar, 18 ins. dim., brs. N.63\frac{1}{2}\cdot \psi.
200 lks. dist. marked \frac{1}{2}\S17 BT.

A cedar, 22 ins. dim., brs. S.78\frac{1}{4}\cdot \psi.
                                155 lks , marked 1 S20 BT.
            Desc.
51.90
62.50
63.90
79.78
            Asc. 55 ft.
Desc. 180 ft.
             Wash, 40 lks. wide, 10 ft. deep, course S. Asc. 85 ft.
             The cor. of secs. 17, 18, 19 and 20.
            Land, mountainous.
             Soil, rocky, 4th rate.
```

erech will

Survey of the Subdivision of T. 34 N., R. 9 W.

HISTORY Timber, cedar. Undergrowth, sagebrush. S.89°56'W. on a random line, bet. secs. 18 and 19. Set temp. \( \frac{1}{4} \) sec. cor. 40.00 Fall 9 lks. N. of the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of Tp., which is an iron post, described 79.54 in Book "F". Thence  $N.89^{\circ}52^{\circ}E$ . on a rtrue line, bet. secs. 18 and 19. Over rolling mountainous land, through scattering timber and undergrowth. Desc. 25 Wash, 40 lks. wide, course SW. Asc. 90 ft.

Desc. 95 ft.

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, 8.45 12.15 39.54 for \( \frac{1}{4} \) sec. cor., marked on brass cap 1 S18 S19 From which A cedar, 22 ins. diam., brs. N.51°W., 122 lks. dist., marked \$\frac{1}{4}\$S18 BT.

A cedar, 6 ins. diam., brs. \$\frac{5}{2}\$\frac{1}{4}\$\circ \text{E}\$., 12 lks. dist., marked \$\frac{1}{4}\$S19 BT. Thence over rolling land. 56.95 79.54 Desc. 195 ft. The cor. of secs 17, 18, 19 and 20. Land, rolling and rolling mountainous. Soil, rocky, 3rd and 4th rates. Timber, cedar. Undergrowth, sagebrush. N.0°3'W. bet. secs. 17 and 18. Over mountainous land, through heavy timber and scattering undergrowth.

Desc. 35 ft.

Wash, 50 lks. wide, course E. Asc. 60 ft.

Desc. 10 ft. 4.00 34.00 Wash, 30 lks. wide, course W. Asc. 75 ft.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone 3 ft. base, 2 ft. high, 35.50 40.00 for  $\frac{1}{4}$  sec. cor., marked on brass cap 1921 From which A cedar, 16 ins. diam., brs. N.64\frac{1}{2}\circ E.,
22 lks. dist., marked \frac{1}{2}\S17 BT.
A cedar, 10 ins. diam., brs. S.86\frac{3}{2}\circ W., 19 lks. dist., marked 4818 BT. Asc. 475 ft.

Wash, 50 lks. wide, course SW. Continue ascent.

Desc. 30 ft. 75.30 Twoll to Spring brs. E.Tw.

Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high, for cor. of secs. 7, 8, 17 and 18, marked on brass cap 50.00 70.80 80.00

Survey of the Subdivision of T. 34 N., R. 9 W.

chains.

T34N R9W S 7 S 8 S18 S17 1921

From which

A cedar, 10 ins. diam., brs. N.33°°E., 181 lks. dist., marked T34N R9W S8 BT. A cedar, 8 ins. diam., brs. S.83°E.,

110 lks. dist., marked T34N R9W S17 BT.

A cedar, 14 ins. diam., brs. S.52°W.,
63 lks. dist. marked T34N R9W S18 BT.

A cedar, 12 ins. diam., brs. N.71½°W.,

36 lks. dist., marked T34N R9W S7 BT.

Land, mountainous. Soil, rocky, 4th rate.

Timber, cedar and pinyon. Undergrowth, sagebrush and scrub oak.

East on a random line, bet. secs. 8 and 17.

40.00

Set temp. 4 sec. cor. Intersect H. and S. line, 7 lks. N. of the cor. of secs. 80.06

8, 9, 16 and 17.

Thence

N.89°57'W. on a true line, bet. secs. 8 and 17. Over mountainous land, through heavy timber and scattering undergrowth.

Asc. 15 ft.

2.50 8.00

Spur, slopes SW. Desc. 110 ft. Wash, 20 lks. wide, course SE. Asc. 90 ft.

22.70 34.80 Spur slopes SE. Desc.

40.03

From this point, Spring brs. S.1°W.
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, 4 ft. base, 2½ ft. high, for  $\frac{1}{4}$  sec. cor., marked on brass cap

From which

A pinyon, 12 ins. diam., brs. N.22½°E., 108 lks. dist., marked 488 BT. 28 ins. diam., brs. S.15\frac{1}{2}\circ W., A cedar, 28 ins. diam., brs.  $S.15\frac{1}{2}$  30 lks. dist., marked  $\frac{1}{4}S17$  BT.

Asc. 15 ft.

41.20

| Spur, slopes SE. From this point, Spring brs. S.362°E.

Desc. 50 ft. The cor. of secs. 7, 8, 17 and 18.

80.06 Land, mountainous.

Soil, rocky, 3rd and 4th rates. Timber, cedar and pinyon.

Undergrowth, sagebrush.

S.89°52'W. on a random line, bet. secs. 7 and 18. Set temp. \( \frac{1}{4} \) sec. cor. Fall 9 lks. N. of the cor. of secs. 7. 12, 13 and 18, on

40.00 79 • 47

the W. bdy. of Tp., which is an iron post, described in Book "F".

Thence

N.89°48'E. on a true line, bet. secs. 7 and 18. Over mountainous land, through scattering timber and undergrowth. Asc. 17 ft.

Desc. gradual slope, 25 ft. Wash, 20 lks. wide, course S. 8.80

13.55

BOOK \$620

Survey of the Subdivision of T. 34 N., R. 9 W. Chains 16.65 Wash, 20 lks. wide, course S. Wash, 20 lks. wide, course S. Asc. 35 ft. Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, 3 ft. base, 12 ft. high, 31.95 39.47 for 🛓 sec cor., marked on brass cap From which A cedar, 10 ins. diam., brs. N.243°E.,
58 lks. dist., marked 187 BT.
A cedar, 16 ins. diam., brs. S.47½°W.,
113 lks. dist., marked 1818 BT.
Continue ascent, 55 ft.
Spur, slopes S. Desc. 25 ft.
Wash. 20 lks. wide. course ST. 45.85 50.35 59.35 79.47 Wash, 20 lks. wide, course SW. Asc. 365 ft. Trail, brs. NW. and SE. The cor. of secs. 7, 8, 17 and 18. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon. Undergrowth, sagebrush. N.O°3'W. bet. secs. 7 and Over mountainous land, through heavy timber and scattering undergrowth. Desc. 155 ft. Wash, 20 lks. wide, course SW. Asc. 180 ft. 7.10 26.90 Spur, slopes W. Desc. 10 ft.
Wash, 20 lks. wide, course SW. Asc.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap 32.50 40.00 From which A cedar, 18 ins. diam., brs. N.61 $\frac{1}{2}$ °E.. 126 lks. dist., marked \( \frac{1}{4} \) SBT.

A cedar, 14 ins. diam., brs. S.37\( \frac{1}{2} \) W.,

130 lks. dist., marked \( \frac{1}{4} \) S7 BT.

Continue ascent, 85 ft.

Spur, slopes SW. Trail, brs. NE. and SW. Desc. 45 ft. 57.60 Wash, 10 lks. wide, course SW. Asc. 85 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 5, 6, 7 abd 8, marked on 77.80 80.00 brass cap T34N R9W S 6 S 5 S 7 S 8 1921 From which A pinyon, 12 ins. diam., brs. N.39½°E.,
76 lks. dist., marked T34N R9W S5 BT. A cedar, 8 ins. diam., brs S.86°E., 49 lks. dist., marked T34N R9W S8 BT. A cedar, 6 ins. diam., brs. S 51% W.,
44 lks. dist., marked T34N R9W S7 BT.
A cedar, 14 ins. diam., brs. N.51% W.,
31 lks. dist., marked T34N R9W S6 BT. Land, mountainous. Soil, rocky, 4th rate. Timber, cedar and pinyon.

Undergrowth, sagebrush and scrub oak.

7 × 5620

Survey of the Subdivision of T. 34 N., R. 9 W.

andro continuo esta a suo continuo to termo continuo esta esta esta esta esta esta esta esta	Subdivision of T. 34 N., R. 9 W.
40.00 80.10	S.89°57'E. on a random line, bet. secs. 5 and 8. Set temp. ½ sec. cor. Intersect N. and S. line, 16 lks. N. of the cor. of secs. 4, 5, 8 and 9.
8.90 40.00 40.05	Thence N.89°50'W. on a true line, bet. secs. 5 and 8.  Over mountainous land, through heavy timber and scattering undergrowth.  Desc. 730 ft.  Continue descent, on spur, sloping W.  Draw, course NW.  Set an iron post, 3 ft. long, l in. diam., 8 ins. in the ground, in a mound of stone, 3 ft. base, 3 ft. high, for \( \frac{1}{4} \) sec. cor., marked on brass cap
	1 S 5 4 S 8 1921
49.10 80.10	From which A cedar, 16 ins. diam., brs. N.45%°E., 44 lks. dist., marked \$\frac{1}{4}\$S BT. A pinyon, 16 ins. diam., brs. S.32%°W., 17 lks. dist., marked \$\frac{1}{4}\$S BT.  Asc. 105 ft. Spur, slopes NW. Desc. 360 ft. The cor. of secs. 5, 6, 7 and 8. L'and, mountainous. Soil, rocky, 4th rate. Timber, cedar and pine. Undergrowth, sagebrush and manzanita.
40.00 79.33	S.89°48'W. on a random line, bet. secs. 6 and 7.  Set temp. \(\frac{1}{4}\) sec. cor.  Fall 14 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of Tp., which is an iron post, described in Book "F".  Thence N.89°54'E. on a true line, bet. secs. 6 and 7.
31.65	Over slightly rolling land, through scattering undergrowth.  Thence over level land. Enter timber, brs. NE. and SW.
32.23 39.33	Wash, 70 lks. wide, course SW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., marked on brass cap
	1 S 6 8 7 1921
50.43 79.33	From which  A cedar, 14 ins. diam., brs. N.10°W.,  53 lks. dist., marked \( \frac{1}{2} \)S6 BT.  A cedar, 8 ins. diam., brs. S.46\( \frac{1}{4} \)°W.,  80 lks. dist., marked \( \frac{1}{4} \)S7 BT.  Wash, 20 lks. wide, course S. Asc. 340 ft.  The cor. of secs. 5, 6, 7 and 8.  Land, slighty rolling, level and mountainous.  Soil, 2nd and 4th rates.  Timber, cedar and pinyon.  Undergrowth, sagebrush.
40.00	N.Oclow. on a random line, bet. secs. 5 and 6. Set temp. \(\frac{1}{4}\) sec. cor.

⊴82**0** BOOK

Survey of the Subdivision of T. 34 N., R. 9 W.

chains Fall 9 lks. W. of the cor. of secs. 5, 6, 31 and 32, on the N. bdy. of Tp., which is an iron post, hereinbe-79.84 fore described.

Thence

S.0°6'E. on a true line, bet. secs. 5 and 6. Over mountainous land, through heavy timber and scattering undergrowth.

Desc. 165 ft.

Road, brs. W. and SE.

21.35 Wash, 20 lks. wide, course NW. Asc. 80 ft. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, 39.84 for 1/4 sec. cor., marked on brass cap

s 6 s 5

From which A cedar, 6 ins. diam., brs. S. $43\frac{1}{2}$ °E., 26 lks. dist., marked \$55 BT. A pinyon, 12 ins. diam., brs. N.63\frac{1}{4}\circ \text{W.},

13 lks. dist., marked 486 BT.

Continue ascent, 60 ft.

Desc. 85 ft.

Wash, 20 lks. wide, course SW. Asc. 110 ft. 55.45 74.35 79.84

Spur, slopes W. Desc. 25 ft. The cor. of secs. 5, 6, 7 and 8.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, cedar and pinyon. Undergrowth, scrub oak, sagebrush.

The continued satisfactory adjustment of the solar transits during the survey of this township is indicated from field tests as described in Books: "F" and "K".

## GENERAL DESCRIPTION.

This township consists of rolling, broken and mountainous land, covered with a heavy or scattering growth of cedar, pinyon, yellow pine, white oak, locust and juniper timber, and sagebrush, white oak, scrub oak, Spanish mescal manzanita, locust and cactus undergrowth. The soil is generally rock, 3rd and 4th rates. Mt. Logan in sec. 12 attains an elevation of 7700 ft. At the base of and West of Mt. Logan is a serried and washed depression, almost inaccessible, known as Hell's Hollow, from which runs a small stream of water. Sections 1, 2, 3 and 4 drain northerly; the rest of the township drains to the South. There is a spring in sec. 4, which furnishes a constant supply of water. The natural tank in sec. 10 is dry in the spring months. Cold Spring, in sec. 17, delivers a constant amount of good water, but is reached only by pack trail. A pipe line traverses the SE. portion of the Tp. There is a small sawmill in sec. 1. There are no settlers.

## FIELD ASSISTANTS. to Dupree R.Averill and William E.Hiester, U.S.Surveyors.

NAMES.	CAPACITY.
A.J.Chalfant	Chainman.
George M. Ginochio	Chainman.
J.A.Redwine	Chainman.
Wilson Searles	Chainman.
L.M.Brumfield	Chainman.
J.S.Dameron	Chainman.
Walter Thomas	Chainman.
J. Burrows	Chainman.
L.S.Ruddick	Flagman.
R.J.Yates	Flagman.
Joe Mancha	Cornerman.
Edward Hunt	Cornerman.
George Tucker	Flagman.
C.McLarty	Flagman.
Lowell McAllister	Cornerman.
Hale Pierce	Cornerman.
William Baker	Axman.
Henry McKelvey	Axman.

50 CERTIFICATE OF UNITED STATES SURVEYOR.

I, Dupree R. Averill , U. S. Surveyor, hereby certify upon honor that, in pursuance

f special instructions rec	eived from the U.S. Su	rveyor General,for	Group 72, Arizona
			, 1916, I have well, faithfully, and truly
my own proper person	, and in strict conformi	ity with said instru	uctions, the Manual of Surveying Instruc-
ons, and the laws of the	United States, surveyed	d all those parts or	portions of
The Second	l Cuide Meridiar	n West, thro	ugh 7s.34 N.
The North	Boundary of T.3	34 N., R.9 W.	, and
The Subdiv	risions of T.34	N.,R.9 W.	
			of the Gila and Salt Riv
Base and M	Meridian, in the State o	f Arizona	, which are represented in
e foregoing field notes/	d by diagram on pagas having been executed	ge 1 hereof I by me, and unde	r my direction; and that all the corners of
			nce with the Manual of Surveying Instruc-
•			eneral, for Group 72, Arizona
-	er described in the field	i notes, and that t	the foregoing are the original field notes of
ich survey.			Paris
Phoenix ar	you	Kry	T. S. Surveyor.
January 3, 1	924		
	<del> A</del> F	PROVAL.	
	_Orași	CH. OH. WILL IINIWA	D STATES SURVEYOR GENERAL,
		OE OF THE CATE	/
			, 19
The foregoing field 1	notes of the survey of		
	`		
		X	
xecuted by	<u>.:</u>		
ınder his special instru	ctions dated		, 19 , having been
		ns and explanation	s made, the said field notes, and the surveys
hey describe, are hereb	y approved.		
	<u> </u>		U. S. Surveyor General
I certify that the fo	regoing transcript of the	e field notes of the	above-described surveys in
2 555 657			n the original notes on file in this office.
	, nas been co.	rreemy copied from	a one original notes on the invite onice.
<i></i>			U.S. Surveyor Genera

4--680

## FIELD ASSISTANTS. to Dupree R. Averill and William E. Hiester, U.S. Surveyors.

NAMES.	CAPACITY.
•	
See page 49 of	this book
· 	
	·
	·
	. • · · · · · · · · · · · · · · · · · ·

CERTIFICATE OF UNITED STATES SURVEYOR. 52 I, ... Nilliam E. Hiester , U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U.S. Surveyor General, for Group 7?, Arizona bearing date of the 12th day of October , 1916, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of The Subdivisions of T.34 N., R.9 W. of the <u>Gila and Salt Ri</u>ver Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U.S. Surveyor General, for Group 72, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of William & Hiester such survey APPROVAL. OFFICE OF THE UNITED STATES SURVEYOR GENERAL, Phoenix, Arizona, May 15, 1924. The foregoing field notes of the survey of \_\_\_\_\_ The Second Guide Meridian West, through Ts. 34 N., The North Boundary of T.34 N. R.9 W. and The Subdivisions of T.34 N.R.9 W. of the Gila and Salt River Base and Meridian in the State of Arizona executed by Dupree R. Averill and William E. Hiester, U.S.Surveyors under special instructions dated October 12,1916 for Group 72, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved. Larles W. Douolog.
U. S. Surveyor General. I certify that the foregoing transcript of the field notes of the above-described surveys in

, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.