Book B

FIELD NOTES

ECCK 4022

OF THE Resurvey of a Portion of the Gila and Salt River Meridian Through T. 36 N.; Resurvey of a Portion of the 9th Standard Parallel North Through R. 1 W.; Survey of the West Boundary and the Subdivisional Lines of Township 36 North, Range 1 West, Of the Gila and Salt River Meridian, In the State of _____Arizona EXECUTED BY Charles E. Hunter, U. S. Transitman, and Benjamin J. Kinsey, U. S. Surveyor, In the capacity of U.S. Surveyors, under Special Instructions dated ... May....., 1931..., issued by the District Cadastral Engineer to govern surveys included in Group No. _____168____, which were approved by the Commissioner of the General Land Office, May 25, 19.31, and Assignment Instructions dated August 5, 19.31, and July 27, 1932. Survey commenced October 19 ,19 31.

Survey completed August 23 , 19 32.

3600

BCOK 4022

INDEX DIAGRAM.

Township		3	6 N	orth	, Î	Range	? 	1We	s.t	 13	- 1	
12	6	60	8	48	4	39	3	30	2	21	1 1	7
	60		59		47		39		30		21	+
11	7	58	8	47	9	38	10	29	11	20	12	é
	58		57		46		37		28		19	\dashv
10	18	56	17	45	16	36	15	27	14	18	18	1
	55		55		44		35		27		17	_
9	19	54	20	43	21	34	22	26	23	16	24	3
	53		52		43		34		25		16	十
9	30	51	29	42	28	33	27	24	26	15	25	ź
	51		50		41		32		23		1/4	_
8	81	49	362	240	38	31	84	22	3 5	13	36	

BOOK 4022

The survey was executed by Charles E. Hunter, U. S. Tran sitman, using Young and Sons transit No. 8584, and Benjamin J. Kinsey, U. S. Surveyor, using Buff and Buff transit No. 16724 and Young and Sons transit No. 8540.

For the description of instrument and test of solar for Young and Sons transit No. 8584, reference is made to the preliminary and final tests of instrument as given in the field notes of the survey of T. 35 N. R. J. W. surveyed

field notes of the survey of T. 35 N., R. 1 W., surveyed

the current group.

Buff and Buff transit No. 16724 and Young and Sons transit No. 8540 are constructed in accordance with the standard specifications of the General Land Office, and are equipped with the improved Smith solar attachment. The instruments were in good condition and having been placed in satisfactory adjustment prior to beginning the survey, and tested and found free from appreciable error were approved by the district cadastral engineer on July 27, 1932. All of the instrumental adjustments were examined before

making the field tests hereinafter described.

The directions of the lines were determined by solar transit method. The measurements were made with Lurkin 5 chain steel tapes compared with a Lufkin standard steel The measurements were made on the tape and found correct. slope, and the vertical angle of each interval was ascertained with a clinometer in good adjustment; the horizontal

equivalents are entered in the field note record.

The data furnished with the special instructions gives the geographical position of the SE. cor. of T. 36 N., R. 1 W., as follows: latitude 36° 28° 03' N.; longitude 112° 21' W.

August 2, 1932: in camp which is situated near the corner of secs. 10, 11, 14 and 15, T. 36 N., R. 1 W., G.& S.R.B. and M., Arizona, at 10h 54.7m p.m., 1.m.t., I observe Polaris at eastern elongation, making two sights each with telescope in direct and reversed positions, and mark the mean point of the line thus determined by a nail in top of stake driven firmly in the ground 5 chs. S. of my station. After sunrise on Aug. 3, I lay off the azimuth of Polaris 1° 19' to the west and mark a point in the meridian by a nail in another stake 5 chs. S.

Aug. 3: at 8h 00m a.m., app.t., I set off 36° 32' N. on the latitude arc, 17° 282' N. on the declination arc and determine a meridian with the solar which across with the

nodetermine a meridian with the solar which agrees with the true meridian?

At 12h. 00m app. noon, with the latitude arc unchanged, I observe the sun on the meridian, the resultant reading of the declination arc is 17° 26' N., which agrees with the computed declination of the sun.

changed, I set off 17° 24' N., on the declination arc, and determine a meridian with the solar which also agrees with the meridian obtained from Polaris observation.

.As all of the observations taken during the usual hours of solar work agree within l' of the true meridian, I conclude that the instruments are in satisfactory adjustment.

Resurvey of a Fortion of the Gila and Salt River Meridian through T. 36 N.

This line was surveyed by Benjamin J. Kinsey, U. S. Transitman, in 1922. No resurvey or retracement is of record. Investigation discloses that portions of it are defective n measurement; it is therefore necessary to set new cors. for secs. to the west and change the markings on the origimal cors. to refer to secs. to the east only. The following field notes describe such resurvey, but no man topography is given.

The cor. of secs. 25, 30, 31 and 36, T. 36 N., Rs. 1 E. and 1 W., is an iron post, 2 ins. diam., firmly set and marked and witnessed as described in the official record.

Resurvey of a Portion of the Gila and Salt River Meridian through T. 36 N.

Chains	Thence . Cochexily of fedurate new galante to the	-
	North, on a random and true line along W. bdy. of sec. 30.	
1. 140.00 1. 1. 10 10 10 10 10 10 10 10 10 10 10 10 10	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{2}\) sec. cor. of sec. 25 only, of R. 1 W., with brass cap marked	
1 (4.4%)35 (. S. 25	
	from which	
	A yellow pine, 20 ins. diam., bears N. 77° W., 36 lks. dist., marked 4 S 25 B T.	
	A yellow pine, 36 ins. diam., bears N. 75° W., 35 lks. dist., marked ½ S 25 B T. Note: This is the old bearing tree in sec. 25, originally marked from the original ½ sec. cor. of secs. 25 and 30.	
The street of	The old 1 sec. cor. of secs. 25 and 30, which is an iron post, 1 in. diam., 10 ins. above ground, with brass cap marked	
- 100 500 100 100 100 100 100 100 100 100 100 1	\$ 25 S 30	
evin si		
	As this cor. now refers to sec. 30 only, of R. 1 E., I alter the markings on the brass cap to read	
	the contraction of distributions of $\frac{1}{2}$. The contraction of $\frac{1}{2}$, we have $\frac{1}{2}$, which is a second of $\frac{1}{2}$. The contraction is the contraction of $\frac{1}{2}$.	
-10 [15] HV40 - 1 [1 11]	From Eq. (4.1), $\alpha_1, \alpha_2, \alpha_3, \alpha_4, \beta_5$ with $\alpha_1, \beta_2, \beta_3$ where $\alpha_2, \beta_3, \beta_4$ is the $\alpha_1, \beta_2, \beta_3$ and α_2, β_3 and β_4	فيت
	from which	
	the original bearing trees,	
	A yellow pine, 18 ins. diam., bears S. 64° E., 30 lks. dist., marked \(\frac{1}{4}\) S 30 B T.	
	A yellow pine, 36 ins. diam., bears S. 61° W., 39 lks. dist., marked ½ S-25 B T. Note: The marks on this tree are not defaced for the reason that it is now a bearing tree for the ½ sec. cor. on the E. bdy. of sec. 25.	
	and new bearing tree,	
	A pine, 20 ins. diam., bears N. 59% E., 82 lks. dist., marked 4 S 30 B T.	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for con. of secs. 24 and 25 only, of R. 1 W., with	
1 -	brass cap marked Trace Trace No. No. 1913 No. 19	
The second secon	Reduction of the second of the	
10.09	The The office and the market w start power master. I do not be started to the start of the star	
	A yellow pine, 12 ins. diam., bears S. 751° W., 56 lks. dist., marked T 36 N R 1 W S 25 B T.	
	A yellow pine, 6 ins. diam., bears N. 33° W., 31 lks. dist., marked T 36 N R 1 W S 24 B.T.	
	The old cor. of secs. 19, 24, 25 and 30, which is an iron post, 2 ins. diam., 10 ins. above ground, with brass cap harked	-
	Tigat dig an yit here the you are not a second to a second the second to be a sec	

	Chains	T 36 N R 1 W R 1 E S 24 S 19
		S 24 S 19 S 25 S 30 1922
		As this cor. now refers to secs. 19 and 30 only, of R. 1 E., I alter the markings on the brass cap to read.
		T 36 N T 36 N R 1 W S 30 S 24 R 1 E
	gr 3 - 2	1931 1922 from which
	**************************************	A yellow pine, 16 ins. diam., bears N. 60° E., 67 lks. dist., marked T 36 N R 1 E S 19 B T.
		A yellow pine, 20 ins. diam., bears S. 49° E., 63 lks. dist., marked T 36 N R l E S 30 B T.
	Marine.	A yellow pine, 20 ins. diam., bears S. 69° W., 68 lks. dist., marked T 36 N R.1 W S 25 B T. I obliterate the markings on this bearing tree.
		A yellow pine, 18 ins. diam., bears N. 8° W., 42 lks. dist., marked T 36 N R l W S 24 B T. I obliterate the markings on this bearing tree.
		North, on a random and true line along W. bdy. of sec. 19.
·	39.32	A point 40.00 chs. North of the SE. cor. of sec. 24,
		Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor. of sec. 2\(\psi\$ only, of R. 1 W., with brass cap marked
	•	s 24 4
		1931 from which
		A yellow pine, 8 ins. diam., bears S. 43\frac{1}{4}^\circ W., 19 lks. dist., marked \frac{1}{4} S 2\frac{1}{4} B T.
		A yellow pine, 16 ins. diam., bears N. 65 3/4° W., 44 lks. dist., marked 4 S 24 B T.
	40.19	The old $\frac{1}{4}$ sec. cor. of secs. 19 and $2l_{\downarrow}$, which is an iron post, 1 in. diam., 10 ins. above ground, with brass cap marked
		s 24 s 19
		1922
		As this cor. now refers to sec. 19 only, of R. 1 E., I alter the markings on the brass cap to read
		s 19
		1931 1922 from which
	.9 t 7 s	The old bearing trees,
,		A yellow pine, 8 ins. diam., bears S. 342° E., 23 lks. dist., marked 2 S 19 B T.
	* 155 * 155	A yellow pine, 8 ins. diam., bears N. 67° W., 12 lks. dist., marked \(\frac{1}{4} \cdot \text{S} \) 24 \cdot B T. I obliterate the markings on this bearing tree.
	<u> </u>	6 OIRE

BOOK 4022

Resurvey of a Portion of the Gila and Salt River . Meridian through T. 36 N.

हाइस्स क

	•	
Chains	and new bearing tree,	
	A yellow pine, 10 ins. diam., bears N. 45° E., 3 lks. dist., marked \(\frac{1}{4}\) S 19 B T.	
79.32	A point 80.00 chs. North of the SE. cor. of sec. 24,	
- 1.17	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13 and 24 only, of R. 1 W., with brass cap marked	
	T 36 N S 13 T 36 N R 1 E R 1 W S 19	
300	R 1 W 13 19 1931 from which	
	A yellow pine, 10 ins. diam., bears S. 612° W., 25 lks. dist., marked T 36 N R 1 W S 24 B T.	
	A yellow pine, 36 ins. diam., bears N. 63° W., 30 lks. dist., marked T 36 N R 1 W S 13 B T.	
80.74	The old cor. of secs. 13, 18, 19 and 24, which is an iron post, 2 ins. diam., 10 ins. above ground, with brass cap marked	
	T 36 N R 1 W R 1 E	
100 00 00 00 00 00 00 00	\$ 13 S 18 \$ 24 S 19 1922	
	As this cor. now refers to secs. 18 and 19 only, I alter	
	the markings on the brass cap to read	عثد
	T 36 N T 36 N S 18 S 19 R 1 E	
	1931 1922 from which	
	A yellow pine, 6 ins. diam., bears N. 74° E., 38 lks. dist., marked T 36 N R 1 E S 18 B T.	
	A yellow pine, 11 ins. diam., bears S. 22° E., 54 1ks. dist., marked T 36 N R 1 E S 19 B T.	
•	A yellow pine, 30 ins. diam., bears S. 242° W., 94 lks. dist., marked T 36 N R 1 W S 24 B T. I obliterate the markings on this bearing tree.	
	A yellow pine, 24 ins. diam., bears N. 40° W., 67 lks.	
	dist., marked T 36 N R l W S 13 B T. I obliterate the markings on this bearing tree.	
	North, on a random and true line along W. bdy. of sec. 18.	
38.58	A point 40.00 chs. North of the SE. cor. of sec. 13,	
	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for \(\frac{1}{4} \) sec. cor. of sec. 13 only, of R. 1 W., with brass cap marked	
Est * est	S 13	
	1931 from which	
	A yellow pine, 30 ins. diam., bears S. 4120 W. 53 lks.	-
	dist., marked \(\frac{1}{4} \) S 13 B T. A yellow pine, 5 ins. diam., bears N. 67° W., 74 lks.	
	dist., marked \(\frac{1}{4}\) S 13 BT.	

Ghains
39.81
' '

The old $\frac{1}{4}$ sec. cor. of secs. 13 and 18, which is an iron post, 1 in. diam., 10 ins. above ground, with brass cap marked

As this cor. now refers to sec. 18 only, of R. 1 E., I alter the markings on the brass cap to read

s 18

from which

The old bearing trees,

A yellow pine, 26 ins. diam., bears S. 70° E., 66 lks. dist., marked $\frac{1}{4}$ S 18 B T.

A yellow pine, 28 ins. diam., bears N. 33° W., 46 lks. dist., marked $\frac{1}{4}$ S 13 B T. I obliterate the markings on this, bearing tree.

and new bearing tree,

A yellow pine, 4 ins. diam., bears N. $40\frac{1}{5}$ ° E., 32 lks. dist., marked $\frac{1}{4}$ S 18 B T.

78.58 A point 80.00 chs. North of the SE. cor. of sec. 13,

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 12 and 13 only, of R. 1 W., with brass cap marked

T 36 N T 36 N S 12 T 36 N S 13 R 1 E 1931

from which

A yellow pine, 28 ins. diam., bears S. $46\frac{1}{2}$ ° W., 76 lks. dist., marked T 36 N R l W S 13 B T.

A yellow pine, 12 ins. diam., bears N. $50\frac{1}{2}^{\circ}$ W., 65 lks. dist., marked T 36 N R 1 W S 12 B T.

80.23

The old cor. of secs. 7, 12, 13 and 18, which is an iron post, 2 ins. diam., 10 ins. above ground, with brass cap marked

As this cor. now refers to secs. 7 and 18 only, of R. 1 E., I alter the markings on the brass cap to read

T 36 N
$$\begin{vmatrix} T & 36 & N \\ S & 12 & S & 18 \\ R & 1 & E \\ 1931 & 1922$$

from which

A yellow pine, 12 ins. diam., bears N. 63° E., 47 lks. dist., marked T 36 N R 1 E S 7 B T.

A yellow pine, 10 ins. diam., bears S. 25° E., 30 lks. dist., marked T 36 N R 1 E S 18 B T.

Resurvey of a Portion of the Gila and Salt River Meridian through T. 36 N.

A yellow pine, 12 ins. diam., bears S. 2° W., 35 lks. dist., marked T 36 N R 1 W S 13 B T. I obliterate Chains the markings on this bearing tree. . A yellow pine, 16 ins. diam., bears N. 70° W., 19 lks. dist., marked T 36 N R l W S 12 B T. I obliterate the markings on this bearing tree. North, on a random and true line along W. bdy. of sec. 7. 38.35 A point 40.00 chs. North of the SE. cor. of sec. 12, Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 12 only, of R. 1 W., with brass cap marked S 12 1931 A yellow pine, 12 ins. diam., bears S. 35° W., 33 lks. dist., marked $\frac{1}{4}$ S 12 B T. A yellow pine, 4 ins. diam., bears N. 71° W., 3 lks. dist., marked $\frac{1}{4}$ S 12 B T. 39.94 The old $\frac{1}{4}$ sec. cor. of secs. 7 and 12, which is an iron post, 1 in. diam., 10 ins. above ground, with brass cap marked 1922 As this cor. now refers to sec. 7 only, of R. 1 E., I alter the markings on the brass cap to read from which The old bearing trees, A yellow pine, 36 ins. diam., bears S. 50° E., 12 lks. dist., marked \(\frac{1}{2} \) S 7 B T. A yellow pine, 8 ins. diam., bears S. 812° W., 70 lks. dist., marked ½ S.12 B T. I obliterate the markings on this bearing tree. and new bearing tree, A yellow pine, 20 ins. diam., bears N. 67° E., 84 lks. dist., marked \(\frac{1}{4}\) S 7 B T. 78.35 A point 80.00 chs. North of the SE. cor. of sec. 12, Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1 and 12 only, of R. 1 W., with brass cap marked T 36 N S 1 T 36 N R 1 E S 12 R 1 R 1 W S 7 from which 1932 A yellow pine, 15 ins. diam., bears S. $28\frac{1}{2}$ ° W., 28 lks. dist., marked T. 36 N R 1 W S 12 B T.

A yellow pine, 30 ins. diam., hears N. 55° W., 64 lks.

Resurvey of a Portion of the Gila and Salt River Meridian through T. 36 N.

4022

Chains

dist., marked T 36 N R 1 W S 1 B T.

The old cor. of secs. 1, 6, 7 and 12, which is an iron post, 2 ins. diam., 10 ins. above ground, with brass cap marked

T 36 N R 1 W | R 1 E S 1 S 6

As this cor. now becomes the cor. of secs. 6 and 7 only, of R. 1 E., I alter the markings on the brass cap to read

T 36 N R 1 W R 1922

from which

A yellow pine, 20 ins. diam., bears N. 312° E., 山 lks. dist., marked T 36 N R 1 E. S 6 .B T.

A yellow pine, 8 ins. diam., bears S. 46° E., 59 lks. dist., marked T 36 N R 1 E S 7 B T.

A yellow pine, 18 ins. diam., bears S. 70° W., 106 lks. dist., marked T 36 N R 1 W S 12 B T. I obliterate the markings on this bearing tree.

A yellow pine, 10 ins. diam., bears N. 53° W., 30 lks. dist., marked T 36 N R l W S l B T. I obliterate 30.1ks. the markings on this bearing tree.

North, on a random and true line along W. bdy. of sec. 6.

38.30 A point 40.00 chs. North of the SE. cor. of sec. 1,

> Set an iron post, 3 ft. long, 1 in. diam., $2l_1$ ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., of sec. 1 only, of R. 1 W., with brass cap marked

.1932

from which

A yellow pine, 24 ins. diam., bears S. 61° W., 57 lks. dist., marked \(\frac{1}{4} \) S 1 B T.

A yellow pine, 30 ins. diam., bears N. 21° W., 82 lks. dist., marked $\frac{1}{4}$ S 1 B T.

The old $\frac{1}{4}$ sec. cor. of secs. 1 and 6, which is an iron post, 1 in. diam., 12 ins. above ground, with brass cap 40.00 marked

As this cor. now refers to sec. 6 only, of R. 1 E., I alter the markings on the brass cap to read

> **s** 6 1932

1922

from which

The old bearing trees.

Resurvey of a Portion of the Gila and Salt River Meridian through T. 36 N.

_			7
	Chains	A yellow pine, 18 ins. diam., bears N. 80½° E., 20 1ks. dist., marked ½ S 6 B T.	
	1 (213 - 5)	A yellow pine, 24 ins. diam., bears S. 62° W., 66 lks. dist., marked 4 8 l B T. I obliterate the markings on this bearing tree.	
		and new bearing tree,	
		A yellow pine, 18 ins. diam., bears N. 14° E., 65 lks. dist., marked \(\frac{1}{4} \) S 6 B T.	
	80.00	The Standard cor. of Tps. 36 and 37 N., Rs. 1 E. and 1 W., which is an iron post, 3 ins. diam., 12 ins. above ground, marked and witnessed as described in the official record.	
		West Boundary of T. 36 N., R. 1 W.	
		From the cor. of Tps. 35 and 36 N., Rs. 1 and 2 W., which is an iron post, 3 ins. diam., marked and witnessed as described in the official record,	
		North, bet. secs. 31 and 36.	
	•	Over rolling mountainous land, through heavy timber and scattering undergrowth.	
	2.20	Ridge, bears NE. and SW. Descend NW. slope 200 ft.	
	17.50	Draw, course W. Ascend S. slope 230 ft.	
	34.00	Spur, slopes W	
	36.50	Head of small draw, course W.	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap marked	
		s 36 ts 31	
,		1931 from which	
		A pinyon pine, 14 ins. diam., bears S. 13° E., 63 lks. dist., marked \(\frac{1}{4} \) S 31 B T.	
		A juniper, 14 ins. diam., bears S. 62° W., 43 lks. dist. marked ½ S 36 B T.	,
	41.50	Spur, slopes W. Descend 200 ft. over N. slope.	
	51.25	Draw, course SW. Ascend 200 ft. over SW. slope.	
	63.00	Ridge, bears NW. and E.	
	79.85	Small draw, course NW.	
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap marked T 36 N	
	. †	R 2 W R 1 W 8 25 S 30 · S 36 S 31 1931 from which	-
	s: 5 1	A juniper, 5 ins. diam., bears N. 21° E., 79 lks. dist., marked B T.	
		A juniper, 6 ins. diam., bears S. 46½° E., 33 lks. dist., marked T 36 N R l W . S 31 B T.	

	Applications are supported by the control of the co	
	Chains	A yellow pine, 30 ins. diam., bears S. 63° W., 98 lks. dist., marked T 36 N R 2 W S 36 B T.
		A yellow pine, 30 ins. diam., bears N. 82° W., 135 lks. dist., marked. T 36 N R 2 W S 25 B T.
		Land, broken and mountainous. Soil, rocky, 3rd rate. Timber, yellow pine, pinyon pine, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	North, bet. secs. 25 and 30.
	` · ·	Over rolling mountainous land, through moderately heavy timber and undergrowth.
	2.50	Low spur, slopes, NW. Descend 40 ft.
	11.90	Draw, course W. Ascend 80 ft.
	27.00	Spur, slopes W. Descend 145 ft.
	38.80	Draw, course NW.
ν."	40.00	Set an iron post, 3 ft. long, 1 in diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap marked
		$\mathbf{S} = \mathbf{S} + $
		1931 from which
,	•	A yellow pine, 16 ins. diam., bears S. 18° E., 70 lks. dist., marked \(\frac{1}{4} \) S 30 B T.
	i i kana je sa je	An oak, 4 ins. diam., bears N. $88\frac{1}{2}$ ° W., 47 lks. dist., marked $\frac{1}{4}$.S 25 B T.
	5.00	Ascend 135 ft. to
	51.60	Top of ascent, thence over rolling top of ridge.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of mecs. 19, 24, 25 and 30, with brass cap marked T 36 N
	. 11 5	R 2 W R 1 W S 24 S 19 S 25 S 30. 1931 from which
		A yellow pine, 24 ins. diam., bears N. 50½° E., 74 lks. dist., marked T 36 N R l W S 19 B T.
		A juniper, 6 ins. diam., bears S. 35% E., 99 lks. dist., marked T 36 N R 1 W S 30 B T.
		A pinyon pine, 10 ins. diam., bears S. 52° W., 86 lks. dist., marked T 36 N R 2 W S 25 B T.
	• 1	A juniper, 6 ins. diam., bears N. 13° W., 30 lks. dist., marked T 36 N R 2 W S 24 B T.
	4 .	Land, rolling mountainous. Soil, clay and gravel, 3rd rate. Timber, yellow pine, pinyon pine, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.
	and one	North, bet. secs. 19 and 24.

. West Boundary of T. 36 N., R. 1 W.

-	Chains	and dense undergrowth.	_
	2.90	Draw, course NW.	
	37.80	Gulch, course W. Road, bears W. and SE.	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for \frac{1}{4} sec. cor., with brass cap marked	-
	,	s 24 is 19	
		1931 . from which	
		A yellow pine, 28 ins. diam., bears N. $40\frac{1}{2}^{\circ}$ E., 74 lks. dist., marked $\frac{1}{4}$ S 19 B T.	
		A yellow pine, 24 ins. diam., bears N. 14° W., 69 lks. dist., marked ½ S 24 B T.	
	42.50	Spur, slopes W.	
	60.30	Small draw, course NW. Thence over rolling land.	
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone, for cor. of secs. 13, 18, 19 and 24, with brass cap marked T 36 N	
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
		\$\frac{1}{5} \frac{1}{24} \frac{1}{5} \frac{19}{1931} \text{from which}	
	" ' \ \ ' :	A pinyon pine, 14 ins. diam., bears N. 47° E., 68 lks. — dist., marked T 36 N R 1 W S 18 B T.	_
		A juniper, 4 ins. diam., bears S. 60° E., 45 lks. dist., marked B T.	
		A pinyon pine, 4 ins. diam., bears S. 70° W., 32 lks. dist., marked B T.	
		A pinyon pine, 6 ins. diam., bears N. 16° W., 57 lks. dist., marked T 36 N R 2 W S 13 B T.	
	′⊎ * ·	Land, rolling and mountainous. Soil, clay and gravel, 3rd rate. Timber, yellow pine, pinyon pine, oak and juniper. Undergrowth, buck brush, sage, june-berry and oak.	
,	in in its	North, bat. secs. 13 and 18.	•
	1 41.2	Over mountainous land, through scattering timber and dense undergrowth. Descend 50 ft.	
	6.00	Ravine, course NE. Ascend SE. slope.	
	16.00	Descend 375 ft. over steep NW. slope.	
٥	40.00	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for \frac{1}{4} sec. cor., with brass cap marked	
	•	\$ 13 \$ 18 - 1931 from which	•
•		A pinyon pine, 12 ins. diam., bears N. 31° E., 26 lks. dist., marked ½ S 18 B T.	
		A pinyon pine, 6 ins. diam., bears S. 13° W. 30 1ks.	

COK 4022

west Boundary of T. 36 N., R. 1 W.

	Chains	dist., marked 4 S 13 B T.
		Descend 160 ft.
	43.90	Bottom of Siwatts Canyon, course NW., comes from NE. Trail to Siwatts Spring in canyon. Ascend steep S. slope 440 ft.
	62.90	Spur, slopes SW. Descend 80 ft.
	68.20	Ravine, course W.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top of post, for cor. of secs. 7, 12, 13 and 18, with brass cap marked
		T 36 N R 2 W R 1 W S 12 S 7 S 13 S 18
		1931 from which
•	•	A pinyon pine, 6 ins. diam., bears N. 70° E., 37 lks. dist., marked T 36 N R l W S 7 B T.
	·	A juniper, 5 ins. diam., bears S. 64° E., 40 lks. dist., marked T 36 N R 1 W S 18 B T.
	•	A juniper, 6 ins. diam., bears S. 15° W., 67 lks. dist., marked T 36 N R 2 W S 13 B T.
:	responsible to the first	A juniper, 5 ins. diam., bears N. 69° W., 25 lks. dist., marked B T.
		Land, mountainous. Soil, rocky, 4th rate. Timber, pinyon pine, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.
		North, bet. secs. 7 and 12.
		Over mountainous land, through scattering timber and dense undergrowth.
	1.90	Spur, slopes NW. Descend 320 ft. over NE. slope.
	13.15	Ravine, course NW.
	17.50	Spur, slopes NW. Descend 150 ft.
	25.00	Same ravine, joins gulch, course NW. Ascend 140 ft. over SE. slope.
	38.80	Ravine, course SW. Ascend SE. slope.
	40:00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for \frac{1}{4} sec. cor., with brass cap marked
		s 12 1 5 7
		1931 from which
		A pinyon pine, 9 ins. diam., bears S. 41° E., 33 lks. dist., marked \(\frac{1}{2}\) S 7 B T.
		A pinyon pine, 4 ins. diam., bears S. 43° W., 24 Iks. dist., marked \(\frac{1}{4}\) S 12 B T.
	Q = ³ ····	Ascend 1140 ft. over SE. slope.
	47.10	Ravine, course SE. Continue ascent 400 ft.
		T S. SOVERNMENT PRINTING OFFICE: 1881 6-8155

S. SOVERNMENT PRINTING OFFICE: 1881 6-815

of the same

Chains 75.30	Spur, slopes SW. Descend NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 1, 6, 7 and 12, with brass cap marked T 36 N
	R 2 W R 1 W S 1 S 6 S 12 S 7 1931 from which
	A pinyon pine, 14 ins. diam., bears N. 7° E., 33 lks. dist., marked T 36 N R 1 W S 6 B T.
	A pinyon pine, 6 ins. diam., bears S. 19° E., 27 lks. dist., marked T 36 N R 1 W S 7 B T.
	A pinyon pine, 6 ins. diam., bears S. 49° W., 39 lks. dist., marked T 36 N R 2 W S 12 B T.
*	A pinyon pine, 6 ins. diam., bears N. 66½° W., 70 lks. dist., marked T 36 N R 2 W S 1 B T.
to and	Land, mountainous. Soil, rocky, 3rd rate. Timber, pinyon pine, juniper and oak.
	Undergrowth, buck brush, sage, june-berry and oak.
	North, bet. secs. 1 and 6.
	Over mountainous land, through heavy timber and scattering undergrowth. Descend N. slope 68 ft.
3.62	Draw, course NW. Ascend 100 ft. over S. slope.
8.80	Spur, 2 chs. wide, course W. Descend 55 ft. over N. slope.
15.24	Draw, course W. Ascend 80 ft. over S. slope.
25.00	Spur, slopes W. Descend N. slope.
31.90	Draw, course NW. Ascend 30 ft. over S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 2 sec. cor., with brass cap marked
	$\mathbf{s}_{\mathbf{s}} = \mathbf{s}_{\mathbf{s}} 1 = \mathbf{s}_{\mathbf{s}} 1$
 90 . 1 . 1	1932 from which
	A cedar, 7 ins. diam., bears N. 61° E., 30 lks. dist., marked ½ S l B T.
1	A cedar, 14 ins. diam., bears S. 89% W., 142 lks. dist., marked & S 6 B T.
	Descend 130 ft. over gradual N. slope.
58.70	Wash, 20 lks. wide, course W.
61.00	Trail, bears NW. and SE. Ascend 30 ft. over S. slope.
65.90	Spur, slopes W.
.82.46	Intersect the 9th Standard Parallel North
	Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for closing cor. of Tps. 36 N., Rs. 1 and 2 W., with brass cap marked
1	· · · · · · · · · · · · · · · · · · ·

	Chains	T 37 N R 1 W S 31
		S 1 S 6 R 2 W R .1 W
		T 36 N
		1932 from which
		A cedar, 8 ins. diam., bears S. 30° E., 59 lks. dist., marked T 36 N R l W S 6 C C B T.
		A cedar, 8 ins. diam., bears S. 382° W., 56 lks. dist., marked T 36 N R 2 W S 1 C C B T.
د	# 42 1 1 2 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1	From the point of intersection, the standard cor. of Tps. 37 N., Rs. 1 and 2 W., bears West, 1.20 chs. dist.; an iron post, 3 ins. diam., 10 ins. above ground, marked and witnessed as described in the official record.
		Land, mountainous. At a soil, rocky, 4th rate. Timber, yellow pine and pinyon pine. Undergrowth, oak and june-berry.
,	edda oo .	
	. *	Resurvey of a portion of the 9th Standard Parallel N., through R. 1 W.
•	e e e e e e e e e e e e e e e e e e e	From the standard cor. of secs. 35 and 36, T. 37 N., R. 1 W., hereinafter described,
-	· · · · · · · · · · · ·	East, on a random and true line, along S. bdy. of sec. 36.
•	:39 .189 0	Intersect the standard \(\frac{1}{2} \) sec. cor. of sec. 36, which is an iron post, 1 in. diam., 12 ins. above ground, marked and witnessed as described in the official record.
	79.80	Intersect the standard cor. of Tps. 36 and 37 N., Rs. 1 E. and 1 W., hereinbefore described.
		Subdivision of T. 36 N., R. 1 W.
	• 10, 20	From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp., which is an iron post, 2 ins. diam., firmly set, marked and witnessed as described in the official record,
		N. 0° Ol'W., bet. secs. 35 and 36.
		Over rolling mountainous land, through heavy timber and scattering undergrowth.
	2.00	Spur, slopes NW.
	8.00	Draw, course SW.
	19.00	Long spur, slopes W.
	26.30	Blazed road, bears NW. and SE., along top of spur, sloping NW. Descend gradually along W. slope.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap marked
		1931 from which
	ur flug	A yellow pine, 18 ins. diam., bears N. 55° E., 92 lks. dist., marked ½ S 36 B T.

A yellow pine, 76 ins. diam., hears West, 7 lks.

Subdivision of T. 36 N., R. 1 W.

	1	
	Chains	marked \frac{1}{4} S 35 B T.
	74.00	Draw, 15 lks. wide, course NE.
	51.00	Short spur, slopes NE.
	55.85	Small draw, course NE.
~	57.85	Small draw, course NE.
	60.85	Main draw, 1 ch. E., course N.
,	63.00	Toe of spur, from SW.
	69.50	Main draw, 50 lks. wide, course NW. Ascend 115 ft.
ŝ	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap marked
		\$ 26 \ S 25 \$ 35 \ S 36 1931 from which
		A yellow pine, 10 ins. diam., bears N. 54° E., 63 lks. dist., marked T 36 N R 1 W S 25 B T.
	•	A yellow pine, 26 ins. diam., bears S. 27° E., 12 lks. dist., marked T 36 N R 1 W S 36 B T.
	•	A yellow pine, 12 ins. diam., bears S. 312° W., 57 lks. dist., marked T 36 N R 1 W S 35 B T.
		A yellow pine, 15 ins. diam., bears N. 172° W., 78 lks. dist., marked T 36 N R 1 W . S 26 B T.
	•	Land, broken and mountainous. Soil, rocky, 3rd rate. Timber, yellow pine, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.
		N. 89° 58' E., on a random line bet. secs. 25 and 36. Set temp. \(\frac{1}{4}\) sec. cor.
	80.10	A point 5 lks. N. of the cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp.,
		Thence
		West, on a true line bet. secs. 25 and 36.
		Over rolling mountainous land, through heavy timber and scattering undergrowth.
	4.35	Draw, course NW. Ascend gradually.
3.	18.00	Wide spur, slopes NW. Descend 80 ft.
	28.00	Draw, 30 lks. wide, course NW.
	1.	Spur, slopes NW.
	40.05	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
,	7	1 S 25 4 S 36 1931 from which

A yellow pine, 30 ins. diam., bears N. 15° E., 32 lks

-	Chains	dist., marked $\frac{1}{4}$ S 25 B T.
:	:	A yellow pine, 30 ins. diam., bears S. 12° E., 53 lks. dist., marked \$ S 36 B T.
:	43.00	N. edge of a sink hole, $2\frac{1}{2}$ chs. in diam.
	47.30 57.00 68.50	Spur, slopes NW.; ascend 125 ft. Draw, 50 lks. wide, course NW.; ascend 125 ft. Spur, slopes NW.; descend.
••.	77.60	Spur, slopes NW.
	80.10	The cor. of secs. 25, 26, 35 and 36.
	•	Land, rolling mountainous. Soil, clay and gravel, 2nd rate. Timber, yellow pine, aspen and oak. Undergrowth, oak, june-berry and second growth pine.
		N. 0° 01! W., bet. secs. 25 and 26.
		Over rolling mountainous land, through heavy timber and scattering undergrowth.
	1.50	Spur, slopes NW.; descend 90 ft.
	6.50	Ravine, course NW.; ascend 50 ft.
	11.80	Spur, slopes NW.; Descend 90 ft.
1	17.90	Gulch, course SW.; ascend 160 ft.
	29.65	Spur, slopes SW.; descend 168 ft.
	37.70	Gulch, course SW.
		Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap marked
	• • • • • • • • • • • • • • • • • • •	\$ 26 \$ \$ 25 1931 from which
		An aspen, 6 ins. diam., bears S. 85° E., 28 lks. dist., marked \(\frac{1}{4}\) S 25 B T.
		A yellow pine, 20 ins. diam., bears N. 75° W., 16 lks. dist., marked ½ S 26 B T.
	41.00	Same gulch, course SE.
	47.00	Spur, slopes NW.
	50.25	Same gulch, course SW.; ascend 160 ft.
	. 67.50	Spur, slopes SW.
S.	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap marked
		T 36 N R 1 W S 23 S 24 S 26 S 25 1931 from which
	e e e e e e e e e e e e e e e e e e e	A yellow pine, 8 ins. diam., bears N. 30° E., 63 lks. dist., marked T 36 N R 1 W S 24 B T.
		A yellow pine, 16 ins. diam., bears S. 414° E., 42 lks. dist., marked T 36 N R 1 W S 25 B T.

Subdivision of T. 36 N., R. 1 W.

A yellow pine, 16 ins. diam., bears S. $62\frac{1}{2}^{\circ}$ W., 26 lks. dist., marked T 36 N R l W S 26 B T. Chains A yellow pine, 30 ins. diam., bears N. 47° W., 61 lks. dist., marked T 36 N R 1 W S 23 B T. Land, broken and mountainous. Soil, clay and gravel, 2nd rate. Timber, yellow pine, aspen and oak. Undergrowth, oak and june-herry. East on a random line bet. secs. 24 and 25. 40.00 Set temp. $\frac{1}{4}$ sec. cor. 80.32 A point 3 lks. N, of the cor. of secs. 24 and 25, on E. bdy. of Tp. Thence N. 89° 59' W., on a true line bet. secs. 24 and 25. Over rolling mountainous land, through heavy timber and scattering undergrowth. 13.00 Spur, slopes NW, 24.75 Ravine, course NW. Ravine, course NW. 34.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked 40.16 from which A yellow pine, 12 ins. diam., bears N. 65° E., 58 lks. dist., marked $\frac{1}{4}$ S 24 B T. A yellow pine, 26 ins. diam., bears S. 12 3/4° W., 26 lks. dist., marked $\frac{1}{4}$ S 25 B T. Descend 80 ft. over NW. slope. 57.35 Gulch, course SW.; ascend 60 ft. 65.00 Descend 96 ft. over SW. slope. 73.50 Gulch, course NW. 80.32 The cor. of secs. 23, 24, 25 and 26. Land, rolling mountainous. Soil, clay and gravel, 2nd rate. Timber, pine, aspen and oak. Undergrowth, oak and june-berry. N. 0° 01' W., bet. secs. 23 and 24. Over rolling mountainous land, through heavy timber and scattering undergrowth. 1.60 Gulch, course SW.; ascend 150 ft. 14.20 Spur, slopes SW. Forest Service trail, bears NE. and SW. Descend 110 ft. over NW. slope. 22.50

-	Chains 32.40	Ravine, course NW.
	36.50	Spur, slopes NW.; descend NE. slope.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
• 1	in the section of the	S 23 S 24 1931 from which
	æ	A yellow pine, 24 ins. diam., bears N. 742° E., 18 lks. dist., marked 4 S 24 B T.
		A yellow pine, 24 ins. diam., bears N. 35½° W., 83 lks. dist., marked ½ S 23 B T.
		Descend 40 ft.
•	47.00	Ravine, course NW.
	49.50	Spur, slopes NW.
	50.45	Ravine, course NW.
	55.00	Spur, slopes NW.
	65.20	Gulch, course SW.; ascende 110 ft.
	76.00	Spur, slopes SW.; descend NW. slope.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap marked
		T 36 N R 1 W S 14 S 13 S 23 S 24 1931 from which
		A yellow pine, 14 ins. diam., bears N. 70° E., 125 lks. dist., marked T 36 N R l W S 13 B T.
		A. yellow. pine, 16. ins. diam., bears S. 43 3/4° E., 72 lks. dist., marked T 36 N R l W S 24 B T.
		A yellow pine, 26 ins. diam., bears S. 22° W., 60 lks. dist., marked T 36 N R 1 W S 23 B T.
		A yellow pine, 14 ins. diam., bears N. 62 W., 19 lks. dist., marked T 36 N R l W S 14 B T.
. 1	š. • • •	Land, rolling mountainous. Soil, clay and gravel, 3rd rate. Timber, pine, aspen and oak. Undergrowth, oak and june-berry.
		S. 89° 59' E., on a random line bet. secs. 13 and 24.
	40.00	Set temp. ½ sec. cor.
	80.14	A point 2 lks. N. of the cor. of secs. 13 and 24, on E. bdy. of Tp.
		Thence
		N. 89° 58' W., on a true line bet. secs. 13 and 24.
		Over rolling mountainous land, through heavy timber and second growth pine.
	5.30	Descend SW. slope, along top of spur.

_	Chains 5.00	Leave spur, slopes NW.	***************************************
	14.60	Draw, course S.; ascend E. slope.	
	27.90	Short spur, slopes NE.; then over rolling top.	
	30.00	Spur, slopes SW.; descend.	
	40.07	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	
14	7 fo e €	1931 from which	
-5	. jo , ,	A yellow pine, 14 ins. diam., bears N. 8° E., 86 lks. dist., marked $\frac{1}{4}$ S 13 B T.	
		A yellow pine, 14 ins. diam., bears S. 38° W., 29 lks. dist., marked $\frac{1}{4}$ S 24 B T.	
		This cor. is on top of spur, slopes NW.	
	48.60	Ravine, course NW.; ascend.	
	51.85	Top of ascent; descend 100 ft. over NW. slope.	
	62.45	Gulch, course SW.; ascend 50 ft over SW. slope.	
	74.00	Spur, slopes SW	
	80.14	The cor. of secs. 13, 14, 23 and 24.	
		Land, rolling mountainous. Soil, clay and gravel loam, 1st rate. Timber, yellow pine, aspen and oak. Undergrowth, oak and june-berry.	
	· · · · · · · · · · · · · · · · · ·	N. 0° 01' W., bet. secs. 13 and 14.	
	\ •	Over mountainous land, through heavy timber and scattering undergrowth. Descend 30 ft. over NW. slope.	
	8.46	Draw, course SW.; ascend 30 ft.	
•	13.00	Over level spur, slopes SW.	
•	26.00	Leave spur and descend 125 ft. over N. slope.	
	37.00	Draw, course NW.; ascend 40 ft. over S. slope.	
	40.00	Set an iron post, 3.ft. long, lain. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	
•		s 14 s 13 1932 from which	
	•	A yellow pine, 36 ins. diam., bears S. 85° E., 39 lks. dist., marked 4. S. 13 WB T.	
		A yellow pine, 28 ins. diam., bears N. 85° W., 137 lks. dist., marked \(\frac{1}{4}\) S 14 B T.	
	, • ,3 -	Descend 43 ft. along W. slope.	-
	48.90	Draw, ol ch. wide, course SW.; ascend 124 ft. over SE.slope	
	56.80	Head of draw, 30 lks. wide, course SW.	

_		
_	Chains 63.32	A yellow pine, 24 ins. diam., on line.
	65.90	Across level spur, slopes W.
	70.23	A yellow pine, 36 ins. diam., on line.
	74.00	Descend 30 ft. over NW. slope.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, with brass cap marked
		T 36 N R 1 W S 11 S 12 S 14 S 13 1932 from which
		A yellow pine, 18 ins. diam., bears N. 56° E., 87 lks. dist., marked T 36 N R 1 W S 12 B T.
	• 4 , 1.	A yellow pine, 24 ins. diam., bears S. 60° E., 94 lks. dist., marked T 36 N R l W S 13 B T.
		A yellow pine, 18 ins. diam., bears S. 64° W., 36 lks. dist., marked T 36 N R 1 W S 14 B T.
		A yellow pine, 28 ins. diam., bears N. 26° W., 81 lks. dist., marked T. 36 N R 1 W S 11 B T.
		Land, mountainous. Soil, rocky, 3rd rate. Timber, yellow pine and aspen. Undergrowth, oak.
		S. 89° 58' E., on a random line bet. secs. 12 and 13.
	40.00	Set temp. \(\frac{1}{4}\) sec. cor.
	80.22	A point 9 lks. S. of the cor. of secs. 12 and 13, on E. bdy. of Tp.
		Thence
		S. 89° 58' W., on a true line bet. secs. 12 and 13.
		Over mountainous land, through heavy timber and scattering undergrowth.
	18.55	Head of draw, 20 lks. wide, course S.
	25.20	Flat spur, slopes, SW.; descend 110 ft. over NW. slope.
	39.50	Little Sowats wash, course W., comes from SE.
	40.11	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	, ;	1 S 12 4 S 13 1932 from which
		A yellow pine, 28 ins. diam., bears N. 68° E., 50 lks. dist., marked \(\frac{1}{4}\) S 12 B T.
	\$1 	An aspen, 16 ins. diam., bears S. 19° E., 43 lks. dist., marked 4 S 13 B T.
	42.90	Little Sowats wash, 1 ch. wide, course NW., comes from E.
•	58.60	Same wash, course SW.; ascend 80 ft. along S. slope.
	71.00	Spur, slopes SW.; descend 40 ft. over SW. slope.

. Subdivision of T. 36 N., R. 1 W.

Chains 79.20 Draw, 15 lks. wide, course NW. 80.22 The cor. of secs. 11, 12, 13 and 14. Land, mountainous... Soil, rocky, 3rd rate. Timber, pine and aspen; undergrowth, oak and june-berry. N. 0° 01' W., bet. secs. 11 and 12. Over mountainous land, through heavy timber and scattering undergrowth. 0.10 Small draw, 10 lks. wide, course NW. 5.00 Spur, slopes W. 8.77 Draw, 20 lks. wide, course SW.; ascend 53 ft. over SE.slope. 13.30 Spur, slopes SW. 27.36 Road, bears NE. and W. 36.56 Fence, bears NE. and SW. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked 1932 from which A yellow pine, l_{\downarrow} ins. diam., bears N. $22\frac{1}{2}$ ° E., l_{\downarrow} 0 lks. dist., marked $\frac{1}{4}$ S 12 B T. A yellow pine, 24 ins. diam., bears N. 88° W., 87 lks. dist., marked \(\frac{1}{4} \cdot S \) 11 B T. Descend 42 ft. over NE. slope. Draw, 20 lks. wide, course NW.; ascend 25 ft. 43.60 45.00 Over level spur. 55.00 Descend gradual NE. slope. 67.34 Draw, 20 lks. wide, course SW. Draw, 20 lks. wide, course SW.; ascend 60 ft. over S.slope 68.64 72.20 Spur, 2 chs. wide, slopes NW. 79.10 Draw, 20 lks. wide, course NW.; ascend 30 ft. Set an iron post, 3 ft..long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for cor 00.08 of secs. 1, 2, 11 and 12, with brass cap marked T 36 N R 1 W
S 2 S 1
S 11 S 12 from which A yellow pine, 18 ins. diam., bears N. 46° E., 23 lks. dist., marked T 36 N R 1 W S 1 B T. A yellow pine, 10 ins. diam., bears S. $47\frac{1}{2}$ ° E., 36 lks. dist., marked T 36 N R 1 W S 12 B T.

A yellow pine, 18 ins. diam., bears S. 68° W., 26 lks.

-	Chains	dist., marked T 36 N R 1 W S 11 B T.
		A yellow pine, 18 ins. diam., bears N. 48° W., 24 lks. dist., marked T 36 N R 1 W S 2 B T.
-	1917 °	Land, mountainous. Soil, rocky, 3rd rate. Timber, yellow pine and aspen; undergrowth, oak and juneberry.
•		N. 89° 58' E., on a random line bet. secs. 1 and 12.
•	40.00	Set temp. $\frac{1}{4}$ sec. cor.
	80.24	
	00.24	A point 23 lks. N. of the cor. of secs. 1 and 12, on E. bdy. of the Tp.
		Thence
· · ·		N. 89° 521 W., on a true line bet. secs. 1 and 12.
		Over mountainous land, through heavy timber and scattering undergrowth.
	28.50	Draw, 50 lks. wide, course NW.; ascend 40 ft. over NE. slope.
	32.00	Small spur, slopes NW.
	36.50	Wash, 20 lks. wide, course NW.
·	40,12	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for \(\frac{1}{2} \) sec. cor., with brass cap marked
	• 4 × 5 * * * * * * * * * * * * * * * * * *	1932 from which
		A yellow pine, 30 ins. diam., bears N. 8° E., 67 lks. dist., marked ½ S 1 B T.
		A yellow pine, 30 ins. diam., bears S. 57° W., 42 lks. dist., marked \(\frac{1}{4}\) S 12 B T.
	42.00	Spur, 2 chs. wide, slopes NW.
	49.75	Fence, bears NE. and SW.
-	50.30	Draw, 1 ch. wide, course SW.
	66.20	Trail, bears NE. and SW.; descend gradually.
	80.24	The cor. of secs. 1, 2, 11 and 12.
	• 7	Land, rolling and mountainous. Soil, gravelly and rocky, 2nd rate. Timber, pine and aspen; undergrowth, oak and june-berry.
-		N. 0° 01' W., bet. secs. 1 and 2.
		Over mountainous land, through heavy timber.
	2.00	Spur, 2 chs. wide, slopes W.; descend 70 ft. over NW.slope.
	10.70	Draw, 20 lks. wide, course W.; ascend 140 ft.over SW.slope.
r	15.65	Small spur, slopes NW.; descend 115 ft. over N. slope.
	29.50	Canyon, 1 ch. wide, course SW.
	SOLUME I	LOT1 1 (4) 1 (4) 1 (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)

Subdivision of T. 36 N., R. 1 W.

,	Chains	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap marked	-
	·	. S 2	
-		1932 from which	
		A yellow pine, 18 ins. diam., bears S. 76 E., 49 lks. dist., marked 2 S 1 B T.	
		A yellow pine, 24 ins. diam., bears S. 75½° W., 63 lks. dist., marked ½ S 2 B T.	
	46.20	Trail, bears NE. and SW.	
	81.75	Intersect the 9th Standard Parallel North,	
		Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 1 and 2, with brass cap marked	
1.1		The result for the energiation of 37 No. Reflection of the section	
	• 1	S 35 S 2 S 1 T-36 N R 1 W	
		1932 from which	
		A yellow pine, 12 ins. diam., bears S. 46° E., 49 lks. dist., marked T 36 N R l.W S l C C B T.	
		A yellow pine, 8 ins. diam., bears S. 65° W., 71 lks. dist., marked T 36 N. R 1 W S 2 C C. B T.	_
		From point of intersection, the standard cor. of secs. 35 and 36, T. 37 N. R. 1 W., bears East, 65 lks. dist.; an iron post, 3 ins. diam., 10 ins. above ground, marked and witnessed as described in the oficial record.	
**		Land, mountainous and rolling. Soil, clay and gravel loam, 1st and 2nd rate. Timber, pine and oak; undergrowth, oak and june-berry.	
:		From the cor. of secs. 2, 3, 34 and 350 cm S. bdy. of Tp., which is an iron post, 2 ins. diam., finally set, and marked and witnessed as described in the official record,	
		N. 0° 01' W., bet. secs. 34 and 35.	
		Over rolling mountainous land, through heavy timber and scattering undergrowth.	
	0.30	Gulch, course SW.; ascend 217 ft. over SW. slope.	
	14.50	High spur, slopes W.	
	20.40	Small draw, course NW.	
	23.70	Spur, slopes NW. 1999 A.	
	29.10	Gulch, course NW.	
1	32.60	Short spur, slopes NW. and the . while . where do . whe	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	•
	• 1	\$ 34 \ \$ 35 1931 from which	

Chains	A yellow pine, lipins. diam., bears S. 612° E., 61 lks. dist., marked 2 S 35 B T.
	A yellow pine, 36 ins. diam., bears N. 56 W., 36 lks. dist., marked & S 34 B T.
41.10	Gulch, course W.; ascend 130 ft.
54.00	High spur, slopes SW.
54.60	Blazed road, bears E. and W.; descend 74 ft.
64.95	Ravine, course SW.
74.50	High spur, slopes W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap marked
	T 36 N R 1 W S 27. S 26 S 34 S 35 1931 · from which
	A yellow pine, 36 ins. diam., bears N. 52° E., 52 lks. dist., marked T 36 N R l W S 26 B T.
	A yellow pine, 16 ins. diam., bears S. 30° E., 31 lks. dist., marked T 36 N R 1 W S 35 B T.
2 . 10 max	A yellow pine, 12 ins. diam., bears S. 32° W., 102 lks. dist., marked T 36 N R 1 W S 34 B T.
	A yellow pine, 36 ins. diam., bears N. 30° W., 99 lks. dist., marked T 36 N R 1 W S 27 B T.
	Land, mountainous. Soil, clay and gravel loam, 2nd rate. Timber, pine, oak and juniper. Undergrowth, sage, oak and june-berry
•	N. 89° 58' E., on a random line bet. secs. 26 and 35.
40.00	Set temp. \frac{1}{4} sec. cor.
80:06	Intersect the cor. of secs. 25, 26, 35 and 36.
	Thence
	S. 89° 58' W., on a true line bet. secs. 26 and 35.
	Over broken mountainous land, through heavy timber and scattering undergrowth. Descend SW. slope 140 ft.
6.70	Gulch, 1 ch. wide, course NW.; ascend 75 ft.
11.30	Short spur, slopes N.
12.70	Ravine, course N.
15.40	Short spur, slopes N.; descend 80 ft.
18.85	Ravine, course N.
22.40	Spur, slopes NE.
25.80	Ravine, course NE.; ascend 130 ft.
32.70	Spur, slopes NW.
39.00	Spur. slopes NW.

.. Subdivision of T. 36 N., R. 1 W.

•	Chains 40.03	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	_
•	. .*	1 S 26 4 S 35 1931 from which	
		A yellow pine, 18 ins. diam., bears N. 33° E., Щ lks. dist., marked ½ S 26 В Т.	-
		A yellow pine, 18 ins. diam., bears S. 1° W., 45 lks. dist., marked \(\frac{1}{4} \) S 35 B T.	
	·	Descend 84 ft.	
	44.90	Head of gulch, course NW.	
	58.50	Junction of same gulch with a ravine, course NW.	
	65.05	Ravine, course NE.	
	80.06	The cor. of secs. 26, 27, 34 and 35.	
		Land, mountainous. Soil, clay and gravel loam, 1st and 2nd rate. Timber, yellow pine, aspen and oak. Undergrowth, locust, oak and june-berry.	
	• · · · · · · · •	N. 0° 01' W., bet, secs. 26 and 27.	
		Over mountainous land, through heavy timber and scattering undergrowth. Descend 170 ft. over NW. slope.	-
	10.35	Gulch, course NW.	
	15.00	Spur, slopes NW.; descend 100 ft.	
	25.00	Gulch, course SW.; ascend 200 ft.	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	
		s 27 s 26	
		1931 from which	
		A yellow pine, 24 ins. diam., bears S. 70° E., 11 lks. dist., marked ½ S 26 B T.	
	* 1	A yellow pine, 20 ins. diam., bears S. 83° W., 40 lks. dist., marked \(\frac{1}{4}\), S 27 B T.	
	43.90	Head of ravine, course SE.; ascend 70 ft.	
	49.00	Forest Service trail, bears NE. and SW.	
	52.50	Spur, slopes SW.	
	59.50	Draw, course SW.	
	65.00	Spur, slopes W.; descend 90 ft. over NW. slope.	
	75 • 55	Draw, course NW.	
	79.20	Same draw, course NE.	-
!	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap marked	

ECON 4022

	Chains	T 36 N R 1 W S 22 S 23 S 27 S 26 1931 from which
		1931 from which
		A yellow pine, 6 ins. diam., bears N. 20½° E., 159 lks. dist., marked T 36 N R l W S 23 B T.
		A yellow pine, 16 ins. diam., bears S. $22\frac{1}{2}^{\circ}$ E., 70 lks. dist., marked T 36 N R l W S 26 B T.
		A yellow pine, 17 ins. diam., bears S. 52° W., 35 lks. dist., marked T 36 N R 1 W S 27 B T.
		A yellow pine, 18 ins. diam., bears N. $58\frac{1}{2}^{\circ}$ W., 22 lks. dist., marked T 36 N R l W S 22 B T.
		Land, mountainous. Soil, clay and gravel loam, 1st and 2nd rate. Timber, yellow pine, aspen and oak. Undergrowth, oak and june-berry.
		N. 89° 58' E., on a random line bet. secs. 23 and 26.
	40.00	Set temp. 1/4 sec. cor.
	80.02	A point. 5 lks. N. of the cor. of secs. 23, 24, 25 and 26.
		Thence
	``	West, on a true line bet. secs. 23 and 26.
		Over mountainous land, through heavy timber and scattering undergrowth.
	5.00	Gulch, course SW.; ascend 130 ft. over SW. slope.
	27.00	Spur, slopes SW.; descend along NW. slope.
	29.50	Blazed Forest Service trail, bears NE. and SW.
	32.60	Head of ravine, course NW.; continue descent.
	40.01	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap marked
•	ાલા મુક્	$\frac{1}{4}$ $\frac{8}{3}$ $\frac{25}{6}$
		4 S 26 1931 from which
		A yellow pine, 14 ins. diam., bears S. 17° E., 66 lks. dist., marked $\frac{1}{4}$ S 26 B T.
		A yellow pine, 28 ins. diam., bears N. 193° W., 113 lks. dist., marked \(\frac{1}{4}\) S 23 B T.
	a karangan ang a	Continue descent.
4.	47.00	Gulch, course SW. Ascend over SW. slope.
	58.00	Spur, slopes SW.
	68.00	Same spur, slopes NW.
	75.00	Gulch, course NW.
	77.20	Ravine, course NE.
	80.02	The cor. of secs. 22, 23, 26 and 27.
		Land, rolling mountainous.

. Subdivision of T. 36 N., R. 1 W.

	Chains	Soil, clay and gravel loam, 1st rate. Timber, pine, aspen and oak. Undergrowth, oak and june-berry.	
	*	N 00 01 W hat man 22	
		N. 0° 01. W., bet. secs. 22 and 23.	
		Over mountainous land, through heavy timber and scattering undergrowth. Ascend SE. slope.	
		Descend 75 ft.	
•	10.40	Gulch, course NW.	:
	17.50	Spur, slopes NW	
	20.60	Gulch, course NW.; ascend 184 ft.	
	35.00	Spur, slopes SW.; descend 60 ft. over N. slope.	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	
		1931 . from which	
		A yellow pine, 18 ins. diam., bears N. $5\frac{1}{2}^{\circ}$ E., 62 lks. dist., marked $\frac{1}{4}$ S 23 B T.	
		A yellow pine, 20 ins. diam., bears S. $54\frac{1}{2}^{\circ}$ W., 63 lks. dist., marked $\frac{1}{4}$ S 22 B T.	
-	40.65	Ravine, course NW.; ascend 80 ft.	-
		Spur, slopes W.	
	53.00	Spur, slopes W.; descend 125 ft.	
	61.70	Ravine, course SW.	
	64.50	Spur, slopes W.; descend 125 ft.	
	76.80	Gulch, course SW.	
		Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 14, 15, 22 and 23, with brass cap marked T 36 N R 1 W	
	5		
		S 22 S 23 S 24 S 25 S	
		A yellow pine, 5 ins. diam., bears N. 442° E., 78 lks. dist., marked T 36 N R l W S 14 B T.	
		A yellow pine, 30 ins. diam., bears S. 58° E., 41 lks. dist., marked T 36 N R 1 W S 23 B T.	
		A yellow pine, 12 ins. diam., bears S. $68\frac{1}{4}^{\circ}$ W., 117 lks. dist., marked T 36 N R 1 W S 22 B T.	
		A yellow pine, 24 ins. diam., bears N. 58° W., 64 lks. dist., marked T 36 N R.1 W S 15 B T.	
		Land, mountainous. Soil, clay and gravel loam, 1st and 2nd rate. Timber, pine, aspen and oak. Undergrowth, oak and june-berry.	- -
	·		

	Chains	East, on a random line bet. secs. 14 and 23.
	40.00	Set temp. ½ sec. cor.
	79.96	A point 11 lks. N. of the cor. of secs. 13, 14, 23 and 24.
		Thence
		N. 89° 55' W., on a true line bet. secs. 14 and 23.
		Over mountainous land, through heavy timber and scattering undergrowth. Descend 114 ft. over NW. slope.
	12.10	Ravine, course SW.; ascend 80 ft.
	20.00	Spur, slopes SW.; descend 110 ft.
	27.80	Head of ravine, course SW.
	39.05.	Gulch, course NW.
	39.98	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		1931 from which
		A yellow pine, 36 ins. diam., bears N. 23° E., 29 lks. dist., marked \(\frac{1}{4}\) S l\(\frac{1}{4}\) B T.
,	•	A yellow pine, 5 ins. diam., bears S. 23° W., 7 lks. dist., marked ½ S 23 B T.
•	61.90	Small draw, course NW.
,	74.80	Gulch, course SW.; ascend SE. slope.
	79•96	The cor. of secs. 14, 15, 22 and 23.
		Land, rolling mountainous. Soil, clay and gravel loam, 1st and 2nd rate. Timber, pine, aspen and oak. Undergrowth, oak and june-berry.
		N. 0° 01' W., bet. secs. 14 and 15.
		Over mountainous land, through heavy timber and scattering undergrowth. Ascend SE. slope 100 ft.
	6.45	Spur, 2 chs. wide, slopes SW.; descend NW. slope 150 ft.
	17.60	Bottom of canyon, 40 lks. wide, course SW.; ascend 180 ft. over SE. slope.
	33.84	Road, bears NE. and SW.
	37 • 35	A yellow pine, 30 ins. diam., on line.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		s 15 s 14
		1932 from which
ja .		A yellow pine, 24 ins. diam., bears N. 522° E., 35 lks. dist., marked 4 S 14 B T.
		A yellow pine, 18 ins. diam., bears S. 76° W., 60 lks. dist., marked ½ S 15 B T.

... Subdivision of T. 36 N., R. 1 W.

	Chains	Descend 56 ft. over NW. slope.	_
	46.40	Draw, 20 lks. wide, course W.	
	50.27	Draw, 30 lks. wide, course SW.; ascend SE. slope 46 ft.	
	54.70	Fence, bears NE, and SW.	
	57.41	Fence, bears N. and S.	
	66.40	Old road, bears NW, and SE.	
	67.41	Same road, bears NE. and SW.	
	69.00	West Lake, bears West, 10 chs. dist.	
	75.31	Fence, bears E. and W.	
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone to top, for cor. of secs. 10, 11, 14 and 15, with brass cap marked	
	. • 7 .	T. 36 N. R 1 W S 10 S 11 S 15 S 14	
	i sarah di	1932 from which A yellow pine, 30 ins. diam., bears N. 71° E., 115 lks. dist., marked, T 36 N. R 1 W S 11 B T.	
	•	A yellow pine, 30 ins. diam., bears S. 55° E., 24 lks. dist., marked T. 36 N R 1 W S 14 B T.	
		An oak, 8 ins. diam., bears S. 332 W., 41 lks. dist., marked T 36 N R 1 W S 15 B T.	
		A yellow pine, 30 ins. diam., bears N. 76° W., 44-1ks. dist., marked T 36 N R 1 W S 10 B T.	
		Land, mountainous. Soil, rocky, 3rd rate. Timber, yellow pine, aspen and oak. Undergrowth, oak and june-berry.	
		S. 89° 55' E., on a random line bet. secs. 11 and 14.	
	40.00	Set temp. 1/4 sec. cor.	
	79.84	A point 5 lks. S. of the cor. of secs. 11, 12, 13 and 14.	
		Thence	
		N. 89° 57! W., on a true line bet. secs. 11 and 14.	
		Over rolling mountainous land, through heavy timber and scattering undergrowth.	
	2.45	Draw, 30 lks. wide, course NW.	
	14.00	Draw, 1 ch. wide, course SW.	
	21.10	Junction of draws, from N. and SE., course SW.	
	29.80	Head of draw, course S.	
	37.25	Road, bears NE. and SW.	
**	39.92	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked	
	r .	in the state of th	

.. Subdivision of T. 36 N., R. 1 W.

BOCK 4022

	Chains	1 S 11
		1 S 11 2 S 14 1932 from which
		A yellow pine, 36 ins. diam., bears N. 11° E., 42 lks. dist., marked . S 11 B T.
	n jag	A yellow pine, 30 ins. diam., bears S. 13° E., 35 lks. dist., marked 4 S 14 B T.
	54.08	Fence, bears NE. and SW.
la .	69.00	Descend 64 ft. over SW. slope.
•	73.00.	Draw, 50 lks. wide, course NW.
	79.10	Head of draw, course N.
	79.84	The cor. of secs. 10, 11, 14 and 15.
	1.7	Land, rolling mountainous. Soil, rocky, 3rd rate. Timber, pine, aspen and oak. Undergrowth, oak and june-berry.
		N. 0° 01' W., bet. secs. 10 and 11.
٠	1 1 1	Over mountainous land, through heavy timber and scattering undergrowth.
	0.15	Head of draw, course NE.; descend 66 ft. over NE. slope.
	6.11	Draw, 30 lks. wide, course NW.
	11.60	Draw, 50 lks. wide, course W.; ascend S. slope 50 ft.
	18.00	Spur, 5 chs. wide, slopes W.; descend NE. slope 120 ft.
	36.00	Draw, 50 lks. wide, course NW.; ascend SW. slope 40 ft.
*	40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap marked
		S 10 S 11
•	arin Vili	
		A yellow pine, 28 ins. diam., bears N. 56° E., 59 lks. dist., marked 1 S 11 B T.
		A yellow pine, 28 ins. diam., bears S. 32° W., 79 lks. dist., marked \(\frac{1}{4}\) S 10 B T.
		Ascend 40 ft. over SW. slope.
	43.00	Over spur, 15 chs. wide, sloping W.
	55.88	Blazed trail, bears NW. and SE.
	62.00	Descend 120 ft. over NE. slope.
	70.50	Draw, 50 lks. wide, course NW.; ascend SW. slope 50 ft.
	74.00	Spur, 2 chs. wide, slopes W.; descend NE. slope 64 ft.
	78.46	Draw, 50 lks. wide, course NW.; ascend SW. slope 30 ft.
		Set an iron post, 3.ft.clong, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap marked

. .. Subdivision of T. 36 N., R. 1 W.

	Chains	T 36 N R I W	
	Chains	<u>\$ 3 S 2</u>	_
		S 10 S 11 1932 from which	
,		A yellow pine, 20 ins. diam., bears N. 60° E., 19 lks. dist., marked T 36 N R l W S 2 B T.	
•		A yellow pine, 36 ins. diam., bears S. 60° E., 142 lks. dist., marked T 36 N R l W S ll B T.	
		A yellow pine, 28 ins. diam., bears S. 56° W., 33 lks. dist., marked .T 36 N. R 1 W S 10 B T.	
,		A yellow pine, 34 ins. diam., bears N. 37° W., 35 lks. dist., marked T 36 N R 1 W S 3 B T.	
		Land, mountainous. Soil, rocky, 3rd rate. Timber, yellow pine and aspen. Undergrowth, oak and june-berry.	
		S. 89° 57' E., on a random line bet. secs. 2 and 11.	
	40.00	Set temp. ½ sec. cor.	
	80.10	A point 23 lks. S. of the cor. of secs. 1, 2, 11 and 12.	
		Thence	
	• •	S. 89° 53' W., on a true line bet. secs. 2 and 11.	
	·	Over rolling land, through heavy timber and scattering undergrowth. Descend gradual NW. slope.	
	21.30	Draw, 15 lks. wide, course NW.	
	34.80	Draw, 30 lks. wide, course N.; ascend NE. slope 55 ft.	
	40.05	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. cor., with brass cap marked	
	R.	3 2 4 8 11	
		1932 from which	
-		A yellow pine, 30 ins. diam., bears N. 33° E., 36 lks. dist., marked ½ S 2 B T.	
•		A yellow pine, 30 ins. diam., bears S. 37° E., 54 lks. dist., marked \(\frac{1}{4}\) S ll B T.	
•	52.54	Head of draw, course NW.	
	72.00	Spur, 5 chs. wide, slopes NW.; descend SW. slope 40 ft.	
	80.10	The cor. of secs. 2, 3, 10 and 11.	
		Land, rolling. Soil, clay and gravel, 2nd rate. Timber, pine and aspen; undergrowth, eak and june-berry.	
	•	N. 0° 01' W., bet. secs. 2 and 3.	
		Over rolling mountaionus land, through heavy timber and scattering undergrowth. Ascend SW. slope.	
	3.00	Spur, 2 chs. wide, slopes W.; descend NW. slope 104 ft.	
	12.46	Draw, 50 lks. wide, course W.; ascend SW. slope 170 ft.	

Subdivision of T. 36 N., R. 1 W.

DOCK 4022

	BOCK 40
Chains 20.50	Spur, 1 ch. wide, slopes NW.; descend NW. slope 127 ft.
27.30	Draw, 20 lks. wide, course W.; ascend SW. slope 150 ft.
38 .0 0.	Flat spur, slopes NW.
l10.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	S 3 \$ \$. 2
	1932 from which
	A yellow pine, 30 ins. diam., bears S. 73° E., 170 lks. dist., marked \(\frac{1}{4}\) S 2 B T.
•	An aspen, 40 ins. diam., bears S. 20° W., 76 lks. dist., marked \(\frac{1}{4}\) S 3 B T.
57.00	Head of draw, course NW.; ascend gradual SW. slope.
65:00	Spur, 3 chs. wide, slopes NW.; descend gradual NE. slope.
69.35	A yellow pine, 36 ins. diam., on line.
81.89	Intersect the 9th Standard Parallel North,
	Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, and in a mound of stone to top, for closing cor. of secs. 2 and 3, with brass cap marked T 37 N R 1 W S 3 S 2 T 36 N R 1 W CC
	1932 from which A yellow pine, 28 ins. diam., bears S. 32° E., 25 lks.
	dist., marked T 36 N R 1 W S 2 C C B T. A yellow pine, 30 ins. diam., bears S. 56° W., 32 lks. dist., marked T 36 N R 1 W S 3 C C B T.
	From point of intersection, the standard cor. of secs. 34 and 35, T. 37 N., R. 1 W., bears East, 25 lks. dist.; an iron post, 3 ins. diam., 12 ins. above ground, marked and witnessed as described in the official record.
	Land, rolling and mountainous. Soil, rocky, 3rd rate. Timber, yellow pine and aspen; undergrowth, oak.
	From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., which is an iron post, 2 ins. diam., set, marked and witnessed as described in the official record,
#. i	N. 0° 02' W., bet. secs. 33 and 34.
	Over mountainous land, through heavy timber and scattering undergrowth. Ascend steep S. slope 270 ft.
11.80	Spur, slopes W.; descend 250 ft. over NW. slope.
28.00	Gulch, course SW.; ascend 260 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

. . . Subdivision of T. 36 N., R. 1 W.

	1		
	Chains	from which	
		A yellow pine, 12 ins. diam., bears S. $86\frac{1}{2}$ ° E., 43 lks. dist., marked $\frac{1}{4}$. S 34 B T.	
		A yellow pine, 15 ins. diam., bears N. $57\frac{1}{2}^{\circ}$ W., 40 lks. dist., marked $\frac{1}{4}$ S 33 B T.	
	# ¹	This cor, is on spur, sloping SW.	
	49.00	Spur, slopes W.; descend 60 ft.	
	54.40	Gulch, course W.	
	60.00	Spur, slopes W.; descend along NE. slope.	
•	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap marked	
	•	T 36 N R 1 W S 28 S 27 S 33 S 34	
,	• • •	1931 from which	
		A yellow pine, 22 ins. diam., bears N. 282° E., 136 lks. dist., marked T 36 N R 1 W S 27 B T.	
	•	A yellow pine, 26 ins. diam., bears S. $85\frac{1}{2}^{\circ}$ E., 67 lks. dist., marked T 36 N R l W S 34 B T.	
	•	A yellow pine, 30 ins. diam., bears S. 18° W., 69 lks. dist., marked T 36 N R 1 W S 33 B T.	
		A yellow pine, 18 ins. diam., bears N. 5½° W., 162 lks. dist., marked T 36 N R 1 W S 28 B T.	-
•	1	Land, broken mountains. Soil, rocky, 3rd rate. Timber, pinyon, yellow pine, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.	
		N. 89° 58' E., on a random line bet. secs. 27 and 34.	
	40.00	Set temp. 1 sec. cor.	
	80.12	A point 2 lks. N. of the cor. of secs. 26, 27, 34 and 35.	
		Thence	
		S. 89° 59' W., on a true line bet. secs. 27. and 34.	
		Over rolling mountainous land, through heavy timber and scattering undergrowth.	
	5.50	Short spur, slopes NW.; descend 160 ft.	
	16.00	Ravine, course NW.	
	20.00	Short spur, slopes NW.; descend 200 ft. along NW. slope.	
	33.30	Gulch, course N.; ascend 128 ft.	
	40.06	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	
	•	1 S 27 4 S 34 1931 from which	
		A yellow pine, 6 ins. diam., bears N. 40° W., 35 lks. dist., marked \(\frac{1}{4} \) S 27 B T.	

Chains	A yellow pine, 12 ins. diam., bears S. 37° W., 52 lks. dist., marked \(\frac{1}{4}\) S \(\frac{3}{4}\) B T.	
	Continue ascent 75 ft. over NE. slope.	
48.00	Spur, slopes NW.; descend 90 ft.	
52.90	Ravine, course NW.	
55.00	Short spur, slopes NW.; descend 156 ft. over NW. slope.	
70.55	Ravine, course NW.; ascend 137 ft.	
80.12	The cor. of secs. 27, 28, 33 and 34.	
	Land, mountainous. Soil, clay and gravel loam, 2nd rate. Timber, yellow pine, aspen and oak. Undergrowth, locust, oak and june-berry.	
	N. 0° 02' W., bet. secs. 27 and 28.	
	Over broken mountainous land, through heavy timber and scattering undergrowth. Descend steep N. slope 230 ft.	
	Bottom of canyon, 150 lks. wide, course SW.; ascend 410 ft. over steep S. slope.	
35.00	Spur, slopes SW.; thence over rolling top.	İ
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked	:
14.	s 28 s 27	l
•	1931 from which	
	A yellow pine, 16 ins. diam., bears N. 74 3/4° E., 66 lks. dist., marked 4 S 27 B T.	
	A yellow pine, 15 ins. diam., bears N. 71° W., 71 lks. dist., marked ½ S 28 B T.	
	Descend 73 ft.	
49.50	Draw, course SW.	
54.50	Spur, slopes W.; descend 340 ft. over N. slope.	
70.40	Gulch, course NW.; ascend 74 ft.	
76.00	Spur, slopes NW.; descend 50 ft.	
	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, with brass cap marked	
/ ty -	T 36 N R 1 W S 21 S 22 S 28 S 27 1931 from which	
	A yellow pine, 16 ins. diam., bears N. $62\frac{1}{4}^{\circ}$ E., 58 lks. dist., marked T 36 N R 1 W S 22 B T.	
	A yellow pine, 16 ins. diam., bears S. 50° E., 62 1ks. dist., marked T 36 N R 1 W S 27 B T.	
	A yellow pine, 26 ins. diam., bears S. 28½° W., 143 lks. dist., marked T 36 N R 1 W S 28 B T.	

d 5/3-4

.. Subdivision of T. 36 N., R. 1 W.

	Chains	. A yellow pine, 26 ins. diam., bears N. 692° W., 70 lks. dist., marked T 36 N R 1 W S 21 B T.
		Land, broken mountains. Soil, rocky, 3rd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, buck brush, sage, june-berry and oak.
	. 6 , 년 - ·	N. 89° 59' E., on a random line bet. secs. 22 and 27.
	40.00	Set temp. ½ sec. cor.
	80.06	A point 7 lks. S. of the cor. of secs. 22, 23, 26 and 27.
		Thence
		S. 89° 56' W., on a true line bet. secs. 22 and 27.
		Over broken mountainous land, through heavy timber and scattering undergrowth.
	2.50	Spur, slopes NW.; descend SW. slope.
	5.40	Bottom of sink hole; ascend SE. slope.
٠.	8.50	Top of ascent; descend slightly.
	40.03	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for \(\frac{1}{4}\) sec, cor., with brass cap marked
		1 S 22 4 S 27 1931 from which
		A yellow pine, 10 ins. diam., bears N. 24 3/4° E., 97 lks. dist., marked ½ S 22 B T.
		A yellow pine, 20 ins. diam., bears S. 1,0° W., 115 lks. dist., marked \(\frac{1}{4}\) S 27 B T.
•	41.00	Descend 213 ft. along top of spur.
	54.00	Saddle; ascend along top of spur.
	65.00	Leave spur; descend NW. slope 154 ft.
	80.06	The cor. of secs. 21, 22, 27 and 28.
		Land, broken mountains. Soil, clay and gravel, 2nd rate. Timber, yellow pine, aspen and oak. Undergrowth, oak and june-berry.
		N. 0'0 02' W., bet. secs. 21 and 22.
		Over mountainous land, through heavy timber and scattering undergrowth.
	2.15	Gulch, 30 lks. wide, course SW.; ascend SE. slope 240 ft.
•	12.70	Spur, slopes SW.; descend 250 ft. over NW. slope.
	30.25	Gulch, 30 lks. wide, course SW.; ascend SE. slope 190 ft.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap marked

	Chains	\$ 21 S 22 1931 from which
		A pinyon, 8 ins. diam., bears S. 41° E., 37 lks. dist., marked ½ S 22 B T.
•		A pinyon, 15 ins. diam., bears S. 65½° W., 58 lks. dist., marked ½ S 21 B T.
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ascend 300 ft. over SE. slope.
	55.40	Spur, slopes SW. Road, bears NE. and SW.
	55.69	Fence, bears NE. and SW.
	59.00	Spur, slopes NW.; descend 110 ft. over NE. slope.
	65.90	Ravine, course NW.; ascend 45 ft. over SW. slope.
	73.00	Point of spur, slopes W.; descend 75 ft. over NW. slope.
	80.00	Same spur, slopes NW.,
		Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass cap marked
		T 36 N R 1 W S 16 S 15 S 21 S 22 1931 from which
		A yellow pine, 24 ins. diam., bears N. 242° E., 59 lks. dist., marked T 36 N R 1 W S 15 B T.
		A yellow pine, 20 ins. diam., bears S. 28 3/4° E., 63 lks. dist., marked T 36 N R 1 W S 22 B T.
		A yellow pine, 24 ins. diam., bears S. $63\frac{1}{4}^{\circ}$ W., 27 lks. dist., marked T 36 N R 1 W S 21 B T.
		An oak, 6 ins. diam., bears N. 242° W., 50 lks. dist., marked T 36 N R 1 W S 16 B T.
		Land, broken mountains. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, and cak. Undergrowth, oak, buck brush and june-berry.
		N. 89° 56' E., on a random line bet. secs. 15 and 22.
	40.00	Set temp. ½ sec. cor.
	80.02	A point 2 lks. N. of the cor. of secs. 14, 15, 22 and 23.
•		Thence .
		S. 89° 57' W., on a true line bet. secs. 15 and 22.
		Over mountainous land, through heavy timber and scattering undergrowth.
	3.00	Spur, slopes SW.; descend 120 ft.
	9•55	Gulch, course NW.
	18.10	Same gulch, course SW.; ascend 140 ft. over SE. slope.
1,1	26.00	Pop of ascent.
	40.01	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the

BOOK 4022

	Chains	
	-	ground to bedrock, and in a mound of stone to top, for \frac{1}{4} sec. cor., with brass cap marked
	ere Sala	1 S 15
•	mate •	1 S 15 4 S 22 1931 from which
, .	a yaketî	A yellow pine, 16 ins. diam., bears N. 19° E., 159 lks. dist., marked \(\frac{1}{4}\) S 15 B T.
		A yellow pine, 16 ins. diam., bears S. $68\frac{1}{2}^{\circ}$ W., 74 lks. dist., marked $\frac{1}{4}$ S 22 B T.
	40.75	Road, bears NE. and SW.
	41.70	Wire fence, bears NE. and SW.
	42.40	Spur, slopes SW.; descend 78 ft. over NW. slope.
	49.75	Ravine, course NW.; ascend 77 ft. over NE. slope.
	58.00	Spur, slopes NW.; descend 206 ft.
	73.30	Ravine, course NW.; ascend NE. slope.
	80.02	The cor. of secs. 15, 16, 21 and 22.
-	, ta i u iv	Land, rolling mountains. Soil, clay and gravel, 2nd rate. Timber, yellow pine and aspen. Undergrowth, oak, june-berry and second growth pine.
	e de la companya de	N. 0° 02' W., bet, secs. 15 and 16.
		Over mountainous land, through heavy timber and scattering undergrowth. Descend 75 ft.
.	3.90	Ravine, course NW.
	7.00	Spur, slopes W.
	11.20	Gulch, course SW.; ascend 240 ft. over SE. slope.
	30.00	Spur, slopes SW.; descend 85 ft.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ½ sec. cor., with brass cap marked
	en e	S 16 s 15 1931 from which
		A yellow pine, 14 ins. diam., bears N. 30° E., 40 lks. dist., marked \(\frac{1}{4} \) S 15 B T.
		A yellow pine, 12 ins. diam., bears N. 11° E., 37 lks. dist., marked $\frac{1}{4}$ S 15 B T.
	, 3 M	Continue descent 210 ft. over NW. slope.
	52.10	Gulch, course NW.; ascend 220 ft.
	61.00	Spur, slopes W.; descend 170 ft. over N. slope.
	68.60	Gulch, course SW.
	70.15	Gulch, course SW.; ascend 160 ft. over SE. slope.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap

500K 4022

	Chains	marked T 36 N R 1 W
		$\frac{1}{10} = \frac{1}{10} $
		1931 from which
		A yellow pine, 16 ins. diam., bears N. 24 3/4° E., 156 lks. dist., marked T 36 N R 1 W S 10 B T.
		A pinyon pine, 14 ins. diam., bears S. 73 3/4° E., 168 lks. dist., marked T 36 N R 1 W S 15 B T.
		A pinyon pine, 8 ins. diam., bears S. 51½° W., 55 lks. dist., marked T 36 N R 1 W S 16 B T.
	•	A pinyon pine, 6 ins. diam., bears N. 382° W., 83 lks. dist., marked T 36 N R l W S 9 B T.
		Land, broken mountains. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine and oak. Undergrowth, buck brush, sage, oak and june-berry.
	•	N. 89° 57' E., on a random line bet. secs. 10 and 15.
	40.00	Set temp. \(\frac{1}{4}\) sec. cor.
	80.04	Intersect the cor. of secs. 10, 11, 14 and 15.
		Thence
		S. 89° 57' W., on a true line bet. secs. 10 and 15.
		Over rolling mountainous land, through heavy timber and scattering undergrowth.
	0.50	Head of draw, 20 lks. wide, course NE.; ascend NE. slope.
	2.50	Over flat toped spur, 5 chs. wide, slopes NW.; descend gentle NW. slope.
	22.50	Descend 60 ft. over SW. slope.
	27.90	Draw, 50 lks. wide, course NW.; ascend 40 ft.
		Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
-		1 S 10 4 S 15 1932 from which
		A yellow pine, 14 ins. diam., bears N. 5° W., 76 lks. dist., marked \(\frac{1}{4} \) S 10 B T.
		A yellow pine, 24 ins. diam., bears S. 53° W., 81 lks. dist., marked \(\frac{1}{4}\) S 15 B T.
	45.00	Descend NW. slope 140 ft.
, -	46.20	Trail, bears S. 70° W., and S. 70° E.
,	52.70	Head of draw, 10 lks. wide, course SW.; ascend 80 ft. over SE. slope.
	69.00	Descend 100 ft. over SW. slope.
	73.74	Draw, 50 lks. wide, course SW.; ascend.
	77.00	Small spur, slopes SW.

4-673b 38

	Chains 79.62	Draw, 15 lks. wide, course S.
	80.04	The cor. of secs. 9, 10, 15 and 16.
	3 * N	Land, rolling mountainous. Soil, rocky, 4th rate. Timber, yellow pine and oak. Undergrowth, oak and june-berry.
		N. 0° 02' W., bet. secs. 9 and 10.
		Over mountainous land, through heavy timber and scattering undergrowth. Ascend SE. slope 128 ft., along draw.
	4.95	Head of draw, continue ascent.
	7.20	Trail, bears NE. and SW.
	15.00	Spur, 3 chs. wide, slopes NW.; descend NE. slope 287 ft.
	37.94	Draw, 30 lks. wide, course NW.; ascend SE. slope 63 ft.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		$\mathbf{S} = \mathbf{S} + $
		1932 from which
	,	A pinyon, 28 ins. diam., bears N. 64° E., 6 lks. dist., marked \(\frac{1}{4}\) S 10 B T.
	•	A yellow pine, 24 ins. diam., bears N. 85° W., 47 lks. dist., marked \(\frac{1}{4}\) S 9 B T.
•	1. 1. 1. 8.	Ascend 290 ft. over steep S. slope.
	65.00	Descend 30 ft.
	67.37	Draw, 10 lks. wide, course W.; ascend NE. slope 164 ft.
	73.30	Spur, slopes NW.; descend 160 ft. ower SW. slope.
	78.95	Draw, 30 lks. wide, course NW.; ascend 90 ft. over S. slope.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor of secs. 3, 4, 9 and 10, with brass cap marked
	. 24.60	T 36 N R 1 W S 4 S 3 S 9 S 10 1932 from which
		A pinyon, 8 ins. diam., bears N. 69% E., 33 lks. dist., marked T 36 N R l W S 3 B T.
		A pinyon, 24 ins. diam., bears S. 70° E., 104 lks. dist., marked T 36 N R 1 W S 10 B T.
•	· • • • • • • • • • • • • • • • • • • •	A pinyon, lip ins. diam., bears S. 62 W., 103 lks.dist., marked T 36 N R 1 W S 9 B T.
		A pinyon, 18 ins. diam., bears N. 28° W., 73 lks. dist., marked T 36 N R 1 W S 4 B T.
		Land, mountainous. Soil, rocky, 4th rate. Timber, pinyon, yellow pine and oak.

Chains	Undergrowth, oak and june-berry.
	N. 89° 57' E., on a random line bet. secs. 3 and 10.
40.00	Set temp. 1 sec. cor.
80.00	A point 26 lks. N. of the cor. of secs. 2, 3, 10 and 11.
	Thence
	N. 89° 52' W., on a true line bet. secs. 3 and 10.
	Over mountainous land, through heavy timber and scattering undergrowth. Descend SW. slope 55 ft.
5.70	Draw, 50 lks. wide, course NE.; ascend NE. slope 150 ft.
18.00	Spur, 3 chs. wide, slopes S.
22.00	Blazed trail, bears NW. and SE.
23.50	Head of draw, course SW.; ascend gentle SE. slope.
30.00	Spur, 3 chs. wide, slopes SE.
35.64	Head of draw, course SW.; ascend gradual SE. slope.
140.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
	1 S 3 2 S 10 1932 from which
	A yellow pine, 40 ins. diam., bears N. 45° E., 41 lks. dist., marked \(\frac{1}{4}\) S 3 B T.
	A yellow pine, 30 ins. diam., bears S. 30° E., 55 lks. dist., marked \(\frac{1}{4}\) S 10 B T.
	Descend slightly.
45.00	Head of draw, course SW.
53.70	Head of draw, course SW.; descend 110 ft. over broken land. Enter dense undergrowth.
80.00	The cor. of secs. 3, 4, 9 and 10.
	Land, mountainous. Soil, rocky, 3rd rate. Timber, yellow pine and aspen. Undergrowth, oak, june-berry and juniper.
	N. 0° 02' W., bet. secs. 3 and 4.
	Over mountainous land, through heavy timber and dense undergrowth. Ascend S. slope 120 ft.
11.90	Top of ascent, thence over level spur, slopes NW.
21.00	Descend 120 ft. over NE. slope.
29.50	Draw, 10 lks. wide, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
	S 4 S 3

4-678 b 40

	Chains	from which	
		A yellow pine, 10 ins. diam., bears S. 60° E., 28 lks. dist., marked \(\frac{1}{4} \) S \(\frac{3}{4} \) B \(\frac{1}{3} \).	
	_	A yellow pine, 30 ins. diam., bears N. 86° W., 66 lks. dist., marked ½ S 4 B T.	
,	45.00	Descend 277 ft. over NE. slope.	
	62.90	Draw, 30 lks. wide, course W.; ascend SW. slope 320 ft.	
	77.10	Spur, 2 chs. wide, slopes NW.; descend NW. slope 80 ft.	
¥	81.92	Intersect the 9th Standard Parallel North,	
	300000	Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 3 and 4, with brass cap marked	
		T. 37 N R 1 W	
	, di	T 36 N R 1 W	
		CC 1932 from which	
	, * exp	An oak, 8 ins. diam., bears S. 60° E., 17 lks. dist., marked T 36 N R 1 W S 3 C C B T.	
		An oak, 10 ins. diam., bears S. 54° W., 70 lks. dist., marked T 36 N R 1 W S 4 C C B T.	
		From point of intersection, the standard cor. of secs. 33 and 34, T. 37 N., R. 1 W., bears East, 20 lks. dist.; an iron post, 3 ins. diam., 10 ins. above ground, marked and witnessed as described in the official record.	**
		Land, mountainous. Soil, rocky, 3rd rate. Timber, yellow pine, oak and aspen. Undergrowth, oak and june-berry.	
	e e e	From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp., which is an iron post, 2 ins. diam., set, marked and witnessed as described in the official record,	
		N. 0° 03' W., bet. secs. 32 and 33.	
		Over rolling mountainous land, through heavy timber and scattering undergrowth. Ascend 196 ft. over SW. slope.	
i	21.00	Ridge, bears E. and W.	
	22.90	Road, bears NE. and SW. Old log corral, bears West, about 5 chs. dist. Descend 94 ft.	
***	. 37 - 40	Small draw, course NE.	
	40 . 00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{2} \) sec. cor., with brass cap marked	
		. 5. 32 S . 33 TO S . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5 .	
		1931 from which	-
		A yellow pine, 30 ins. diam., bears N. 89° E., 15 lks. dist., marked \(\frac{1}{4}\) S 33 B T.	
		A yellow pine, 20 ins. diam., bears N. 73° W., 6 lks. dist., marked & S 32 B T.	

ECOX 4022

1/3

	Chains	Short spur, slopes NE.
	46.00	Small draw, course E.
	62.70	Spur, slopes NE.; descend 53 ft.
	71.30	Small draw, course NE.
	78.50	Spur, slopes E.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap marked T 36 N R 1 W S 29 18 28
		\$ 29 S 28 \$ 32 S 33 1931 from which
		A yellow pine, 24 ins. diam., bears N. 67° E., 94 lks. dist., marked T 36 N R 1 W S 28 B T.
		A yellow pine, 24 ins. diam., bears S. 69° E., 72 lks. dist., marked T 36 N R l W S 33 B T.
		A yellow pine, 24 ins. diam., bears S. 14° W., 97 lks. dist., marked T 36 N R 1 W S 32 B T.
		A yellow pine, 30 ins. diam., bears N. 42° W., 43 lks. dist., marked T 36 N R 1 W S 29 B T.
	,	Land, rolling mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.
		N. 89° 58' E., on a random line bet. secs. 28 and 33.
	40.00	N. 89° 58' E., on a random line bet. secs. 28 and 33. Set temp. \(\frac{1}{4}\) sec. cor.
	40.00 80.06	
•	_	Set temp. ½ sec. cor.
	_	Set temp. \(\frac{1}{4}\) sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34.
	_	Set temp. \(\frac{1}{4}\) sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence
	_	Set temp. ½ sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and
	80.06	Set temp. ½ sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and scattering undergrowth. Descend 140 ft.
	80.06 12.50	Set temp. ½ sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and scattering undergrowth. Descend 11,0 ft. Drain, course N.; ascend 46 ft.
	12.50 23.00	Set temp. ½ sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and scattering undergrowth. Descend 140 ft. Drain, course N.; ascend 46 ft. Top of ascent; descend 210 ft. over NW. slope. Bottom of canyon, 1 ch. wide, course SW.; ascend 50 ft.
	12.50 23.00 34.30	Set temp. \(\frac{1}{4}\) sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and scattering undergrowth. Descend 140 ft. Drain, course N.; ascend 46 ft. Top of ascent; descend 210 ft. over NW. slope. Bottom of canyon, 1 ch. wide, course SW.; ascend 50 ft. over SW. slope. Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap marked
	12.50 23.00 34.30	Set temp. \(\frac{1}{4}\) sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and scattering undergrowth. Descend 140 ft. Drain, course N.; ascend 46 ft. Top of ascent; descend 210 ft. over NW. slope. Bottom of canyon, 1 ch. wide, course SW.; ascend 50 ft. over SW. slope. Set an iron post, 3 ft. long, 1 in. diam. 28 ins. in the
	12.50 23.00 34.30	Set temp. \(\frac{1}{4}\) sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and scattering undergrowth. Descend 140 ft. Drain, course N.; ascend 46 ft. Top of ascent; descend 210 ft. over NW. slope. Bottom of canyon, 1 ch. wide, course SW.; ascend 50 ft. over SW. slope. Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap marked \(\frac{1}{4}\) \(\frac{3}{3}\)
	12.50 23.00 34.30	Set temp. ½ sec. cor. A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34. Thence S. 89° 57' W., on a true line bet. secs. 28 and 33. Over broken mountainous land, through heavy timber and scattering undergrowth. Descend 140 ft. Drain, course N.; ascend 46 ft. Top of ascent; descend 210 ft. over NW. slope. Bottom of canyon, 1 ch. wide, course SW.; ascend 50 ft. over SW. slope. Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ½ sec. cor., with brass cap marked \[\frac{1}{8} \frac{28}{8} \frac{33}{33} \\ 1931 from which A juniper, 5 ins. diam., bears N. 4½° W., 39 lks. dist.,

	Chains 47.10	Descend 195 ft. over SW. şlope.
	63.00	Enter same canyon, course NW.
	66.85	Leave canyon; ascend 77 ft. over NW. slope.
	68.90	Draw, course NW.
	69.30	Wire fence, bears N. and S.
	70.10	Road, bears N. and S.
•	80.06	The cor. of secs. 28, 29, 32 and 33.
	100 din 1	Land, broken mountainous. Soil, rocky, 2nd rate. Timber, pinyon, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.
		N. 0° 03' W., bet. secs. 28 and 29.
		Over rolling mountainous land, through heavy timber and scattering undergrowth. Descend NE. slope 90 ft.
	7.80	Ravine, course NW.; ascend 35 ft.
	13.00	Short spur, slopes NW.; descend 90 ft.
	28.90	Road, bears NW. and SE.
	30.10	Main draw, course NW.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		\$ 29 \(\frac{1}{3} \) \$ 28. 1931
• .		A yellow pine, 36 ins. diam., bears S. 82° E., 39 lks. dist., marked 4 S 28 B T.
	L. TA	A yellow pine, 12 ins. diam., bears S. 83° W., 53 lks. dist., marked \(\frac{1}{4} \) S 29 B T.
	ta ta	Ascend 123 ft. over SW. slope.
	70.00	Spur, slopes NW.; descend 77 ft. over NE. slope.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap marked
		T 36 N R 1 W S 20 S 21 S 29 S 28
v - i	. T S.	1931 in a from which
	٠	A yellow pine, 36 ins. diam., bears N. 7 3/4° E., 25 lks. dist., marked T 36 N R l W S 21 B T.
	.,,,	A yellow pine, 16 ins. diam., bears S. 43° E., 41 lks. dist., marked T 36 N R l W S 28 B T.
•	lei vavi	A yellow pine, 16 ins. diam., bears S. 80\frac{1}{2}\cdot W., 45 lks. dist., marked T 36 N R l W S 29 B T.
		A yellow pine, 18 ins. diam., bears N. 14° W., 109 lks. dist., marked T 36 N R 1 W S 20 B T.
		Land, rolling mountainous.

BOOK 4022

	Chains	Soil, clay and gravel, 2nd rate. Timber, pine, oak and juniper; undergrowth, sage and oak.
		N. 89° 57' E., on a random line bet. secs. 21 and 28.
	40.00	Set temp. 1/4 sec. cor.
	80.04	A point 14 1ks. S. of the cor. of secs. 21, 22, 27 and 28.
		Thence
	معامرا	S. 89° 51' W., on a true line bet. secs. 21 and 28.
		Over mountainous land, through heavy timber and scattering undergrowth. Descend NW. slope 78 ft.
	5.65	Gulch, course SW.; ascend 160 ft. over S. slope.
	15.30	Top of ascent; descend 290 ft.
	29.30	Foot of descent; ascend 43 ft.
	33.00	Spur, slopes SW.; descend 106 ft. over NW. slope.
	40.02	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		1 S 21 4 S 28
	i	4 S 28 1931 from which
		A yellow pine, 18 ins. diam., bears N. $82\frac{1}{2}$ ° E., 286 lks. dist., marked $\frac{1}{4}$ S 21 B T:
		A yellow pine, 18 ins. diam., bears S. 40° W., 199 lks. dist., marked $\frac{1}{4}$ S 28 B T.
	•	Continue descent 100 ft.
	43.90	Gulch, course SW.; ascend 100 ft. over SE. slope.
	52.40	Top of ascent; descend 166 ft.
	62.60	Same gulch, course NW.
	65.50	End of spur, comes from SE,
~	67.40	Same gulch, course SW.
	72.40	Same gulch, course NW.; ascend 70 ft.
	80.04	The cor. of secs. 20, 21, 28 and 29.
		Land, broken mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, juniper and oak. Undergrowth, buck brush, june-berry, oak and sage.
		N. 0° 03' W., bet. secs. 20 and 21.
	·	Over mountainous land, through scattering timber and dense undergrowth. Descend N. slope 94 ft.
	3.10	Gulch, course W.; ascend 290 ft. over S. slope.
	3.60	Wire fence, bears NE. and SW.
	12.20	Spur, slopes NW. Road to East Lake, bears NW. and SE.; descend 66 ft.

44

		•
	Chains 19.60	Pine Flats and Big Saddle Road, bears NE. and SW.
	20.60	Ravine, course W.
	21.10	Same road, bears NW. and SE.
	28.75	Same road, bears E. and SW. Spur, slopes W.
•	34.00	Head of drain, course W.
	37.85	Spur, slopes NW.; descend.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked S 20 S 21
		1931 from which
		A yellow pine, 30 ins. diam., bears N. 50° E., 75 lks. dist., marked \(\frac{1}{4} \) S 21 B T.
		A yellow pine, 36 ins. diam., bears S. 27° W., 50 lks. dist., marked ½ S 20 B T.
	41.75	Ravine, course NW.; ascend 60 ft.
	56.50	Spur, slopes NW.; descend 116 ft.
	64.65	Gulch, course W.; ascend 116 ft. over SW. slope.
4 ·	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 16, 17, 20 and 21, with brass cap marked
,		T 36 N R 1 W S 17 S 16 S 20 S 21 1931
		of stone, 3 ft. base, 2 ft. high, W. of cor.
THE REAL PROPERTY AND THE PROPERTY OF THE PROP		Land, broken mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine and oak. Undergrowth, oak, june-berry, buck brush and sage.
		N. 89° 51' E., on a random line bet. secs. 16 and 21.
	40.00	Set temp. \frac{1}{4} sec. cor.
	80.08	A point 19 lks. N. of the cor. of secs. 15, 16, 21 and 22.
		Thence
Company Company	. 44	S. 89° 59' W., on a true line bet. secs. 16 and 21.
		Over broken mountainous land, through heavy timber and dense undergrowth. Descend SW. slope 73 ft.
	4.55	Ravine, course N.; ascend 60 ft. over E. slope.
	11.70	Spur, slopes N.; descend 113 ft. over NW. slope.
!	19.00	Ravine, course N.; ascend 64 ft. over NE. slope.
•	28.00	Spur, slopes NW.; descend 150 ft. over SW. slope.
* -	36.00	Head of ravine, course NW.; descend gentle NW. slope.
1	1	

_		
	Chains 40.04	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
•		1931 from which
		An oak, 6 ins. diam., bears N. 48 3/4° W., 41 lks. dist. marked & S 16 B T.
		A yellow pine, 26 ins. diam., bears S. 9 3/4° E., 7 lks. dist., marked \(\frac{1}{4}\) S 21 B T.
		Descend gradually:
	44.90	Road, bears N. and S.
	48.00	Head of ravine, course NW.
	51.00	Spur, slopes N.
	53.30	Old road, bears N. and S.
	55.80	Ravine, course N.; ascend 40 ft.
	65.00	Over top of spur, slopes NW.
	75.00	Descend SW. slope.
	80.08	The cor. of secs. 16, 17, 20 and 21.
	- 1. (- 1.)	Land, broken mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine and juniper. Undergrowth, oak, sage, june-berry and buck brush.
		N. 0° 03' W., bet. secs. 16 and 17.
	• {	Over rolling mountainous land, through scattering timber and dense undergrowth.
	7.50	Spur, slopes NW.; descend 150 ft. over NE. slope.
	30.30	Ravine, course NW.
	l _i 0.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		s 17 \$ s 16
		1931 from which
		A yellow pine, 28 ins. diam., bears N. 5½° E., 56 lks. dist., marked ½ S 16 B T.
		A yellow pine, 26 ins. diam., bears S. $68\frac{1}{2}$ ° W., 76 lks. dist., marked $\frac{1}{4}$ S 17 B T.
	42.00	Spur, slopes NW.; descend 160 ft.
	51.80	Gulch, course NW.; ascend 86 ft.
	58.50	Spur, slopes NW.; descend 56 ft.
	69.50	Gulch, course SW.; ascend 116 ft. over SE. slope.
	79.20	Top of ascent; descend.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap
	5	3 3 0

 $3.232 \cdot 2$

	Chains	marked T 36 N R 1 W
!	sty as a	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
		1931 from which
		A yellow pine, 18 ins. diam., bears N. 381° E., 48 lks. dist., marked T 36 N R l W S 9 B T.
		A yellow pine, 16 ins. diam, bears S. 66 E., 133 lks. dist., marked T 36 N R 1 W S 16 B T.
		A yellow pine, 14 ins. diam., bears S. 83½° W., 241 lks. dist., marked T 36 N R 1 W S 17 B T.
		A yellow pine, 12 ins. diam., bears N. 89° W., 147 lks. dist., marked T 36 N R 1 W S 8 B T.
		Land, rolling mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, juniper and oak. Undergrowth, oak, june-berry, buck brush and sage.
		N. 89° 59' E., on a random line bet. secs. 9 and 16.
	40.00	Set temp. \frac{1}{4} sec. cor.
	80.02	A point 23 lks. S. of the cor. of secs. 9, 10, 15 and 16.
		Thence
		S. 89° 49' W., on a true line bet. secs. 9 and 16.
		Over mountainous land, through scattering timber and dense undergrowth. Ascend SE. slope 100 ft.
	22.30	Top of ascent; descend 100 ft. over SW. slope.
	33.95	Spur, slopes SW.; descend 120 ft. over NW. slope.
	40.01	Set an iron post, 3 ft. long, 1 in. diam., 5 ins. in the ground to bedrock, over an X marked on bedrock, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		1 S 9 4 S 16 1931
		Descend 430 ft. over NW. slope.
	46.60	Gulch, course SW.; continue descent 210 ft. along S.slope.
	63.90	Road, bears N. and S.
	61,.60	Gulch, course S.
	65.30	Old road, bears N. and S.
•	69.00	Spur, slopes N.; descend 50 ft.
	70.40	Wash, course SW.; ascend 85 ft. over SE. slope.
	75.00	Spur, slopes SW.; descend 68 ft. over W. slope.
	76.20	Wash, course S.; along N. slope.
	76.60	Descend 50 ft.
	80.02	The cor. of secs. 8, 9, 16 and 17.
		Land, mountainous and broken. Soil, clay and gravel, 2nd rate.

-	Chains	Timber, pinyon, yellow pine and oak.
		Undergrowth, oak, june-berry, buck brush and sage.
		N. 0° 03' W., bet. secs. 8 and 9.
Ŧ.		Over rolling mountainous land, through scattering timber and undergrowth.
	0.45	Ravine, course E.
	14.34	Draw, course SE.
	32.00	Divide, bears East., 3 chs. dist.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
		\$ 8 S 9
	4. 1 4.	A yellow pine, 14 ins. diam., bears S. 72° E., 61 lks. dist., marked ½ S 9 B T.
		A yellow pine, 14 ins. diam., bears S. $7\frac{1}{2}^{\circ}$ W., 105 lks. dist., marked $\frac{1}{4}$ S 8 B T.
	53.80	Enter Pine Flats Deer Camp (Waring's permanent hunting camp).
	54.30	Cook shack, bears West, 2.50 chs. dist.
	57.00	Leave Pine Flats.
	66.10	Road, bears NW. and SE.
	67.75	Gulch, course NW.
	76.25	Gulch, course SW. Same road, bears NE. and SW.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for cor of secs. 4, 5, 8 and 9, with brass cap marked
		T 36 N R 1 W S 5 S 4 S 8 S 9 1932 from which
		A juniper, 8 ins. diam., bears N. 48 3/4° E., 54 lks. dist., marked T 36 N R 1 W S 4 B T.
		A juniper, 14 ins. diam., bears S. 66° E., 45 lks.dist., marked T 36 N R l W S 9 B T.
		A juniper, 4 ins. diam., bears S. 41° W., 190 lks. dist. marked T 36 N R 1 W S 8 B T.
	ing in the second	A pinyon, 8 ins. diam., bears N. 30° W., 26 lks. dist., marked T 36 N R 1 W S 5 B T.
	ia bis	Land, rolling mountainous. Soil, clay and gravel. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, oak, june-berry, buck brush and sage.
	er en	N. 89° 49' E., on a random line bet. secs. 4 and 9.
		Set temp. \(\frac{1}{4}\) sec. cor.

	Chains 79.98	A point 7 lks. N. of the cor. of secs. 3, 4, 9 and 10.
		Thence
		s. 89° 52' W., on a true line bet. secs. 4 and 9.
		Over mountainous land, through scattering timber and dense undergrowth. Descend W. slope 144 ft.
	9.70	Draw, 20 lks. wide, course SW.
	13.00	Descend 100 ft. over SW. slope.
	22.42	Wash, 10 lks. wide, course S.; ascend 210 ft. over SE.slope.
	36 . 50	Spur, i ch. wide, slopes SW.; descend NW. slope 40 ft.
	39•99	Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for 1 sec. cor., with brass cap marked
	. William Tre	1932 from which
		A pinyon, 8 ins. diam., bears North, 56 lks. dist., marked ½ S 4 B T.
		A pinyon, 8 ins. diam., bears S. 24° E., 77 lks. dist., marked ½ S 9 B T.
		Descend 294 ft. over NW. slope.
	50.90	Head of draw, course SW.; continue descent 75 ft.
	61.40	Draw, 30 lks. wide, course SW.
	69.30	Leave dense undergrowth and enter timber.
	78.03	Road, bears NE. and SW.
14.	79.98	The cor. of secs. 4, 5, 8 and 9.
		Land, mountainous. Soil, rocky, 4th rate. Timber, yellow pine and pinyon. Undergrowth, oak and cliff brush.
	g tag Til	N 00 07! M bot good I and I
		N. 0° 03' W., bet. secs. 4 and 5.
, ,		Over rolling land, through heavy timber and dense undergrowth. Ascend SE. slope.
	3.50	Small spur, slopes E.; descend.
	5.92	Draw, 20 lks. wide, course SE.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		s 5 s 4 1932 from which
		A yellow pine, 40 ins. diam., bears N. 68° E., 106 lks. dist., marked \(\frac{1}{2} \) S \(\frac{1}{2} \) B T.
	. (*)	A yellow pine, 40 ins. diam., bears S. 58° W., 170 lks. dist., marked 4 S 5 B T.

```
Chains
            Over level land.
 82.33
           Intersect the 9th Standard Parallel North,
           Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap
           marked
                                               T 37 N R 1 W
                                              S 5 S 4
T 36 N R 1 W
                                                      1932
                                                                               from which
              An oak, 8 ins. diam., bears S. 36\frac{1}{2}° E., 146 lks. dist., marked T 36 N R 1 W S 4 C C B T.
              An oak, 8 ins. diam., bears S. 35° W., 125 lks. dist., marked T 36 N R l W S 5 C C B T.
           From point of intersection, the standard cor. of secs. 32 and 33, T. 37 N., R. 1 W., bears East, 13 lks. dist.; an iron post, 3 ins. diam., 10 ins. above ground, with brass cap marked and witnessed as described in the official
           record.
           Land, rolling and level. Soil, rocky, 3rd rate.
           Timber, oak and pine; undergrowth, oak and cliff brush.
           From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp., which is an iron post, 2 ins. diam., firmly set, marked and witnessed as described in the official record,
           N. 0° 03' W., bet. secs. 31 and 32.
           Over rolling mountainous land, through heavy timber and
           scattering undergrowth. Ascend SW. slope 136 ft.
12.00
           Top of ascent; descend 63 ft.
18.50
          Small draw, course SW.; ascend 166 ft.
30.50
          Ridge, bears NE. and SW.; descend 70 ft.
          Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \( \frac{1}{2} \) sec. cor., with brass cap marked
40.00
                                                 S 31 S 32
                                                                              from which
             A yellow pine, 10 ins. diam., bears N. 54\frac{1}{2}^{\circ} E., 73 lks. dist., marked \frac{1}{4} S 32 B T.
           A yellow pine, 16 ins. diam., bears S. 472° W., 58 lks. dist., marked $2 8 31 B T.
41.50
          Small draw, course SW.
44.50
          Low spur, slopes W.; descend 78 ft.
55.40
          Draw, 25 lks. wide, course SW.
60.00
          Low spur, slopes SW.
63.60
          Small draw, course SW.
71.00 Spur, slopes SW.
```

3800 x 200

	Chains 80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap marked
		T 36 N R 1 W .S 30 S 29 .S 31 S 32 .1931
		A yellow pine, 14 ins. diam., bears N. 17½° E., 77 lks. dist., marked T 36 N R 1 W S 29 B T.
		A yellow pine, 16 ins. diam., bears S. 51 3/4 E., 61 lks. dist., marked T 36 N R 1 W S 32 B T.
,	s	An oak, 6 ins. diam., bears S. 58° W., 65 lks. dist., marked T 36 N R l W S 31 B T.
		An oak, 3 ins. diam., bears N. 414° W., 72 lks. dist., marked B T.
		Land, broken mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, juniper and oak. Undergrowth, buck brush, june-berry, oak and sage.
		N. 89° 58' E., on a random line bet. secs. 29 and 32.
	40.00	Set temp. \frac{1}{4} sec. cor.
	80.02	A point 2 lks. N. of the cor. of secs. 28, 29, 32 and 33.
•	•	Thence
	; 	S. 89° 59' W., on a true line bet. secs. 29 and 32.
		Over rolling mountainous land, through heavy timber and scattering undergrowth.
	9.85	Small draw, course NE.
	15.00	Over rolling land, ascending slightly.
	28.10	Road, bears NW. and SE.
	40.00	Ridge, bears NW. and SE.
	40.01	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{2} \) sec. cor., with brass cap marked
	e. i.	1 S 29 4 S 32 1931 from which
		A yellow pine, 34 ins. diam., bears S. $78\frac{1}{4}^{\circ}$ E., 26 lks. dist., marked $\frac{1}{4}$ S 32 B T.
	, e A	A yellow pine, 30 ins. diam., bears N. 2½° W., 150 lks. dist., marked ½ S 29 B T.
٠		Descend gentle SW. slope.
	78.05	Small draw, course NW.
	80.02	The cor. of secs. 29, 30, 31 and 32.
		Land, rolling. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, buck brush, sage, june-berry and oak.
	i	· · · · · · · · · · · · · · · · · · ·

Chains	S. 89° 58' W., on a random line bet. secs. 30 and 31.
40.00	Set temp. ½ sec. cor.
78.85	Intersect the cor. of secs. 25, 30, 31 and 36, on W. bdy. of Tp.
	Thence
	N. 89° 58' E., on a true line bet. secs. 30 and 31.
	Over rolling mountainous land, through scattering timber and dense undergrowth. Ascend NW. slope 120 ft.
15.45	Top of ascent; thence over top of ridge.
 38,85	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap marked
	1 S 30 4 S 31 1931 from which
	A yellow pine, ll ins. diam., bears N. 444° W., 145 lks. dist., marked 4 S 30 B T.
	A yellow pine, 16 ins. diam., bears S. 55 3/4° E., 29 lks. dist., marked ½ S 31 B T.
	This cor. is on spur sloping NW.
52.85	Small draw, course NW.
61.65	Spur, slopes NW.
69.65	Small draw, course NW.
75.65	Low spur, slopes NW.
78.85	The cor. of secs. 29, 30, 31 and 32.
	Land, rolling and mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, buck brush, june-berry, oak and sage.
	N. 0° 03' W., bet. secs. 29 and 30.
g mone ist.	Over rolling mountainous land, through timber and under- growth.
3.40	Small draw, course NW.
10.00	Spur, slopes NW.; descend 70 ft.
19.70	Small draw, course NW.
23.50	Spur, slopes NW.
33.10	Small draw, course SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap marked
	s 30 s 29
	1931 from which
	A yellow pine, 26 ins. diam., bears S. 84° E., 47 lks. dist., marked \(\frac{1}{4} \) S 29 B T.

	Chains	A yellow pine, 26 ins. diam., bears N. 6° W., 155 lks. dist., marked \(\frac{1}{4} \) S 30 B T.
	• •	This cor. is on spur sloping SW.
	44.50	Draw, 10 lks. wide, course SW.
	52.50	Spur, slopes SW.
	55.30	Road, bears NW. and SE.
	55.50	Head of draw, course NW.
	73.00	Spur, slopes NW.; descend NW. slope.
	. 80 . 00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap marked
		T 36 N R 1 W S 19 S 20 S 30 S 29
		1931 from which
		A yellow pine, 12 ins. diam., bears N. 42° E., 41 lks. dist., marked T 36 N R 1 W S 20 B T.
	£ # %	A yellow pine, 16 ins. diam., bears S. 17° E., 87 lks. dist., marked T 36 N R 1 W S 29 B T.
		A yellow pine, 28 ins. diam., bears S. 47° W., 19 lks. dist., marked T 36 N R l W S 30 B T.
		A yellow pine, 12 ins. diam., bears N. 37° W., 24 lks. dist., marked T 36 N R 1 W S 19 B T.
		Land, rolling mountainous. Soil, rocky, 3rd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, buck brush, sage, june-berry and oak.
		N. 89° 59' E., on a random line bet. secs. 20 and 29.
	40.00	Set temp. ½ sec. cor.
i	80.04	Intersect the cor. of secs. 20, 21, 28 and 29.
		Thence
		S. 89° 59! W., on a true line bet. secs. 20 and 29.
:	,	Over rolling mountainous land, through scattering timber and dense undergrowth. Descend NW. slope.
	6.30	Foot of descent; ascend.
	8.30	Spur, slopes NW., 3 chs. to end.
	10.90	Wire fence, bears NE. and SW.
	11.40	Road, bears NE. and SW.
	12.20	Main draw, course NW., about 5 chs. to canyon.
	17.30	Spur, slopes N.
	18.65	Wire fence, bears NW. and SE.
i	20.20	Draw, course N.; ascend 200 ft.
,	28.45	Wire fence, bears NE. and SW.

Chains 33.00	Spur, slopes NE.; descend.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 4 sec. cor., with brass cap marked
. 18	1 S 20 2 S 29 1931 from which
	An oak, 6 ins. diam., bears N. 69 3/4° W., 48 lks. dist., marked \(\frac{1}{4}\) S 20 B T.
. 3	A yellow pine, 26 ins. diam., bears S. 22° E., 73 lks. dist., marked \(\frac{1}{4}\) S 29 B T.
43.80	Small draw, course NE.
53.50	Spur, slopes NW.
61.70	Draw, course NW.
66.50	Low spur, slopes NW.
71.40	Draw, course NW.
80.04	The cor. of secs. 19, 20, 29 and 30.
10.28	Land, broken mountainous. Soil, rocky, 3rd rate. Timber, pine, oak and juniper; undergrowth, sage and oak.
. 1970 . 1	S. 89° 58' W.; on a random line bet. secs. 19 and 30.
1 .	Set temp. ½ sec. cor.
78.92	Intersect the cor. of secs. 19, 21, 25 and 30, on W. bdy. of Tp.
	Thence
	N. 89° 58' E., on a true line bet. secs. 19 and 30.
	Over rolling land, through timber and undergrowth.
3.00	Draw, 10 lks. wide, course NW.
37.00	Small draw, course NW.
38.92	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	1 S 19 4 S 30
	4 S 30 1931 from which
	A yellow pine, 30 ins. diam., bears N. 14° E., 106 lks. dist., marked 4 S 19 B T.
	A yellow pine, 30 ins. diam., bears S. 51° W., 57 lks. dist., marked 4 S 30 B T.
	This cor. is on short spur sloping NW.
40.92	
1	Small drain, course NW.
52.00	Small drain, course NW. Low spur, slopes NW.
52.00 56.82	
	Low spur, slopes NW.

	Chains 67.00	Spur, slopes NW.; ascend gentle NW. slope.
	78.92	The cor. of secs. 19, 20, 29 and 30.
		Land, rolling. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, buck brush, sage, june-berry and oak.
	*	N. 0° 03' W., bet. secs. 19 and 20.
1		Over rolling land, through scattering timber and dense undergrowth.
*	3.30	Draw, 10 lks. wide, course W.
	10.00	Spur, slopes W.
1	19.45	Draw, course NW.
1	24.50	Spur, slopes NW.; descend 97 ft.
\$ 1 2 4	36.45	Draw, course NW.
	lto •00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		s 19 s 20
*		1931 from which
***************************************		A pinyon, 8 ins. diam., bears S. 86° E., 17 lks. dist., marked ½ S 20 B T.
		A juniper, 6 ins. diam., bears S. 88° E., 33 lks. dist., marked $\frac{1}{4}$ S 20 B T.
İ	144.00	Spur, slopes NW.
	53.30	Draw, course NW.
	58.80	Wire fence, bears NW. and SE.
*	68.10	Draw, 30 lks. wide, course NW.
	73.00	Spur, slopes NW.
	78.50	Head of ravine, course NE.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for cor of secs. 17, 18, 19 and 20, with brass cap marked
*		T 36 N R 1 W
		S 18 S 17 S 19 S 20 1931 from which
		A juniper, 10 ins. diam., bears N. 62° E., 41 lks. dist., marked T 36 N R 1 W S 17 B T.
		A juniper, 8 ins. diam., bears S. 53° E., 60 lks. dist., marked T 36 N R 1 W S 20 B T.
The second second second		A pinyon, 12 ins. diam., bears S. 56° W., 90 lks. dist., marked T 36 N R 1 W S 19 B T.
1		A juniper, 10 ins. diam., bears N. 112° W., 190 lks.dist., marked T 36 N R l W S 18 B T.

	7022
Chains	Land, rolling. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, buck brush, sage, june-berry and oak.
	N. 89° 59' E., on a random line bet. secs. 17 and 20.
40.00	Set temp. ½ sec. cor.
80.04	A point 5 lks. S. of the cor. of secs. 16, 17, 20 and 21.
	Thence
	S. 89° 57' W., on a true line bet. secs. 17 and 20.
e e≱ e . N	Over rolling land, through scattering timber and dense undergrowth.
4.10	Ravine, course SW.; ascend 86 ft.
13.00	Spur, slopes SW.
13.22	Descend 360 ft. over NW. slope.
30.00	Gulch, course NW.; ascend NE. slope.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	1931 from which
	A juniper, 8 ins. diam., bears N. 18 $3/4^{\circ}$ E., 24 lks. dist., marked $\frac{1}{4}$ S 17 B T.
	A pinyon, 6 ins. diam., bears S. 84 3/4° E., 19 lks. dist., marked \(\frac{1}{4}\) S 20 B T.
40.50	Spur, slopes NW.; descend 260 ft. over SW. slope.
49.30	Canyon, course NW.; ascend 260 ft. over NE. slope.
67.00	Spur, slopes N.
69.70	Ravine, course NW.
73.70	Short spur, slopes N.; descend 74 ft.
78.45	Ravine, course NE.
80.04	The cor. of secs. 17, 18, 19 and 20.
	Land, rolling mountainous. Soil, clay and gravel, 2nd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, oak, buck brush, june-berry and sage.
, ,	S. 89° 58' W., on a random line bet. secs. 18 and 19.
40.00	Set temp. 1 sec. cor.
78.76	Intersect the cor. of secs. 13, 18, 19 and 24, on W. bdy. of Tp.
	Thence
	N. 89° 58' E., on a true line bet. secs. 18 and 19.
	Over rolling mountainous land, through scattering timber

	Chains	and dense undergrowth. Descend 300 ft. over NE. slope.
	17.20	Gulch, course NW.; ascend 300 ft. over SW. slope.
	32.80	Top of ascent; thence along S. slope of spur.
	38.76	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	2	1 S 18 4 S 19. 1931 from which
	<u>-</u> 1 1 1	A juniper, 8 ins. diam., bears N. 48 3/4° E., 36 lks. dist., marked ½ S 18 B T.
	1 11.4	A pinyon, 10 ins. diam., bears S. 8° E., 54 lks. dist., marked 4 S 19 B T.
	51.20	Wire fence, bears NW. and SE.
	57.00	Ravine, course SW.; ascend 70 ft.
	70.00	Spur, slopes NW.; descend 107 ft. over NE. slope.
	78.76	The cor. of secs. 17, 18, 19 and 20.
÷		Land, broken mountainous. Soil, rocky, 3rd rate. Timber, pinyon, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.
		N. 0° 03' W., bet. secs. 17 and 18.
	,	Over mountainous land, through scattering timber and under- growth. Descend NE. slope.
	3.60	Drain, course NE.
	13.00	Descend 340 ft. over steep N. slope.
	23.10	Bottom of canyon, course NW.; ascend 385 ft. over steep S. slope.
	35.00	Spur, slopes SW.; descend 90 ft.
	39.70	Ravine, course SW.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		$\sim 18 \frac{1}{1} \text{ s. 17}$
		1931 from which
		A pinyon, 6 ins. diam., bears S. 87 E. E., 24 1ks. dist., marked 4 S 17 B.T.
	,	A pinyon, 10 ins. diam., bears S. $0\frac{1}{4}$ W., 29 lks. dist., marked $\frac{1}{4}$ S 18 B T.
		Ascend 223 ft. over steep S. slope.
1	53.00	Top of ascent; thence over rolling land.
	63.70	Descend 200 ft. over NE. slope.
	78.30	Ravine, course NW.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for cor.
	1	

BOOK 4022

_		· William Annual Control of the Cont
	Cha ins	of secs. 7, 8, 17 and 18, with brass cap marked
	`	T 36 N R 1 W S 7 S 8 S 18 S 17 1931 from which
		A pinyon, 8 ins. diam., bears N. $50\frac{1}{2}^{\circ}$ E., 72 lks. dist., marked T 36 N R 1 W S 8 B T.
	• 0.8. 0	A pinyon, 8 ins. diam., bears S. 31° E., 90 lks. dist., marked T 36 N R 1 W S 17 B T.
		A pinyon, 4 ins, diam., bears S. 53° W., 52 lks. dist., marked T 36 N R 1 W S 18 B T.
		A pinyon, 8 ins. diam., bears N. 36° W., 93 lks. dist., marked T 36 N R 1 W S 7 B T.
		Land, rolling mountainous. Soil, clay and gravel, 3rd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, oak, buck brush, june-berry and sage.
		N. 89° 57' E., on a random line bet. secs. 8 and 17.
	40.00	Set temp. ½ sec. cor.
	79.94	A point 7 lks. N. of the cor. of secs. 8, 9, 16 and 17.
		Thence
	*	West, on a true line bet. secs. 8 and 17.
		Over rolling mountainous land, through timber and under- growth. Ascend 90 ft. over NE. slope.
	19.00	Spur, slopes SW.; descend 204 ft.
	33.30	Gulch, course S. 31° W.; ascend 77 ft. over SE. slope.
	39.97	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top of post, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	•	1 S 8 4 S 17 1931 from which
	· · · · · · · · · · · · · · · · · · ·	A juniper, 6 ins. diam., bears N. 35° E., 43 lks. dist., marked \(\frac{1}{4} \) S 8 B T.
	v v v v v v v v v v v v v v v v v v v	A pinyon, 8 ins. diam., bears S. 142° E., 17 lks. dist., marked 4 S 17 B T.
		Continue ascent.
	43.00	Spur, slopes SE.; descend 112 ft.
	48.20	Ravine, course SE.; ascend 120 ft. over SE. slope.
	56.00	Spur, slopes SW.; descend 150 ft. over NW. slope.
	79.94	The cor. of secs. 7, 8, 17 and 18.
		Land, mountainous. Soil, rocky, 3rd rate. Timber, pinyon, juniper and oak. Undergrowth, buck brush, sage, june-berry and oak.

1	Chains	S. 89° 58° W., on a random line bet. sees. 7 and 18.
	40.00	Set temp. 1 sec. cor.
	78.79	A point 9 lks. N. of the cor. of secs. 7, 12, 13 and 18, on W. bdy. of Tp.
i . •		Thence
1		N. 89° 54' E., on a true line bet. secs. 7 and 18.
1	•	Over mountainous land, through timber and undergrowth.
	1.70	Descend 20 ft.
}	4.30	Drain, course NW.
Ş.	11,.00	Spur, slopes NW.; descend 132 ft.
*	26.30	Ravine, course N.; ascend 208 ft. over NW. slope.
	38.79	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor., with brass cap marked
		1 S 7 4 S 18 1931 from which
E	*	A pinyon, 10 ins. diam., bears N. $67\frac{1}{2}^{\circ}$ E., 30 lks.dist., marked $\frac{1}{4}$ S 7 B T.
and the state of t		A pinyon, ll ins. diam., bears S. 61° W., 10 lks. dist., marked ½ S 18 B T.
1 1 1 1 1 1	43.00	Spur, slopes NW.
*	47.20	Draw, course NW.
	57•35	Descend 95 ft. over NE. slope.
	78.00	Ravine, course NW.; ascend SW. slope.
	.78.79	The cor. of secs. 7, 8, 17 and 18.
A company of the comp		Land, rolling mountainous. Soil, clay, gravel, rocky, 3rd rate. Timber, pinyon, yellow pine, oak and juniper.
		Undergrowth, buck brush, sage, june-berry and oak.
		N. 0° 03' W., bet. secs. 7 and 8.
	187	Over mountainous land, through timber and undergrowth. Ascend 30 ft. over SW. slope.
-	4.30	Spur, slopes W.; descend 75 ft.
*	7.10	Ravine, course SW.; ascend 64 ft.
COMMISSION COMMISSION OF REA	20.00 /	Spur, slopes N.W.; descend 21/4 ft. over NW. slope.
	39.50	Gulch, course NW.; ascend.
entrance and the second of the	40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked \(\frac{1}{2} \) S 8.
A policional of a company		1931 from which

BCOK 4022

•	Chain s	A pinyon, 14 ins. diam., bears N. 69° E., 56 lks. dist., marked ½ S 8 B T.
	TO POLICE STATE	A yellow pine, 26 ins. diam., bears S. 77° W., 73 lks. dist., marked ½ S 7 B T.
	•	Ascend 166 ft. over SW. slope.
	51.00	Spur, slopes NW.; descend 275 ft. over NW. slope.
	67.00	Gulch, course NW.; ascend ll6 ft. over SW. slope.
	76.90	Spur, slopes SW.; descend 43 ft.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 5, 6, 7 and 8, with brass cap marked
	e grande de	T 36 N R 1 W S 6 S 5 S 7 S 8 1931 from which
	-	A pinyon, 8 ins. diam., bears N. 76° E., 15 lks. dist., marked T 36 N R 1 W S 5 B T.
	satting of	A pinyon, 15 ins. diam., bears S. 15° E., 51 lks. dist., marked T 36 N R l W S 8 B T.
		A pinyon, 10 ins. diam., bears S. 342° W., 19 lks. dist., marked T 36 N R 1 W S 7 B T.
- in the second		A pinyon, 12 ins. diam., bears N. 52° W., 33 lks. dist., marked T 36 N R 1 W S 6 B T.
	1. C. T.	Land, mountainous. Soil, rocky, 3rd rate. Timber, pinyon, juniper and oak. Undergrowth, buck brush, sage and june-berry.
	i.e 30 i	East, on a random line bet. secs. 5 and 8.
	40.00	Set temp. ½ sec. cor.
	79.82	A point 19 lks. N. of the cor. of secs. 4, 5, 8 and 9.
		Thence
		N. 89° 52' W., on a true line bet. secs. 5 and 8.
		Over mountainous land, through thick timber and under- growth. Ascend SE. slope 90 ft.
	11.00	Spur, slopes SW.; descend 132 ft. over SW. slope.
	22.05	Draw, 15 lks. wide, course SE.; ascend 57 ft. over SE.slope.
	26.00	Top of ascent.
	34.50	Descend gradual SW. slope.
	39.91	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	#	1 S 5 4 S 8 1932 from which
	+	

4-678 b

	Chains	A pinyon, 8 ins. diam., bears S. 61° W., 44 lks. dist., marked 4 S 8 B T.
		Descend 373 ft. over NW. slope; enter dense undergrowth.
	61.00	Draw, 10 lks. wide, course N.; continue descent.
* *	79.82	The cor. of secs. 5, 6, 7 and 8.
		Land, mountainous. Soil, rocky, 3rd rate. Timber, pinyon and juniper. Undergrowth, oak, buck brush, june-berry and sage.
1	•	s. 89° 54' W., on a random line bet. secs. 6 and 7.
	40.00	Set temp. 1/4 sec. cor.
	78.67	A point 2 lks. S. of the cor. of secs. 1, 6, 7 and 12, on W. bdy. of Tp.
		Thence
	ji ka	N. 89° 55' E., on a true line bet. secs. 6 and 7.
	e for a second	Over mountainous land, through thick timber and undergrowth.
	6,10	Drain, course NW.; ascend 96 ft. over NW. slope.
	30.00	Top of ascent; descend 65 ft. along SE. slope.
**************************************	38.67	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
		$\begin{array}{ccc} \frac{1}{4} & \frac{S}{5} & \frac{6}{7} \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & \\ & & \\ & \\ & & \\ & \\ & & \\ & \\ & & \\ & \\ & & \\ & \\ & \\ & & \\ & \\ & \\ & \\$
		A juniper, 12 ins. diam., bears N. 37° E., 61 lks. dist., marked \(\frac{1}{4}\) S. 6 B T.
1		A pinyon, 14 ins. diam., bears S. 39° W., 31 lksdist., marked ½ S 7 B T.
		Descend 184 ft.
. Monard on the	43.40	Ravine, course SE.
	46.90	Descend 140 ft.
Tababase a market	55.70	Gulch, course SW.
	56.80	Same gulch, course NW.; ascend SW. slope 350 ft.
	66.50	Spur, slopes SW.; descend 250 ft.
THE PERSON NAMED IN	72.70	Gulch, course SW.; ascend 220 ft.
9, p	78.67	The cor. of secs. 5, 6, 7 and 8.
		Land, mountainous. Soil, clay and gravel, rocky, 3rd rate. Timber, pinyon, yellow pine, oak and juniper. Undergrowth, oak, june-berry, buck brush and sage.
e segui	4.	N. 0° 03' W., bet. secs. 5 and 6.
		Over mountainous land, through thick timber and undergrowth. Descend NW. slope 105 ft.

	BOOK 4022
Chains 3.76	Draw, 50 lks. wide, course W.; ascend SE. slope 176 ft.
19.00	Spur, slopes W.; descend 78 ft. over NW. slope.
27.00	Wash, 10 lks, wide, course NW.
 30.00	Spur, 2 chs. wide, slopes NW.
 33.53	Wash, 10 lks. wide, course SW.; ascend SW. slope 44 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap marked
	s 6 s 5
	1932 from which
	A pinyon, 12 ins. diam., bears S. 65° E., 40 lks. dist., marked ½ S 5 B T.
	A pinyon, 18 ins. diam., bears S. 24° W., 58 lks. dist., marked ½ S 6 B T.
41.00	Spur, slopes NW.; descend gradual NW. slope 263 ft.
63.00	Draw, 50 lks. wide, course NW.; continue descent.
82.16	Intersect the 9th Standard Parallel North,
	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap marked
	T 37 N R I W S 31
	S 6 S 5 T 36 N R 1 W
	1932 from which
	A cedar, 8 ins. diam., bears S. 18° E., 65 lks. dist., marked T 36 N R 1 W S 5 C C B T.

A cedar, 8 ins. diam., bears S. 43° W., 16 lks. dist., marked T 36 N R 1 W S 6 C C B T.

From point of intersection, the standard cor. of secs. 31 and 32, T. 37 N., R. 1 W., bears East, 13 lks. dist.; an iron post, 3 ins. diam., 10 ins. above ground, with brass cap marked and witnessed as described in official record.

Land, mountainous. Soil, rocky, 3rd rate. Timber, pinyon, yellow pine and cedar; undergrowth, oak.

FINAL TEST OF SOLAR.

August 31: Near the cor. of secs. 10, 11, 14 and 15, on the meridian established as described on page 1, at 8h 00m a.m., app.t., I set off 36° 32' N., on the latitude arc; 8° 34½' N. on the declination arc and determine a meridian with the solar, which agrees with the meridian obtained from observation on Polaris.

At 4h 00m p.m., app.t., I set off 8° 27½! N. on the declination arc, and, with the latitude arc unchanged, again orient the instrument with the solar; the line of sight agrees with the Polaris meridian.

T. 36 N., R. 1 W.

GENERAL DESCRIPTION.

The elevation of this township ranges from about 6500 to 7500 feet above sea level. The surface is generally rolling mountainous, with numerous canyons draining westerly toward the Colorado River.

The timber, which covers most of the township, consists of yellow pine, pinyon pine, oak, juniper and aspen. The undergrowth is mostly buck brush, sage, june-berry and scrub oak.

There is no agricultural land in the township and there are no settlers. The chief value of the land is for the timber.



4—680 (Revised May 1934)

300Y 4022

FIELD ASSISTANTS

NAMES	1931 CAPACITY
Owen Wright	First Chainman.
Clair Pearson	Second Chainman.
Elliott Pearson	Flagman.
Orval Judd	Cornerman.
	1932
Howard Osborn	First Chainman.
James B. Chumbley	Second Chainman.
Elliott Pearson	Flagman.
·	
	· · · · · · · · · · · · · · · · · · ·
·	
•	
,	
· · · · · · · · · · · · · · · · · · ·	
·····	

CERTIFICATE OF UNITED STATES SURVEYOR

Benjamin J. Kinsey. U. S. Surveyor. We. Charles E. Hunter, U. S. Transitman, HEREBY CERTIFY upon honor that, in
pursuance of special instructions bearing date of thelstday of,1931.
received from the district cadastral engineer for
and Salt River Meridian through T.36 N., and a portion of the Ninth
Standard Parallel North through R.1 W.; surveyed the west boundary
and the subdivisional lines of Township 36 North, Range 1 West, of the
Gila and Salt River Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been executed by us and under our direction; and that said and resurvey survey/has been made in strict conformity with said instructions, the Manual of Instructions for the Survey
of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.
Denjaming Minsey. Charles & Hunter
Benjamin J. Kinsey, U.S. Surveyor. Charles E. Hunter, U.S. Transitman. Phoenix, Arizona. March 22, 1935. Clendale. California. Oct. 3, 1934.
CERTIFICATE OF APPROVAL
Office of U.S. Supervisor of Surveys,
Denver, Colorado, Mar. 22, 1935.
The foregoing field notes of the resurvey of a portion of the Gila and Salt River
Meridian through T.36 N., and a portion of the 9th Standard Parallel
North through R.1 W.; survey of the west boundary and the subdivisional
lines of Township 36 North, Range 1 West, of the Gila and Salt River
Meridian. in the State of Arizona, executed by Benjamin J. Kinsey. U.S. Surveyor, and Charles E. Hunter, U.S. Transitman. under special instructions dated May 1. 1931, and assignment
instructions dated August 5, 1931 and July 27, 1932, having been critically examined, and
the necessary corrections made prior to their certification by the engineer, the said field notes, and the surveys
and resurveys therein described, are hereby approved.
U.S. Supervisor of Surveys.
CERTIFICATE OF TRANSCRIPT
I CERTIFY that the foregoing transcript of the field notes of the above described surveys in
, is a true copy of the original field notes on file in the public survey office.