

Book "B"

4-679

BOOK 4030

FIELD NOTES

OF THE SURVEY OF

3rd STANDARD PARALLEL NORTH THRU RANGE 9 EAST and

SOUTH HALF OF WEST BOUNDARY OF TOWNSHIP 13 NORTH, RANGE 9 EAST

and OF THE SURVEY OF

SOUTH BOUNDARY OF Township 14 North, Range 9 East.

NORTH HALF of the WEST BOUNDARY, and

ALL of the SUBDIVISION LINES of

Township 13 North, Range 9 East

Of the Gila and Salt River Base and Meridian,

In the State of ARIZONA

EXECUTED BY

Chas. W. Devendorf, U.S.Cadastral Engineer

and

Benj. J. Mollette, U.S. Transitman

In the capacity of U. S. Surveyor S, under Special Instructions dated March 20, 1934, issued by the District Cadastral Engineer to govern surveys included in Group No. 185, Arizona, which were approved by the Commissioner of the General Land Office, March 31, 1934, and Assignment Instructions dated May 10, 1934.


Resurvey and Survey commenced June 4, 1934

Resurvey and Survey completed July 20, 1934

1A

BOOK 4030

INDEX DIAGRAM.

Accepted surveys.Unsurveyed.Surveyed under this group.Resurveyed under this group.

Areas surveyed as per accepted plats on file.

RESURVEY 3RD. ST. PAR., N., Through R. 9 E.

BOOK 4030

Chains

The resurveys and surveys hereinafter described were executed with light-mountain solar transits by Chas. W. Devendorf, U.S.C.E. and Benj. J. Mollette, U.S.T., described in Book "A" of this Group, as are tape tests and method of operation.

From data furnished with the special instructions the longitude of the SE. cor. of the Tp. is: $111^{\circ}20'27''W.$; from observations taken in past month during the survey of adjoining Tp. to east, latitude is $34^{\circ}27'30''N.$

June 21, 1934, at camp in the NW. $\frac{1}{4}$ of sec. 26, T. 13 N., R. 9 E., at $1^{\text{h}}\ 46^{\text{m}}$ a.m., l.m.t., using Young & Sons transit No. 8522, we observe Polaris at eastern elongation, making two sights each with the telescope in direct and reversed positions and mark the line with a tack in a stake driven firmly into the ground about 5 chs. N. After daybreak we lay off the azimuth of Polaris, $1^{\circ}16'35''$ to the W., and mark the meridian thus determined with a tack in a stake beside the first.

Every 30 min. from 7 to 11 a.m. and from 1 to 5 p.m., we make proper settings on the arcs of the solar attachments and ascertain that the resulting orientation of the instruments, when compared with the meridian established by Polaris observation, have a maximum error of $1^{\circ}30''$.

We repeat the tests of the arcs frequently by noon observation, and verify the meridional indications weekly during the period of the survey.

The observed magnetic declination is $14^{\circ}50'E.$

RESURVEY 3RD ST. PAR., N., Through R. 9 E.

The 3rd standard parallel, N., through R. 9 E., was surveyed in 1874 by C.B. Foster, U.S.D.S., An independent resurvey of the line was made in 1905 by Jesse B. Wright, U.S.D.S., who tied in and destroyed existent corners of the Foster survey.

As no areas are controlled by the 1905 survey, it is still subject to an independent resurvey, which the following notes describe.

Beginning at the standard cor. of Tps. 13 N., Rs. 9 and 10 E., independently re-established under this Group, described in Book "A",

West, with the re-establishment of the third standard parallel north, along the S. bdy. of sec. 36.

Over rolling to mountainous land; through heavy pine and fir timber and medium undergrowth.

Desc. 85 ft. over W. slope.

4.20 Dry creek bed, 10 lks. wide, course N.; asc. 155 ft. over E. slope.

11.80 Over flat top of spur, slopes N.

15.50 Leave same; desc. 94 ft. over W. slope.

22.20 Ravine, bottom 10 lks. wide, course NNW.; asc. 80 ft. over E. slope.

RESURVEY 3RD ST. PAR. N., S. BDY. of T.13 N., R.9 E.

Chains	
27.60	Spur, slopes N.; desc. 71 ft. over SW. slope.
29.42	A point 7.51 chs. North of the closing cor. of Tps. 12 N., Rs. 9 and 10 E., a sandstone, 18 x 18 x 16 ins. above ground, firmly set and mkd. and witnessed as described in the official record. From the closing cor. the old standard cor. of T. 13 N., R.9 E., only, bears East, 17.41 chs. dist., an iron-stone, 10 x 10 x 5 ins. above ground, mkd. and witnessed as described in the official record.
34.50	Center of Potato Lake, a circular pond, 5 chs. diam., by 2 ft. deep, bears about 7 chs. S.
36.00	Enter open valley, bears NW. and SE.
39.80	Dim road, bears NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for standard sec. cor., with brass cap mkd.

S C
SC
S36

1934

from which

A pine, 28 ins. diam., bears N. $71\frac{1}{4}$ E., 158 lks. dist., mkd. SC $\frac{1}{4}$ S36 BT.

A pine, 8 ins. diam., bears N. $57\frac{3}{4}$ W., 62 lks. dist., mkd. SC $\frac{1}{4}$ S36 BT.

40.20	Leave valley, bears NW. and SE.; asc. 56 ft. over E.slope.
42.50	Point of spur, slopes N.; desc. 40 ft. over NW. slope.
46.00	Enter open valley, bears NE. and SW.
46.50	Same dim road, bears NE. and SW.
47.20	Wash, 15 lks. wide, 5 ft. deep, course NE.
49.00	Leave valley; asc. 127 ft. over SE. slope.
51.97	The Wright standard sec. cor. bears South, 7.47 chs. dist., a stone, 12 x 12 x 10 ins. above ground, mkd. SC $\frac{1}{2}$ on N. face, and witnessed as described in the official record. I destroy this cor. monument.
60.80	Change to SW. slope; desc. 47 ft.
65.50	Drain, course SE.; asc. 41 ft. over NE. slope.
72.30	Road, bears NE. to Long Valley R.S. and SW. to Rim road, top of ascent; over N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for standard cor. of secs. 35 and 36, with brass cap mkd.

T13NR9E
S C
S35 | S36

1934

from which

RESURVEY 3RD. ST. PAR., N., S. BDY. OF T.13 N., R.9 E.

BOOK 400

	Chains	A pine, 20 ins. diam., bears N. $57\frac{1}{2}$ ^o E., 76 lks. dist., mkd. T13N R9E S36 SC BT. A white oak 18 ins. diam., bears N. $58\frac{1}{2}$ ^o W., 38 lks. dist., mkd. T13N R9E S35 SC BT. Land: rolling and heavily rolling. Soil: gravel, adobe, 2nd and 3rd rates. Timber: pine, oak, fir, aspen. Undergrowth: 2nd growth pine and fir, locust, fern.
		West, along S. bdy. of sec. 35..
		Asc. 12 ft. over gradual SE. slope; through heavy pine, fir and oak timber and medium undergrowth.
2.70		Head of ravine, course SE.; asc. 43 ft. over NE. slope.
7.80		Short spur, slopes SE.; over gentle S. slope.
11.91		The Wright standard cor. of secs. 35 and 36 bears South, 7.61 chs. dist., a stone, 12 x 10 x 8 ins. above ground, mkd. SC on N. face, 1 notch on E. and 5 notches on W. faces, witnessed by a mound of stone and the two bearing trees described in the official record and by a pine, 26 ins. diam., S. $59\frac{1}{2}$ ^o E., 32 lks. dist. and a pine, 8 ins. diam., S. $44\frac{1}{2}$ ^o W., 62 lks. dist., both characteristically mkd. I destroy the marks on the stone and the 4 bearing trees.
21.90		Telephone line in clearing, 20 lks. wide, bears N. 25° E. and S. 25° W.
22.00		Change to E. slope; asc. 125 ft.
38.40		Top of ascent; over flat spur, slopes N.
40.00		Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for standard $\frac{1}{4}$ sec. cor., with brass cap mkd.
		S C <u>$\frac{1}{4}$ S35</u>
		1934
		from which
		A yellow pine, 12 ins. diam., bears N. 13° W., 34 lks. dist., mkd. SC $\frac{1}{4}$ S35 BT.
		A yellow pine, 14 ins. diam., bears N. $88\frac{1}{4}$ ^o W., 58 lks. dist., mkd. SC $\frac{1}{2}$ S35 BT.
52.02		The Wright standard $\frac{1}{4}$ sec. cor. bears South, 7.55 chs. dist., a malpais stone, 10 x 10 x 8 ins. above ground, mkd. and witnessed as described in the official record, with an additional bearing tree S. of line. I destroy the marks on the stone and trees.
52.10		Leave flat, bears NW. and SE.; asc. 131 ft. over NE. slope.
66.60		Fence, bears N. and S.; over top of flat spur, slopes N.
69.10		Leave same; desc. 57 ft. over NW. slope.
70.70		Head of drain, course NW.
75.20		Ravine, course NW.; asc. 30 ft. over NE. slope.

4

RESURVEY 3RD ST. PAR. N.; S. BDY. OF T. 13 N., R. 9 E.

Chains 78.00	Change to NW. slope; desc. 8 ft.		
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for standard cor. of secs. 34 and 35, with brass cap mkd.		
	T13NR9E S C <u>S34</u> <u>S35</u>		
	1934		
		from which	
	A yellow pine, 20 ins. diam., bears N. $12\frac{1}{4}$ E., 78 lks. dist., mkd. T13N R9E S35 SC BT.		
	A yellow pine, 8 ins. diam., bears N. $22\frac{1}{2}$ W., 12 lks. dist., mkd. T13N R9E S34 SC BT.		
	Land: rolling. Soil: Adobe and gravel, 2nd rate. Timber: pine, fir, oak, aspen. Undergrowth: 2nd growth pine and fir, locust, fern.		

	West, along S. bdy. of sec. 34.		
	Desc. 11 ft. over NW. slope; through heavy pine, oak and fir timber and medium undergrowth.		
1.20	Drain, near head, course N.; asc. 51 ft. over NE. slope.		
8.10	Over flat top of spur, slopes NW.		
11.20	Leave same; desc. 58 ft. over W. slope.		
12.03	The Wright standard cor. of secs. 34 and 35 bears South, 8.30 chs. dist., a stone, 14 x 14 x 12 ins. above ground mkd., and witnessed as described in the official record, with the NW. bearing tree dead. I destroy the marks on the stone and trees.		
16.40	Ravine, course NW., soon NE.; asc. 42 ft. over NE. slope.		
23.00	Over top of flat spur, slopes N.		
26.50	Leave same; desc. 82 ft. over W. slope.		
34.00	Ravine, course NW.; asc. 20 ft. over NE. slope.		
38.20	Over top of flat spur, slopes N.		
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for standard cor. of sec. 34, with brass cap mkd.		
	S C <u>1</u> <u>S34</u>		
	1934		
		from which	
	A yellow pine, 10 ins. diam., bears N. $59\frac{1}{4}$ E., 70 lks. dist., mkd. SC $\frac{1}{4}$ S34 BT.		
	A white oak, 8 ins. diam., bears N. $23\frac{1}{2}$ W., 11 lks. dist., mkd. SC $\frac{1}{4}$ S34 BT.		
45.00	Leave top of spur; desc. 23 ft. over NW. slope.		

RESURVEY 3RD ST. PAR., N., S. BDY. OF T. 13 N., R. 9 E.

BOOK 4030

5

- Chains
- 52.01 The Wright standard $\frac{1}{4}$ sec. cor. bears South, 8.30 chs. dist., a sandstone, 12 x 10 x 8 ins. above ground, mkd. and witnessed as described in the official record, with additional bearing tree to SW. I destroy the marks on the stone and trees.
- 52.10 Change to W. slope; desc. 127 ft.
- 61.60 Dry creek bed, 4 lks. wide, 2 ft. deep, course N.; asc. 76 ft. over E. slope.
- 65.80 Over flat top of spur, slopes N.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, supported in a mound of stone, for standard cor. of secs. 33 and 34, with brass cap mkd.

T13N R9E
S C
S33 | S34

1934

from which

A white oak, 16 ins. diam., bears N. $84\frac{1}{4}$ ^oE., 75 lks. dist., mkd. T13N R9E S34 SC BT.

A yellow pine, 16 ins. diam., bears N. $39\frac{1}{4}$ ^oW., 21 lks. dist., mkd. T13N R9E S33 SC BT.

Land: rolling.

Soil: gravel, adobe, loam, 2nd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine and fir, locust.

West, along the S. bdy. of sec. 33.

Desc. 46 ft. over SW. slope; through heavy pine, fir and oak timber and medium undergrowth.

7.60 Small drain, course NW.; asc. 20 ft. over NE. slope.

12.06 The Wright standard cor. of secs. 33 and 34 bears South, 8.03 chs. dist., a stone 12 x 10 x 10 ins. above ground, mkd. and witnessed as described in the official record. I destroy the witness mound and the marks on the stone and bearing trees.

12.20 Over top of spur, slopes N. 30° E.

22.00 Leave same; desc. 175 ft. over SW. slope.

33.80 Wash, 10 lks. wide, 2 ft. deep, course NW.; asc. 31 ft. over NE. slope.

38.30 Spur, slopes NW.; desc. 10 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for standard $\frac{1}{4}$ sec. cor., with brass cap mkd.

S C
 $\frac{1}{4}$ S33

1934

from which

A yellow pine, 14 ins. diam., bears N. $77\frac{1}{4}$ ^oE., 78 lks.

RESURVEY 3RD ST. PAR., N., S. BDY. OF T. 13 N., R. 9 E.

Chains

- dist., mkd. SC $\frac{1}{4}$ S33 BT.
A white oak, 12 ins. diam., bears N.66 $\frac{1}{4}$ °W., 65 lks.
dist., mkd. SC $\frac{1}{4}$ S33 BT.
Desc. 122 ft. over NW. slope.
47.50 Wash, 10 lks. wide, 3 ft. deep, course NW.; asc. 139 ft.
over steep NE. slope.
52.21 The Wright standard $\frac{1}{4}$ sec. cor. bears South, 8.12 chs.
dist., a sandstone, 12 x 10 x 8 ins. above ground, mkd.
and witnessed as described in the official record, with
an additional bearing tree S. of line. I destroy the
marks on the stone and trees and scatter the witness
mound.
54.60 Spur, slopes NW.; desc. 170 ft. over W. slope.
65.70 Ravine, dry wash, 8 lks. wide, 2 ft. deep, course N.20°W.;
asc. 91 ft. over NE. slope.
68.90 Over top of spur, slopes N.
73.00 Leave same; desc. 102 ft. over SW. slope.
76.90 Ravine, wash, 10 lks. wide, 2 ft. deep, course NW.; asc.
74 ft. over NE. slope.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for standard cor. of secs. 32 and 33, with brass
cap mkd.

S C
T13N | R9E
S32 | S33

1934

from which

A white oak, 10 ins. diam., bears N.9 $\frac{1}{4}$ °E., 78 lks. dist.;
mkd. T13N R9E S33 SC BT.

A white oak, 10 ins. diam., bears N.17 $\frac{1}{4}$ °W., 74 lks.
dist., mkd. T13N R9E S32 SC BT.

Land: rolling and mountainous.

Soil: rocky adobe, 3rd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine and fir, locust.

West, along the S. bdy. of sec. 32.

Over rolling land; through heavy pine, fir and oak timber
and dense 2nd growth.

Over rolling N. slope.

3.10 Change to NW. slope; desc. 77 ft.

11.20 Ravine, course NE.; asc. 74 ft. over SE. slope.

11.76 The Wright standard cor. of secs. 32 and 33 bears South,
7.63 chs. dist., a limestone, 10 x 6 x 6 ins. above
ground, mkd. and witnessed as described in the official
record. I scatter the witness mound and destroy the marks
on the stone and bearing trees.

RESURVEY 3RD ST. PAR., N., S. BDY. of T.13 N., R.9 E. BOOK 4030

Chains
 14.30 Over top of short spur, slopes S.
 18.50 Leave same.
 20.00 Ravine, 38 ft. deep, course SE.
 21.50 Over flat, bears N. and S.
 26.25 Highway, bears N.20°E. to Long Valley and Flagstaff and S.20°W. to Pine and Payson.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, supported in a mound of stone, for standard sec. cor., with brass cap mkd.

S C
1 S32

1934

from which

A white oak, 18 ins. diam., bears N.63°E., 31 lks. dist., mkd. SC 1 S32 BT

A yellow pine, 4 ins. diam., bears N.43 $\frac{1}{2}$ °W., 26 lks. dist., mkd. BT (only).*

40.80 Road, bears NW. to 27-mile lake and connects SE.
 51.30 The Wright standard sec. cor. bears South, 7.65 chs. dist., a stone, 10 x 10 x 8 ins. above ground, mkd. and witnessed as described in the official record, with an additional bearing tree to SW. I scatter the mound of stone and destroy the marks on the stone and bearing trees.
 67.30 Leave flat; desc. 112 ft. over SW. slope.
 72.70 Ravine, course N.20°W.; asc. 52 ft. over NE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for standard cor. of secs. 31 and 32, with brass cap mkd.

S C
 T13N R9E
S31 | S32

1934

from which

A yellow pine, 22 ins. diam., bears N.36 $\frac{1}{2}$ °E., 71 lks. dist., mkd. T13N R9E S32 SC BT.

A yellow pine, 24 ins. diam., bears N.70 $\frac{1}{2}$ °W., 92 lks. dist., mkd. T13N R9E S31 SC BT.

Land: flat and rolling.

Soil: adobe and loam, 2nd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine and fir, locust.

 West, along S. bdy. of sec. 31.

Desc. 7 ft. over short NW. slope; through scattering pine and fir and dense 2nd growth of same.

RESURVEY 3RD ST. PAR., N., S. bdy. of T.13 N., R.9 E.

Chains	
2.30	Draw, course NE.; asc. 34 ft. over SE. slope.
5.00	Over top of flat spur, slopes N.
11.09	The Wright standard cor. of secs. 31 and 32 bears South, 7.40 chs. dist., a sandstone, 12 x 10 x 8 ins., mkd. and witnessed as described in the official record. I scatter the mound of stone and destroy the marks on the stone and bearing trees.
11.50	Leave flat; desc. 98 ft. over SW. slope.
17.10	Ravine, course NW.; asc. 67 ft. over NE. slope.
23.00	Over flat spur, slopes N.
24.53	Fence, bears NW. and SE.
25.50	Leave top of spur; desc. 71 ft. over W. slope.
28.20	Ravine, course N.; asc. 70 ft. over SE. slope.
32.20	Over gently rolling land, bears N. and S.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for standard $\frac{1}{4}$ sec. cor., with brass cap mkd.

S C
 $\frac{1}{4}$ S31

1934

from which

A yellow pine, 8 ins. diam., bears N. $2\frac{1}{2}^{\circ}$ E., 55 lks. dist., mkd. SC $\frac{1}{4}$ S31 BT.

A yellow pine, 12 ins. diam., bears N. $43\frac{1}{2}^{\circ}$ W., 25 lks. dist., mkd. SC $\frac{1}{4}$ S31 BT.

43.80 Dim road, bears NW. and SE.

44.00 Begin ascent of 97 ft. over NE. and N. slopes.

51.97 The Wright standard $\frac{1}{4}$ sec. cor. bears South, 6.52 chs. dist., a malpais stone, 10 x 10 x 8 ins. above ground, mkd. and witnessed as described in the official record with an additional bearing tree to SW. I scatter the witness mound and destroy the marks on the stone and bearing trees.

62.90 Short spur, slopes N.; desc. 119 ft. over W. slope.

71.40 Change to NW. slope; desc. 117 ft.

78.43 Road, bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for standard cor. of Tps. 13 N., Rs. 8 and 9 E., with brass cap mkd.

SC
T13N
R8E R9E
S36 | S31

1934

from which

RESURVEY 3RD ST. PAR.. N.. S. BDY. of T.13 N.. R..R.9 E.

BOOK 4030

Chains

A yellow pine, 18 ins. diam.. bears N. $23\frac{1}{2}$ ^oE.. 104 lks. dist.. mkd. T13N R9E S31 SC BT

A yellow pine. 12 ins. diam.. bears N. $54\frac{1}{2}$ ^oW.. 67 lks. dist.. mkd. T13N R8E S36 SC BT

Land: flat and rolling.

Soil: rocky adobe. 2nd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, locust, alder.

SURVEY OF

SOUTH BOUNDARY OF TOWNSHIP 14 NORTH, RANGE 9 EAST.

Beginning at the cor. of Tps.14 N., Rs.9, and 10 E.. only. reconstructed under this Group with a 3 inch iron post. described in Book "A".

West. on S. bdy. of sec.. 36.

Over rolling land; through medium growth of pine and oak timber and scattering undergrowth.

Asc. 31 ft. over NE. slope.

4.15 Line tree, an oak, 16 ins. diam.

7.14 Wire fence, bears N. 70° E.. and S. 70° W.

7.70 Change to w. slope; desc. 188 ft.

27.11 (Mid-point on the N. bdy. of sec. 1) Set an iron post. 3 ft. long. 1 in. diam.. 27 ins. in the ground. for $\frac{1}{4}$ sec. cor. of sec. 1 only. with brass cap mkd.

$\frac{1}{4}$ S 1

1934

from which

A pine, 8 ins. diam.. bears S. $74\frac{1}{2}$ ^oE.. 67 lks. dist.. mkd. $\frac{1}{4}$ S1 BT

A pine, 6 ins. diam.., bears S. $43\frac{1}{2}$ ^oW.. 73 lks. dist.. mkd. $\frac{1}{4}$ S1 BT

Desc. 8 ft. over W. slope.

27.70 Wash. 15 lks. wide. course NW.; asc. 58 ft. along N. slope.

40.00 Set an iron post. 3 ft. long. 1 in. diam.. 24 ins. in the ground. supported in a mound of stone. for $\frac{1}{4}$ sec. cor. of sec. 36 only. with brass cap mkd.

$\frac{1}{4}$ S 36

1934

from which

A pine, 18 ins. diam.. bears N. 19° E.. 31 lks. dist.. mkd. $\frac{1}{4}$ S36 BT

SURVEY S. BDY. OF T. 14 N., R. 9 E.

	Chains	A pine. 14 ins. diam., bears N.47 $\frac{1}{2}$ °W.. 29 lks. dist.. mkd. $\frac{1}{4}$ S36 BT
		Asc. 37 ft. along N. slope.
45.02		Wire fence. bears N.25°E.. and S.25°W..
46.60		Low ridge. bears N.20°W.. and S.20°E.; desc. 76 ft. over W. slope.
53.66		Line tree. yellow pine. 24 ins. diam.
59.90		Wash. 10 lks. wide. 1 ft. deep. course N.; asc. 30 ft.
62.30		Change to general N. slope.
67.03		Point of intersection of line run N.0°01'W.. bet. secs. 1 and 2; closing cor. set at this point hereinafter described. Desc. 14 ft. over NW. slope.
69.00		Shallow draw, course N.70°E.; asc. 54 ft. over SE. slope.
80.00		Set an iron post. 3 ft. long. 2 ins. diam., 24 ins. in the ground, supported in a mound of stone. for cor. of secs. 35 and 36 only. with brass cap mkd.

T14N R9E

S35 | S36

S2

T13N R9E

1934

from which

A pine. 14 ins. diam., bears N.34 $\frac{1}{2}$ °E.. 27 lks. dist.. mkd. T14N R9E S36 BTA pine. 10 ins. diam.. bears N.46 $\frac{1}{2}$ °W.. 32 lks. dist.. mkd. T14N R9E S35 BT

Land: rolling and gently rolling.

Soil: adobe. loam. 2nd rate.

Timber: yellow pine. oak.

Undergrowth: 2nd growth pine. oak. manzanita. fair grass.

West. on S. bdy. of sec. 35.

Asc. 6 ft. over gradual E. slope; through medium growth of pine and oak timber and scattered undergrowth.

5.00 Low rise, bears NE. and SW.; desc. 19 ft. over W. slope.

11.50 Dim road. bears NE. and S.

26.95 (Mid-point on N. bdy. of sec. 2) Set an iron post. 3 ft. long. 1 in. diam.. 16 ins. in the ground. and in a mound of stone to top. for $\frac{1}{4}$ sec. cor. of sec. 2. only. with brass cap mkd. $\frac{1}{4}$ S2

1934

from which

SURVEY S. BDY. OF T. 14 N., R.9 E.

BOOK 4030

Chains

A pine, 6 ins. diam., bears S. $24\frac{1}{2}$ ^oE., 56 lks. dist., mkd. $\frac{1}{4}$ S2 BT.

A pine, 24 ins. diam., bears S. $32\frac{1}{4}$ ^oW., 13 lks. dist., mkd. $\frac{1}{4}$ S2 BT.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 35, only, with brass cap mkd.

$\frac{1}{4}$ S35

1934

from which

A pine, 22 ins. diam., bears N. $38\frac{1}{2}$ ^oE., 70 lks. dist., mkd. $\frac{1}{4}$ S35 BT.

A pine, 6 ins. diam., bears N. 66 ^oW., 37 lks. dist., mkd. $\frac{1}{4}$ S35 BT.

Asc. 5 ft. over gentle E. slope.

47.50 Low spur, slopes N.; desc. 171 ft. over W. slope.

65.10 Small ravine, course S. 75 ^oW.; asc. 7 ft.

66.87 Point of intersection of line run N. $0^{\circ}01'W$. bet. secs. 2 and 3; closing cor. set at this point hereinafter described.

67.00 Change to W. slope; desc. 17 ft.

69.10 Ravine, near head, course SW.; asc. 12 ft.

71.40 Top of ascent; over S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 34 and 35, only, with brass cap mkd.

T14NR9E

S34 S35

S2

T13NR9E

1934

from which

A pine, 4 ins. diam., bears N. $24\frac{1}{4}$ ^oE., 20 lks. dist., mkd. T14N R9E S35 BT.

A pine, 4 ins. diam., bears N. 32 ^oW., 37 lks. dist., mkd. T14N R9E S34 BT.

Land: flat and rolling.

Soil: rocky, adobe, 3rd rate.

Timber: yellow pine, oak.

Undergrowth: 2nd growth pine, oak brush. Fair grass.

West, on S. bdy. of sec. 34.

Over, rolling land; through medium growth of pine, oak and juniper timber and scattering undergrowth.

Desc. 20 ft. along S. slope.

SURVEY S. BDY. OF T.14 N., R.9 E.

Chains		
.. 4.20	Change to W. slope; desc. 80 ft.	
7.60	Ravine, course NW.; asc. 46 ft. over NE. slope.	
10.50	Short spur, slopes N.; desc. 32 ft. over NW. slope.	
12.40	Short ravine, course NE.; asc. 130 ft. over SE. slope.	
26.60	Over top of spur, slopes N. 70° E.	
26.93	(Mid-point on N. bdy. of sec. 3) Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. of sec. 3, only, with brass cap mkd.	
	<u>$\frac{1}{4}$ S3</u> 1934	
	from which	
	A pine, 5 ins. diam., bears S. $36\frac{1}{4}^{\circ}$ E., 19 lks. dist., mkd. $\frac{1}{4}$ S3 BT.	
	A pine, 5 ins. diam., bears S. 60° W., 48 lks. dist., mkd. $\frac{1}{4}$ S3 BT.	
31.40	Leave spur; desc. 17 ft. over NW. slope.	
34.40	Head of ravine, course N.; asc. 16 ft. over NE. slope.	
36.30	Over flat, bears N. and S.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 34, only, with brass cap mkd.	
	<u>$\frac{1}{4}$ S34</u> 1934	
	from which	
	A pine, 12 ins. diam., bears N. $45\frac{1}{4}^{\circ}$ E., 55 lks. dist., mkd. $\frac{1}{4}$ S34 BT.	
	A pine, 12 ins. diam., bears N. $68^{\circ}22'W.$, 135 lks. dist., mkd. $\frac{1}{4}$ S34 BT.	
	Desc. 24 ft. over gentle NW. slope.	
48.60	Head of ravine, course N.	
51.00	Low spur, slopes NW.; desc. 88 ft. over W. and NW. slopes.	
55.00	Dim road, bears NW. and SE.	
64.00	Ravine, near head, course SW.; asc. 44 ft. over SE. slope.	
67.00	Intersect the line run N. $0^{\circ}02'W.$ bet. secs. 3 and 4; closing cor. set at this point hereinafter described.	
72.30	Short spur, slopes SW.; desc. 31 ft. over W. slope.	
74.42	Rim of Clear Creek Canyon, bears NW. and SE.; desc. 240 ft. over small sandstone cliffs on SW. slope.	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, and in a mound of stone to top, for cor. of secs. 33 and 34, only, with brass cap mkd.	

SURVEY S. BDY. OF T. 14 N., R. 9 E.

13
BOOK 4030

Chains

T14NR9E
S33 S34
 S4
 T13NR9E
 1934

from which

A pine, 25 ins. diam., bears N. $83\frac{1}{2}$ ^oE., 146 lks. dist.,
 mkd. T14N R9E S34 BT.

A pine, 10 ins. diam., bears N. $59\frac{1}{2}$ ^oW., 149 lks. dist.,
 mkd. T14N R9E S33 BT.

Land: rolling and mountainous.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: yellow pine, oak, juniper.

Undergrowth: 2nd growth pine, manzanita.

West, on S. bdy. of sec. 33.

Over mountainous land; through medium growth of scrub
 pine, juniper and fir timber and medium undergrowth.

Desc. 398 ft. over rugged W. slope.

7.70 W. Clear Creek Canyon, dry stream bed, 75 ft. wide, course
 NW.; asc. 262 ft. over abrupt NE. slope.

16.00 Top of ascent; desc. 275 ft. over NW. slope.

23.16 (3.70 chs. E. of true point) Set an iron post, 3 ft. long,
 1 in. diam., 18 ins. in the ground, supported in a mound
 of stone, for witness cor. to $\frac{1}{4}$ sec. cor. of sec. 4, only,
 with brass cap mkd.

WC $\frac{1}{4}$ S4
 1934

from which

An elm, 8 ins. diam., bears S. $33\frac{1}{2}$ ^oE., 60 lks. dist.,
 mkd. WC $\frac{1}{4}$ S4 BT.

A Douglas fir, 9 ins. diam., bears S. $22\frac{1}{2}$ ^oW., 7 lks.
 dist., mkd. WC $\frac{1}{4}$ S4 BT.

24.00 W. Clear Creek, 15 lks. wide, 6 ins. deep, in channel 1 ch
 wide, course S. 20° W.; asc. 350 ft. over rugged SE. slope.

26.86 (Mid-point on N. bdy. of sec. 4) True point for $\frac{1}{4}$ sec. cor.
 of sec. 4, only, falls on steep sloping bedrock.

32.10 Short rocky spur, slopes S.; desc. 360 ft. over SW. slope.

38.50 Clear Creek, 15 lks. wide, 8 ins. deep, in channel 70 lks.
 wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
 ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor.
 of sec. 33, only, with brass cap mkd.

$\frac{1}{4}$ S33

1934

from which

14

SURVEY S. BDY. OF T. 14 N., R. 9 E.

Chains

	A Douglas fir, 16 ins. diam., bears N. 20° E., 6 lks. dist., mkd. $\frac{1}{4}$ S33 BT.
	A Douglas fir, 6 ins. diam., bears N. 44° W., 40 lks. dist., mkd. $\frac{1}{2}$ S33 BT.
40.20	Begin ascent of 290 ft. over NE. slope.
46.50	Short spur, slopes N.; desc. 290 ft. over NW. slope.
54.20	Short ravine, course N.; asc. 441 ft. over E. slope.
59.50	Canyon rim, bears N. and S.; asc. 50 ft. over NE. slope.
66.73	Point of intersection of line run N. 0° 02' W. bet. secs. 4 and 5; closing cor. set at this point hereinafter described.
66.80	Short spur, slopes NE.; along N. slope.
73.23	Low spur, slopes N.; desc. 68 ft. over W. slope.
78.50	Ravine, course N.; asc. 33 ft. over E. slope.
80.00	An oak, 15 ins. diam., occupies point for cor. of secs. 32 and 33, only; mark the tree: T14N R9E S33 on NE. face and T14N R9E S32 on NW. face, and
	from center of tree
	A yellow pine, 24 ins. diam., bears N. 37° E., 85 lks. dist., mkd. T14N R9E S33 BT.
	A yellow pine, 22 ins. diam., bears N. 33 $\frac{1}{4}$ ° W., 44 lks. dist., mkd. T14N R9E S32 BT.
	Land: mountainous. Soil: rocky adobe, 3rd rate. Timber: pine, fir, oak, elm. Undergrowth: scrub oak, manzanita.

West, on S. bdy. of sec. 32.

Asc. 29 ft. over E. slope; through medium growth of pine and oak timber and medium undergrowth.

4.40	Spur, slopes N.; desc. 133 ft. over W. slope.
10.80	Ravine, course NW.; asc. 120 ft. over NE. slope.
18.60	Short spur, slopes N.; over N. slope.
21.40	Head of ravine, course N.
23.70	Ridge, bears NW. and SE.; desc. 23 ft. over W. slope.
26.63	(Mid-point on N. bdy. of sec. 5) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 5, only, with brass cap mkd.

 $\frac{1}{4}$ S5
1934

from which

A pine, 10 ins. diam., bears S. 94° E., 48 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

	Chains	A pine, 12 ins. diam., bears S.44 $\frac{1}{2}$ °W., 80 lks. dist., mkd. $\frac{1}{4}$ S5 BT. Desc. 153 ft. over W. slope.
32.40	Ravine, course N.20°W.; asc. 148 ft. over NE. slope.	
39.30	Short spur, slopes N.	
40.00	Point for $\frac{1}{4}$ sec. cor. of sec. 32, only, is occupied by a pine, 16 ins. diam.; mark the tree $\frac{1}{4}$ S32 on N. face and blaze E. and W. sides, and from center of tree	
	An oak, 12 ins. diam., bears N.38 $\frac{1}{2}$ °E., 72 lks. dist., mkd. $\frac{1}{4}$ S32 BT.	
	A pine, 12 ins. diam., bears N.78°W., 11 lks. dist., mkd. $\frac{1}{4}$ S32 BT.	
	Desc. 58 ft. over NW. slope.	
42.90	Ravine, course NE.; asc. 86 ft. over E. slope.	
49.50	Ridge, bears NE. and SE.; desc. 120 ft. over SW. slope.	
61.62	Line tree, a pine, 28 ins. diam.	
65.10	Ravine, near head, course S.60°W.; over S. slope.	
66.53	Point of intersection of line run N.0°03'W. bet. secs. 5 and 6; closing cor. set at this point hereinafter described.	
	Desc. 53 ft. over SW. slope.	
68.50	Ravine, course NW.; asc. 142 ft. over NE. slope.	
77.50	Short spur, slopes NW.; desc. 55 ft. over W. slope.	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 31 and 32, only, with brass cap mkd.	
	T14NR9E S31 S32 S6 T13NR9E 1934	
		from which
	An oak, 10 ins. diam., bears N.33 $\frac{1}{2}$ °E., 57 lks. dist., mkd. T14N R9E S32 BT.	
	An oak, 8 ins. diam., bears N.51°W., 36 lks. dist., mkd. T14N R9E S31 BT.	
	Land: rolling and broken. Soil: adobe, rocky, 3rd rate. Timber: pine, oak, a few fir. Undergrowth: 2nd growth pine, oak, manzanita.	

16

SURVEY S. BDY. OF T. 14 N., R. 9 E.

	Chains West, on S. bdy. of sec. 31. Over mountainous land; through medium growth of pine, fir and juniper timber and medium undergrowth. Desc. 670 ft. over W. slope.	
21.80	Canyon, dry channel, 50 lks. wide, course N.; asc. 380 ft. over E. slope.	
26.53	(40.00 chs. E.W. of NE. cor. of sec. 6) True point for $\frac{1}{4}$ sec. cor. of sec. 6, only, falls on sloping bedrock.	
27.53	(1.00 W.) Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, and in a mound of stone to top, for witness cor. to $\frac{1}{4}$ sec. cor. of sec. 6, only, with brass cap mkd.	
	WC $\frac{1}{4} \cdot 36$ 1934	from which
	A pine, 12 ins. diam., bears S.19°E., 63 lks. dist., mkd. WC $\frac{1}{4}$ S6 BT.	
	A pine, 6 ins. diam., bears S.76°W., 33 lks. dist., mkd. WC $\frac{1}{4}$ S6 BT.	
28.00	Short spur, slopes N.; desc. 380 ft. over W. slope.	
30.20	(9.80 chs. E.) Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, with a stone, 6 x 6 x 4 ins. mkd. with cross (X) deposited at base, and in a mound of stone to top, for witness cor. to $\frac{1}{4}$ sec. cor. of sec. 31, only, with brass cap mkd.	
	WC <u>S31</u> 1934	
	No suitable bearing trees available.	
35.20	Clear Creek, 30 lks. wide, 4 ins. deep, course SW.; asc. 370 ft. over E. slope.	
40.00	True point for $\frac{1}{4}$ sec. cor. of sec. 31, only, falls on face of cliff, slopes to E.	
40.90	Sharp spur, slopes S.; desc. 390 ft. over W. slope.	
47.50	Clear Creek, course NW.; asc. 620 ft. over rugged E. slope.	
66.44	Point of intersection of line run North bet. Rs. 8 and 9 E. At intersection Set an iron post, 3 ft. long, 3 ins. diam., 2 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of Tps. 13 and 14 N., Rs. 8 and 9 E., with brass cap mkd.	
	T14N R8E R9E S36 S31 S1 S6 T13N 1934	from which

SURVEY OF S. BDY. OF T. 14 N. R. 9 E.

17

EOK 4030

Chains

A white oak. 5 ins. diam.. bears N. $6\frac{1}{2}$ ^oE.. 40 lks. dist.. mkd. T14N R9E S31 BT

A spruce. 16 ins. diam., bears S. 65° W.. 5 lks. dist.. mkd. T14N R8E S1 BT

No other suitable bearing trees.

Land: rolling and mountainous.

Soil: adobe. rocky. 3rd rate.

Timber: pine. fir. juniper. oak.

Undergrowth: scrub oak. manzanita.

**SURVEY AND RESURVEY OF
WEST BOUNDARY OF TOWNSHIP 13 NORTH. RANGE 9 EAST.**

The S. half of this township boundary was surveyed in 1874 by C. B. Foster. U.S. D.S.

Beginning at the standard cor. of Tps. 13 N. R. 8 and 9 E.. hereinbefore described.

North, bet. secs. 31 and 36.

Desc. 28 ft. over NW. slope; through heavy pine and oak timber and scattering undergrowth.

3.50 Ravine. course SW.; asc. 134 ft. over gradual SW. slope.

6.00 Wim road, bears NW. and SE.

17.60 Over flat. bears NW. and SE.

40.00 Set an iron post. 3 ft. long. 1 in. diam.. 6 ins. in the ground to bedrock. and in a mound of stone to top. for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S36 | S31

1934

from which

A yellow pine. 10 ins. diam.. bears S. $50\frac{1}{4}$ ^oE.. 15 lks. dist.. mkd. $\frac{1}{4}$ S31 BT

A white oak. 14 ins. diam., bears N. $57\frac{1}{4}$ ^oW.. 62 lks. dist.. mkd. $\frac{1}{4}$ S36 BT

50.60 Old wire fence, bears SE. and NW.

80.00 Set an iron post. 3 ft. long, 2 ins. diam.. 16 ins. in the ground. and in a mound of stone to top. for cor. of secs 25,30,31 and 36, with brass cap mkd.

T13N
R8E R9E
S25 | S30
S36 | S31

1934

from which

A yellow pine. 18 ins. diam.. bears N. $34\frac{1}{4}$ ^oE.. 25 lks. dist., mkd. T13N R9E S30 BT

A yellow pine. 26 ins. diam.. bears S. $78\frac{1}{4}$ ^oE.. 62 lks. dist., mkd. T13N R9E S31 BT

RESURVEY AND SURVEY OF

W. BDY. OF T.13 N., R.9 E.

Chains A yellow pine, 12 ins. diam.. bears S. $46\frac{1}{2}$ ^oW.. 90 lks.
dist.. mkd. T13N R8E S36 BT

A yellow pine, 8 ins. diam.. bears N. 52° W.. 60 lks.
dist.. mkd. T13N R8E S25 BT

Land: flat and rolling.
Soil: adobe, rocky. 2nd and 3rd rate.
Timber: pine, oak, juniper.
Undergrowth: 2nd growth pine, sage.

North, bet. secs. 25 and 30.

Over flat; through medium growth of pine and oak timber
and scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam.. 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S25 | S30

1934

from which

A yellow pine, 5 ins. diam.. bears S. 21° W.. 14 lks.
dist., mkd. $\frac{1}{4}$ S25 BT

A yellow pine, 6 ins. diam.. bears S. 41° W.. 41 lks.
dist., mkd. $\frac{1}{4}$ S25 BT

No suitable bearing trees in sec. 30.

55.00 Spur, slopes NE.; desc. 144 ft. over N. slope.

69.20 Road, bears S. 70° W.. to 27-mile Lake, and N. 70° E.

77.50 Drain, course NW.; asc. 10 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. diam.. 27 ins. in the
ground, for cor. of secs. 19, 24, 25 and 30, with brass
cap mkd.

T13N

R8S R9E

S24 | S19

S25 | S30

1934

from which

A yellow pine, 12 ins. diam.. bears N. $0\frac{1}{2}$ ^oE.. 13 lks.
dist.. mkd. T13N R9E S19 BT

A yellow pine, 10 ins. diam.. bears S. 42° E.. 31 lks.
dist., mkd. T13N R9E S30 BT

A yellow pine, 18 ins. diam.. bears S. $78\frac{1}{2}$ ^oW.. 69 lks.
dist., mkd. T13N R8E S25 BT

A yellow pine, 26 ins. diam.. bears N. $65\frac{1}{2}$ ^oW.. 74 lks.
dist.. mkd. T13N R8E S24 BT

RESURVEY AND SURVEY OF
WEST BOUNDARY OF T.13 N., R.9 E.

19
BOOK 4030

Chains

Land: flat and rolling.
Soil: adobe, 2nd and 3rd rates.
Timber: yellow pine, oak.
Undergrowth: 2nd growth pine, sage.

North, bet. secs. 19 and 24.

Over flat, slopes NE.; through medium growth of pine and oak timber and scattering undergrowth.

5.00 Change to NW. slope; desc. 90 ft.

9.10 Ravine, course NE.; asc. 100 ft. over SE. slope.

28.10 Change to NE. slope; desc. 38 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S24 | S19

1934

from which

A yellow pine, 8 ins. diam., bears N. $63\frac{1}{4}^{\circ}$ E., 22 lks.
dist., mkd. $\frac{1}{4}$ S19 BT.

A white oak, 14 ins. diam., bears N. $71\frac{1}{2}^{\circ}$ W., 46 lks.
dist., mkd. $\frac{1}{4}$ S24 BT.

Over general E. slope; asc. 23 ft.

55.00 Change to N. slope; desc. 153 ft.

74.00 Ravine, course NE.; asc. 33 ft. over SE. slope.

75.80 Low spur, slopes NE.; desc. 30 ft. over N. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T13N	
R8E	R9E
S13	S18
S24	S19

1934

from which

A yellow pine, 14 ins. diam., bears N. $67\frac{1}{4}^{\circ}$ E., 65 lks.
dist., mkd. T13N R9E S18 BT.

A yellow pine, 12 ins. diam., bears S. $32\frac{1}{4}^{\circ}$ E., 45 lks.
dist., mkd. T13N R9E S19 BT.

A sugar pine, 30. ins. diam., bears S. 80° W., 63 lks.
dist., mkd. T13N R8E S24 BT.

A yellow pine, 8. ins. diam., bears N. $40\frac{1}{4}^{\circ}$ W., 39 lks.
dist., mkd. T13N R8E S13 BT.

4030-1

RESURVEY AND SURVEY OF
WEST BOUNDARY OF T.13 N., R.9 E.

Chains

Land: rolling.
Soil: adobe, rocky, 3rd rate.
Timber: pine, oak, juniper.
Undergrowth: 2nd growth pine, sage.

SURVEY

North, bet. secs. 13 and 18.

Desc. 68 ft. over NE. slope; through medium growth of oak and pine timber and scattering undergrowth.

- 8.80 Ravine, course NW.; asc. 94 ft. over SW. slope.
- 15.90 Change to NW. slope; desc. 32 ft. over NW. slope.
- 18.50 Drain, course S.75°W.; asc. 60 ft. over SSW. slope.
- 24.70 Spur, slopes W.; desc. 80 ft. over NW. slope.
- 28.60 Drain, course S.75°W.; asc. 68 ft. over SSW. slope.
- 30.70 Over flat, bears NW. and SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{2}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S13 | S18
1934

.. from which

A white oak, 18 ins. diam., bears S.75 $\frac{1}{4}$ °E., 74 lks. dist., mkd. $\frac{1}{4}$ S18 BT.

A white oak, 12 ins. diam., bears N.85 $\frac{1}{4}$ °W., 60 lks. dist., mkd. $\frac{1}{2}$ S13 BT.

- 42.70 Road, bears SE. and W.
- 56.70 Road, bears NE. and SW.
- 54.50 Over gradual NE. slope; desc. 21 ft.
- 64.00 Change to NW. slope; desc. 55 ft.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 7,12,13 and 18, with brass cap mkd.

T13N
R8E R9E
S12 | S7

S13 | S18
1934

.. from which

A yellow pine, 10 ins. diam., bears N.58°E., 32 lks. dist., mkd. T13N R9E S7 BT.

A yellow pine, 8 ins. diam., bears S.54 $\frac{1}{4}$ °E., 17 lks. dist., mkd. T13N R9E S18 BT.

A yellow pine, 12 ins. diam., bears S.72°W., 53 lks. dist., mkd. T13N R8E S13 BT.

RESURVEY AND SURVEY OF
WEST. BOUNDARY OF T.13 N., R.9 E.

21

BOOK 4030

Chains

A yellow pine, 12 ins. diam., bears N. $73\frac{1}{2}$ $^{\circ}$ W., 39 lks.
dist., mkd. T13N R8E S12 BT.

Land: rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: pine, oak, juniper.

Undergrowth: 2nd growth pine, sage.

North, bet. secs. 7 and 12.

Asc. slightly over gentle W. slope; through medium growth
of pine, oak and juniper timber and scattering brush.

31.50 Head of ravine, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S12 | S7

1934

from which

A yellow pine, 10 ins. diam., bears N. $32\frac{1}{2}$ $^{\circ}$ E., 16 lks.
dist., mkd. $\frac{1}{4}$ S7 BT.

A yellow pine, 8 ins. diam., bears N. 69° W., 34 lks.
dist., mkd. $\frac{1}{4}$ S12 BT.

51.00 Begin descent of 118 ft. over increasing NE. slope.

63.40 Ravine, channel, 5 lks. wide, course NW.; asc. 66 ft. over
SW. slope.

69.20 Over flat top of spur, slopes W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 1, 6, 7 and 12, with brass cap
mkd.

T13N

R8E R9E

S1 | S6

S12 | S7

1934

from which

A yellow pine, 10 ins. diam., bears N. $11\frac{1}{2}$ $^{\circ}$ E., 75 lks.
dist., mkd. T13N R9E S6 BT.

A yellow pine, 18 ins. diam., bears S. $77\frac{1}{2}$ $^{\circ}$ E., 81 lks.
dist., mkd. T13N R9E S7 BT.

A yellow pine, 40 ins. diam., bears S. $63\frac{1}{4}$ $^{\circ}$ W., 39 lks.
dist., mkd. T13N R8E S12 BT.

A yellow pine, 8 ins. diam., bears N. $42\frac{1}{2}$ $^{\circ}$ W., 72 lks.
dist., mkd. T13N R8E S1 BT.

Land: flat and rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: pine, oak, juniper.

Undergrowth: 2nd growth pine, sage.

22

RESURVEY AND SURVEY OF
WEST BOUNDARY OF T.13 N., R.9 E.

Chains	North, bet. secs. 1 and 6. Over flat, slopes W.; through medium growth of pine, oak and juniper timber and scattering undergrowth.
10.50	Leave flat; desc. 144 ft. over increasing NE. slope.
11.00	Fence, bears SE. and NW.
21.50	Ravine, channel, 6 lks. wide, course NW.; asc. 45 ft. over SW. slope.
25.20	Over top of flat spur, slopes W.
27.70	Leave same; desc. 130 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S1 S6 1934
	from which
	A yellow pine, 5 ins. diam., bears N. $85\frac{1}{4}$ E., 24 lks. dist., mkd. $\frac{1}{4}$ S6 BT.
	A yellow pine, 6 ins. diam., bears N. $38\frac{1}{4}$ W., 25 lks. dist., mkd. $\frac{1}{4}$ S1 BT.
	Desc. 110 ft. over NW. slope.
42.60	Bear Canyon, dry channel, 20 lks. wide, course NE.; asc. 400 ft. over rugged SE. slope.
52.60	Short spur, slopes E.; over E. slope.
67.90	Rimrock, 50 ft. high, bears NW. and SE.; desc. 50 ft.
72.50	Head of short ravine, course E.
72.90	The cor. of Tps. 13 and 14 N., Rs. 8 and 9 E., hereinbefore described. Land: rolling and mountainous. Soil: adobe, rocky, 3rd rate. Timber: pine, fir, juniper, oak. Undergrowth: scrub oak, manzanita.

SURVEY OF THE
SUBDIVISION LINES OF T.13 N., R.9 E.

From the standard cor. of secs. 35 and 36, on S. bdy. of the Tp., hereinbefore described,
N. $0^{\circ}01'W.$, bet. secs. 35 and 36.
Asc. 89 ft. over general SE. slope; through medium growth of pine, fir and oak timber and medium undergrowth.
14.40 Telephone line, bears NE. and SW.
26.20 Low ridge, bears NE. and SW.; desc. 74 ft. over NW. slope.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

23

BOOK 4030

SUBDIVISIONS OF T. 13 N., R. 9 E.

	Chains	$\frac{1}{4}$ S35 S36 1934	
			from which
		A yellow pine, 18 ins. diam., bears N.40°E., 34 lks. dist., mkd. $\frac{1}{4}$ S36 BT.	
		A yellow pine, 22 ins. diam., bears N.36 $\frac{1}{2}$ °W., 32 lks. dist., mkd. $\frac{1}{4}$ S35 BT.	
		Desc. slightly.	
45.00	Drain, coarse NW.; asc. 25 ft. over SW. slope.		
50.50	Spur, slopes NW.; desc. 34 ft. over NE. slope.		
56.80	Fence, bears NE. and SW.		
57.00	Sag, drains NW.; asc. 34 ft. over SW. slope.		
59.50	Low spur, slopes NW.; desc. 58 ft. over general N. slope.		
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.		
		T13NR9E S26 S25 S35 S36 1934	
			from which
		A yellow pine, 10 ins. diam., bears N.15 $\frac{1}{2}$ °E., 82 lks. dist., mkd. T13N R9E S25 BT.	
		A yellow pine, 20 ins. diam., bears S.38 $\frac{1}{2}$ °E., 55 lks. dist., mkd. T13N R9E S36 BT.	
		A yellow pine, 16 ins. diam., bears S.67 $\frac{1}{4}$ °W., 90 lks. dist., mkd. T13N R9E S35 BT.	
		A yellow pine, 15 ins. diam., bears N.6 $\frac{3}{4}$ °W., 32 lks. dist., mkd. T13N R9E S26 BT.	
		Land: rolling. Soil: lime, gravel, leaf-mold, 2nd and 3rd rates. Timber: pine, fir, oak. Undergrowth: 2nd growth pine, locust, fern.	

		East, on random line, bet. secs. 25 and 36.	
40.00	Set temp. $\frac{1}{4}$ sec. cor.		
79.86	Intersect the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., re-located under this Group, described in Book "A".		
		Thence	
		West, on true line, bet. secs. 25 and 36.	
		Asc. 75 ft. over NE. slope; through medium growth of pine, fir and oak timber and medium undergrowth.	
11.90	Low ridge, bears NW. and SE.; desc. 12 ft.		

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	
14.30	Potato Lake road, bears NE. and SW.; asc. 13 ft.
19.60	Over flat spur, slopes N.
23.20	Leave same; desc. 43 ft. over NW. slope.
27.80	Drain, course NW.; asc. 34 ft. over NE. slope.
30.90	Telephone line, bears NE. and SW.; over top of flat spur, slopes N.
35.60	Leave same; desc. 20 ft. over W. slope.
39.93	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S25
S36

1934

from which

A pine, 5 ins. diam., bears N. $45\frac{1}{2}$ E., 38 lks. dist., mkd. $\frac{1}{4}$ S25 BT.

A pine, 8 ins. diam., bears S. $35\frac{1}{2}$ W., 23 lks. dist., mkd. $\frac{1}{4}$ S36 BT.

Desc. 34 ft. over SW. slope.

48.20 Shallow wash, 40 lks. wide, course NW.; asc. 49 ft. over NE. slope.

53.90 Fence, bears NE. and SW.

56.00 Spur, slopes NE.; desc. 35 ft. over gentle W. slope.

79.86 The cor. of secs. 25, 26, 35 and 36.

Land: rolling.

Soil: limestone, gravel, leaf-mold, 2nd and 3rd rates.

Timber: pine, fir, oak, aspen.

Undergrowth: 2nd growth pine, locust, fern.

N.0°01'W. betw. secs. 25 and 26.

Over gentle W. slope; through medium pine, fir and oak timber and medium undergrowth.

2.00 Low spur, slopes N. 10° W.; desc. 32 ft. along E. slope.

13.05 Line tree, a pine, 28 ins. diam.

18.00 Drain, near head, course N. 70° E.; asc. 13 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S26 | S25
1934

from which

A pine, 12 ins. diam., bears S. $44\frac{1}{2}$ E., 24 lks. dist., mkd. $\frac{1}{4}$ S25 BT.

SUBDIVISIONS OF T. 13 N., R. 9 E.

BOOK 4030

Chains	A pine, 5 ins. diam., bears N. $89\frac{1}{2}$ ^o W., 27 lks. dist., mkd. S26 BT.
42.00	Begin descent along E. slope of 75 ft.
51.80	Change to N. slope; desc. 64 ft.
55.20	Ravine, course E.; asc. 81 ft. over SE. slope.
60.90	Change to E. slope; asc. 22 ft.
67.20	Short sharp spur, slopes N. 10° E.; desc. 210 ft. over general NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.

T13NR9E	
S23	S24
S26	S25

1934

from which

A pine, 5 ins. diam., bears N. $55\frac{1}{4}$ ^oE., 69 lks. dist., mkd. T13N R9E S24 BT.

A pine, 6 ins. diam., bears S. $51\frac{1}{2}$ ^oE., 27 lks. dist., mkd. T13N R9E S25 BT.

A pine, 14 ins. diam., bears S. $63\frac{1}{2}$ ^oW., 29 lks. dist., mkd. T13N R9E S26 BT.

A pine, 20 ins. diam., bears N. 35° W., 4 lks. dist., mkd. T13N R9E S23 BT.

Land: rolling.

Soil: adobe, gravel, 2nd and 3rd rates.

Timber: pine, fir, oak, aspen.

Undergrowth 2nd growth pine and fir, locust, fern.

East, on random line, bet. secs. 24 and 25.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.78 A point 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., relocated under this Group, described in Book "A".

Thence

N. $89^{\circ}59'$ W., bet. secs. 24 and 25.

Over flat; through medium growth of pine, fir and oak timber and medium undergrowth.

5.50 Leave flat; desc. 81 ft. over NW. slope.

21.00 Ravine, course NE.; asc. 65 ft. over E. slope.

28.80 Spur, slopes N. 20° E.; desc. 7 ft.

39.89 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

S24 $\frac{1}{4}$
S25

1934

from which

A pine, 5 ins. diam., bears N.49°E., 41 lks. dist.,
mkd. $\frac{1}{4}$ S24 BT.

A pine, 12 ins. diam., bears S.53°E., 36 lks. dist.,
mkd. $\frac{1}{2}$ S25 BT.

Desc. 45 ft. over W. slope.

61.10 Change to NW. slope; desc. 119 ft.

67.40 Ravine, near head, course NW.; asc. 11 ft.

72.50 Spur, slopes NW.; desc. 145 ft. over SW. slope.

79.78 The cor. of secs. 23,24,25 and 26.

Land: rolling.

Soil: gravel, adobe, 2nd and 3rd rates.

Timber: pine, fir, oak.

Undergrowth: 2nd growth pine and fir, locust.

N.0°01'W., bet. secs. 23 and 24.

Desc. 30 ft. over NE. slope; through medium growth of pine,
fir and oak timber and patches of undergrowth.

1.60 Wash, 15 lks. wide, 1 ft. deep, course NE.; asc. 88 ft.
along E. slope.

18.70 Short spur, slopes E.; desc. 122 ft. over NE. slope.

27.70 Same wash, course NW.; asc. 221 ft. over SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the
ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor.,
with brass cap mkd.

$\frac{1}{4}$
S23 | S24

1934

from which

A pine, 5 ins. diam., bears S.47°E., 32 lks. dist.,
mkd. $\frac{1}{4}$ S24 BT.

A pine, 7 ins. diam., bears S.89°W., 28 lks. dist.,
mkd. $\frac{1}{2}$ S23 BT.

Asc. 14 ft. over SW. slope.

44.40 Low spur, slopes W.; desc. 30 ft. along W. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the
ground, for cor. of secs. 13,14,23 and 24, with brass cap
mkd.

T13NR9E

S14 | S13

S23 | S24

1934

from which

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

	Chains	
		An oak, 8 ins. diam., bears N. $66\frac{1}{4}$ °E., 104 lks. dist., mkd. T13N R9E S13 BT.
		An oak, 7 ins. diam., bears S. $54\frac{3}{4}$ °E., 63 lks. dist., mkd. T13N R9E S24 BT.
		An oak, 10 ins. diam., bears S. $51\frac{1}{4}$ °W., 82 lks. dist., mkd. T13N R9E S23 BT.
		A pine, 16 ins. diam., bears N. $22\frac{1}{4}$ °W., 49 lks. dist., mkd. T13N R9E S14 BT.
		Land: rolling. Soil: adobe, gravel, 2nd and 3rd rates. Timber: pine, oak, fir. Undergrowth: 2nd growth pine, locust.
		S.89°59' E., on random line, bet. secs. 13 and 24.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
79.60		A point 2 lks. S. of the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., relocated under this Group, described in Book "A".
	Thence	
		West, on true line, bet. secs. 13 and 24.
		Desc. 46 ft. over W. slope; through medium pine and oak timber and patches of undergrowth.
6.20	Ravine, course NW.; asc. 6 ft.	
9.40	Spur, slopes NW.; desc. 73 ft. over NW. slope.	
17.10	Small ravine, course NW.; desc. 108 ft. over W. slope.	
27.80	Short ravine, course SW.; asc. 68 ft. over SE. slope.	
30.70	Short rocky point, projects SW.; desc. 97 ft. over SW. slope.	
35.10	Wash, 15 lks. wide, 1 ft. deep, course NW.; asc. 52 ft. over NE. slope.	
39.80	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.	
		S13 $\frac{1}{4}$ S24 1934
		from which
		A pine, 6 ins. diam., bears S.12°E., 18 lks. dist., mkd. $\frac{1}{4}$ S24 BT.
		A pine, 22 ins. diam., bears N. $4\frac{1}{4}$ °W., 51 lks. dist., mkd. $\frac{1}{4}$ S13 BT.
		Asc. 55 ft. over NE. slope.
44.40	Spur, slopes NW.; desc. 97 ft. over W. slope.	
51.80	Ravine, course NW.; asc. 74 ft. over NE. slope.	
55.10	Short spur, slopes NW.; desc. 66 ft. over NW. slope.	

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	
.60.40	Short ravine, course N.55°W.; asc. 55 ft. over E. slope.
64.00	Ravine, course NE.; asc. 100 ft. over E. slope.
74.60	Spur, slopes N.; desc. 12 ft.
79.60	The cor. of secs. 13,14,23 and 24. Land: rolling. Soil: gravel, adobe, 2nd and 3rd rates. Timber: pine, oak, aspen. Undergrowth: 2nd growth pine, sage, fern.
11.40	Wet betw. secs. 13 and 14. Desc. 148 ft. along general W. slope; through medium pine and oak timber and patches of undergrowth.
17.15	Telephone line, bears NE. and SW.
19.00	Short spur, slopes NW.; desc. 85 ft. over NE. slope.
23.60	Wire fence, bears S.70°E. and N.70°W.
25.80	Wash, 25 lks. wide, 2 ft. deep, course W.; asc. 40 ft. over SW. slope.
28.30	Spur, slopes W.; desc. 25 ft. over NW. slope.
30.05	Drain, course SW.
31.05	Highway, bears NE. to Flagstaff and SW. to Pine and Payson. Asc. 164 ft. over SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	S14 S13 1934
	from which
	A pine, 7 ins. diam., bears S.43°E., 28 lks. dist., mkd. $\frac{1}{4}$ S13 BT.
	A pine, 6 ins. diam., bears S.55°W., 10 lks. dist., mkd. $\frac{1}{4}$ S14 BT.
	Asc. 63 ft. over SE. slope.
45.00	Spur, slopes SW.; desc. 130 ft. along W. slope.
59.30	Line tree, a pine, 15 ins. diam.; change to NW. slope; desc. 87 ft.
62.90	Ravine, course SW.; asc. 228 ft. over SW slope.
75.90	Spur, slopes SW.; desc. 10 ft.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 11,12,13 and 14, with brass cap mkd.

T13NR9E

S11 | S12

S14 | S13

1934

from which

	Chains	<p>An oak, 12 ins. diam., bears N.44°E., 57 lks. dist., mkd. T13N R9E S12 BT.</p> <p>An oak, 15 ins. diam., bears S.$52\frac{1}{2}^{\circ}$E., 41 lks. dist., mkd. T13N R9E S13 BT.</p> <p>A pine, 4 ins. diam., bears S.$19\frac{1}{2}^{\circ}$W., 51 lks. dist., mkd. T13N R9E S14 BT.</p> <p>A pine, 9 ins. diam., bears N.$22\frac{1}{2}^{\circ}$W., 34 lks. dist., mkd. T13N R9E S11 BT.</p> <p>Land: rolling. Soil: gravel adobe, 3rd rate. Timber: pine, oak. Undergrowth: 2nd growth pine, sage, manzanita.</p> <hr/> <p>East, on random line, bet. secs. 12 and 13.</p>
40.00		Set temp. $\frac{1}{4}$ sec. cor.
79.76		A point 23 lks. N. of the cor. of secs. 7,12,13 and 18, on the E. bdy. of the Tp., relocated under this Group, described in Book "A".
	Thence	
		N. $89^{\circ}50'W.$, on true line, bet. secs. 12 and 13.
		Desc. 24 ft. over W. slope; through medium growth of pine oak and juniper timber and patches of 2nd growth.
1.60		Head of small ravine, course N. $60^{\circ}W.$; desc. 113 ft. over general W. slope.
16.00		Wash, 10 lks. wide, course N.; asc. 113 ft. over E. slope.
18.50		Highway, bears N. to Flagstaff and S. to Pine and Payson.
28.00		Over flat, bears N. and S.
39.88		Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, and in a mound of stone to top, for sec. cor., with brass cap mkd.
		<u>S12</u> <u>$\frac{1}{4}$ S13</u>
		1934
		from which
		A pine, 6 ins. diam., bears S. $25\frac{1}{2}^{\circ}$ E., 20 lks. dist., mkd. $\frac{1}{4}$ S13 BT.
		A pine, 8 ins. diam., bears N. $13\frac{1}{2}^{\circ}$ W., 10 lks. dist., mkd. $\frac{1}{4}$ S12 BT.
49.20		Road, bears NW. to Clover Points, connects SE.
70.00		Desc. 84 ft. over increasing W. slope.
79.76		The cor. of secs. 11,12,13 and 14.
		Land: flat and rolling. Soil: limestone, adobe, 2nd and 3rd rates. Timber: pine, oak, juniper. Undergrowth: 2nd growth pine, sage.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	N.0°01'W., bet. secs. 11 and 12.
	Asc. 81 ft. over SW. slope; through heavy small pine and oak timber.
9.10	A log cabin bears $1\frac{1}{4}$ chs. E.
10.50	Over mesa, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S11 S12 1934
	from which An oak, 6 ins. diam., bears $S.68\frac{1}{2}^{\circ}E.$, 35 lks. dist., mkd. $\frac{1}{4}$ S12 BT.
	A pine, 6 ins. diam., bears $N.48\frac{1}{4}^{\circ}W.$, 16 lks. dist., mkd. $\frac{1}{4}$ S11 BT.
	Desc. about 35 ft. over gentle N. and NW. slopes.
61.07	Line tree, a pine, 14 ins. diam.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, supported in a mound of stone, for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.
	 T13NR9E S2 S1 S11 S12 1934
	from which A pine, 6 ins. diam., bears $N.44\frac{1}{4}^{\circ}E.$, 31 lks. dist., mkd. T13N R9E S1 BT.
	A pine, 6 ins. diam., bears $S.38^{\circ}E.$, 49 lks. dist., mkd. T13N R9E S12 BT.
	An oak, 5 ins. diam., bears $S.54^{\circ}W.$, 43 lks. dist., mkd. T13N R9E S11 BT.
	A pine, 20 ins. diam., bears $N.55\frac{1}{4}^{\circ}W.$, 86 lks. dist., mkd. T13N R9E S2 BT.
	Land: flat and gently rolling. Soil: adobe, rocky, 2nd rate. Timber: pine, oak. Undergrowth: same.
	 ----- S.89°50'W., on random line, bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.86	Intersect the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., relocated under this Group, described in Book "A".
	Thence N.89°50'W., on true line, bet. secs. 1 and 12.

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4020

Chains

Asc. 182 ft. over gentle SE. and S. slopes; through medium pine and oak timber and patches of 2nd growth.

23.00 Over top of flat ridge, bears N. and S.

39.93 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S1
 $\frac{1}{4}$ S12

1934

from which

An oak, 7 ins. diam., bears N. $14\frac{1}{2}^{\circ}$ E., 56 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

A pine, 6 ins. diam., bears S. 56° W., 43 lks. dist., mkd. $\frac{1}{4}$ S12 BT.

50.00 Leave top of ridge; desc. 73 ft. over gentle W. slope.

73.20 Wash, 10 lks. wide, course N.; asc. 22 ft. over E. slope.

76.30 Road, bears N. and S.

79.86 The cor. of secs. 1,2,11 and 12.

Land: gently rolling.

Soil: adobe and volcanic loam, 2nd and 3rd rates.

Timber: pine, oak, juniper.

Undergrowth: 2nd growth pine.

N. $0^{\circ}01'W.$, bet. secs. 1 and 2.

Over gentle E. slope; through medium growth of yellow pine and oak timber and patches of 2nd growth.

4.00 Change to N. slope; desc. 32 ft.

6.70 Ravine, course W.; asc. 58 ft. over S. slope.

15.00 Top of ascent; over gentle W. slope.

16.80 Wire fence, bears N. 55° E. and S. 55° W.

20.00 Road, bears NW. and SE.

30.00 Change to gentle N. slope; desc. 18 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S2 | S1
1934

from which

A pine, 6 ins. diam., bears N. $59\frac{1}{4}^{\circ}$ E., 17 $\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S1 BT.

A pine, 15 ins. diam., bears N. 54° W., 48 lks. dist., mkd. $\frac{1}{4}$ S2 BT.

Desc. 55 ft. over gentle N. slope.

52.05 Line tree, a pine, 22 ins. diam.

32

SUBDIVISIONS OF T.13 N., R.9 E.

- Chains
 57.00 Drain, near head, course NW.
 58.70 Same drain, course N.25°E., soon E.; asc. 15 ft.
 73.08 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, and in a mound of stone to top, for closing cor. of secs. 1 and 2, with brass cap mkd.

T14NR9E

S36

S2 | S1

C C

T13NR9E

1934

from which

A pine, 10 ins. diam., bears S.19 $\frac{1}{2}$ °E., 44 $\frac{1}{2}$ lks. dist., mkd. T13N R9E S1 CC BT.

An oak, 10 ins. diam., bears S.36 $\frac{1}{2}$ °W., 62 $\frac{1}{2}$ lks. dist., mkd. T13N R9E S2 CC BT.

From point of intersection the cor. of secs. 35 and 36, only, bears West, 12.97 chs. dist.; the $\frac{1}{4}$ sec. cor. of sec. 36, only, bears East, 27.03 chs. dist., both hereinbefore described.

Land: rolling.

Soil: adobe, rocky, 3rd rate.

Timber: pine, oak, juniper.

Undergrowth: 2nd growth pine, locust.

From the standard cor. of secs. 34 and 35, on the S. bdy. of the Tp., hereinbefore described.

N.0°01'W., bet. secs. 34 and 35.

Desc. 113 ft. over NW. slope; through medium growth of pine, fir and oak timber and medium undergrowth.

- 9.90 Ravine, course NE.; asc. 30 ft. over SE. slope.
 15.90 Low spur, slopes NE.; desc. 104 ft. over N. and NW. slopes.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S34 | S35

1934

from which

A yellow pine, 12 ins. diam., bears N.30 $\frac{1}{2}$ °E., 19 lks. dist., mkd. $\frac{1}{4}$ S35 BT.

A yellow pine, 26 ins. diam., bears N.13 $\frac{1}{2}$ °W., 41 lks. dist., mkd. $\frac{1}{4}$ S34 BT.

Desc. 51 ft. over NW. slope.

49.50 Over top of spur, slopes N., from SW.

71.00 Leave same, slopes NE.; desc. 35 ft. over NW. slope.

SUBDIVISIONS OF T.13 N., R.9 E.

33

BOOK 4030

Chains

- 75.20 Short drain, course W.; asc. 33 ft. over SW..slope.
 78.10 Tip of short spur, slopes W.; desc. 34 ft. over NW..slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 26,27,34 and 35, with brass cap mkd.

T13NR9E

S27 S26

S34 S35

1934

from which

An oak, 10 ins. diam., bears N. $33\frac{1}{2}$ ^oE., 13 lks. dist., mkd. T13N R9E S26 BT.

A yellow pine, 6 ins. diam., bears S. 47° E., 43 lks. dist., mkd. T13N R9E S35 BT.

A yellow pine, 14 ins. diam., bears S. $33\frac{1}{4}$ ^oW., 63 lks. dist., mkd. T13N R9E S34 BT.

A yellow pine, 6 ins. diam., bears N. $33\frac{1}{4}$ ^oW., 51 lks. dist., mkd. T13N R9E S27 BT.

Land: rolling.

Soil: adobe, volcanic loam, 2nd and 3rd rates.

Timber: yellow pine, fir, oak, juniper.

Undergrowth: 2nd growth pine, locust.

East, on random line, bet. secs. 26 and 35.

- 40.00 Set temp. sec. cor.

- 80.16 A point 7 lks. N. of the cor. of secs. 25,26,35 and 36.

Thence

N. $89^{\circ}57'$ W., on true line, bet. secs. 26 and 35.

Desc. 60 ft. over gradual NW. slope; through medium pine oak and juniper and medium undergrowth.

- 9.50 Wash, 10 lks. wide, 2 ft. deep, course N. 20° W.; asc. 67 ft. over SE. slope.

- 20.30 Spur, slopes N.; desc. 107 ft. over rolling W. slope.

- 34.50 Ravine, dry wash, 20 lks. wide, course N. 15° E.; asc. 74 ft. over NE. slope.

- 40.08 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for sec. cor., with brass cap mkd.

3264S35

1934

from which

A yellow pine, 8 ins. diam., bears N. $6\frac{1}{2}$ ^oE., 17 lks. dist., mkd. S26 BT.

A yellow pine, 8 ins. diam., bears S. $54\frac{1}{2}$ ^oE., 46 lks. dist., mkd. S35 BT.

SUBDIVISIONS OF T.13 N.W., R.9 E.

	Chains	Asc. 21 ft. over NE. slope.
45.50	Spur, slopes NE.; desc. 17 ft.	
46.00	Ravine, course N.; asc. 77 ft. over SE. slope.	
49.60	Over top of flat spur; slopes NE.	
54.10	Leave same; desc. 25 ft. over W. slope.	
57.20	Drain, course N.; asc. 18 ft.	
59.10	Over top of flat spur, slopes N.	
63.70	Leave same; desc. 6 ft.	
68.70	Change to SE. slope; asc. 55 ft.	
80.16	The cor. of secs. 26, 27, 34 and 35. Land: rolling. Soil: adobe, 2nd and 3rd rates. Timber: pine, fir, oak, juniper. Undergrowth: 2nd growth pine, locust, manzanita.	
<hr/>		
		N.0°01'W., bet. secs. 26 and 27.
		Desc. 61 ft. over NW. slope; through medium growth of pine, fir and oak timber and medium undergrowth.
5.10	Ravine, course NE.; asc. 86 ft. over SE. slope.	
10.50	Over top of spur, slopes NE.	
15.00	Leave top of spur; desc. 171 ft. over N. slope.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.	
	S27 S26 1934	from which
	A white oak, 14 ins. diam., bears N.82 $\frac{1}{4}$ E., 29 lks. dist., mkd. $\frac{1}{4}$ S26 BT.	
	A white oak, 12 ins. diam., bears N.58 $\frac{1}{4}$ W., 25 lks. dist., mkd. $\frac{1}{4}$ S27 BT.	
	Desc. 57 ft. over NE. slope.	
42.90	Smith's Hut, an excellent log house, bears 1 $\frac{1}{2}$ chs. E.	
44.90	Fence, bears SW. and NE.	
45.70	Drain, 4 lks. wide, course NE.; asc. 86 ft. over SE. slope.	
46.70	Wire fence, bears NE. and SW.	
59.00	Over top of spur, slopes NE.	
69.00	Leave same; desc. 24 ft.	
75.00	Flat spur, slopes N.15°E.; along W. slope.	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the	

SUBDIVISIONS OF T.13 N., R.9 E.

35

BOOK 4030

Chains ground, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.

T13NR9E

S22 S23

S27 S26

1934

from which

A yellow pine, 5 ins. diam., bears N. $27\frac{1}{4}$ ^oE., 80 lks. dist., mkd. T13N R9E S23 BT.

A yellow pine, 4 ins. diam., bears S. $45\frac{1}{4}$ ^oE., 76 lks. dist., mkd. T13N R9E S26 BT.

A yellow pine, 5 ins. diam., bears S. $30\frac{1}{2}$ ^oW., 100 lks. dist., mkd. T13N R9E S27 BT.

A yellow pine, 6 ins. diam., bears N. 5° W., 62 lks. dist., mkd. T13N R9E S22 BT.

Land: rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: pine, oak, juniper.

Undergrowth: 2nd growth pine.

S. $89^{\circ}57'$ E., on random line, bet. secs. 23 and 26.

80.06 A point 7 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence

West, on true line, bet. secs. 23 and 26.

Desc. 24 ft. along N. slope; through scattering large yellow pine and oak timber and medium undergrowth

2.30 Wash, 15 lks. wide, 2 ft. deep, course N. 75° E.; asc. 194 ft. over SE. slope.

15.40 Ridge, bears NE. and S.; desc. 107 ft. over W. slope.

23.70 Ravine, course N.; asc. 23 ft. over NE. slope.

28.60 Spur, slopes N.; desc. 19 ft. over NW. slope.

32.00 Ravine, course NE.; asc. 44 ft. over E. slope.

38.50 Spur, slopes N.; desc. 23 ft. over NW. slope.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec.cor., with brass cap mkd.

S23

S26

1934

from which

A pine, 8 ins. diam., bears N. $20\frac{1}{4}$ ^oE., 20 lks. dist., mkd. S23 BT.

A pine, 8 ins. diam., bears S. $5\frac{1}{2}$ ^oW., 47 lks. dist., mkd. S26 BT.

Desc. 88 ft. over NW. slope.

45.60 Ravine, course NW.; asc. 12 ft.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	
45.60	Ravine, course NW.; asc. 12 ft.
47.90	Change to NW. slope; desc. 40 ft.
51.00	Same ravine, course S.75°W.; asc. 11 ft.
51.35	Trail, bears S.75°W. and N.75°E.
55.30	Change to SW. slope; desc. 21 ft.
56.50	Fence, bears NW. and SE.
58.50	Fence, bears N. and S.
58.80	Road, bears S. to Smith's, and N. to main road.
59.40	Drain, 8 ft. deep, 15 lks. wide at top, course N.30°W.; asc. 83 ft. over E. slope.
66.40	Change to N. slope; asc. 36 ft.
75.40	Flat spur, slopes N.; desc. 15 ft.
80.06	The cor. of secs. 22, 23, 26 and 27. Land: rolling. Soil: adobe, 3rd rate and in bottoms loam, 1st rate. Timber: pine, oak, fir. Undergrowth: 2nd growth pine, locust, fern.

N.0°01'W., bet. secs. 22 and 23.

Desc. 98 ft. over NW. slope; through medium growth of pine, fir and oak timber and medium undergrowth.

7.60	Drain, 6 ft. deep, 15 lks. wide at top, course NE.
9.20	Highway, bears NE. to Flagstaff and SW. to Pine and Payson; asc. 74 ft. over SE. slope.
13.00	Flat spur, slopes E.; desc. 37 ft. over NE. slope.
17.20	Short ravine, course NE.; asc. 84 ft. over SW. slope.
28.40	Rolling spur, slopes SE.; desc. 26 ft. along E. slope.
35.70	Line tree, a pine, 5 ins. diam.
35.90	Ravine, course SE.; asc. 21 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, 5 ft. base, 3 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S22 | S23

1934

from which

A pine, 14 ins. diam., bears S.84 $\frac{1}{4}$ °E., 67 lks. dist., mkd. $\frac{1}{4}$, S23 BT.

An oak, 7 ins. diam., bears S.59 $\frac{1}{4}$ °W., 40 lks. dist., mkd. $\frac{1}{4}$, S22 BT.

Asc. 23 ft. over SW. slope.

45.60 Spur, slopes SE.; asc. 24 ft. along E. slope.

SUBDIVISIONS OF T. 13 N., R. 9 E.

BOOK 4080

37

Chains	
59.00	Spur, slopes E.; desc. 27 ft. along E. slope.
67.90	Line tree, a yellow pine, 22 ins. diam.
74.50	Road, bears NW. to Tom's Creek, connects E.
76.00	Ravine, course N. 70° E.; asc. 12 ft.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

T13NR9E

S15 | S14

S22 | S23

1934

from which

An oak, 10 ins. diam., bears N. 63° 08' E., 98 lks. dist., mkd. T13N R9E S14 BT.

An oak, 6 ins. diam., bears S. 37 $\frac{1}{4}$ ° E., 79 lks. dist., mkd. T13N R9E S23 BT.

A yellow pine, 20 ins. diam., bears S. 24 $\frac{1}{4}$ ° W., 102 lks. dist., mkd. T13N R9E S22 BT.

An oak, 6 ins. diam., bears N. 13 $\frac{1}{2}$ ° W., 57 lks. dist., mkd. T13N R9E S15 BT.

Land: rolling.

Soil: adobe, 3rd rate on slopes; loam, 1st rate bottoms.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, locust, fern.

East, on random line, bet. secs. 14 and 23.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.16 A point 9 lks. N. of the cor. of secs. 13, 14, 23 and 24.

Thence

N. 89° 56' W., on true line; bet. secs. 14 and 23.

Desc. 126 ft. over W. slope; through medium pine and oak timber and medium undergrowth.

7.30 Ravine, near head, course N. 55° W.; desc. 16 ft.

13.40 Short ravine, course N.; asc. 42 ft. over NE. slope.

20.60 Ridge, bears NW. and SE.; desc. 148 ft. over W. slope.

30.26 Side road, bears S. to Clover Springs about 2 chs. dist.

31.90 Wash, 40 lks. wide, 3 ft. deep, course NW.; asc. 83 ft. over SE. slope.

32.90 Highway, bears NW. to Flagstaff and SE. to Pine and Payson.

37.00 Short spur, slopes NE.; desc. 5 ft.

40.08 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for sec. cor., with brass cap mkd.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

S14

S23

1934

from which

An oak, 9 ins. diam., bears N. $29\frac{1}{2}$ ^oE., 70 lks. dist.,
mkd. $\frac{1}{4}$ S14 BT.

An oak, 14 ins. diam., bears S. $38\frac{1}{2}$ ^oW., 53 lks. dist.,
mkd. $\frac{1}{4}$ S23 BT:

Desc. 58 ft. over NW. slope.

44.30 Ravine, course NW.; asc. 112 ft. over SE. slope.

44.75 Road, bears S. 70° W. to Tom's Creek, connects N. 60° E.

51.30 Short spur, slopes N. 75° E.; desc. 41 ft. over N. slope.

72.30 Ravine, course N. 70° E.; asc. 54 ft. over SE. slope.

80.16 The cor. of secs. 14,15,22 and 23.

Land: rolling.

Soil: adobe, rocky, 3rd rate.

Timber: pine, oak, aspen.

Undergrowth: 2nd growth pine, locust, maple.

N. $0^{\circ}01'$ W., bet. secs. 14 and 15.

Asc. 25 ft. along rolling E. slope; through medium pine
and oak timber and scattering undergrowth.

9.40 Low ridge, bears N. 70° E. and SW.; desc. 41 ft. over N.
slope.

15.90 Head of ravine, course N. 10° E., bears 60 lks. E.; desc.
94 ft. along E. slope.

27.50 Same ravine, course NW.; asc. 41 ft. along W. slope.

39.80 Fence, bears S. 55° E. and N. 55° W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the
ground, and in a mound of stone to top, for sec. cor.,
with brass cap mkd.

S15

S14

1934

from which

A pine, 6 ins. diam., bears N. $47\frac{1}{2}$ ^oE., 33 lks. dist.,
mkd. $\frac{1}{4}$ S14 BT.

A pine, 6 ins. diam., bears S. $73\frac{1}{2}$ ^oW., 22 lks. dist.,
mkd. $\frac{1}{4}$ S15 BT.

42.60 Spur, slopes N. 20° W.; desc. 52 ft. along E. slope.

57.00 Change to NE. slope; desc. 109 ft.

63.30 Ravine, course NW.; asc. 70 ft. over SW. slope.

71.60 Spur, slopes W.; desc. 120 ft. over NW. slope.

SUBDIVISIONS OF T. 13 N., R. 9 E.

BOOK 4080

Chains	
78.60	Short ravine, course W.; asc. 18 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.
	T13 NR9E S10 S11 S15 S14 1934
	from which
	An oak, 7 ins. diam., bears N. 46° E., 61 lks. dist., mkd. T13N R9E S11 BT.
	An oak, 4 ins. diam., bears S. 75 $\frac{1}{2}$ ° E., 94 lks. dist., mkd. T13N R9E S14 BT.
	A pine, 20 ins. diam., bears S. 19° W., 75 lks. dist., mkd. T13N R9E S15 BT.
	A pine, 7 ins. diam., bears N. 28 $\frac{1}{4}$ ° W., 21 lks. dist., mkd. T13N R9E S10 BT.
	Land: rolling. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine, oak, juniper. Undergrowth: 2nd growth pine.

	S. 89° 56' E., on random line, bet. secs. 11 and 14.
40.00	Set temp. 1 sec. cor.
79.86	A point 2 lks. S. of the cor. of secs. 11, 12, 13 and 14.
	Thence
	N. 89° 57' W., on true line, bet. secs. 11 and 14.
	Asc. 12 ft. along S. slope; through medium growth of pine and oak timber and scattering undergrowth.
6.50	Short spur, slopes S. 70° W.; desc. 313 ft. over NW. slope.
26.70	Clover Creek, water in pools in wash, 30 lks. wide, course N.; asc. 272 ft. over E. slope.
39.93	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for sec. cor., with brass cap mkd.
	S11 S14 1934
	from which
	A pine, 6 ins. diam., bears N. 26 $\frac{1}{4}$ ° E., 28 lks. dist., mkd. S11 BT.
	A pine, 4 ins. diam., bears S. 28 $\frac{1}{2}$ ° W., 16 lks. dist., mkd. S14 BT.
40.80	Ridge, bears N. and S.; desc. 105 ft. over W. slope.
51.20	Ravine, course SW.; asc. 78 ft. over NE. slope.
58.90	Wire fence, bears NW. and SE.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains
 59.80 Ridge, bears NW. and S.30°E.; desc., 62 ft. over W. slope.
 69.10 Short spur, slopes SW.; desc. 112 ft. over NW. slope.
 74.40 Short ravine, course SW.; desc. 42 ft. over SW. slope.
 79.86 The cor. of secs. 10,11,14 and 15.
 Land: rolling and mountainous.
 Soil: adobe, rocky, 3rd rate.
 Timber: pine, oak, fir, aspen.
 Undergrowth: 2nd growth pine, locust, scrub oak, manzanita.

N.0°01'W., bet. secs. 10 and 11.
 Asc. 55 ft. over SW. slope; through medium growth of pine, fir and oak timber and medium undergrowth.
 6.20 Short spur, slopes NW.; desc. 40 ft.
 8.80 Short ravine, course W.; asc. 8 ft.
 10.40 Change to W. slope; desc. 30 ft.
 18.10 Short ravine, course W.; asc. 80 ft. over S. slope.
 24.50 Low spur, slopes W.; desc. 39 ft. over NW. slope.
 28.70 Shallow drain, course N.75°W.; asc. 35 ft. over SW. slope.
 34.80 Flat spur, slopes W.; desc. 12 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, supported in a mound of stone, for sec. cor., with brass cap mkd.

S10 | S11
— | —

1934

from which
 A pine, 6 ins. diam., bears S.3°E., 58 lks. dist., mkd.
 $\frac{1}{2}$ S11 BT.
 A pine, 5 ins. diam., bears S.80°W., 15 lks. dist., mkd.
 $\frac{1}{2}$ S10 BT.
 40.30 Head of ravine course N. bears 50 lks. W.; desc. 47 ft. along W. slope.
 43.50 Head of ravine, course W.; asc. 12 ft.
 48.30 Spur, slopes W.; desc. 40 ft. over NW. slope.
 50.70 Ravine, course SW.; asc. 92 ft. over S. slope.
 58.50 Ridge, bears SE. and W.; desc. 483 ft. over general NW. slope.
 76.60 Clover Creek, dry channel; 70 lks. wide; course S.30°W. asc. 56 ft. over SE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 2 ins. in the ground, and in a mound of stone, 5 ft. base, to top, for cor. of secs. 2,3,10 and 11; with brass cap mkd.

SUBDIVISIONS OF T.13 N., R.9 E.

41

BOOK 4030

Chains

T13NR9E

S3 S2

S10 S11

1934

from which

An oak, 12 ins. diam., bears N. $35\frac{1}{2}$ ^oE., 64 lks. dist.,
mkd. T13N R9E S2 BT.

An oak, 8 ins. diam., bears S. 30° E., 73 lks. dist.,
mkd. T13N R9E S11 BT.

A pine, 16 ins. diam., bears S. $29\frac{1}{2}$ ^oW., 80 lks. dist.,
mkd. T13N R9E S10 BT.

A pine, 24 ins. diam., bears N. $59\frac{1}{2}$ ^oW., 30 lks. dist.,
mkd. T13N R9E S3 BT.

Land: rolling and mountainous.

Soil: limestone, adobe, 3rd rate.

Timber: pine, fir, oak, aspen.

Undergrowth: 2nd growth pine, fir, scrub oak, manzanita.

S. $89^{\circ}57'$ E., on random line, bet. secs. 2 and 11.

40.00 Set temp. 1 sec. cor.

79.76 A point 18 lks. S. of the cor. of secs. 1, 2, 11 and 12.

Thence

S. $89^{\circ}55'$ W., on true line, bet. secs. 2 and 11.

Over gentle E. slope; through medium growth of pine, fir
and oak timber and medium undergrowth.

1.50 Low spur, slopes N.; desc. 12 ft. over W. slope.

4.70 Head of ravine, course N.; asc. 18 ft.

10.00 Over top of flat spur, slopes N.

22.80 Leave same; desc. 182 ft. over W. slope.

39.88 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
ground, supported in a mound of stone, for 1 sec. cor.,
with brass cap mkd.

S 2

S11

1934

from which

An oak, 8 ins. diam., bears S. $29\frac{1}{2}$ ^oW., 36 lks. dist.,
mkd. S11 BT.

An oak, 5 ins. diam., bears N. 6° W., 29 lks. dist.,
mkd. S2 BT.

Desc. 32 ft. over NW. slope.

42.90 Ravine, near head, course NW.; asc. 6 ft.

48.00 Change to gentle W. slope; desc. 97 ft.

42

. SUBDIVISIONS OF T.13 N., R.9 E.

Chains

- 68.80 Rim of Clover Creek canyon, bears NW. and SE.; desc. 500 ft. over cliffs on W. slope.
- 75.00 Clover Creek, dry wash, 50 lks. wide, course SW., from S.25°E.; asc. 56 ft. over SE. slope.
- .79.76 The cor. of secs. 2,3,10, and 11.
Land: rolling and mountainous.
Soil: limestone, adobe, 3rd rate.
Timber: pine, fir, oak, aspen.
Undergrowth: 2nd growth pine, fir, scrub oak, manzanita.
-
- N.0°01'W., bet. secs. 2 and 3.
Asc. 174 ft. over rugged SE. slope; through medium pine and oak timber and medium undergrowth.
- 5.30 Short ravine, course SE.; asc. 123 ft. over S. slope.
- 8.30 Short sharp spur, slopes S.70°E.; desc. 14 ft.
- 9.80 Short ravine, course SE.; asc. 93 ft. over SW. slope.
- 16.80 Short spur, slopes SE.; desc. 105 ft. over NE. slope.
- 23.60 Ravine, course S.70°E.; asc. 98 ft. over S. slope.
- 39.00 Ridge, bears NE. and SW.; desc. slightly.
- 39.56 Road, bears E. and W.
- 40.00 True point for $\frac{1}{4}$ sec. cor. is occupied by a yellow pine, 30 ins. diam., which I mark; $\frac{1}{4}$ S3 on W. and S2 on E. faces. From the tree
A pine, 7 ins. diam., bears S.30 $\frac{1}{2}$ °E., 14 lks. dist., mkd. $\frac{1}{4}$ S2 BT.
A pine, 6 ins. diam., bears S.50°W., 47 lks. dist., mkd. $\frac{1}{4}$ S3 BT.
Desc. 84 ft. over NW. slope.
- 50.60 Ravine, course W.; asc. 106 ft. over SW. slope.
- 69.20 Short spur, slopes W.; desc. 60 ft. over N. slope.
- 72.70 Ravine, course W.
- 73.20 Intersect the S. bdy. of T.14 N., R.9 E. At intersection Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, supported in a mound of stone, for closing cor. of secs. 2 and 3, with brass cap mkd.
- T14NR9E
S35
—
S3 | S2
C | C
T13NR9E
1934
- from which
A pine, 15 ins. diam., bears S.15°E., 26 lks. dist., mkd. T13N R9E S2 CC BT.
An oak, 10 ins. diam., bears S.53 $\frac{1}{4}$ °W., 81 lks. dist., mkd. T13N R9E S3 CC BT.

SUBDIVISIONS OF T.13 N., R.9 E.

DODGE 4030

Chains From point of intersection the cor. of secs. 34 and 35, only, bears West, 13.13 chs. dist.; the $\frac{1}{4}$ sec. cor. of sec. 35, only, bears East, 26.87 chs. dist., both hereinbefore described.

Land: rolling and mountainous..

Soil: adobe, rocky, 3rd rate.

Timber: pine, oak, aspen.

Undergrowth: 2nd growth pine, scrub oak, manzanita.

From the standard cor. of secs. 33 and 34, on the S. bdy. of the Tp., hereinbefore described,

N.0°02'W., bet. secs. 33 and 34.

Over flat; through dense 2nd growth pine and fir.

14.40 Change to NE. slope; desc. 216 ft.

27.20 Ravine, course N.60°W.; asc. 184 ft. over SW. slope.

38.80 Over flat spur, slopes NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S33 | S34
1934

from which

A yellow pine, 8 ins. diam., bears N.46 $\frac{1}{2}$ °E., 14 lks. dist., mkd. $\frac{1}{4}$ S34 BT.

A yellow pine, 12 ins. diam., bears N.5 $\frac{1}{2}$ °W., 52 lks. dist., mkd. $\frac{1}{4}$ S33 BT.

52.50 Leave spur; desc. 124 ft. over NE. slope.

60.80 Ravine, course NW.; asc. 44 ft. over SW. slope.

64.90 Short spur, slopes W.; desc. 18 ft.

66.00 Drain, course W.; asc. 53 ft. over S. slope.

72.00 Short spur, slopes W.; desc. 56 ft. over N. slope.

78.00 Drain, course NW.; asc. slightly.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, and in a mound of stone to top, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.

T13NR9E
S28 | S27
S33 | S34
1934

from which

A yellow pine, 20 ins. diam., bears N.71°E., 47 lks. dist., mkd. T13N R9E S27 BT.

A yellow pine, 24 ins. diam., bears S.45 $\frac{1}{4}$ °E., 84 lks.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

dist., mkd. T13 N R9E S34 BT.
 A yellow pine, 14 ins. diam., bears S.24 $\frac{1}{2}$ ^oW., 31 lks.
 dist., mkd. T13N R9E S33 BT.

A yellow pine, 12 ins. diam., bears N.19^oW., 28 lks.
 dist., mkd. T13N R9E S28 BT.

Land: rolling.
 Soil: adobe, rocky, 3rd rate.
 Timber: pine, fir, oak.
 Undergrowth: 2nd growth pine, scrub oak, locust.

East, on random line, bet. secs. 27 and 34.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.92 Intersect the cor. of secs. 26, 27, 34 and 35.

Thence

West, on true line, bet. secs. 27 and 34.

Desc. 51 ft. over NW. slope; through medium growth of pine, fir and oak timber and medium undergrowth.

2.90 Ravine, course N.20^oE.; asc. 113 ft. over SE. slope.

10.20 Over top of flat spur, slopes NE.

22.60 Leave same; desc. 44 ft. over NW. slope.

26.50 Wash, 10 lks. wide, course NE.; asc. 63 ft. over SE. slope.

29.80 Over top of flat spur, slopes NE.

39.96 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S27

$\frac{1}{4}$ S34

1934

from which

A yellow pine, 6 ins. diam., bears S.28 $\frac{1}{2}$ ^oE., 29 lks.
 dist., mkd. $\frac{1}{4}$ S34 BT.

A yellow pine, 12 ins. diam., bears N.33 $\frac{1}{2}$ ^oW., 50 lks.
 dist., mkd. $\frac{1}{4}$ S27 BT.

55.00 Change to gentle SE. slope; asc. 34 ft.

60.00 Spur, slopes NE.; over N. slope.

68.80 Change to NE. slope; asc. 18 ft.

70.90 Spur, slopes NW.; over flat top of same.

75.80 Leave spur; desc. 109 ft. over W. slope.

79.92 The cor. of secs. 27, 28, 33 and 34.

Land: flat and rolling.
 Soil: rocky adobe, 3rd rate.
 Timber: pine, oak, fir.
 Undergrowth: 2nd growth pine and fir, locust.

SUBDIVISIONS OF T.13 N., R.9 E.

45

BOOK 4030

Chains

- N. $0^{\circ}02'W.$, bet. secs. 27 and 28. 157
- Asc. 10 ft. over gentle SW. slope; through medium pine, fir and oak timber and medium undergrowth.
- 7.90 Change to N. slope; desc. 57 ft.
- 20.30 Ravine, near head, course NW.; asc. 27 ft. over SW. slope.
- 24.30 Change to NW. slope; desc. 27 ft.
- 27.70 Drain, course SW.; asc. 40 ft. over SE. slope.
- 34.00 Spur, slopes W.; desc. 30 ft. over N. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S28 | S27

1934

from which

An oak, 16 ins. diam., bears N. $15^{\circ}E.$, 61 lks. dist., mkd. $\frac{1}{2}$ S27 BT.

A yellow pine, 10 ins. diam., bears N. $50\frac{1}{2}^{\circ}W.$, 24 lks. dist., mkd. $\frac{1}{4}$ S28 BT.

Desc. 23 ft. over NE. slope.

- 46.10 Old road, bears E. and W.
- 48.30 Drain, course NW.; asc. 41 ft. over SW. slope.
- 56.30 Top of ascent; desc. 104 ft. over rolling N. slope.
- 74.50 Drain, course NE.; asc. 18 ft.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, and in a mound of stone to top, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.

T13NR9E

S21 | S22

S28 | S27

1934

from which

A yellow pine, 10 ins. diam., bears N. $66^{\circ}E.$, 6 lks. dist., mkd. T13N R9E S22 BT.

A white oak, 10 ins. diam., bears S. $25^{\circ}E.$, 5 lks. dist., mkd. T13N R9E S27 BT.

A white oak, 10 ins. diam., bears S. $29\frac{1}{2}^{\circ}W.$, 58 lks. dist., mkd. T13N R9E S28 BT.

A yellow pine, 24 ins. diam., bears N. $23\frac{1}{2}^{\circ}W.$, 13 lks. dist., mkd. T13N R9E S21 BT.

Land: rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: pine, fir and oak.

Undergrowth: 2nd growth pine, scrub oak, manzanita.

46

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	East, on random line, bet. secs. 22 and 27.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	A point 9 lks. S. of the cor. of secs. 22, 23, 26 and 27. Thence $S.89^{\circ}56'W.$, on true line, bet. secs. 22 and 27. Desc. 61 ft. over SW. slope; through medium pine, oak and fir timber and medium undergrowth.
7.70	Wash, 10 lks. wide, 4 ft. deep, course N. $20^{\circ}E.$; asc. 202 ft. over SE. slope.
8.54	Highway, bears NE. to Flagstaff and SW. to Pine and Payson.
34.50	Spur, slopes N.; desc. 68 ft. over W. slope.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<u>S22</u> <u>S27</u> 1934
	from which
	An oak, 8 ins. diam., bears N. $88\frac{1}{4}^{\circ}E.$; 46 lks. dist., mkd. $\frac{1}{4}$ S22 BT.
	A yellow pine, 30 ins. diam., bears $S.68\frac{1}{2}^{\circ}W.$, 25 lks. dist., mkd. $\frac{1}{4}$ S27 BT.
	Desc. 29 ft. over W. slope.
43.10	Drain, course NW.; desc. 17 ft. over NW. slope.
56.30	Change to NE. slope; asc. 155 ft.
61.50	Highway, bears NW. to Pine and Payson and SE. to Flagstaff.
67.70	Spur, slopes N.; desc. 17 ft.
72.70	Drain, course NE.; asc. 17 ft.
80.04	The cor. of secs. 21, 22, 27 and 28. Land: rolling. Soil: gravel adobe, 3rd rate. Timber: pine, oak, fir. Undergrowth: 2nd growth pine and fir, locust, fern.
	<hr/>
	$N.0^{\circ}02'W.$, bet. secs. 21 and 22.
	Desc. 39 ft. over N. slope; through medium growth of pine and oak timber and scattering undergrowth.
12.10	Highway, bears NE. to Flagstaff and SW. to Pine and Payson.
17.10	Head of draw, course NW.; asc. 6 ft.
22.10	Low spur, slopes NW.; desc. 143 ft. over NE. slope.
35.20	Drain, course NE.; asc. 27 ft. over SE. slope.

SUBDIVISIONS OF T.13 N., R.9 E.

47

BOOK 4030

Chains
40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, and in a mound of stone to top, for sec. cor., with brass cap mkd. S21 S22.

1934

from which

A yellow pine, 10 ins. diam., bears S.62 $\frac{1}{2}$ E., 20 lks. dist., mkd. $\frac{1}{4}$ S22 BT.

A white oak, 12 ins. diam., bears N.44 $\frac{1}{2}$ W., 63 lks. dist., mkd. $\frac{1}{4}$ S21 BT.

Asc. 129 ft. over SE. slope.

62.20 Over flat spur, slopes E.

66.80 Leave same; desc. 40 ft. over NW. slope.

71.10 Spur, slopes NW.; desc. 134 ft. over NE. slope.

79.80 Drain, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, and in a mound of stone to top, for cor. of secs 15,16,21 and 22, with brass cap mkd.

T13N R9E

S16 | S15

S21 | S22

1934

from which

A yellow pine, 18 ins. diam., bears N.75 $\frac{1}{2}$ E., 36 lks. dist., mkd. T13N R9E S15 BT.

A yellow pine, 12 ins. diam., bears S.73 $\frac{1}{2}$ E., 46 lks. dist., mkd. T13N R9E S22 BT.

A yellow pine, 16 ins. diam., bears S.20W., 34 lks. dist., mkd. T13N R9E S21 BT.

An oak, 8 ins. diam., bears N.58 $\frac{1}{2}$ W., 47 lks. dist., mkd. T13N R9E S16 BT.

Land: rolling.

Soil: gravel adobe, 3rd rate.

Timber: pine, oak.

Undergrowth: 2nd growth pine, scrub oak, locust.

N.89 \circ 56'E., on random line, bet. secs. 15 and 22.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 A point 14 lks. N. of the cor. of secs. 14,15,22 and 23.

Thence

N.89 \circ 58'W., on true line, bet. secs. 15 and 22.

Asc. 22 ft. over gentle E. slope; through medium pine, fir and oak timber and medium undergrowth.

5.50 Road, bears NW. to Tom's Creek, connects SE.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

- 6.00 Spur, slopes N.; desc. 104 ft. over NW. slope.
 24.60 Ravine, course N.20°W.; asc. 100 ft. over NE. slope.
 32.80 Spur, slopes N.; desc. 76 ft. over SW. slope.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to top, for $\frac{1}{2}$ sec. cor., with brass cap mkd.

S15

S22

1934

from which

A pine, 6 ins. diam., bears S.38 $\frac{1}{4}$ °E., 83 lks. dist., mkd. $\frac{1}{2}$ S22 BT.

A pine, 30 ins. diam., bears N.34 $\frac{1}{2}$ °W., 13 lks. dist., mkd. $\frac{1}{2}$ S15 BT.

Desc. 67 ft. over SW. slope.

- 43.10 Canyon, dry channel, 20 lks. wide, 2 ft. deep, course NE.; asc. 235 ft. over NE. slope.
 67.80 Spur, slopes N.; desc. 180 ft. over NW. slope.
 80.02 The cor. of secs. 15,16,21 and 22.

Land: rolling.

Soil: adobe, rocky, 3rd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, scrub oak, fern.

N.0°02'W., bet. secs. 15 and 16.

Asc. 15 ft. along W. slope; through medium pine and oak timber and scattering undergrowth.

- 21.10 Change to NE. slope; desc. 134 ft.
 25.30 Road, bears NW. to Tom's Creek and SE. to highway.
 28.80 Wash, 10 lks. wide, 1 ft. deep, course NW.; asc. 27 ft.
 32.20 Change to NW. slope; desc. 58 ft.
 33.30 Fence, bears E. and W.
 36.30 Along bottom of ravine, from SW., course irregularly N.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, and in a mound of stone to top, for $\frac{1}{2}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S16 | S15

1934

from which

A yellow pine, 16 ins. diam., bears S.60 $\frac{1}{4}$ °E., 57 lks. dist., mkd. $\frac{1}{2}$ S15 BT.

A yellow pine, 18 ins. diam., bears N.61 $\frac{1}{2}$ °W., 31 lks. dist., mkd. $\frac{1}{2}$ S16 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

Chains	
40.50	Cor. stands 5 lks. E. of bottom of ravine.
57.10	Cross the ravine, course N. 30° E.; asc. 44 ft. over SE. slope.
62.00	Change to N. slope; desc. 184 ft.
66.40	Same ravine, course N. 60° W.; asc. 78 ft. over SW. slope.
68.30	Short spur, slopes W.; over W. slope.
71.80	Change to SW. slope; asc. 118 ft.
78.30	Spur, slopes N. 20° W.; asc. 56 ft. along E. slope.
80.00	Same spur, slopes NE.; knoll on spur bears about 1 $\frac{1}{2}$ chs. SW.; desc. 45 ft. over NW. slope.
	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.
	T13N R9E S 9 S10 S16 S15 1934
	From which.
	A yellow pine, 14 ins. diam., bears N. $35\frac{1}{2}^{\circ}$ E., 20 lks. dist., mkd. T13N R9E S10 BT.
	A yellow pine, 28 ins. diam., bears S. 79° E., 40 lks. dist., mkd. T13N R9E S15 BT..
	A yellow pine, 28 ins. diam., bears S. $44\frac{1}{2}^{\circ}$ E., 39 lks. dist., mkd. T13N R9E S16 BT..
	A yellow pine, 26 ins. diam., bears N. $81\frac{1}{2}^{\circ}$ W., 24 lks. dist., mkd. T13N R9E S9 BT.
	Land: rolling.
	Soil: rocky adobe, 3rd rate.
	Timber: pine, oak, fir, aspen.
	Undergrowth: 2nd growth pine, scrub oak, manzanita.

	S. $89^{\circ}58'$ E., on random line, bet. secs. 10 and 15.
40.00	Set temp. 1 sec. cor.
79.98	Intersect the cor. of secs. 10, 11, 14 and 15.
	Thence
	N. $89^{\circ}58'$ W., on true line, bet. secs. 10 and 15.
	Desc. 64 ft. over SW. slope; through medium pine, fir and oak timber and scattering undergrowth.
2.80	Ravine, course N. 25° W.; asc. 216 ft. over SE. slope.
17.40	Over top of spur, slopes NE.
25.40	Leave spur; desc. 86 ft. over W. slope.
33.10	Ravine, course NW.; asc. 185 ft. over NE. slope.
33.30	

SUBDIVISIONS OF T.13 N., R.9 E.

	Chains 39.99	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for 1 sec. cor., with brass cap mkd.
		S10 S15
		1934. from which
		A yellow pine, 8 ins. diam., bears S.58 $\frac{1}{4}$ °W., 83 lks. dist., mkd. $\frac{1}{4}$ S15 BT.
		A yellow pine, 4 ins. diam., bears N.45 $\frac{1}{2}$ °W., 60 lks. dist., mkd. $\frac{1}{4}$ S10 BT.
		Over top of flat spur, slopes N.15°W.
42.70	Leave spur; desc. 146 ft. over SW. slope.	
50.20	Ravine, course NW.; asc. 55 ft. over NE. slope.	
57.80	Short steep spur, slopes N.; desc. 380 ft. over NW. slope.	
65.80	Side canyon, course NE., 1 $\frac{1}{2}$ chs. from mouth; asc. 340 ft. over rugged E. slope.	
78.70	Short sharp spur, slopes NE.; desc. 10 ft.	
79.98	The cor. of secs. 9,10,15 and 16. Land: rolling and mountainous. Soil: rocky adobe, 3rd rate. Timber: pine, oak, fir, spruce. Undergrowth: 2nd growth pine and fir, scrub oak, manzanita.	
		N.0°02'W., bet. secs. 9 and 10.
		Desc. 250 ft. over rugged N. slope; through medium pine, fir and oak timber and patches of undergrowth.
4.70	Tom's Creek, dry channel 50 lks. wide, course N.70°E.; asc. 141 ft. over SW. slope.	
10.00	Spur, slopes SE.; desc. 49 ft. over NE. slope.	
12.80	Head of hillside drain, course SE.; asc. 315 ft. over SE. slope.	
27.80	Spur, slopes NE.; desc. 62 ft. over N. slope.	
36.70	Ravine, course NE.; asc. 32 ft. over SE. slope.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to top, for 1 sec. cor., with brass cap mkd.	
		S9 S10 1934. from which
		A yellow pine, 12 ins. diam., bears N.41 $\frac{1}{2}$ °E., 63 lks. dist., mkd. $\frac{1}{4}$ S10 BT.
		A yellow pine, 12 ins. diam., bears N.45 $\frac{1}{4}$ °W., 20 lks. dist., mkd. $\frac{1}{4}$ S9 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

Chains	
	Asc. 30 ft. over SE. slope..
47.00	Over flat spur, slopes NW.
49.10	Old road, bears NE. and SW.
62.80	Leave flat; desc. 123 ft. over NE. slope.
70.40	Small ravine, course NE.; asc. 40 ft. over SW. slope.
74.90	Short spur, slopes W.; desc. 60 ft. over NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 3,4,9 and 10, with brass cap mkd.

T13NR9E
 S4 | S3
 S9 | S10
 1934

from which

A yellow pine, 14 ins. diam., bears N.43°E., 53 lks. dist., mkd. T13N R9E S3 BT.

A yellow pine, 18 ins. diam., bears S.37°E., 33 lks. dist., mkd. T13N R9E S10 BT.

A white oak, 8 ins. diam., bears S.134°W., 80 lks. dist., mkd. T13N R9E S9 BT.

A yellow pine, 18 ins. diam., bears N.31½°W., 69 lks. dist., mkd. T13N R9E S4 BT.

Land: mountainous and rolling.

Soil: adobe, rocky, 3rd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, scrub oak, manzanita.

S.89°58' E., on random line, bet. secs. 3 and 10.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.08 A point 2 lks. N. of the cor. of secs. 2,3,10 and 11.

Thence

N.89°57'W., on true line, bet. secs. 3 and 10.

Asc. 288 ft. over SE. slope; through medium pine, fir, oak and spruce timber and medium undergrowth.

9.80 Spur, slopes S.; desc. 85 ft. over SW. slope.

14.70 Ravine, course SE.; asc. 122 ft. over E. slope.

24.20 Spurs, slope S. and SW.; desc. 60 ft. over gentle W. slope

30.20 Change to steep W. slope; desc. 530 ft.

40.04 True point for $\frac{1}{4}$ sec. cor. falls on cliffs, an insecure place for monument.

41.10 Clear Creek, dry channel, 50 lks. wide, course N.25°W.; asc. 490 ft. over precipitous E. slope.

47.30 Rim of canyon, faces E.

SUBDIVISIONS OF T.13 N., R.9 E.

	Chains	
47.54	(7.50 chs. N. $89^{\circ}57'$ W. of true point) Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, and in a mound of stone to top, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap mkd.	
		S3 WC S10
		1934
		from which
		A white oak, 14 ins. diam., bears S. $51^{\circ}10'$ W., 39 lks. dist., mkd. WC $\frac{1}{4}$ S10 BT.
		A white oak, 10 ins. diam., bears N. $7^{\circ}W.$, 71 lks. dist., mkd. WC $\frac{1}{4}$ S3 BT.
		Asc. 141 ft. over broken SE. slope.
63.20	Old road, bears SE. and NW.	
67.70	Spur, slopes NE.; desc. 115 ft. over SW. slope.	
76.00	Ravine, course NW.; asc. 9 ft.	
77.50	Short spur, slopes N.; desc. 20 ft.	
80.08	The cor. of secs. 3,4,9 and 10.	
	Land: rolling and mountainous. Soil: adobe, rocky, 3rd rate. Timber: pine, oak, fir, spruce. Undergrowth: 2nd growth pine and fir, scrub oak, manzanita.	
		N. $0^{\circ}02'$ W., bet. secs. 3 and 4.
		Desc. 17 ft. over NW. slope; through medium growth of pine, oak and fir timber and scattering undergrowth.
1.90	Gulch, course NE.; asc. 17 ft.	
5.00	Change to NE. slope; desc. 48 ft.	
10.70	Short ravine, course E.; asc. 81 ft. over S. slope.	
16.50	Spur, slopes NE.; desc. 137 ft. over NW. slope.	
26.20	Ravine, course NE.; asc. 68 ft. over SE. slope.	
35.70	Spur, slopes NE.; desc. 70 ft. over N. slope.	
39.00	(1.00 S. $0^{\circ}02'$ E. of true point) Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, supported in a mound of stone; for witness cor. to $\frac{1}{2}$ sec. cor., with brass cap mkd.	
		WC S4 S3
		1934
		from which
		A yellow pine, 16 ins. diam., bears S. $11^{\circ}E.$, 23 lks. dist., mkd. WC $\frac{1}{4}$ S3 BT.
		A white oak, 6 ins. diam., bears N. $29^{\circ}W.$, 51 lks. dist., mkd. WC $\frac{1}{4}$ S4 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

53

	Chains	
39.30	Rim of canyon, faces N.; desc. 70 ft.	
40.00	True point for $\frac{1}{4}$ sec. cor. falls on cliffs. Desc. 420 ft. over rugged N. slope.	
46.10	Clear Creek, water in pools in channel, 200 lks. wide, course NW.; asc. 480 ft. over cliffs on SW. slope.	
55.50	Rim of canyon, bears NW. and SE.; asc. 40 ft. over gentle SW. slope.	
56.60	Point of spur, slopes W.; desc. 29 ft.	
59.60	Ravine, course SW.; asc. 81 ft. over SE. slope.	
65.00	Spur, slopes SW.; desc. 70 ft. over SW. slope.	
69.30	Ravine, course SW.; asc. 80 ft. over SE. slope.	
73.00	Intersect the S. bdy. of T.14 N., R.9 E. At intersection Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground, and in a mound of stone to top, for closing cor. of secs. 3 and 4, with brass cap mkd.	

T14NR9E

S34

S4 | S3

C | C

T13NR9E

1934

from which

An oak, 10 ins. diam., bears 3.74°E. , 41 lks. dist.,
mkd. T13N R9E S3 CC BT.

A yellow pine, 6 ins. diam., bears 3.67°W. , 64 lks.
dist., mkd. T13N R9E S4 CC BT.

From point of intersection the cor. of secs. 33 and 34,
only, bears West, 13.00 chs. dist.; the sec. cor. of
sec. 34, only, bears East, 27.00 chs. dist., both here-
inbefore described:

Land: mountainous and rolling.

Soil: adobe, rocky, 3rd rate.

Timber: pine, oak, fir, spruce.

Undergrowth: 2nd growth pine, scrub oak, manzanita.

From the standard cor. of secs. 32 and 33, on the S. bdy.
of the Tp., hereinbefore described,

$N.0^{\circ}02'W.$, bet. secs. 32 and 33.

Desc. 95 ft. over NE. slope; through medium pine and oak
timber and medium undergrowth.

4.60 Ravine, course NE.; asc. 103 ft. over SE. slope.

9.50 Over top of spur, slopes NE.

13.30 Leave spur; desc. 120 ft. over NW. slope.

25.80 Ravine, course $N.70^{\circ}\text{E.}$; asc. 71 ft. over SE. slope.

Chains
 30.00 Over top of spur, slopes NE.
 38.00 Leave spur; desc. 41 ft. over NW. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S32 S33

1934

from which

A yellow pine, 5 ins. diam., bears N.47 $\frac{1}{4}$ E., 46 lks. dist., mkd. $\frac{1}{4}$ S33 BT.

A yellow pine, 18 ins. diam., bears N.80°W., 112 lks. dist., mkd. $\frac{1}{4}$ S32 BT.

Desc. 24 ft. over NW. slope.

40.90 Ravine, course N.60°E.; asc. 70 ft. over SE. slope.

49.50 Over top of flat spur, slopes NE.

54.20 Highway, bears NE. to Flagstaff and SW. to Pine and Payson.

65.25 Head of ravine, course NW.; over W. slope.

73.40 Change to NW. slope; desc. 100 ft.

79.70 Ravine, course N.25°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 28,29,32 and 33, with brass cap mkd.

T13NR9E

S29 S28

S32 S33

1934

from which

A white oak, 10 ins. diam., bears N.85 $\frac{1}{2}$ E., 77 lks. dist., mkd. T13N R9E S28 BT.

A white oak, 12 ins. diam., bears S.54 $\frac{1}{4}$ E., 75 lks. dist., mkd. T13N R9E S33 BT.

A yellow pine, 16 ins. diam., bears S.73 $\frac{1}{4}$ W., 71 lks. dist., mkd. T13N R9E S32 BT.

A white oak, 18 ins. diam., bears N.67 $\frac{1}{2}$ W., 35 lks. dist., mkd. T13N R9E S29 BT.

Land: rolling.

Soil: gravel adobe, 3rd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine and fir, locust.

East, on random line, bet. secs. 28 and 33.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.12 Intersect the cor. of secs. 27,28,33 and 34.

Thence

	Chains	West, on true line, bet. secs. 28 and 33. Desc. 20 ft. over SW. slope; through medium pine, fir and oak timber and patches of undergrowth.
2.20		Drain, course NW.; asc. 31 ft. over NE. slope.
6.10		Spur, slopes N.; desc. 222 ft. over W. slope.
26.70		Wash, 10 lks. wide, 3 ft. deep, course N. 20°W., from SW.; asc. 80 ft. over NE. slope.
31.30		Short spur, slopes NW.; desc. 58 ft. over W. slope.
40.06		Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, supported in a mound of stone, for $\frac{1}{2}$ sec. cor., with brass cap mkd.
		S28 S33
		1934 from which
		A yellow pine, 10 ins. diam., bears N. 36°E., 36 lks. dist., mkd. $\frac{1}{4}$ S28 BT.
		A yellow pine, 6 ins. diam., bears S. 17 $\frac{1}{2}$ °W., 24 lks. dist., mkd. $\frac{1}{4}$ S33 BT.
		Desc. 76 ft. over W. slope.
42.60		Wash, 10 lks. wide, 2 ft. deep, course NW.; asc. 92 ft. over steep NE. slope.
60.70		Spur, slopes NW.; desc. 195 ft. over W. slope.
67.10		Canyon, wash, 20 lks. wide, 2 ft. deep, course NE.; asc. 123 ft. over E. slope.
73.50		Highway, bears N. to Flagstaff and S. 20°W. to Pine; flat spur, slopes N.; desc. 79 ft. over W. slope.
79.95		Ravine, course N. 20°E.; asc. 5 ft.
80.12		The cor. of secs. 28, 29, 32 and 33. Land: rolling. Soil: gravel adobe, 3rd rate. Timber: pine, fir, oak. Undergrowth: 2nd growth pine and fir, scrub oak, locust.
		N. 0°02'W., bet. secs. 28 and 29.
		Asc. 55 ft. along E. slope; through medium pine, oak and fir timber and medium undergrowth.
14.00		Change to NE. slope; desc. 81 ft.
26.00		Ravine, course NW.; asc. 89 ft. over SW. slope.
34.00		Over flat, bears NW. and SE.
34.50		Bend in highway from SE. to NE. bears 1 ch. E.
40.00		Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{2}$ sec. cor., with brass cap mkd.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

$$\begin{array}{c} \frac{1}{4} \\ S29 \quad S28 \\ 1934 \end{array}$$

from which

An oak, 6 ins. diam., bears S. 38° E., 48 lks. dist., mkd. $\frac{1}{4}$ S28 BT.

A yellow pine, 10 ins. diam., bears N. $33\frac{1}{2}^{\circ}$ W., 76 lks. dist., mkd. $\frac{1}{4}$ S29 BT.

44.00 Leave flat; desc. 131 ft. over steep NW. slope.

48.50 Wash, 12 lks. wide, 2 ft. deep, course NE.; asc. 25 ft.

51.30 Change to E. slope; desc. 34 ft.

56.20 Change to SE. slope; asc. 102 ft.

64.70 Spur, slopes NE.; desc. 134 ft. over NE. slope.

74.60 Same wash, course NW.; asc. 71 ft. over SW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, and in a mound of stone to top, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.

$$\begin{array}{c} T13NR9E \\ S20 \quad S21 \\ \hline S29 \quad S28 \\ 1934 \end{array}$$

from which

A yellow pine, 26 ins. diam., bears N. $67\frac{1}{2}^{\circ}$ E., 102 lks. dist., mkd. T13N R9E S21 BT.

A yellow pine, 5 ins. diam., bears S. $56\frac{1}{2}^{\circ}$ E., 20 lks. dist., mkd. T13N R9E S28 BT.

A yellow pine, 5 ins. diam., bears S. $42\frac{1}{2}^{\circ}$ W., 23 lks. dist., mkd. T13N R9E S29 BT.

A yellow pine, 30 ins. diam., bears N. $70\frac{1}{4}^{\circ}$ W., 73 lks. dist., mkd. T13N R9E S20 BT.

Land: rolling.

Soil: gravel adobe, 3rd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, scrub oak, locust.

East, on random line, bet. secs. 21 and 28.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.20 A point 20 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence

N. $89^{\circ}51'W.$, on true line, bet. secs. 21 and 28.

Asc. 47 ft. over gentle SE. slope; through medium pine and oak timber and scattering undergrowth.

10.00 Spur, slopes N.; desc. 83 ft. over NW. slope.

19.30 Highway, bears NE. to Flagstaff and SW. to Pine and Payson.

57

SUBDIVISIONS OF T. 13 N., R. 9 E.

BOOK 4030

- Chains 20.00 Ravine, near head, course NW.; asc. 18 ft. over NE. slope.
 22.40 Top of ascent; over gentle SE. slope.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S21

S28

1934

from which

- A yellow pine, 12 ins. diam., bears N. 58° E., 9 lks. dist., mkd. $\frac{1}{2}$ S21 BT.
 A yellow pine, 24 ins. diam., bears N. $18\frac{1}{2}$ E., 113 lks. dist., mkd. $\frac{1}{2}$ S28 BT.
 Desc. 20 ft. over gentle SW. slope.
 47.40 Change to NW. slope; desc. 197 ft.
 57.20 Drain, course SW.; asc. 23 ft.
 62.20 Over flat spur, slopes SW.
 69.40 Leave same; desc. 100 ft. over NW. slope.
 74.10 Ravine, course SW.; asc. 51 ft. over SE. slope.
 79.10 Short spur, slopes S.; desc. 15 ft.
 80.20 The cor. of secs. 20, 21, 28 and 29.

Land: rolling.

Soil: gravel adobe, 3rd rate.

Timber: pine and oak.

Undergrowth: same and locust.

N. $0^{\circ}02'$ W., bet. secs. 20 and 21.

Asc. 49 ft. over gentle SW. slope; through medium growth of pine and oak timber, and scattering undergrowth.

- 13.30 Change to NW. slope; desc. 49 ft.
 17.50 Drain, course SW.; asc. 116 ft. over S. slope.
 28.10 Spur, slopes W.; desc. 50 ft. over N. slope.
 31.30 Drain, course W.; asc. 84 ft. over SW. slope.
 35.70 Spur, slopes NW.; desc. 34 ft. over N. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S20 S21

1934

from which

A yellow pine, 20 ins. diam., bears S. $70\frac{1}{4}$ E., 39 lks. dist., mkd. $\frac{1}{2}$ S21 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

- A yellow pine, 6 ins. diam., bears S.50 $\frac{1}{4}$ °W., 39 lks.
dist., mkd. $\frac{1}{4}$ S20 BT.
Desc. 194 ft. over NNE. slope.
61.60 Ravine, course irregularly NE.; asc. 92 ft. over SW. slope.
65.30 Over flat spur, slopes NE.
69.20 Leave same; desc. 108 ft. over N. slope.
73.10 Drain, course N.65°E.; asc. 20 ft.
74.80 Short spur, slopes E.; desc. 64 ft. over NE. slope.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 16,17,20 and 21, with brass cap
mkd.

T13NR9E

S17 S16

S20 S21

1934

from which

A yellow pine, 6 ins. diam., bears N.27 $\frac{1}{4}$ °E., 19 lks.
dist., mkd. T13N R9E S16 BT.

A yellow pine, 36 ins. diam., bears S.25 $\frac{1}{4}$ °E., 34 lks.
dist., mkd. T13N R9E S21 BT.

A yellow pine, 5 ins. diam., bears S.55 $\frac{1}{4}$ °W., 28 lks.
dist., mkd. BT.

A yellow pine, 6 ins. diam., bears N.84 $\frac{1}{4}$ °W., 39 lks.
dist., mkd. T13N R9E S17 BT.

Land: rolling.

Soil: gravel adobe, 2nd and 3rd rates.

Timber: pine and oak.

Undergrowth: 2nd growth of same, locust.

S.89°51'E., on random line, bet. secs. 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.92 Intersect the cor. of secs. 15,16,21 and 22.

Thence

N.89°51'W., on true line, bet. secs. 16 and 21.

Asc. 25 ft. over NE. slope; through medium pine and oak
timber and scattering undergrowth.

2.40 Spur, slopes N.

5.20 Leave spur; desc. 25 ft.

6.20 Ravine, course N.; asc. 44 ft. over NE. slope.

11.30 Spur, slopes N.; desc. 83 ft. over W. slope.

21.70 Ravine, course N.; asc. 128 ft. over E. slope.

31.30 Flat spur, 1 ch. wide, slopes NE.; desc. 67 ft. over NW.
slope.

SUBDIVISIONS OF T.13 N., R.9 E.

59

E80K 4000

Chains

39.96 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S16
 $\frac{1}{4}$ S21

1934

from which

A white oak, 8 ins. diam., bears 3.24° E., 74 lks. dist., mkd. $\frac{1}{4}$ S21 BT.

A white oak, 16 ins. diam., bears $N.34\frac{1}{2}^{\circ}$ W., 61 lks. dist., mkd. $\frac{1}{4}$ S16 BT.

Desc. 230 ft. over NW. slope.

61.30 Tom's Creek, dry channel, 50 lks. wide, course $N.20^{\circ}$ E.; asc. 69 ft. over SE. slope.

69.20 Change to SW. slope; desc. 62 ft.

77.20 Tom's Creek, dry channel, 30 lks. wide, course $S.75^{\circ}$ E.; asc. 41 ft. over NE. slope.

79.92 The cor. of secs. 16, 17, 20 and 21.

Land: rolling.

Soil: gravel adobe, 3rd rate.

Timber: pine, oak.

Undergrowth: 2nd growth pine, locust, manzanita.

$N.0^{\circ}02'W.$, bet. secs. 16 and 17.

Desc. 26 ft. over NE. slope; through medium growth of pine and oak timber and medium undergrowth.

1.90 Tom's Creek, dry channel, 30 lks. wide, course E.; asc. 236 ft. over SSW. slope.

11.20 Spur, slopes SE.

13.90 Leave spur; desc. 25 ft.

15.50 Drain, course SE.; asc. 40 ft. over S. slope.

19.40 Over top of flat spur, slopes NE.

28.10 Road, bears E. and W.

29.70 Leave top of spur; desc. 99 ft. over NW. slope.

37.40 Ravine, course NE.; asc. 41 ft. over SE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S17 S16

1934

from which

A yellow pine, 12 ins. diam., bears $N.77\frac{1}{2}^{\circ}$ E., 29 lks. dist., mkd. $\frac{1}{4}$ S16 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	
	A yellow pine, 14 ins. diam., bears N. $66\frac{1}{2}$ ^o W., 25 lks. dist., mkd. $\frac{1}{4}$ S17 BT. Over flat top of spur, slopes S. 70° E.
44.60	Fence, bears E. and W.
48.60	Leave spur; desc. 120 ft. over N. slope.
52.20	Ravine, course E.; asc. 92 ft. over S. slope.
55.30	Tip of spur, slopes SE.; desc. 56 ft. over NE. slope.
61.00	Ravine, course SE.; asc. 41 ft. over SW. slope.
64.20	Short spur, slopes W.; desc. 15 ft.
67.50	Same ravine, course SW.; asc. 92 ft. over SE. slope.
73.20	Over top of flat spur, slopes SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, supported in a mound of stone, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.
	T13NR9E S8 S9 ---+--- S17 S16 1934
	from which
	A yellow pine, 6 ins. diam., bears N. 66° E., 99 lks. dist., mkd. T13N R9E S9 BT.
	A white oak, 5 ins. diam., bears S. $35\frac{1}{2}$ ^o E., 61 lks. dist., mkd. T13N R9E S16 BT.
	A yellow pine, 12 ins. diam., bears S. $49\frac{1}{2}$ ^o W., 72 lks. dist., mkd. T13N R9E S17 BT.
	A yellow pine, 12 ins. diam., bears N. $22\frac{1}{4}$ ^o W., 67 lks. dist., mkd. T13N R9E S8 BT.
	Land: rolling. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine, oak. Undergrowth: 2nd growth pine, scrub oak, manzanita.

	S. $89^{\circ}51'$ E., on random line, bet. secs. 9 and 16.
40.00	Set temp. $\frac{1}{2}$ sec. cor.
79.90	A point 2 lks. N. of the cor. of secs. 9, 10, 15 and 16.
	Thence
	N. $89^{\circ}50'$ W., on true line, bet. secs. 9 and 16.
	Desc. 241 ft. over increasing NNE. slope; through medium pine and oak timber and medium undergrowth.
8.30	Enter dry channel of Tom's Creek, 50 lks. wide, course NE., from W.
11.80	Leave same, from SW.; asc. 351 ft. over SW. slope.
26.00	Over flat spur, slopes S.

61

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

Chains 39.95 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S9

S16

1934

from which

A yellow pine, 6 ins. diam., bears S. $32\frac{1}{2}$ ^oW., 67 lks. dist., mkd. $\frac{1}{2}$ S16 BT.

A yellow pine, 5 ins. diam., bears N. $55\frac{1}{2}$ ^oW., 61 lks. dist., mkd. $\frac{1}{2}$ S9 BT.

40.30 Leave top of spur; desc. 50 ft. over NW. slope.

43.50 Ravine, course NE.; asc. 32 ft. over SE. slope.

47.00 Change to S. slope; desc. slightly.

53.60 Small ravine, course SE.; asc. 75 ft. over NE. slope.

64.60 Over flat, slopes N.; desc. 22 ft.

79.90 The cor. of secs. 8,9,16 and 17.

Land: rolling.

Soil: adobe, rocky, 2nd. and 3rd rates.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, locust, manzanita.

N. $0^{\circ}02'$ W., bet. secs. 8 and 9.

Over flat; through medium growth of pine and oak timber and scattering undergrowth.

4.00 Road, bears NE. and SW.; asc. 20 ft.

8.50 Low spur, slopes NE.; desc. 64 ft. over gentle NW. slope.

32.20 Head of ravine, course W.; asc. 23 ft. over gentle SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S8

S9

1934

from which

A white oak, 16 ins. diam., bears N. 32° E., 49 lks. dist., mkd. $\frac{1}{2}$ S9 BT.

A white oak, 12 ins. diam., bears N. $34\frac{1}{4}$ ^oW., 44 lks. dist., mkd. $\frac{1}{2}$ S8 BT.

Over gradual SW. slope.

40.70 Road, bears SE. and NW.

55.00 Desc. 128 ft. over increasing NE. slope.

67.40 Ravine, course NW.; asc. 5 ft.

BOOK 4030

62

SUBDIVISIONS OF T. 13 N., R. 9 E.

- Chains
 70.00 Change, to NW.. slope; desc. 57 ft.
 77.80 Same ravine, course NE.; asc. 23 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, supported in a mound of stone, for cor. of secs. 4,5,8 and 9, with brass cap mkd.

T13NR9E

S5	S4
S8	S9

1934

from which

A white oak, 12 ins. diam., bears N. $36\frac{1}{2}$ E., 37 lks. dist., mkd. T13N R9E S4 BT.

A yellow pine, 14 ins.. diam., bears S. $69\frac{1}{2}$ E., 61 lks. dist., mkd. T13N R9E S9 BT.

A yellow pine, 20 ins. diam., bears S. $60\frac{1}{2}$ W., 84 lks. dist., mkd. T13N R9E S8 BT.

A yellow pine, 14 ins. diam., bears N. $43^{\circ}W.$, 49 lks. dist., mkd. T13N R9E S5 BT.

Land: rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: pine and oak.

Undergrowth: 2nd growth pine, scrub oak.

S. $89^{\circ}50'W.$, on random line, bet. secs. 4 and 9.

40.00 Set temp. $\frac{1}{2}$ sec. cor.

79.90 A point 7 lks. N. of the cor. of secs. 3,4,9 and 10.

Thence

N. $89^{\circ}47'W.$, on true line, bet. secs. 4 and 9.

Desc. 11 ft. over NW. slope; through medium pine and oak timber and scattering undergrowth.

1.10 Gulch, course NE.; asc. 130 ft., over E. slope.

11.40 Spur, slopes NE.; desc. 57 ft. over SW. slope.

22.80 Ravine, course N., soon NE.; asc. 22 ft.

23.80 Over flat.

36.70 Leave flat; desc. 23 ft. over SW. slope.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, and in a mound of stone to top, for $\frac{1}{2}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S4
$\frac{1}{4}$	S9

1934

from which

A white oak, 8 ins. diam., bears S. $84^{\circ}E.$, 21 lks. dist., mkd. $\frac{1}{2}$ S9 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

	Chains	A white oak, 8 ins. diam., bears N. $32\frac{1}{2}$ ^o E., 39 lks. dist., mkd. $\frac{1}{2}$ S4 BT. Desc. 105 ft. over W. slope.
49.70	Ravine, course N. 15° W.; asc. 67 ft. over NE. slope.	
65.90	Head of ravine, course N.	
70.00	Over top of spur, slopes N.	
75.40	Leave spur; desc. 92 ft. over W. slope.	
79.30	Ravine, course N.; asc. 24 ft. over E. slope.	
79.90	The cor. of secs. 4, 5, 8 and 9. Land: rolling. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine and oak. Undergrowth: 2nd growth pine, scrub oak.	
	N. $0^{\circ}02'$ W., bet. secs. 4 and 5.	
	Asc. 23 ft. over rolling E. slope; through medium pine and oak timber and scattering undergrowth.	
9.60	Spur, slopes NE.; desc. 62 ft. over N. slope.	
11.80	Short ravine, course NE.; asc. 53 ft. over SE. slope.	
15.70	Short spur, slopes E.; desc. 53 ft. over N. slope.	
18.50	Drain, course E.; asc. 76 ft. over S. slope.	
27.20	Spur, slopes E.; desc. 180 ft. over NE. slope.	
36.60	Ravine, course N. 60° E.; asc. 30 ft. along rolling E. slope.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.	
	$\frac{1}{4}$ S5 S4 1934	
	from which	
	A yellow pine, 6 ins. diam., bears N. $39\frac{1}{2}$ ^o E., 32 lks. dist., mkd. $\frac{1}{2}$ S4 BT.	
	A yellow pine, 10 ins. diam., bears N. $22\frac{1}{4}$ ^o W., 120 lks. dist., mkd. $\frac{1}{2}$ S5 BT.	
	Asc. 118 ft. along rolling E. slope.	
60.20	Change to NE. slope; desc. 26 ft.	
66.10	Gully, course NE.; asc. 97 ft. over SE. slope.	
72.66	Intersect the S. bdy. of T.14 N., R.9 E. At intersection Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap mkd.	

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

T14NR9E

S33

S5 | S4

C C

T13NR9E

1934

from which

A yellow pine, 10 ins. diam., bears S.15°E., 44 lks.
dist., mkd. T13N R9E S4 CC BT.

A yellow pine, 10 ins. diam., bears S.23 $\frac{1}{2}$ °W., 66 lks.
dist., mkd. T13N R9E S5 CC BT.

From point of intersection the cor. of secs. 32 and 33,
only, bears West, 13.27 chs. dist.; the $\frac{1}{4}$ sec. cor. of
sec. 33, only, bears East, 26.73 chs. dist., both here-
inbefore described.

Land: rolling.

Soil: adobe, rocky, 3rd rate.

Timber: pine, oak, juniper.

Undergrowth: 2nd growth pine, scrub oak.

From the standard cor. of secs. 31 and 32, on the S. bdy.
of the Tp., hereinbefore described,

N.0°03'W., bet. secs. 31 and 32.

Desc. 58 ft. over NW. slope; through medium growth of pine,
fir and oak timber and scattering undergrowth.

- 2.60 Short ravine, course NE.; desc. 26 ft.
- 7.10 Enter bottom of canyon, course N.10°W.
- 12.20 Leave same; course NW.; asc. 105 ft. over SW. slope.
- 20.60 Over top of spur, slopes NW.
- 28.30 Leave same; desc. 66 ft. over NE. slope.
- 39.00 Head of drain, course NE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S31 | S32

1934

from which

A yellow pine, 28 ins. diam., bears S.68 $\frac{1}{2}$ °E., 16 lks.
dist., mkd. $\frac{1}{4}$ S32 BT.

A yellow pine, 12 ins. diam., bears S.34°W., 28 lks.
dist., mkd. $\frac{1}{4}$ S31 BT.

Desc. 28 ft. over NE. slope.

- 44.90 Drain, course E.; asc. 27 ft. over general SE. slope.
- 54.00 Over flat spur, slopes N., from SW.
- 68.90 Desc. 55 ft. over N. slope.

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

Chains

71.10 Ravine, course NW.; descent now along W. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 29,30,31 and 32, with brass cap mkd.

T13	R9E
S30	S29
S31	S32

1934

from which

A yellow pine, 8 ins. diam., bears N. $27\frac{1}{4}$ $^{\circ}$ E., 85 lks. dist., mkd. T13N R9E S29 BT.A yellow pine, 30 ins. diam., bears S. $54\frac{1}{4}$ $^{\circ}$ E., 84 lks. dist., mkd. T13N R9E S32 BT.A white oak, 6 ins. diam., bears S. $53\frac{1}{2}$ $^{\circ}$ W., 55 lks. dist., mkd. T13N R9E S31 BT.A yellow pine, 8 ins. diam., bears N. $46\frac{1}{2}$ $^{\circ}$ W., 60 lks. dist., mkd. T13N R9E S30 BT.

Land: rolling.

Soil: adobe, volcanic loam, 2nd and 3rd rates.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, scrub oak, manzanita.

East, on random line, bet. secs. 29 and 32.

40.00 Set temp. 1/4 sec. cor.

79.80 A point 12 lks. S. of the cor. of secs. 28,29,32 and 33.

Thence

S. $89^{\circ}55'W.$, on true line, bet. secs. 29 and 32.

Asc. 101 ft. over E. slope; through medium pine, fir and oak timber and scattering undergrowth.

4.90 Over top of flat spur, slopes NE.

16.30 Head of ravine, course N.

29.00 Road, bears NW. and SE.

30.00 Leave flat; desc. 64 ft. over SW. slope.

37.40 Ravine, course NW.; asc. 29 ft. over E. slope.

39.90 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4
S29
S32
1934

from which

A yellow pine, 10 ins. diam., bears N. $31\frac{1}{2}$ $^{\circ}$ E., 45 lks. dist., mkd. 1/4 S29 BT.A yellow pine, 14 ins. diam., bears S. $61\frac{1}{2}$ $^{\circ}$ W., 40 lks. dist., mkd. 1/4 S32 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	Over flat spur, slopes NE.
45.00	Leave spur; desc. 64 ft. over rolling SW. slope.
54.20	Ravine, course NW.; asc. 54 ft. over NE. slope.
58.80	Spur, slopes N.; desc. 42 ft.
65.10	Drain, course N.; asc. 68 ft. over E. slope.
72.50	Over flat, bears N. and S.
79.80	The cor. of secs. 29,30,31 and 32. Land: rolling and flat. Soil: adobe, rocky, 2nd rate. Timber: pine, oak, fir. Undergrowth: 2nd growth pine, scrub oak, manzanita.

	West, on random line, bet. secs. 30 and 31.
40.00	Set temp. 1 sec. cor.
80.10	A point 2 lks. N. of the cor. of secs. 25,30,31 and 36, on the W. bdy. of the Tp., hereinbefore described.
	Thence
	N.89°59'E., on true line, bet. secs. 30 and 31.
	Over flat; through heavy pine and oak timber and scattering undergrowth.
14.60	Leave flat, bears N. and S.; desc. 180 ft. over SE. slope.
36.50	Ravine, bears irregularly N.; asc. 51 ft. over W. slope.
40.10	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for 1/2 sec. cor., with brass cap mkd.
	<u>S30</u> <u>S31</u> 1934
	from which
	A yellow pine, 12 ins. diam., bears S.154°E., 50 lks. dist., mkd. 1/2 S31 BT.
	A yellow pine, 16 ins. diam., bears N.222°W., 36 lks. dist., mkd. 1/2 S30 BT.
	Over top of spur, slopes N.
47.70	Leave same; desc. 34 ft. over SE. slope.
50.30	Junction of ravines from SE. and SW., course N.; asc. 83 ft. over W. slope.
66.00	Flat spur, 2 chs. wide, slopes N.; desc. 82 ft. over SE. slope.
79.10	Ravine, course N.; asc. 19 ft. over W. slope.
80.10	The cor. of secs. 29,30,31 and 32. Soil: adobe, rocky, 2nd and 3rd rate. Timber: pine, oak, fir. Undergrowth: 2nd growth pine.

67

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

Chains

Land: rolling and flat.
 Soil: adobe, rocky, 2nd and 3rd rates.
 Timber: pine, oak, fir.
 Undergrowth: 2nd growth pine, scrub oak, sage.

N.0°03'W., bet. secs. 29 and 30.

Desc. 38 ft. over N.70°W. slope; through medium growth of pine and oak timber and scattering undergrowth.

9.80 Change to SW. slope; asc. 23 ft.

15.00 Short spur, slopes NW.; desc. 41 ft. over NE. slope.

19.70 Ravine, course NW.; asc. 80 ft. over SW. slope.

28.10 Over spur, slopes NW.

31.20 Leave same; desc. 73 ft. over NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

330 | S29

1934

from which

A yellow pine, 5 ins. diam., bears N.86 $\frac{1}{4}$ °E., 30 lks. dist., mkd. S29 BT.A yellow pine, 12 ins. diam., bears S.57 $\frac{3}{4}$ °W., 50 lks. dist., mkd. S30 BT.

Desc. 11 ft. over NE. slope.

41.40 Ravine, course NW.; asc. 51 ft. over SW. slope.

49.50 Over flat, bears NW. and SE.

53.50 Road, bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, and in a mound of stone to top, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.

T13NR9E

S19 | S20

S30 | S29

1934

from which

A yellow pine, 26 ins. diam., bears N.7 $\frac{1}{2}$ °E., 113 lks. dist., mkd. T13N R9E S20 BT.

A yellow pine, 38 ins. diam., bears S.29°E., 29 lks. dist., mkd. T13N R9E S29 BT.

A yellow pine, 8 ins. diam., bears S.48 $\frac{1}{4}$ °W., 43 lks. dist., mkd. T13N R9E S30 BT.A yellow pine, 14 ins. diam., bears N.77 $\frac{1}{2}$ °W., 74 lks. dist., mkd. T13N R9E S19 BT.

Land: flat and rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

SUBDIVISIONS OF T.13 N., R.9 E.

	Chains	<p>Timber: pine, oak, fir. Undergrowth: 2nd growth pine, locust.</p> <hr/> <p>N.89°55'E., on random line, bet. secs. 20 and 29.</p>
40.00		Set temp. $\frac{1}{2}$ sec. cor.
79.82		A point 9 lks. S. of the cor. of secs. 20, 21, 28 and 29. Thence S.89°51'W., on true line, bet. secs. 20 and 29.
		Desc. 140 ft. over SW. slope; through medium growth of pine and oak timber and scattering undergrowth.
14.80		Canyon, dry wash, 20 lks. wide, course N.25°W.; asc. 125 ft. over E. slope.
21.70		Over flat, bears N. and S.
39.91		Set an iron post, $\frac{3}{4}$ ft. long, 1 in. diam., 20 ins. in the ground, and in a mound of stone to top, for $\frac{1}{2}$ sec. cor., with brass cap mkd.
		<u>S20</u> <u>S29</u>
		1934
		from which
		A yellow pine, 18 ins. diam., bears S.9 $\frac{1}{2}$ °W., 69 lks. dist., mkd. $\frac{1}{4}$ S29 BT.
		A yellow pine, 6 ins. diam., bears N.1 $\frac{1}{2}$ °W., 28 lks. dist., mkd. $\frac{1}{2}$ S20 BT.
47.70		Ravine, 30 ft. deep, course NW.
67.80		Leave flat; desc. 46 ft. over SW. slope.
70.60		Ravine, course NW.; asc. 48 ft.
74.00		Over flat, bears NW. and SE.
79.82		The cor. of secs. 19, 20, 29 and 30. Land: flat and rolling. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine and oak. Undergrowth: 2nd growth pine.
		<hr/>
		S.89°59'W., on random line, bet. secs. 19 and 30.
40.00		Set temp. $\frac{1}{2}$ sec. cor.
79.98		A point 9 lks. S. of the cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., hereinbefore described. Thence N.89°55'E., on true line, bet. secs. 19 and 30.
		Asc. 10 ft. over gentle SW. slope; through medium pine and oak timber and scattering undergrowth.

SUBDIVISIONS OF T.13 N., R.9 E.

BOOK 4030

Chains			
4.00	Low spur, slopes N.; desc. 17 ft. over gentle NE. slope.		
13.00	Drain, course NE.; asc. 23 ft. over gentle NW. slope.		
15.85	Road, bears NE. and SW.		
26.90	Low spur, slopes N.; over gently rolling land.		
39.98	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for sec. cor., with brass cap mkd.		

S19
330

1934

from which

An oak, 14 ins. diam., bears S.13°E., 150 lks. dist., mkd. $\frac{1}{4}$ S30 BT.
A pine, 10 ins. diam., bears N.55°W., 135 lks. dist., mkd. $\frac{1}{4}$ S19 BT.
53.50 Low spur, slopes NE.; desc. 140 ft. over rolling SE. slope.
75.50 Canyon, dry wash, 30 lks. wide, course NE.; asc. 86 ft. over NW. slope.
79.98 The cor. of secs. 19, 20, 29, and 30. Land: gently rolling. Soil: adobe, rocky, 2nd and 3rd rate. Timber: yellow pine and oak. Undergrowth: 2nd growth pine.

N.0°03'W., bet. secs. 19 and 20.
Desc. 88 ft. over NW. slope; through medium growth of oak and pine timber and scattering undergrowth.
6.40 Canyon, course NE.; asc. 21 ft.
14.00 Change to E. slope; desc. 40 ft.
26.40 Short ravine, course E.; asc. 116 ft. over S. slope.
32.40 Over flat spur, slopes NE..
40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, supported in a mound of stone, for sec. cor., with brass cap mkd.

S19 | S20
1934

from which

A white oak, 16 ins. diam., bears N.24°E., 61 lks. dist., mkd. $\frac{1}{4}$ S20 BT.
A white oak, 8 ins. diam., bears S.61°W., 73 lks. dist., mkd. $\frac{1}{4}$ S19 BT.
42.50 Leave spur; desc. 97 ft. over NW. slope.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains
 51.30 Ravine, course NE.; asc. 76 ft. over SE. slope.
 54.80 Top of ascent; over flat, bears NE. and SW.
 79.00 Road, bears SW. and NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19,20,29 and 30, with brass cap mkd.

T13	NR9E
S18	S17
S19	S20
1934	

from which

A yellow pine, 14 ins. diam., bears N. $30\frac{1}{2}$ ^oE., 63 lks. dist., mkd. T13N R9E S17 BT.

A yellow pine, 6 ins. diam., bears S. $84\frac{1}{2}$ ^oE., 29 lks. dist., mkd. T13N R9E S20 BT.

A yellow pine, 6 ins. diam., bears S. $44\frac{1}{2}$ ^oW., 42 lks. dist., mkd. T13N R9E S19 BT.

A yellow pine, 6 ins. diam., bears N. $76\frac{1}{2}$ ^oW., 35 lks. dist., mkd. T13N R9E S18 BT.

Land: flat and rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: yellow pine, white oak.

Undergrowth: 2nd growth of same.

N. $89^{\circ}51' E.$, on random line, bet. secs. 17 and 20.

40.00 Set temp. $\frac{1}{2}$ sec. cor.

79.82 A point 9 lks. N. of the cor. of secs. 16,17,20 and 21.

Thence

S. $89^{\circ}55' W.$, on true line, bet. secs. 17 and 20.

Asc. 87 ft. over NE. slope; through medium pine, fir and oak timber and medium undergrowth.

4.00 Spur, slopes NW.; desc. 116 ft. over SW. slope.

6.50 Tom's Creek, dry wash, 40 lks. wide, course NE.; asc. 109 ft. over SE. slope.

11.20 Change to S. slope.

14.60 Change to SW. slope; desc. 77 ft.

18.90 Same Creek, course S. $70^{\circ} E.$; asc. 47 ft.

24.00 Over short spur, slopes N.

25.80 Leave spur; desc. 40 ft.

28.80 Same creek, course NE.; asc. 120 ft. over SE. slope.

32.30 Change to gentle S. slope.

39.91 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground; for $\frac{1}{2}$ sec. cor.; with brass cap mkd.

SUBDIVISIONS OF T. 13 N., R. 9 E.

BOOK 4030

71

Chains	<u>\$17.</u> <u>$\frac{1}{4}$S20</u> <u>1934</u> from which A yellow pine, 12 ins. diam., bears S.56°E., 45 lks. dist., mkd. $\frac{1}{4}$ S20 BT. A white oak, 5 ins. diam., bears N.5 $\frac{1}{2}$ °W., 26 lks. dist., mkd. $\frac{1}{4}$ S17 BT. Asc. 28 ft. along S. slope. 43.50 Short spur, slopes S.; desc. 67 ft. over SW. slope. 46.90 Short ravine, course SE.; asc. 168 ft. over E. slope. 55.60 Over flat, bears E. and W. 76.45 Road, bears NE. and SW. 79.82 The cor. of secs. 17, 18, 19 and 20. Land: flat and rolling-mountainous. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine, oak, fir. Undergrowth: 2nd growth pine, scrub oak, manzanita. <hr/> S.89°55'W., on random line, bet. secs. 18 and 19. 40.00 Set temp. $\frac{1}{4}$ sec. cor. 79.94 A point 5 lks. N. of the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., hereinbefore described. Thence N.89°53'E., on true line, bet. secs. 18 and 19. Desc. 158 ft. over NE. slope; through medium growth of pine, fir and oak timber and medium undergrowth. 8.80 Ravine, course NW.; asc. 43 ft. over SW. slope. 14.40 Short spur, slopes SE.; desc. 35 ft. 18.70 Same ravine, near head. course SW.; asc. 88 ft. over NW. slope. 20.90 Asc. slightly over top of spur, slopes S. 39.94 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <u>\$18</u> <u>$\frac{1}{4}$S19</u> <u>1934</u> from which A yellow pine, 8 ins. diam., bears N.5 $\frac{1}{2}$ °E., 33 lks. dist., mkd. $\frac{1}{4}$ S18 BT. A yellow pine, 10 ins. diam., bears S.15 $\frac{1}{2}$ °W., 35 lks. dist., mkd. $\frac{1}{4}$ S19 BT. 42.10 Road, bears SE. and NW.
--------	--

SUBDIVISIONS OF T.13 N., R.9 E.

Chains	
51.00	Begin descent of 64 ft. over NE. slope.
59.60	Ravine, course N.15°W.; asc. 51 ft. over W. slope.
62.50	Over top of flat spur, slopes NW.
79.94	The cor. of secs. 17,18,19 and 20. Land: flat and rolling. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine, fir, oak. Undergrowth: 2nd growth of same, scrub oak, manzanita.
	N.0°03'W., bet. secs. 17 and 18. Over flat; through medium pine and oak timber and scattering undergrowth.
11.00	Leave same; desc. 94 ft. over N. slope.
21.40	Ravine, course NW.; asc. 43 ft. over SW. slope.
24.80	Over top of spur, slopes NW.
29.40	Leave same; desc. 53 ft. over N. slope.
31.90	Ravine, course NW.; asc. 81 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S18 S17 1934
	from which
	A white oak, 14 ins. diam., bears N.42 $\frac{1}{2}$ °E., 13 lks. dist., mkd. $\frac{1}{4}$, S17 BT.
	A yellow pine, 6 ins. diam., bears N.85°W., 30 lks. dist., mkd. $\frac{1}{4}$, S18 BT.
	Asc. 60 ft. over SW. slope.
47.40	Change to W. slope.
49.30	Head of ravine, course SW.; asc. 57 ft. over SE. slope.
56.60	Over flat, bears E. and W.
59.85	Fence, bears NW. and SE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 7,8,17 and 18, with brass cap mkd.
	T13R9E S7 S8 ---+--- S18 S17 1934
	from which
	A yellow pine, 8 ins. diam., bears N.33 $\frac{1}{2}$ °E., 83 lks. dist., mkd. T13N R9E S8 BT.

SUBDIVISIONS OF T.13 N., R.9 E.

73

BOOK 4030

Chains	A white oak, 8 ins. diam., bears S.53 $\frac{1}{4}$ E., 55 lks. dist., mkd. T13N R9E S17 BT. A yellow pine, 30 ins. diam., bears S.42 $\frac{1}{4}$ W., 44 lks. dist., mkd. T13N R9E S18 BT. A white oak, 8 ins. diam., bears N.3 $\frac{1}{2}$ W., 82 lks. dist., mkd. T13N R9E S7 BT. Land: flat and rolling. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine, fir, oak. Undergrowth: 2nd growth pine, scrub oak.
	N.89°55'E., on random line, bet. secs. 8 and 17.
40.00	Set temp. 1 sec. cor.
79.76	A point 9 lks. N. of the cor. of secs. 8,9,16 and 17. Thence
	S.89°59'W., on true line, bet. secs. 8 and 17. Over flat; through medium pine and oak timber and scattering undergrowth.
12.50	Road, bears NE. and SW.
19.90	Head of drain, course N.; asc. 19 ft.
25.40	Spur, slopes N.25°W.; desc. 46 ft. over W. slope.
33.00	Change to SW. slope; desc. 51 ft.
36.00	Ravine, course N.35°W.; asc. 46 ft. over NE. slope.
39.88	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for 1 sec. cor., with brass cap mkd.
	<u>38</u> <u>317</u> 1934 .
	from which
	A white oak, 10 ins. diam., bears N.27 $\frac{1}{4}$ E., 22 lks. dist., mkd. $\frac{1}{2}$ S8 BT.
	A yellow pine, 26 ins. diam., bears S.81°E., 41 lks. dist., mkd. $\frac{1}{2}$ S17 BT.
	Over flat spur, slopes N.
49.20	Leave spur; desc. 140 ft. over increasing W. slope.
53.60	Road, bears N.20°E. and S.20°W.
62.60	Ravine, course N.; asc. 128 ft. over E. slope.
69.60	Over flat, bears N. and S.
78.60	Road, bears N. and S.
79.76	The cor. of secs. 7,8,17 and 18.

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

Land: flat and rolling.
 Soil: adobe, rocky, 2nd and 3rd rates..
 Timber: pine, oak, fir.
 Undergrowth: 2nd growth pine, scrub oak, manzanita.

- 3.89°53'W., on random line, bet. secs. 7 and 18.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.09 A point 7 lks. S. of the cor. of secs. 7,12,13 and 18, on the W. bdy. of the Tp., hereinbefore described.
- Thence N.89°56'E., on true line, bet. secs. 7 and 18..
- Asc. 26 ft. over NW. slope; through medium pine and oak timber and scattering undergrowth.
- 4.50 Over top of spur, slopes N.30°W.
- 8.50 Leave spur, desc. 89 ft. over NE. slope.
- 10.80 Road, bears irregularly N. and S.
- 15.70 Ravine, course N.15°W.; asc. 112 ft. over W. slope.
- 29.10 Spur, slopes N.; desc. 117 ft. over NE. slope.
- 40.09 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- 37
418
- 1934
- from which
- A yellow pine, 12 ins. diam., bears N.46°E., 27 lks. dist., mkd. $\frac{1}{4}$ S7 BT.
- A yellow pine, 12 ins. diam., bears S.25°W., 36 lks. dist., mkd. $\frac{1}{4}$ S18 BT.
- Desc. 43 ft. over NE. slope.
- 42.90 Wash, 10 lks. wide, course NW.; asc. 162 ft. over SW.slope.
- 53.50 Over flat spur, slopes NW.
- 56.30 Leave same; desc., 44 ft.. over NE. slope.
- 60.10 Drain, course NW.; asc. 149 ft. over SW. slope, to cor.
- 75.50 Head of ravine, course NW.
- 79.40 Fence, bears N. and S.
- 80.09 The cor. of secs. 7,8,17 and 18.
- Land: flat and rolling.
 Soil: adobe, rocky, 2nd and 3rd rate,
 Timber: pine and oak.
 Undergrowth: 2nd growth pine, scrub oak.

SUBDIVISIONS OF T.13 N., R.9 E.

75

BOOK 4030

	Chains	N.0°03'W., bet. secs. 7 and 8.
		Over flat; through medium pine and oak timber and scattering undergrowth.
35.00		Leave flat; desc. 22 ft. over NE: slope.
40.00		Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
		S7 S8 1934
		from which.
		A yellow pine, 16 ins. diam., bears N.15 $\frac{1}{4}$ E., 70 lks. dist., mkd. S8 BT.
		A white oak, 10 ins. diam., bears S.81 $\frac{1}{4}$ W., 41 lks. dist., mkd. S7 BT.
		Desc. 115 ft. over NE. slope.
48.00		Ravine, course NW.; asc. 111 ft. over SW. slope.
56.00		Over top of spur, slopes W.
71.00		Road, bears SE. and NW.
72.00		Leave spur; desc. 45 ft. over NW. slope.
80.00		Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, supported in a mound of stone, for cor. of secs. 5,6,7 and 8, with brass cap mkd.
		T13NR9E S6 S5 S7 S8 1934
		from which.
		A white oak, 18 ins. diam., bears N.33 $\frac{1}{4}$ E., 73 lks. dist., mkd. T13N R9E S5 BT.
		A yellow pine, 12 ins. diam., bears S.40 $\frac{1}{4}$ E., 29 lks. dist., mkd. T13N R9E S8 BT.
		A yellow pine, 12 ins. diam., bears S.51 $\frac{1}{4}$ W., 8 lks. dist., mkd. T13N R9E S7 BT.
		A yellow pine, 10 ins. diam., bears N.11 $\frac{1}{2}$ W., 45 lks. dist., mkd. T13N R9E S6 BT.
		Land: flat and rolling. Soil: adobe, rocky, 2nd rate. Timber: pine and oak. Undergrowth: 2nd growth pine, scrub oak.
		N.89°59'E., on random line, bet. secs. 5 and 8.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
79.72		A point 4 lks. S. of the cor. of secs. 4,5,8 and 9.
		Thence

SUBDIVISIONS OF T.13 N., R.9 E.

	Chains	S.89°57'W., on true line, bet. secs. 5 and 8. Asc. 88 ft. over SE. slope; through medium pine and oak timber and scattering undergrowth.
8.00		Over flat spur, slopes N.
16.70		Road, bears SE. and NW.
18.20		Leave spur; desc. 66 ft. over NW. slope.
24.60		Small ravine, course S.70°W.; asc. slightly.
33.00		Change to SW. slope; desc. 47 ft.
39.86		Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

155
4
8

1934

from which

A yellow pine, 14 ins. diam., bears S.41 $\frac{1}{4}$ °W., 33 lks. dist., mkd. $\frac{1}{4}$ S8 BT.

A white oak, 10 ins. diam., bears N.70 $\frac{1}{4}$ °W., 53 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

Desc. 134 ft. over SW. slope.

46.00 Ravine, course SW.; asc. 38 ft. over NE. slope.

50.00 Change to NW. slope; desc. 60 ft.

58.50 Same ravine, course NW.; asc. 32 ft. over NE. slope.

60.40 Change to W. slope; desc. 39 ft.

62.60 Small ravine, course NW.; asc. 196 ft. over NE. slope.

79.72 The cor. of secs. 5,6,7 and 8.

Land: rolling.

Soil: adobe, rocky, 2nd and 3rd rates.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, scrub oak, manzanita.

S.89°56'W., on random line, bet. secs. 6 and 7.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 A point 2 lks. N. of the cor. of secs. 1,6,7 and 12, on the W. bdy. of the Tp., hereinbefore described.

Thence

N.89°55'E., on true line, bet. secs. 6 and 7.

Over flat; through medium pine and oak timber and scattering undergrowth.

6.80 Road, bears N.20°E. and S.20°W.; Back's cabin, at end of road, bears about 15 chs. N.15°E.

9.20 Leave flat; desc. 207 ft. over general SE. slope.

SUBDIVISIONS OF T. 13 N., R. 9 E. BOOK 4030

Chains		
18.30	Fence, bears SE. and NW.	
22.00	Canyon, dry wash, 30 lks. wide, course NE.; asc. 132 ft. over NW. slope.	
29.40	Over top of spur, slopes N.	
32.80	Leave spur; desc. 102 ft. over NE. slope.	
36.80	Ravine, course NW.; asc. 17 ft.	
40.02	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to top, for $\frac{1}{2}$ sec. cor., with brass cap mkd.	
	S 6 S 7 1934	
	from which	
	A yellow pine, 14 ins. diam., bears S. $25\frac{3}{4}^{\circ}$ W., 11 lks. dist., mkd. S7 BT.	
	A white oak, 6 ins. diam., bears N. $71\frac{1}{2}^{\circ}$ W., 52 lks. dist., mkd. S6 BT.	
	Desc. 15 ft. over SE. slope.	
40.70	Same ravine, course SW.; asc. 143 ft. over SW. slope.	
64.00	Over top of spur, slopes NW.	
64.90	Road, bears NW. and SE.	
69.40	Leave spur; desc. 55 ft. over E. slope.	
72.20	Ravine, course N.; asc. 81 ft. over W. slope.	
79.50	Over top of spur, slopes NW.	
80.02	The cor. of secs. 5, 6, 7 and 8.	
	Land: rolling. Soil: adobe, rocky, 2nd and 3rd rates. Timber: pine, oak, fir. Undergrowth: 2nd growth pine, scrub oak.	
	N. $0^{\circ}03'$ W., bet. secs. 5 and 6.	
	Desc. 220 ft. over general NE. slope; through medium pine and oak timber and scattering undergrowth.	
19.00	Canyon, dry wash, 10 lks. wide, 4 ft. deep, course NW.; asc. 149 ft. over SW. slope.	
27.00	Spur, slopes W.; desc. 92 ft. over NW. slope.	
30.80	Ravine, course W.; asc. 69 ft. over SW. slope.	
34.00	Spur, slopes W.; desc. 29 ft. over NW. slope.	
37.80	Ravine, course SW.; asc. 60 ft. over SE. slope.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., with brass cap mkd.	

SUBDIVISIONS OF T.13 N., R.9 E.

Chains

4
S6 | S5
1934

from which

A yellow pine, 32 ins. diam., bears S.26 $\frac{1}{4}$ $^{\circ}$ E., 32 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

A yellow pine, 5 ins. diam., bears S.87 $\frac{1}{2}$ $^{\circ}$ W., 6 lks. dist., mkd. $\frac{1}{4}$ S6 BT.

Asc. 82 ft. over SE. slope.

48.20 Over top of spur, slopes W.

53.50 Leave same; desc. 42 ft. over NW. slope.

57.70 Ravine, course W.; asc. 41 ft. over SW. slope.

62.00 Flat spur, slopes NW.; desc. 119 ft. over NE. slope.

68.10 Small ravine, course NW.

71.80 Drain, course SW.; asc. 8 ft.

72.75 Intersect the S. bdy. of T.14 N., R.9 E. At intersection

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap mkd.

T14NR9E

S32

S6 | S5

C C

T13NR9E

1934

from which

A white oak, 5 ins. diam., bears S.12 $^{\circ}$ E., 14 lks. dist., mkd. T13N R9E S5 CC BT.

A white oak, 7 ins. diam., bears S.76 $^{\circ}$ W., 54 lks. dist., mkd. T13N R9E S6 BC BT..

From point of intersection the cor. of secs. 31 and 32, only, bears West, 13.47 chs. dist.; the $\frac{1}{4}$ sec. cor. of sec. 32, only, bears East, 26.53 chs. dist., both hereinbefore described.

Land: rolling and broken.

Soil: adobe, rocky, 2nd and 3rd rate.

Timber: pine, oak, fir.

Undergrowth: 2nd growth pine, scrub oak.

FINAL TEST OF SOLAR ATTACHMENTS

July 22, 1934, on the meridian described on page 1, hereof, at 30-min. intervals from 7:30 to 11 a.m. and from 1 to 4 p.m., we make proper settings on the arcs of the solar attachments and, orienting the instruments with the solar attachments, find that the resulting lines differ from the Polaris meridian by less than 1'30". A further final test is described on page 83 of Book "C" of this Group.

T.13 N., R.9 E.

BOOK 403C

The township lies about 15 miles N. of the town of Pine, Ariz.; The highway from Pine to Flagstaff and Winslow runs north-easterly through the Tp. and several branch roads give access to the other parts of the Tp.

It is a mesa country of volcanic origin on a general NW. slope bet. the sea-level elevations of 6,500 and 7,500 ft. There are a few considerable areas of level or gently rolling land, though much more than half of the Tp. slopes more abruptly into the water channels.

The drainage of the Tp. is into the Verde River by Clear Cr., which heads in this Tp., being made up of Tom's Cr. and Clover Cr., both of which are sub-surface streams. There is no running water in the Tp except in those creeks though a few springs and wells furnish sufficient water for the present grazing and recreational uses of the Tp.

The Tp. is covered with an excellent stand of yellow pine timber and considerable 2nd growth of the same. There is a lesser amount of oak and fir timber and scrub oak and manzanita and locust undergrowth.

A telephone line crosses the SE. cor. of the Tp. Summer residences are located in secs. 6,12 and 26. There are some fences and water developments.

No mineral was observed.

4-680
(August, 1926)

BOOK 4030

FIELD ASSISTANTS.

NAMES.	CAPACITY.
Raymond S. Davis	1st Chainman
Stanley J. Palmer	1st Chainman
Glen Greenhaw	1st and 2nd Chainman
Claude A. Mulkey	2nd Chainman
Orland Parks	2nd Chainman
Robert R. Riesgo	Moundsman
Claude Burk	Moundsman
Gilden Redewill	Flagman
Harry Wintz	Flagman
Ernest Cooley	Axman
George Godfrey	Axman
Shamus O'Brien	Axman
James R. Burger	Axman
Walter Harbold	Axman
Jake Spillman	Axman
J. William Estes	Axman

S-2764

194

82

BOOK 4030

CERTIFICATE OF UNITED STATES SURVEYORS.

We, Chas. W. Devendorf, U.S.Cadastral Engineer
 and Benj. J. Mollette, U.S.Transitman, hereby certify upon honor that, in pursuance
 of special instructions received from the District Cadastral Engineer for Arizona
 bearing date of the 20th day of March, 1934, we have well, faithfully, and truly
 in our own proper persons, and in strict conformity with said instructions, the Manual of Surveying Instruc-
 tions, and the laws of the United States, resurveyed all those parts or portions of 3rd Standard Parallel
 North in Range 9 East, and the West boundary of Township 13 North, Range 9 East,
 and surveyed all those parts or portions of the South
 Boundary of Township 14 North, Range 9 East, and of the West boundary and Subdi-
 vision Lines of

Township 13 North, Range 9 East

of the Gila and Salt River

Base and Meridian, in the State of Arizona, which are represented in
 the foregoing field notes as having been executed by us, and under our direction; and that all the corners of
 said resurvey
 and survey have been established and perpetuated in strict accordance with the Manual of Surveying Instruc-
 tions, and the special written instructions of the District Cadastral Engineer for Arizona
 and in the specific manner described in the field notes, and that the foregoing are the original field notes of
 such resurvey and survey.

Benjamin J. Mollette
 U.S. Transitman
 Phoenix, Ariz.
 Nov. 27, 1934

Chas. W. Devendorf
 U.S.Cadastral Engineer
 Santa Fe, N.M.
 Nov. 30, 1934

APPROVAL

OFFICE OF U. S. SUPERVISOR OF SURVEYS,

Denver, Colorado FEB 28

, 1935

The foregoing field notes of the resurvey of the 3rd Standard Parallel, North thru Range
 9 East, and South half of the West boundary of Township 13 North, Range 9 East;
 and of the survey of the South boundary of Township 14 North, Range
 9 East, the North half of the West Boundary, and all of the Subdivision Lines
 of

Township 13 North, Range 9 East

of the Gila and Salt River Meridian, in the State of Arizona

executed by Chas. W. Devendorf, U.S.Cadastral Engineer & Benj. J. Mollette, U.S.Transitman
 under special instructions dated March 20, 1934, having been
 critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys
 they describe, are hereby approved.

Frank Johnson
 U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above described surveys in
 has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys.