

4-679  
(April 1933)

BOOK 4125

## FIELD NOTES

of the SURVEY of the

NORTH AND WEST BOUNDARIES

and

SUBDIVISION LINES

of

TOWNSHIP 41 NORTH, RANGE 3 EAST

Of the Gila and Salt River Base and Meridian,

In the State of ARIZONA

## EXECUTED BY

DANIEL M. WIER,

J.C. NORMAN, ALBERT GREENE, BERT E. WAKELMAN AND ELLIOTT PEARSON,

U.S. TRANSITMEN

Under special instructions dated July 30, 1936, which provided for the surveys included under Group No. 207, bearing the approval of the Commissioner of the General Land Office under date of August 12, 1936, Sept. 1 and 8 and assignment instructions dated Aug. 12 and 21 and , 1936.

Survey commenced August 17, 1936

Survey completed October 10, 1936

X125

BOOK 4125

**INDEX DIAGRAM.**

		Township		41 North		Range		3 East			
		9	10	11	12	13	14				
7		6	65	5	53	4	43	3	33	2	24
		64		64		52		43		32	23
6		7	63	8	51	9	42	10	31	11	22
		63		62		50		41		30	21
5		12	61	17	50	16	40	15	29	14	20
		60		60		49		39		28	19
5		19	59	20	48	21	38	22	28	23	18
		58		57		47		37		27	17
4		20	56	29	46	28	36	27	26	26	16
		56		55		45		35		26	16
1		31	54	32	44	33	34	34	25	33	15
		6-151									

---

Lines Previously surveyed.

---

Lines surveyed under this group.

## Survey: West Boundary T. 41 N., R. 3 E.

Chains      The subdivisions of T. 41 N., R. 3 E. were executed with Young & Son's transits Nos. 8491, 8526, 8540, 8541 and 8570. For description and tests of instruments, description of other equipment and method of survey see field notes of the subdivisions of T. 41 N., R. 2 E., surveyed under this group.

From the Std. cor. of Tps. 41 N., Rgs. 2 and 3 E., (10th. Standard Parallel N.), which is an iron post, 3 ft. long 3 ins. in diam., projecting 22 ins. above ground and in a mound of stone, with brass cap properly mkd. and witnessed by two bearing trees properly mkd. and bearing,

N.  $21\frac{1}{2}^{\circ}$  W., 47 lks. dist. and

N.  $33^{\circ}$  E., 44 lks. dist.

Thence North bet. secs. 31 and 36.

Over gently rolling land, thru dense timber and undergrowth; desc. 32 ft. over gentle N. slope.

- .06 Forest Bdy. Fence, brs. E. and W.
- 12.70 Draw, course NW.; desc. slightly over W. slope.
- 20.00 Low spur, slopes NW., 15 chs. to toe; cont. to desc. 24 ft. over N. slope, thru scattering timber.
- 27.20 Draw, course NW.; asc. 30 ft. over SW. slope.
- 40.00 Top ascent, slopes W.  
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S 36 | S 31  
1936

from which  
A pinyon, 6 ins. diam., brs. S. $50\frac{1}{2}^{\circ}$ E., 61 lks. dist.,  
mkd.  $\frac{1}{4}$  S31 BT

A pinyon, 6 ins. diam., brs. S. $88\frac{1}{2}^{\circ}$ W., 77 lks. dist.,  
mkd.  $\frac{1}{4}$  S36 BT

Desc. slightly over gentle W. slope.

- 45.80 Road, intersection, brs. N., SW., E. and W.
- 55.00 Change of slope; desc. 33 ft. over gentle NE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

T41N  
S25 | S 30  
S 36 | S 31  
R2E R3E  
1936

from which  
A juniper, 12 ins. diam., brs. N. $35^{\circ}$ E., 17 lks. dist.,  
mkd. T41N R3E S30 BT

A pinyon, 10 ins. diam., brs. S. $34^{\circ}$ E., 73 lks. dist.,  
mkd. T41N R3E S31 BT

A juniper, 10 ins. diam., brs. S. $67\frac{1}{2}^{\circ}$ W., 77 lks. dist.  
mkd. T41N R2E S36 BT

A pinyon, 10 ins. diam., brs. N.  $27^{\circ}$  W., 23 lks. dist.,

## BOOK 4125

Survey: West Boundary T. 41 N., R. 3 E.

Chains	mkd. T41N R2E S25 BT.  Land, gently rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and buckbrush. Grass, fair.
North bet. secs. 25 and 30.	Over gently rolling land, thru scattering timber and undergrowth; desc. slightly over gentle E. slope.
3.30	Road, brs. NW. and SE.
4.10	Road, brs. E. to Houserock and W. 1 ch. to road N. and S.
19.50	Road, brs. NE. and SW.
35.00	Change of slope; desc. slightly over N. slope.
39.00	Same road, brs. NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{c c} \frac{1}{4} & \\ S25 & S30 \\ \hline 1936 & \end{array}$
	from which
	A juniper, 5 ins. diam., brs. East, 8 lks. dist., mkd. $\frac{1}{4}$ S30 BT
	A juniper, 8 ins. diam., brs. S.52°W., 40 lks. dist., mkd. $\frac{1}{4}$ S25 BT
	Cont. over level land, thru dense timber.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.
	$\begin{array}{c c} T41N & \\ R2E & R3E \\ \hline S24 & S19 \\ \hline S25 & S30 \\ \hline 1936 & \end{array}$
	from which
	A pinyon, 5 ins. diam., brs. N.34 $\frac{1}{2}$ ° E., 30 lks. dist., mkd. T41N R3E S19 BT
	A pinyon, 5 ins. diam., brs. S.16 $\frac{1}{2}$ °E., 9 lks. dist., mkd. T41N R3E S30 BT
	A juniper, 7 ins. diam., brs. S.47°W., 138 lks. dist., mkd. T41 N R2E S25 BT
	A pinyon, 8 ins. diam., brs. N.56 $\frac{1}{2}$ °W., 106 lks. dist., mkd. T41 N R2E S24 BT
	Land, gently rolling and level. Soil, rocky 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush and buckbrush. Grass, fair.

## Survey: West Boundary T. 41 N., R. 3 E.

5

Chains	North bet. secs. 19 and 24. Over level land, thru dense timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S24   S19 1936
	from which
	A juniper, 14 ins. diam., brs. N. $57\frac{1}{2}$ °E., 62 lks. dist., mkd. $\frac{1}{4}$ S19 BT
	A juniper, 12 ins. diam., brs. West, 32 lks. dist., mkd. $\frac{1}{4}$ S24 BT
	Cont. over gently rolling land, thru scattering timber and dense undergrowth; desc. slightly over N. slope.
42.50	Draw, course E.; asc. 54 ft. over gentle S. slope.
53.24	Old road, brs. N. $75^{\circ}$ E. and S. $75^{\circ}$ W.
58.50	Flat top ridge, brs. NE. and SW.; desc. slightly over N. slope.
63.49	Enter dense timber, brs. E. and W.
74.50	Road, brs. S. to Houserock and N. to Kane Utah.
76.50	Swale, drains W.; asc. slightly over S. slope, to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 18, 19, and 24, with brass cap mkd.
	T41N R2E R3E S13   S18 --- S24   S19 1936
	from which
	A pinyon, 6 ins. diam., brs. N. $62^{\circ}$ E., 42 lks. dist., mkd. T41N R3E S18 BT
	A pinyon, 16 ins. diam., brs. S. $75\frac{1}{2}$ °E., 53 lks. dist., mkd. T41N R3E S19 BT
	A juniper, 12 ins. diam., brs. S. $72\frac{1}{4}$ °W., 51 lks. dist., mkd. T41N R2E S24 BT
	A juniper, 12 ins. diam., brs. N. $57^{\circ}$ W., 60 lks. dist., mkd. T41N R2E S13 BT
	Land, level and gently rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	North bet. secs. 13 and 18.
	Over gently rolling land, thru dense timber and undergrowth; asc. gradually 54 ft. over gentle S. slope.

BOOK 4125

## Survey: West Boundary T. 41 N., R. 3 E.

6

	<b>Chains</b>	
13.87	Road, brs. SE. and N.15°W. to Kane Utah.	
25.00	Flat top ridge, brs. E. and W.; desc. slightly over gentle N. slope, to	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.	
		$\frac{1}{4}$
		S13   S18
		1936
		from which
	A pinyon, 5 ins. diam., brs. S.60°E., 60 lks. dist., mkd. $\frac{1}{4}$ S18 BT	
	A juniper, 5 ins. diam., brs. N.65°W., 39 lks. dist., mkd. $\frac{1}{4}$ S13 BT	
	Cont. to desc. gradually over gentle N. slope.	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.	
		T41N R2E R3E S12   S7 ----- S13   S18
		1936
		from which
	A juniper 6 ins. diam., brs. N.47 $\frac{1}{2}$ °E., 80 lks. dist., mkd. T41N R3E S7 BT	
	A pinyon, 8 ins. diam., brs. S.25 $\frac{1}{2}$ °E., 200 lks. dist., mkd. T41N R3E S18 BT	
	A juniper, 8 ins. diam., brs. S.73°W., 94 lks. dist., mkd. T41N R2E S13 BT	
	A juniper, 8 ins. diam., brs. N.29 $\frac{1}{2}$ °W., 184 lks. dist., mkd. T41N R2E S12 BT	
	Land, gently rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.	
	North bet. secs. 7 and 12.	
	Over gently rolling land, thru dense timber and undergrowth; desc. gradually over gentle N. slope.	
20.00	Shallow draw, drains W.; asc. gradually over gentle S. slope.	
22.10	Road, brs. S.10°W. and N.10°E. to Kane Utah.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.	

## Survey: West Boundary T. 41 N., R. 3 E.

7

Chains

S12 | S7

1936

from which

A juniper, 5 ins. diam., brs., S. $38\frac{1}{2}$ <sup>o</sup>E., 27 lks. dist.,  
mkd.  $\frac{1}{4}$  S7 BT

A pinyon, 6 ins. diam., brs., N. $76\frac{1}{2}$ <sup>o</sup>W., 45 lks. dist.,  
mkd.  $\frac{1}{4}$  S12 BT

Cont. to asc. gradually over gentle S. slope.

50.00 Ridge, brs. E. and W.; desc. gradually over gentle N.  
slope, to sec. cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground, deposit a stone 5 x 6 x 8 ins. mkd. with  
cross (x) at base, for cor. of secs. 1, 6, 7 and 12,  
with brass cap mkd.

T41N  
R2E R3E  
S1 | S6  
S12 | S7  
1936

from which

A juniper, 6 ins. diam., brs. S. $61\frac{1}{2}$ <sup>o</sup>E., 197 lks. dist.,  
mkd. T41N R3E S7 BT

A juniper, 5 ins. diam., brs. S. $49^{\circ}$ W., 170 lks. dist.,  
mkd. T41N R2E S12 BT

No other trees available:

Land, gently rolling.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cliffrose.

Grass, fair.

North bet. secs. 1 and 6.

Over rolling land, thru scattering timber and dense under-  
growth; desc. 17 ft. over S. slope.

3.09 Gulch, 5 lks. wide, course NW.; asc. 17 ft. over SW. slope.

7.48 Spur, slopes W.; desc. 18 ft. over N. slope.

11.08 Draw, course W., 4 chs. to gulch; asc. 18 ft. over SW.  
slope.

16.58 Spur, slopes NW., 6 chs. to toe; desc. 34 ft. over N.  
slope.

20.28 Gulch, 10 lks. wide, course W.; asc. 49 ft. over SW.slope.

32.60 Top ascent, slopes W.; desc. slightly over N. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the  
ground to bedrock and in a mound of stone to top, for  
 $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S1 | S6  
1936

BOOK 4125 Survey: West Boundary T. 41 N., R. 3 E.

8

	Chains	from which
		A juniper, 5 ins. diam., brs. N. $73\frac{1}{4}$ E., 49 lks. dist., mkd. $\frac{1}{4}$ S6 BT
		A pinyon, 5 ins. diam., brs. West, 7 lks. dist., mkd. $\frac{1}{4}$ S1 BT
		Cont. to desc. slightly over NE. slope.
43.40	Draw, course NW.; asc. 24 ft. over gentle S. slope.	
65.00	Change of slope; desc. 42 ft. over NE. slope, to	
80.00	Shallow draw, drains NW. Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground, for cor. of Ts. 41 and 42 N., Rs. 2 and 3 E., with brass cap mkd.	
		<b>T42N</b> R2E      R3E S36   S31 ---+--- S1      S6 T41N 1936
		from which
		A pinyon, 14 ins. diam., brs. N. $68\frac{3}{4}$ E., 164 lks. dist., mkd. T42N R3E S31 BT
		A juniper, 9 ins. diam., brs. S. $42\frac{1}{2}$ E., 145 lks. dist., mkd. T41N R3E S6 BT
		A pinyon, 8 ins. diam., brs. S. $71\frac{1}{2}$ W., 110 lks. dist., mkd. T41N R2E S1 BT
		A pinyon, 8 ins. diam., brs. N. $81\frac{1}{2}$ W., 146 lks. dist., mkd. T42N R2E S36 BT
	Land, rolling. Soil, rocky 3 rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, cliffrose and some oakbrush. Grass, fair.	
	****	

## Survey: North Boundary T. 41 N., R. 3 E.

9

Chains	<p>From the cor. of Ts. 41 and 42 N., Rs. 3 and 4 E., established under this group, as described in the notes of the survey of the W. bdy. of T. 41 N., R. 4 E.</p> <p>West on random line setting temp. <math>\frac{1}{4}</math> sec. and sec. cors., alternately at intervals of 40 chs. and at 479.58 chs. intersect the cor. of Ts. 41 and 42 N., Rs. 2 and 3 E., hereinbefore described.</p> <p>Thence East on true line bet. secs. 6 and 31.</p> <p>Over gently rolling land, thru dense timber and undergrowth; asc. slightly over N. slope.</p> <p>Road, brs. N. to Kane Utah and S. to Houserock Valley.</p> <p>Change of slope; desc. slightly over NE. slope.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. with brass cap mkd.</p>
22.60	
32.00	
39.58	
	$\frac{1}{4}$ ————— S31 S6 1936
	from which
	A juniper, 12 ins. diam., brs. N. $16\frac{1}{2}^{\circ}$ E., 109 lks. dist., mkd. $\frac{1}{4}$ S31 BT
	A juniper, 8 ins. diam., brs. S. $12^{\circ}$ W., 73 lks. dist., mkd. $\frac{1}{4}$ S6 BT
	Cont. along N. slope.
45.00	Drain, 10 lks. wide, course N.; asc. 46 ft. over NW. slope.
55.00	Spur, slopes N.; desc. 32 ft. over NE. slope.
60.37	Drain, 5 lks. wide, course N.; asc. 42 ft. over NW. slope.
71.00	Spur, slopes N.; desc. slightly over NE. slope.
75.55	Drain, 5 lks. wide, course N.; asc. slightly over NW. slope, to
79.58	Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 5, 6, 31 and 32, with brass cap mkd.
	R3E T42N S31   S32 S6   S5 T41N 1936
	from which
	A juniper, 14 ins. diam., brs. S. $37\frac{1}{2}^{\circ}$ W., 81 lks. dist., mkd. T41N R3E S6 BT
	No other trees available.
	Land, gently rolling.
	Soil, rocky 3rd. rate.
	Timber, juniper and pinyon.
	Undergrowth, sagebrush, buckbrush and cacti.
	Grass, fair.

BOOK 425

Survey: North Boundary T. 41 N., R. 3 E.

10

Chains	East on true line bet. secs. 5 and 32.
	Over rolling land, thru dense timber and undergrowth; asc. slightly over gentle N. slope.
9.50.	Change of slope; desc. 38 ft. over NE. slope.
12.00	Point on NE. slope, (Bottom of basin, 85 ft. deep and 5 chs. diam., with no outlet, brs. N2 chs. dist.)
18.00	Change of slope; desc. 45 ft. over SE. slope.
22.41	Drain, 5 lks. wide, course NE.; asc. 72 ft. over NW. slope.
33.90	Spur, slopes N.; desc. 23 ft. over E. slope.
38.57	Drain, 5 lks. wide, course N.; asc. 16 ft. over W. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$$\frac{1}{4} \frac{\text{S32}}{\text{S5}}$$

1936

from which

A juniper, 9 ins. diam., brs. N. $14\frac{1}{2}$ E., 47 lks. dist., mkd. $\frac{1}{4}$ S32 BT
A juniper, 8 ins. diam., brs. S. $4^{\circ}$ E., 24 lks. dist., mkd. $\frac{1}{4}$ S5 BT
Cont. to asc. 32 ft. over W. slope.
46.60 Spur, slopes NW.; desc. 57 ft. over NE. slope.
55.65 Drain, 5 lks. wide, course NE.; asc. 32 ft. over NW. slope.
61.00 Change of slope; level along N. slope.
67.00 Drain, 5 lks. wide, course NW.; asc. 36 ft. over SW. slope.
76.54 Spur, slopes NW., old road, brs. NW. and SE.; desc. slightly over gentle NE. slope.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 4, 5, 32 and 33, with brass cap mkd.

R3E
T42N
S32   S33
-----
S5   S4
T41N

1936

from which

A pinyon, 12 ins. diam., brs. N. $36\frac{1}{2}$ E., 31 lks. dist., mkd. T42N R3E S33 BT
A pinyon, 14 ins. diam., brs. S. $34\frac{1}{4}$ E., 39 lks. dist., mkd. T41N R3E S4 BT
A juniper, 20 ins. diam., brs. S. $66\frac{3}{4}$ W., 71 lks. dist., mkd. T41N R3E S5 BT

## Survey: North Boundary T. 41 N., R. 3 E.

11

Chains	A pinyon, 9 ins. diam., brs. N. 56° W., 70 lks. dist., mkd. T42N R3E S32 BT
	Land, rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	East on true line bet. secs. 4 and 33.
	Over rolling land, thru scattering timber and dense undergrowth; desc. slightly over NE. slope.
13.97	Change of slope; desc. 39 ft. over SE. slope.
20.95	Drain, 5 lks. wide, course NE.; asc. 56 ft. over NW. slope.
29.00	Change of slope; asc. 10 ft. over N. slope.
36.53	Spur, slopes NE.; desc. slightly over SE. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4} \quad \overline{\begin{matrix} S33 \\ S4 \end{matrix}}$ 1936
	No trees available.
	Raise a mound of stone, 5 ft. base 3 ft. high N. of cor.
	Desc. 96 ft. over SE. slope.
47.75	Drain, 5 lks. wide, course NE.; asc. 36 ft. over NW. slope.
54.40	Change of slope; level over N. slope.
62.00	Change of slope; desc. 51 ft. over NE. slope.
65.58	Drain, 5 lks. wide, course N.; asc. 74 ft. over W. slope.
72.42	Top of ascent, slopes N.; desc. slightly over E. slope, to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, with brass cap mkd.
	$\begin{matrix} T42N & R3E \\ S33 &   & S34 \\ \hline S4 &   & S3 \\ & T41N & \end{matrix}$ 1936
	from which
	A pinyon, 8 ins. diam., brs. N. 70 $\frac{1}{4}$ ° E., 132 lks. dist., mkd. T42N R3E S34 BT
	A juniper, 14 ins. diam., brs. S. 83 $\frac{3}{4}$ ° W., 124 lks. dist., mkd. T41N R3E S4 BT
	No other trees available.
	Raise a mound of stone, 4 ft. base, 3 ft. high W. of cor.

Survey: North Boundary T. 41 N., R. 3 E.

12

Chains	Land, rolling. Soil, rocky 3 rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and buckbrush. Grass, fair.
	East on true line bet. secs. 3 and 34.
	Over rolling land, thru scattering timber and dense under growth; desc. 50 ft. over SE. slope.
7.95	Ravine, course NE.; asc. 8 ft. over N. slope.
13.55	Spur, slopes NE.; desc. 39 ft. over SE. slope.
16.44	Old dim road, brs. NE. and SW.
20.14	Draw, course NE.; asc. slightly over NW. slope.
23.54	Spur, slopes NE.; desc. 12 ft. over SE. slope.
26.04	Ravine, course NE.; asc. 12 ft. over NW. slope.
28.54	Spur, slopes NE., enter mountainous land; desc. 139 ft. over SE. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S34 S3 1936
	No trees available.
	Raise a mound of stone, 4 ft. base, 3 ft. high, N. of cor.
	Cont. to desc. 37 ft. over SE. slope.
41.66	Gulch, 5 lks. wide, course NE.; asc. 56 ft. over NW. slope
45.60	Top ascent, slopes N.; desc. 160 ft. over E. slope.
64.42	Ravine, course N. 75° E.; cont. to desc. 142 ft. over NE. slope, to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bedrock and in a mound of stone to top, for cor. of secs. 2, 3, 34 and 35, with brass cap mkd.
	T42N R3E S34   S35 --- S3   S2 T41N 1936
	from which
	A juniper, 12 ins. diam., brs. N. 3° E., 108 lks. dist., mkd. T42N R3E S35 BT
	A pinyon, 10 ins. diam., brs. S. 24 $\frac{1}{2}$ ° W., 82 lks. dist., mkd. T41N R3E S3 BT
	A juniper, 10 ins. diam., brs. N. 30 $\frac{1}{2}$ ° W., 198 lks. dist., mkd. T42N R3E S34 BT
	No other tree available.

## Survey: North Boundary T. 41 N., R. 3 E.

13

Cards	Land, rolling and mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and buckbrush. Grass, fair.
	East on true line bet. secs. 2 and 35.
	Over mountainous land, thru scattering timber and dense undergrowth; desc. 89 ft. over NE. slope.
8.00	Change of slope; cont. to desc. 329 ft. over steep SE. slope.
29.04	Gulch, 6 lks. wide, general course E.; asc. 55 ft. over W. slope.
31.00	Top of ascent; desc. 107 ft. over SE. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4} \quad \underline{\quad S35 \quad}$ $\underline{\quad S2 \quad}$
	1936 from which
	A juniper, 5 ins. diam., brs. N. $36\frac{1}{4}$ °E., 73 lks. dist., mkd. $\frac{1}{4}$ S35 BT
	A juniper, 5 ins. diam., brs. S. $80^{\circ}$ E., 202 lks. dist., mkd. $\frac{1}{4}$ S2 BT
	Cont. to desc. 103 ft. over SE. slope.
52.70	Gulch, 5 lks. wide, course NE.; asc. slightly over NW. slope. Leave mountainous enter rolling land of Coyote Valley.
56.00	Road, brs. N. and S.
59.40	Flat spur, slopes NE.; desc. gradually over E. slope.
77.30	Coyote wash, 1 ch. wide, course N.; asc. slightly over W. slope, to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.
	$T42N R3E$ $S35   S36$ $\underline{S2   S1}$ T41N
	1936 from which
	A juniper, 12 ins. diam., brs. N. $38^{\circ}$ E., 355 lks. dist., mkd. T42N R3E S36 BT
	A juniper, 16 ins. diam., brs. S. $69\frac{3}{4}$ °E., 449 lks. dist., mkd. T41N R3E S1 BT
	A juniper, 5 ins. diam., brs. S. $67\frac{1}{2}$ °W., 268 lks. dist., mkd. T41N R3E S2 BT
	A juniper, 5 ins. diam., brs. N. $22\frac{1}{2}$ °W., 391 lks. dist., mkd. T42N R3E S35 BT
	Land, mountainous and rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon.

BLOCK 4120 Survey: North Boundary T. 41 N., R. 3 E.

14

Chains	Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	East on true line bet. secs. 1 and 36.
	Over mountainous land, thru scattering timber and dense undergrowth; asc. 228 ft. over broken W. slope.
11.99	Spur, slopes N.; desc. 128 ft. over E. slope.
19.22	Sandy gulch, 10 lks. wide, course N.; asc. 32 ft. over W. slope.
23.38	Top of ascent, slopes N.; desc. 46 ft. over E. slope.
31.94	Gulch, 5 lks. wide, course NW.; asc. 197 ft. over broken W. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4} \text{ S36}$ $\frac{1}{4} \text{ S1}$
	1936
	from which
	A juniper, 12 ins. diam., brs. S. 24° E., 98 lks. dist., mkd. $\frac{1}{4}$ S1 BT
	A juniper, 5 ins. diam., brs. N. 33 $\frac{1}{2}$ ° W., 79 lks. dist., mkd. $\frac{1}{4}$ S36 BT
	Cont. to asc. 166 ft. over rocky W. slope.
43.02	Rocky spur, slopes S.; desc. 131 ft. over broken E. slope.
51.00	Gulch, 10 lks. wide, course S.; asc. 655 ft. over rocky W. slope.
69.32	Rocky ridge, (Coyote Mountains) brs. N. and S.; desc. 429 ft. over steep rocky E. slope.
79.92	Perpendicular cliff, faces E., 150 ft. high and 8 chs. long.
80.00	Cor. of Ts. 41 and 42, N., Rs. 3 and 4 E. described in the field notes of the W.bdy. of T.41 N., R.4 E., surveyed under Land, mountainous. this group. Soil, rocky 4th. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, poor.

## Survey: Subdivision Lines T. 41 N., R. 3 E.

15

	Chains	Commence the subdivisional survey at the Std. cor. of secs. 35 and 36, on the S. bdy. of the Tp. (10th. Standard Parallel N.), which is an iron post, 2 ins. diam., projecting 12 ins. above ground, with brass cap properly mkd. and witnessed by two bearing trees properly mkd. and bearing,
		N.81°E., 104 lks. dist., and
		N.42 $\frac{1}{2}$ °W., 153 lks. dist.
		Thence N.0° 01'W. bet. secs. 35 and 36.
		Over rolling land, thru scattering timber and under-growth; desc. gradually 121 ft. over general W. slope.
40.00		Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		$\frac{1}{4}$
		S35   S36
		1936
		from which
		A juniper, 16 ins. diam., brs. S.87 $\frac{1}{2}$ °E., 154 lks. dist., mkd. $\frac{1}{4}$ S36 BT
		A pinyon, 14 ins. diam., brs. N.54 $\frac{1}{2}$ °W., 239 lks. dist., mkd. $\frac{1}{4}$ S35 BT
		Cont. to desc. slightly over W. slope.
46.00		Enter mountainous land; desc. 120 ft. over N. slope.
53.54		Road, brs. NW. and SE.
58.86		Ravine, 20 lks. wide, course W.; asc. 39 ft. over SW. slope.
63.42		Spur, slopes W.; 15 chs. to toe; desc. 36 ft. over NW. slope.
69.00		Ravine, 20 lks. wide, course SW.; asc. 82 ft. over broken S. slope.
77.41		Spur, slopes SW., 6 chs. to toe; desc. 22 ft. over NW. slope, to
80.00		Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock and in a mound of stone to top, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.
		T41N R3E S26   S25 S35   S36 1936
		from which
		A pinyon, 8 ins. diam., brs. N.15 $\frac{1}{2}$ °E., 46 lks. dist., mkd. T41N R3E S25 BT
		A pinyon, 6 ins. diam., brs. S.63 $\frac{1}{2}$ °E., 70 lks. dist., mkd. T41N R3E S36 BT
		A pinyon, 10 ins. diam., brs. S.34°W., 40 lks. dist., mkd. T41N R3E S35 BT
		A pinyon, 6 ins. diam., brs. N.73 $\frac{1}{2}$ °W., 32 lks. dist., mkd. T41N R3E S26 BT

BOOK 4125

## Survey: Subdivision Lines T. 41 N., R. 3 E.

16

	Chains	Land, rolling and mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
		East on random line bet. secs. 25 and 36.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
80.24		Intersect cor. of secs. 25, 30, 31 and 36, on E. bdy. Tp. established under this group, as described in the notes of the survey of the W. bdy. of T. 41 N., R. 4 E.
		Thence West on true line bet. secs. 25 and 36.
		Over mountainous land, thru scattering timber and undergrowth; asc. slightly over NW. slope.
2.00		Spur, slopes NW.; desc. 125 ft. over W. slope.
25.00		Drain, 5 lks. wide, course NW.; cont. to desc. 35 ft. over NW. slope, to
40.12		Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		<u>S25</u> <u>S36</u>
		1936 from which
		A juniper, 24 ins. diam., brs. N. $13\frac{1}{4}^{\circ}$ W., 22 lks. dist., mkd. $\frac{1}{4}$ S25 BT
		A juniper, 36 ins. diam., brs. S. $52\frac{1}{2}^{\circ}$ E., 73 lks. dist., mkd. $\frac{1}{4}$ S36 BT
		Cont. to desc. 149 ft. over W. slope.
54.60		Wash, 10 lks. wide, course S.; asc. 30 ft. over E. slope.
60.08		Spur, slopes SW.; desc. 63 ft. over W. slope.
71.50		Wash, 5 lks. wide, course S.; asc. 68 ft. over SE. slope.
77.00		Spur, slopes SW.; desc. 40 ft. over NW. slope, to
80.24		Cor. of secs. 25, 26, 35 and 36.
		Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
		N. 0° 01' W. bet. secs. 25 and 26.
		Over mountainous land, thru scattering timber and undergrowth; desc. 12 ft. over NW. slope.
3.30		Draw, 5 lks. wide, course SW.; asc. 43 ft. over SE. slope.
6.96		Ridge, brs. NE. and SW.; desc. 136 ft. over NW. slope.
18.81		Draw, 5 lks. wide, course SW.; asc. 33 ft. over SE. slope.

## Survey: Subdivision Lines T. 41 N., R. 3 E.

17

Chains 21.22	Spur, slopes SW., 8 chs. to toe; desc. 34 ft. over NW. slope.
25.39	Draw, 30 lks. wide, course SW.; asc. 105 ft. over steep S. slope.
31.50	Change of slope; cont. to asc. 92 ft. over SE. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 3 in. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S26   S25 1936
	from which
	A pinyon, 10 ins. diam., brs. S.73°E., 55 lks. dist., mkd. $\frac{1}{4}$ S25 BT
	A pinyon, 10 ins. diam., brs. N.67°W., 47 lks. dist., mkd. $\frac{1}{4}$ S26 BT
	Cont. to asc. 15 ft. over SE. slope.
42.50	Ridge, brs., N.10°E. and S.20°W.; desc. 296 ft. over steep NW. slope.
61.90	Bottom of descent, leave mountainous enter rolling land. desc. gradually over gentle NW. slope, to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.
	T41N R3E S23   S24 S26   S25 1936
	from which
	A pinyon, 10 ins. diam., brs. N.88°E., 36 lks. dist., mkd. T41N R3E S24 BT
	A pinyon, 10 ins. diam., brs. S.49°E., 58 lks. dist., mkd. T41N R3E S25 BT
	A pinyon, 10 ins. diam., brs. S.55°W., 110 lks. dist., mkd. T41N R3E. S26 BT
	A pinyon, 10 ins. diam., brs. N.8° W., 123 lks. dist., mkd. T41N R3E S23 BT
	Land, mountainous and rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and buckbrush. Grass, fair.
	East on random line bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.84	Intersect E. bdy. Tp.; 7 lks. N. of cor. of secs. 19, 24, 25 and 30, established under this group, as des- cribed in the notes of the survey of the W. bdy. of T.41 N., R.4 E.

## Survey: Subdivision Lines T.41 N., R.3 E.

18

	Chains	Thence N.89° 57'W. on true line bet. secs. 24 and 25. Over mountainous land, thru dense timber and undergrowth; desc. 107 ft. over W. slope.
16.99		Drain, 5 lks. wide, course NW.; asc. 3 ft. over E. slope.
19.49		Spur, slopes NW.; desc. 123 ft. over W. slope.
35.17		Draw, 5 lks. wide, course NW.; asc. 6 ft. over E. slope.
37.87		Spur, slopes NW.; desc. 25 ft. over W. slope, to
39.92		Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		$\frac{1}{4}$ S24 S25
		1936
		from which
		A pinyon, 12 ins. diam., brs. N.6 $\frac{1}{2}$ E., 89 lks. dist., mkd. $\frac{1}{4}$ S24 BT
		A pinyon, 12 ins. diam., brs. S.39 $\frac{1}{2}$ W., 136 lks. dist., mkd. $\frac{1}{4}$ S25 BT
		Cont. to desc. 69 ft. over W. slope.
54.89		Ravine, 20 lks. wide, course N.; asc. 107 ft. over E. slope.
60.00		Spur, slopes NE.; desc. 206 ft. over steep NW. slope.
75.00		Bottom of steep descent, leave mountainous enter rolling land; desc. slightly over gentle NW. slope.
79.84		Cor. of secs. 23, 24, 25 and 26.  Land, mountainous and rolling. Timber, juniper and pinyon. Soil, rocky 3rd. rate. Undergrowth, sagebrush and buckbrush. Grass, fair.
		N.0° 01'W. bet. secs. 23 and 24.
		Over rolling land, thru scattering timber and undergrowth; desc. 43 ft. over N. slope.
5.70		Wash. 8 lks. wide, course W.; asc. 43 ft. over SW. slope.
13.00		Spur, slopes NW.; desc. 48 ft. over NE. slope.
16.70		Wash. 10 lks. wide, course NW.; asc. slightly along W. slope.
30.20		Wash, 20 lks. wide, course W.; asc. 86 ft. over S. slope.
36.00		Spur, slopes W.; desc. 23 ft. over NW. slope, to
40.00		Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a piece of petrified wood at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

## Survey: Subdivision Lines T.41 N., R.3 E.

19

Chains.

 $\frac{1}{4}$ 

S23 | S24

1936

No other accessories available.

Leave rolling and cont. over nearly level land.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in  
the ground, deposit a stone mkd. with cross (x) at base,  
for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

T41N R3E

S14 | S13

S23 | S24

1936

from which

A juniper, 8 ins. diam., brs. N.68° E., 220 lks. dist.,  
mkd. T41N R3E S13 BTA juniper, 20 ins. diam., brs. S.73° E., 249 lks. dist.,  
mkd. T41N R3E S24 BTA juniper, 8 ins. diam., brs. S.61° W., 100 lks. dist.,  
mkd. T41N R3E S23 BT

No other tree available.

Land, rolling and nearly level.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

S.89° 57' E. on random line bet. secs. 13 and 24.

40.00

Set temp.  $\frac{1}{4}$  sec. cor.

79.90

Intersect cor. of secs. 13, 18, 19 and 24, on E. bdy. Tp.  
established under this group, as described in the notes  
of the survey of the W. bdy. T.41 N., R.4 E.

Thence N.89° 57' W. on true line bet. secs. 13 and 24.

Over mountainous land, thru scattering timber and under-  
growth; desc. slightly over SW. slope of spur, slopes NW.

3.50

Pinacle, brs. S., 50 lks. dist.; desc. 621 ft. over steep  
rocky W. slope, to wash.

5.50

Vertical cliff faces W.

26.70

Vertical cliff faces W.

32.35

Wash, 10 lks. wide, course NW.; cont. to desc. 29 ft.  
over NW. slope.

39.95

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor. with brass cap mkd. $\frac{1}{4}$  S13

S24

1936

No trees available.

ROCK 4125

Survey: Subdivision Lines T.41 N., R.3 E.

20

	Chains	Dig pits, 18 x 18 x 12 ins. one each, E. and W. on line 3 ft. dist. from post.
		Cont. over rolling land, desc. 24 ft. over NW. slope.
45.70		"ash, 10 lks. wide, course NW.; asc. 13 ft. over NE. slope.
60.00		Spur, slopes NW.; desc. gradually over gentle W. slope.
79.00		Wash, 10 lks. wide, course NW. asc. slightly over NE. slope, to
79.90		Cor. of secs. 13, 14, 23 and 24.  Land, mountainous and rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and oakbrush. Grass, fair.
		N.0° 01'W. on true line bet. secs. 13 and 14.
		Over rolling land, thru scattering timber and undergrowth. desc. slightly over NE. slope.
3.20		Wash, 30 lks. wide, course NW.; asc. 59 ft. over S. slope.
9.30		Spur, slopes W.; desc. 86 ft. over NW. slope.
22.70		Coyote Wash, 65 lks. wide, general course N.; desc. slightly down same.
36.00		Leave wash, course N.10°W.; asc. 32 ft. over SW. slope.
38.70		Spur, slopes W., 5 chs. to toe; desc. slightly over NW. slope, to
40.00		Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, deposit a chard stake at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		S14   S13 1936
		from which
		A juniper, 7 ins. diam., brs. S.14°E., 13 lks. dist., mkd. $\frac{1}{2}$ S13 BT
		A corral, 50 x 150 ft. with earth water tank in center brs. S.8°E., 13.80 chs. dist.
		A cement water trough, 20 x 10 ft. brs. S.14 $\frac{1}{2}$ °W., 11.63 chs. dist.
		A frame house, 12 x 16 ft. brs. S.40 $\frac{1}{2}$ °W., 10.33 chs. dist.
		Coyote Spring, brs. S.23°E., 16.52 chs. dist.
		Cont. to desc. 34 ft. over NW. slope.
45.00		Coyote Wash, 65 lks. wide, course E. for 5 chs., resume North; asc. 80 ft. over S. slope.

## Survey: Subdivision Lines T.41 N., R.3 E.

53

21

Chains	
62.30	S. edge of flat top spur, slopes E.; thence over level top.
71.30	N. edge of flat top spur, slopes E.; desc. 82 ft. over N. slope.
75.60	Wash, 20 lks. wide, course NE.; asc. 66 ft. over SE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 25 ins. in the ground to bedrock, deposit a stone mkd. with cross (x) at base, and in amount of stone to top, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.

T41N R3E	
S11   S12	
-----	
S14   S13	

1936

from which

A juniper, 10 ins. diam., brs. S.64° E., 136 lks. dist., mkd. T41N R3E S13 BT

A juniper, 8 ins. diam., brs. S46° W., 124 lks. dist., mkd. T41N R3E S14 BT

No other trees available.

Land, rolling.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

	8.89° 57' E. on random line bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.18	Intersect E. bdy. Tp., 2 lks. N. of cor. of secs. 7, 12, 13 and 18, established under this group, as described in the notes of the survey of the W. bdy. of T.41 N., R4E.
	Thence N.89° 56' W. on true line bet. secs. 12 and 13.
	Over mountainous land, thru scattering timber and undergrowth; desc. 54 ft. along broken N. slope.
12.88	Swale, drains NE.; asc. 63 ft. over SE. slope.
17.68	Spur, slopes N.; desc. 263 ft. over rocky W. slope.
27.68	Wash, 15 lks. wide, course NW.; asc. 87 ft. over NE. slope.
30.58	Spur, slopes NW.; desc. 172 ft. over W. slope.
37.58	Wash, 10 lks. wide, course N.70° W.; asc. 43 ft. over NE. slope, to
40.09	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, deposit a stone mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S12	
-----	
4	S13

1936

from which

## BOOK 4125 Survey: Subdivision Lines T.41 N., R.3 E.

22

22

	Chains	A juniper, 5 ins. diam., brs. S.43°E., 99 lks. dist., mkd. $\frac{1}{4}$ Sl3.BT No other tree available. Cont. to asc. slightly over NE. slope.
40.38		Spur, slopes NW.; desc. 66 ft. over W. slope.
49.48		Swale, course N.70°W.; asc. 75 ft. over NE. slope.
62.58		Spur, slopes NW.; desc. 134 ft. over W. slope.
74.38		Coyote Wash, 65 lks. wide, course NW. for 4 chs. resume general N.; leave mountainous enter rolling land.; asc. slightly over E. slope.
75.18		Spur, slopes NE., 2 chs. to toe; desc. slightly over NW. slope.
77.68		Wash, 20 lks. wide, course NE.; asc. 84 ft. over SE. slope.
80.18		Cor. of secs. 11, 12, 13 and 14. Land, mountainous and rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and buckbrush. Grass, fair.
		N.0° 01'W. bet. secs. 11 and 12.
		Over rolling land, thru scattering timber and dense undergrowth; desc. 47 ft. over E. slope.
7.82		Ravine, 10 lks. wide, course NE.; asc. 18 ft. over SE. slope.
11.48		Top of ascent; desc. gradually 130 ft. over broken E. slope.
36.38		Coyote Wash, 65 lks. wide, course NE. from SE.; desc. slightly over E. slope, to
40.00		Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		$\frac{1}{4}$ .
		Sl1 : Sl2
		1936
		from which
		A juniper, 12 ins. diam., brs. S.32 $\frac{1}{2}$ °E., 19 lks. dist., mkd. $\frac{1}{4}$ Sl2.BT
		A juniper, 12 ins. diam., brs. S.89°W., 21 lks. dist., mkd. $\frac{1}{4}$ Sl1.BT
		Desc. slightly over NE. slope.
47.93		Wash, 30 lks. wide, course NE., 1.50 lks. to Coyote wash.; asc. 13 ft. over SE. slope.
52.00		Change of slope; desc. 50 ft. over E. slope.
68.49		Coyote wash, 60 lks. wide, course NW.; asc. slightly over point of spur, slopes NW.

## Survey: Subdivision Lines T.41 N., R.3 E.

23

Chains 71.99	Same wash, course NE.; asc. slightly over SE. slope.
72.38	Change of slope; desc. 12 ft. over E. slope, to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.
	T41N R3E S2   S1 ----- S11   S12
	1936 from which
	A juniper, 12 ins. diam., brs. N.45 $\frac{1}{4}$ E., 243 lks. dist., mkd. T41N R3E S1 BT
	A juniper, 24 ins. diam., brs. S.63 $\frac{3}{4}$ E., 86 lks. dist., mkd. T41N R3E S12 BT
	A juniper, 36 ins. diam., brs. N.29 $^{\circ}$ W., 284 lks. dist., mkd. T41N R3E S2 BT
	No other tree available.
	Land, rolling.
	Soil, rocky 3rd. rate.
	Timber, juniper and pinyon.
	Undergrowth, sagebrush and cacti.
	Grass, fair.
	S.89 $^{\circ}$ 56' E. on random line bet. secs. 1 and 12.
40.00	Set Temp. $\frac{1}{4}$ sec. cor.
80.06	Intersect cor. of secs. 1, 6, 7 and 12, on E. bdy. Tp., established under this group, as described in the notes of the survey of the W. bdy. of T.41 N., R.4 E.
	Thence N.89 $^{\circ}$ 56' W. on true line bet. secs. 1 and 12.
	Over mountaimous land, thru scattering timber and dense undergrowth; desc. 868 ft. over steep W. slope.
27.06	Wash, 10 lks. wide, course N., leave mountainous, enter rolling land; desc. slightly along N. slope.
30.00	Same wash, course SW.; asc. slightly over S. slope.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S1 ----- $\frac{1}{4}$ S12
	1936 from which
	A juniper, 4 ins. diam., brs. S.26 $^{\circ}$ W., 30 lks. dist., mkd. $\frac{1}{4}$ S12 BT
	No other tree available.
	Desc. 55 ft. over SW. slope.
56.80	Same wash, course NW.; asc. 32 ft. over NE. slope.
61.00	Spur, slopes NW.; desc. 90 ft. over W. slope.
70.25	Wash, 10 lks. wide, course NW.; asc. 35 ft. over NE. slope.

24

Chains	
73.30	Spur, slopes NW.; desc. 53 ft. over W. slope.
78.55	Coyote Wash, 75 lks. wide, course N.; asc. slightly over E. slope to
80.06	Cor. of secs. 1, 2, 11 and 12.  Land, mountainous and rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N.0° 01'W. on random line bet. secs. 1 and 2.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.97	Intersect cor. of secs. 1, 2, 35 and 36, on N.bdy. Tp., hereinbefore described.  Thence S.0° 01'E. on true line bet. secs. 1 and 2.  Over gentle rolling valley bottom, thru scattering timber and undergrowth; asc. gradually 51 ft. to $\frac{1}{4}$ sec. cor.
6.47	Coyote Wash, 50 lks. wide, 3 ft. deep, course NW.
16.00	Same wash, course NE.
25.00	Same wash, course NW.
37.50	Same wash, course NE.
39.97	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S2   S1 1936
	from which
	A juniper, 14 ins. diam., brs. S.33 $\frac{1}{2}$ E., 102 lks. dist., mkd. $\frac{1}{4}$ S1 BT
	A juniper, 12 ins. diam., brs. N.62°W., 195 lks. dist., mkd. $\frac{1}{4}$ S2 BT
	Asc. gradually 80 ft. to sec. cor.
41.00	Coyote Wash, 50 lks. wide, 3 ft. deep, course NW.
64.60	Same wash, course NE.
69.40	Same wash, course NW.
72.50	Same wash, course NE.
76.00	Same wash, course NW.
79.97	Cor. of secs. 1, 2, 11 and 12.  Land, gently rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.

## Survey: Subdivision Lines T.41 N., R.3 E.

4125

25

Chains From the Std. cor. of secs. 34 and 35, on S. bdy. Tp., (10th. Std. Par. N.) which is an iron post, 2 ins. diam. projecting 12 ins. above ground, with brass cap properly mkd. and witnessed by two bearing trees properly mkd. and bearing,

N. $81\frac{1}{4}$ <sup>o</sup>E., 115 lks. dist. and

N. $19^{\circ}$ W., 460 lks. dist.

Thence N. $0^{\circ} 01' W.$  bet. secs. 34 and 35.

Over nearly level land, thru scattering timber and undergrowth.

5.00 Wash, 15 lks. wide, course N. $70^{\circ}$ E.


7.00 Road, brs. SW. to Houserock and NE.

8.60 Drain, course NE.

27.80 Drain, course NE.

37.50 Wash, 25 lks. wide, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.



from which

A juniper, 6 ins. diam., brs. S. $87\frac{1}{4}$ <sup>o</sup>E., 64 lks. dist., mkd.  $\frac{1}{4}$  S35 BT

No other tree available.


Raise a mound of stone 2ft. base, 2ft. high, N. of cor.

45.00 Leave timber and continue thru scattering undergrowth.

56.30 Wash, 30 lks. wide, course N. $75^{\circ}$ E.

72.10 Wash, 10 lks. wide, course E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, deposit a stone 4 x 4 x 4 ins. mkd. with cross (x) at base, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.



1936

Raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

U.S.G.S.B.M. brs. S. $9\frac{1}{4}$ <sup>o</sup>E., 148 lks. dist., a brass cap set in concrete base and mkd.

H28

Elevation

Above A. Sea

5506 Feet

1934

26

Chains	Land, nearly level. Soil, rocky 3 rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	East on random line bet. secs. 26 and 35.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 29 lks. S. of cor. of secs. 25, 26, 35 and 36.  Thence S. $89^{\circ} 48' W.$ on true line bet. secs. 26 and 35.  Over mountainous land, thru scattering timber and undergrowth; desc. 58 ft. over NW. slope.
2.67	Draw, course SW.; asc. 42 ft. over SE. slope.
10.54	Spur, slopes SW.; desc. 154 ft. over W. slope.
20.02	Bottom of steep descent, leave mountainous, enter nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a sherd of pottery 2 ins. long with crude markings and an arrowhead 1 $\frac{1}{2}$ ins. long at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4} \frac{S26}{S35}$ 1936
	from which
	A juniper, 8 ins. diam., brs. N. $85\frac{1}{4}^{\circ} W.$ , 122 lks. dist., mkd. $\frac{1}{4}$ S26 BT
	A juniper, 14 ins. diam., brs. S. $32\frac{1}{4}^{\circ} W.$ , 53 lks. dist., mkd. $\frac{1}{4}$ S35 BT
42.10	Wash, 10 lks. wide, course NW.
50.00	Leave timber and continue thru scattering undergrowth.
61.21	Coyote Wash, 40 lks. wide, course N.
65.50	Road, brs. NW. and SE.
79.60	Road, brs. N. and SE.
80.00	Cor. of secs. 26, 27, 34 and 35.  Land, mountainous and nearly level. Soil, rocky 3 rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N. 0° 01' W. bet. secs. 26 and 27.
	Over nearly level land, thru scattering undergrowth.
3.30	Road, brs. N. $10^{\circ} W.$ and S. $10^{\circ} E.$
9.70	Road, brs. N. $50^{\circ} W.$ and S. $50^{\circ} E.$
21.90	Wash, 5 lks. wide, course E.

## Survey: Subdivision Lines T.41 N., R.3 E.

27

Chains  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone 3 x 3 x 2 ins. mkd. with cross (x) at base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

4  
S27 | S26  
1936

Raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Continue over nearly level land.

44.00 Wash, 8 lks. wide, course N.75°E.

49.88 Wash, 15 lks. wide, course E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, deposit a stone 3 x 3 x 2 ins. mkd. with cross (x) at base, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.

T41N R3E  
S22 | S23  
S27 | S26  
1936

Raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, nearly level.

Soil, rocky 3rd. rate.

Timber, none.

Undergrowth, sagebrush and cacti.

Grass, fair.

N.89° 48' E. on random line bet. secs. 23 and 26.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.16 Intersect N. and S. line, 18 lks. N. of cor. of secs. 23, 24, 25 and 26.

Thence S.89° 56' W. on true line bet. secs. 23 and 26.

Over rolling land, thru scattering timber and undergrowth; desc. 18 ft. over gentle W. slope.

4.26 Wash, 10 lks. wide, course NW.; asc. 18 ft. over NE. slope.

6.16 Spur, slopes NW.; desc. 62 ft. over SW. slope.

18.16 Swale, drains NW.; asc. 17 ft. over NE. slope.

23.16 Point of spur, slopes NW.; desc. 32 ft. over W. slope.

30.16 Coyote Wash, 60 lks. wide course N.15°E.; leave timber and continue thru scattering undergrowth; asc. 46 ft. over E. slope, to

40.08 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, deposit a stone mkd. with cross (x) at base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

## Survey: Subdivision Lines T. 41 N., R. 3 E.

28

	Chains	S23 4 S26 1936	dig pits
		24 x 24 x 18 ins., E. and W. of cor. 3 ft. dist.	
		Continue over nearly level land.	
80.16	Cor. of secs. 22, 23, 26 and 27.		
	Land, rolling and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.		
	N.0° 01'W. bet. secs. 22 and 23.		
	Over nearly level land, thru scattering undergrowth.		
0.65	Wash, 15 lks. wide, course N.80°E.		
15.25	Wash, 3 lks. wide, course S.50°E.		
20.00	Wash, 3 lks. wide, course S.60°E.		
40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, deposit a stone 4 x 3 x 2 ins., mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.		
	S22 $\frac{1}{4}$ S23		
	1936		
	Continue over nearly level land.		
45.57	Road, brs. SW. and NE. to Coyote Spring.		
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.		
	T41N R3E S15   S14 S22   S23 1936		
	Raise a mound of stone 3 ft. base 2 ft. high W. of cor.		
	Land, nearly level. Soil, rocky 3rd. rate. Timber, gone. Undergrowth, sagebrush and cacti. Grass, fair.		
	N.89° 56'E. on random line bet. secs. 14 and 23.		
40.00	Set temp. $\frac{1}{4}$ sec. cor.		
79.96	Intersect N. and S. line, 9 lks. N. of cor. of secs. 13, 14, 23 and 24.		

## Survey: Subdivision Lines T.41 N., R.3 E.

29

Chains	Thence West on true line bet. secs. 14 and 23.
46.01	Over rolling land, thru scattering timber and undergrowth; desc. 42 ft. over W. slope.
9.74	Coyote Wash, 65 lks. wide, 4 ft. deep, course N., leave timber and enter nearly level land thru scattering undergrowth.
15.45	Wash, 15 lks. wide, 1 ft. deep, course NE.
39.98	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 14
	$\frac{1}{4}$
	S. 23
	1936
	Continue over nearly level land.
46.01	Road, brs. SW. to Houserock and NE. to Coyote Spring.
79.96	Cor. of secs. 14, 15, 22 and 23.  Land, rolling and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N.0°01'W. bet. secs. 14 and 15.
	Over nearly level land, thru scattering undergrowth.
11.59	Wash, 30 lks. wide, course N. 75°E.
13.40	Road, brs. NE. and SW.
31.66	Gulch, 30 lks. wide, course E., enter rolling land and scattering timber; asc. 70 ft. over S. slope.
39.41	Spur, slopes SE., 5 chs. to toe; desc. slightly over N. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground, deposit a stone 2 x 5 x 7 ins. mkd. with cross (x) at base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$
	S15   S14
	1936
	No bearing trees available.
	Continue to desc. slightly over N. slope.
43.85	Draw, 10 lks. wide, course SE., enter mountainous land; asc. 111 ft. over S. slope.

BOOK 4125

Survey: Subdivision Lines T.41 N., R.3 E.

30

Chains	
56.87	Spur, slopes SE., 20 chs. to toe; desc. 147 ft. over steep N. slope.
62.57	Canyon, 15 lks. wide, course NE.; asc. 381 ft. over steep S. slope.
78.71	Spur, slopes SE.; 20 chs. to toe; desc. 14 ft. over steep NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, deposit a stone 3 x 3 x 6 ins. mkd. with cross (x) at base and in a mound of stone to top, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

T41N R3E	
S10	S11
S15	S14

1936

from which

A juniper, 5 ins. diam., brs., N. $71\frac{1}{2}$ E., 104 lks. dist., mkd. T41N R3E S11 BT

A juniper, 5 ins. diam., brs., S. $48\frac{1}{2}$ E., 78 lks. dist., mkd. T41N R3E S14 BT

A juniper, 12 ins. diam., brs., S. $37\frac{1}{4}$ W., 49 lks. dist., mkd. T41N R3E S15 BT

No other tree available.

Land, nearly level, rolling and mountainous.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

	East on random line bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.88	Intersect cor. of secs. 11, 12, 13 and 14.
	Thence West on true line bet. secs. 11 and 14.
	Over rolling land, thru scattering timber and undergrowth; asc. 82 ft. over SE. slope.
18.34	Small knoll, brs. NE. and SW., rock monument brs. S.15°W., 65 lks. dist.; desc. 12 ft. over NW. slope.
27.31	Wash, 8 lks. wide, course NE.; asc. 70 ft. over E. slope.
36.77	Road, brs. NE. and SW.
39.94	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, deposit a stone 3 x 4 x 4 ins. mkd. with cross (x) at base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$	S11
	—
	S14

1936

No bearing trees available.

## Survey: Subdivision Lines T.41 N., R.3 E.

31

Chains	Continue to asc. 24 ft. over E. slope.
41.61	Old road, brs. NW. and SE.
44.01	Leave rolling land, enter mountainous; asc. 328 ft. over steep NE. slope of Buckskin Mountains
69.49	Spur, slopes SE.; desc. 32 ft. over SW. slope.
75.82	Draw, 10 lks. wide, course S.50°E.; asc. 93 ft. over NE. slope, to
79.88	Cor. of secs. 10, 11, 14 and 15.  Land, rolling and mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N.0 01'W. bet. secs. 10 and 11.  Over mountainous land, thru scattering timber and undergrowth; desc. 48 ft. over steep NE. slope.
3.42	Draw, 10 lks. wide, course SE.; asc. 90 ft. over SW. slope.
8.41	Spur. slopes SE.; desc. 71 ft. over NE. slope.
11.63	Gulch, 5 lks. wide, course S.80°E.; asc. 124 ft. over SW. slope.
21.31	Spur, slopes E., 30 chs. to toe; desc. 55 ft. over N. slope.
22.19	Old road, brs. E. and W.
24.99	Draw, 5 lks. wide, course E.; asc. 63 ft. over S. slope.
29.90	Spur slopes E.; desc. 152 ft. over steep NW. slope.
35.39	Gulch, 10 lks. wide, course E.; asc. 129 ft. over steep S. slope.
40.00	Spur, slopes E., 6 chs. to toe. Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, deposit a stone 5 x 4 x 2 ins. mkd. with cross (x) at base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S10   S11 1936
	No bearing trees available.
	Desc. 93 ft. over N. slope.
44.56	Gulch, 12 lks. wide, course E.; asc. 132 ft. over steep S. slope.
50.40	Spur, slopes E.; desc. 66 ft. over N. slope.
58.65	Gulch, 6 lks. wide, course S.75°E.; asc. 92 ft. over SW. slope.
64.50	Spur, slopes E.; desc. 138 ft. over steep N. slope.

## Survey: Subdivision Lines T.41 N., R.3 E.

32

Chains 69.57	Wash, in bottom of canyon, 12 lks. wide, course NE.; asc. 104 ft. over steep SE. slope.
77.23	Spur, slopes E.; desc. 54 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, deposit a stone 5 x 4 x 2 ins. mkd. with cross (x) at base and in a mound of stone to top, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.
	T41N R3E S3   S2 ---+--- S10   S11 1936
	No bearing trees available.
	Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti, Grass, fair.
	East on random line bet. secs. 2 and 11.
40.00	Set temp $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 4 lks. S. of cor. of secs. 1, 2, 11 and 12.
	Thence S.89° 58' W. on true line bet. secs. 2 and 11.
	Over rolling land, thru scattering timber and undergrowth; asc. 88 ft. over E. slope.
8.83	Spur, slopes NE.; 8 chs. to toe; desc. 17 ft. over NW. slope.
11.71	Wash, 8 lks. wide, course NE.; asc. 96 ft. over SE. slope.
24.58	Road, brs. NW. and SE., leave rolling land and asc. 212 ft. over E. slope of Buckskin Mountains.
40.00	Set an iron post, 3 ft. long, 1 in. diam. 14 ins. in the ground to bedrock, deposit a stone 4 x 4 x 1 ins. mkd. with cross (x) at base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 2 4 - S11 1936
	from which
	A juniper, 8 ins. diam., brs. N.80° E., 80 lks. dist., mkd. $\frac{1}{4}$ S2. BT
	A juniper, 8 ins. diam., brs. S.76° E., 42 lks. dist., mkd. $\frac{1}{4}$ S11 BT.
	Cont. to asc. 308 ft. over E. slope.
63.99	Spur, slopes N.; thence along level top.
66.49	Desc. 42 ft. over NW. slope.

## Survey: Subdivision Lines T.41 N., R.3 E.

33

Chains	
69.10	Gulch, 14 lks. wide, course NE.; asc. 123 ft. over SE. slope.
74.28	Spur, slopes S., 5 shs. to toe.; desc. 10 ft. over W. slope.
78.58	Same gulch, course S.75°E.; asc. 26 ft. over NE. slope to
80.00	Cor. of secs. 2, 3, 10 and 11.  Land, rolling and mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N.0° 01'W on random line bet. secs. 2 and 3.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.05	Intersect N. bdy. of Tp., 16 lks. W. of cor. of secs. 2, 3, 34 and 35, hereinbefore described.  Thence S.0° 06'W. on true line bet. secs. 2 and 3.  Over mountainous land, thru scattering timber and under-growth; asc. 20 ft. over N. slope.
1.01	Spur, slopes NE.; desc. 191 ft. over SE. slope.
10.63	Wash, 20 lks. wide, in bottom of canyon, course N.75°E.; asc. 214 ft. over N. slope.
16.54	Spur, slopes NE.; desc. 134 ft. over SE. slope.
22.99	Junction of gulches from NW. and SW., 10 lks. wide in bottom of canyon course E.; asc. 172 ft. over N. slope.
30.10	Spur, slopes NE.; desc. 74 ft. over SE. slope.
39.03	Draw, 3 lks. wide, course E.; asc. 28 ft. over N. slope.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, deposit a stone 4 x 4 x 2 ins. mkd. with cross (x) at base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ . S3   S2 1936
	from which
	A pinyon, 12 ins. diam., brs. S.61 $\frac{1}{4}$ °E., 12 lks. dist., mkd. $\frac{1}{4}$ S 2 BT
	A juniper, 6 ins. diam., brs. S.77 $\frac{1}{2}$ °W., 45 lks. dist., mkd. $\frac{1}{4}$ S3 BT
	Cont. to asc. 49 ft. over N. slope.
42.47	Spur, slopes NE.; desc. 45 ft. over SE. slope.
45.87	Draw, 3 lks. wide, course N.80°E.; asc. 46 ft. over N. slope.

Benton Co., Idaho

## Survey; Subdivision Lines T.41 N., R.3 E.

34

Chains	
48.97	Spur, slopes E., 20 chs. to toe; desc. 107 ft. over SE. slope.
.53.90	Gulch, .5 lks. wide, course N.80°E.; asc. 100 ft. over NW. slope.
58.18.	Spur, slopes NE.; desc. 101 ft. over SE. slope.
62.91	Wash, 18 lks. wide, in bottom of canyon, course N.60°E.; asc. 120 ft. over NW. slope.
66.29	Spur, slopes NE., 15 chs. to toe; desc. 89 ft. over SE. slope.
71.25	Wash, 4 lks. wide, course E.; asc. 102 ft. over N. slope.
74.93	Spur, slopes NE.; desc. 89 ft. over S. slope.
79.00	Draw, 3 lks. wide, course SE.; asc. slightly over NE. slope to
80.05	Cor. of secs. 2, 3, 10 and 11.  Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	From the Std. cor. of secs. 33 and 34, on S. Edy. Tp., (10th. Std. Par. N.), which is an iron post, 2 ins. diam, projecting 22 ins. above ground and in a mound of stone, with brass cap properly mkd. and witnessed by two bearing trees properly mkd. and bearing,  N.7°W., 99 lks. dist. and N.58°E., 80 lks. dist.
	Thence N.0° 02'W. bet. secs. 33 and 34.  Over mountainous land, thru scattering timber and under-growth; desc. 160 ft. over NW. slope.
8.52	DRain, 20 lks. wide, course NE.; asc. 71 ft. over SE. slope.
15.78	Spur, slopes E.; desc. 20 ft. over N. slope.
17.55	Wash, 5 lks. wide, course E.; asc. 49 ft. over SE. slope.
20.76	Spur, slopes NE.; thence over level top.
25.06	Desc. 186 ft. over NW. slope.
33.42	Junction of washes, from W. and SW., 50 lks. wide, course E.; asc. 145 ft. over S. slope.
39.92	Spur, slopes E.; thence over level top.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S33   S34 1936

## Survey: Subdivision Lines T.41 N., R.3 E.

67

35

Chains	from which
	A juniper, 8 ins. diam., brs. N. $82\frac{1}{2}$ °E., 78 lks. dist. mkd. $\frac{1}{4}$ S34 BT
	A juniper, 20 ins. diam., brs. N. $11\frac{1}{2}$ °W., 172 lks. dist. mkd. $\frac{1}{4}$ S33 BT
	Cont. over level top of spur.
46.00	Desc. 125 ft. over NW. slope.
50.03	Wash, 6 lks. wide, course E.; asc. 60 ft. over S. slope.
53.73	Spur, slopes NE.; desc. 70 ft. over NW. slope.
57.15	Wash, 6 lks. wide, course NE.; asc. 91 ft. over NW. slope.
67.68	Spur, slopes NE.; desc. 109 ft. over NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., over across (x) on surface bedrock and in a mound of stone to top, 6 ft. base, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.
	T41N R3E S28   S27 ---+--- S33   S34 1936
	from which
	A pinyon, 10 ins. diam., brs. N. $60\frac{1}{2}$ °E., 17 lks. dist., mkd. T41N R3E S27 BT
	A pinyon, 6 ins. diam., brs. S. $45\frac{1}{2}$ °E., 27 lks. dist., mkd. T41N R3E S34 BT
	A pinyon, 18 ins. diam., brs. S. $39\frac{1}{2}$ °W., 38 lks. dist., mkd. T41N R3E S33 BT
	A pinyon, 10 ins. diam., brs. N. $5\frac{1}{2}$ °W., 120 lks. dist., mkd. T41N R3E S28 BT
	Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	East on random line bet. secs. 27 and 34.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.78	Intersect cor. of secs. 26, 27, 34 and 35.
	Thence West on true line bet. secs. 27 and 34.
	Over nearly level land, thru scattering timber and under- growth.
36.82	Wash, 8 lks. wide, course NE.
39.89	Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S27 ---+--- S34 1936

## Survey: Subdivision Lines T.41 N., R.3 E.

36

Chains	from which
	A pinyon, 8 ins. diam., brs. N. $42\frac{1}{2}$ °W., 115 lks. dist., mkd. $\frac{1}{4}$ S27 BT
	A pinyon, 10 ins. diam., brs. S. $63\frac{1}{2}$ °E., 90 lks. dist., mkd. $\frac{1}{4}$ S34 BT
	Cont. over nearly level land.
43.28	Leave nearly level land and enter Buckskin Mountains; asc. 90 ft. over SE. slope.
51.15	Spur, slopes NE.; desc. slightly over N. slope.
55.18	Wash, 10 lks. wide, course NE.; asc. 228 ft. over SE. slope.
68.15	Spur, slopes NE.; desc. slightly over NW. slope.
71.00	Head of wash, course NE.; asc. 57 ft. over SE. slope.
75.93	Spur, slopes NE.; desc. 25 ft. over NW. slope to
79.78	Cor. of secs. 27, 28, 33 and 34.  Land, nearly level and mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N. $0^{\circ} 02'$ W. bet. secs. 27 and 28.
	Over mountainous land, thru scattering timber and undergrowth; desc. 36 ft. over NW. slope.
1.65	Wash, 10 lks. wide, course NE.; asc. 36 ft. over S. slope.
3.60	Spur, slopes SE.; desc. 49 ft. over N. slope.
5.45	Wash, 5 lks. wide, course NE.; asc. 71 ft. over SE. slope.
15.27	Spur, slopes E.; desc. 165 ft. over N. slope.
19.75	Gulch, 25 lks. wide, course N. $80\frac{1}{2}$ °E.; asc. 126 ft. over S. slope.
23.77	Spur, slopes E.; desc. 51 ft. over NE. slope.
27.34	Wash, 5 lks. wide, course E.; asc. 84 ft. over SE. slope.
32.69	Spur, slopes E.; desc. 128 ft. over N. slope.
38.53	Wash, 10 lks. wide, course E.; asc. 74 ft. over S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., over across (x) on surface bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S28   S27 1936
	from which
	A juniper, 4 ins. diam., brs. S. $85\frac{1}{2}$ °E., 48 lks. dist., mkd. $\frac{1}{4}$ S27 BT

## Survey: Subdivision Lines T.41 N., R.3 E.

37

Chains	A juniper, 4 ins. diam., brs. S. $48\frac{1}{2}$ <sup>o</sup> W., 33 lks. dist., mkd. $\frac{1}{4}$ S28 BT Cont. to asc. 87 ft. over S. slope.
43.13	Spur, slopes E.; desc. 51 ft. over NE. slope.
59.11	S. rim of canyon, brs. E. and W.; desc. 196 ft. over N. slope.
64.08	Wash, 30 lks. wide, in bottom of canyon, course E.; asc. 174 ft. over S. slope.
69.60	N. rim of canyon, brs. E. and W.; spur, slopes E.; desc. 34 ft. over NE. slope.
74.57	Wash, 5 lks. wide, course NE.; asc. slightly over E. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock and in a mound of stone to top, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.
	T41N R3E S21   S22 S28   S27 1936
	from which
	A juniper, 8 ins. diam., brs. N. $22\frac{1}{2}$ <sup>o</sup> E., 120 lks. dist., mkd. T41N R3E S22 BT
	A juniper, 18 ins. diam., brs. S. $19\frac{1}{2}$ <sup>o</sup> E., 224 lks. dist., mkd. T41N R3E S27 BT
	A juniper, 4 ins. diam., brs. S. $41\frac{1}{4}$ <sup>o</sup> W., 242 lks. dist., mkd. T41N R3E S28 BT
	A juniper, 12 ins. diam., brs. N. $62\frac{1}{2}$ <sup>o</sup> W., 40 lks. dist., mkd. T41N R3E S21 BT
	Land, mountainous.
	Soil, rocky 3rd. rate.
	Timber, juniper and pinyon.
	Undergrowth, sagebrush and cacti.
	Grass, fair.
	East on random line bet. secs. 22 and 27.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.78	Intersect cor. of secs. 22, 23, 26 and 27.
	Thence West on true line bet. secs. 22 and 27.
	Over nearly level land, thru scattering timber and under-growth.
1.28	Drain, 20 lks. wide, 2 ft. deep. course NE.
7.38	Same drain, course SE.
16.53	Road, brs. S. to Houserock and N. to Fredonia.
23.78	Wash, 10 lks. wide, 2 ft. deep, course S. $80^{\circ}$ E.
39.89	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S22 $\frac{1}{4}$ S27 1936

## Survey: Subdivision Lines T.41 N. R.3 E.

38

	Chains,	from which
	A juniper, 6 ins. diam., brs. N. $6\frac{1}{2}$ <sup>o</sup> W., 86 lks. dist., mkd. $\frac{1}{4}$ S22 BT	
	A juniper, 4 ins. diam., brs. S. $9\frac{3}{4}$ <sup>o</sup> E., 120 lks. dist., mkd. $\frac{1}{4}$ S27 BT	
	Enter Buckskin Mountains. Asc. 57 ft. over E. slope.	
45.51	Spur, slopes NE.; desc. 33 ft. over NW. slope.	
48.00	Wash, 15 lks. wide, course NE.; asc. 226 ft. over E. slope.	
59.00	Spur, slopes NE.; desc. 30 ft. over NW. slope.	
62.80	Wash, 5 lks. wide, course N. $80^{\circ}$ E.; asc. 196 ft. over E. slope, to	
63.65		
79.78	Cor. of secs. 21, 22, 27 and 28.  Land, nearly level and mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.	
	N. $0^{\circ} 02'$ W. bet. secs. 21 and 22.	
	Over mountainous land, thru scattering timber and undergrowth; desc. slightly over E. slope of spur.	
5.00	Desc. 79 ft. over N. slope.	
8.27	Wash, 20 lks. wide, course E.; asc. 103 ft. over S. slope.	
12.40	Spur, slopes E.; desc. 163 ft. over N. slope.	
17.58	Wash, 10 lks. wide, course SE., thence NE.; asc. 53 ft. over S. slope.	
19.07	Spur, slopes SE.; desc. 52 ft. over NE. slope.	
24.01	Head of wash, course SE.; asc. 215 ft. over SE. slope.	
31.56	Spur, slopes E.; thence over level top.	
39.65	Road, brs. S. $60^{\circ}$ E. to Houserock and W. to Fredonia.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ Sec. cor. with brass cap mkd.	
	S21   S22	
	1936	from which
	A juniper, 16 ins. diam., brs. N. $74\frac{1}{2}$ <sup>o</sup> E., 77 lks. dist., mkd. $\frac{1}{4}$ S22 BT	
	A juniper, 12 ins. diam., brs. S. $52\frac{1}{2}$ <sup>o</sup> W., 122 lks. dist., mkd. $\frac{1}{4}$ S21 BT	
	Desc. slightly over NE. slope.	

## Survey: Subdivision Lines T.41 N., R.3 E.

39

Chains	Change of slope.; desc. 154 ft. over NW. slope.
44.50	
49.26	A point 50 lks. E. of a bend in wash, course N. from W.; asc. slightly along W. slope.
56.40	Spur, slopes NW.; desc. 28 ft. over gentle N. slope.
59.37	Wash, 30 lks. wide, course E. from general S.; asc. 105 ft. over S. slope.
63.23	Spur, slopes E.; desc. 151 ft over N. slope.
67.91	Wash, 20 lks. wide, course E.; asc. 57 ft. over SE. slope.
70.92	Spur, slopes E., 1 ch. to toe; desc. 44 ft. over NE. slope.
73.60	Wash, 30 lks. wide, course S.80°E.; asc. 219 ft. over steep S. slope.
80.00	Spur, slopes E. Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock and in a mound of stone to top, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

T41N R3E
S16   S15
----- -----
S21   S22

1936

from which

- A juniper, 14 ins. diam., brs. N.45 $\frac{3}{4}$ E., 510 lks. dist. mkd. T41N.R3E S15 BT
- A juniper, 8 ins. diam., brs. S.48 $\frac{1}{4}$ E., 190 lks. dist., mkd. T41N R3E S22 BT
- A juniper, 8 ins. diam., brs. S.64°W., 194 lks. dist., mkd. T41N R3E S21 BT
- A juniper, 8 ins. diam., brs. N.46°N., 377 lks. dist., mkd. T41N R3E S16 BT

Land, mountainous.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

	East on random line bet. secs. 15 and 22.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.76	Intersect cor. of secs. 14, 15, 22 and 23.
	Thence West on true line bet. secs. 15 and 22.
	Over nearly level land, thru scattering timber and undergrowth.
2.13	Road, brs. N. and S. to Houserock.
4.93	Leave nearly level land, enter Buckskin Mountains; asc. 228 ft. over E. slope.
39.88	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, to bedrock and in a mound of stone to top, for $\frac{1}{4}$ Sec. cor. with brass cap mkd.

40

	Chains	<u>S 15</u> <u>S 22</u> 1936
		from which Pinyon, 8 ins. diam., brs. N.80°W., 105 lks. dist., mkd. $\frac{1}{4}$ S 15 BT
		Juniper, 6 ins. diam., brs. S.54 $\frac{1}{2}$ °E., 78 lks. dist., mkd. $\frac{1}{4}$ S 22 BT
		Cont. to asc. 49 ft. over E. slope.
48.48		Spur, slopes NE.; desc. 134 ft. over NW. slope.
56.20		Wash, 60 lks. wide, course NE.; asc. 362 ft. over E. slope.
79.76		Cor. of secs. 15, 16, 21 and 22:  Land, nearly level and mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
		N.0° 02'W. bet. secs. 15 and 16.
		Over mountainous land, thru scattering timber and under- growth; level over top spur, slopes E.
16.50		Desc. 161 ft. over N. slope.
20.56		Wash, 10 lks. wide, course NE.; asc. 123 ft. over SE. slope.
25.46		Spur, slopes E.; desc. 92 ft. over N. slope.
27.98		Wash, 10 lks. wide, course NE.; asc. 100 ft. over SE. slope.
31.44		Spur, slopes E.; desc. 51 ft. over N. slope.
33.90		Wash, 10 lks. wide, course E.; asc. 132 ft. over S. slope.
38.00		Spur, slopes E.; thence over level top.
40.00		Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		S16   S15 1936
		from which A juniper, 10 ins. diam., brs. S.82 $\frac{1}{2}$ °E., 78 lks. dist., mkd. $\frac{1}{4}$ S15 BT
		A pinyon, 8 ins. diam., brs. S.49 $\frac{1}{2}$ °W., 185 lks. dist., mkd. $\frac{1}{4}$ S16 BT
		Desc. 34 ft. over NE. slope.
48.77		Wash, 10 lks. wide, course SE.; asc. 90 ft. over SW.slope.
62.18		Spur, slopes E.; desc. 107 ft. over steep N. slope.

## Survey: Subdivision Lines T.41 N., R.3 E.

Locality 412

41

Chains	
65.93	Wash, 10 lks. wide, course NE.; asc. 171 ft. over steep S. slope.
72.76	Change of slope; asc. slightly over SE. slope, to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock and in a mound of stone to top, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.
	T41N R3E S9   S10 ---+--- S16   S15
	1936 from which
	A juniper, 12 ins. diam., brs. N. $16\frac{1}{2}$ <sup>o</sup> E., 158 lks. dist. mkd. T41N R3E S10 BT
	A juniper, 4 ins. diam., brs. S. $4\frac{3}{4}$ <sup>o</sup> E., 85 lks. dist., mkd. T41N R3E S15 BT
	A juniper, 4 ins. diam., brs. S. $26\frac{1}{4}$ <sup>o</sup> W., 54 lks. dist. mkd. T41N R3E S16 BT
	A juniper, 10 ins. diam., brs. N. $41\frac{1}{2}$ <sup>o</sup> W., 22 lks. dist. mkd. T41N R3E S9 BT
	Land, mountainous.
	Soil, rocky 3rd. rate.
	Timber, juniper and pinyon.
	Undergrowth, sagebrush and cacti.
	Grass, fair.
	East on random line bet. secs. 10 and 15.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Intersect N. and S. line, 9 lks. N. of cor. of secs. 10, 11, 14 and 15.
	Thence N. $89^{\circ} 56' W.$ on true line bet. secs. 10 and 15.
	Over mountainous land, thru scattering timber and undergrowth; asc. 86 ft. over NE. slope.
8.20	Spur, slopes SE.; desc. 192 ft. over SW. slope.
23.30	Wash, 10 lks. wide, course SE.; asc. 277 ft. over steep NE. slope.
31.45	S. rim of canyon, brs. w. and SE.; thence along N. slope. and S. rim of canyon.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 12 in. in the ground, to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 10 --- S 15 1936
	Pinyon, 6 ins. diam., brs. N. $35^{\circ} E.$ , 65 lks. dist., mkd. $\frac{1}{4}$ S 10 BT
	Pinyon, 8 ins. diam., brs. S. $10\frac{1}{4}$ <sup>o</sup> E., 28 lks. dist., mkd. $\frac{1}{4}$ S 15 BT
	Cont. along N. slope and S. rim of canyon.
57.40	Leave S. rim of canyon, brs. NW. and E.; asc. 49 ft. over E. slope.

BOOK 6.20

## Survey: Subdivision Lines T.41 N., R.3 E.

42

Chains	
69.90	Change of slope; asc. slightly over SE. slope.
79.90	Cor. of secs. 9, 10, 15 and 16.  Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N.0° 02'W. bet. secs. 9 and 10.  Over mountainous land, thru scattering timber and undergrowth; asc. 17 ft. over SE. slope.
9.00	Spur, slopes E.; desc. 164 ft. over N. slope.
17.70	Wash, 20 lks. wide, in bottom of canyon, course E. from NW.; asc. 240 ft. over steep SW. slope.
28.60	Change of slope; asc. 50 ft. over S. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	4 S9   S10 1936
	from which  A juniper, 10 ins. diam., brs. S.49°E., 58 lks. dist., mkd. $\frac{1}{4}$ S10 BT
	A juniper, 6 ins. diam., brs. N.64°W., 45 lks. dist., mkd. $\frac{1}{4}$ S9 BT
	Cont. to asc. 58 ft. over S. slope.
48.00	Road, brs. S.70°E. and N.70°W.;
50.00	Spur, slopes E.; desc. 37 ft. over NE. slope.
61.10	Wash, 10 lks. wide, course SE.; asc. 125 ft. over S.slope.
80.00	Spur, slopes E. Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, deposit a stone 3 x 4 x 8 ins. mkd. with cross (x) at base and in a mound of stone to top, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.
	T41N R3E S4   S3 S9   S10 1936
	from which  A juniper, 6 ins. diam., brs. N.32°E., 80 lks. dist., unfit for markings.
	A juniper, 9 ins. diam., brs. S.37°E., 89 lks. dist., mkd. T41N R3E S10 BT
	A juniper, 12 ins. diam., brs. S.51°W., 92 lks. dist., mkd. T41N R3E S9 BT

## Survey: Subdivision Lines T.41 N., R.3 E.

43

	A juniper, 6 ins. diam., brs. N.42°W., 148 lks. dist., mkd. T41N R3E S4 BT
	Land, mountainous. Soil, rocky 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	S.89° 56' E. on random line bet. secs. 3 and 10.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.76	Intersect N. and S. line, 9 lks. N. of cor. of secs. 2, 3, 10 and 11.  Thence N.89° 52' W. on true line bet. secs. 3 and 10.  Over mountainous land, thru scattering timber and undergrowth; asc. 168 ft. over E. slope.
15.25	Change of slope; desc. slightly over N. slope.
29.85	Small wash, near head, course NE.; asc. 84 ft. over steep E. slope.
32.60	Top steep ascent; asc. 29 ft. over gentle E. slope.
39.88	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 3 — S10 1936
	from which
	A juniper, 24 ins. diam., brs. N.13 $\frac{1}{2}$ °E., 104 lks. dist. mkd. $\frac{1}{4}$ S3 BT
	A juniper, 10 ins. diam., brs. S.36 $\frac{1}{2}$ °E., 79 lks. dist., mkd. $\frac{1}{4}$ S10 BT
	Cont. to asc. 25 ft. over gentle E. slope.
49.80	Top of ascent; desc. 44 ft. over NW. slope.
54.60	Wash, 5 lks. wide, course NE.; asc. 109 ft. over E.slope.
79.76	Cor. of secs. 3, 4, 9 and 10.  Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N.0° 06'E. on random line bet. secs. 3 and 4.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.07	Intersect N. bdy. Tp., 18 lks. E. of cor. of secs. 3, 4, 33 and 34, hereinbefore described.  Thence S.0° 02'E. on true line bet. secs. 3 and 4..

## Survey: Subdivision Lines T.41 N., R.3 E.

44

Chains	Over mountainous land, thru scattering timber and undergrowth; asc. slightly over E. slope.
6.07	Flat top spur, slopes E.; desc. slightly over SE. slope.
20.07	N. rim of canyon, brs. E. and NW.; desc. 183 ft. over steep S. slope.
26.97	Wash, 20 lks. wide, in bottom of canyon, course E.; asc. 170 ft. over N. slope.
35.77	S. rim of canyon, brs. E. and W.; asc. slightly over E. slope of flat top spur.
40.07	Top of flat top spur, slopes E. Set an iron post, 3 ft. long, 1 in. diam., over a cross (x) on surface bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S4   S3 1936
	from which
	A juniper, 6 ins. diam., brs. S.59°E., 40 lks. dist., mkd. $\frac{1}{4}$ S3 BT
	A juniper, 12 ins. diam., brs. N.45°W., 27 lks. dist., mkd. $\frac{1}{2}$ S4 BT
	Cont. over rolling land, over level top spur, slopes E.
44.00	Change of slope; desc. 21 ft. over gentle S. slope.
50.07	Wash, 10 lks. wide, course S.70°E.; asc. 50 ft. over N. slope.
64.29	Spur, slopes NE.; desc. 46 ft. over S. slope.
65.97	Old road, brs. E. and W.
72.97	Wash, 10 lks. wide, course SE.; asc. 26 ft. over NE. slope.
80.07	Cor. of secs. 3, 4, 9 and 10.  Land, mountainous and rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	From the Std. cor. of secs. 32 and 33, on S. bdy. Tp., 10th. Std. Par. N.), which is an iron post, 2 ins. diam., projecting 24 ins. above ground and supported by a mound of stone, with brass cap properly mkd. and witnessed by Two bearing trees properly mkd. and bearing,
	N.42°E., 32 lks. dist., and
	N.21°W., 43 lks. dist.
	Thence N.0° 03'W. bet. secs. 32 and 33.
	Over mountainous land, thru scattering timber and undergrowth; desc. 84 ft. over NE. slope.
8.00	Ravine, course E., 4 chs. to junction of ravine.

## Survey: Subdivision Lines T.41 N., R.3 E.

45

	Chains	Asc. 101 ft. over SE. slope.
12.70		Spur, slopes E.; desc. 34 ft. over NE. slope.
17.65		Change of slope; desc. 50 ft. over N. slope.
24.90		Change of slope; desc. 59 ft. over NW. slope.
31.50		Draw, 5 lks. wide, course N.80°E.; asc. 50 ft. over S. slope.
40.00		Top of spur, slopes NE. Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		$\frac{1}{4}$
		S32   S33
		1936
		from which
		A pinyon, 14 ins. diam., brs. S.55 $\frac{1}{4}$ °W., 49 lks. dist., mkd. $\frac{1}{4}$ S32 BT
		No other tree available.
		Desc. 83 ft. over N. slope.
50.30		Head of drain course N.; desc. down same 24 ft.
66.90		Leave drain, course NE.; asc. 97 ft. over SE. slope.
80.00		Flat top spur, slopes N. Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd,
		T41N R3E S29   S28 S32   S33
		1936
		from which
		A pinyon, 12 ins. diam., brs. N.30°E., 69 lks. dist., mkd. T41N R3E S28 BT
		A pinyon, 22 ins. diam., brs. S.80°W., 99 lks. dist., mkd. T41N R3E S32 BT
		A juniper, 16 ins. diam., brs. N.50 $\frac{1}{2}$ °W., 118 lks. dist., mkd. T41N R3E S29 BT
		No other tree available.
		Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
		East on random line bet. secs. 28 and 33.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
79.94		Intersect cor. of secs. 27, 28, 33 and 34. Thence West on true line bet. secs. 28 and 33.

46

Chains	Over mountainous land, thru scattering timber and undergrowth; desc. 9 ft. over NW. slope.
1.20	Drain, 10 lks. wide, course NE.; asc. 149 ft. over SE. slope.
16.10	Spur, slopes N.; desc. 152 ft. over W. slope.
.26.90	Ravine, course N.; asc. 78 ft. over NE. slope.
27.20	Spur, slopes N.; desc. 24 ft. over NW. slope.
31.90	Ravine, course NE.; asc. 169 ft. over SE. slope.
39.97	Change of slope. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S28 S33 1936
	No bearing trees available.
	Asc. 46 ft. over E. slope.
48.30	Spur, slopes N. desc. 154 ft. over W. slope.
61.40	Drain, 10 lks. wide, course N.; asc. 100 ft. over E. slope.
65.50	Asc. 43 ft. over gentle E. slope.
70.00	Spur, slopes N.; thence over level top.
79.94	Cor. of secs. 28, 29, 32 and 33.  Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	N.0° 03'W. bet. secs. 28 and 29.
	Over mountainous land, thru scattering timber and undergrowth; Desc. slightly over N. slope of spur.
18.00	Desc. 167 ft. over steep N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S29   S28 1936
	No bearing trees available.
	Cont. to desc. 136 ft. over N. slope.
45.25	Wash, 10 lks. wide, bottom of canyon, course NE.; asc. 56 ft. over SE. slope.
48.50	Spur, slopes E., 4 chs. to toe.; desc. 46 ft. over NE. slope.

## Survey: Subdivision Lines T.41 N., R.3 E.

47

79

Chains	
50.50	Wash, 10 lks. wide, in bottom of canyon, course E.; asc. 160 ft. over S. slope.
67.88	Enter nearly level land, road, brs. NE. to Houserock and SW. to Fredonia.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.
	T41N R3E S20   S21 ----- S29   S28 1936
	No bearing trees available.
	Land, mountainous and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
	East on random line bet. secs. 21 and 28.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.76	Intersect N. and S. line, 6 lks. N. of cor. of secs. 21, 22, 27 and 28,
	Thence N.89° 57'W. on true line bet. secs. 21 and 28.
	Over mountainous land, thru scattering timber and undergrowth; asc. 107 ft. over SE. slope.
11.10	Change of slope; asc. 70 ft. over NE. slope.
27.90	Spur, slopes N.; desc. 141 ft. over NW. slope.
32.90	Ravine, course NE.; asc. 182 ft. over SE. slope.
39.88	Set an iron post, 3 ft. long. 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S21 $\frac{1}{4}$ ----- S28 1936
	No bearing trees available.
	Raise a mound of stone 4 ft. base, 3 ft. high, N. of cor. U.S.G.S.B.M. brs. S.86°53'W., 6.68 chs. dist., which is a brass cap cemented in surface bedrock and mkd.
	H24 Elevation Above  Sea 6207 Feet 1934
	Cont. to asc. 69 ft. over SW. slope.
44.40	Spur, slopes NE., road, brs. NE. to Houserock and SW. to Fredonia, thence over level top spur.

## Survey: Subdivision Lines T.41 N., R.3 E.

48

Chains	
47.90	Leave spur, slopes NE.; desc. 101 ft. over NW. slope.
57.00	Ravine, course NE.; 3 chs. to junction of ravine E.; asc. 117 ft. over NE. slope.
63.60	Spur, slopes N.; desc. 125 ft. over NW. slope.
68.60	Wash, 20 lks. wide, course NE.; asc. asc. 16 ft. over SE. slope..
70.40	Spur, slopes N.; desc. slightly over W. slope.
71.00	Drain, course NE.; asc. gradually to
79.76	Cor. of secs. 20, 21, 28 and 29.  Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
 N.0° 03'W. bet. secs. 20 and 21.	
	Over mountainous land, thru scattering timber and under-growth; desc. 150 ft. over NE. slope.
4.51	Wash, 20 lks. wide, in bottom of canyon, course E.; asc. 183 ft. over S. slope.
14.77	Spur, slopes E.; desc. 76 ft. over N. slope.
28.44	Ravine, course E.; asc. 60 ft. over S. slope.
32.65	Spur, slopes NE.; desc. 37 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top. for $\frac{1}{4}$ sec. cor. with brass cap mkd.
 4 S20   S21 1936	
	No bearing trees available.
	Cont. to desc. 77 ft. over NW. slope.
44.94	Ravine, course NE.; 10 chs. to junction.; asc. 46 ft. over SE. slope.
52.93	Spur, slopes E., 8 chs. to toe; desc. 71 ft. over NE. slope.
55.49	Ravine, course E.; asc. 82 ft. over S. slope.
63.78	Spur, slopes E.; desc. 132 ft. over N. slope.
69.75	Wash. 10 lks. wide, in bottom of canyon, course E.; asc. 151 ft. over S. slope.
80.00	Spur, slopes E. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, deposit a stone mkd. with cross (x) at base, for, cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

## Survey: Subdivision Lines T.41 N., R.3 E.

49

81

Chains

T41N	R3E
S17	S16
S20	S21

1936

from which

A juniper, 16 ins. diam., brs. S. $18\frac{1}{4}$ E., 81 lks. dist.,  
mkd. T41N R3E S21 BT

A juniper, 14 ins. diam., brs. S. $18\frac{1}{4}$ W., 213 lks. dist.,  
mkd. T41N R3E S20 BT

No other trees available.

Land, mountainous.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

S. $89^{\circ} 57'$ E. on random line bet. secs. 16 and 21.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.80 Intersect N. and S. line, 2 lks. N. of cor. of secs. 15.  
16, 21 and 22.

Thence N. $89^{\circ} 56'$ W. on true line bet. secs. 16 and 21.

Over mountainous land, thru scattering timber and under-  
growth; asc. 31 ft. over E. slope.

4.50 Top of ascent, slopes N.; desc. 141 ft, over SW. slope.

15.05 Wash, 10 lks. wide, in bottom of canyon, course S. $80^{\circ}$ E.;  
asc. 124 ft. over E. slope.

22.05 Spur, slopes N., 4 chs. to toe; desc. 71 ft. over NW.  
slope.

24.70 Wash, 5 lks. wide, in bottom of canyon, course N. $80^{\circ}$ E.;  
asc. 162 ft. over SE. slope.

39.90 Set an iron post, 3ft. long, 1 in. diam., 12 ins. in the  
ground to cross (x) on bedrock and in a mound of stone  
to top, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

	S16
4	—
	S21

1936

No bearing trees available.

Cont. to asc. 52 ft. over SE. slope.

49.90 Change of slope; asc. 102 ft. over NE. slope.

65.90 Change of slope; asc. 75 ft. over E. slope.

79.80 Cor. of secs. 16, 17, 20 and 21.

Land, mountainous.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

## Survey: Subdivision Lines T.41 N., R.3 E.

50

Chains	N.0° 03'W. bet. secs. 16 and 17. Over mountainous land, thru scattering timber and under-growth; desc. slightly over E. slope.
5.00	Desc. 147 ft. over N. slope.
12.81	Ravine, 10 lks. wide, course S.80°E.; asc. 166 ft. over S. slope.
29.88	Spur, slopes E.; desc. 81 ft. over N. slope.
32.86	Drain, 5 lks. wide, course N.80°E.; asc. 80 ft. over S. slope.
38.41	Spur, slopes E.; desc. slightly over same, to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
T41N R3E S17   S16 1936	
	from which
	A juniper, 20 ins. diam., brs. S.40°E., 126 lks. dist., mkd. $\frac{1}{4}$ S16 BT
	No other tree available.
	Desc. 69 ft. over NE. slope.
45.21	Drain, 5 lks. wide, course S60°E.; asc. 60 ft. over SW. slope.
54.86	Spur, slopes SE.; old road brs. W. and E. for 10 chs.; desc. 83 ft. over N. slope.
64.32	Drain, 5 lks. wide, course E.; asc. 138 ft. over S. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.
T41N R3E S8   S9 ----- S17   S16 1936	
	No bearing trees available.
	Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
S.89° 56'E. on random line bet. secs. 9 and 16.	
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.86	Intersect N. and S. line, 16 lks. N. of cor. of secs. 9, 10, 15 and 16.

## Survey; Subdivision Lines T.41 N., R.3 E.

Block 4, 25

51

	Chains	Thence N.89° 49'W. on true line bet. secs. 9 and 16. Over mountainous land, thru scattering timber and undergrowth; asc. 16 ft. over S. slope.
12.26		Change of slope; desc. 129 ft. over SW. slope.
22.10		Drain, 10 lks. wide, course SE.; asc. 116 ft. over NE. slope.
36.40		Top ascent, slopes N.; desc. 19 ft. over NW. slope.
39.93		Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		$\frac{S\ 9}{4}$ $\frac{S16}{4}$
		1936
		from which
		A juniper, 16 ins. diam., brs. N.68°E., 59 lks. dist., mkd. $\frac{1}{4}$ S9 BT
		No other tree available.
		Cont. to desc. 40 ft. over NW. slope.
41.96		Drain, 10 lks. wide, course NE.; asc. 138 ft. over SE. slope.
55.10		Change of slope; asc. 111 ft. over broken S. slope.
79.86		Cor. of secs. 8, 9, 16 and 17.  Land, mountainous. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
		N.0° 03'W. bet. secs. 8 and 9.
		Over rolling land, thru scattering timber and dense undergrowth; asc. 40 ft. over S. slope.
12.23		Spur, slopes E.; desc. 35 ft. over N. slope.
14.77		Drain, 3 lks. wide, course S.80°E.; asc. 40 ft. over S. slope.
25.33		Spur, slopes NE.; desc. 28 ft. over NW. slope.
29.21		Drain, 3 lks. wide, course NE.; asc. 19 ft. over S. slope.
36.01		Spur, slopes E.; desc. 22 ft. over NE. slope.
40.00		Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		$\frac{S8}{4}$ $\frac{S9}{4}$
		1936
		from which

## Survey: Subdivision Lines T.41 N., R.3 E.

52

Chains	A pinyon, 12 ins. diam., brs. S.14°E., 39 lks. dist., mkd. $\frac{1}{4}$ S9 BT
	A pinyon, 10 ins. diam., brs. S.85°W., 39 lks. dist., mkd. $\frac{1}{4}$ S8 BT
	Cont. to desc. 27 ft. over NE. slope.
41.13	Change of slope; desc. 22 ft. over broken E. slope.
49.09	Change of slope; desc. 105 ft. over NE. slope.
55.88	Drain, course S70°E., old road in bottom, asc. 163 ft. over SW. slope.
62.01	Enter level land.
69.10	Enter dense timber, brs. E. and W.
73.70	Old road, brs. NE. and SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.

T41N R3E	
S5	S4
S8	S9

1936

from which

A juniper, 14 ins. diam., brs. N.42 $\frac{1}{2}$ °E., 27 lks. dist., mkd. T41N R3E S4 BT

A juniper, 10 ins. diam., brs. S.41°E., 45 lks. dist., mkd. T41N R3E S9 BT

A juniper, 12 ins. diam., brs. S.59°W., 90 lks. dist., mkd. T41N R3E S8 BT

A juniper, 16 ins. diam., brs. N.42°W., 56 lks. dist., mkd. T41N R3E S5 BT

Land, mountainous and level.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

S.89° 49'E. on random line bet. secs. 4 and 9.

40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.94	Intersect N. and S. line 9 lks. N. of cor. of secs. 3, 4, 9 and 10. Thence N.89° 45'W. on true line bet. secs. 4 and 9.
	Over nearly level land, thru scattering timber and undergrowth; asc. slightly over E. slope.
5.26	Old road, brs. NW. and SE.
9.00	Drain, 5 lks. wide, course SE.
12.50	Old road, brs. N10°W. and SW.
39.97	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the

## Survey: Subdivision Lines T.41 N., R.3 E.

53

Chains ground to cross (x) on bedrock and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$  S4

S9

1936

from which

A juniper, 8 ins. diam., brs. N. $60\frac{1}{2}^{\circ}$ W., 130 lks. dist., mkd.  $\frac{1}{4}$  S4 BT

A juniper, 14 ins. diam., brs. S. $47\frac{1}{2}^{\circ}$ W., 121 lks. dist., mkd.  $\frac{1}{4}$  S9 BT

43.85 Old road, brs. N. $20^{\circ}$ E. and S. $15^{\circ}$ W.

46.45 Enter dense timber, brs. NE. and SW.

79.94 Cor. of secs. 4, 5, 8, and 9.

Land, nearly level.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

N. $0^{\circ} 02'$ W. on random line bet. secs. 4 and 5.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.70 Intersect N. bdry. Tp., 2 lks. W. of cor. of secs. 4, 5, 32 and 33, hereinbefore described.

Thence S. $0^{\circ} 01'$ E. on true line bet. secs. 4 and 5.

Over gently rolling land, thru dense timber and undergrowth; asc. slightly over NE. slope.

4.80 Old road, brs. NW. and SE. enter level land.

29.00 Drain, 5 lks. wide, course S. $70^{\circ}$ E.

34.90 Drain, 5 lks. wide, course NE.

39.70 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$

S5 | S4

1936

No bearing trees available.

Raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

79.70 Cor. of secs. 4, 5, 8 and 9.

Land, gently rolling and level.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

## Survey: Subdivision Lines T.41 N., R.3 E.

54

Chains	From the Std. cor. of secs. 31 and 32, on S. bdy. Tp., (10th. Std. Par. N.), which is an iron post, 2 ins. diam., projecting 24 ins. above ground, supported by a mound of stone, with brass cap properly mkd. and witnessed by two bearing trees properly mkd. and bearing,
	N. $37^{\circ}E.$ , 92 lks. dist., and N. $38^{\circ}W.$ , 68 lks. dist.
	Thence N. $0^{\circ} 03'W.$ bet. secs. 31 and 32.
	Over mountainous land, thru dense timber and undergrowth; desc. 90 ft. over NE. slope.
8.76	Ravine, 10 lks. wide, course NE.; asc. 100 ft. over SW. slope.
17.61	Change of slope.; desc, slightly over E. slope.
26.57	Drain. 5 lks. wide, course E.; asc. slightly over S.slope.
35.05	Top ascent; desc. 70 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S31   S32 1936
	from which
	A pinyon, 14 ins. diam., brs. N. $23^{\circ}E.$ , 46 lks. dist., mkd. $\frac{1}{4}$ S32 BT
	A pinyon, 12 ins. diam., brs. S. $85^{\circ}W.$ , 74 lks. dist., mkd. $\frac{1}{4}$ S31 BT
	Cont. to desc. 112 ft. over NW. slope.
46.79	Ravine, 10 lks. wide, course E.; asc. 106 ft. over S. slope.
55.89	Leave mountainous land, enter nearly level land.
65.87	Shallow drain, course NE.
73.55	Shallow drain, course E.
78.80	Road, NE. to Houserock and SW. to Fredonia, 3 chs. to junction road NW. to Kanab Utah.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.
	T41N R3E S30   S29 ----- S31   S32 1936
	from which
	A juniper, 8 ins. diam., brs. N. $52\frac{1}{4}^{\circ}E.$ , 80 lks. dist., mkd. T41N R3E S29 BT

## Survey: Subdivision Lines T.41 N., R.3 E.

BOOK 4125

55

Chains.	A juniper, 10 ins. diam., brs. S.57°E., 136 lks. dist., mkd. T41N R3E S32 BT A pinyon, 12 ins. diam., brs. S.8°W., 150 lks. dist., mkd. T41N R3E S31 BT A juniper, 12 ins. diam., brs. N.70½°W., 37 lks. dist., mkd. T41N R3E S30 BT U.S.G.S.B.M. brs. S.48° 53'W., 340 lks. dist., which is a brass cap, set in concrete base, and mkd.
---------	---

H23  
Elevation  
Above  $\Delta$  Sea  
6543 Feet  
1934

Land, mountainous and nearly level.  
Soil, rocky 3rd. rate.  
Timber, juniper and pinyon.  
Undergrowth, sagebrush, buckbrush and cacti.  
Grass, fair.

	East on random line bet. secs. 29 and 32.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect cor. of secs. 28, 29, 32 and 33.
	Thence West on true line bet. secs. 29 and 32.
	Over mountainous land, thru dense timber and undergrowth; level over top of spur, slopes N.
12.50	Desc. 82 ft. over NW. slope.
26.35	Change of slope; desc. 84 ft. over W. slope.
29.43	Ravine, 10 lks. wide, course N.; asc. 100 ft. over E. slope.
33.50	Spur, slopes N.; desc. 85 ft. over W. slope.
35.64	Drain, course N.; asc. 37 ft. over E. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for. $\frac{1}{4}$ sec. cor. with brass cap mkd.

S29  
4 —————  
S32  
1936

from which

	A pinyon, 8 ins. diam., brs. N.39½°W., 79 lks. dist., mkd. $\frac{1}{4}$ S29 BT
	A pinyon, 10 ins. diam., brs. S.2°W., 56 lks. dist., mkd. $\frac{1}{4}$ S32 BT
	Cont. to asc. 141 ft. over E. slope.
50.32	Change of slope; asc. slightly over N. slope.
55.00	Enter nearly level land.
69.60	Road, brs. NE. to Houserock and W. to Fredonia.

## Survey: Subdivision Lines T.41 N., R.3 E.

56

Chains	
80.00	Cor. of secs. 29, 30, 31 and 32. Land, mountainous and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
40.00	West on random line bet. secs. 30 and 31.
79.93	Set temp. $\frac{1}{4}$ sec. cor. Intersect cor. of secs. 25, 30, 31 and 36, W. bdy. Tp., hereinbefore described. Thence East on true line bet. secs. 30 and 31. Over nearly level land, thru dense timber and undergrowth.
23.79	Old road, brs. NE. and SW.
31.68	Shallow drain, course NE.
39.93	Set an iron post, 3 ft. long. 1 in. diam. 22 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{S30}{\frac{1}{4} S31}$ 1936
	from which
	A juniper, 14 ins. diam., brs. N. $18^{\circ}$ E., 16 lks. dist., mkd. $\frac{1}{4}$ S30 BT
	A juniper, 14 ins. diam., brs. S. $78^{\circ}$ E., 46 lks. dist., mkd. $\frac{1}{4}$ S31 BT
53.50	Shallow drain, course NE.
58.67	Old road, brs. NW. and SE.
65.16	Road, brs. S $80^{\circ}$ W. to Fredonia, and E. to Houserock.
71.96	Leave road, brs. W. and S. $70^{\circ}$ E. to Houserock.
76.50	Old, road, brs. N. $80^{\circ}$ W. and SE.
79.93	Cor. of secs. 29, 30, 31 and 32. Land, nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	N. $0^{\circ} 03'$ W. bet. secs. 29 and 30.
	Over rolling land, thru dense timber and undergrowth; desc. 87 ft. over N. slope.
3.96	Head of drain, course N.
13.62	Leave drain, course NE.; asc. slightly over SE. slope.
16.62	Flat top spur, slopes NE.; desc. 44 ft. over N. slope.

## Subdivision Lines T.41 N., R.3 E.

57

Chains 22.58	Drain, 10 lks. wide, course N.70°E.; asc. 25 ft. over SE. slope.
27.21	Flat top spur, slopes E.; desc. 24 ft. over NE. slope.
30.68	Drain, 5 lks. wide, course S.70°E.; asc. 33 ft. over SW. slope.
34.14	Flat top spur, slopes E.; thence over level top.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{4}{S30 \quad   \quad S29}$ 1936
	from which
	A pinyon, 8 ins. diam., brs. S62°E., 101 lks. dist., mkd. $\frac{1}{4}$ S29 BT
	A juniper, 16 ins. diam., brs. S.29°W., 146 lks. dist., mkd. $\frac{1}{4}$ S30 BT
	Cont. over level spur top, slopes E.
48.00	Desc. 23 ft. over E. slope.
55.49	Change of slope; desc. 140 ft. over NE. slope.
61.92	Ravine, course NE.; asc. 91 ft. over S. slope.
74.71	Top spur, slopes S.; thence over level land.
80.00	Set an iron post. 3 ft. long, 2 ins. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.
	$T41N \quad R3E$ $S19 \quad   \quad S20$ $\frac{4}{S30 \quad   \quad S29}$ 1936
	from which
	A pinyon, 14 ins. diam., brs. N.57°E., 190 lks. dist., mkd. T41N R3E S20 BT
	A juniper, 10 ins. diam., brs. S.61 $\frac{1}{2}$ °E., 165 lks. dist., mkd. T41N R3E S29 BT
	A pinyon, 10 ins. diam., brs. S.76°W., 76 lks. dist., mkd. T41N R3E S30 BT
	A pinyon, 14 ins. diam., brs. N.65°W., 87 lks. dist., mkd. T41N R3E S19 BT
	Land, rolling.
	Soil, rocky 3rd. rate.
	Timber, juniper and pinyon.
	Undergrowth, sagebrush, buckbrush and cacti.
	Grass, fair.
	East on random line bet. secs. 20 and 29.
40.00	Set temp. $\frac{1}{4}$ sec. cor.

## Survey: Subdivision Lines T.41 N., R.3 E.

58

	Chains
80.00	Intersect N. and S. line, 9 lks. N. of cor. of secs. 20, 21, 28 and 29.  Thence N.89° 56'W. on true line bet. secs. 20 and 29.  Over mountainous land, thru scattering timber and undergrowth; level over mesa.
1.70	Desc. 93 ft. over W. slope.
7.40	Ravine, near head, course N.; for 7 chs. to junction of ravine course NE.; asc. 103 ft. over E. slope.
13.95	Top ascent, ; thence along N. slope.
26.60	Begin descent, desc, 30 ft. over W. slope.
32.65	Ravine, 15 lks. wide, course NE, for 8 chs. to junction of ravine course N.70°E.; asc. 112 ft. over SE. slope.
37.15	Top ascent; thence along N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ \$20 \$29
	1936
	No bearing trees available.
	Raise a mound of stone 4 ft. base, 3 ft. high, N.of cor.
	Cont. along N. slope.
46.90	Desc. 68 ft. over NW. slope.
53.50	Ravine, 15 lks. wide, course NE.; asc. 186 ft. over E. slope.
63.90	Leave mountainous land, enter nearly level land.
80.00	Cor. of secs. 19, 20, 29 and 30.  Land, mountainous and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	West on random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor..
79.91	Intersect W. bdy. Tp., 12 lks. N. of cor. of secs. 19, 24, 25 and 30, hereinbefore described.  Thence N.89° 55'E.. on true line bet. secs. 19 and 30.  Over gently rolling land, thru dense timber and undergrowth; asc. slightly over gentle W. slope.
19.40	Enter level land.
39.91	Set an iron post, 3 ft. long, 1 in. diam., 15 ins..in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

## Survey: Subdivision Lines T.41 N., R.3 E.

59

Chains

S19S30

1936

from which

A pinyon, 10 ins. diam., brs. N. $40^{\circ}$ E., 115 lks. dist.,  
mkd.  $\frac{1}{4}$  S19 BT

A pinyon, 12 ins. diam., brs. S. $51^{\circ}$ E., 61 lks. dist.,  
mkd.  $\frac{1}{4}$  S30 BT

Cont. over level land.

53.50 Leave level land; enter rolling land; desc. 26 ft. over  
E. slope.

69.85 Drain, 5 lks. wide, course S.; asc. 66 ft. over W. slope.

79.91 Cor. of secs. 19, 20, 29 and 30.

Land, gently rolling, level and rolling.

Soil, rocky 3rd. rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush, buckbrush and cacti.

Grass, fair.

N. $0^{\circ} 03'$ W. bet. secs. 19 and 20.

Over level land, thru scattering timber and undergrowth.

26.95 Leave level land; desc. 61 ft. over NE. slope.

33.89 Drain. 10 lks. wide, course E.; asc. 103 ft. over S.slope.

40.00 Enter Level land.

Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the  
ground to cross (x) on bedrock and in a mound of stone  
to top, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S19 | S20  
1936

No bearing trees available.

Cont. over level land.

52.69 Old road, brs. NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground to cross (x) on bedrock, for cor. of secs. 17,  
18, 19 and 20, with brass cap mkd.

T41N R3E  
S18 | S17  
S19 | S20  
1936

from which

A juniper, 16 ins. diam., brs. N. $48\frac{1}{2}$ E., 281 lks. dist.,  
mkd. T41N R3E S17 BT

A juniper, 8 ins. diam., brs. S. $80\frac{1}{4}$ E., 81 lks. dist.,  
mkd. T41N R3E S20 BT

## Survey: Subdivision Lines T.41 N., R.3 E.

60

	Cards.	A pinyon, 8 ins. diam., brs. S.59 $\frac{1}{2}$ °W., 172 lks. dist., mkd. T41N R3E S19 BT A pinyon, 10 ins. diam., brs. N.65 $\frac{1}{4}$ °W., 90 lks. dist., mkd. T41N R3E S18 BT  Land, level and rolling. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
		S.89° 56' E. on random line bet. secs. 17 and 20.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
79.96		Intersect N. and S. line, 4 lks. N. of cor. secs. 16, 17, 20 and 21.  Thence N.89° 54' W. on true line bet. secs. 17 and 20.  Over rolling land, thru scattering timber and undergrowth. asc. slightly over E. slope.
29.96		Change of slope; desc. 48 ft. over SW. slope.
37.90		Drain, 5 lks. wide, course S., 2 chs. to junction of drain course E.; asc. 19 ft. over SE. slope.
39.98		Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		S17 4    S20 1936
		No bearing trees available.
		Desc. slightly along S. slope.
48.40		Change of slope; desc. slightly over SW. slope.
50.70		Drain, 5 lks. wide, course S.80° E.; asc. slightly over nearly level land.
79.96		Cor. of secs. 17, 18, 19 and 20.  Land, rolling and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
		S.89°55' W. on random line bet. secs. 18 and 19.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
79.89		Intersect W. bdy. Tp.; 7 lks. N. of cor. of secs. 13, 18, 19 and 24, hereinbefore described.  Thence N.89° 52' E. on true line bet. secs. 18 and 19.  Over nearly level land, thru dense timber and undergrowth.
2.90		Old road, brs.. N.15°E. and S.15°W.

## Survey: Subdivision Lines T.41 N., R.3 E.

BOOK 4

61

Chains 39.89	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S18 S19 1936
	from which
	A juniper, 16 ins. diam., brs. N.59°E., 69 lks. dist., mkd. $\frac{1}{4}$ S18 BT
	A juniper, 14 ins. diam., brs. S.3°W., 74 lks. dist., mkd. $\frac{1}{4}$ S19 BT
	Cont. over nearly level land.
78.40	Old road, brs. NE. and SW.
79.89	Cor. of secs. 17, 18, 19 and 20.  Land, nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	N.02 03°W. bet. secs. 17 and 18.
	Over rolling land, thru dense timber and undergrowth; desc. 100 ft. over gentle N. slope.
1.26	Old road, brs. NE. and SW.
14.20	Drain, 10 lks. wide, course E.; asc. 41 ft. over S.slope.
18.14	Thence along E. slope.
35.62	Desc. 32 ft. over NE.. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., over a cross (x) on surface bedrock and in a mound of stone to top, 5 ft. base and 3 ft. high, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S18   S17 1936
	from which
	A juniper, 10 ins. diam., brs. S.60°E., 24 lks. dist., mkd. $\frac{1}{4}$ S 17 BT
	A juniper, 6 ins. diam., brs. S.7°W., 9 lks. dist., mkd. $\frac{1}{4}$ S 18 BT
	Cont. to desc. slightly over NE. slope.
42.70	Shallow drain, course SE.; asc. 121 ft. over SE. slope.
58.57	Enter nearly level land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for Cor. of secs. 7, 8, 17 and 18, with brass cap mkd.

LAWRENCE 4125

## Survey: Subdivision Lines T.41 N., R.3 E.

62

	Chains	T41N R3E S7   S8 ---+--- S18   S17 1936
		from which
		A juniper, 12 ins. diam., brs. N. $61\frac{1}{4}$ E., 56 lks. dist., mkd. T41N R3E S8 BT
		A juniper, 16 ins. diam., brs. S. $73\frac{1}{4}$ E., 71 lks. dist., mkd. T41N R3E S17 BT
		A juniper, 10 ins. diam., brs. S. $35\frac{1}{2}$ W., 149 lks. dist., mkd. T41N R3E S18 BT
		A juniper, 10 ins. diam., brs. N. $73\frac{1}{2}$ W., 139 lks. dist., mkd. T41N R3E S7 BT
		Land, rolling and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
		S. $89^{\circ} 54'$ E. on random line bet. secs. 8 and 17.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
80.14		Intersect N. and S. line, 21 lks. S. of cor. of secs. 8, 9, 16 and 17.  Thence S. $89^{\circ} 57'$ W. on true line bet. secs. 8 and 17.  Over mountainous land, thru. scattering timber and undergrowth; desc. 30 ft. over SW. slope.
4.25		Drain, 5 lks. wide, course SE.; asc. 127 ft. over SE. slope.
14.00		Enter nearly level land..
40.07*		Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		S 8 --- 4   S17 1936
		from which
		A pinyon, 14 ins. diam., brs. N. $36\frac{3}{4}$ W., 103 lks. dist. mkd. $\frac{1}{4}$ S8 BT
		A juniper, 12 ins. diam., brs. S. $44\frac{1}{2}$ W., 102 lks. dist., mkd. $\frac{1}{4}$ S17 BT
		Cont. over nearly level land.
79.22		Old road, brs. N. and S.
80.14		Cor. of secs. 7, 8, 17 and 18.  Land, mountainous and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.

## Survey: Subdivision Lines T.41 N., R.3 E.

63

	S.89° 52'W. on random line bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.78	Intersect cor. of secs. 7, 12, 13 and 18, on W. bdy. Tp., hereinbefore described. Thence N.89° 52'E. on true line bet. secs. 7 and 18. Over nearly level land, thru dense timber and undergrowth.
39.78	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground and in a mound of stone, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S7 S18
	1936
	from which
	A juniper, 7 ins. diam., brs. N.16°W., 48 lks. dist., mkd. $\frac{1}{4}$ S7 BT
	A pinyon, 7 ins. diam., brs. S.33°W., 61 lks. dist., mkd. $\frac{1}{4}$ S18 BT
	Cont. over nearly level land.
79.78	Cor. of secs. 7, 8, 17 and 18.  Land, nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	N.0° 03'W. bet. secs. 7 and 8.
	Over nearly level land, thru dense timber and undergrowth.
6.69	Old road, brs. N. and S. general course.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S7   S8
	1936
	from which
	A juniper, 16 ins. diam., brs. S.66°E., 25 lks. dist., mkd. $\frac{1}{2}$ S8 BT
	A juniper, 10 ins. diam., brs. S.42 $\frac{1}{2}$ °W., 10 lks. dist., mkd. $\frac{1}{4}$ S7 BT
	Cont. over nearly level land.
63.20	Old road, brs. SW. and E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

ECCC 4125

## Survey: Subdivision Lines T.41 N., R.3 E,

64

Chains	<p style="text-align: center;">T41N R3E S6   S5 ---+--- S7   S8 1936</p> <p style="text-align: right;">from which</p> <p>A juniper, 12 ins. diam., brs. N.<math>41\frac{1}{2}</math><sup>o</sup>E., 52 lks. dist., mkd. T41N R3E S5 BT</p> <p>A juniper, 8 ins. diam., brs. S.<math>39\frac{1}{2}</math><sup>o</sup>E., 62 lks. dist.m mkd. T41N R3E S8 BT</p> <p>A pinyon, 10 ins. diam., brs. N.<math>64\frac{1}{2}</math><sup>o</sup>W., 80 lks. dist., mkd. T41N R3E S6 BT</p> <p>A pinyon, 12 ins. diam., brs. S.<math>30\frac{1}{2}</math><sup>o</sup>W., 88 lks. dist., mkd. T41N R3E S7 BT</p> <p>Land, nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.</p>
40.00	N. $89^{\circ} 57'$ E. on random line bet. secs. 5 and 8.
80.10	Set temp. $\frac{1}{4}$ sec. cor.
40.05	Intersect N. and S. line, 14 lks. S. of cor. of secs. 4, 5, 8 and 9.  Thence S. $89^{\circ} 51'$ W. on true line bet. secs. 5 and 8.  Over nearly level land, thru dense timber and undergrowth.  Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, deposit a stone mkd. with cross (x) at base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S5 — 4 — S8 1936
	from which
80.10	A juniper, 10 ins. diam., brs. N. $16^{\circ}$ W., 24 lks. dist., mkd. $\frac{1}{4}$ S5 BT
	A juniper, 10 ins. diam., brs. S. $9^{\circ}$ W., 8 lks. dist., mkd. $\frac{1}{4}$ S8 BT
	Cont. over nearly level land.
80.10	Cor. of secs. 5, 6, 7 and 8.  Land, nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
	S.89°52'W. on random line bet. secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.46	Intersect W. bdy. Tp., 4 lks. N. of cor. of secs. 1, 6, 7 and 12, hereinbefore described.

## Subdivision Lines T.41 N., R.3 E.

4125  
65

	Chains	Thence N.89° 50'E. on true line bet. secs. 6 and 7. Over gently rolling land, thru scattering timber and undergrowth; asc. gradually over SW. slope
1.55		Drain, course NW.
14.50		Divide, brs. N. and S.; desc. gradually over gentle E. slope, thru dense timber.
30.00		Old road, brs. N. and S.
39.46		Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
		S6 $\frac{1}{4}$ ————— S7
		1936
		from which
		A juniper, 8 ins. diam., brs., N.47°W., 63 lks. dist., mkd. $\frac{1}{4}$ S6 BT
		A pinyon, 8 ins. diam., brs. S.20°E., 44 lks. dist., mkd. $\frac{1}{4}$ S7 BT
		Cont. over nearly level land.
73.60		Drain, course N.
79.46		Cor. of secs. 5, 6, 7 and 8.  Land, gently rolling and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.
		N.0° 01'W. on random line bet. secs. 5 and 6.
40.00		Set temp. $\frac{1}{4}$ sec. cor.
79.74		Intersect N. bdy. Tp., 9 lks. W. of cor. of secs. 5, 6, 31 and 32, hereinbefore described.
		Thence S.0° 03'W. on true line bet. secs. 5 and 6.
		Over rolling land, thru dense tiber and undergrowth; asc. slightly over NW. slope.
2.00		Change of slope; desc. slightly over SW. slope.
3.00		Small drain, course N.20°W.; asc. 45 ft. over E. slope.
24.30		Change of slope, leave dense and enter scattering timber; desc. 81 ft. over SE. slope.
35.74		Enter drain, 10 lks. wide, course NE., from general S.; asc. slightly up drain.
39.74		Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to cross (x) on bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S6 | S5  
1936

BISON 4125

## Survey: Subdivision Lines T.41 N., R.3 E.

66

Chains	No bearing trees available.
44.00	Drain, 10 lks. wide, course N.; asc. 23 ft. over NE. slope.
49.00	Change of slope, enter dense timber, brs. E. and W.; desc. 19 ft. over SE. slope.
56.50	Drain, 10 lks. wide, course NE; asc. 47 ft. over NW.slope.
60.80	Enter nearly level land.
79.74	Cor. of secs. 5, 6, 7 and 8.  Land, rolling and nearly level. Soil, rocky 3rd. rate. Timber, juniper and pinyon. Undergrowth, sagebrush, buckbrush and cacti. Grass, fair.

FINAL TEST OF INSTRUMENTS.

Oct. 11, 1936. At camp in sec. 2, T. 41 N., R. 3 E., at 9h 0m. am. app. t., set off  $36^{\circ} 59' N.$  on the lat. arcs,  $7^{\circ} 6' S.$  on the decl. arcs, and orient the instruments with the solars; the lines of sight agree with the meridian determined by Polaris observation.

At 3h. 0m. p.m., app. t., with the lat. arcs unchanged set off  $7^{\circ} 12' S.$  on the decl. arcs, and repeat the test of the solars; the lines of sight agree with the meridian determined by Polaris observation.

GENERAL DESCRIPTION.

The land in this township varies from nearly level to mountainous through the central and NE. portions. The elevation is from about 5000 ft. to 6500 ft. above sea level.

The soil is gravelly and rocky, 3d. rate.

Coyote wash, (dry) extends northerly through the 2 east ranges of sections.

Coyote spring, in the wash, is near the line bet. secs. 13 and 14. A frame house, corral and cement water trough are near the spring. The owner is unknown.

The timber is scattering juniper, and pinyon.

There are no indications of valuable mineral deposits.

## FIELD ASSISTANTS

NAMES	CAPACITY
Dawson Cooley	Principal Assistant
Orland Parks	"
Donald Gifford	"
William Carver	"
A.W. Stacey	"
Edmund R. Brenizer	Chainman
Leslie McMahan	"
James M. Hughes	"
Francis S. Gebby	"
Eugene W. James	"
Mather Willis	Cornerman
James D. King	"
Fred Reed	"
Francis Nichols	"
Walter Fields	"
Arthur Munger	Flagman
Jack Ralston	"
Robert Holt	"
Mather Willis	"
Harold Spires	"
Courtney Boom	"
Elbert T. Mosley	Axeman
Loral Leavitt	"
R.V. Hinder	"
J.W. Martinie	"
Charles F. Bobo, Jr.	"

100  
68  
BOOK 4125

16010 D Sy 207

## CERTIFICATE OF UNITED STATES SURVEYER

We, Daniel M. Wier, Bert E. Wakeman, James C. Norman, Albert Greene and Elliott Pearson, U.S. Transitmen, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 30th day of July 1936, received from the district cadastral engineer for Arizona, with assignment August 12 and 21 and Sept. 1 and 8, instructions dated 1936, we have surveyed the North and West boundaries and the subdivisional lines of Township 41 North, Range 3 East,

River  
of the Gila and Salt Meridian, in the State of Arizona, which are in the direction of Benjamin J. Kinsey, U.S. Surveyor represented in the foregoing field notes as having been executed by us and under my direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

*Daniel M. Wier* *Phoenix, Ariz. May 17, 1937.* *Springerville Ariz June 7, 1937*  
*Bert E. Wakeman* *Phoenix, May 17, 1937.* *Elliott Pearson* *Phoenix, May 17, 1937.*  
*Phoenix, Ariz. May 18, 1937.* *Bert E. Wakeman* *Phoenix Ariz. May 17, 1937.*  
U.S. Transitmen *James C. Norman* *Phoenix, Ariz. May 17, 1937.*  
U.S. Transitmen.

## CERTIFICATE OF APPROVAL

OFFICE OF U.S. SUPERVISOR OF SURVEYS,

Denver, Colorado, June 21, 1937.

The foregoing field notes of the survey of the North and West boundaries and the subdivisional lines of Township 41 North, Range 3 East, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Daniel M. Wier, Bert E. Wakeman, James C. Norman, Albert Greene, and Elliott Pearson, U.S. Transitmen, under special instructions dated July 30, 1936, and assignment 1936, instructions dated Aug. 12 and 21 and Sept. 1 and 8, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

*Franklin D. Roosevelt*  
U.S. Supervisor of Surveys.

## CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above described surveys in \_\_\_\_\_, is a true copy of the original field notes on file in the public survey office.

U.S. Supervisor of Surveys.