BOOK 4282

UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

Book F

FIELD NOTES

OF THE

	Survey of the Subdivisional Lines of
************	Township 1 South, Range 11 West,
	
	
	·
`	
	·
	Of theGila and Salt River Meridian,
In the	State ofArizona
	EXECUTED BY
	William E. Hiester, Associate Cadastral Engineer, and
	Ty White, Assistant Cadastral Engineer.
	General Land Office.
Under	special instructions dated February 7 , 19 40, which provided
for the	e surveys included under Group No. 229, bearing the approval of the
Comm	nissioner of the General Land Office under date of February 23, 1940
and as	signment instructions datedFebruary l, 19_41
	Survey commenced April 5 , 19 41.
	Survey completed, 19_41.

AI.

BOOK 4282

INDEX DIAGRAM.

Towns	hip <u>1</u> S	outh	_, Range	11 West	ļ
6	39 ⁵	27 4	20 3	14 2	7 1
38	38	27	20	13	6
7	37 s 36	26 s 25	19 10	13 ₁₁	6 ₁₂
36	1 20	<u> </u>	<u> </u>		
18	35 ¹⁷	25 ¹⁶	18 15	ll 14	5 13
34	33	24	18	11	4
19 32	33 ²⁰ 31	24 21 23	17 22 17	10 23	3 24
80	30 29	22 28	16 27	9 26	2 25
30	29	22	15	8	2
31	28 392	21 83	14 34	8 33	1. 36
			6—151		

Cha ins

The surveys hereinafter described were executed by William E. Hiester, using Buff solar transit No. 24846, and Ty White, using Buff solar transit No. 18002. For description of equipment and descriptions and tests of transits, see the field notes of the boundaries of T. 3 S., R. 10 W., surveyed under this group.

The Gila and Salt River Base Line, through R. 11.W., was surveyed in 1914 by J.B. Wright, U. S. Surveyor.

From the cor. of secs. 1,2,35 and 36 on the S. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.

N.0°01'W., bet. secs. 35 and 36.

Over nearly level desert land, through scattered timber and undergrowth.

12.90 Dry wash, 10 lks. wide, 3 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.

Dry wash, 35 lks. wide, course SW.; leave hearly level desert land, bears E. and W.; asc. 74 ft, over S. slope.

61.00 Dirt road, bears NE. and SW.

72.70 Same road, bears SE. and NW.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for cor. of secs. 25,26,35 and 36, with brass cap mkd.

The sec. cor. is located on top of Cemetery Ridge, which bears S.75°E. and SW.

Land, nearly level and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, cats claw and cacti.

N.89°58'E., on a random line bet. secs. 25 and 36.

40.00 | Set temp. $\frac{1}{4}$ sec. cor.

A point 9 lks. S. of the cor. of secs. 25 and 36 only, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R. 10 W., resurveyed under this group.

4--678 b

2

BOOK 4282

-	Chains	Thence
		S.89°54'W., on true line bet. secs. 25 and 36.
	- -	Over mountainous land, through scattered timber and desert growth.
	•	Asc. 65 ft. along N. slope.
	,15.00	Top of ascent, bears N. and S.; desc. 70 ft. along S. slope.
	18.95	Well bears N.22°27'W.
	40.00	Set an iron post, 3 ft: long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
		\$\frac{1}{4} \frac{\text{S 25}}{\text{S 36}}\$ \$\text{1941}\$
	-	Desc. 63 ft. along S. slope.
	44.60	Base of slope, bears NE: and SW.; continue over nearly level desert land.
	52.00	Dry wash, 40 lks. wide, 3 ft. deep, course SW.
	62.20	Leave nearly level desert land, bears NW. and SW.; asc. 50 ft. along N. slope.
	80.00	The dor. of secs. 25, 26, 35 and 36.
		Land, mountainous and nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.
		N.0°01'W., bet. secs. 25 and 26.
	c	Over mountainous land, through scattered timber and desert growth.
		Desc. 30 ft. over N. slope.
	2.60	Dirt road, bears NE. and SW.
	8.00	Base of slope, bears S.60°E. and N.60°W.; continue over nearly level desert land.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	τ	S 26 S, 25
		1941
	42.35 60.50	l8x18x12 ins., N. and S. of post, 3 ft. dist. Well bears N.59°19'E. Dry wash, 20 lks. wide, 4 ft. deep, course W.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 23,24,25 and 26, with brass cap mkd.

	·
Chains	T 1 S R 11 W S 23 S 24 S 26 S 25 1941
	raise a mound of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high, W. of cor.
• • • • • • • • • • • • • • • • • • • •	Land, mountainous and nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.
	N.89°54'E., on a random line bet. secs. 24 and 25.
40.00	Set temp. ½ sec. cor.
79.98	A point 2 lks. S. of the cor. of secs. 24 and 25 only, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R., 10 W., resurveyed under this group.
	Thence , , , , , , , , , , , , , , , , , , ,
•	S.89°53'W., on true line bet. secs. 24 and 25.
	Over nearly level desert land, through scattered timber and undergrowth.
3.08	Dirt road, bears N.85°E. and S.85°W.
26.48	Drain, course SW.
36.98	Dirt road, bears N. and S.10°W.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1 S 24 S 25 1941
	of stone, 3 ft. base, 2 ft. high, N. of cor.
79.98	The cor. of secs. 23,24,25 and 26.
	Land, nearly level. Soil, sandy, 3rd rate; and gravelly,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.
	N.0°01'W., bet. secs. 23. and 24.
	Over nearly level desert, land, through, scattered timber and undergrowth,
6.50	Dry wash, 60 lks. wide, 4 ft. deep, course SW.
29.10	Shallow wash, 10 lks. wide, course SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.

	$rac{ au}{4}$
	S 23 S 24
	1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, W. of cor.
77.40	Dry wash, 20 lks. wide, 2 ft. deep, course Sw.
°80,00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13,14,23 and 24, with brass cap mkd.
	T 1 S R 11 W S 14 S 13
	S 23 S 24
	1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level.
	Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.
	N.89°53'E., on a random line bet. secs. 13 and 24.
40.00	Set temp. \(\frac{1}{4}\) sec. cor.
80.00	A point 2 lks. N. of the cor. of secs. 13 and 24 only, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R. 10 W., resurveyed under this group.
	Thence
	S.89°54'W., on true line bet. secs. 13 and 24.
	Over rolling desert land, through scattered timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	½ S 13 S 24
	S 24 1941
ξ	raise a mound
	of stone, 3 ft. base, 2 ft. high, N. of cor.
57.20	Dry wash, 20 lks. wide, course S.
76.00	Dry wash, 20 lks., wide, course SW.
80.00	The cor. of secs. 13,14,23 and 24.
	Land, rolling. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth,

Chains N.0°01'W., bet. secs. 13 and 14.

-673 b

Over nearly level desert land, through scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam. 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.

raise a mound

of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.

71.70 Dry wash, 40 lks. wide, 3 ft. deep, course SW.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 11,12,13 and 14, with brass cap mkd.

raise a mound

of stome, 3 ft. base, 2 ft. high, W. of cor.

Land, nearly level.,
Soil, sandy, 3rd rate; and rocky, 4th rate.
Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.

N.89°54'E., on a random line bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

A point 2 lks. S. of the cor. of secs. 12 and 13 only, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R. 10 W., resurveyed under this group.

Thence

S.89°53'W., on true line bet. secs. 12 and 13.

Over nearly level desert land, through scattered timber and undergrowth.

18.88 Dry wash, 25 lks. wide, course S.

36.48 Dry wash, 10 lks. wide, course SW.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for ½ sec. cor., with brass cap mkd.

raise a mound

of stone, 2½ ft. base, 2 ft. high, N. of cor.

77.38 | Dry wash, course S.30°W.

6 BOOK 4282

Chains 79.98	The cor. of secs. 11,12,13 and 14.
ō	Land, nearly level. Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.
	N.0°01'W., bet. secs. 11 and 12.
	Over nearly level desert land, through scattered timber and undergrowth.
9.00	Dry wash, 20 kks. wide, 2 ft. deep, course SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 4 sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	s 11 s 12
	1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 1,2,11 and 12, with brass cap mkd.
e :	T 1 S R 11 W S.2 S 1 S 11 S 12
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
	N.89° 53'E., on a random line bet. secs. 1 and 12.
40.00	Set temp. 1/4 sec. cor.
79.90	A point 2 lks. S. of the cor. of secs. 1 and 12 only, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R., 10 W., resurveyed under this group.
	Thence
	S.89°52'W., on true line bet. secs. 1 and 12.
	Over rolling desert land, through scattered timber and undergrowth.
1.60	Left bank of dry wash, 4 ft. deep, course S.80°W.; continue along wash.
7.00	Right bank of same wash, course SW.; asc. 18 ft. over SE. slope.
	· · · · · · · · · · · · · · · · · · ·

Chains 16.00	Top of ascent, bears NE. and SW.; desc. gentle W. slope.
39•55	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	WC ½ S 1 S 12 1941
	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
39.95	True point for ½ sec. cor. falls on left bank of dry wash, 8 lks. wide, 6 ft. deep, course SW., a place unsuitable for permanent cor.
79.90	The cor. of secs. 1,2,11 and 12.
	Land, rolling. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
٠.	N.0°01'W., bet. secs. 1 and 2.
	Over nearly level desert land, through scattered timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \(\frac{1}{2} \) sec. cor., with brass cap mkd.

 $\begin{array}{ccc}
 & & & \frac{2}{4} \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\$

75.22 | Intersect the Gila and Salt River Base Line.

Set an iron post, 3 ft. long, 2 ins. diam.; 16 ins. in the ground to bedrock, with a stone mkd; with a cross X, deposited at the base, and in a mound of stone to top, for closing cor. of secs. 1 and 2, with brass cap mkd.

From this point the standard \(\frac{1}{4}\) sec. cor. on the S. bdy. of sec. 36, T. l N., R. ll W., bears N.89°58'E., 27.37 chs. dist.; an iron post, l in. diam.; l2 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

From the same point the standard cor. of secs. 35 and 36, T. 1 N., R. 11 W., bears S.89°58'W., 12.52 chs. dist.; an iron post, 3 ins. daim., 10 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Land, nearly level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.

4--673 b

8

Subdivision of T. 1 S., R. 11 W.

Chains From the cor. of secs. 2,3,34 and 35 on the S. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S. R. 11 W., surveyed under this group.

N.0°01'W., bet. secs. 34 and 35.

Over nearly level desert land, through scattered timber and undergrowth.

Over nearly level desert land, through scattered timber and undergrowth.

- 3.70 Dirt road, bears E. and W.
- 36.00 Dry wash, 8 lks. wide, course W.
- Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

raise a mound

of stone, 3½ ft. base, 2 ft. high, W. of cor.

- 50.75 Dirt road, bears S.80°E. and N.80°W.
- Dry wash, 8 lks. wide, 1 ft. deep, course W.; leave desert land, bears E. and W.; asc. 115 ft. over S. slope.
- Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

Land, nearly level and mountainous.
Soil; sandy, 3rd rate; and rocky,4th rate.
Timber, scattered ironwood and palo verde; undergrowth,
greasewood, cats claw, sage, ocotillo and cacti.

N.89°58'E., on a random line bet. secs. 26 and 35.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.94 A point 2 lks. N. of the cor. of secs. 25,26,35 and 36.

S.89°59'W., on true line bet. secs. 26 and 35.

Over mountainous land, through scattered timber and desert growth.

Asc. 83 ft. along N. slope.

- 2.24 Dirt road, bears N. and S.
- 35.44 | Head of drain, course NE.; asc. 60 ft. over E. slope.

Cha ins 39.97	Set an iron post, 3 ft. long, 1 in. diam., on bedrock, with a stone mkd. with a cross X, buried alongside, and
	in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	S 35
	1941
	The \(\frac{1}{4}\) sec. cor. is located on top of Cemetery Ridge, bears NW. and SE.
	Desc. 92 ft. along S. slope.
68.74	Side hill drain, course S.; asc. 30 ft. along S. slope.
79.94	The cor. of secs. 26,27,34 and 35.
•	Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.
	N.0°01'W., bet. secs. 26 and 27.
	Over mountainous land, through scattered timber and desert growth.
• .	Asc. 80 ft. over S. slope.
5.50	Top of Cemetery Ridge, bears E. and W.; desc. 110 ft. over NE. slope.
20.00	Bend in draw, course N.20°E. from S.20°E.
22.00	Base of slope, bears E. and W.; continue over nearly level desert land.
30.00.	Shallow drain, course W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	1/4
	s·27 s 26
, c	. 1941
	from which
,	A mesquite, 4 ins. diam., bears N.42°E., 34 lks. dist., mkd. B T.
	A mesquite, 6 ins. diam., bears N.10°W. 63 lks.dist., mkd. \(\frac{1}{4}\) S 27 B T.
40.40	Dry wash, 12 lks. wide, 2 ft. deep, course W.
51.50	Dry wash, 60 lks. wide, 4 ft. deep, course S.60°W.
61.20	Dry wash, 40 lks. wide, 3 ft. deep, course S.80°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 22,23,26 and 27, with brass cap mkd.

_			*
	Chains	T 1 S R 11 W , S 22 S, 23	•
		s 27 S 26	,
		1941	
		of stone, $3\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.	
		Land, mountainous and level.	
	:	Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth,	
		greasewood, mesquite, cats claw, sage, ocotillo and cacti.	
		N.89°59'E., on a random line bet. secs. 23 and 26.	
	40.00	Set temp. 4 sec. cor.	
	79.96	A point 2 lks. N. of the cor. of secs. 23,24,25 and 26.	
	:	Thence	
		West, on true line bet. secs. 23 and 26.	
		Over nearly level desert land, through scattered timber and undergrowth.	•
	6.26	Long dry wash, 60 lks. wide, 3 ft. deep, course SW.	•
	39.98	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.	
	-	1 · S 23	
		S 26 1941	
		of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.	
	44.16	Dry wash, 4 lks. wide, 2 ft. deep, course S.75°W.	
	48.66	Dry wash, 35 lks. wide, 3 ft. deep, course S.15°W.	
	79.96	The cor. of secs. 22,23,26 and 27.	
		Land, nearly level. Soil, sandy, 3rd rate.	
		Timber, scattered ironwood and palo verde; undergrowth,	
		greasewood, cats claw, mesquite, sage and cacti.	
		N.0°01'W., bet. secs. 22 and 23.	
•	r	Over nearly level desert land, through scattered timber and undergrowth.	
	5.90	Dry wash, 5 lks. wide, course S.30°W.	
	15.60	Dim road, bears E. and W.	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 4 sec. cor., with brass cap mkd.	
		1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
		S 22 S 23	
		1941	
	1		1

	Subdivision of T. 1 S., R. 11 W. 11
Chains	raise a mound
	of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
55.00	Dry wash, 40 lks. wide, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 14,15,22 and 23, with brass cap mkd.
	T 1 S R 11 W
	S 15 S 14 S 22 S 23 1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, ocotillo, sage and cacti.
	East, on a random line bet. secs. 14 and 23.
40.00	Set temp. ½ sec. cor.
79.98	A point 5 lks. S. of the cor. of secs. 13,14,23 and 24.
	Thence
	S.89°58'W., on true line bet. secs. 14 and 23.
•	Over nearly level desert land, through scattered timber and undergrowth.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1 S 14 S 23
	S 23 1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, N. of cor.
49.98	Dry wash, 35 lks. wide, 3 ft. deep, sourse SW.
54.58	Dry wash, 20 lks. wide, 2 ft. deep, course SW.
62.78	Dry wash, 20 lks. wide, course S.30°W.
79.98	The cor. of secs. 14,15,22 and 23.
se jas ir	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage, ocotillo and cacti.
	N.0°01'W., bet. secs. 14 and 15.
•	Over nearly level desert land, through scattered timber and undergrowth.
27.80	Dry wash, 5 lks. wide, 3 ft. deep, course SW.

Chains 40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
	4
	s 15 s 14 ,
	1,941
	of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
49.70	Dry wash, 8 lks. wide, course S.30°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 10,11,14 and 15, with brass cap mkd.
t	T 1 S R 11 W S 10 S 11 S 15 S 14 1941
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrpwth, greasewood, ocotillo, sage, cats claw and cacti.
	N.89°58'E., on a random line bet. secs. 11 and 14.
40.00	Set temp. \(\frac{1}{4}\) sec. cor.
79.94	The cor. of secs. 11,12,13 and 14.
	Thence
	S.89°58'W., on true line bet. secs. 11 and 14.
	Over nearly level desert land, through scattered timber and undergrowth.
5.04	Dry wash, 25 lks. wide, 3 ft. deep, course S.20°W.
39.97	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1 · S 11 · · ·
	\$ 14 1941
	of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.
42.24	Dry wash, 4 lks. wide, $2\frac{1}{2}$ ft. deep, course S.
79.94	The cor. of secs. 10,11,14 and 15.
	Land, nearly level.
	Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
	, constitution, suggestion of the contraction of th

Chains	N.0°01'W., bet. secs. 10 and 11.
	Over nearly level desert land, through scattered timber and undergrowth.
19.4	O Dry wash, 30 lks. wide, 6 ft. deep, course SW.
40.0	O Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	\$ 10 S 11 1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, W. of cor.
80.0	O Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs., 2,3,10 and 11, with brass cap mkd.
	T 1 S R 11 W S 3 S 2 S 10 S 11
	1941
· · · · · · · · · · · · · · ·	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3 rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	N.89°58'E., on a random line bet. secs. 2 and 11.
40.0	0 Set temp. 4 sec. cor.
79.9	4 The cor. of secs. 1,2,11 and 12.
	Thence
	S.89°58'W., on true line bet. secs. 2 and 11.
	Over nearly level desert land, through scattered timber and undergrowth.
39.9	7 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	3 2 S 11
	1941
44.6	O Long dry wash, 30 lks. wide, course S.
79.9	4 The cor. of secs. 2,3,10 and 11.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.

Subdivision of T. 1 S., R. 11 W.

Chains N.0°01' W., bet. secs. 2 and 3.

Over rolling desert land, through scattered timber and undergrowth.

Desc. 46 ft. along W. slope.

- 16.30 Dry wash, 12 lks. wide, course SW.; asc. 27 ft. over gentle SW. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

 $\begin{vmatrix} \frac{1}{4} \\ s & 3 \\ s & 2 \\ 1941 \end{vmatrix}$

raise a mound

of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.

- 50.00 Dry wash, 15 lks. wide, course SW.
- 75.22 Intersect the Gila and Salt River Base Line.

Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, with a cross X, mkd. at base of post, and buried a stone mkd. with a cross X, alongside, and in a mound of stone to top, for closing cor. of secs. 2 and 3, with brass cap mkd.

From this point the standard $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 35, T. 1 N., R. 11 W., bears N.89°57'E., 27.49 chs. dist.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

From the same point the standard cor. of secs. 34 and 35, T.1 N., R. 11 W., bears S.89°57'W., 12.50 chs. dist.; an iron post, 3 ins. diam., 6 ins. above the top of a mound of stone, firmly set, mkd. and witnessed as described in the official record.

Land, rolling.
Soil, sandy, 3rd rate; and rocky,4th rate.
Timber, scattered ironwood and palo verde; undergrowth,
greasewood, ocotillo, cats claw, mesquite, sage and cacti.

From the cor. of secs. 3,4,33 and 34 on the S. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.

N.0°02'W., bet. secs. 33 and 34.

Over nearly level desert land, through scattered timber and undergrowth.

- 31.40 | Shallow drain, course W.
- Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.

Chains	1/4
	S 33 S 34
	1941
	of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high, W. of cor.
47.90	Dirt road, bears E. and W
62.70	Dirt road, bears E. and W.
75.00	Shallow drain, course W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 27,28,33 and 34, with brass cap mkd.
	T 1 S R 11 W S 28 S 27 S 33 S 34 1941
•	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate; and roaky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
	N.89°58'E., on a random line bet. secs. 27 and 34.
40.00	Set temp. 1/4 sec. cor.
80.06	A point 2 lks. S. of the cor. of secs. 26,27,34 and 35.
	Thence
	S.89°57'W., on true line bet. secs. 27 and 34.
	Over rolling desert land, through scattered timber and undergrowth.
; ,	Desc. 43 ft. along S. slope.
8.06	Ravine, course S.; asc. 60 ft. along rocky S. slope.
23.60	Top of ascent, bears N. and S.; desc. 70 ft. over SW.slope.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{\text{S } 27}{\text{S } 34}$ 1941
	of stone, 3 ft. base, 2 ft. high, N. of cor.
	Desc. 17 ft. over SW. slope.
43.01	Rocky ravine, course S.; asc. 90 ft. over steep E. slope.
45.90	Top of spur, slopes S. from NW.; continue along S. slope.

Chains 48.10	Spur, slopes S.; continue along S. slope.
51.10	Top of ascent, bears NW. and SE.; desc. 100 ft. over SW. slope.
60.00	Base of slope, bears NW. and SE.; desc. 53 ft. over gentle SW. slope.
80.06	The cor. of secs. 27,28,33 and 34.
	Land, rolling. Soil, rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	N.0°02'W., bet. secs. 27 and 28.
	Over rolling mountainous land, through scattered timber and desert growth.
	Asc. 93 ft. over SW. slope.
20.00	Base of steep slope bears SE. and N.60°W.; asc. 218 ft. over SW. slope.
30.60	Topof Cemetery Ridge, bears SE. and NW.; desc. 173 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1
	s 28 s 27
	1941
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Desc. 88 ft. over NE. slope.
46.50	Leave mountainous land, bears S.70°E. and N.70°W.; continue over nearly level desert land.
51.50	Long dry wash, 60 lks. wide, 5 ft. deep, course W.
76.00	Dry wash, 20 lks. wide, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 21,22,27 and 28, with brass cap mkd.
	T 1 S R 11 W S 21 S 22
	S 28 S 27 1941
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, rolling and nearly level. Soil, rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.

Subdivision of T. 1 S., R. 11 W.

	Chains	N.89°57°E., on a random line bet. secs. 22 and 27.
	, 40,00	Set temp. ½ sec. cor.
	80.02	The cor. of secs. 22,23,26 and 27.
-		Thence
	•	S.89°57'W., on true line bet. secs. 22 and 27.
		Over nearly level desert land, through scattered timber and undergrowth.
	8.02	Dry wash, 6 lks. wide, 2 ft. deep, course S.30°W.
	40.01	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
		$\frac{1}{4} \frac{S}{S} \frac{22}{27}$ 1941
		of stone, 2½ ft. base, 2 ft. high, N. of cor.
	49.62	Dim road, bears S.70°W. and N.70°E.
	54.72	Same road, bears S.70°E. and N.70°W.
	78.12	Dry wash, 30 lks. wide, 2 ft. deep, course SW.
	80.02	The cor. of secs. 21,22,27 and 28.
		Land, nearly level. Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
		N.0°02'W., bet. secs. 21 and 22.
		Over nearly level desert land, through scattered timber and undergrowth,
	7.50	Long dry wash, 20 lks. wide, 4 ft. deep, course SW.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ½ sec. cor., with brass cap mkd.
		$\frac{1}{4}$
		S 21 S 22
		1941
		of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high, W. of cor.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 15,16,21 and 22, with brass cap mkd.
		T 1 S R 11 W S 16 S 15 S 21 S 22
	- - IA	1941

of stone, 3 ft. base, 2 ft. high, W. of cor.

raise a mound

Ch	nains	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.
		N. 89°57'E., on a random line bet. secs. 15 and 22.
4	0.00	Set temp. ½ sec. cor.
8	80.02	The cor. of secs. 14,15,22 and 23.
		Thence , , , , , , , , , , , , , , , , , , ,
		S.89°57'W., on true line bet. secs. 15 and 22.
		Over nearly level desert land, through scattered timber and undergrowth.
3	9.51	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness \(\frac{1}{4} \) sec. cor., with brass cap mkd.
		WC \(\frac{1}{4} \) \(\frac{S}{S} \) \(22 \) \(1941 \)
		of stone, 3 ft. base, 2 ft. high, N. of cor.
4	0.01	True point for $\frac{1}{4}$ sec. cor. falls in dry wash, 10 lks. wide, course W., a place unsuitable for permanent cor.
		Continue along wash.
4	1.22	Leave dry wash, course SW.
5	4.42	Dry wash, 20 lks. wide, 5 ft. deep, course S.
8	30.02	The cor. of secs. 15,16,21 and 22.
		Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
		c c
		N.0°02'W., bet. secs. 15 and 16.
		Over nearly level desert land, through scattered timber and undergrowth.
1	5.00	Dry wash, 30 lks. wide, 5 ft. deep, course SW.
4	10.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
		, <u>1</u>
		\$ 16 \S 15 1941
		raise a mound
<u> </u>	30.00	of stone, 3 ft. base, 2 ft. high, W. of cor.
	JO • UU	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 9,10,15 and 16, with brass cap mkd.

Chains	TISRIIW S9 S10
	s 16 s 15
	1941
r , r	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sahdy, 3rd rate.
c	Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	W COOFFEE TO THE TOTAL THE TOTAL TOT
-	N.89°57°E., on a random line bet. secs. 10 and 15.
40.00	Set temp. 1/4 sec. cor.
80.00	The cor. of secs. 10,11,14 and 15.
T .	Thence
	S.89°57'W., on true line bet. secs. 10 and 15.
	Over nearly level desert land, through scattered timber and undergrowth.
13.80	Dry wash, 30 lks. wide, 5 ft. deep, course SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	, S 10
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	1941
· · · · · · · · ·	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
56.10	Long dry wash, 25 lks. wide, 4 ft. deep, course S.20°W.
76.00	Dry wash, 15 lks. wide, 5 ft. deep, course S.15°E.
80.00	The cor. of secs. 9,10, 15 and 16.
00.00	
	Land, nearly level. Soil, sandy, 3 rd rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
•	N.0°02'W., het. secs. 9 and 10.
	Over nearly level desert land, through scattered timber
•	and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	1 4
	s 9 s 10
	1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	· · · · · · · · · · · · · · · · · · ·

Chains 66.30	Dry wash, 40 lks. wide, 4 ft. deep, course SW.
77.40	Right bank of same wash, course SE.; continue along bottom of wash.
80.00	True point for cor. of secs. 3,4,9 and 10, falls in dry wash, a place unsuitable for permanent cor. For witness corner, see line bet. secs. 4 and 9. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
• (N.89°57'E., on a random line bet. secs. 3 and 10.
40.00	Set temp. 4 sec. cor.
80.02	A point 2 lks. N. of the cor. of secs. 2,3,10 and 11. Thence
	S.89°58'W., on true line bet. secs. 3 and 10.
	Over rolling desert land, through scattered timber and undergrowth.
	Desc. 63 ft. over gradual SW. slope.
14.60	Dry wash, 20 lks. wide, course S.10°W.; asc. 34 ft. along S. slope.
28.10	Dry wash, 20 lks. wide, course S.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	\$\frac{1}{4} \cdot \frac{S}{3} \\ \text{S 10} \\ \text{1941}
46.12	Dry wash, 15 lks. wide, 2 ft. deep, course S.; continue along broken S. slope.
, 79.42	Dry wash, 30 lks. wide, course S.
80.02	The true point for cor. of secs. 3,4,9 and 10.
	For witness cor. see line bet. secs. 4 and 9.
	Land, rolling. Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
	c c
	N.0°02'W., bet. secs. 3 and 4.
	Over nearly level desert land, through scattered timber and undergrowth.
	Along bottom of dry wash.
2.60	Right bank of dry wash, 6 ft. bank, course SW.

21

Chains

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4}$$
S 4 | S 3

raise a mound

of stone, 3 ft. base, 2 ft, high, W. of cor.

75.18 Intersect the Gila and Salt River Base Line.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 3 and 4, with brass cap mkd.

raise a mound

of stone, 3 ft. base, 2 ft. high, S. of cor.

From this point the standard $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 34, T. 1 N., R. 11 W., bears N.89°55'E., 27.50 chs. dist.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

From the same point the standard cor. of secs. 33 and 34. T, 1 N., R. 11 W., bears S.89.55 W., 12.51 chs. dist.; an iron post, 3 ins. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Land, nearly level.

Soil, sandy, 3rd rate; and rocky, 4th rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, ocotillo and cacti.

From the cor. of secs. 4,5,32 and 33 on the S. bdy. of the Tp.; described in the field notes of the N. bdy. of T.2 S. R. 11 W., surveyed under this group.

N.0°02'W., bet. secs. 32 and 33.

Over nearly level desert land, through scattered timber and undergrowth.

14.50 Dirt road, bears N.80°W. and S.80°E. to well.

Set am iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c|c} & \frac{1}{4} \\ S & 32 & 5 & 33 \\ & & 1941 \end{array}$$

raise a mound

of stone, 3 ft. base, 2 ft. high, W. of cor.

65.50 Dirt road, bears NE. and SW.

Súbdivision of T. 1 S., R. 11 $\mbox{W.}$

Chains 80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 28,29,32 and 33, with brass cap mkd.	
	T 1 S R 11 W S 29 S 28 S 32 S 33 1941	
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.	
·	Land, nearly level. Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.	
. -	N.89°58'E., on a random line bet. secs. 28 and 33.	
40.00	Set temp. 1/4 sec. cor.	
80.02	A point 7 lks. N. of the cor. of secs. 27,28,33 and 34.	
	Thence	
	N.89°59'W., on true line bet. secs. 28 and 33.	
	Over nearly level desert land, through scattered timber and undergrowth.	
11.40	Dry wash, 6 lks. wide, course SW.	
40.01	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor., with brass cap mkd.	
3	\$\frac{1}{4} \frac{\text{S 28}}{\text{S 33}} \$\text{1941}	
78.80	Dim road, bears S. and NW.	
80.02	The cor. of secs. 28,29,32 and 33.	
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.	
	, , , , , , , , , , , , , , , , , , ,	
	N.0°02'W., bet. secs. 28 and 29.	
	Over rolling desert land, through scattered timber and undergrowth.	
1.25	Dim road, bears S.80°E. and N.80°W.	
15.00	Leave rolling desert land, bears E. and W.; asc. 177 ft. over rocky S. slope.	
36.20	Top of Cemetery Ridge, bears E. and W.; desc. 128 ft. over rocky N. slope.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross X.	
I	1	

ì	Chains	buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	2 2 22 4 0 4	1
		s 29 s 28
		1941
		Desc. 76 ft. over N. slope.
	42.00	Base of slope, bears N.80°E. and S.80°W.; continue over nearly level desert land.
	53.30	Center of dry wash, 100 lks. wide, 5 ft. deep, course S.80°W.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 20,21,28 and 29, with brass cap mkd.
		T 1 S R 11 W S 20 S 21
		S 29 S 28 1941
		of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
		Land, rolling and nearly level. Soil, sandy, 3rd rate; and rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
		S.89°59'E., on a random line bet. secs. 21 and 28.
	40.00	Set temp. 1/4 sec. cor.
	80.00	A point 2 lks. N. of the cor. of secs. 21,22,27 and 28.
		Thence
	* '	N.89°58'W., on true line bet. secs. 21 and 28.
		Over nearly level desert land, through scattered timber and undergrowth.
	9.90	Dry wash, 20 lks. wide, 3 ft. deep, course SW.
	40.00	True point for $\frac{1}{4}$ sec. cor., falls in dry wash, 20 lks. wide, 4 ft. deep, course S., a place unsuitable for permanent cor.
	40.50	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
		$\frac{1}{4}$ $\frac{\text{S}}{\text{S}} \frac{21}{28}$ WC
		1941
	•	of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.
	80'- 00	The cor. of secs. 20,21,28 and 29.
		Land, nearly level.
	,	Soil, sandy, 3rd rate; and rocky,4th rate.

Chains	greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	N.0°02'W., bet. secs. 20 and 21.
	Over nearly level desert land, through scattered timber and undergrowth.
30.20	Dim road, bears S.10°W. and N.10°E.
33.80	Same road, bears SE. and NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
<u>.</u>	
·	S 20 S 21
	1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
60.00	Same road, bears N.20°E. and S.20°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 16,17,20 and 21, with brass cap mkd.
•	T 1 S R 11 W S 17 S 16 S 20 S 21
	1941
	of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	S.89°58'E., on a random line bet. secs. 16 and 21.
40.00	Set temp. 1/4 sec. cor.
80.00	The cor. of secs. 15,16,21 and 22.
	Thence
	N.89°58'W., on true line bet. secs. 16 and 21.
	Over nearly level desert land, through scattered timber and undergrowth.
6.10	Dry wash, 30 lks. wide, 5 ft. deep, course SW.
32.40	Dry wash, 15 lks. wide, 2 ft. deep, course S.20°W.
40.00	Set an iron post, 3 ft. long, l in. diam., 16 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	, ,

C	hains	, <u>, , , , , , , , , , , , , , , , , , </u>
		* S 21
	· •	1 S 16 S 21 1941
	77.70	Dim road, bears NW. and SE.
	80.00	The cor. of secs. 16,17,20 and 21.
		Land, nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
		N.0°02'W., bet. secs. 16 and 17.
,		Over nearly level desert land, through scattered timber and undergrowth.
	3.00	Dim road, bears NW. and SE.
•	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 4 sec. cor., with brass cap mkd.
		s 17 s 16
		1941
		raise a mound
		of stone, 3 ft. base, 2 ft. high, W. of cor.
	52.70	Dry wash, 8 lks. wide, 2 ft. deep, course SW.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 8,9,16 and 17, with brass cap mkd.
		T1SR11W S8,S9
	· ·	
		s 17 s 16 1941
		of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
		Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
		S.89°58'E., on a random line bet. secs. 9 and 16.
	40.00	Set temp. 4 sec. cor.
τ	79.96	The cor. of secs. 9,10,15 and 16.
	n - 6.1.0 ggs 6.4644.4	Thence
	:	N.89°58'W., on true line bet. secs. 9 and 16.
		Over nearly level desert land, through scattered timber and undergrowth.

Chains 23.06	
39.98	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
	3 9 5 16 1941
c	of stone, 3 ft. base, 2 ft. high, N. of cor.
64.36	Dry wash, course S.
79.96	The cor. of secs. 8,9,16 and 17.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, ocotillo, cats claw and cacti.
	N.0°02'W., bet. secs. 8 and 9.
	Over nearly level desert land, through scattered timber and undergrowth.
30.80	Dry wash, course S.25°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
Acceptance of the control of the con	
	s 8 s 9
	, , 1941 , , ,
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	The $\frac{1}{4}$ sec. cor. is located 25 lks. W. of same wash, course S.10°E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4,5,8 and 9, with brass cap mkd.
·	T 1 S R 11 W S 5 S 4 S 8 S 9 1941
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
•	

```
Chains | S.89°58'E., on a random line bet. secs. 4 and 9.
```

40.00 | Set temp. \(\frac{1}{4}\) sec. cor.

79.96 A point 5 lks. S. of the true point for cor. of secs. 3,4, 9 and 10.

Thence

West, on true line bet. secs. 4 and 9.

Over nearly level desert land, through scattered timber and undergrowth.

Along bottom of dry wash.

:60 Right bank of wash, course S.

.80 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 3,4,9 and 10, with brass cap mkd.

raise a mound

of stone, 3 ft. base, 2 ft. high, W. of cor.

38.00 Dry wash, 10 lks. wide, course SW.

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.

50.10 Dry wash, 5 lks. wide, course SW.

79.96 The cor. of secs. 4,5,8 and 9.

Land, nearly level. 'Soil, sandy, 3rd rate.
Timber, scattered ironwood and pale verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.

N.0°02'W., bet. secs. 4 and 5.

Over rolling desert land, through scattered timber and undergrowth.

1.70 Dry wash, 2 lks. wide, 1 ft. deep, course SW.

29.40 Dry wash, 10 lks. wide, course SW.

39.95 Dry wash, 15 lks. wide, course SW.

40.00 True point for 2 sec. cor. falls in wash, a place unsuitable for permanent cor.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.

	~
Chains	± 4
	S 5 S 4
	WIC 1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, W. of cor.
64.60	Dry wash, 20 lks. wide, course S.60°W.; asc. 27 ft. over SE. slope.
75.16	Intersect the Gila and Salt River Base Line.
3	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for closing cor. of secs. 4 and 5, with brass cap mkd.
	TINRIIW S 33
	S 5 S 4 T 1 S R 11 W C C C 1941
	From this point the standard $\frac{1}{4}$ sec. cor. on the S.bdy. of sec. 33, T. 1 N., R. 11 W., bears East, 27.46 chs. dist.; an iron post, 1 in. diam., 5 ins. above the top of a mound of stone, firmly set, mkd. and witnessed as described in the official record.
	From the same point the standard cor. of secs. 32 and 33. T. 1 N., R. 11 W., bears West; 12.56 chs. dist.; an iron post, 3 ins. diam., 6 ins. above the top of a mound of stone, firmly set, mkd. and witnessed as described in the official record.
	Land nearly level and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
ς .	From the cor. of secs. 5,6,31 and 32 on the S. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	N.0°03'W., bet. secs. 31 and 32.
	Over rolling desert land, through scattered timber and undergrowth.
4.70	Dirt road, bears S.45°W. to Clanton Well, and N.80°E.
10.24	Small wash, 5 lks. wide, course W.
13.80	Junction of washes, 20 lks. wide, course S.80°W. from N.60°E. and N.45°E.
33.90	Center of dry wash, 100 lks. wide, course S.45°W.
.40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.

	(a) - t	1
	Chains	4
		S 31 S 32
		1941
	c	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
	42.05	Dry wash, 7 lks. wide, course W.
	45.80	Dry wash, 10 lks. wide, course S.70°W.
	50.60	Dry wash, 10 lks. wide, course S.45°W.
	59.60	Dry wash, 40 lks. wide, course \$.80°W.
	67.30	Dry wash, 10 lks. wide, course W.
	70.45	Dry wash, 40 lks. wide, course S.45°W.
	74.10	
	_	Same wash, course S.20°E.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 29,30,31 and 32, with brass cap mkd.
		T1SR11W
		S 30 S 29 S 31 S 32
		1941
		raise a mound
		of stone, 3 ft. base, 2½ ft. high, W. of cor.
	•	Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage, mesquite and cacti.
		N.89°58'E., on a random line bet. secs. 29 and 32.
	40.00	Set temp. 1 sec. cor.
	80.00	A point 2 lks. N. of the cor. of secs. 28,29,32 and 33.
		Thence
	,	S.89°59'W., on true line bet. secs. 29 and 32.
		Over rolling desert land, through scattered timber and undergrowth.
	27.90	Left bank of dry wash, 5 ft. high, course SW.
-	.35.80	Right bank of wash.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
		<u>1 S.29</u>
		\$\frac{1}{4} \frac{\mathbf{S} \cdot 29}{\mathbf{S} \cdot 32}
		1941
		of stone, 3 ft. base, 2 ft. high, N. of cor.
		Asc. 60 ft. along S. slope.
1	ı	

4-673b

Chains 70.50	Spur, slopes S.; desc. 54 ft. over W. slope.	
80.00		
Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergous greasewood, cats claw, sage, ocotillo, mesquite and second		
	S.89°58'W., on a random line bet. secs. 30 and 31.	
40.00	Set temp. ½ sec. cor.	
79.55	The cor. of secs. 25,30,31 and 36 on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R. 11 W., surveyed under this group.	
	Thence	
·	N.89°58'E., on true line bet. secs. 30 and 31.	
	Over rolling desert land, through scattered timber and undergrowth.	
16.95	Dim road, bears N. and S.	
20.50	Dry wash, 15 lks. wide, course S.	
29.15	Dry wash, 10 lks. wide, course S.10°E.	
39.00	Dry wash, 10 lks. wide, course S.10°E.	
39.55	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.	
5	S 30 S 31 1941	
	raise a mound	
	of stone, 3 ft. base, 2 ft. high, N. of cor.	
44.45	Dry wash, 10 lks. wide, course S.; asc. 61 ft. over W. slope.	
61.30	Top of ascent slopes S.; desc. 43 ft.over E. slope.	
76.85	Center off dry wash, 100 lks. wide, course S.	
79.55	The cor. of secs. 29,30,31 and 32.	
	Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, mesquite and cacti.	
	, , , , , , , , , , , , , , , , , , , ,	
	N.0°03'W., bet. secs. 29 and 30.	
	Over mountainous land, through scattered timber and desert growth.	
	Along W. slope.	
9.10	Dry wash, 10 lks. wide, course Sw.; asc. 10 ft. over S. slope.	

37

Chains 17.50	Enter dry wash, 10 lks. wide, course S.5°W.; asc. 22 ft. along bottom of wash.
26.00	Leave wash, course S. from NW.; asc. 70 ft. over S. slope,
40.00	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \$\frac{1}{4}\$ sec. cor., with brass cap mkd.
	1 4
	S 30 S 29
	1941
e in the state of	Asc. 72 ft. over gentle S. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19,20,29 and 30, with brass cap mkd.
	T 1 S R 11 W S 19 S 20
	S 30 S 29 1941
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, rolling and mountainous. Soil, rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	N.89°59'E., on a random line bet. secs. 20 and 29.
40.00	Set temp. \(\frac{1}{4}\) sec. cor.
80.02	A point 5 lks. S. of the cor. of secs. 20,21,28 and 29.
	Thence
•	S.89°57'W., on true line bet. secs. 20 and 29.
	Over nearly level desert land, through scattered timber and undergrowth.
6.22	Dim road, bears N. and S.
14.92	Dry wash, 30 lks. wide, 6 ft. deep, course S.10°E.
32.12	Dry wash, 8 lks. wide, course SE.; asc. 35 ft. over NE. slope.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross X; buried alongside, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	, 'S 20

\$ 20 \$ 29

Asc. 45 ft. over gradual NE. slope.

Chains 44.80	Base of steep slope, bears NW. and SE.; ; asc. 162 ft. over NE. slope.
52.40	Top of Cemetery Ridge, bears NW. and SE.; desc. 220 ft. over SW. slope.
69.02	Sidehill drain, course S.; continue along S. slope.
79.32	Dry wash, 8 lks. wide, 6 ft. deep, course S.10°E.; along S. slope.
80.02	The cor. of secs. 19,20,29 and 30.
	Land, nearly level and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, cats claw, ocotillo, mesquite and cacti.
	S.89°58'W., on a random line bet. secs. 19 and 30.
40.00	Set temp. 4 sec. cor.
79.47	A point 2 lks. N. of the cor. of secs. 19,24,25 and 30, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R. 11 W., surveyed under this group.
	Thence
	N.89°57'E., on true line bet. secs. 19 and 30.
c	Over mountainous land, through scattered timber and desert growth.
	Desc. 25 ft. along S. slope.
5.97	Center of dry wash, 100 lks. wide, 3 ft. deep, course S.
17.47	Dry wash, 15 lks. wide, course SW.
19.87	Dry wash, 10 lks. wide, course S.70°W.; asc. 29 ft.
39.47	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for \frac{1}{4} sec. cor., with brass cap mkd.
	s 19 s 30
	\$ 30 · · · · · · · · · · · · · · · · · ·
	Asc. 50 ft. along N. slope.
50.87	Spur, slopes S.; continue along S. slope.
53.87	Ravine, course S.
61.50	Low spur, slopes S.; desc. 24 ft. along S. slope.
79.47	The cor. of secs. 19,20,29 and 30.
	Land, mountainous. Soil, rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, ocotillo, sage and cacti.

Chains	N.0°03'W., bet. secs. 19 and 20.
•	Over mountainous land, through scattered timber and desert growth.
	Asc. 126 ft. over S. slope.
16.00	Spur, slopes SW.; desc. 51 ft. over NW. slope.
18.90	Ravine, course W.; asc. 110 ft. over S. slope.
34.00	Head of low spur, slopes SW.; asc. 107 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for ½ sec. cor., with brass cap mkd.
	• * * * * * * * * * * * * * * * * * * *
	S 19 S 20
	1941
	Asc. 151 ft. over steep SW. slope.
46.40	Head of spur, slopes W.; asc. 214 ft. along steep, rocky W. slope.
57.00	Top of spur ridge, bears NW. and SE.; top of rocky butte, bears SE. about 10.00 chs. dist.
57.15	Top of broken cliffs, 100 ft. high, faces N.; desc. 557 ft. over N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 17,18,19 and 20, with brass cap mkd.
	T 1 S R 11 W S 18 S 17 S 19 S 20
	1941
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	The sec. cor. is located on top of low spur ridge, bears N. and S.10°E.
	Land, mountainous. Soil, rocky,4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	N.89°57'E., on a random line bet. secs. 17 and 20.
40.00	Set temp. ½ sec. cor.
80.00	A point 2 lks. S. of the cor. of secs. 16,17,20 and 21.
h.b. a	Thence
	S.89°56'W., on true line bet. secs. 17 and 20.
	Over rolling desert land, through scattered timber and undergrowth.
23.80	Dry wash, 10 lks. wide, course S.

4—678 b

	Chains 40.00	True point for \(\frac{1}{4}\) sec. cor. falls in dry wash, 20 lks. wide, 4 ft. deep, course S.20°E., a place unsuitable for permanent cor.
	41.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd.
		$\frac{1}{4} \frac{\text{S } 17}{\text{S } 20}$
		1941,
	•	of stone, $2\frac{1}{8}$ ft. base, 2 ft. high, N. of cor.
	ę	Asc. 48 ft. over gentle E. slope.
	59.00	Dry wash, 8 lks. wide, course NE.; asc. 74 ft. over E. slope.
-	76.50	Spur, slopes N.; desc. 7 ft. over NW. slope.
	80.00	The cor. of secs. 17,18,19 and 20.
-		Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, ocotillo, mesquite, cats claw and cacti.
		S.89°57'W., on a random line bet. secs. 18 and 19.
	40.00	
	79.38	A point 4 lks. N. of the cor. of secs. 13,18,19 and 24, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R. 11 W., surveyed under this group.
		Thence
		N.89°55'E., on true line bet. secs. 18 and 19.
٠		Over nearly level desert land, through scattered timber and undergrowth.
	1.40	Dirt road, bears NE. and SW.
	9.00	Dry wash, 50 lks. wide, course S.
	36.80	Dry wash, 50 lks. wide, 5 ft. deep, course SW.; along gentle S. slope.
	39.38	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
		$\frac{1}{4}$ $\frac{\text{S} 18}{4}$
		\$ 19 1941
	•	of stone, 3 ft. base, 2 ft. high, N. of cor.
		Asc. 155 ft. over NW. slope.
	79.38	
		Land, rolling.
		Soil, sandy, 3rd rate; and rocky, 4th rate.

Chains	<u> </u>			
	greasewood, ocotillo, sage, mesquite, cats claw and cacti.			
	N.0°03'W., bet. secs. 17 and 18.			
	Over rolling desert land, through scattered timber and undergrowth.			
•	Along top of low ridge.; desc. 98 ft.			
25.00	Leave low ridge, bears S. and N.20°E;; continue along gentle W. slope.			
27.50	Dim road, bears E. and W.; thence over nearly level land.			
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.			
	4			
	S 18 S 17			
	1941			
	of stone, 3 ft. base, 2 ft. high, W. of cor.			
47.84	Windmill and well, bear S.63°15'W.			
69.30	Dry wash, 40 lks. wide, 4 ft. deep, course SW.			
78.50	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 7,8,17 and 18, with brass			
. 1	cap mkd.			
	TISRIIW S <u>7 </u> S8			
	S 18 \ S 17			
	1941			
•	from which			
	A mesquite, 6 ins. diam., bears 8.87_4^{3} W., 42 lks. dist., mkd. W C T 1 S R 11 W S 18 B T.			
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.			
79.00	Right bank of dry wash, 4 ft. high, course S.20°E.			
80.00	True point for cor. of secs. 7,8,17 and 18, falls in dry wash, 40 lks. wide, course S.20°E., a place unsuitable for permanent cor.			
	Land, rolling and nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, mesquite, cats claw, ocotillo and cacti.			
	, e e e			
•	N. 89° 56 E., on a random line bet. secs. 8 and 17.			
40.00	Set temp. 4 sec. cor.			

A point 5 lks. N. of the cor. of secs. 8,9,16 and 17.

80.00

Thence

Chains S.89°58'W., on true line bet. secs. 8 and 17. Over rolling desert land, through scattered timber undergrowth. 16.00 Dry wash, 20 lks. wide, course S. 32.20 Dry wash, 10 lks. wide, 2 ft. deep, course S. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins ground, for 4 sec. cor., with brass cap mkd. \[\frac{1}{4} \frac{S \text{8}}{S \text{17}} \] 1941 raise of stone, 3 ft. base, 2 ft. high, N. of cor.	` .
undergrowth. 16.00 Dry wash, 20 lks. wide, course S. 32.20 Dry wash, 10 lks. wide, 2 ft. deep, course S. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd. \[\frac{1}{4} \frac{S}{8} \] \[\frac{1}{1941} \] raise	` .
J2.20 Dry wash, 10 lks. wide, 2 ft. deep, course S. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins ground, for \(\frac{1}{4}\) sec. cor., with brass cap mkd. \[\frac{1}{4} \frac{S \ 8}{S \ 17} \\ 1941 \] raise	. in the
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} = \frac{58}{517}$ 1941	. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \frac{S 8}{S 17}$ 1941 raise	• in the
1941 raise	•
of stone 3 ft has 2 ft high N of con	•
or stone, y to base, 2 to migh, N. or gor.	a mound
61.00 Low ridge, bears N.20°E. and S.20°W.; desc. 30 ft gentle W. slope.	. over
79.75 Left bank of dry wash, 3 ft. high, course S.20°E.; continue over bed of wash.	
80.00 The true point for cor. of secs. 7,8,17 and 18.	
For witness cor., see line bet. secs. 17 and 18.	
Land, rolling. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; underg greasewood, sage, ocotillo, mesquite, cats claw as	
S.89°55'W., on a random line bet. secs. 7 and 18.	
40.00 Set temp 1/4 sec. cor.	
79.33 A point 2 lks. N. of the cor. of secs. 7,12,13 an the W. bdy. of the Tp.; described in the field no the W. bdy. of T. 1 S., R. 11 W., surveyed under group.	tes of
Thence	
Thence N.89°54'E., on true line bet. secs. 7 and 18.	
Thence	r and
Thence N.89°54'E., on true line bet. secs. 7 and 18. Over rolling desert land, through scattered timbe	r and
Thence N.89°54'E., on true line bet. secs. 7 and 18. Over rolling desert land, through scattered timbe undergrowth.	r and
Thence N.89°54'E., on true line bet. secs. 7 and 18. Over rolling desert land, through scattered timbe undergrowth. 3.03 Dirt road, bears N.20°W. and S.20°E.	r and
Thence N.89°54'E., on true line bet. secs. 7 and 18. Over rolling desert land, through scattered timbe undergrowth. Jirt road, bears N.20°W. and S.20°E. 7.83 Dry wash, 15 lks. wide, course S.	r and
Thence N.89°54'E., on true line bet. secs. 7 and 18. Over rolling desert land, through scattered timbe undergrowth. 3.03 Dirt road, bears N.20°W. and S.20°E. 7.83 Dry wash, 15 lks. wide, course S. 21.93 Dim road, bears N. and S.	r and
Thence N.89°54'E., on true line bet. secs. 7 and 18. Over rolling desert land, through scattered timbe undergrowth. 3.03 Dirt road, bears N.20°W. and S.20°E. 7.83 Dry wash, 15 lks. wide, course S. 21.93 Dim road, bears N. and S. 24.23 Dry wash, 15 lks. wide, course S.	. in the

Chains	$\frac{1}{4} \frac{S7}{S18}$
	1941
 47.83	Dim road, bears NE. and SW.
56.03.	Right bank of dry wash, 4 ft. high, course S.; continue over bottom of wash.
60.68	Left bank of wash, course S.
79.18	Right bank of dry wash, 5 ft. high, course S.; continue over bottom of wash.
79.33	The true point for cor. of secs. 7,8,17 and 18.
1	For witness cor., see line bet. secs. 17 and 18.
	Land, rolling. Sqil, sandy, 3 rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.
•	
·	N.0°03'W., bet. secs. 7 and 8.
	Along bottom of dry wash.
2.50	Left bank of wash, 3 ft. high, course S.20°E.; continue over nearly level desert land, through scattered timber and undergrowth, along bank of dry wash.
4.40	Leave bank of dry wash, course S.from N.5°E.; continue over bottom of wash.
11.70	Leave same wash, course S.5°,W. from NE.
. 15.50	Same wash, course SE.
37.30	Same wash, 30 lks. wide, 4 ft. deep, course S.60°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1
4 1 € 1 € 1 € 1 € 1 € 1 € 1 € 1 € 1 € 1	s.7 s.8
	of stone, 3 ft. base, 2 ft. high, W. of cor.
79.60	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for witness cor. of secs. 5,6,7 and 8, with brass cap mkd.
·	TISRIIW S6 185
•	s 3 3 5 5 5 5 5 5 5 5
• 1	
	of stone, 3 ft. base, 2 ft. high, W. of cor.
80.00	True point for cor. of secs. 5,6,7 and 8, falls on bank of dry wash, 15 lks. wide, course S.20°W., a place unsuitable for permanent cor.

Chains	Land, nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, mesquite, cats claw, ocotillo, sage and cacti.
	N.89°58'E., on a random line bet. secs. 5 and 8.
40.00	Set temp. 1/4 sec. cor.
80.02	The cor. of secs. 4,5,8 and 9.
	Thence
	S.89°58'W., on true line bet. secs. 5 and 8.
	Over nearly level desert land, through scattered timber and undergrowth.
1.50	Dry wash, 2 lks. wide, 1 ft. deep, course Sw.
`18.50	Dry wash, 30 lks. wide, 3 ft. deep, course S.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1 S 5 S 8
	1941 ,
	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
80.02	The true point for cor. of secs. 5,6,7 and 8.
•	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.
	S.89°54'W., on a random line bet. secs. 6 and 7.
40.00	Set temp. 1/4 sec. cor.
79.22	The cor. of secs. 1,6,7 and 12, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 1 S., R. 11 W., surveyed under this group.
	Thence
	N.89°54'E., on true line bet. secs. 6 and 7.
	Over rolling desert land, through scattered timber and undergrowth.
	Asc. 27 ft. along N. slope.
3.10	Short spur, slopes N.; desc. 94 ft. over E. slope.
7.02	Ravine, course S.; asc. 78 ft. over W. slope.
10.60	Short spur, slopes N.; desc. 120 ft. over NE. slope.
29.22	Base of slope, bears N. and S.; continue over nearly level desert land.
38.72	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
1	

Chair	s ground, for witness 4 sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{\text{S } 6}{\text{S } 7} \text{ WC}$
	1941
	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
39.	
	wash, 4 ft. high, course S.20°E., a place unsuitable for permanent cor.
	Continue along bottom of wash.
43.3	Left bank of wash, course S.20°E.
50.	Dim road, bears S. 20°E. and N. 20°W.
64.	22 Dry wash, 30 lks. wide, course S.
78.8	Enter dry wash, course S.20°W.
79.	The true point for cor. of secs. 5,6,7 and 8.
	For witness cor., see line bet. secs. 7 and 8.
	Land, rolling. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	N.0°03'W., bet. secs. 5 and 6.
	Over rolling desert land, through scattered timber and undergrowth.
1.3	Dry wash, 15 lks. wide, 3 ft. deep, course S.20°W.
17.8	Same wash, course S.20°E.
31.2	Same wash, course SW.
40.0	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	s 6 s 5
	1941
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Asc. 38 ft. over gentle S. slope.
66.3	
75.1	
	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 5 and 6, with brass cap mkd.

Chains

T 1 N R 11 W S 32

S 6 S 5
T 1 S R 11 W C C C 1941

raise a mound

of stone, 3 ft. base, 2 ft. high, S. of cor.

From this point the standard \(\frac{1}{4} \) sec. cor. on the S. bdy. of sec. 32, T.1 N., R. 11 W., bears East, 27.30 chs. dist.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

From the same point the standard cor. of secs. 31 and 32, T. 1 N., R. 11 W., bears West, 12.48 chs. dist.; an iron post, 3 ins. diam., 10 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Land, rolling.
Soil, sandy, 3rd rate; and rocky, 4th rate.
Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, mesquite, cats claw and cacti.

FINAL TEST OF INSTRUMENTS.

For final test of instruments, see the field notes of the boundaries of T. 2 N., R. 13 W., surveyed under this group.

GENERAL DESCRIPTION.

The land embraced in T. l S., R. ll W., ranges from desert to hills and mountains. The soil is sandy on the desert, and rocky in the hills and mountains. The timber consists of scattered ironwood, palo verde and mesquite; most of the desert is covered with greasewood, occillo, cats claw, mesquite, sage and cacti. Cemetery Ridge, traverses through the southern portion of the township from a high black butte in the western part of sec. 20, and leaves the township near the corner of secs. 25,30, 31 and 36, on the E. bdy. of the township. The only known water within the township, is a well and windmill in the $NW_{\frac{1}{4}}$ of sec. 25, and a well and windmill in the $SW_{\frac{1}{4}}$ of sec. 18. At the present time the predominating interest is stock grazing.

4-680 (Revised May 1934)

UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES	CAPACITY
Bert E. Wakeman	Principal Assistant
Ernest E. Anderson	Principal Assistant
Kenneth N. Burrow	Chainman
Ernest Crofford	Chainman
Raymond H. Wilson	Flagman
Stanley C. Turner	Flagman
Monzell J. Phipps	Axeman
Lowell D. Mc Clung	Axeman
Glenn L. Price	
Lowell E. Jones	
Raymond Cline	
Mike Knezevich	
Eugene Mc Cartney	
·	
	6-8412

CERTIFICATE OF SURVEYOR

Assistant Cadastral Engineer,	Cadastral Engineer, and Ty White, G.L.O. HEREBY CERTIFY upon honor that, in
	7th day of February, 1940,
	Arizona , with assignment
we instructions dated February 1, 1941, / have	surveyed the subdivisional lines of
Township 1 South, Range 11 West,	
River of the Gila and Salt/ Meridian, in the State	us our , which are
	executed by me and under my direction; and that said
	instructions, the Manual of Instructions for the Survey
of the Public Lands of the United States, and in the	specific manner described in the foregoing field notes.
Glendale, California. June 13, 1942	Associate Cadastral Engineer
Glendale, California. April 24, 1943.	Assistant Cadastral Engineer.
	General Land Office.
CERTIFICATE	E OF APPROVAL
	Office of Supervisor of Surveys,
ν	enver, Colorado, January 28 , 1944.
The foregoing field notes of the survey ofthe	subdivisional lines of Township
	la and Salt River Meridian, in the
State of Arizona,	
Tv White. Assistant Cade	ociate Cadastral Engineer, and astrel Engineer,
	oruary 7, 1940 assignment
	, having been critically examined, and
	ation by the engineer, the said field notes, and the survey
therein described, are hereby approved.	a Du D
	Supervisor of Surveys.
<u> </u>	
CERTIFICATE	E OF TRANSCRIPT
. - I centify that the foregoing transcript of the fi	ield notes of the above described surveys in T.1 S., R.
	ne original field notes on file in the public survey office.
, , , , ,	