

4441
indexed ✓
(1)

ORIGINAL

4-679
(September 1948)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

BOOK 4441

Of the Survey of the

West and North Boundaries

and

Subdivisional Lines of

Township 6 North, Range 19 West.

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Ty White, Cadastral Engineer

Donald E. Harding, Cadastral Engineer

Under special instructions dated October 9, 1952, which provided
for the surveys included under Group No. 285, approved October 21, 1952
and assignment instructions dated November 7, 1952

Survey commenced February 3, 1953

Survey completed February 20, 1953

4441
4441
4441

BOOK 4441

INDEX DIAGRAM

Township 6 North, Range 19 West

4 8 6	7 40 5	6 32 4	6 25 3	5 19 2	5 13 1
3 39 7	39 38 8	31 31 9	25 24 10	19 18 11	13 12 12
2 38 18	37 37 17	30 30 16	24 23 15	18 17 14	12 11 13
2 36 19	36 35 20	29 28 21	23 22 22	17 16 23	11 10 24
2 35 30	34 34 29	28 27 28	22 21 27	16 15 26	10 9 25
1 33 31	33 32 32	27 26 33	20 20 34	14 14 35	9 8 36

16-56770-1

————— Ty White, Cadastral Engineer

————— Donald E. Harding, Cadastral Engineer

T. 6 N., R. 19 W.

Chains

The following notes describe the survey of the north and west boundaries and the subdivisional lines of T. 6 N., R. 19 W., Gila and Salt River Meridian, Arizona.

The description of instruments and methods is contained in the notes of T. 6 N., R. 18 W., surveyed concurrently under this same group.

The geographic position of the southeast corner of the township, as determined from ties to U. S. C. & G. S. triangulation station POSA, is: Latitude $33^{\circ} 48' 37''$ N.; and Longitude $114^{\circ} 10' 47''$ W.

West Boundary of T. 6 N., R. 19 W.

The point for the cor. of Ts. 6 N., Rs. 19 and 20 W., is 80.00 chs. west of the cor. of secs. 5, 6, 31 and 32, Ts. 5 and 6 N., R. 19 W.

At the corner point

Set an iron post, $2\frac{1}{2}$ ins. diam., 30 ins. long, 24 ins. in the ground, with brass cap mkd.

T 6 N	
R20W	R19W
S36	S31
T5N R20W S1	
1953	

Bury broken glass alongside the iron post.

From this cor., the monument originally set to mark the cor. of Ts. 5 and 6 N., Rs. 19 and 20 W., bears East, 33.73 chs. dist., an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record. That cor. now functions for Ts. 5 N., Rs. 19 and 20 W., only. I alter the marks thereon to read:

T6N R19W S31	
S1	S6
R20W	R19W
T5N	
1950	

Thence, from the cor. of Ts. 6 N., Rs. 19 and 20 W.,

North, bet. secs. 31 and 36.

Over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 31 and 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$	
S 36	S 31
1953	

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 25, 30, 31 and 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N	
R20W	R19W
S 25	S 30
S 36	S 31
1953	

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, gravelly.

West Boundary of T. 6 N., R. 19 W.

Chains


Timber, none.
Undergrowth, greasewood.

North, bet. secs. 25 and 30.

Over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 25 and 30.


Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 19, 24, 25, and 30.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.


Land, rolling.
Soil, gravelly.
Timber, none.
Undergrowth, greasewood.

North, bet. secs. 19 and 24.

Over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 19 and 24.


Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 13, 18, 19 and 24.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, gravelly.
Timber, none.
Undergrowth, greasewood.

North, bet. secs. 13 and 18.

West. Boundary. of T. 6 N., R. 19 W.

Chains

Over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 13 and 18.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S 13} \quad | \quad \text{S 18} \\ | \\ 1953 \end{array}$$

Deposit a broken bottle alongside iron post.

80.00 Point for the cor. of secs. 7, 12, 13 and 18.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T 6 N} \\ \text{R20W} \quad | \quad \text{R19W} \\ \text{S 12} \quad | \quad \text{S 7} \\ \text{S 13} \quad | \quad \text{S 18} \\ | \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, gravelly.

Timber, none.

Undergrowth, greasewood.

North, bet. secs. 7 and 12.

Over gently rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 7 and 12.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S 12} \quad | \quad \text{S 7} \\ | \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 1, 6, 7 and 12.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T 6 N} \\ \text{R20W} \quad | \quad \text{R19W} \\ \text{S 1} \quad | \quad \text{S 6} \\ \text{S 12} \quad | \quad \text{S 7} \\ | \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, gently rolling

Soil, gravelly.

Timber, none.

Undergrowth, greasewood.

. West Boundary of T. 6 N., R. 19 W.

Chains

North, bet. secs. 1 and 6.

Over gently rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 1 and 6.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 1 \quad | \quad S\ 6 \\ | \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

60.00

Point for the N. $\frac{1}{16}$ cor. of secs. 6.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} N\ \frac{1}{16} \\ | \\ S\ 1 \quad | \quad S\ 6 \\ | \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

Point for the $\frac{1}{16}$ cor. of sec. 6.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{16} \\ | \\ S\ 1 \quad | \quad S\ 6 \\ | \\ 80 \\ | \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

88.34

Point for the cor. of Tps. 6 and 7 N., Rs. 19 and 20 W.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} T\ 7\ N \\ R20W \quad | \quad R19W \\ S\ 36 \quad | \quad S\ 31 \\ S\ 1 \quad | \quad S\ 6 \\ T\ 6\ N \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

North Boundary of T. 6 N., R. 19 W.

Chains

North Boundary of T. 6 N., R. 19 W.

chains

From the cor. of Tps. 6 and 7 N., Rs. 18 and 19 W., which is monumented with an iron post, marked and witnessed as described in the official record.

WEST, bet. secs. 1 and 36.

Over gently rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 1 and 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 36

$\frac{1}{4}$ ———

S 1

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 1, 2, 35 and 36.

Set an iron post, 28 ins. long; $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W

S 35 | S 36

S 2 | S 1

T 6 N

1953

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

WEST, bet. secs. 2 and 35.

Over gently rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 2 and 35.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 35

$\frac{1}{4}$ ———

S 2

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 2, 3, 34 and 35.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

North Boundary of T. 6 N., R. 19 W.

Chains	<p style="text-align: center;">T 7 N R 19 W</p> <p style="text-align: center;">S 34 S 35</p> <p style="text-align: center;">S 3 S 2</p> <p style="text-align: center;">T 6 N</p> <p style="text-align: center;">1953</p>
	<p>Deposit a broken glass bottle alongside iron post.</p> <p>U.S. Coast and Geodetic triangulation station LA POSA bears N. 89° 48' W., 5.21 chs. dist. from the cor. of secs. 2, 3, 34 and 35.</p> <p>Land, gently rolling.</p> <p>Soil, sandy.</p> <p>Timber, none.</p> <p>Undergrowth, greasewood.</p>
<p>5.56</p> <p>6.00</p> <p>40.00</p>	<p>WEST, bet. secs. 3 and 34.</p> <p>Over rolling land.</p> <p>Power line, bears N. 0° 01' E. and S. 0° 01' W.</p> <p>Power line road, bears N. and S.</p> <p>Point for the 1/4 cor. of secs. 3 and 34.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap MKD.</p> <p style="text-align: center;">S 34</p> <p style="text-align: center;">S 3</p> <p style="text-align: center;">1953</p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Point for the cor. of secs. 3, 4, 33, and 34.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap MKD.</p>
	<p style="text-align: center;">T 7 N R 19 W</p> <p style="text-align: center;">S 33 S 34</p> <p style="text-align: center;">S 4 S 3</p> <p style="text-align: center;">T 6 N</p> <p style="text-align: center;">1953</p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, rolling.</p> <p>Soil, sandy.</p> <p>Timber, none.</p> <p>Undergrowth, greasewood.</p> <p>WEST, bet. secs. 33 and 34.</p> <p>Over rolling land.</p>

North Boundary of T. 6 N., R. 19 W.

Chains
40.00

Point for the $\frac{1}{4}$ cor. of secs. 4 and 33.
Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 33

$\frac{1}{4}$

S 4

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 4, 5, 32 and 33.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W

S 32 | S 33

S 5 | S 4

T 6 N

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 5 and 32.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 32

$\frac{1}{4}$

S 5

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 5, 6, 31 and 32.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W

S 31 | S 32

S 6 | S 5

T 6 N

1953

Deposit a broken bottle alongside iron post.

BOOK 4441

North Boundary of T. 6 N., R. 19 W.

Chains	<p>Land, rolling.</p> <p>Soil, sandy.</p> <p>Timber, none.</p> <p>Undergrowth, greasewood.</p>
40.00	<p>WEST, bet. secs. 6 and 31.</p> <p>Over rolling land.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 6 and 31.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">S 31 — S 6 1953</p> <p>Deposit a broken bottle alongside iron post.</p>
79.50	<p>The cor. of Tps. 6 and 7 N., Rs. 19 and 20 W.</p> <p>Land, rolling.</p> <p>Soil, sandy.</p> <p>Timber, none.</p> <p>Undergrowth, greasewood.</p>
Subdivision of T. 6 N., R. 19 W.	
40.00	<p>Beginning the subdivisional survey at the cor. of secs. 1, 2, 35, and 36, on the S. bdy. of the Tp. which is monumented with an iron post, set, marked and witnessed as described in the official record.</p> <p>N. 0° 01' W., bet. secs. 35 and 36.</p> <p>Over rolling land, through scattering timber.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 35 and 36.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">S 35 S 36 — 1953</p> <p>Deposit a broken glass bottle alongside iron post.</p>
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 6 N. R 19 W S 26 S 25 S 35 S 36 1953</p>

BOOK 4441

Subdivision of T. 6 N., R. 19 W.

Chains	<p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, gently rolling.</p> <p>Soil, sandy, gravelly.</p> <p>Timber, palo verde.</p> <p>Undergrowth, greasewood.</p>	Observations
40.00	<p>From the cor. of secs. 25, 30, 31 and 36, on the E. side of the Tp., which is monumented with an iron post marked and witnessed as described in the official record.</p> <p>WEST, bet. secs. 25 and 36.</p> <p>Over gently rolling land, through scattering timber.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 25 and 36.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ S 25 ----- S 36 1953 </p>	00.04
80.00	<p>Deposit a broken glass bottle alongside iron post.</p> <p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, gently rolling.</p> <p>Soil, sandy and gravelly.</p> <p>Timber, palo verde.</p> <p>Undergrowth, greasewood.</p>	00.08
40.00	<p>N. 0° 01' W., bet. secs. 25 and 26.</p> <p>Over gently rolling land, through scattering timber.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 25 and 26.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ S 26 S 25 1953 </p>	00.04
80.00	<p>Deposit a broken glass bottle alongside iron post.</p> <p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> T. 6 N., R. 19 W. S 23 S 24 ----- S 26 S 25 1953 </p>	00.08

Subdivision of T. 6 N., R. 19 W.

Chains	<p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, gently rolling. Soil, sandy and gravelly. Timber, palo verde. Undergrowth, greasewood.</p>
40.00	<p>From the corners of secs. 24, 25 and 30, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.</p> <p>N. 89° 59' W., bet. secs. 24 and 25.</p> <p>Over gently rolling land, through scattering timber.</p> <p>Point for the 1/4 corner of secs. 24 and 25.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> 28 2 1/2 S 24 ———— 1/4 28 2 1/2 S 25 8891953 </p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Point for the corner of secs. 23, 24, 25 and 26.</p> <p>Land, gently rolling. Soil, sandy. Timber, palo verde. Undergrowth, greasewood.</p>
40.00	<p>N. 0° 01' W., bet. secs. 23 and 24.</p> <p>Over gently rolling land, through scattering timber.</p> <p>Point for the 1/4 corner of secs. 23 and 24.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> 1/4 28 2 1/2 S 23 S 24 8891953 </p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Point for the corner of secs. 13, 14, 23 and 24.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> W 61° 19' E 19 W 48 2 1/2 S 14 S 13 28 2 1/2 S 23 S 24 8891953 </p> <p>Deposit a broken glass bottle alongside iron post.</p>

Subdivision of T. 6 N., R. 19 W.

Chains

Land, gently rolling.
Soil, sandy.
Timber, palo verde.
Undergrowth, greasewood.

From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 89° 58' W., bet. secs. 13 and 24.

Over gently rolling land, through scattering timber.

40.00

Point for the 1/4 cor. of secs. 13 and 24.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

S 13

1/4

S 24

1953

Deposit a broken glass bottle alongside iron post.

80.00

The cor. of secs. 13, 14, 23 and 24.

Land, gently rolling.
Soil, sandy.
Timber, palo verde.
Undergrowth, greasewood.

N. 0° 01' W., bet. secs. 13 and 14.

Over gently rolling land, through scattering timber.

40.00

Point for the 1/4 cor. of secs. 13 and 14.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1/4

S 14 | S 13

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 11, 12, 13 and 14.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 11 | S 12

S 14 | S 13

1953

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.
Soil, sandy.
Timber, palo verde.
Undergrowth, greasewood.

Subdivision of T. 6 N., R. 19 W.

Chains	<p>From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.</p> <p>N. 89° 56' W., bet. secs. 12 and 13.</p> <p>Over gently rolling land.</p>
40.01	<p>Point for the $\frac{1}{4}$ cor. of secs. 12 and 13.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">S 12 + S 13 1953</p> <p>Deposit a broken bottle alongside iron post.</p> <p>80.02 The cor. of secs. 11, 12, 13 and 14.</p> <p>Land, gently rolling. Soil, gravelly. Timber, none. Undergrowth, greasewood.</p>
40.00	<p>N. 0° 01' W., bet. secs. 11 and 12.</p> <p>Over gently rolling land.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 11 and 12.</p>
80.00	<p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">+ S 11 S 12 1953</p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>80.00 Point for the cor. of secs. 1, 2, 11 and 12.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 6 N R 19 W S 2 S 1 S 11 S 12 1953</p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, gently rolling. Soil, sandy and gravelly. Timber, none. Undergrowth, greasewood.</p>

Subdivision of T. 6 N., R. 19 W.

Chains

From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 89° 57' W., bet. secs. 1 and 12.

Over gently rolling land.

40.01 Point for the $\frac{1}{4}$ cor. of secs. 1 and 12.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 1
 $\frac{1}{4}$ ———
 S 12
 1953

Deposit a broken glass bottle alongside iron post.

80.02 The cor. of secs. 1, 2, 11 and 12.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

N. 0° 01' W., bet. secs. 1 and 2.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 1 and 2.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
 S 2 | S 1
 1953

Deposit a broken glass bottle alongside iron post.

60.00 Point for the N/16 cor. of secs. 1 and 2.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

N 1/16
 S 2 | S 1
 1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the 1/16 cor. of secs. 1 and 2,

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 6 N., R. 19 W.

<p>Chains</p> <p>88.34</p>	<p style="text-align: center;">1/16</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 2</td> <td style="padding: 0 5px;">S 1</td> </tr> <tr> <td colspan="2" style="text-align: center;">80</td> </tr> <tr> <td colspan="2" style="text-align: center;">1953</td> </tr> </table> <p>Deposit a broken glass bottle alongside iron post.</p> <p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, greasewood.</p>	S 2	S 1	80		1953									
S 2	S 1														
80															
1953															
<p>40.00</p>	<p>From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.</p> <p>N. 0° 01' W., bet. secs. 34 and 35.</p> <p>Over gently rolling land, through scattering timber.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 34 and 35.</p>														
<p>80.00</p>	<p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="2" style="text-align: center;">†</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 34</td> <td style="padding: 0 5px;">S 35</td> </tr> <tr> <td colspan="2" style="text-align: center;">1953</td> </tr> </table> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Point for the cor. of secs. 26, 27, 34 and 35.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="2" style="text-align: center;">T 6 N R 19 W</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 27</td> <td style="padding: 0 5px;">S 26</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 34</td> <td style="padding: 0 5px;">S 35</td> </tr> <tr> <td colspan="2" style="text-align: center;">1953</td> </tr> </table> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, gently rolling. Soil, gravelly. Timber, palo verde. Undergrowth, greasewood.</p>	†		S 34	S 35	1953		T 6 N R 19 W		S 27	S 26	S 34	S 35	1953	
†															
S 34	S 35														
1953															
T 6 N R 19 W															
S 27	S 26														
S 34	S 35														
1953															
<p>40.00</p>	<p>EAST, on a random line bet. secs. 26 and 35.</p> <p>Set temp. $\frac{1}{4}$ cor.</p>														

Subdivision of T. 6 N., R. 19 W.

Chains

79.98

Fall 6 lks. N. of cor. of secs. 25, 26, 35 and 36.

Thence

N. 89° 57' W., bet. secs. 26 and 35, on the true line.

Over gently rolling land, through scattering timber.

39.99

Point for the $\frac{1}{4}$ cor. of secs. 26 and 35.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 26

 $\frac{1}{4}$

S 35

1953

Deposit a broken glass bottle alongside iron post.

79.98

The cor. of secs. 26, 27, 34 and 35.

Land, gently rolling.

Soil, sandy and gravelly.

Timber, palo verde.

Undergrowth, greasewood.

N. 0° 01' W., bet. secs. 26 and 27.

Over gently rolling land, through scattering timber.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 26 and 27.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 27 | S 26

1953

Deposit a broken glass bottle alongside iron post.

50.00

Point for the cor. of secs. 22, 23, 26 and 27.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 22 | S 23

S 27 | S 26

1953

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, palo verde.

Undergrowth, greasewood.

BOOK 4441

Subdivision of T. 6 N., R. 19 W.

Chains

EAST, on a random line, bet. secs. 23 and 26.

40.00 Set temp. $\frac{1}{4}$ cor.

80.02 Fall 3 lks. S. of cor. of secs. 23, 24, 25 and 26.

Thence

S. 89° 59' W., bet. secs. 23 and 26, on the true line.

Over gently rolling land, through scattering timber.

40.01 Point for the $\frac{1}{4}$ cor. of secs. 23 and 26.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 23

$\frac{1}{4}$ ———

S 26

1953

Deposit a broken glass bottle alongside iron post.

80.02 The cor. of secs. 22, 23, 26 and 27.

Land, gently rolling.

Soil, sandy.

Timber, pale verde.

Undergrowth, greasewood.

N. 0° 01' W., bet. secs. 22 and 23.

Over gently rolling land, through scattering timber.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 22 and 23.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
S 22 | S 23

1953

Deposit a broken glass bottle alongside iron post

80.00 Point for the cor. of secs. 14, 15, 22 and 23.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 15 | S 14

S 22 | S 23

1953

Deposit a broken bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, pale verde.

Undergrowtn, greasewood.

Subdivision of T. 6 N., R. 19 W.

Chains

EAST, on a random line bet. secs. 14 and 23.

40.00

Set temp. $\frac{1}{4}$ cor.

80.02

Fall 5 lks. S. of cor. of secs. 13, 14, 23 and 24.

Thence

S, $89^{\circ} 58' W.$, bet. secs. 14 and 23, on the true line.

Over gently rolling land, through scattering timber.

40.01

Point for the $\frac{1}{4}$ cor. of secs. 14 and 23.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 14

 $\frac{1}{4}$

S 23

1953

Deposit a broken glass bottle alongside iron post.

80.02

The cor. of secs. 14, 15, 22 and 23.

Land, gently rolling.

Soil, sandy.

Timber, palo verde.

Undergrowth, greasewood.

N. $0^{\circ} 01' W.$, bet. secs. 14 and 15.

Over gently rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 14 and 15.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd. $\frac{1}{4}$

S 15 | S 14

1953

Deposit a broken glass bottle alongside iron post

80.00

Point for the cor. of secs. 10, 11, 14 and 15.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 10 | S 11

S 15 | S 14

1953

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

Subdivision of T. 6 N., R. 19 W.

<p>Chains</p> <p>40.00</p> <p>80.00</p> <p>40.00</p> <p>80.00</p>	<p>EAST, on a random line, bet. secs. 11 and 14.</p> <p>Set temp. $\frac{1}{4}$ cor.</p> <p>Fall 6 lks. S. of cor. of secs. 11, 12, 13 and 14.</p> <p>Thence</p> <p>S. $89^{\circ} 57'$ W., bet. secs. 11 and 14, on the true line.</p> <p>Over gently rolling land.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 11 and 14.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">S 11 $\frac{1}{4}$ S 14 1953</p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, gently rolling. Soil, sandy. Timber, none. Undergrowth, greasewood.</p>
<p>40.00</p> <p>80.00</p>	<p>N. $0^{\circ} 01'$ W., bet. secs. 10 and 11.</p> <p>Over gently rolling land.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 10 and 11.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ S 10 S 11 1953</p> <p>Deposit a broken glass bottle alongside iron pipe.</p> <p>Point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 6 N R 19 W S 3 S 2 S 10 S 11 1953</p> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, gently rolling. Soil, sandy. Timber, none. Undergrowth, greasewood.</p>

Subdivision of T. 6 N., R. 19 W.

Chains

EAST, on a random line, bet. secs. 2 and 11.

40.00 Set temp. $\frac{1}{4}$ cor.

79.98 Fall 4 lks. S. of cor. of secs. 1, 2, 11 and 12.

Thence

S. $89^{\circ} 58'$ W., bet. secs. 2 and 11, on the true line.

Over rolling land, through scattering undergrowth.

39.99 Point for the $\frac{1}{4}$ cor. of secs. 2 and 11.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 2

$\frac{1}{4}$

S 11

1953

Deposit a broken glass bottle alongside iron post.

79.98 The cor. of secs. 2, 3, 10 and 11.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

N. $0^{\circ} 02'$ E., bet. secs. 2 and 3.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 2 and 3.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$

S 3 | S 2

1953

Deposit a broken glass bottle alongside iron post.

60.00 Point for the N. $1/16$ cor. of secs. 2 and 3.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

N $1/16$

S 3 | S 2

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the $1/16$ cor. of secs. 2 and 3.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 6 N., R. 19 W.

Chains

1/16

S 3 | S 2

80

1953

Deposit a broken glass bottle alongside iron post.

88.37

The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, gently rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 0° 02' W., bet. sec. 33 and 34.

Over gently rolling land, through scattering undergrowth.

40.00

Point for the 1/4 cor. of secs. 33 and 34.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 2 1/4 ins. in the ground, with brass cap mkd.

S 33 | S 34

1953

Deposit a broken bottle alongside iron post.

80.00

Point for the cor. of secs. 27, 28, 33 and 34.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 2 1/4 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 28 | S 27

S 33 | S 34

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

EAST, on a random line, bet. secs. 27 and 34.

40.00

Set temp. 1/4 cor.

79.98

Fall 7 lks. N. of cor. of secs. 26, 27, 34 and 35.

Thence

Subdivision of T. 6 N., R. 19 W.

Chains

N. 89° 57' W., bet. secs. 27 and 34, on the true line.

Over gently rolling land.

5.51 Power line, bears N. 0° 01' E., and S. 0° 01' W.

5.83 Power line road, bears N. and S.

39.99 Point for the $\frac{1}{4}$ cor. of secs. 27 and 34.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 27

$\frac{1}{4}$

S 34

1953

Deposit a broken glass bottle alongside iron post.

79.98 The cor. of secs. 27, 28, 33 and 34.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

N. 0° 02' W., bet. secs. 27 and 28.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 27 and 28.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 28 | S 27

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 21, 22, 27 and 28.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 21 | S 22

S 28 | S 27

1953

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

Subdivision of T. 6 N., R. 19 W.

Chains

EAST, on a random line bet. secs. 22 and 27.
 Set temp. $\frac{1}{4}$ cor.

40.00

80.04 **Fall $\frac{1}{4}$ lks. N. of cor. of secs. 22, 23, 26 and 27.**
 Thence
 N. $89^{\circ} 54'$ W., bet. secs. 22 and 27, on the true line.
 Over rolling land, through scattering undergrowth.

5.74 **Power line, bears N. and S.**

6.14 **Power line road, bears N. and S.**

40.02 **Point for the $\frac{1}{4}$ cor. of secs. 22 and 27.**
 Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 22
 $\frac{1}{4}$ —————
 S 27
 1953

Deposit a broken glass bottle alongside iron post.

80.04 **The cor. of secs. 21, 22, 27 and 28.**

Land, gently rolling.
 Soil, sandy.
 Timber, none.
 Undergrowth, greasewood.

N. $0^{\circ} 02'$ W., bet. secs. 21 and 22.
 Over rolling land, through scattering undergrowth.

40.00 **Point for the $\frac{1}{4}$ cor. of secs. 21 and 22.**
 Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 21 | S 22
 1953

Deposit a broken glass bottle alongside iron post.

80.00 **Point for the cor. of secs. 15, 16, 21 and 22.**
 Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W
 S 16 | S 15
 S 21 | S 22
 1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 6 N., R. 19 W.

Chains

Land, gently rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

S. 89° 57' E., on a random line bet. secs. 15 and 22.

40.00 Set temp. $\frac{1}{4}$ cor.

80.06 Fall 10 lks. N. of cor. of secs. 14, 15, 22 and 23.

Thence

N. 89° 53' W., bet. secs. 15 and 22, on the true line.

Over rolling land, through scattering undergrowth.

5.68 Power line, bears N. and S.

6.06 Power line road, bears N. and S.

40.03 Point for the $\frac{1}{4}$ cor. of secs. 15 and 22.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 15

$\frac{1}{4}$

S 22

1953

Deposit a broken glass bottle alongside iron post.

80.06 The cor. of secs. 15, 16, 21 and 22.

Land, gently rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

N. 0° 02' W., bet. secs 15 and 16.

Over rolling land, through scattering undergrowth.

30.00 Enter wash land in broad sag, drains S. 60° W.

35.00 Leave wash land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 15 and 16.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$

S 16 | S 15

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 9, 10, 15 and 16.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 6 N., R. 19 W.

Chains	<p style="text-align: center;">T 6 N R 19 W</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 9</td> <td style="padding: 0 5px;">S 10</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 16</td> <td style="padding: 0 5px;">S 15</td> </tr> </table> <p style="text-align: center;">1953</p>	S 9	S 10	S 16	S 15
S 9	S 10				
S 16	S 15				
	<p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, greasewood.</p>				
<p>40.00 80.14 5.61 5.99 40.07</p>	<p>S. 89° 56' E., on a random line, bet. secs. 10 and 15. Set temp. $\frac{1}{4}$ cor.</p> <p>Fall 10 lks. N. of cor. of secs. 10, 11, 14 and 15.</p> <p>Thence</p> <p>N. 89° 52' W., bet. secs. 10 and 15, on the true line.</p> <p>Power line, bears N. 0° 01' E., and S. 0° 01' W.</p> <p>Power line road, bears N. and S.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 10 and 15.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>S 10</p> <p>$\frac{1}{4}$ —————</p> <p>S 15</p> <p>1953</p> </div> <p>Deposit a broken glass bottle alongside iron post.</p>				
<p>80.14</p>	<p>The cor. of secs. 9, 10, 15 and 16.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, greasewood.</p> <p>N. 0° 02' W., bet. secs. 9 and 10.</p> <p>Over rolling land, through scattering undergrowth.</p> <p>Point for the $\frac{1}{4}$ cor. of secs. 9 and 10.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>$\frac{1}{4}$</p> <p>S 9 S 10</p> <p>1953</p> </div> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Point for the cor. of secs. 3, 4, 9, and 10.</p>				

Subdivision of T. 6 N., R. 19 W.

Chains

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam $2\frac{1}{4}$ ins. in the ground, with brass cap mkd.

T. 6 N. R. 19 W.

S 4	S 3
S 9	S 10

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

S. $89^{\circ} 56'$ E., on a random line bet. secs. 3 and 10.

40.00 Set temp. $\frac{1}{4}$ cer.

80.10 Fall 9 lks. N. of cer. of secs. 2, 3, 10 and 11.

Thence

N. $89^{\circ} 52'$ W., bet. secs. 3 and 10, on the true line.

Over rolling land, through scattering undergrowth.

5.50 Power line, bears N. $0^{\circ} 01'$ E. and S. $0^{\circ} 01'$ W.

6.00 Power line road, bears N. and S.

40.05 Point for the $\frac{1}{4}$ cer. of secs. 3 and 10.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., $2\frac{1}{4}$ ins. in the ground, with brass cap mkd.

S 3

$\frac{1}{4}$

S 10

1953

Deposit a broken glass bottle alongside iron post.

80.10 The cer. of secs. 3, 4, 9 and 10.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

N. $0^{\circ} 07'$ E., bet. secs. 3 and 4.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cer. of secs. 3 and 4.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., $2\frac{1}{4}$ ins. in the ground, with brass cap mkd.

Subdivision of T. 6 N., R. 19 W.

Chains




Deposit a broken glass bottle alongside iron post.

60.00

Point for the N. 1/16 cor. of secs. 3 and 4.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

80.00

Point for the 1/16 cor. of secs. 3 and 4.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

88.20

The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp. which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 0° 02' W., bet. secs. 32 and 33.

Over gently rolling land.

40.00

Point for the 1/4 cor. of secs. 32 and 33.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Subdivision of T. 6 N., R. 19 W.

Chains

80.00

Point for the cor. of secs. 28, 29, 32 and 33.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 29 | S 28

S 32 | S 33

1953

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

EAST, on a random line, bet. secs. 28 and 33.

Over rolling land.

40.00

Set temp. ¼ cor.

79.94

Fall 2 lks. S. of cor. of secs. 27, 28, 33 and 34.

Thence

S. 89° 59' W., bet. secs. 28 and 33, on the true line.

Over rolling land.

39.97

Point for the ¼ cor. of secs. 28 and 33.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 28

¼

S 33

1953

Deposit a broken glass bottle alongside iron post.

79.94

The cor. of secs. 28, 29, 32 and 33.

Land, gently rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

N. 0° 02' W., bet. secs. 28 and 29.

Over rolling land, through scattering undergrowth.


40.00

Point for the ¼ cor. of secs. 28 and 29.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 6 N., R. 19 W.


Chains



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 20, 21, 28 and 29.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

EAST, on a random line, bet. secs. 21 and 28.

40.00 Set temp. ¼ cor.


79.96 Intersect the cor. of secs. 21, 22, 27 and 28.

Thence

WEST, bet. secs. 21 and 28, on the true line.

39.98 Point for the ¼ cor. of secs. 21 and 28.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

79.96 The cor. of secs. 20, 21, 28 and 29.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

N. 0° 02' W., bet. secs. 20 and 21.

Over rolling land, through scattering undergrowth.

30.00 Enter wash land in wide sag, drains S. 60° W.

35.00 Leave wash land.

BOOK 4441

Subdivision of T. 6 N., R. 19 W.

Chains

40.00

Point for the $\frac{1}{4}$ cor. of secs. 20 and 21.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S 20} \mid \text{S 21} \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 16, 17, 20 and 21.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T 6 N R 19 W} \\ \text{S 17} \mid \text{S 16} \\ \hline \text{S 20} \mid \text{S 21} \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

EAST, on a random line, bet. secs. 16 and 21.

40.00

Set temp. $\frac{1}{4}$ cor.

79.94

Intersect cor. of secs. 15, 16, 21 and 22.

Thence

WEST, bet. secs. 16 and 21, on the true line.

Over rolling land, through scattering undergrowth.

7.94

Enter wash land, drains S. 50° W.

19.94

Leave wash land.

39.97

Point for the $\frac{1}{4}$ cor. of secs. 16 and 21.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{S 16} \\ \frac{1}{4} \text{ —————} \\ \text{S 21} \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

79.94

The cor. of secs. 16, 17, 20 and 21.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

Chains


N. 0° 02' W., bet. secs. 16 and 17.

Over rolling land, through scattering undergrowth.

40.00

Point for the 1/4 cor. of secs. 16 and 17.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 8, 9, 16 and 17.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

EAST, on a random line, bet. secs. 9 and 16.

40.00

Set temp. 1/4 cor.

79.94

Run 6 lks. S. of cor. of secs. 9, 10, 15 and 16.


Thence

S. 89° 57' W., bet. secs. 9 and 16, on the true line.

39.97

Point for the 1/4 cor. of secs. 9 and 16.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

79.94

The cor. of secs. 8, 9, 16 and 17.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

Subdivision of T. 6 N., R. 19 W.

Chains

N. 0° 02' W., bet. secs. 8 and 9.

Over rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 8 and 9.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S 8} \mid \text{S 9} \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 4, 5, 8 and 9.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T 6 N R 19 W} \\ \text{S 5} \mid \text{S 4} \\ \text{S 8} \mid \text{S 9} \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

EAST, on a random line, bet. secs. 4 and 9.

40.00

Set temp. $\frac{1}{4}$ cor.

79.96

Intersect the cor. of secs. 3, 4, 9 and 10.

Thence

WEST, bet. secs. 4 and 9, on the true line.

Over rolling land, through scattering undergrowth.

39.98

Point for the $\frac{1}{4}$ cor. of secs. 4 and 9.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{S 4} \\ \frac{1}{4} \text{---} \\ \text{S 9} \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post;

79.96

The cor. of secs. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

BOOK 4441

Subdivision of T. 6 N., R. 19 W.

Chains


N. 0° 05' E., bet. secs. 4 and 5.

Over rolling land.

40.00

Point for the 1/4 cor. of secs. 4 and 5.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

60.00

Point for the N. 1/16 cor. of secs. 4 and 5.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

80.00

Point for the 1/16 cor. of secs. 4 and 5.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



80
1953

Deposit a broken glass bottle alongside iron post.

88.25

The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 0° 03' W., bet. secs. 31 and 32.

Over gently rolling land.

40.00

Point for the 1/4 cor. of secs. 31 and 32.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 6 N., R. 19 W.

Chains

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 31\ | \ S\ 32 \\ | \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

55.00

Drain, course SW.

80.00

Point for the cor. of secs. 29, 30, 31 and 32.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} T\ 6\ N\ R\ 19\ W \\ \hline S\ 30\ | \ S\ 29 \\ \hline S\ 31\ | \ S\ 32 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, gently rolling.

Soil, sandy.

Timber, palo verde.

Undergrowth, greasewood.

From the cor. of secs. 28, 29, 32 and 33.

WEST, bet. secs. 29 and 32.

Over rolling land.

39.99

Point for the $\frac{1}{4}$ cor. of secs. 29 and 32.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} S\ 29 \\ \hline \frac{1}{4} \\ \hline S\ 32 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

77.98

Drain, course S.

79.98

The cor. of secs. 29, 30, 31 and 32.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

S. $89^{\circ} 58'$ W., bet. secs. 30 and 31.

Over rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 30 and 31.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 4441


Subdivision of T. 6 N., R. 19 W.

Chains


S 30
 $\frac{1}{4}$ —————
 S 31
 1953

79.87 Deposit a broken glass bottle alongside iron post.
 The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.
 Land, rolling.
 Soil, gravelly.
 Timber, none.
 Undergrowth, greasewood.

40.00 From the cor. of secs. 29, 30, 31 and 32.
 N. 0° 03' W., bet. secs. 29 and 30.
 Over rolling land.
 Point for the $\frac{1}{4}$ cor. of secs. 29 and 30.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



80.00 Deposit a broken glass bottle alongside iron post.
 Point for the cor. of secs. 19, 20, 29 and 30.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.
 Land, rolling.
 Soil, gravelly.
 Timber, none.
 Undergrowth, greasewood.

From the cor. of secs. 20, 21, 28 and 29.
 S. 89° 59' W., bet. secs. 20 and 29.
 Over rolling land.

m Subdivision of T. 6 N., R. 19 W.

Chains

23.98 Drain, course SW.

39.99 Point for the $\frac{1}{4}$ cor. of secs. 20 and 29.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 20

 $\frac{1}{4}$

S 29

1953

Deposit a broken glass bottle alongside iron post.

79.98 The cor. of secs. 19, 20, 29 and 30.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

S. $89^{\circ} 58'$ W., bet. secs. 19 and 30.

Over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 19 and 30.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 19

 $\frac{1}{4}$

S 30

1953

Deposit a broken glass bottle alongside iron post.

79.84 The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.

Soil, gravelly.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 19, 20, 29 and 30.

N. $0^{\circ} 03'$ W., bet. secs. 19 and 20.

Over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 19 and 20.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 4441

Subdivision of T. 6 N., R. 19 W.

Chains

$$\begin{array}{c} \frac{1}{4} \\ \hline \text{S } 19 \text{ | S } 20 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 17, 18, 19 and 20.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{T } 6 \text{ N } \text{ R } 19 \text{ W} \\ \hline \text{S } 18 \text{ | S } 17 \\ \hline \text{S } 19 \text{ | S } 20 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, gravelly.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 16, 17, 20 and 21.

S. 89° 59' W., bet. secs. 17 and 20.

Over rolling land.

39.98

Point for the ¼ cor. of secs. 17 and 20.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{S } 17 \\ \hline \frac{1}{4} \\ \hline \text{S } 20 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

79.96

The cor. of secs. 17, 18, 19 and 20.

Land, rolling.
Soil, sandy and gravelly.
Timber, none.
Undergrowth, greasewood.

WEST, bet. secs. 18 and 19.

Over rolling land.

40.00

Point for the ¼ cor. of secs. 18 and 19.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 6 N., R. 19 W.

Chains

S 18

+

S 19

1953

Deposit a broken glass bottle alongside iron post.

45.00 Old road, bears N. and S.

79.74 The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
 Soil, gravelly.
 Timber, none.
 Undergrowth, greasewood.

From the cor. of secs. 17, 18, 19 and 20.

N. 0° 03' W., bet. secs. 17 and 18.

Over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 17 and 18.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

+

S 18 | S 17

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 7, 8, 17 and 18.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W

S 7 | S 8

S 18 | S 17

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
 Soil, gravelly.
 Timber, none.
 Undergrowth, greasewood.

From the cor. of secs. 8, 9, 16 and 17.

N. 89° 59' W., bet. secs. 8 and 17.

Over rolling land.

BOOK 4441

Subdivision of T. 6 N., R. 19 W.

Chains

39.97

Point for the $\frac{1}{4}$ cor. of secs. 8 and 17.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 8

 $\frac{1}{4}$

S 17

1953

Deposit a broken glass bottle alongside iron post.

79.94

The cor. of secs. 7, 8, 17 and 18.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

S. $89^{\circ} 59'$ W., bet. secs. 7 and 18.

Over rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 7 and 18.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 7

 $\frac{1}{4}$

S 18

1953

Deposit a broken glass bottle alongside iron post.

79.61

The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.

Soil, gravelly.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 7, 8, 17 and 18.

N. $0^{\circ} 03'$ W., bet. secs. 7 and 8.

Over rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 7 and 8.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \hline \text{S 7} \quad | \quad \text{S 8} \end{array}$$

1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 6 N., R. 19 W.

Chains

80.00

Point for the cor. of secs. 5, 6, 7 and 8

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 6 N R 19 W			
S 6		S 5	
S 7		S 8	

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 4, 5, 8, and 9.

N. 89° 59' W., bet. secs. 5 and 8.

Over rolling land.

39.98

Point for the ¼ cor. of secs. 5 and 8.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 5	
¼	—
S 8	

1953

Deposit a broken glass bottle alongside iron post.

79.96

The cor. of secs. 5, 6, 7 and 8.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

S. 89° 57' W., bet. secs. 6 and 7.

Over rolling land.

40.00

Point for the ¼ cor. of secs. 6 and 7.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 6	
¼	—
S 7	

1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 6 N., R. 19 W.

Chains

79.49

The cor. of secs. 1, 6, 7, and 12, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 5, 6, 7 and 8.

N. 0° 01' E., bet. secs. 5 and 6.

Over rolling land.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 5 and 6.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
S 6 | S 5
1953

Deposit a broken glass bottle alongside iron post.

60.00

Point for the N. $\frac{1}{16}$ cor. of secs. 5 and 6.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

N $\frac{1}{16}$
S 6 | S 5
1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the $\frac{1}{16}$ cor. of secs. 5 and 6.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{16}$
S 6 | S 5
80
1953

Deposit a broken glass bottle alongside iron post.

88.22

The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

GENERAL DESCRIPTION

Township 6 North, Range 19 West, lies on the LA POSA PLAIN to the west of the PLUMOSA MOUNTAINS, and consists of rolling terrain varying in elevation from 700 feet to 950 feet above sea level. The soil is sandy and rocky and supports a scattering cover of greasewood undergrowth, no timber.

There is no water, and no improvements with the exception of a power line which crosses the township in a north, south direction approximately two miles west of the east boundary.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Fred R. Chappell	Cartographic Survey Aid
Jack Hammett	Surveying and Cartographic Aid
Ernest S. Barela	" "
Anarante Lovato	" "
O. Charles Harper	" "
Paul O. Heath	" "

44

CERTIFICATE OF CADASTRAL ENGINEER

We ~~XK~~ Ty White and Donald E. Harding, HEREBY CERTIFY upon honor that, in

pursuance of special instructions bearing date of the 9 th. day of October, 1952

We ~~XK~~ have surveyed the west and north boundaries and subdivisional lines of Township 6 North, Range 19 West.

Gila and of the Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by ~~me~~^{us} and under ~~my~~^{our} direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing

field notes. *Bellevue City, Calif. January 29, 1954.*

Ty White
Donald E. Harding
Cadastral Engineers

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,
Washington, D. C., APR 5 1955, 19

The foregoing field notes of the survey of the west and north boundaries and subdivisional lines of Township 6 North, Range 19 West.

executed by Ty White and Donald E. Harding having been critically examined and found correct, are hereby approved.

Earl G. Harrington
Chief, Division of Cadastral Engineering
Cadastral Engineering Staff Officer

CERTIFICATE OF TRANSCRIPT

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~
~~is a true copy of the original field notes.~~

~~Chief, Division of Cadastral Engineering.~~