

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

BOOK 4445

1

4445

FIELD NOTES

Of the Survey of

A portion of the South Boundary and Subdivisional Lines

Completing the Survey of

Township 7 North, Range 20 West

4445

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Ty White, Cadastral Engineer

Donald E. Harding, Cadastral Engineer

Under special instructions dated October 9, 1952, which provided for the surveys included under Group No. 285, approved October 21, 1952 and assignment instructions dated November 7, 1952

Survey commenced February 26, 1953

Survey completed February 28, 1953

4445

98

1A

BOOK 4445

INDEX DIAGRAM

Township 7 North, Range 20 West

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16-56770-1

———— Ty White, Cadastral Engineer

———— Donald E. Harding, Cadastral Engineer

Chains

The following notes describe the survey of a portion of the south boundary and subdivisional lines of Township 7 North, Range 20 West.

The description of instruments and methods is contained in the notes of Township 7 North, Range 18 West.

The geographic position of the southeast corner of the Township as determined from ties to U. S. Coast and Geodetic triangulation station LA POSA is, latitude 33° 53' 56" N., longitude 114° 17' 02" W.

South Boundary of T. 7 N., R. 20 W.

From the cor. of Tps. 6 and 7 N., Rs. 19 and 20 W., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 6 N., R. 19 W.


WEST, bet. secs. 1 and 36.

Over gently rolling land, through scattering undergrowth.

40.00

Point for the 1/4 cor. of secs. 1 and 36.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

76.19

Intersect the east boundary of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 1 and 36.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




1953

Deposit a broken glass bottle alongside iron post.

From this point, the reservation boundary Mile Post No. 30 bears S. 18° 21' W., 0.86 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record. Iron post is in bad state of repair with top portion rusted off.

At point for reservation boundary Mile Post No. 30.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



1953

Chains

Land, gently rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

Subdivision of T. 7 N., R. 20 W.

From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 19 W.


WEST, bet. secs. 25 and 36.

Over rolling land, through scattering undergrowth

40.00

Point for the $\frac{1}{4}$ cor. of secs. 25 and 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.




49.70

Intersect the E. bdy. of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 25 and 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



From this point, the Reservation Boundary Mile Post No. 31, bears S. 18° 21' W., 5.08 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, scattering greasewood.

From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 19 W.

WEST, bet. secs. 24 and 25.

Over rolling land, through scattering undergrowth.

23.17

Intersect the E. bdy. of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 24 and 25.

T. 7 N., R. 20 W.

BOOK 4445

Chains

Set an iron post, 28 ins; long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} \text{R} / \text{T 7 N} \\ \text{I} / \text{S 24} \\ \text{R} / \text{S 25} \\ \text{C} / \text{R 20 W} \end{array} \text{C C}$$

1953

From this point, the Reservation Boundary Mile Post No. 32, bears S. $18^{\circ} 21' W.$, 9.34 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record; the closing cor. of secs. 24 and 25, from the west, bears S. $18^{\circ} 21' W.$, 8.86 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

General Description

This portion of Township 7 North, Range 20 West, consists of parts of sections 24, 25 and 36 that lie east of and adjacent to the Colorado River Indian Reservation. It is all gently rolling sandy land with a scattered covering of greasewood undergrowth. The small difference in elevation ranges from 875 ft. to 900 ft. above sea level, and there are no improvements in the area.

4

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Fred R. Chappell	Cartographic Survey Aid
Jack Hamnett	Surveying and Cartographic Aid
Ernest S. Barela	" "
Amarante Lovato	" "
O. Charles Harper	" "
Paul O. Heath	" "

104

BOOK 4445

CERTIFICATE OF CADASTRAL ENGINEER

No. Ty White and Donald E. Harding, HEREBY CERTIFY upon honor that, in

pursuance of special instructions bearing date of the 9 th. day of October, 1952,

I have surveyed a portion of the south boundary and subdivisinal lines of
Township 7 North, Range 20 West.

Gila and
of the Salt River Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been executed by ~~me~~ and under ~~my~~ direction; and that
said survey has been made in strict conformity with said instructions, the Manual of Instructions for the
Survey of the Public Lands of the United States, and in the specific manner described in the foregoing

field notes.

*Calver City, Calif.
January 29, 1954*

*Ty White
Donald E. Harding*
Cadastral Engineers

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,
Washington, D. C., APR 5 1955, 19

The foregoing field notes of the survey of a portion of the south boundary and
subdivisinal lines of Township 7 North, Range 20 West.

executed by Ty White and Donald E. Harding

having been critically examined and found correct, are hereby approved.

Carl G. Harrington
Chief, Division of Cadastral Engineering
Cadastral Engineering Staff Officer

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in
_____, is a true copy of the original field notes.

~~Chief, Division of Cadastral Engineering~~