original

Form 4-679 (January 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

DEPENDENT RESURV	EY
of the	4 4
	ADD AD THE
EAST, WEST and NORTH BO	
A PORTION OF THE SOUTH	BOUNDARY
The	NHG.
SUBDIVISIONAL LI	NES
And	
SURVEY OF	
PARTIAL SUBDIVISION OF	SECTION 34
TOWNSHIP 17 NORTH, RANG	E 28 EAST
Of the Gila and Salt Rive	erMeridian,
In the State of Arizona	•
EXECUTED B	v
LALCOTED B	•
Boyd S. Owens	Cadastral Surveyor
Kenneth D. Herman	Cadastral Surveyor
Howard H. Thomas	Cadastral Surveyor
Under special instructions dated August 16	10.66
Under special instructions dated August 16	
included under Group Number 473, approved	
and assignment instructions datedAugust 29	., 19
- A	
Survey commenced August 30	, 19

October 18

Survey completed _

INDEX DIAGRAM

	Township _		17	North		, F	Range _	28 E	ast		,	
	16		15		14		13	7	13		12	
11	6	54	5	45	4	37	8	29	2	23	1	7
	54		53		44		36		29		22	
10	7	52	8	43	9	36	10	28	11	21	12	5
	52		51		43		35		28		21	
10	18	51	17	42	16	34	18	27	14	20	13	5
	50		50		41		34		26		20	
9	19	49	20	40	21	33	22	26	28	19	24	4
	48		48		40		32		25		18	
8	30	47	29	39	28	32	27	25	26	18	25	3
	47		46		39		31		24		17	
7	31	45	82	38	33	3	1	23	85	16	86	2

Subdivision of Sec. 34---Page 55-56

Township 17 North, Range 28 East Gila and Salt River Meridian, Arizona

	Gila and Salt River Meridian, Arizona
CHAINS	The south boundary, the fourth standard parallel north, the east, west and north boundaries and subdivisional lines were surveyed by H. A. Coe in 1882. The south boundary was resurveyed by Murphy and Bauer in 1963.
	The following notes are those of a dependent resurvey of the east, west and north boundaries and subdivisional lines, designed to restore the corners in their true original location according to the best available evidence; the dependent resurvey of a portion of the south boundary and the survey of subdivisions in Section 34, Township 17 North, Range 28 East, Gila and Salt River Meridian, Arizona.
	The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated August 16, 1966.
	Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless otherwise described, each corner was monumented with a standard iron post, 30 ins. long, $2\frac{1}{2}$ ins. diameter, flanged at the base and with a brass cap riveted to the top.
	The geographic position of the southeast corner of the township as scaled from Saint Johns, Arizona, New Mexico, quadrangle map is: Latutude, 34°49'14" North, Longitude, 109°18'45" West.
	The mean magnetic declination was found to be 14° East.
	Dependent Resurvey of a Portion of the South Boundary, Section 34, Township 17 North, Range 28 East
	Retracement of the Survey Executed by Murphy and Bauer in 1963
	Beginning at the standard cor. of secs. 33 and 34 on the S. boundary of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the official record of the 1963 resurvey.
	S. 89°41' E., along the south bdy. of sec. 34.
	Over rolling land.
0.91	Enter corral, about 2.20 chs. square, from which a fence bears SW. and E.
3.20	Leave corral, asc. W. slope.
20.55	Point for the standard W 1/16 cor. of sec. 34 at proportionate dist.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	S C T17N R28E W 1/6 S34 1966

	Dep. Res., E. Bdy., T. 17 N., R. 28 E.
CHAINS	Set a post, 3 ft. long, 3 ins. diam., alongside the cor.
21.00	Crest of ridge slopes S.
25.30	Fence, barbed wire, bears irregularly E. and W.
31.60	Track road, bears irregularly E. and W.
41.10	The standard $\frac{1}{4}$ sec. cor. of sec. 34, monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the official record of the 1963 resurvey.
	Land, rolling. Soil, sandy loam. Timber, widely scattered cedar. Undergrowth, sage brush, gramma and bunch grass.
	Dependent Resurvey of the East Boundary, T. 17 N., R. 28 E., G & SRM, Arizona
	Reestablishment of the Survey Executed by H. A. Coe in 1882
	Beginning at the standard cor. of Tps. 17 N., Rs. 28 and 29 E., monumented by an iron post 2½ ins. diam., as described in the official record of the 1963 resurvey.
	from which
	A local cor. monumented by an iron post, 1 in. diam., with 2 in. brass cap, firmly set 2 ins. above ground, no markings, bears N. 76°36' W., 8.72 chs. dist.
	A windmill bears N. 58°15' W., 16.04 chs. dist.
	A fence cor. bears N. 58°15' W., 9.00 chs. dist.; fences bear N. 89°39' E., S. and S. 89°39' W. for 55 lks., thence N.
	N. 1°47' W., bet. secs. 31 and 36.
	Desc. over gently rolling NW. slope through railed area.
1.90	Bladed subdivision line bears E. and W.
6.80	Fence, barbed wire, bears N. 89°39' E. and S. 89°39' W., leave railed area, enter scattered cedar.
12.00	Leave timber, edge bears NE. and SW.
40.36	Point for the ½ sec. cor. of secs. 31 and 36 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T17N R28E R29E
	\$36 \(\bar{1} \) \$31 1966
	Deposit glass in the hole and set a cedar post 3 ft. long, 3 ins. diam. alongside the iron post.

3

	Dep. Res., E. Bdy., T. 17 N., R. 28 E.
CHAINS	
46.00	Enter scattered cedar.
47.20	Hard scrabble wash area (several small channels), drains S W.; asc. over gentle SE. slope.
72.50	Fence, barbed wire, bears S. 70°53' E. and N. 70°53' W.
80.72	Point for the cor. of secs. 25, 30, 31 and 36, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E R29E <u>S25 S30</u> S36 S31 1966
	From which
	A local cor., a l in. iron post lying loose upon the ground, bears N. 88°41' W., 5.66 chs. dist., mkd. 25 30 This cor. was not accepted by 192 31
	all landowners concerned.
-	Deposit glass in the hole and set a cedar post 4 ft. long, 4 ins. diam., alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, yellow brush, sage brush, and bunch grass.
	N. 1°47' W., bet. secs. 25 and 30.
	Over gently rolling land, through scattered cedar.
17.20	Low ridge, bears N. 35° E. and S. 35° W., desc. gentle N. slope.
40.36	Point for the 4 sec. cor. of secs. 25 and 30, at proportionate dist.; unable to find any remaining evidence of the original cor. This cor. was not monumented.
-	From which
	A local cor. bears N. 88°39' W., 4.23 chs. dist., monumented by an iron post, 1 in. diam., firmly set, brass cap mkd. 202 195 This cor. was not 203 194
	accepted by all land owners concerned.
80.72	Point for the sec. cor. of secs. 19, 24, 25 and 30, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E R29E <u>S24 S19</u> S25 S30 1966

Dep.	Res.,	Ε.	Bdy.,	Τ.	17	Ν.,	R.	28	Ε.
------	-------	----	-------	----	----	-----	----	----	----

T	Dep. Res., E. Bdy., T. 17 N., R. 28 E.	
CHAINS	From which	
i	A local cor. bears N. 76°58' W., 2.89 chs. dist., monumented by an iron post, 1 in. diam., firmly set in edge of road bearing N. and S.	
	This cor. was not accepted by all land owners concerned.	
	A cedar stump, bears North, 4 1ks. dist.	
	Deposit glass in hole alongside the iron post.	
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage, yellow brush and bunch grass.	
	N. 1°47' W., bet. secs. 19 and 24.	1
	Over gently rolling land, through widely scattered cedar.	
1.10	Bladed road, bears N. 72° E. and S. 72° W.	-
40.36	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 24, at proportionate dist., unable to find any remaining evidence of the original cor.	
	Set the iron post, 22 ins. in the ground, brass cap mkd.	
	T17N R28E R29E	
	\$24 \$19 1966	
	From which	
	A fence cor. bears N. 70° W., 1.42 chs. dist.; fences bear N. and E.	
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.	
40.85	Fence, barbed wire, bears E. and W.	i
80.72	The cor. of secs. 13, 18, 19 and 24, monumented by a post 3 ft. long, 3 ins. diam., lying loose on the ground, mks. illegible. A local survey iron post 1 in. diam., 2 in. brass cap mkd. 18 is alongside the orig. 200 24 19	
	cor. I accept this as the best evidence of the original cor. position. The original bearing trees are legible scribed as per record, but bearings and distances will not fit any one point.	
	At the cor. point	
	Set the iron post, 24 ins. in the ground, brass cap mkd.	
	T17N R28E R29E <u>S13 S18</u> S24 S19 1966	

Dep. Res., E. Bdy., T. 17 N., R. 28 E.

CHAINS	From which the original bearing trees
-	A juniper, 12 ins. diam., bears N. 29 3/4° E., 121 lks. dist., mkd. T17N R29E, S18 BT.
	A dead fallen juniper, 8 ins. diam., bears S. 76°43' E., 213 lks. dist., mkd. T17N R29E S19 BT
	A juniper limb, 8 ins. diam., bears S. 68°02' W., 151 lks. dist., mkd. T17N R28E S24 BT.
	A juniper limb, 10 ins. diam., bears N. 36½° W. 193 lks. dist., mkd. T17N R28E S13 BT.
	Set the original and local corner alongside the iron post. The cor. is located in a fence bearing N. and S.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered cedar. Undergrowth, sage, yellow brush and grass.
	N. 0°26' E., bet. secs. 13 and 18.
	Over gently rolling land, along a fence bearing N. and S.; bladed line parallels fence on E. side.
3.95	Fence cor.; fences bear E., W., S. and irregularly N.
40.37	The ½ sec. cor. of secs. 13 and 18, monumented by a squared cedar post, 4 ins. by 3 ins. diam., firmly set, projecting 3 ft. above ground, mkd. S. on south face.
	No other mks. legible.
	This cor. was not remonumented.
`	The cor. is in a fence bearing irregularly N. and S.
	N. 0°37' E., beginning new measurement.
	Over gently rolling land, through widely scattered cedar.
36.70	West edge of wash, 60 lks. wide, 2 ft. deep, drains S. 60° E. from N. 10° W.
40.01	Point for cor. of secs. 7, 12, 13 and 18, at proportionate dist., falls in W. edge of wash, 60 lks. wide, 2 ft. deep, draining S. 10° E.; unable to find any remaining evidence of the original cor.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered cedars. Undergrowth, sage and yellow brush.
. ,	N. 0°37' E., bet. secs. 7 and 12.
	Along the bottom of wash, draining S. 10° E.
2.10	Leave wash, drains S. 10° E. from NW.
3.00	Point selected for the witness cor. of secs. 7, 12, 13 and 18.

Dep.	Res.,	Ε.	Bdy.,	Т.	17	Ν.,	R.	28	Ε.
------	-------	----	-------	----	----	-----	----	----	----

·	Dep. Res., E. Bdy., T. 17 N., R. 28 E.
CHAINS	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E R29E S12 S7 S13 S18 W C 1966
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
28.50	Low spur, slopes S. 60° W.
40.01	The $\frac{1}{4}$ sec. cor. of secs. 7 and 12, monumented by a squared post, 3 ins. diam., wired to N-S fence, dimly mkd. $\frac{1}{4}$ S. on W. face.
	At the cor. point
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E R29E
.4	\$12\sqrt{57} 1966
	Deposit glass in the hole and set the orig. cor. along-side the iron post.
	N. 0°40' E., beginning new measurement.
	Over gently rolling land, through scattered cedar.
3.30	Wash, 35 lks. wide, 2 ft. deep, drains S. 30° W.; asc. over SE. slope.
37.80	Low spur, slopes E.
39.94	The cor. of secs. 1, 6, 7 and 12, monumented by a squared cedar post, 3 ins. diam., 3 ft. long, firmly set, mkd. S. 6 on NE. face with other mks. illegible.
	At the cor. point
	Set the iron post, 20 ins. in the ground, brass cap mkd.
3	T17N R28E R29E <u>S1 S6</u> S12 S7 1966
	Set the original cor. alongside the iron post.
	Cor. is 24 lks. W. of irreg. N-S fence and 5 lks. N. of edge of wash, draining E.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush.

Dep.	Res.,	W.	Bdy.,	Τ.	17	Ν.,	R.	28	Ε.

	CHAINS	N. 0°03' W., bet. secs. 1 and 6.
	^	
		Over gently rolling land, through moderate cedar.
	2.50	Enter railed area, bears W. and N.
	41.48	The ½ sec. cor. of secs. 1 and 6, monumented by a squared cedar post, 4 ins. diam., 4 ft. long, set 12 ins. in the ground, mkd. ½ S. on E. face. This cor. was not remonumented but was reset 20 ins. in the ground.
		N. 1°01' W., beginning new measurement.
		Over gently rolling land, along E. edge of railed area.
١	00.05	The cor. of Tps. 17 and 18 N., Rs. 28 and 29 E., monu-
	38.25	mented by squared cedar post, 6 ins. diam., 4 ft. long, firmly set 18 ins. in the ground, mkd. T18N S31 on NE. face, R29E S6 on SE. face, T17N S1 on SW. face, S36 on NW. face.
١	,	At the cor. point
		Set the iron post 20 ins. in the ground, brass cap mkd.
		T18N R28E R29E <u>S36 S31</u>
		S1 S6 T17N
		1966
		Deposit glass in the hole alongside the iron post.
		Cor. is in a fence bearing W. and E., 63 lks. dist. to a cor. of fences bearing W., N. and S.
		Land, gently rolling.
		Soil, sandy loam. Timber, moderate cedar.
		Undergrowth, sage and yellow brush, gramma and bunch grass.
		Dependent Resurvey of the West Boundary T. 17 N., R. 28 E., G & SRM, Arizona
		Reestablishment of the Survey Executed by H. A. Coe in 1882
		Beginning at the standard cor. of Tps. 17 N., Rs. 27 and 28 E., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the official record of 1963 resurvey.
		N. 1°49' E., bet. secs. 31 and 36.
		Over rolling land, through scattered cedars.
	20.70	Wash, 20 1ks. wide, 1 ft. deep, drains E.
	40.30	Point for the ½ sec. cor. of secs. 31 and 36, at proportionate dist.; unable to find any remaining evidence of the original cor.

	Dep. Res., W. Bdy., T. 17 N., R. 28 E.
CHAINS	Set the iron post 22 ins. in the ground, brass cap mkd.
,	T17N R27E R28E
	S36
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	The cor. is located 37 lks. east of a N-S fence.
62.00	Fence, barbed wire, bears E. and W.
64.20	Fence, barbed wire, bears E. and W.
80.60	Point for the cor. of secs. 25, 30, 31 and 36, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T17N R27E R28E <u>S25 S30</u> S36 S31 1966
	From which
	A windmill bears S. 0°14' E., 18.12 chs. dist.
	Set a juniper post, 4 ins. diam., 4 ft. long, alongside the iron post.
	The cor. is located 61 lks. east of a N-S fence.
	Land, rolling. Soil, sandy. Timber, medium cedar. Undergrowth, sage brush and bunch grass.
	N. 1°49' E., bet. secs. 25 and 30.
	Over rolling land, through medium cedar with some railed areas.
40.30	Point for the ½ sec. cor. of secs. 25 and 30, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T17N R27E R28E \$25 S30 1966
	Set a cedar post, 4 ft. long, 6 ins. diam., alongside the iron post.
	The cor. is located 69 lks. east of a N-S fence.

		Den Reg W Bdy, T. 17 N., R. 28 E.
		Dep. Res., W. Bdy., T. 17 N., R. 28 E.
	CHAINS 80.60	The cor. of secs. 19, 24, 25 and 30, monumented by a squared cedar post, laying loose upon the ground, dimly mkd. but illegible. Accept this as the best evidence of the original cor. position.
		At the cor. point
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T17N R27E R28E <u>S24 S19</u> S25 S30 1966
		Set the original cor. alongside the iron post.
		The cor. is located 8 lks. east of a N-S fence.
		Land, rolling. Soil, sandy. Timber, medium cedar with railed clearings. Undergrowth, sage brush and bunch grass.
,	·	N. 1°08' E., bet. secs. 19 and 24.
		Over rolling land, through railed area.
	39.64	Point for the $\frac{1}{4}$ sec. cor of secs. 19 and 24, at proportionate dist.; unable to find any remaining evidence of the original cor.
	i	This cor. was not monumented.
	41.40	Track road, bears irregularly SE. curving S. and NW. curving N.
	66.80	Fence, barbed wire, bears E. and W.
	68.90	Fence, barbed wire, bears E. and W.
	79.29	Point for the cor. of secs. 13, 18, 19 and 24, at proportionate dist.; unable to find any remaining evidence

T17N R27E R28E S13 S18 S24 S19 1966

Set the iron post 22 ins. in the ground, brass cap mkd.

From which

of the original cor.

A windmill, bears S. $32^{\circ}14^{\circ}$ E., 10.82 chs. dist.

Set a cedar post, 4 ins. diam., 4 ft. long, alongside the iron post. $\,$

The cor. is located 72 lks. east of a N-S fence.

Land, rolling.
Soil, sandy.
Timber, railed cedar.
Undergrowth, sage brush and bunch grass.

	Dep. Res., W. Bdy., T. 17 N., R. 28 E.					
CHAINS	N. 1°08' E., bet. secs. 13 and 18.					
	Over rolling land, through railed area.					
39.64	Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 18, at proportionate dist.; unable to find any remaining evidence of the original cor.					
	Set the iron post 22 ins. in the ground, brass cap mkd.					
	T17N R27E R28E					
	\$13 \$18 1966					
	Set a cedar post, 3 ft. long, 3 ins. diam., alongside the iron post.					
	The cor. is located 1.36 chs. east of a N-S fence.					
59.10	Leave railed area, bears E. and W.; enter moderate timber.					
79.29	Point for the cor. of secs. 7, 12, 13 and 18, at proportionate dist.; unable to find any remaining evidence of the original cor.					
	Set the iron post 22 ins. in the ground, brass cap mkd.					
	T17N R27E R28E S12 S7 S13 S18					
	1966					
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.					
	The cor. is located 67 lks. east of a N-S fence.					
	Land, rolling. Soil, sandy.					
	Timber, railed area to med. cedar. Undergrowth, sage brush and bunch grass.					
	N. 1°08' E., bet. secs. 7 and 12.					
	Over rolling land, through medium timber.					
7.20	Low ridge bears E. and W.					
39.64	Point for ½ sec. cor. of secs. 7 and 12, at proportionate dist.; unable to find any remaining evidence of the original cor.					
	This cor. was not monumented.					
61.50	Low swale drains N. 60° E.					
79.29	Point for the cor. of secs. 1, 6, 7 and 12, at proportionate dist.; unable to find any remaining evidence of the original cor.					

 Dep. Res., W. Bdy., T. 17 N., R. 28 E.					
CHAINS	Set the iron post 20 ins. in the ground, brass cap mkd.				
•	T17N R27E R28E S1 S6 S12 S7 1966				
,	From which				
٠	A fence cor., bears S. 20° W., 94 lks. dist.; fences bear N.S. and W.				
	Set a cedar post, 4 ft. long, 2 ins. diam., alongside the iron post.				
,	Land, rolling. Soil, sandy loam. Timber, medium cedar. Undergrowth, sage brush and bunch grass.				
•	N. 1°08' E., bet. secs. 1 and 6.				
	Over gently rolling land, through railed area.				
39.64	Point for the 4 sec. cor. of secs. 1 and 6, at proportionate dist.; unable to find any remaining evidence of the original cor.				
	Set the iron post 20 ins. in the ground, brass cap mkd.				
	T17N R27E R28E \$1 \frac{1}{4}\$S6 1966				
	From which				
`	A N-S fence bears west, 10 1ks. dist.				
ā	A squared post, 4 ins. diam., 3 ft. above the ground, bears S. 7°57' W., 83 lks. dist. (Appears recently set as local cor.)				
	Set a cedar post, 3 ft. long, 3 ins. diam., alongside the iron post.				
79.29	The cor. of Tps. 17 and 18 N., Rs. 27 and 28 E. monumented by a squared cedar post, 4 ins. diam., 3 ft. long, set in the cor. of fences bearing S., W. and N. 15° E., mks. not legible; I accept this as the best remaining evidence of the original cor. position.				
	At the cor. point				
	Set the iron post 20 ins. in the ground, brass cap mkd.				
	T18N R27E R28E S36 S31 S1 S6 T17N 1966				

Dep. Res., N. Bdy., T. 17 N., R. 28 E.

·	Dep. Res., N. Bdy., T. 1/ N., R. 28 E.	
CHAINS	From which	I
	A cedar, 6 ins. diam., bears S. 79° E., 18 1ks. dist., mkd. T17N R28E S 6BT.	
	A cedar, 12 ins. diam., bears N. 17°15' W., 424 lks. dist., mkd. T18N R27E S36BT.	
	Deposit glass in the hole and set the original cor. alongside the iron post.	
	To further verify this cor:, I retrace S. 89°49' W. and at 79.92 chs. dist. find a round post, 4 ins. diam., 4 ft. long, laying loose upon the ground, mkd. with 5 notches on one side and 1 notch on the opposite side. This cor. was laying alongside a local surveyors hub.	
	Land, rolling to gently rolling.	
	Soil, sandy. Timber, railed area. Undergrowth, sage brush and bunch grass.	
	Dependent Resurvey of the North Boundary, T. 17 N., R. 28 E.	
	Reestablishment of the Survey Executed by H. A. Coe in 1882	
,	From the cor. of Tps. 17 and 18 N., Rs. 28 and 29 E.	
	S. 89°50' W., bet. secs. 1 and 36.	
	Over gently rolling land, along fence bearing S. 89°07' W.	
27.40	Wash, 10 1ks. wide, 1 ft. deep, drains S.	
39.60	Point for the ½ sec. cor. of secs. 1 and 36, at proportionate dist.; unable to find any remaining evidence of the original cor.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	T18N R28E 表 <u>S36</u>	
	S1 T17N 1966	
,	Set a cedar post, 3 ins. diam., 4 ft. long, alongside the iron post.	
	The cor. is located 50 lks. north of E-W fence.	
71.30	Wash 10 lks. wide, 1 ft. deep, drains SE.	
79.20	Point for the cor. of secs. 1, 2, 35 and 36, at proportionate dist.; unable to find any remaining evidence of the original cor.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	T18N R28E S35 S36 S2 S1 T17N 1966	

Dep. Res., N. Bdy., T. 17 N., R. 28 E.

CHAINS	Set a cedar post, 4 ins. diam., 5 ft. long, alongside the iron post.
	Land, gently rolling. Soil, shallow sandy loam. Timber, medium cedar.
	Undergrowth, sage brush and bunch grass.
	S. 89°50' W., bet. secs. 2 and 35.
	Over rolling land, through medium timber.
39.60	Point for the ½ sec. cor. of secs. 2 and 35, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T18N R28E
	T17N 1966
	Set a cedar post, 3 ins. diam., 3 ft. long, alongside the iron post.
	The cor. is located 156 lks. north of E-W fence.
79.20	Point for the cor. of secs. 2, 3, 34 and 35, at proportionate dist.; unable to find any remaining evidence of the original cor.
***	Set the iron post 22 ins. in the ground, brass cap mkd.
	T18N R28E S34 S35
	S3 S2
	T17N
	1966
	Set a cedar post, 4 ins. diam., 4 ft. long, alongside the iron post.
	Land, rolling.
	Soil, sandy.
	Timber, medium cedar. Undergrowth, sage brush and bunch grass.
	S. 89°50' W., bet. secs. 3 and 34.
	Over rolling land, through medium timber; by traverse, topography as adjusted to true line.
4.10	Wash, 30 1ks. wide, 8 ft. deep, drains S.
20.40	Fence, barbed wire, bears NE. and SW.

	Dep. Res., N. Bdy., T. 17 N., R. 28 E.
39.60	Date 5 at 1
39.60	Point for the ½ sec. cor. of secs. 3 and 34, at proportionate dist.; unable to find any remaining evidence of the original cor.
	This cor. was not monumented.
42.20	Low ridge, bears N. and S.
69.50	Fence, barbed wire, bears N. and S.
79.20	Point for the cor. of secs. 3, 4, 33 and 34, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T18N R28E <u>S33 S34</u> S4 S3 T17N 1966
	From which
	A local cor. bears S. 29°45' E., 3.55 chs, dist., monumented by a squared cedar post wired to a firmly set pipe, plainly mkd. with sec. nos. on each face.
1	A local cor. bears N. 77°04' W., 4.98 chs. dist., monumented by an old squared post 6 ft. long, 6 ins. diam., no mks. legible.
	As neither cor. appears to be the original, and I'm unable to give preference to one over the other, the cor. was set at proportionate dist.
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
	Land, rolling. Soil, sandy loam. Timber, medium cedar, scattered pinon. Undergrowth, sage brush and bunch grass.
	S. 89°50' W., bet. secs. 4 and 33.
	Over rolling land, through medium timber.
39.60	Point for the ½ sec. cor. of secs. 4 and 33, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T18N R28E
	½ <u>\$33</u>
	S4 . : /! . T17N
	1966

Dep. Res., N. Bdy., T. 17 N., R. 28 E.

	Dep. Res., N. Bdy., T. 17 N., R. 20 E.					
CHAINS	From which					
	A cedar, 6 ins. diam., bears N. 5° E., 69 lks. dist., mkd. BTX.					
	A cedar, 12 ins. diam., bears S. 28° E., 57 lks. dist., mkd. T17N R28E S4 BT.					
	Set a cedar post, 4 ins. diam., 5 ft. long, alongside the iron post.					
68.20	Swale, drains S.					
79.20	Point for the cor. of secs. 4, 5, 32 and 33 at proportionate dist.; unable to find any remaining evidence of the original cor.					
	Set the iron post 20 ins. in the ground, brass cap mkd.					
	T18N R28E					
	<u>\$32</u> <u>\$33</u> \$5 \$4					
	T17N					
	1966					
	Set a cedar post, 4 ft. long, 2 ins. diam., alongside the iron post.					
	Land, rolling. Soil, shallow sandy loam. Timber, medium to scattered cedar. Undergrowth, sage brush and bunch grass.					
-	S. 89°50' W., bet. secs. 5 and 32.					
	Over rolling land, through scattered cedar.					
39.60	Point for the ½ sec. cor. of secs. 5 and 32, at proportionate dist.; unable to find any remaining evidence of the original cor.					
	Set the iron post 20 ins. in the ground, brass cap mkd.					
	T18N R28E					
	½ <u>\$32</u> \$5					
	T17N					
	1966					
	Set a cedar post, 3 ins. diam., 4 ft. long, alongside the iron post.					
79.20	Point for the cor. of secs. 5, 6, 31 and 32 at proportionate dist.; unable to find any remaining evidence of the original cor.					
	Set the iron post 20 ins. in the ground, brass cap mkd.					
	T18N R28E					
	<u>\$31 \$32</u> \$6 \$5					
	Tİ7N					
	1966					
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.					

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	Land, rolling.
	Soil, shallow sandy loam.
	Timber, scattered cedars. Undergrowth, sage brush and bunch grass.
	S. 89°50' W., bet. secs. 6 and 31.
	Over rolling land, through scattered timber.
39.60	Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 31 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T18N R28E
	½ <u>S31</u>
	\$6 T17N
	1966
	Set a cedar post, 4 ins. diam., 3 ft. long, alongside the iron post.
79.09	The cor. of Tps. 17 and 18 N., Rs. 27 and 28 E.
	Land, rolling.
	Soil, sandy.
	Timber, scattered to medium cedar. Undergrowth, sage brush and bunch grass.
	ondergrowen, bage brasis and banen grass.
	Dependent Resurvey of the Subdivisional Lines, T. 17 N., R. 28 E., G & SRM, Arizona
	Reestablishment of the Survey Executed by H. A. Coe in 1882
	From the Standard Cor. of secs. 35 and 36 on the S. bdy. of the Tp., monumented by an iron post, $2\frac{1}{2}$ ins. diam., as described in the official record of the 1963 resurvey.
	N. 2°24' W., bet. secs. 35 and 36.
	Over gently rolling land, through scattered timber.
15.20	Fence, barbed wire, bears N. 51°20' E. and S. 51°20' W.
40.14	Point for the ½ sec. cor. of secs. 35 and 36 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T17N R28E
	\$35 s36 1966
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
80.28	Point for the cor. of secs. 25, 26, 35 and 36 at proportionate dist., unable to find any remaining evidence of the original cor.

Den	Rec	Subdivisional	Lines.	Т.	17	N.,	R.	28	Ε.
Dep.	res.	Danatararonar	TITLES	⊥	J. /	1109	T/ •	~ 0	┅.

CHAIN	
y A	Set the iron post 20 ins. in the ground, brass cap mkd.
(,	T17N R28E
	<u>\$26</u> <u>\$25</u> \$35 <u>\$36</u>
	1966
	From which
	A local cor., bears N. 86°18' W., 2.60 chs. dist., monumented by an iron post, 1 in. diam., firmly set with 2 in. brass cap mkd. 25
,	This cor. is not accepted by all private land owners concerned.
	Set a cedar post, 4 ft. long., 4 ins. diam., alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, gramma and bunch grass.
	From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp.
	S. 89°58' W., bet. secs. 25 and 36.
	Over gently rolling land, through scattered timber; asc. over E. slope.
4.80	Track road, bears N. and S.; thence over level land.
5.25	Fence, barbed wire, bears N. and S.
5.60	Bladed road, bears N. and S.
25.80	Desc. over gentle W. slope.
41.51	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 36, at proportionate dist., unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T17N R28E
	From which
	A cedar, 8 ins. diam., bears S. 65° W., 46 lks. dist., mkd. T17N R28E ½ S36 BT.
	Set a cedar post, 4 ins. diam., 4 ft. long, alongside the iron post.
83.02	The cor. of secs. 25, 26, 35 and 36.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush.

 e e	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	N. 1°02' W., bet. secs. 25 and 26.
	Over gently rolling land through scattered timber.
6.10	Fence, barbed wire, bears S. 89°55' E. and N. 89°55' W. for approximately 2.50 chs. to cor. of fences bearing N. and S. 89°55' E.
38.80	Bladed road, bears N. 65° E. and S. 65° W.
40.11	Point for the ½ sec. cor. of secs. 25 and 26, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T17N R28E
	\$26 \$25 1966
	From which
	A N-S fence bears West, 1.62 chs. dist.
	Set a cedar post, 3 ins. diam., 4 ft. long, alongside the iron post.
80.22	Point for the cor. of secs. 23, 24, 25 and 26 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E <u>S23 S24</u> S26 S25 1966
	From which
	A local cor. bears N. 29°57' W., 1.69 chs. dist., monumented by an iron post, 1 in. diam., with 2 in. brass cap mkd. $ \frac{24}{216} $
,	This cor. was not accepted by all land owners concerned.
	A N-S fence bears West, 81 1ks. dist.
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered cedar. Undergrowth, sage and yellow brush, gramma and bunch grass.
	From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the Tp.
	S. 89°36' W., bet. secs. 24 and 25.

Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.				
	CHAINS	Over gently rolling land, through scattered to widely scattered timber.		
	1.90	Track road, bears NE. and SW.		
	2.90	Bladed road, bears N. and S.		
	40 . 98	Point for the 4 sec. cor. of secs. 24 and 25, at proportionate dist.; unable to find any remaining evidence of the original cor.		
`		Set the iron post, 22 ins. in the ground, brass cap mkd.		
		T17N R28E 4 <u>S24</u> S25 1966		
	·	From which		
		A local cor. bears N. 59°52' W., 2.12 chs. dist., monumented by an iron post, 1 in. diam., firmly set, mkd. ½ . 209 208		
	,	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.		
	81.96	The cor. of secs. 23, 24, 25 and 26.		
		Land, gently rolling. Soil, sandy loam. Timber, scattered to widely scattered cedar. Undergrowth, sage, yellow brush, gramma and bunch grass.		
	·	N. 1°38' W., bet. secs. 23 and 24.		
		Over gently rolling land, through widely scattered cedar; along fence and track road bearing N. and S.		
	40.12	Point for the ½ sec. cor. of secs. 23 and 24, at proportionate dist.; unable to find any remaining evidence of the original cor.		
		Set the iron post 22 ins. in the ground, brass cap mkd.		
		T17N R28E		
		\$23 S24 1966		
		From which		
		A N-S fence bears East, 46 lks. dist.		
		Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.		
	80.24	Point for the cor. of secs. 13, 14, 23 and 24 at proportionate dist.; unable to find any remaining evidence of the original cor.		
		Set the iron post 22 ins. in the ground, brass cap mkd.		
		T17N R28E <u>S14 S13</u> S23 S24 1966		

Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.

	Dep. Res., Subdivisional Lines, 1. 1/ N., R. 20 E.
CHAINS	From which
	A N-S fence bears East, 1.75 chs. dist.
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered to scattered cedar. Undergrowth, sage and yellowbrush, gramma and bunch grass
	From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp.
	S. 89°19' W., bet. secs. 13 and 24.
	Over gently rolling land, through scattered timber.
18.10	Track road, bears NE. and SW.
40.88	Point for the ½ sec. cor. of secs. 13 and 24, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T17N R28E 4 S13 S24 1966
-	From which
·	A windmill, bears N. 35°22' E., 35.26 chs. dist.
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
80.01	Fence, barbed wire, bears N. and S.
80.10	Track road bears N. and S.
81.76	The cor. of secs. 13, 14, 23, 24.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, gramma and bunch grass.
	N. 1°06' E. bet. secs. 13 and 14.
	Over gently rolling land, through scattered timber.
40.11	Point for the ½ sec. cor. of secs. 13 and 14, at proportionate dist., unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
^	T17N R28E
	\$14 \$13 1966

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.		
CHAINS	From which		
	A cedar, 4 ins. diam., bears S. 34° W., 46 1ks. dist., mkd. ½ S14 BT.		
,	Set a cedar post, 3 ft. long, 4 ins. diam., alongside the iron post.		
80.22	Point for the cor. of secs. 11, 12, 13 and 14 at proportionate dist.; unable to find any remaining evidence of the original cor.		
	Set the iron post 22 ins. in the ground, brass cap mkd.		
	T17N R28E S11 S12 S14 S13 1966		
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.		
	Land, gently rolling.		
	Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, gramma and bunch grass.		
	From the true point for the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp.		
	S. 89°13' W., bet. secs. 12 and 13.		
. :	Over bottom of wash, draining S. 10° E.		
0.77	Fence, barbed wire, bears N. and S.; thence, over rolling land through moderate timber.		
40.50	Point for the ½ sec. cor. of secs. 12 and 13, at proportionate dist.; unable to find any remaining evidence of the original cor.		
	Set the iron post 22 ins. in the ground, brass cap mkd.		
	T17N R28E		
	½ <u>S12</u> S13 1966		
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.		
75.00	Track road, bears NW. and SE.		
81.00	The cor. of secs. 11, 12, 13 and 14.		
	Land, gently rolling. Soil, sandy clay loam. Timber, moderate cedar. Undergrowth, sage brush and gramma grass.		
	N. 0°59' W., bet. secs. 11 and 12.		
6.70	Track road, bears NW. and SE.		
0.70	Track road, bears in and be.		

 ,	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS 40.11	Point for the ½ sec. cor. of secs. 11 and 12, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T17N R28E
	\$11 s12 1966
	Set a cedar post, 3 ins. diam., 4 ft. long, alongside the iron post.
42.10	Wash, 5 1ks. wide, 1 ft. deep, drains E.
47.70	Wash, 30 1ks. wide, 2 ft. deep, drains S. 70° E.
80.10	Wash, 5 lks. wide, 1 ft. deep, drains E.
80.22	Point for the cor. of secs. 1, 2, 11 and 12, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T17N R28E S2 S1 S11 S12 1966
	From which
	A cedar, 6 ins. diam., bears S. 65°10' E., 154 1ks. dist., mkd. S12 BT.
	A cedar, 6 ins. diam., bears S. 88°45' W., 18 1ks. dist., mkd. T17N R28E S11 BT.
<u>^</u> .	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
2	Land, gently rolling.
	Soil, sandy loam. Timber, scattered to moderate cedar. Undergrowth, sage and yellow brush, gramma and bunch grass.
	From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the Tp.
	S. 89°24' W., bet. secs. 1 and 12.
	Over gently rolling land, through scattered cedar.
9.20	Wash, 30 1ks. wide, 4 ft. deep, drains irregularly SE.
30.20	Leave timber, enter railed area.
41.66	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12, at proportionate dist.; unable to find any remaining evidence of the original cor.

23

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.			
CHAINS	Set the iron post, 20 ins. in the ground, brass cap mkd.			
	T17N R28E			
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.			
53.20	Leave railed area, enter moderate cedar.			
83.32	The cor. of secs. 1, 2, 11 and 12.			
	Land, gently rolling. Soil, sandy loam. Timber, scattered to moderate cedars. Undergrowth, sage brush, gramma and bunch grass.			
	N. 2°26' E., bet. secs. 1 and 2.			
·	Over gently rolling land, through moderate cedar.			
12.80	Enter railed area; edge bears N. and SE.			
40.14	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2, at proportionate dist.; unable to find any remaining evidence of the original cor.			
	Set the iron post, 20 ins. in the ground, brass cap mkd.			
	T17N R28E			
	\$2 \s\s\s\s\s\s\s\s\s\s\s\s\s\s\s\s\s\s\s			
	Set a cedar post, 3 ft. long, 3 ins. diam., alongside the iron post.			
	Cor, is on W. edge of railed area.			
79.30	Fence, barbed wire, bears S. 89° W. and N. 89° E.			
80.36	The cor. of secs. 1, 2, 35 and 36 on N. bdy. of the Tp.			
	Land, gently rolling. Soil, sandy loam.			
	Timber, moderate to scattered cedars. Undergrowth, sage and yellow brush, gramma and bunch grass.			
	From the Standard cor. of secs. 34 and 35 on the S. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the official record of 1963 resurvey.			
	N. 2°22' W., bet. secs. 34 and 35.			
	Over rolling land, through scattered timber.			
38.90	Spur slopes SW.			
40.50	Point for the $\frac{1}{4}$ sec. cor. of secs. 34 and 35, at proportionate dist.; unable to find any remaining evidence of the original cor.			

Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.

CHAINS	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	\$34 \$35 1966
	From which
	A cedar, 6 ins. diam., bears N. 85° E., 71 lks. dist., mkd. $\frac{1}{4}$ S35 BT.
	A cedar limb, 6 ins. diam., bears S. 32° W., 58 lks dist., mkd 表 S34 BT.
	N. end of Indian ruins (broken pottery, stones, etc.) bears N. 82°09' E., 11.98 chs. dist. Ruins extend south along low spur for about 10.00 chs. dist.
72.50	Bladed road bears NE. and SW.
81.00	Point for the cor. of secs. 26, 27, 34 and 35 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E S27 S26 S34 S35 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, gramma and bunch grass.
,	From the cor. of secs. 25, 26, 35 and 36.
	N. 89°12' W., bet. secs. 26 and 35.
	Over gently rolling land, through scattered cedar.
41.08	Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 35, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
7	T17N R28E
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
66.90	Track road, bears NE. and SW.
82.16	The cor. of secs. 26, 27, 34 and 35.
	•

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.		
CHAINS	Land, gently rolling. Soil, sandy loam. Timber, widely scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.		
	N. 0°51' W., bet. secs. 26 and 27.		
	Over gently rolling land, through widely scattered cedar.		
40.47	Point for the 3 sec. cor. of secs. 26 and 27, at proportionate dist.; unable to find any remaining evidence of the original cor.		
	Set the iron post, 24 ins. in the ground, brass cap mkd.		
	T17N R28E		
	s27 [↑] s26 1966		
,	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.		
80.94	Point for the cor. of secs. 22, 23, 26 and 27 at proportionate dist.; unable to find any remaining evidence of the original cor.		
	Set the iron post, 22 ins. in the ground, brass cap mkd.		
	T17N R28E <u>S22 S23</u> S27 S26 1966		
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.		
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.		
`	From the cor. of secs. 23, 24, 25 and 26.		
	N. 88°41' W., bet. secs. 23 and 26.		
	Over gently rolling land, through widely scattered cedar.		
0.81	Fence, barbed wire, bears N. and S.		
1.00	Track road, bears N. and S.		
40.96	Point for the ½ sec. cor. of secs. 23 and 26, at proportionate dist.; unable to find any remaining evidence of the original cor.		
	Set the iron post, 20 ins. in the ground, brass cap mkd.		
	T17N R28E 4 S23 S26 1966		

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
81.92	The cor. of secs. 22, 23, 26 and 27.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
	N. 1°30' W., bet. secs. 22 and 23.
,	Over gently rolling land, through widely scattered cedar.
40.48	Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 23, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	\$22 \(\frac{1}{523} \) 1966
	From which
	Indian ruins on top of low knoll, (broken pottery, stones, etc.) bears N. 82°02' W., 20.64 chs. dist.
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
75.70	Track road bears E. and W.
80.96	The cor. of secs. 14, 15, 22 and 23, monumented by a squared cedar post, 3 ins. diam., 4 ft. long, lying loose upon the ground, mkd. with illegible scribe mks. on one face.
	At the cor. point
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E <u>S15 S14</u> S22 S23 1966
	Deposit glass in the hole and set the original cor. alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered to scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
	From the cor. of secs. 13, 14, 23 and 24.
	N. 88°10' W., bet. secs. 14 and 23.

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	Over gently rolling land, through scattered cedar.
40.91	Point for ½ sec. cor. of secs. 14 and 23 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E' \$\frac{1}{4} \frac{\text{S14}}{\text{S23}} \\ 1966
	Set a cedar post 4 ft. long, 3 ins. diam., alongside the iron post.
60.50	Track road, bears NE. and SW.
68.60	Crest of ridge, bears N. and S.
81.82	The cor. of secs. 14, 15, 22 and 23.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
	N. 2°01' E., bet. secs. 14 and 15.
	Over gently rolling land, through scattered cedar.
40.09	Point for the ½ sec. cor. of secs. 14 and 15, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
**	\$15 S14 1966
	Set a cedar post, 3 ft. long, 3 ins. diam., alongside the iron post.
80.18	Point for the cor. of secs. 10, 11, 14 and 15, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T17N R28E S10 S11
	\$15 \$14 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.

Dep. Res.,	Subdivisional	Lines, T.	17 N.,	R. 2	8 E.
------------	---------------	-----------	--------	------	------

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	From the cor. of secs. 11, 12, 13 and 14.
+ :	N. 88°10' W., bet. secs. 11 and 14.
	Over gently rolling land, through moderate cedar.
40.22	Point for the ½ sec. cor. of secs. 11 and 14 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	Set a cedar post, 5 ft. long, 4 ins. diam., alongside the iron post.
	Cor. is located on a spur sloping SE.
60.40	Track road, bears N. and S.
80.45	The cor. of secs. 10, 11, 14 and 15.
	Land, gently rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, sage brush and grama grass.
2	N. 3°06' W., bet. secs. 10 and 11.
	Over gently rolling land, through scattered cedar.
16.00	Leave timber, enter railed area, edge bears NE. and SW.
23.30	Leave railed area, enter timber, edge bears NE. and SW.; track road parallels edge of timber.
40.12	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	\$10 \$11 1966
•	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
80.10	Wash, 20 lks. wide, 4 ft. deep, drains irregularly E.
80.24	The cor. of secs. 2, 3, 10 and 11, monumented by a squared cedar post, 3 ins. diam., 2 ft. above the ground, firmly set, mkd. T17N R28E S2 on NE. face, S11 on SE. face, S3 on NW. face.
	: '
	ı

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.				
CHAINS	At the cor. point				
	Set the iron post, 22 ins. in the ground, brass cap mkd.				
	T17N R28E \$3 S2 \$10 \$11 1966				
	From which				
	A cedar, 8 ins. diam., bears N. 56°45' E., 48 lks. dist., mkd. T17N R28E S2 BT.				
	A cedar, 8 ins. diam., bears S. 65°45' W., 82 1ks. dist., mkd. T17N R28E S10 BT.				
	Set the original cor. alongside the iron post.				
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass, scattered thimbleberry.				
	From the cor. of secs. 1, 2, 11 and 12.				
	N. 88°15' W., bet. secs. 2 and 11.				
	Over gently rolling land, through scattered cedar.				
21.30	Leave timber, enter railed area, edge bears NE. and SW.				
41.68	Point for the 2 sec. cor. of secs. 2 and 11 at proportionate dist.; unable to find any remaining evidence of the original cor.				
	Set the iron post, 20 ins. in the ground, brass cap mkd.				
	T17N R28E 4 S2 S11 1966				
	From which				
,	A windmill, bears S. 12°35' E., 26.96 chs. dist.				
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.				
71.10	Wash, 80 1ks. wide, 8 ft. deep, drains irreg. S.				
83.35	The cor. of secs. 2, 3, 10 and 11.				
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.				
	N. 5°33' E., bet. secs. 2 and 3.				
	Over gently rolling land, through moderate timber.				

	`	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
	CHAINS	
	33.60	Wash, 60 lks. wide, 6 ft. deep, drains E.
	34.20	Wash, 40 lks. wide, 6 ft. deep, drains irreg. SE.
	38.85	Point for the ½ sec. cor. of secs. 2 and 3, at proportionate dist.; unable to find any remaining evidence of the original cor.
		Set the iron post, 20 ins. in the ground, brass cap mkd.
	-	T17N R28E
		S3 S2
	•	1966
		From which
		The center of dyke (1 ch. E. & W.) on S. end of stock pond bears N. 5°12' E., 19.24 chs. dist.
		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
		Cor. is located in a clump of dead cedar.
	61.90	Wash, 40 lks. wide, 4 ft. deep, drains SE.
	75.80	Fence, barbed wire, bears E. and W.
	77.91	The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp.
		Land, gently rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, sage and yellow brush, grama and bunch grass, scattered thimbleberry.
		From the Standard cor. of secs. 33 and 34 on the S. bdy. of the Tp., monumented by an iron post, 2½ ins. diam., as described in the official record of the 1963 resurvey
		From which
	•	Wolford Spring, bears N. 42°29' E., 12.00 chs. dist. (spring is enclosed with water piped to the corral near the S.C. of secs. 33 and 34.)
		N. 2°41' W., bet. secs. 33 and 34.
	,	Over gently rolling land, through scattered cedar.
	0.65	Track road, bears NE. and irregularly W.
	20.485	Point for the S 1/16 sec. cor. of secs. 33 and 34 at proportionate dist.
		Set the iron post, 22 ins. in the ground, brass cap mkd.
		T17N R28E S <u>1</u> 16 S33 S34
		1966
1		·

Dep. Res.	, Subdivisional	Lines,	Τ.	17	Ν.,	R.	28	E	•
-----------	-----------------	--------	----	----	-----	----	----	---	---

CHAINS	Set a cedar post, 4 ins. diam., 4 ft. long, alongside the iron post.
40.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T17N R28E
	\$33 \$34 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
81.94	The cor. of secs. 27, 28, 33 and 34, monumented by squared cedar post, 4 ins. diam., 4 ft. long, lying loose upon the ground, dimly mkd. with part of scribe mks. legible.
	At the cor. point
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T17N R28E <u>S28 S27</u> S33 S34 1966
	From which
	A cedar, 10 ins. diam., bears S. 66% E., 27 lks. dist., mkd. S34 BT.
	Deposit glass in the hole, and set the original cor. alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
	From the cor. of secs. 26, 27, 34 and 35.
	N. 89°06' W., bet. secs. 27 and 34.
	Over gently rolling land, through widely scattered cedar.
41.37	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E ¹ 4 <u>S27</u> <u>S34</u> 1966
•	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.

Dep.	Res.,	Subdivisional	Lines,	T.	17	Ν.,	R.	28	Ε.

		zep. Res., Subdivisional Lines, T. 1/ N., R. 28 E.
	CHAINS	
	82.74	The cor. of secs. 27, 28, 33 and 34.
		Land, gently rolling.
		Soil, sandy loam.
		Timber, widely scattered cedar.
		Undergrowth, sage and yellow brush, grama and bunch
		grass.
		N. 0°05' W., bet. secs. 27 and 28.
		Over gently rolling land, through scattered cedar.
	40.10	Point for the 1/2 sec. cor. of secs. 27 and 28 at propor-
		tionate dist.; unable to find any remaining evidence
		of the original cor.
		Sot the image part 20 in a 1 1
	r	Set the iron post, 20 ins. in the ground, brass cap mkd.
		T17N R28E
		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
		1966
		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	80.20	The cor. of secs. 21, 22, 27 and 28, monumented by a
	00.20	squared cedar post, 3 ins. diam., 4 ft. long, set 4 ins.
		in ground, supported in upright position by tree limbs,
		mkd. T17N R28E S. on one face.
		At the cor. point
		Set the iron post, 18 ins. in the ground, brass cap mkd.
	, ,	T17N R28E
		<u>S21 S22</u>
		\$28 \$27
		1966
		Set the original cor. alongside the iron post.
		The cor. is located 3 lks. east of tree trunk.
		Land, gently rolling.
		Soil, sandy loam.
		Timber, widely scattered cedar. Undergrowth, sage and yellow brush, grama and bunch
		grass.
		From the cor. of secs. 22, 23, 26 and 27.
		N. 89°34' W., bet. secs. 22 and 27.
		Over gently rolling land, through widely scattered cedar.
	40.80	Point for the ½ sec. cor. of secs. 22 and 27, at proportionate dist.; unable to find any remaining evidence of of the original cor.
		Set the iron post 22 ins. in the ground, brass cap mkd.
		T17N R28E
		½ <u>S22</u>
		<u>\$27</u>
		1966
1		

Dep.,	Res.,	Subdivisional	Lines,	Τ.	17	Ν.,	R.	28	Ε.
-------	-------	---------------	--------	----	----	-----	----	----	----

	bep., Res., Baselvisiani Island, I. I. IV, Research
CHAINS	From which
	A cedar, 7 ins. diam., bears S. 1°15' W., 45 lks. dist., mkd. ½ S27 BT.
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
81.60	The cor. of secs. 21, 22, 27 and 28.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered to scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
	N. 0°25' E., bet. secs. 21 and 22.
	Over gently rolling land, through widely scattered cedar.
27.80	Wash, 40 1ks. wide, 5 ft. deep, drains SW.
39.73	Point for the ½ sec. cor. of secs. 21 and 22, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T17N R28E
	S21 S22 1966
	From which
	A windmill bears N. 57°34' W., 34.33 chs. dist.
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
59.10	Leave timber, enter railed area, bears NE. and SW.
79.46	Point for the cor. of secs. 15, 16, 21 and 22, at proportionate dist.; the original cor., a squared cedar post, 4 ft. long, 4 ins. square, dimly mkd. was found in a berm created by railing operations. The cor. had been moved from the original location.
	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E S16 S15 S21 S22 1966
	Set a cedar post, 5 ft. long, 5 ins. diam., and the original cor., alongside the iron post.
•	Land, gently rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, sage and yellow brush, grama and bunch grass.

T T		* · "m	17 37	D 00 D
Dep. Kes.	, Subdivisional	Lines, T.	1/ N.,	K. 28 E.

-		
	CHAINS	From the cor. of secs. 14, 15, 22 and 23.
	,	S. 89°24' W., bet. secs. 15 and 22.
		Over gently rolling land, through scattered cedar.
	39.47	Point for the ½ sec. cor. of secs. 15 and 22, at proportionate dist.; unable to find any remaining evidence of the original cor.
		Set the iron post, 22 ins. in the ground, brass cap mkd.
		T17N R28E
		¹ 4 <u>S15</u> S22
		1966
		Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
	72.00	Leave timber, enter railed area, bears NE. and SW.
	78.94	The cor. of secs. 15, 16, 21 and 22.
		Land, gently rolling.
	,	Soil, sandy loam. Timber, moderate to scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
		N. 0°33' E., bet. secs. 15 and 16.
		Over gently rolling land, through railed area.
	7.40	Track road, bears NE. and SW.
	7.50	Leave railed area, enter moderate timber, bears NE. and SW.
	39.73	The ½ sec. cor. of secs. 15 and 16, monumented by a squared cedar post, 4 ins. diam., 4 ft. long, lying loose on the ground, dimly mkd. 4 on one face.
		At the cor. point
		Set the iron post, 20 ins. in the ground, brass cap mkd.
		T17N R28E
	•	\$16 \$15 1966
		From which
		A cedar, 8 ins. diam., bears N. 20½° E., 38 1ks. dist., mkd. T17N R28E ½ S15 BT.
		Deposit glass in the hole and set the original cor. alongside the iron post.
		N. 0°30' E., beginning new measurement.
		Over gently rolling land, through dense timber.

35

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	
40.06	The cor. of secs. 9, 10, 15 and 16, monumented by a squared cedar post, 4 ins. diam., 3 ft. long, lying loose upon the ground, dimly mkd. S. on one face.
	At the cor. point
	Set the iron post, 10 ins. in the ground, brass cap mkd.
	T17N R28E S9 S10
	S16 S15 1966
	From which
	A cedar, 10 ins. diam., bears S. $16\frac{1}{4}^{\circ}$ E., 59 lks. dist., mkd. T17N R28E S15 BT.
	A cedar limb, 14 ins. diam., bears S. 72½° W., 44 lks. dist., mkd. S16 BT.
	Deposit glass in the hole and set the original cor. alongside the iron post.
	Land, gently rolling. Soil, sandy loam.
	Timber, moderate to dense cedar.
	Undergrowth, sage and yellow brush grama and bunch grass.
	From the cor. of secs. 10, 11, 14 and 15.
	S. 89°09' W., bet. secs. 10 and 15.
	Over gently rolling land, through moderate timber.
12.90	Leave timber, enter railed area, bears S. 20° W. and N. 20° E.
25.00	Track road bears NE. and SW.; leave railed area, enter moderate timber.
40.49	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
· ·	T17N R28E
	な <u>S10</u> S15
	1966
	Set a cedar post, 5 ft. long, 4 ins. diam., alongside the iron post.
47.70	Wash, 15 1ks. wide, 3 ft. deep, drains S.
80.99	The cor. of secs. 9, 10, 15 and 16.
	Land, gently rolling. Soil, sandy loam. Timber, moderate cedar.
,	Undergrowth, sage and yellow brush, grama and bunch grass.

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	N. 0°15' W., bet. secs. 9 and 10.
	Over gently rolling land, through dense timber.
40.05	The ½ sec. cor. of secs. 9 and 10, monumented by a squared cedar post, 3 ins. diam., 3½ ft. long, lying loose upon the ground, dimly mkd. ½ on one face.
	At the cor. point
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
^	S9 S10 1966
	Deposit glass in the hole and set the original cor. alongside the iron post.
,	N. 0°11' W., beginning new measurement.
	Over gently rolling land, through dense timber.
1.30	Wash, 30 lks. wide, 6 ft. deep, drains irregularly SE.
33.40	Wash, 30 1ks. wide, 5 ft. deep, drains SE.
39.59	The cor. of secs. 3, 4, 9 and 10, monumented by a squared cedar post, 3 ins. diam., 3 ft. long, lying loose upon the ground, dim scribe mks. visible, with mound of stone west.
	At the cor. point
	Set the iron post, 18 ins. in the ground, brass cap mkd.
	T17N R28E
	S4 S3 S9 S10 1966
	From which
	A cedar, 10 ins. diam., bears N. $68\frac{1}{2}^{\circ}$ E., 55 1ks. dist., mkd. S3 BT.
7	A cedar, 6 ins. diam., bears S. $35\frac{1}{4}^{\circ}$ E., 48 lks. dist., mkd. S10 BT.
	Set the original cor. alongside the iron post.
	Original mound of stone west.
	Land, gently rolling. Soil, sandy loam. Timber, dense cedars. Undergrowth, grama and bunch grass.
	From the cor. of secs. 2, 3, 10 and 11.
	S. 88°45' W., bet. secs. 3 and 10.
	Over gently rolling land, through moderate timber.

Dep. Res	3.,	Sul	odiv:	isiona	1 L:	ines,	Τ.	17	Ν.,	к.	28	E.	

	Dep. Res., Subdivisional Lines, T. 1/ N., R. 28 E.
CHAINS 0.70	Wash, 10 1ks. wide, 1 ft. deep, drains irregularly SE.
38.48	Point for the ½ sec. cor. of secs. 3 and 10, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E
	From which
	A cedar, 10 ins. diam., bears N. 41 $^{\circ}$ W., 47 lks. dist., mkd. T17N R28E $\frac{1}{4}$ S3 BT.
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
49.50	Wash, 5 lks. wide, 1 ft. deep, drains irregularly S.
53.60	Wash, 10 1ks. wide, 3 ft. deep, drains irregularly S. 15° E.
61.50	Wash, 15 1ks. wide, 3 ft. deep, drains irregularly S.
68.60	Wash 5 lks. wide, 2 ft. deep, drains S. 15° E.
76.96	The cor. of secs. 3, 4, 9 and 10.
	Land, gently rolling.
	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass.
	Soil, sandy loam. Timber, moderate to dense cedar.
	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass.
6.90	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4.
6.90 15.70	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber.
	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E.
15.70	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E. Wash, 10 lks. wide, 2 ft. deep, drains irreg. E.
15.70 20.20	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E. Wash, 10 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 2 ft. deep, drains irreg. E.
15.70 20.20 26.20	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E. Wash, 10 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 1 ft. deep, drains irreg. E. The ½ sec. cor. of secs. 3 and 4, monumented by a squared cedar post, 3 ins. diam., 3 ft. long, lying
15.70 20.20 26.20	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E. Wash, 10 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 1 ft. deep, drains irreg. E. The ½ sec. cor. of secs. 3 and 4, monumented by a squared cedar post, 3 ins. diam., 3 ft. long, lying loose upon the ground, mks. illegible.
15.70 20.20 26.20	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E. Wash, 10 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 1 ft. deep, drains irreg. E. The ½ sec. cor. of secs. 3 and 4, monumented by a squared cedar post, 3 ins. diam., 3 ft. long, lying loose upon the ground, mks. illegible. At the cor. point
15.70 20.20 26.20	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E. Wash, 10 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 1 ft. deep, drains irreg. E. The ½ sec. cor. of secs. 3 and 4, monumented by a squared cedar post, 3 ins. diam., 3 ft. long, lying loose upon the ground, mks. illegible. At the cor. point Set the iron post, 18 ins. in the ground, brass cap mkd.
15.70 20.20 26.20	Soil, sandy loam. Timber, moderate to dense cedar. Undergrowth, grama and bunch grass. N. 0°14' E., bet. secs. 3 and 4. Over rolling land, through dense timber. Wash, 10 lks. wide, 3 ft. deep, drains E. Wash, 10 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 2 ft. deep, drains irreg. E. Wash, 5 lks. wide, 1 ft. deep, drains irreg. E. The ½ sec. cor. of secs. 3 and 4, monumented by a squared cedar post, 3 ins. diam., 3 ft. long, lying loose upon the ground, mks. illegible. At the cor. point Set the iron post, 18 ins. in the ground, brass cap mkd. T17N R28E ½ S4 S3

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	N. 7°29' E., beginning new measurement.
	Over gently rolling land, through dense timber.
3.00	Ridge bears NE. and SW.
25.80	Fence, barbed wire, bears S. 89° E. and N. 89° W.
39.18	The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp.
	Land, gently rolling. Soil, sandy loam. Timber, dense cedar. Undergrowth, grama and bunch grass.
	From the Standard cor. of secs. 32 and 33 on the S. bdy. of the Tp., monumented by an iron post, $2\frac{1}{2}$ ins. diam., as described in the official record of the 1963 resurvey.
,	N. 1°20' W., bet. secs. 32 and 33.
	Over gently rolling land, through scattered timber.
40.59	Point for the ½ sec. cor. of secs. 32 and 33, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E
	\$32 \big \$33 1966
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
81.19	The cor. of secs. 28, 29, 32 and 33, monumented by a squared cedar post, 4 ft. long, 6 ins. diam., lying loose upon the ground, dim scribe mks. visible.
	At the cor. point
:	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E <u>S29 S28</u> <u>S32 S33</u> 1966
	From which
	A cedar, 6 ins. diam., bears S. 43° E., 136 1ks. dist., mkd. BTX.
	A cedar, 6 ins. diam., bears S. 17 3/4° W., 82 1ks. dist., mkd. BTX.
	Set a cedar post, 5 ft. long, 6 ins. diam., and the original cor. alongside the iron post.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage brush, bunch grass, cacti.
	ı

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	From the cor. of secs. 27, 28, 33 and 34.
	S. 89°49' W., bet. secs. 28 and 33.
	Over gently rolling land, through moderate timber.
19.00	Low swale, drains SW.
37.60	Wash, 15 1ks. wide, 2 ft. deep, drains S.; enter scattered timber.
40.13	Point for the 4 sec. cor. of secs. 28 and 33, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E \$\frac{1}{2} \frac{\text{S28}}{\text{S33}} \\ 1966
	Set a cedar post, 4 ft. long, 2 ins. diam., alongside the iron post.
41.20	Wash, 20 1ks. wide, 3 ft. deep, drains SE.
80.26	The cor. of secs. 28, 29, 32 and 33.
	Land, gently rolling. Soil, sandy loam. Timber, moderate to scattered cedar. Undergrowth, sage brush, bunch grass and cacti.
	N. 0°18' E., bet. secs. 28 and 29.
	Over rolling land, through scattered timber.
40.10	The ½ sec. cor. of secs. 28 and 29, monumented by a squared cedar post, 4 ft. long, 3 ins. diam., dimly mkd.
	At the cor. point
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E
	S29 S28 1966
	Set the original cor. and a cedar post, 4 ft. long, 2 ins. diam., alongside the iron post.
	N. 0°21' E., beginning new measurement.
	Over rolling land, through scattered timber.
40.09	The cor. of secs. 20, 21, 28 and 29, monumented by a squared post, 4 ft. long, 6 ins. diam., dimly mkd.
	At the cor. point

 - CHARNA	Dep. Res., Subdivisional Lines, T. 17 N., R 28 E.
CHAINS	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	<u>\$20 \$21</u> \$29 \$28
	1966
	From which
	A cedar limb, 6 ins. diam., bears S. 68 3/4° E., 95 lks. dist., mkd. BTX.
	A cedar limb, 6 ins. diam., bears S. 62 3/4° W. 130 lks. dist., mkd. BTX.
	Set the original cor. alongside the iron post.
	Land, rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage brush, bunch grass and cacti.
	From the cor. of secs. 21, 22, 27 and 28.
	S. 89°48' W., bet. secs. 21 and 28.
	Over gently rolling land, through scattered timber.
39.85	Point for the ½ sec. cor. of secs. 21 and 28, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E
	$\frac{1}{4} \frac{\$21}{339}$
	\$28 1966
•	Set a cedar post, 5 ft. long, 4 ins. diam., alongside the iron post.
64.80	Wash, 50 lks. wide, 6 ft. deep, drains irreg. S.
79.70	The cor. of secs. 20, 21, 28 and 29.
	Land, gently rolling.
	Soil, sandy loam. Timber, scattered cedar.
^	Undergrowth, sage and yellow brush, grama and bunch grass.
	N. 0°47' E., bet. secs. 20 and 21.
	Over rolling land, through scattered timber.
2.00	Track road, bears N. 60° E., and S. 60° W.
26.80	Wash, 15 lks. wide, 1 ft. deep, drains S. 15° E.
39.90	Point for the ½ sec. cor. of secs. 20 and 21 at proportionate dist.; unable to find any remaining evidence of the original cor.

41

		Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
	CHAINS	Set the iron post, 22 ins. in the ground, brass cap mkd.
	,	T17N R28E
	^	\$20 \$21 1966
		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	42.00	Enter railed area.
	51.00	Track road, bears E. and S. 15° W.
	53.00	Leave railed area, enter moderate timber.
	79.81	Point for the cor. of secs. 16, 17, 20 and 21 at proportionate dist.; unable to find any remaining evidence of the original cor.
		Set the iron post, 22 ins. in the ground, brass cap mkd.
		T17N R28E <u>S17 S16</u> S20 S21 1966
		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
		Land, rolling. Soil, sandy loam. Timber, scattered to moderate cedar. Undergrowth, sage brush, bunch grass and cacti.
		From the cor. of secs. 15, 16, 21 and 22.
	,	West, bet. secs. 16 and 21.
	·	Over gently rolling land, through railed area.
	3.40	Leave railed area, enter moderate timber.
	7.50	Track road, bears NE. and SW.
	16.60	Wash, 30 lks. wide, 6 ft. deep, drains S.
	31.00	Wash, 10 1ks. wide, 3 ft. deep, drains S. 15° E.
	32.20	Track road, bears S. 15° E. and N. 15° W.
	34.90	Wash, 5 1ks. wide, 3 ft. deep, drains SW.
	39.59	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21, at proportionate dist.; unable to find any remaining evidence of the original cor.
		Set the iron post, 22 ins. in the ground, brass cap mkd.
		T17N R28E
,		From which

,	Dep. Res., Subdivisional Lines, T. 17 N. R. 28 E.
CHAINS	A cedar, 8 ins. diam., bears N. 55° E., 59 1ks. dist., mkd. 4 S16 BT.
	A cedar, 8 ins. diam., bears S. 38° E., 103 lks. dist., mkd. ½ S21 BT.
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
79.18	The cor. of secs. 16, 17, 20 and 21.
	Land, gently rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, yellow brush, grama and bunch grass.
	N. 1°18' W., bet. secs. 16 and 17.
	Over rolling land, through moderate timber.
39.91	The ½ sec. cor. of secs. 16 and 17, monumented by a squared post, 4 ft. long, 6 ins. diam., dimly mkd.
	At the cor. point
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28È
	S17 S16 1966
	From which
	A cedar, 10 ins. diam., bears S. 71½° E., 54 1ks. dist., mkd. BTX.
	A cedar, 6 ins. diam., bears N. 79° W., 106 lks. dist., mkd. BTX. Set the original cor. alongside the iron post. Raise a mound of stone W. of the cor.
	N. 0°35' W., beginning new measurement.
	Over rolling land, through moderate timber.
32.50	Track road, bears E. and W.
40.05	The cor. of secs. 8, 9, 16 and 17, monumented by a squared post, 4 ft. long, 4 ins. diam., dimly mkd. with 4 notches on one face.
2	At the cor. point
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E S8 S9 S17 S16 1966
	From which
	A cedar, 12 ins. diam., bears N. 22 3/4° E., 14 1ks. dist., mkd. T17N R28E S9 BT.

Dep.	Res.,	Subdivisional	Lines,	\mathbf{T} .	17	Ν.,	R	28	Ε.	

	Bep. Res., Bushivistanti Illies, 1. 17 N., R 20 E.
CHAINS	A cedar, 8 ins. diam., bears S. 38 3/4° W., 75 1ks. dist., mkd. T17N R28E S17 BT.
	Set the orig. cor. alongside the iron post.
	Land, rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, sage brush, bunch grass, cacti.
	From the cor. of secs. 9, 10, 15 and 16.
	N. 89°57' W., bet. secs. 9 and 16.
	Over rolling land, through moderate timber.
24.80	Wash, 40 lks. wide, 10 ft. deep, drains S.
40.65	Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 16, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E 4 <u>S9</u> S16 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
67.80	Wash, 50 lks. wide, 6 ft. deep, drains S.
81.30	The cor. of secs. 8, 9, 16 and 17.
	Land, rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, sage brush and bunch grass.
	N. 2°07' E., bet. secs. 8 and 9.
	Over rolling land, through moderate timber.
23.50	Enter large draw, cut by numerous washes, general drainage S.
39.59	Point for the ½ sec. cor. of secs. 8 and 9, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E
	\$8 S9 1966
	Set a pine post, 4 ft. long, 4 ins. diam., alongside the iron post.
	Cor. is on a spur sloping S., bet. washes; asc. broken S. slope.

Dép. Res., Subdivisional Lines, T. 17 N., R. 2	28 E	O E
--	------	-----

CHAINS	
56.10	Wash, 20 lks. wide, 8 ft. deep, drains SW.
61.20	Top of ridge, bears E. and W.
79.18	Point for the cor. of secs. 4, 5, 8 and 9, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E S5 S4 S8 S9 1966
	Set a cedar post, 4 ft. long, 5 ins. diam., alongside the iron post.
-	Land, rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, bunch grass and cacti.
	From the cor. of secs. 3, 4, 9 and 10.
	S. 89°39' W., bet. secs. 4 and 9.
	Over gently rolling land, through dense timber.
8.70	Wash, 20 1ks. wide, 3 ft. deep, drains SE.
20.10	Wash, 10 lks. wide, 2 ft. deep, drains SE.
21.20	Wash, 10 lks. wide, 4 ft. deep, drains SE.
29.60	Wash, 20 1ks. wide, 2 ft. deep, drains SE.
35.00	Wash, 30 1ks. wide, 10 ft. deep, drains SE.
36.50	Wash, 20 1ks. wide, 10 ft. deep, drains SE.
39.03	Point for the 4 sec. cor. of secs. 4 and 9, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
41.60	Wash, 5 lks. wide, 6 ins. deep, drains S. 20° E.
78.06	The cor. of secs. 4, 5, 8 and 9.
	Land, rolling. Soil, sandy loam. Timber, dense cedar. Undergrowth, bunch and grama grass.

		Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.	
	CHAINS	N. 2°59' E., bet. secs. 4 and 5.	
		Over gently rolling land, through scattered timber.	
	39.62	Point for the ½ sec. cor. of secs. 4 and 5 at proportionate dist.; unable to find any remaining evidence of the original cor.	
		Set the iron post, 20 ins. in the ground, brass cap mkd.	
^		T17N R28E	
	,	\$5 \$4 1966	
		From which	
		A cedar, 14 ins. diam., bears S. 63½° E., 115 1ks. dist., mkd. ½ S4 BT.	
		A cedar, 14 ins. diam., bears S. 46½° W., 93 lks. dist., mkd. ½ S5 BT.	
		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.	
	66.40	Fence, barbed wire, bears S. 89½° E., and N. 89½° W.	
	79.35	The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp.	
		Land, gently rolling. Soil, sandy loam. Timber, scattered cedar. Undergrowth, sage brush and bunch grass.	,
		From the Standard cor. of secs. 31 and 32 on the S. bdy. of the Tp., monumented by an iron post, 2½ ins. diam., as described in the official record of the 1963 resurvey.	
		N. 0°16' E., bet. secs. 31 and 32.	
		Over rolling land, through moderate cedar.	
	40.29	Point for the ½ sec. cor. of secs. 31 and 32 at proportionate dist.; unable to find any remaining evidence of the original cor.	
	*	Set the iron post, 22 ins. in the ground, brass cap mkd.	
		T17N R28E	
		\$31\rightarrow\$32 1966	
	•	Set a cedar post, 5 ft. long, 3 ins. diam., alongside the iron post.	
	80.58	Point for the cor. of secs. 29, 30, 31 and 32, at proportionate dist.; unable to find any remaining evidence of the original cor.	

CHAINS	Set the iron post, 22 ins. in the ground, brass cap mkd.
,	T17N R28E
	<u>\$30</u> <u>\$29</u> <u>\$31</u> <u>\$32</u>
	1966
	From which
	A cedar, 10 ins. diam., bears N. 68 3/4° E., 89 lks. dist., mkd. \$29 BT.
	A cedar, 6 ins. diam., bears N. 33な W., 34 1ks. dist., mkd. T17N R28EなS30 BT.
	Set a cedar post, 5 ft. long, 3 ins. diam., alongside the iron post.
	Land, rolling,
	Soil, sandy. Timber, moderate cedar.
	Undergrowth, sage brush and bunch grass.
	From the cor. of secs. 28, 29, 32 and 33.
	N. 89°48' W., bet. secs. 29 and 32.
,	Over gently rolling land, through scattered timber.
36.00	Track road, bears N. and S.
40.11	The ½ sec. cor. of secs. 29 and 32, monumented by a squared cedar post, 4 ins. diam., 4 ft. long, lying loose upon the ground, mkd. S ½ on one side.
	At the cor. point
- ^	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	½ <u>\$29</u> \$32
	1966
	From which
	A cedar, 10 ins. diam., bears S. 64½° E., 166 1ks. dist., mkd. T17N R28E½S32 BT.
•	A cedar, 6 ins. diam., bears N. 77½° W., 110 1ks. dist., mkd. T17N R28E½S29 BT.
	Set the original cor. alongside the iron post.
	S. 89°30' W., beginning new measurement
	Over gently rolling land, through scattered timber.
37.50	Ridge bears N. and S.
39.88	The cor. of secs. 29, 30, 31 and 32.
	Land, gently rolling.
	Soil, sandy loam. Timber, scattered cedar.
	Undergrowth, sage brush and bunch grass.

CHAINS	N 009/01 TT 1
	N. 89°40' W., bet. secs. 30 and 31.
*	Over gently rolling land, through scattered timber.
1.40	Enter railed area, bears N. 20° E. and S.
40.01	Point for the ½ sec. cor. of secs. 30 and 31, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E な S30
	S31
	1966
	Set a cedar post, 5 ft. long, 3 ins. diam., alongside the iron post.
50.00	Track road, bears N. and S.
74,90	Track road, bears irregularly N. and S.
79.96	The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar.
,	Undergrowth, sage brush and bunch grass.
	From the cor. of secs. 29, 30, 31 and 32.
	N. 0°08' E., bet. secs. 29 and 30.
	Over rolling land, through moderate timber.
5.90	Leave timber, enter railed area, bears NE. and SW.
40,29	The $\frac{1}{4}$ sec. cor. of secs. 29 and 30, monumented by a cedar post, 4 ins. diam., 4 ft. long, loosely set, dimly mkd. $\frac{1}{4}$ on W. face.
	At the cor. point
	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E
	\$30 S29 1966
	Set the original cor. and a cedar post, 4 ft. long, alongside the iron post.
	N. 0°16' E., beginning new measurement.
	Over rolling land, through railed area.
32.00	Draw, drains SW.
40.11	The cor. of secs. 19, 20, 29 and 30, monumented by a cedar post, 5 ins. diam., 4 ft. long, lying loose upon

Dep.	Res.,	Subdivisional	Lines, T.	17	Ν.,	R.	28	Ε.
------	-------	---------------	-----------	----	-----	----	----	----

	Dep. Res., Subdivisional Lines, T. 1/ N., R. 20 E.
CHAINS	At the cor. point
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E <u>S19 S20</u> S30 S29 1966
	Set the original cor. and a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	Land, rolling. Soil, sandy. Timber, moderate cedar to railed area. Undergrowth, sage brush and bunch grass.
	From the cor. of secs. 20, 21, 28 and 29.
	N. 89°59' W., bet. secs. 20 and 29.
	Over gently rolling land, through scattered timber.
0.60	Track road, bears NE. and SW.
40.10	Point for the ½ sec. cor. of secs. 20 and 29, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E 4 S20 S29 1966
	From which
	A cedar limb, 6 ins. diam., bears N. 36% E., 43 lks. dist., mkd. % S20 BT.
	A cedar, 10 ins. diam., bears S. 58½° E., 64 lks. dist., mkd. ½ S29 BT.
	Set a cedar post alongside the iron post.
71.40	Leave timber, enter railed area, bears N. and S.
80.20	The cor. of secs. 19, 20, 29 and 30.
	Land, gently rolling. Soil, sandy loam. Timber, scattered cedar to railed area. Undergrowth, yellow brush, grama and bunch grass.
	N. 89°33' W., bet. secs. 19 and 30.
	Over gently rolling land, through railed area.
39.11	Point for the ½ sec. cor. of secs. 19 and 30, at proportionate dist.; unable to find any remaining evidence of the original cor.
**	

CHAINS	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
Chains	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E 4 <u>S19</u> 830 1966
	Set a cedar post, 5 ft. long, 4 ins. diam., alongside the iron post.
72.80	Track road, bears N. and S.
77.62	The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp.
·	Land, gently rolling. Soil, sandy loam. Timber, railed area. Undergrowth, yellow brush, grama and bunch grass.
	From the cor. of secs. 19, 20, 29 and 30.
	N. 1°52' E., bet. secs. 19 and 20.
	Over rolling land, through railed area.
39.76	Point for the ½ sec. cor. of secs. 19 and 20, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	S19 S20 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
41.30	Top of low ridge, bears E. and W.
57.40	Track road, bears E. and W.
79.52	Point for the cor. of secs. 17, 18, 19 and 20 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E <u>S18 S17</u> S19 S20 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	Land, rolling. Soil, sandy. Timber, railed area. Undergrowth, sage brush and bunch grass.
	From the cor. of secs. 16, 17, 20 and 21.

Dep.	Res.,	Subdivisional	Lines,	Τ.	17	Ν.,	R.	28	Ε.	,

	Dep. Rest, State of the state o
CHAINS	S. 89°45' W., bet. secs. 17 and 20.
	Over gently rolling land, through scattered timber.
7.70	Top of low ridge, bears NE. and SW.
33.40	Wash, 15 1ks. wide, 2 ft. deep, drains S. 20° W.
35.10	Asc. E. slope.
39.37	Point for the 2 sec. cor. of secs. 17 and 20, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
*	$\frac{1}{4}$ $\frac{S17}{S20}$
	1966
	From which
	A cedar, 10 ins. diam., bears N. 34 3/4° E., 12 lks. dist., mkd. ½ S17 BT.
	A cedar, 10 ins. diam., bears S. 18° E., 97 lks. dist., mkd. ½ S20 BT.
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
44.00	Top of slope, thence, over rolling land.
52.70	Wash, 5 1ks. wide, 2 ft. deep, drains S. 20° W.
59.00	Wash, 50 1ks. wide, 20 ft. deep, drains SE.
78.50	Leave timber, enter railed area, bears N. and S.
78.74	The cor. of secs. 17, 18, 19 and 20.
	Land, gently rolling to rolling. Soil, sandy loam.
	Timber, moderate cedar. Undergrowth, grama and bunch grass.
^	N. 89°42' W., bet. secs. 18 and 19.
	Over gently rolling land, through railed area.
39.40	Point for the ½ sec. cor. of secs. 18 and 19, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.

Dep.	Res.,	Subdivisional	Lines,	T.	17	Ν.,	R.	28	Ε.
------	-------	---------------	--------	----	----	-----	----	----	----

	CHAINS	
	76.50	Track road, bears NW. and SE.
	78.57	The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp.
		Land, rolling to gently rolling. Soil, sandy loam. Timber, railed area. Undergrowth, grama and bunch grass.
		From the cor. of secs. 17, 18, 19 and 20.
		N. 0°02' E., bet. secs. 17 and 18.
		Over rolling land, through railed area.
	39.74	Point for the ½ sec. cor. of secs. 17 and 18, at proportionate dist.; unable to find any remaining evidence of the original cor.
		Set the iron post, 22 ins. in the ground, brass cap mkd.
		T17N R28E
		\$18 \$17 1966
		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	63.90	Leave railed area, enter moderate timber bearing E. and W.
	79.48	Point for the cor. of secs. 7, 8, 17 and 18 at proportionate dist.; unable to find any remaining evidence of the original cor.
	, i	Set the iron post, 22 ins. in the ground, brass cap mkd.
	-	T17N R28E <u>S7 S8</u> S18 S17 1966
:		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
		Land, rolling. Soil, sandy. Timber, railed area to moderate cedar. Undergrowth, sage brush and bunch grass.
		From the cor. of secs. 8, 9, 16 and 17.
		S. 89°24' W., bet. secs. 8 and 17.
		Over rolling land, through moderate timber.
	30.00	Ridge, bears N. and S.
	38.71	Point for the ½ sec. cor. of secs. 8 and 17 at proportionate dist.; unable to find any remaining evidence of the original cor.

Dep.	Res.	Subdivisional	Lines, T	. 17	Ν.,	R.	28 E.	
------	------	---------------	----------	------	-----	----	-------	--

	Dep. Res., Subdivisional Lines, T. 17 N., R. 20 E.
CHAINS	Set the iron post, 22 ins. in the ground, brass cap mkd.
	T17N R28E
	1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
51.70	Wash, 10 1ks. wide, 1 ft. deep, drains S.
77.42	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, sage brush and bunch grass.
	N. 89°52' W., bet. secs. 7 and 18.
^	Over rolling land, through moderate timber.
38.65	Point for the ½ sec. cor. of secs. 7 and 18 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E
,	½ <u>\$7</u> \$18
	1966
	From which
	A cedar, 8 ins. diam., bears. N. $72\frac{1}{2}^{\circ}$ E., 29 1ks. dist., mkd. ½ S7 BT.
	A cedar, 8 ins. diam., bears S. 44½° W., 32 1ks. dist., mkd. ½ S18 BT.
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
77.00	The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp.
	Land, rolling.
	Soil, sandy loam. Timber, moderate cedar.
	Undergrowth, sage brush and bunch grass.
	From the cor. of secs. 7, 8, 17 and 18.
	N. 1°33' E., bet. secs. 7 and 8.
	Over rolling land, through moderate timber.
39.76	Point for the 2 sec. cor. of secs. 7 and 8 at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E
	\$7 \ \ \$8 1966

	Dep. Res., Subdivisional Lines, T. 17 N., R. 28 E.
CHAINS	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
79.52	Point for the cor. of secs. 5, 6, 7 and 8, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E S6 S5 S7 S8 1966
	Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
	Land, rolling to gently rolling. Soil, sandy loam. Timber, moderate cedar. Undergrowth, yellow brush, grama and bunch grass.
	From the cor. of secs. 4, 5, 8 and 9.
	S. 89°43' W., bet. secs. 5 and 8.
	Over gently rolling land, through dense timber.
30.60	Track road, bears N. and S.
39.09	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8, at proportionate dist.; unable to find any remaining evidence of the original cor.
	Set the iron post, 24 ins. in the ground, brass cap mkd.
	T17N R28E
٦	From which
	A cedar, 14 ins. diam., bears N. 15 3/4° E., 37 1ks. dist., mkd. な S5 BT.
e e	A cedar, 10 ins. diam., bears S. 34° E., 42 lks. dist.; mkd. ¼ S8 BT.
	Set a cedar post, 4 ft. long, 5 ins. diam., alongside the iron post.
	Enter moderate timber.
74.30	Enter scattered timber.
78.18	The cor. of secs. 5, 6, 7 and 8.
	Land, gently rolling. Soil, sandy loam. Timber, dense to scattered cedar. Undergrowth, grama and bunch grass.

Dep.	Res.,	Subdivisional .	Lines, T.	. 1/ N.,	R. 20 E.

		201. 1.000, 1
	CHAINS	West, bet. secs. 6 and 7.
		Over rolling land, through scattered timber.
	10.50	Enter moderate timber.
	38.95	Point for the ½ sec. cor. of secs. 6 and 7 at proportionate dist.; unable to find any remaining evidence of the original cor.
		T17N R28E
		From which
		A cedar, 12 ins. diam., bears N. 60 3/4° E., 138 1ks. dist., mkd. ½ S6 BT.
		A cedar, 6 ins. diam., bears S. 5½° E., 222 lks. dist., mkd. ሂ S7 BT.
		Set a cedar post, 4 ft. long, 3 ins. diam., alongside the iron post.
	65.50	Leave timber, enter open area.
	77.50	The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the Tp.
		Land, gently rolling. Soil, sandy loam. Timber, scattered cedar to none. Undergrowth, grama and bunch grass.
		From the cor. of secs. 5, 6, 7 and 8.
		N. 2°16' E., bet. secs. 5 and 6.
		Over gently rolling land, through scattered timber.
-	39.77	Point for the ½ sec. cor. of secs. 5 and 6 at proportionate dist.; unable to find any remaining evidence of the original cor.
	>	Set the iron post, 22 ins. in the ground, brass cap mkd.
		T17N R28E
		\$6 S5 1966
		Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
	71.50	Fence, (dist. approximate) barbed wire, bears S. 73° E. and N. 73° W.
	79.52	The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp.
		Land, gently rolling. Soil, sandy loam. Timber, scattered to widely scattered cedar. Undergrowth, grama and bunch grass.

Survey of Partial Subdivision of Section 34 T. 17 N., R. 28 E., G & SRM, Arizona

	1. 17 N., R. 20 E., G & SRM, Arizona
CHAINS	Survey of Partial Subdivision of Section 34 T. 17 N., R. 28 E., G & SRM, Arizona
	From the Standard ½ sec. cor. of sec. 34 on the S. bdy. of the Tp. heretofore described.
	N. 2°31' W., on the N. and S. center line of sec. 34.
	Over gently rolling land, through widely scattered timber.
20.37	Point for the C-S 1/16 sec. cor. of sec. 34.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E
	$s \frac{1}{16} \mid s34$
,	C 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
40.74	Point for the C-1/4 sec. cor. of sec. 34.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E C ½ S34
	1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
44.00	Track road, bears NE. and SW.
81.48	The 4 sec. cor. of secs. 27 and 34.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
	From the $\frac{1}{4}$ sec. cor. of secs. 34 and 35.
	N. 89°25' W., on the E. and W. center line of sec. 34.
	Over gently rolling land, through widely scattered timber.
41.24	The C-表 sec. cor. of sec. 34.
46.90	Track road, bears NE. and SW.
61.87	Point for the C-W 1/16 sec. cor. of sec. 34.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E W $\frac{1}{16}$ C $\frac{16}{534}$ C 1966
i l	i i

-	Survey, Subdivision Sec. 34, T. 17 N., R. 28 E.
CHAINS	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
63.10	Wash, 5 1ks. wide, 3 ft. deep, drains S.
82.50	The ½ sec. cor. of secs. 33 and 34.
	Land, gently rolling. Soil, sandy loam. Timber, widely scattered cedar. Undergrowth, sage and yellow brush, grama and bunch grass.
	Subdivision, SW4, Sec. 34
	From the standard W 1/16 sec. cor. of sec. 34.
	N. 2°37' W., on the N. and S. center line of the $SW_{\frac{1}{4}}$ of sec. 34.
	Over gently rolling land, through scattered timber.
0.57	Fence, barbed wire, bears irreg. E. and W.
2.20	Track road, bears irreg. E. and W.
19.60	Wash, 30 1ks. wide, 6 ft. deep, drains SW.
20.42	Point for the SW 1/16 sec. cor. of sec. 34.
	Set the iron post, 20 ins. in the ground, brass cap mkd.
	T17N R28E SW 1/6 S34 1966
	Set a cedar post, 4 ft. long, 4 ins. diam., alongside the iron post.
20.90	Track road, bears NE. and SW.
30.20	Wash, 10 1ks. wide, 3 ft. deep, drains irreg. SW.
40.83	The C-W 1/16 sec. cor. of sec. 34.
	From the C-S 1/16 sec. cor. of sec. 34 N. 89°34' W., on the E. and W. center line of the SW ¹ / ₄
	of sec. 34. Over gently rolling land, through widely scattered
	timber.
20.20	Wash, 30 1ks. wide, 6 ft. deep, drains irreg. SW.
20.60	The SW 1/16 sec. cor. of sec. 34.
21.20	Track road, bears NE. and SW.
36.10	Wash, 20 1ks. wide, 3 ft. deep, drains irreg. SE.
41.20	The S 1/16 sec. cor. of secs. 33 and 34.

CHAINS General Description The land in township 17 North, Range 28 East, varies from nearly level to gently rolling. The soil is sandy loam cut by numerous small washes and gullies which drain the area in a southerly direction. Timber is primarily cedar, scattered in the S. and SE. portions, moderate in the central and heavy in the N. Central part of the Tp. Timber railing has been conducted along the West side, in section 1 and in a small area near the center of the Tp. Indian ruins, characterized by scattered flint, broken pottery, scattered stones and stone rings, are found in sections 22 and 35. The sites are located on small knolls with evidence extending out about $10.00 \, \mathrm{chs.}$ in each direction. Grazing of livestock is the primary interest as there is a fair growth of native grass, with windmills, stock ponds and Wolford Spring affording a continual water supply.

BOOK 4839

CHAINS				· ·
222-22170				
		:	.44	٦
	^			ار مد
	,			1
•	-	7		•
		of .		
		•		
-	,		^	
			•	
				• •
				•
			•	
				•
		,		
				•

BOOK 4839

Form 4-680 (June 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Robert F. Johnson	Supervisory Surveying Technician
Gary T. Oviatt	Supervisory Surveying Technician
John H. Witmer	Supervisory Surveying Technician
Ira M. Thiessen	Surveying Aid
Ray E. Thiessen	Surveying Aid
Martin W. Fuller	Surveying Aid
Arvel R. Jones	Surveying Aid
Willard R. Wilbur	Surveying Aid
David Jaramillo	Surveying Aid
· · · · · · · · · · · · · · · · · · ·	
· ·	

INTERIOR -- PORTLAND, OREGO

CERTIFICATE OF SURVEY

We ∦,	Boyd S. Owens Kenneth D. Herman Howard H. Thomas	, HEREBY CERTIFY upon honor that,
in pursu	ance of special instructions bearing d	ate of the 16thday of August , 19 66,
we ∦ have	dependently resurve yed the ea	st, west and north boundaries, a portion
of the	south boundary, the subdivi	sional lines and surveyed a partial sub
divisi	on of section 34, Township 1	7 North, Range 28 East,

of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by the and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

March 27, 1968
(Date)

March 27, 1968

March 27, 1968
(Date)

Cadastral Surveyor)

Kenned Demon

(Cadastral Surveyor)

Howard Jhomas

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

(Date)

BUREAU OF LAND MANAGEMENT, Washington, D. C.

(Chief, Division of Engineering)

The foregoing field notes of the dependent resurvey of the east, west and north boundaries, a portion of the south boundary, the subdivisional lines and survey of partial subdivision of section 34, Township 17 North, Range 28 East, of the Gila and Salt River Meridian, Arizona,

executed by Boyd S. Owens, Kenneth D. Herman and Howard H. Thomas having been critically examined and found correct, are hereby approved.

APR 1 7 1969	flack I Summe
(Date)	(Chief, Division of Engineering)
(Date)	Chief, Division of Cadastral Survey
	CERTIFICATE OF TRANSCRIPT
I CERTIFY That the foregoing t	ranscript of the field notes of the above-described surveys in
	, is a true copy of the original field note
	•