

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF A PORTION

OF THE FORT APACHE INDIAN RESERVATION

TOWNSHIP 8 NORTH, RANGE 23 EAST

Of the GILA AND SALT RIVER Meridian,

In the State of ARIZONA

EXECUTED BY

MARLIN G. LIVERMORE, II

CADASTRAL SURVEYOR

Under special instructions dated July 1, 19 69, which provided for the surveys included under Group Number 516, approved July 3, 1969, and assignment instructions dated July 1, 19 69.

Survey commenced July 1, 19 69

Survey completed July 3, 19 69

BOOK 4852
INDEX DIAGRAM

Township _____, Range _____,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17

Dependent Resurvey of a Portion of the
Fort Apache Indian Reservation
Township 8 North, Range 23 East
Gila and Salt River Meridian, Arizona

CHAINS

The northern boundary of the White Mountain Indian Reservation (now the Fort Apache Indian Reservation) was surveyed by Jesse B. Wright, in September and October 1906, as shown upon the official plat of Township 8 North, Range 23 East, approved November 29, 1909.

The following field notes are those of the dependent resurvey of a portion of the northern boundary of the Fort Apache Indian Reservation, Township 8 North, Range 23 East, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the special instructions dated July 1, 1969.

The directions of all lines of this survey were determined by direct altitude observation of the sun for azimuth and carried forward by normal transit traverse.

The geographic position of Angle Point No. 258 is: Latitude: $34^{\circ} 06.6' N.$, Longitude $109^{\circ} 51.5' W.$, as determined by scaling on a reliable U. S. Geological Survey Topographic map, McNary, Arizona, 1961.

The magnetic declination was read at a number of stations throughout the survey and the average of the several readings was found to be $14^{\circ} E.$

Before restoring the corners, the lines of the original surveys were retraced and a diligent search made for any evidence of the original corners, bearing trees, and calls of the original field note records. When duly identified, the corner positions were remonumented.

The rules of proportionate measurement were applied in order to ascertain the position of lost corners, after completing the necessary retracements to connect the identified corner locations, but not until exhausting every reasonable possibility of finding direct evidence for the control of each particular corner.

Beginning at Angle Point No. 258, monumented by a pine tree, 24 ins. (record 15 ins.) in diam., mkd. BMFR on the N. and PNBWMIR 258 on the S., substantiated by:

A pine, 14 ins. in diam., bears S. $76^{\circ} E.$, 80 lks. dist., mkd. AP 258 FAIR BT.

A pine, 25 ins. in diam., bears S. $24\frac{1}{2}^{\circ} W.$, 40 lks. dist., mkd. with an overgrown blaze.

An oak stump, 8 ins. in diam., bears S. $56\frac{1}{2}^{\circ} W.$, 22 lks. dist., scribing illegible.

Thence, on line 258-259.

S. $62^{\circ} 16' W.$, 16.144 chs. dist.

0.160 The closing corner of Tps. 8 N., Rs. 23 and 24 E., secs. 7 and 12, monumented with an iron post, 2 ins. in diam., projecting 18 ins. above the ground, and in a collar of stone, with brass cap mkd.

Dependent Resurvey of a Portion of the
Fort Apache Indian Reservation
Township 8 North, Range 23 East
Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T8N R23E R24E S 12 S 7 C C S 12 S 7 WMIR 1929</p> <p>substantiated by:</p> <p style="padding-left: 40px;">A pine, 12 ins. in diam., bears N. 25° E., 90 lks. dist., mkd. T8N R24E S7 BT, record.</p> <p style="padding-left: 40px;">A pine, 26 ins. in diam., bears N. 30° W., 23 lks. dist., mkd. T8N R24E S7 BT, record.</p>
16.144	<p>The point for Angle Point No. 259, determined from the original bearing trees:</p> <p style="padding-left: 40px;">A pine, 23 ins. (record 12 ins.) in diam., bears S. 73° W., 10 lks. dist., scribing illegible.</p> <p style="padding-left: 40px;">A pine, 27 ins. (record 15 ins.) in diam., bears N. 38° W., 18 lks. dist., scribing illegible.</p> <p>At the corner point</p> <p>Set an iron post, 30 ins. long, 2½ ins. in diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T8N R23E S 12 AP 259 FAIR 1969</p> <p>from which new bearing trees,</p> <p style="padding-left: 40px;">A pine, 12 ins. in diam., bears S. 64¾° E., 85 lks. dist., mkd. AP 259 FAIR BT.</p> <p style="padding-left: 40px;">A pine, 15 ins. in diam., bears S. 39¾° W., 52 lks. dist., mkd. AP 259 FAIR BT.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Thence, on line 259-260 (43 mile corner).</p> <p>N. 82° 36' W., 11.285 chs. dist.</p>
11.285	<p>The point for 43 mile corner and Angle Point No. 260, mkd. by a concrete reinforcing steel rod, substantiated by:</p> <p style="padding-left: 40px;">A pine stump, 24 ins. in diam., bears N. 44° E., 47 lks. dist., scribing illegible (record: "A pine tree, 30 ins. diam., brs. N. 42½° E., 57 lks. dist., marked N B W M I R 43 M B T.").</p> <p style="padding-left: 40px;">The remains of a pine stump, bears S. 15° W., (record S. 11° W.) 26 lks. dist.</p> <p style="padding-left: 40px;">A pine, 26 ins. in diam., bears N. 56¼° W., 50 lks. dist., scribing illegible (record: "A pine tree, 24 ins. diam., brs. N. 58° 45' W., 50 lks. dist., marked N B W M I R 43 M B T .").</p>

Dependent Resurvey of a Portion of the
Fort Apache Indian Reservation
Township 8 North, Range 23 East
Gila and Salt River Meridian, Arizona

CHAINS

A pine, 24 ins. in diam., bears N. 23° W., 57 lks. dist., scribing illegible (record: "A pine tree, 15 ins. diam., brs N. 26° W., 57 lks. dist., marked N B W M I R 43 M B T.").

At the corner point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. in diam., 24 ins. in the ground, with brass cap mkd.

T8N R23E
S 12

AP 260
43 M

1969

deposit the steel rod marker alongside the corner.

from which new bearing trees,

A pine, 14 ins. in diam., bears S. $40\frac{1}{2}^{\circ}$ E., 1.55 chs. dist., mkd. 43 M FAIR BT.

A pine, 8 ins. in diam., bears S. 47° W., 1.16 chs. dist., mkd. 43 M FAIR BT.

Thence, on line 260 (43 mile corner)-261,

N. $87^{\circ} 26'$ W., 4.784 chs. dist.,

4.784 The Angle Point No. 261, monumented by a pine, 20 ins. (record 12 ins.) in diam., marked with a blaze on the S. There is no evidence of the original bearing trees.

from which new bearing trees,

A pine, 8 ins. in diam., bears S. 71° E., 66 lks. dist., mkd. AP 261 FAIR BT.

A pine, 16 ins. in diam., bears S. 10° W., 93 lks. dist., mkd. AP 261 FAIR BT.

Thence, on line 261-262,

S. $75^{\circ} 28'$ W., 8.101 chs. dist.

8.101 The Angle Point No. 262, monumented by a pine, 26 ins. (no record diam) in diam., marked with a blaze on the S. There is no evidence of the original bearing trees.

from which new bearing trees,

A pine, 8 ins. in diam., bears S. 77° E., 49 lks. dist., mkd. AP 262 FAIR BT.

A pine, 20 ins. in diam., bears S. $14\frac{1}{2}^{\circ}$ W., 92 lks. dist., mkd. AP 262 FAIR BT.

Thence, on line 262-263,

Dependent Resurvey of a Portion of the
 Fort Apache Indian Reservation
 Township 8 North, Range 23 East
 Gila and Salt River Meridian, Arizona

CHAINS		
	<p>S. 68° 29' W., 13.161 chs. dist.</p> <p>13.161 The point for Angle Point No. 263, determined from the remains of the original tree monument.</p> <p>At the corner point, the center of old root crown</p> <p>Set an iron post, 30 ins. long, 2½ ins. in diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T8N R23E S 12 <hr style="width: 50px; margin: 0 auto;"/> AP 263 FAIR 1969</p> </div> <p>from which</p> <p style="padding-left: 40px;">A pine, 6 ins. in diam., bears S. 46¾° E., 45 lks. dist., mkd. AP 263 FAIR BT.</p> <p style="padding-left: 40px;">A pine, 8 ins. in diam., bears S. 20° W., 74 lks. dist., mkd. AP 263 FAIR BT.</p> <hr style="width: 200px; margin: 20px auto;"/> <p>Thence, on line, 263 - 43½ mile corner.</p> <p>S. 59° 14' W., 14.738 chs. dist.</p>	
<p>14.738</p>	<p>The 43½ mile corner, monumented with a lava stone 16x14x10 ins., set 14 ins. in the ground, (record: malapais stone, 8x10x8 ins. above the ground) substantiated by:</p> <p style="padding-left: 40px;">The remains of a pine stump, 30 ins. in diam., bears S. 51½° E., 64 lks. dist., scribing illegible (record: "A pine tree, 15 ins. diam., brs. S. 53° E., 63 lks. dist., marked N B W M I R 43½ M B T.").</p> <p style="padding-left: 40px;">The remains of a pine stump, bears S. 29½° E., 99 lks. dist., (record).</p> <p style="padding-left: 40px;">A pine, 24 ins. in diam., bears N. 84° W., 61 lks. dist. (record), scribing illegible.</p> <p>At the corner point</p> <p>Set an iron post, 30 ins. long, 2½ ins. in diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T8N R23E S 12 <hr style="width: 50px; margin: 0 auto;"/> 43½ M FAIR 1969</p> </div> <p>deposit the original lava stone alongside the corner.</p> <hr style="width: 200px; margin: 20px auto;"/> <p>Thence, on line 43½ mile corner-264,</p> <p>S. 56° 18' W., 9.773 chs. dist.</p>	

Dependent Resurvey of a Portion of the
Fort Apache Indian Reservation
Township 8 North, Range 23 East
Gila and Salt River Meridian, Arizona

CHAINS

- 9.773 The Angle Point No. 264, monumented by a pine, 30 ins. (record 24 ins.) in diam., marked with a blaze on the S. There is no evidence of the original bearing trees.
- from which new bearing trees,
- A pine, 20 ins. in diam., bears S. $72\frac{1}{2}^{\circ}$ E., 66 lks. dist., mkd. AP 264 FAIR BT.
- A pine, 8 ins. in diam., bears S. 35° W., 74 lks. dist., mkd. AP 264 FAIR BT.
-
- Thence, on line 264-265,
S. $78^{\circ} 48'$ W., 9.393 chs. dist.
- 9.393 The Angle Point No. 265, and closing cor. of secs. 11 and 12, monumented by a pine, 22 ins. (record 12 ins.) in diam., with a blaze on the S., marked 65, remaining scribing illegible, substantiated by:
- A pine, 15 ins. in diam., bears N. $59\frac{1}{4}^{\circ}$ E., 47 lks. dist., scribing illegible (record: "A pine tree, 10 ins. diam., brs. N. 58° E., 47 lks. dist., marked T 8 N R 23 E S 12 C C B T. ").
- A pine, 15 ins. in diam., bears N. $54\frac{1}{2}^{\circ}$ W., 62 lks. dist., scribing illegible (record: "A pine tree, 10 ins. diam., brs. N. 53° W., 62 lks. dist., marked T 8 N R 23 E S 11 C C B T. ").
- from which new bearing trees,
- A pine, 12 ins. in diam., bears S. $46\frac{1}{2}^{\circ}$ E., 92 lks. dist., mkd. AP 265 FAIR BT.
- A pine, 7 ins. in diam., bears S. $57\frac{1}{4}^{\circ}$ W., 91 lks. dist., mkd. AP 265 FAIR BT.
-
- Thence, on line 265-266,
N. $76^{\circ} 25'$ W., 16.780 chs. dist.
- 16.780 The point for Angle Point No. 266, determined at the center of a pine root crown, 22 ins. in diam. This corner position is recognized as the corner point by the adjacent landowner, the Pine Top County Club (surveyed in 1964), and is accepted as the best existing evidence of the position of the original tree corner monument.
- At the corner point
- Set a 60d spike, in the center of the above pine root crown.
- from which
- A pine, 10 ins. in diam., bears S. $59\frac{3}{4}^{\circ}$ E., 1.55 chs. dist., mkd. AP 266 FAIR BT.
- A pine, 16 ins. in diam., bears S. $22\frac{1}{4}^{\circ}$ W., 51 lks. dist., mkd. AP 266 FAIR BT.
-

Dependent Resurvey of a Portion of the
Fort Apache Indian Reservation
Township 8 North, Range 23 East
Gila and Salt River Meridian, Arizona


CHAINS	
	<p>Thence, on line 266-267, S. 71° 05' W., 5.482 chs. dist.</p> <p>5.482 The 44 mile corner and Angle Point No. 267, monumented with a lava stone, 16x16x6 ins., (record, malapais stone, 16x12x10 ins. above ground) loosely set in the ground, mkd. 44M NB WMIR. There is no evidence of the original bearing trees.</p> <p>At the corner point</p> <p>Set an iron post, 30 ins. long, 2½ ins. in diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T8N R23E S 11 — / AP 267 44 M FAIR 1969</p> <p>deposit the original stone alongside the iron post.</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 14 ins. in diam., bears S. 49¼° E., 106 lks. dist., mkd. 44 M FAIR BT.</p> <p style="padding-left: 40px;">A pine, 6 ins. in diam., bears S. 41½° W., 56 lks. dist., mkd. 44 M FAIR BT.</p>
	<p>Thence, on line 267 (44 mile corner)-268, S. 83° 10' W., 5.999 chs. dist.</p> <p>5.999 The point for Angle Point No. 268, determined from the remains of the original tree monument.</p> <p>At the corner point, the center of old root crown.</p> <p>Set an iron post, 30 ins. long, 2½ ins. in diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T8N R23E S 11 — / AP 268 FAIR 1969</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 8 ins. in diam., bears S. 47° E., 35 lks. dist., mkd. AP 268 FAIR BT.</p> <p style="padding-left: 40px;">A pine, 8 ins. in diam., bears S. 26° W., 44 lks. dist., mkd. AP 268 FAIR BT.</p>
	<p>Thence, on line 268-269, S. 60° 31' W., 8.153 chs. dist.</p>

Dependent Resurvey of a Portion of the
Fort Apache Indian Reservation
Township 8 North, Range 23 East
Gila and Salt River Meridian, Arizona

CHAINS

- 8.153 The Angle Point No. 269, monumented by a pine, 22 ins. (record 12 ins.) in diam., marked with a blaze on the N. and S.
- from which
- A pine, 8 ins. in diam., bears S. 65° E., 1.17 chs. dist., mkd. AP 269 FAIR BT.
- No other suitable accessory available.
-
- Thence, on line 269-270,
- S. $25^{\circ} 45'$ W., 12.908 chs. dist.
- 12.908 The Angle Point No. 270, monumented by a pine, 22 ins. (record 15 ins.) in diam., marked with a blaze on the E. and S.
- from which
- A pine, 10 ins. in diam., bears N. $60\frac{1}{2}^{\circ}$ E., 56 lks. dist., mkd. AP 270 FAIR BT.
- A pine, 8 ins. in diam., bears S. $18\frac{1}{2}^{\circ}$ E., 63 lks. dist., mkd. AP 270 FAIR BT.
-
- Thence, on line 270-271,
- S. $17^{\circ} 06'$ W., 6.135 chs. dist.
- 6.135 The point for Angle Point No. 271, determined from the remains of the original tree monument, scribing illegible, substantiated by the remains of the original bearing tree, bears EAST 45 lks. dist. No other official record.
- At the corner point
- Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. in diam., 20 ins. in the ground, and in a collar of stone, with brass cap mkd.
- T8N R23E
S 11
AP 271
FAIR
1969
- from which
- A pine, 8 ins. in diam., bears N. 71° E., 25 lks. dist., mkd. AP 271 FAIR BT.
- A pine, 12 ins. in diam., bears S. $32\frac{1}{4}^{\circ}$ W., 66 lks. dist., mkd. AP 271 FAIR BT.
-
- Thence, on line 271 - $44\frac{1}{2}$ mile corner.
- S. $58^{\circ} 37'$ W., 7.538 chs. dist.

Dependent Resurvey of a Portion of the
 Fort Apache Indian Reservation
 Township 8 North, Range 23 East
 Gila and Salt River Meridian, Arizona

CHAINS	
7.538	<p>The $44\frac{1}{2}$ mile corner, monumented with a lava stone 20x16x10 ins. set 12 ins. in the ground, (record: malpais stone, 12x10x10 ins. above the ground) mkd. NB WMIR $44\frac{1}{2}$M, substantiated by:</p> <p>An oak, 12 ins. in diam., bears S. 89° E., 25 lks. dist., scribing illegible (record: "An oak tree 5" diam., brs E.24 lks.dist. marked N.B.W.M.I.R.44 1/2 M.B.T.").</p> <p>A pine, 18 ins. in diam., bears S. $33\frac{1}{2}^\circ$ E., 24 lks. dist., scribing illegible (record: "A pine tee 8" diam.brs.S.33° E.22 lks.dist.marked N.B.W.M.I.R.44 1/2 M.B.T.").</p> <p>A pine, 35 ins. in diam., bears S. $53\frac{1}{4}^\circ$ W., 48 lks. dist., mkd. $44\frac{1}{4}$ M BT. (record:" A pine tree 30" diam. brs.S.55° W.47 lks.dist.marked N.B.W.M.I.R. 44 1/2 M.B.T.").</p> <p>The remains of a pine stump, bears N. $72\frac{1}{2}^\circ$ W., 36 lks. dist., mkd. NB WMIR $44\frac{1}{2}$ M, (record: " A pine tree 18" diam. brs. N.70° W.36lks.dist. marked N.B.W.M.I.R.44 1/2 M.B.T.").</p>
	<p>No additional suitable accessories available.</p>
	<p>Thence, on line $44\frac{1}{2}$ mile corner-272, S. $60^\circ 14'$ W., 3.235 chs. dist.</p>
3.235	<p>The point for Angle Point No. 272, determined from the remains of the original tree monument, substantiated by:</p> <p>The remains of a pine stump, bears N. 29° E., 1.15 chs. dist., mkd. AP 272 BT. (record:"A pine tree 30" diam.brs.N.27 1/2° E.115 lks.dist. marked A.P.272 B.T.").</p> <p>The remains of a pine stump, bears N. $17\frac{1}{2}^\circ$ W., 93 lks. dist., scribing illegible (record: " A pine tree 18"diam.brs.N.19°W.93 lks.dist.marked A.P. 272 B. T.").</p> <p>A mound of stone, 5 ft. base, bears N. 27°W., 34 lks (record 44 lks.) dist., restore same, $3\frac{1}{2}$ ft. high.</p> <p>At the corner point</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. in diam., 20 ins. in the ground, and in a collar of stone, with brass cap mkd.</p>
	<p>T8N R23E S 11  AP 272 FAIR 1969</p>
	<p>from which new bearing trees,</p> <p>A pine, 10 ins. in diam., bears S. $83\frac{3}{4}^\circ$ E., 50 lks. dist., mkd. AP 272 BT.</p>

Dependent Resurvey of a Portion of the
Fort Apache Indian Reservation
Township 8 North, Range 23 East
Gila and Salt River Meridian, Arizona

CHAINS

A pine, 8 ins. in diam., bears S. 14° W., 37 lks.
dist., mkd. AP 272 BT.

Thence, on line 272-273,

S. $78^{\circ} 03'$ W., 7.695 chs. dist.

7.695 The Angle Point No. 273, monumented by a pine, 16 ins.
(record 12 ins.) in diam., mkd. AP NB WMIR 273, sub-
stantiated by:

A pine, 26 ins. in diam., bears N. $37\frac{3}{4}^{\circ}$ E., 37 lks.
dist., mkd. with a blaze on the SW. No record of
this bearing tree.

A pine, 36 ins. in diam., bears S. $64\frac{1}{2}^{\circ}$ E., 24 lks.
dist., mkd. with a blaze on the NW. No record of
this bearing tree.

from which new bearing trees,

A pine, 18 ins. in diam., bears S. $54\frac{1}{4}^{\circ}$ E., 38 lks.
dist., mkd. AP 273 FAIR BT.

A pine, 14 ins. in diam., bears S. $40\frac{3}{4}^{\circ}$ W., 59 lks.
dist., mkd. AP 273 FAIR BT.

Thence, on line 273-274,

S. $63^{\circ} 20'$ W., 13.432 chs. dist.

13.432 The point for Angle Point No. 274, at proportionate
distance. There is no evidence of the original tree
corner monument.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. in diam., 10 ins.
in the ground, and in a mound of stone, 3 ft. base to
top, with brass cap mkd.

T8N R23E

S 11

AP 274

FAIR

1969

from which

A power line pole, bears S. $31\frac{3}{4}^{\circ}$ E., 78 lks. dist.

No other suitable accessory available.

Thence, on line 274 - 45 mile corner.

N. $85^{\circ} 19'$ W., 16.462 chs. dist.

9.250 The closing corner of secs. 10 and 11, monumented with a
lava stone, 20x12x8 ins. firmly set, projecting 10 ins.
above the ground, mkd. CC on the N., 2 grooves on the E.
There is no evidence of the original bearing trees. Did
not remonument this corner point.

Dependent Resurvey of a Portion of the
 Fort Apache Indian Reservation
 Township 8 North, Range 23 East
 Gila and Salt River Meridian, Arizona

<p>CHAINS 16.462</p>	<p>The 45 mile corner, monumented with an iron post, 2½ ins. in diam., firmly set, projecting 5 ins. above the ground, and witnessed as described in the official record of the remonumentation of a number of corners, Fort Apache Indian Reservation Boundary, by Howard H. Thomas, Cadastral Surveyor, in 1968, with brass cap mkd.</p> <p style="text-align: center;">T8N R23E S 10 45M</p> <p style="text-align: center;">FAIR 1968</p> <p>substantiated by:</p> <p>A pine, 12 ins. in diam., bears S. 84° E., 15 lks. dist., mkd. 45M BT.</p> <p>A pine, 12 ins. in diam., bears S. 14° W., 38 lks. dist., mkd. 45M FAIR BT.</p> <p>A pine, 12 ins. in diam., bears N. 9° W., 29 lks. dist., mkd. 45M BT.</p> <p>A mound of stone, N. of the corner.</p>	
<p>General Description</p> <p>The land within this dependent resurvey is located along the northern boundary of Fort Apache Indian Reservation.</p> <p>Land, nearly level to rolling. Soil, rocky. Timber consist of pines; undergrowth, young trees and oak brush.</p>		

17

BOOK 4852

CERTIFICATE OF SURVEY

I, Marlin G. Livermore, II, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 1st day of July, 1969, I have dependently resurveyed a portion of the Fort Apache Indian Reservation in Township 8 North, Range 23 East

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

July 31, 1969
(Date)

Marlin G. Livermore II
(Cadastral Surveyor)
Marlin G. Livermore II

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date AUG 12 1969

BUREAU OF LAND MANAGEMENT,
Washington, D. C.

The foregoing field notes of the dependent resurvey of a portion of the Fort Apache Indian Reservation in Township 8 North, Range 23 East, Gila and Salt River Meridian, Arizona

executed by Marlin G. Livermore II

having been critically examined and found correct, are hereby approved.

MAR 10 1970
(Date)

Clark F. Sumner
(Chief, Division of Engineering)
Chief, Division of Cadastral Survey

CERTIFICATE OF TRANSCRIPT

~~I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief, Division of Engineering)~~