B D O K 4886

Form 9180-6 (April 1965) (formerly 4-679)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

of
REMONUMENTATION
of the
WEST BOUNDARY OF THE FORT APACHE INDIAN RESERVATION
TOWNSHIP 10 NORTH, RANGE 15 EAST
TOWNSHIP 9 NORTH, RANGE 15 EAST
TOWNSHIP 8 NORTH, RANGE 15 EAST
and
REMONUMENTATION
in
TOWNSHIP 9 NORTH, RANGE 15 EAST
Gila and Salt River Moridian
Of theMendian,
In the State of
EXECUTED BY
John H. Witmer, Cadastral Surveyor
· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
Under special instructions dated, 19 69, which provided for the surveys
included under Group Number 514 , approved July 2, 1969 ,
and assignment instructions dated, 19 69.
· · · · · · · · · · · · · · · · · · ·
Survey commenced July 8 , 19 69
Survey completedSeptember]], 19 _69

B 0 0 K 4 8 8 6

INDEX DIAGRAM

Townsh	nip		, Range		,
6	5	4	8	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	84	35	36

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

INDEX TO SECTION CORNER MONUMENTS

Tp. 10 N. R. 15 E. Mer. G&SR

6	5	4	3	4M 2
7	8	9	10	RESERVATION 12 13
18	17	16	15	6M SS 13 6 ½M SS
19	20	21	22	6½M 7M 23 7½M 24
30	29	28	27	8M 26 M M № 85 8 M 8 M 8 M 8 M 8 M 8 M 8 M 8 M 8 M 8 M
31	32	33	34	9M 35 M 136 9M 136

Corne	er		Page
Mile	Corner	4	1
11	11	41/3	2
11	11	4½ 5	2
11	11	$5\frac{1}{2}$	3
11	11	6	3
11	11	6½	4
11	11	7	4
11	11	7½	2 2 3 3 4 4 5 6 6 7
11	***	8 -	6
11	11	8½	6
11	! 1	9 -	7
11	11	9½	8

6	14 5 15	12 4	939	10M 2 NO 10½MO
7	14 8 13 13	9	10	SERVAT 1177 SERVAT 1177 1177 1177 1177
18	12 17	16 10 11	15	12½MM½ 13
19	20	21 10	22	13M 23 H 24 13½M H
30	29	28	27	13½M 田 14M OP 26 AV 25 14½M
31	32	33	34	15M 25 36

Corne	er		Page
Mile	Corner	10	16
11	11	10½	16
11	11	11	17
11	11	11½	17
11	11	12	18
11	11	121/2	19
11	11	13	19
11	11	13⅓	20
11	11	14	20
11	11	141/3	21
f 1	11	15	21
11	11	15½	22

Τp.	8	N.	R.	15	Ε.	Mer	G&SR
ıρ.			' ' '			IVIC1.	

6	5	4	3	16M 2 I 16½M⊘
7	8	9	10	17M H 11 N 12 17½M H
18	17	16	15	16½M NO 17M L2 17½M L2 18M L8 NO 18½M
19	20	21	22	
30	29	28	27	20M H 26 AC 25
31	32	33	34	35 FORT

Corne	er		Page
Mile	Corner	16	23
11	11	$16\frac{1}{2}$	23
11	11	17	24
11	11	17½	24
11	11	18	25
11	11	18⅓	25
11	***	19	26
11	***	$19\frac{1}{2}$	26
11	***	20	27
11	11	20½	27

1. B

Township 10 North, Range 15 East Township 9 North, Range 15 East Township 8 North, Range 15 East Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of remonumentation of cadastral survey corners by agreement with the U. S. Forest Service. The detailed cooperative agreement was approved by the Director, Bureau of Land Management, by memorandum (5.04b) dated October 16, 1958.

The approval of the Special Instructions on July 2, 1969 gave authority to proceed with the remonumentation in accordance with the Director's Order No. 541, dated April 21, 1961.

Unless described, each corner was monumented with a standard iron post, 30 inches long, $2^{1}\!_{2}$ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The assistants furnished by the Forest Service remonumented the original corner positions after verification. An open sight compass was used to obtain the bearings and a standard steel tape was used to measure the distances to corner accessories.

The magnetic declination used was 14° East.

Township 10 North, Range 15 East, G&SR M., Arizona

The west boundary of the Fort Apache Indian Reservation was surveyed in 1890 by J. C. Smith and retraced in 1938 by H. M. Muscott.

Remonumentation, W. Bdy., Fort Apache Indian Reservation, T. 10 N., R. 15 E., Arizona

The 4 mile cor., reestablished by record course and dist. from the remains of the orig. bearing trees

A rotted oak stump bears N. 86° E., 35 1ks. dist., no mks.

An oak, 22 ins. diam., bears S. 19° W., 54 lks. dist., mkd. with an overgrown blaze.

An oak, 20 ins. diam., bears S. 36° W., 25 lks. dist., mkd. with an overgrown blaze.

A yellow pine, 28 ins. diam., bears N. 45° W., 22 lks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR S2 | 4M 1969

from which

A Douglas fir, 10 ins. diam., bears N. 43° E., 42 lks. dist., mkd. 4M FAIR BT.

A yellow pine, 7 ins. diam., bears S. 74° W., 23 lks. dist., mkd. 4M FAIR BT.

Raise a mound of stone E. of the iron post.

Cor. is 4 lks. E. of a fence bearing N. and S.

2.

Remonumentation, W. Bdy., Fort Apache Indian Reservation T. 10 N., R. 15 E.

CHAINS

The $4\frac{1}{2}$ mile cor., monumented by a sandstone, 25 x 25 x 8 ins., set 6 ins. in the ground, mkd. WMIR WB $4\frac{1}{2}$ M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A yellow pine, 18 ins. diam., bears N. 30° E., 10 lks. dist., mkd. with an overgrown blaze.

A stump hole, with a rotted snag lying alongside, bears N. $48\frac{1}{2}^{\circ}$ W., 13 lks. dist., snag mkd. WMIR WB $4\frac{1}{2}$ M BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR | S2 | 4½M | 1969

from which

A Douglas fir, 10 ins. diam., bears S. 74° E., 105 lks. dist., mkd. $4\frac{1}{2}M$ FAIR BT.

A yellow pine, 17 ins. diam., bears S. 67° W., 29 lks. dist., mkd. $4\frac{1}{2}M$ BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is about 150 1ks. N. of Canyon Creek.

The 5 mile cor., monumented by a granite stone, $16 \times 12 \times 10$ ins., firmly set 6 ins. in the ground, mkd. with faint scribe mks. on E. face, from which the remains of the orig. bearing trees

An oak, 15 ins. diam., bears N. 19° E., 46 lks. dist., mkd. WMIR.

A dead yellow pine, 28 ins. diam., bears S. 59 $^{\circ}$ E., 65 lks. dist., mkd. WMIR WB 5M BT.

An oak, 18 ins. diam., bears S. 64° W., 64 1ks. dist., mkd. with an overgrown blaze.

A stump hole, with an uprooted yellow pine, 20 ins. diam., alongside, bears N. 52° W., 38 lks. dist., tree mkd. WMIR WB 5M BT.

At the cor. point

Set the iron post, 22 ins. in the ground, in a collar of stone, brass cap mkd.

T10N R15E FAIR S11 5M 1969

from which

CHAINS

A Douglas fir, 7 ins. diam., bears S. 31° E., 31 1ks. dist., mkd. 5M FAIR BT.

A Douglas fir, 7 ins. diam., bears N. 80° W., 47 lks. dist., mkd. 5M BT.

Bury the orig. cor. stone alongside the iron post.

Cor. is on a steep NE. slope, 15 lks. E. of a fence bearing N. and S. $\,$

The $5\frac{1}{2}$ mile cor., reestablished by record course and dist. from a remaining orig. bearing tree

No evidence found of a pine, bearing N. 34° E., 10 lks. dist., as called for in record.

A pine, 20 ins. diam., bears N. 89° W., 16 lks. dist., mkd. with an overgrown blaze. I cut into blaze and find scribe mks. $5\frac{1}{2}M$ BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | FAIR | S11 | 5½M | 1969

from which

A yellow pine, 12 ins. diam., bears S. 51° E., 62 lks. dist., mkd. $5\frac{1}{2}$ M FAIR BT.

Raise a mound of stone W. of the iron post.

Cor. is on a steep N. slope, 2 lks. W. of a fence bearing N. and S. $\,$

The 6 mile cor., monumented by a sandstone, $20 \times 20 \times 8$ ins., firmly set 10 ins. in the ground, mkd. WMIR WB 6M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A juniper, 24 ins. diam., bears N. 67° E., 66 lks. dist., mkd. WMIR WB 6M BT. (Note: record bearing and dist. N. 69° E., 61 lks.).

A yellow pine, 26 ins. diam., bears S. $67\frac{1}{2}$ ° E., 39 lks. dist., mkd. WMI 6M BT. (Note: record bearing and dist., S. 59° E., 37 lks.).

A stump, with a fallen oak tree, 12 ins. diam., alongside, bears S. 26° W., 100 lks. dist., mkd. with a rotted out blaze. (Note: record bearing and dist. S. 20° W., 103 lks.).

A yellow pine, 28 ins. diam., bears N. 82° W., 132 lks. dist., mkd. with an overgrown blaze. (Note: record bearing and dist. N. 85° W., 136 lks.).

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR | S14 | 6M | 1969

from which

A yellow pine, 8 ins. diam., bears S. 52° W., 75 lks. dist., mkd. 6M BT.

A yellow pine, 9 ins. diam., bears N. 55° W., 24 lks. dist., mkd. 6M BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 12 lks. W. of a fence bearing N. and S.

The $6\frac{1}{2}$ mile cor., monumented by a sandstone, 13 x 13 x 12 ins., firmly set 6 ins. in the ground, mkd. $6\frac{1}{2}$ M on E. face, from which the remains of the orig. bearing trees

An oak, 22 ins. diam., bears N. 15 $^{\circ}$ E., 112 lks. dist., mkd. with an overgrown blaze.

A cut-off pine stump, 38 ins. diam., bears S. 70° W., 12 lks. dist., no mks. (Note: record bearing S. 80° W.).

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR | S14 | 6½M | 1969

from which

A yellow pine, 7 ins. diam., bears S. 58° E., 40 lks. dist., mkd. $6\frac{1}{2}$ M FAIR BT.

A yellow pine, 7 ins. diam., bears N. 21° W., 59 lks. dist., mkd. $6\frac{1}{2}$ M BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 6 lks. E. of a fence bearing N. and S., and 20 lks. E. of a track road .

The 7 mile cor., monumented by a sandstone, 24 x 15 x 9 ins., set 7 ins. in the ground, mkd. WMIR WB 7M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A yellow pine, 20 ins. diam., bears N. 8° E., 64 lks. dist., mkd. WB 7M BT.

A rotted yellow pine stump, with a rotted log alongside, bears S. 85° E., 44 lks. dist., log mkd. B.

CHAINS

A yellow pine, 22 ins. diam., bears S. 23° E., 48 lks. dist., mkd. WMIR WB 7M BT.

A stump, with a rotted pine log alongside, bears N. 66° W., 5 lks. dist., log mkd. WMIR WB 7M BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR | S23 | 7M | 1969

from which

A yellow pine, 6 ins. diam., bears S. 32° W., 74 lks. dist., mkd. 7M BT.

A yellow pine, 4 ins. diam., bears N. 22° W., 51 lks. dist., mkd. X BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 8 1ks. E. of a fence bearing N. and S.

The $7\frac{1}{2}$ mile cor., monumented by a sandstone, $17 \times 12 \times 10$ ins., set 4 ins. in the ground, mkd. WB $7\frac{1}{2}$ M on the E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A rotted stump, with rotted pine long, 15 ins. diam., alongside, bears S. $77\frac{1}{2}^{\circ}$ E., 33 lks. dist., log mkd. WMIR 7 on bottom side.

A cut-off pine stump, 24 ins. diam., 6 ft. high, bears N. 69° W., 68 lks. dist., mkd. WMIR W $7\frac{1}{2}$ BT. (Note: record dist. 58 lks.).

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd .

T10N | R15E | FAIR | S23 | 7½M | 1969

from which

A yellow pine, 10 ins. diam., bears N. 8° E., 50 lks. dist., mkd. $7\frac{1}{2}$ M FAIR BT.

A yellow pine, 7 ins. diam., bears S. 41° W., 48 lks. dist., mkd. $7\frac{1}{2}M$ BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 62 lks. E. of a fence bearing N. and S.

CHAINS

The 8 mile cor., monumented by a fossiliferous stone, $18 \times 12 \times 11$ ins., lying loose on the ground, with a mound of stone to the W., verified by record course from the orig. bearing trees

A yellow pine, 25 ins. diam., bears N. 51° E., 136 lks. dist., mkd. with an overgrown blaze. (Note: record dist. 126 lks.).

A yellow pine, 30 ins. diam., bears S. 31° E., 82 lks. dist., mkd. with an overgrown blaze.

A yellow pine, 26 ins. diam., bears S. 27° W., 61 lks. dist., mkd. with a burned out blaze.

A yellow pine, 25 ins. diam., bears N. 87° W., 65 lks. dist., mkd. 8M BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR S26 | 8M . 1969

from which

A yellow pine, 7 ins. diam., bears N. 22° E., 65 lks. dist., mkd. 8M FAIR BT.

A yellow pine, 6 ins. diam., bears S. $70\frac{1}{2}^{\circ}$ E., 32 lks. dist., mkd. 8M FAIR BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 6 lks. E. of a fence bearing N. and S.

The $8\frac{1}{2}$ mile cor., monumented by a limestone, $18 \times 14 \times 10$ ins., lying loose on the ground, marked WMI, with mound of stone to the W., verified by record course and dist. from the orig. bearing trees

An oak, 26 ins. diam., bears N. 35° E., 44 lks. dist., mkd. with an overgrown blaze. (Note: record calls for a juniper.).

A yellow pine, 30 ins. diam., bears S. 62° E., 38 lks. dist., mkd. WMIR WB $8\frac{1}{2}M$ BT on cut out blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR | S26 | 8½M | 1969

from which

CHAINS

A yellow pine, 7 ins. diam., bears S. 14° W., 41 lks. dist., mkd. $8\frac{1}{2}M$ BT.

A yellow pine, 10 ins. diam., bears N. 52° W., 44 lks. dist., mkd. $8\frac{1}{2}M$ BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 23 1ks. W. of a fence bearing N. and S.

The 9 mile cor., monumented by a sandstone, $16 \times 14 \times 5$ ins., lying loose on the ground, mkd. WMIR WB 9M on one face, with mound of stone to the W., verified by record course and dist. from the remains of the orig. bearing

A stump hole, bears N. 27° E., 30 lks. dist.

A stump hole, with a rotted uprooted pine tree alongside, bears S. 84° E., 13 lks. dist., no mks. on tree.

An oak, 16 ins. diam., bears S. 46° W., 119 1ks. dist., mkd. with an overgrown blaze.

No evidence found of an oak, bearing N. 67° W., 50 lks. dist., as called for in record.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T10N | R15E | FAIR S35 | 9M 1969

from which

A yellow pine, 9 ins. diam., bears N. 44° E., 41 lks. dist., mkd. 9M FAIR BT.

A yellow pine, 9 ins. diam., bears S. 17° E., 84 lks. dist., mkd. 9M FAIR BT.

A yellow pine, 13 ins. diam., bears N. $17\frac{1}{2}^{\circ}$ W., $46\frac{1}{2}$ lks. dist., mkd. 9M BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 1 lk. E. of a fence bearing N. and S.

CHAINS

The $9\frac{1}{2}$ mile cor., monumented by a sandstone, 16 x 14 x 10 ins., set 5 ins. in the ground, mkd. WMIR WB $9\frac{1}{2}$ M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A yellow pine, 20 ins. diam., bears N. 6° W., 41 lks. dist., mkd. with an overgrown blaze.

A stump, with a fallen oak tree, 11 ins. diam., alongside, bears N. 45° W., 67 lks. dist., no mks. on tree.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap ${\rm mkd}{\hspace{0.1em}}.$

T10N | R15E | FAIR S35 | 9½M | 1969

from which

A yellow pine, 6 ins. diam., bears S. $57\frac{1}{2}^{\circ}$ E., 25 lks. dist., mkd. $9\frac{1}{2}$ M FAIR BT.

A yellow pine, 8 ins. diam., bears N. 81° W., 47 lks. dist., mkd $.9\frac{1}{2}M$ BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 20 lks. E. of a fence bearing N. and S., and about 3 chains W. of a bladed road .

CHAINS

Township 9 North, Range 15 East, G&SR M., Arizona

The west boundary of the Fort Apache Indian Reservation was surveyed in 1890 by J. C. Smith and a portion was retraced in 1938 by H. M. Muscott. The subdivisional lines were surveyed in 1910 by J. B. Wright.

Remonumentation, T. 9 N., R. 15 E., Arizona

The cor. of secs. 3, 4, 9 and 10, monumented by a quartzite stone, $15 \times 10 \times 7$ ins., firmly set 10 ins. in the ground, mkd. with 5 notches on S. face and 3 notches on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A pine, 24 ins. diam., bears N. $53\frac{1}{2}^{\circ}$ E., 35 lks. dist., mkd. with faint scribe mks. on a blaze.

A juniper, 22 ins. diam., bears S. $49\frac{1}{2}^{\circ}$ E., 70 lks. dist., mkd. T9N R15E S10 BT.

A rotted oak stump, with a fallen rotted tree alongside, bears S. 74° W., 10 lks. dist. Blazed portion of tree lying alongside mkd. T9N R15E S9 BT.

A rotted pine stump, with rotted log alongside, bears N. $78\frac{1}{2}^{\circ}$ W., 134 lks. dist., no mks.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E S 4 S 3 S 9 S10 1969

from which

A juniper, 9 ins. diam., bears S. 73° W., 44 lks. dist., mkd. T9N R15E S9 BT.

A yellow pine, 6 ins. diam., bears N. 73° W., 50 lks. dist., mkd. T9N R15E S4 BT.

Rebuild mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is on a gentle W. slope.

The $\frac{1}{4}$ sec. cor. of secs. 3 and 10, monumented by a sandstone, 16 x 12 x 8 ins., firmly set 8 ins. in the ground, mkd. $\frac{1}{4}$ on N. face, with mound of stone to N., from which the remaining orig. bearing tree

A juniper, 38 ins. diam., bears North, 10 1ks. dist., mkd. $\frac{1}{4}$ S3 BT.

No evidence found of a pine, bearing S. 10° E., 50 lks. dist., as called for in record.

At the cor. point

CHAINS

Set the iron post, 12 ins. in the ground, mound of stone to top, brass cap mkd.

T9N R15E $\frac{S}{4} = \frac{3}{S10}$ 1969

from which

A juniper, 50 ins. diam., bears S. 33° E., 98 lks. dist., mkd. T9N R15E $\frac{1}{4}$ S10 BT.

Rebuild the mound of stone N. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 2 chs. N. of Lost Tank Ridge Road.

The $\frac{1}{4}$ sec. cor. of secs. 21 and 28, monumented by a granite stone, 15 x 10 x 8 ins., firmly set 10 ins. in the ground, mkd. $\frac{1}{4}$ on N. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A pine snag, 26 ins. diam., 7 ft. high, bears S. 3° W., 88 lks. dist., mkd. with an overgrown blaze.

A pine, 24 ins. diam., bears N. 8° E., 75 lks. dist., mkd. with a charred blaze. (Note: record bearing N. 5° E.).

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E
1/4 S21
S28
1969

from which

A yellow pine, 11 ins. diam., bears S. 13° W., 21 lks. dist., mkd. T9N R15E $\frac{1}{4}$ S28 BT.

A yellow pine, 14 ins. diam., bears N. $57\frac{1}{2}^{\circ}$ W., 61 lks. dist., mkd. T9N R15E $\frac{1}{4}$ S21 BT.

Raise a mound of stone N. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on a steep E. slope.

The cor. of secs. 16, 17, 20 and 21, monumented by a syenite stone, $18 \times 10 \times 9$ ins., firmly set 10 ins. in the ground, in a mound of stone, mkd. with 3 notches on S. face and 4 notches on E. face, from which the remains of the orig. bearing trees

A yellow pine, 18 ins. diam., bears N. 80° E., 22 lks. dist., mkd. with a blaze, partly overgrown, and faint scribe mks.

An oak, 15 ins. diam., bears S. 22° E., 31 1ks. dist., mkd. R15E.

CHAINS

A yellow pine, 10 ins. diam., bears S. $19\frac{1}{2}^{\circ}$ W., 32 lks. dist., mkd. with a blaze, partly overgrown, and faint scribe mks.

A dead pine snag, 8 ins. diam., 10 ft. high, bears N. 46° W., 15 lks. dist., mkd. E S16 BT. (Note: record shows mkd. S17.).

At the cor. point

Set the iron post, 16 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E S17 S16 S20 S21 1969

from which

A juniper, 4 ins. diam., bears S. 43° E., $26\frac{1}{2}$ 1ks. dist., mkd. X BT.

An oak, 4 ins. diam., bears N. 33° W., $42\frac{1}{2}$ 1ks. dist., mkd. X BT.

Raise a mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on the S. edge of the top of a ridge bearing ${\tt E.}$ and ${\tt W.}$

The $\frac{1}{4}$ sec. cor. of secs. 16 and 21, monumented by a sandstone, 14 x 12 x 4 ins., firmly set 8 ins. in the ground, mkd. $\frac{1}{4}$ on N. face, from which the orig. bearing trees

A dead oak, 10 ins. diam., bears S. 14 $3/4^{\circ}$ E., 42 1ks. dist., mkd. $\frac{1}{4}$ S21 BT. (Note: record calls for a pine, 25 ins. diam., bears S. $14\frac{1}{2}^{\circ}$ E., 42 1ks.).

A dead oak, 14 ins. diam., bears N. 10° W., 30 1ks. dist., mkd. $\frac{1}{4}$ S16 BT. (Note: record bearing N. 12° W.).

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E

1/4 S16
S21
1969

from which

A pine, 3 ins. diam., bears S. 71 $3/4^{\circ}$ E., 43 1ks. dist., mkd. X BT.

A juniper, 25 ins. diam., bears N. 78° W., 21 lks. dist., mkd. T9N R15E $\frac{1}{4}$ S16 BT.

Set a steel Forest Service identification sign and a steel fence post alongside the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on a low spur, sloping S.

CHAIN

The cor. of secs. 4, 5, 8 and 9, monumented by a sandstone, $24 \times 10 \times 4$ ins., firmly set 8 ins. in the ground, in a collar of stone, mkd. with 5 notches on S. face and 4 notches on E. face, from which the remains of the orig. bearing trees

A pine stump, with a rotted log alongside, bears N. $56\frac{1}{4}$ ° E., 134 lks. dist., log mkd. T9N R15E S4 BT.

A rotted stump, with a rotted snag alongside, bears S. $85\frac{1}{2}$ ° E., 72 lks. dist., no mks.

A dead pine, 30 ins. diam., bears S. 70° W., 98 lks. dist., mkd. T9N R15E S8 BT.

A sawed-off pine stump, 24 ins. diam., bears N. 61° W., 68 lks. dist., no mks.

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E <u>\$5 | \$4</u> <u>\$8 | \$9</u> 1969

from which

A yellow pine, 10 ins. diam., bears N. 69° E., 36 lks. dist., mkd. T9N R15E S4 BT.

A juniper, 4 ins. diam., bears S. 16° E., 38 lks. dist., mkd. X BT.

A yellow pine, 12 ins. diam., bears S. 53° W., 47 lks. dist., mkd. T9N R15E S8 BT.

A yellow pine, 12 ins. diam., bears N. 40° W., 12 lks. dist., mkd. T9N R15E S5 BT.

Bury the orig. cor. stone alongside the iron post.

Cor. is in heavy pine timber on an E. slope.

The $\frac{1}{4}$ sec. cor. of secs. 17 and 18, monumented by a granite stone, 16 x 12 x 7 ins., firmly set 8 ins. in the ground, mkd. $\frac{1}{4}$ on W. face, with mound of stone to W.

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E

14
S18 | S17
1969

from which

A yellow pine, 12 ins. diam., bears S. 80° E., 76 lks. dist., mkd. T9N R15E $\frac{1}{4}$ S17 BT.

A yellow pine, 5 ins. diam., bears N. $58\frac{1}{2}^{\circ}$ W., 36 lks. dist., mkd. \(\frac{1}{4} \) S18 BT.

CHAINS

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

The cor. of secs. 7, 8, 17 and 18, monumented by a granite stone, $23 \times 12 \times 8$ ins., firmly set 8 ins. in the ground, in a mound of stone, mkd. with 5 notches on E. face and 4 notches on S. face, from which the orig. bearing trees

A juniper, 9 ins. diam., bears N. 33° E., 25 1ks. dist., mkd. T9N R15E S8 BT. (Note: record dist. 23 1ks.).

A dead juniper, 12 ins. diam., bears S. $42\frac{1}{2}$ ° E., 93 lks. dist., mkd. T9N R15E S17 BT.

A juniper, 35 ins. diam., bears S. 5° W., 37 lks. dist., mkd. T9N R15E S18 BT.
(Note: record dist. 39 lks.).

A juniper, 18 ins. diam., bears N. 12° W., 59 lks. dist., mkd. T9N R15E S7 BT.

At the cor. point

Set the iron post, 10 ins. in the ground to solid rock, mound of stone to top, brass cap mkd.

T9N R15E <u>S</u> 7 S 8 **S**18 S17 1969

from which

A juniper, 7 ins. diam., bears S. 56 $3/4^{\circ}$ E., 41 lks. dist., mkd. T9N R15E S17 BT.

Bury orig. cor. stone alongside the iron post.

Cor. is on a rocky S. slope.

The $\frac{1}{2}$ sec. cor. of secs. 8 and 17, monumented by a syenite stone, 12 x 12 x 8 ins., broken off at ground level, with base firmly set 8 ins. in the ground, with loose rock alongside mkd. $\frac{1}{2}$ on N., with mound of stone to the E., from which the orig. bearing trees

An oak, 16 ins. diam., bears S. 54° W., 15 lks. dist., mkd. with an overgrown blaze. (Note: record bearing S. 60° W.).

An oak, 23 ins. diam., bears N. 16½° W., 34 lks. dist., mkd. with an overgrown blaze. (Note: record bearing N. 30° W.).

At the cor. point

Set the iron post, 20 ins. in the ground, brass cap mkd.

T9N R15E S 8 S 17 1969

Remonumentation, T. 9 N., R. 15 E.

CHAINS

from which

A yellow pine, 10 ins. diam., bears S. 52° W., 27 lks. dist., mkd. T9N R15E ½ S17 BT.

A yellow pine, 10 ins. diam., bears N. 25° W., 47 lks. dist., mkd. T9N R15E ½ S8 BT.

Raise a mound of stone N. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is on an E. slope.

The $\frac{1}{4}$ sec. cor. of secs. 7 and 8, monumented by a granite stone, 20 x 12 x 10 ins., firmly set 12 ins. in the ground, mkd. $\frac{1}{4}$ on W. face, under a fence bearing N. and S., from which the remains of the orig. bearing trees

A rotted sawed-off pine stump, 30 ins. diam., bears S. 45° E., 91 lks. dist., no mks.

A pine, 36 ins. diam., bears N. 85° W., 73 lks. dist., mkd. $\frac{1}{4}$ S7 BT.

At the cor. point

Set the iron post, 20 ins. in the ground, brass cap mkd.

T9N R15E

\$\frac{1}{2}\$
S7 | S8

from which

A yellow pine, 9 ins. diam., bears S. 60° W., 22 lks. dist., mkd. T9N R15E $\frac{1}{4}$ S7 BT.

Bury the orig. cor. stone alongside the iron post.

Cor. is 115 lks. E. of a ranch road bearing irregularly N. and \mathbf{S} .

The witness sec. cor. of secs. 5, 6, 7 and 8, reestablished by record dist. from the remains of the orig. bearing trees

A sawed-off oak stump, 20 ins. diam., with a log alongside, bears S. 60° E., 89 lks. dist., log mkd. with an overgrown blaze, partly rotted out. I cut into blaze and find scribe mks. E S8 W.

A sawed-off oak stump, 18 ins. diam., bears S. 75° W., 100 lks. dist. No mks.
(Note: record bearing S. 85° W.).

A stump hole, bears N. 46° W., 131 1ks. dist.

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

		Remonumentation, 1. 9 N., R. 13 E.
	CHAINS	
		T9N_R15E
		<u>s6Îs5</u>
		S7 S8
		WC
		1969
		from which
		A yellow pine, 13 ins. diam., bears N. 76° E., 55 lks. dist., mkd. T9N R15E S5 WC BT.
		A yellow pine, 10 ins. diam., bears S. 15° W. 123 lks. dist., mkd. T9N R15E S7 WC BT.
		A yellow pine, 14 ins. diam., bears N. 67° W., 124 lks. dist., mkd. T9N R15E. S6 WC BT.
	·	Cor. is 40 lks. N. of Young-Heber Road, and S. 5° W., 52 lks. dist., from a fence cor., from which fences bear N. 25° E. and N. 55° W.
		The $\frac{1}{4}$ sec. cor. of secs. 5 and 8, monumented by a sandstone, 24 x 12 x 4 ins., firmly set 14 ins. in the ground, mkd. $\frac{1}{4}$ on N. face, with mound of stone to the N., from which the remains of the orig. bearing trees
		A dead oak snag, 8 ins. diam., bears S. 13° E., 23 lks. dist., mkd. with an overgrown blaze and faint scribe mks.
		A juniper, 32 ins. diam., bears N. 12° W., 106 lks. dist., mkd. 坛 S5 BT.
		At the cor. point
		Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.
		T9N R15E 1/4 S5 S8
į		1000

1969

from which

An oak, 12 ins. diam., bears S. 14° W., 66 lks. dist., mkd. $\frac{1}{4}$ S8 BT.

Rebuild the mound of stone N. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is in scattered timber on a SW. slope.

CHAINS

Remonumentation, W. Bdy., Fort Apache Indian Reservation, T. 9 N., R. 15 E., Arizona

The 10 mile cor., monumented by a sandstone, 13 x 13 x 12 ins., set 4 ins. in the ground, mkd. WMIR WB 10M on E. face, with mound of stone to the W., from which the orig. bearing trees

A pine, 20 ins. diam., bears S. 81° E., 70 1ks. dist., mkd. with an overgrown blaze.

A pine, 24 ins. diam., bears S. 36° E., 148 1ks. dist., mkd. with an overgrown blaze.

An oak, 15 ins. diam., bears S. 20° E., 72 1ks. dist., mkd. with an overgrown blaze.

A pine, 25 ins. diam., bears N. 1° W., 75 lks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E FAIR S2 10M 1969

from which

A yellow pine, 7 ins. diam., bears S. 60° W., 28 lks. dist., mkd. 10M BT.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 5 1ks. W. of a fence bearing N. and S.

The $10\frac{1}{2}$ mile cor., monumented by a sandstone, $20 \times 12 \times 8$ ins., lying loose on top of ground, mkd. WMIR WB $10\frac{1}{2}$ M, with mound of stone to the W., verified by record course and dist. from an original bearing tree

A yellow pine, 20 ins. diam., bears N. 16° E., 82 lks. dist., mkd. with an overgrown blaze.

No evidence found of a pine, 13 ins. diam., bearing S. $3\frac{1}{2}^{\circ}$ W., 83 lks. dist., as called for in record. It was removed by construction of a track road.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N | R15E | FAIR S2 | 10¹2M 1969

from which

CHAINS

A yellow pine, 18 ins. diam., bears S. 33° E., 114 lks. dist., mkd. $10\frac{1}{2}$ M FAIR BT.

A yellow pine, 10 ins. diam., bears N. 88° W., 103 lks. dist., mkd. $10\frac{1}{2}$ M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 4 lks. W. of a fence bearing N. and S., and 37 lks. E. of a track road bearing irregularly N. and S.

The 11 mile cor., monumented by a sandstone, $30 \times 10 \times 7$ ins., lying loose on ground, with mound of stone to the W., verified by record course and dist. from the orig. bearing trees

A yellow pine, 18 ins. diam., bears N. 7° E., 34 lks. dist., mkd. with an overgrown blaze.

A yellow pine, 17 ins. diam., bears S. 28° E., 16 lks. dist., mkd. with an overgrown blaze.

An alligator juniper, 28 ins. diam., bears S. 9° E., 19 lks. dist., mkd. WMIR WB 11 BT.

An oak, 17 ins. diam., bears N. 62° W., 9 1ks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N | FAIR | S11 | 11M | 1969

from which

A yellow pine, 8 ins. diam., bears S. $59\frac{1}{2}^{\circ}$ W., 67 lks. dist., mkd. 11M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 3 lks. W. of a fence bearing N. and S., and 30 lks. E. of a bladed road bearing N. and S.

The $11\frac{1}{2}$ mile cor., monumented by a sandstone, 15 x 12 x 8 ins., set 5 ins. in the ground, mkd. WB $11\frac{1}{2}$ M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A yellow pine, 22 ins. diam., bears S. $12\frac{1}{2}^{\circ}$ E., 411ks. dist., mkd. with an overgrown blaze.

A dead yellow pine, 23 ins. diam., bears N. 25° W., 85 lks. dist., mkd. with a rotted out blaze.

At the cor. point

CHAINS

Set the iron post, 14 ins. in the ground, mound of stone to top, brass cap mkd.

T9N | R15E | FAIR | S11 | 11½M | 1969

from which

A yellow pine, 13 ins. diam., bears N. 54° E., 32 lks. dist., mkd. $11\frac{1}{2}$ M FAIR BT.

A yellow pine, 10 ins. diam., bears N. 50° W., 66 lks. dist., mkd. $11\frac{1}{2}$ M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 60 lks. W. of a fence bearing N. and S.

The 12 mile cor., monumented by a sandstone, 12 x 10 x 8 ins., firmly set 6 ins. in the ground, mkd. WMIR WB 12M on E. face, with mound of stone to the W., from which the orig. bearing trees

An alligator juniper, 42 ins. diam., bears N. 47° E., 96 lks. dist., mkd. WMIR WB 12M BT.

An alligator juniper, 52 ins. diam., bears S. 12° E., 98 lks. dist., mkd. WMIR WB 12M BT.

An alligator juniper, 35 ins. diam., bears S. 35° W., 110 lks. dist., mkd. WMIR WB 12M BT.

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E FAIR S14 12M 1969

from which

A yellow pine, 8 ins. diam., bears S. 20° E., 55 lks. dist., mkd. 12M FAIR BT.

A yellow pine, 8 ins. diam., bears N. 37° W., 76 lks. dist., mkd. 12M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 9 lks. E. of a fence bearing N. and S., and $90~\mathrm{lks}$. W. of a bladed road bearing N. and S.

CHAINS

The $12\frac{1}{2}$ mile cor., monumented by a sandstone, $15 \times 13 \times 8$ ins., firmly set 4 ins. in the ground, mkd. WMIR WB $12\frac{1}{2}$ M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

An oak, 22 ins. diam., bears S. 79° E., 34 lks. dist., mkd. with an overgrown blaze. (Note: record dist. 33 lks.).

A dead pine stump, 20 ins. diam., with a decayed log alongside, bears S. $54\frac{1}{2}^{\circ}$ W., 38 lks. dist., log mkd. WMIR WB $12\frac{1}{2}$ BT. (Note: record dist. 35 lks.).

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T9N | R15E | FAIR | S14 | 12½M | 1969

from which

An alligator juniper, 6 ins. diam., bears S. 42° E., 29 lks. dist., mkd. 12½M FAIR BT.

An alligator juniper, 5 ins. diam., bears N. 80° W., 62 lks. dist., mkd. 12½M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 3 lks. E. of a fence bearing N. and S.

The 13 mile cor., monumented by a sandstone, $18 \times 16 \times 6$ ins., lying loose on the ground, mkd. WMIR WB 13M on one face, with mound of stone to the W., verified by record course and dist. from the remains of the orig. bearing trees

A forked oak, 12 ins. diam., bears N. 59° E., 120 lks. dist., mkd. with a rotted out blaze.

An alligator juniper, 38 ins. diam., bears S. 8° W., 171 lks. dist., mkd. with a blaze, partially overgrown, and scribe mks. WIR M BT.

A stump hole, with an uprooted yellow pine tree, 20 ins. diam., alongside, bears N. 38° W., 146 lks. dist., mkd. 13 BT.

A cut-off pine stump, 16 ins. diam., bears N. 4° W., 88 lks. dist., no mks.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N | R15E | FAIR S23 | 13M 1969

CHAINS

from which

A yellow pine, 8 ins. diam., bears S. $29\frac{1}{2}^{\circ}$ E., $25\frac{1}{2}$ 1ks. dist., mkd. 13M FAIR BT.

A yellow pine, 7 ins. diam., bears S. $84\frac{1}{2}^{\circ}$ W., 61 lks. dist., mkd. 13M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 3 lks. W. of a fence bearing N. and S.

The $13\frac{1}{2}$ mile cor., monumented by a sandstone, $14 \times 11 \times 10$ ins., set 3 ins. in the ground, mkd. WMIR $13\frac{1}{2}$, from which the orig. bearing trees

A juniper, 17 ins. diam., bears N. 70° E., 34 lks. dist., mkd. WMIR WB $13\frac{1}{2}$ M BT.

A juniper, 28 ins. diam., bears S. 60° W., 38 lks. dist., mkd. with a blaze, partially overgrown, and faint scribe mks.

(Note: record bearing S. 60° E.).

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N | R15E | FAIR S23 | 13½M 1969

from which

A yellow pine, 13 ins. diam., bears S. 32° E., 41 lks. dist., mkd. 13½M FAIR BT.

A yellow pine, 12 ins. diam., bears N. 33° W., 65 lks. dist., mkd. $13\frac{1}{2}M$ BT.

Raise a mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 1 lk. E. of a fence bearing N. and S.

The 14 mile cor., monumented by a sandstone, $14 \times 12 \times 12$ ins., firmly set 6 ins. in the ground, mkd. WB 14 on one face, with large mound of stone to the W., from which the orig. bearing trees

A yellow pine, 15 ins. diam., bears N. 43° E. 160 lks. dist., mkd. with an overgrown blaze. (Note: record dist. 140 lks.).

A juniper, 15 ins. diam., bears S. 69° E., 31 lks. dist., mkd. WMIR WB 14M BT.

A dead yellow pine, 17 ins. diam., bears S. 8° E., 202 lks. dist., mkd. WMIR WB 14M BT.

A dead yellow pine, 18 ins. diam., bears S. 11° W., 183 lks. dist., mkd. WMIR WB 14M BT.

CHAINS

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap $\ensuremath{\mathsf{mkd}}\xspace.$

T9N R15E FAIR S26 14M 1969

from which

A yellow pine, 8 ins. diam., bears N. 89° W., 36½ lks. dist., mkd. 14M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 7 lks. E. of a fence bearing N. and S.

The $14\frac{1}{2}$ mile cor., monumented by a sandstone, 16 x 15 x 8 ins., set 2 ins. in the ground, mkd. WB $14\frac{1}{2}$ M on one face, with mound of stone to the W., from which the remains of an orig. bearing tree

A stump hole, with an uprooted oak tree, 9 ins. diam., alongside, bears S. 5° E., 47 lks. dist., no mks.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap $\ensuremath{\mathsf{mkd}}\xspace.$

T9N | R15E | FAIR S26 | 14½M 1969

No new bearing trees available.

Rebuild the mound of stone W. of the iron post.

Raise a mound of stone E. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is in dense oak brush, on a steep S. slope, 12 $1 \mathrm{ks}$. W. of a fence.

The 15 mile cor., monumented by a flint stone, 20 x 18 x 12 ins., loosely set in ground, mkd. WMIR WB 15M on one face, with large mound of stone to the W., verified by record course and dist. from the remains of the orig. bearing trees

No evidence found of an oak, 13 ins. diam., bearing N. 9° E., 23 lks. dist., as called for in record.

An oak stump, 12 ins. diam., 4 ft. high, bears N. $41\frac{1}{2}^{\circ}$ E., 40 lks. dist., mkd. with a blaze, partially overgrown, and faint scribe mks.

An alligator juniper, 36 ins. diam., bears South, 30 lks. dist., mkd. WMIR WB 15M BT.

CHAINS

A stump hole, with an uprooted oak, 18 ins. diam., alongside, bears S. $56\frac{1}{2}^{\circ}$ W., 39 lks. dist., no mks. on tree.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T9N R15E FAIR S35 15M 1969

from which

A yellow pine, 12 ins. diam., bears N. 28° E., $44\frac{1}{2}$ 1ks. dist., mkd. 15M FAIR BT.

An oak, 9 ins. diam., bears N. 85° W., 28 1ks. dist., mkd. 15M BT.

Bury the orig. cor. stone alongside the iron post.

Cor. is 1 1k. E. of a fence bearing N. and S.

The $15\frac{1}{2}$ mile cor., monumented by a sandstone, $12 \times 12 \times 10$ ins., set 3 ins. in the ground, mkd. WMIR WB $15\frac{1}{2}$ M on top face, with mound of stone to the W., from which the remains of an orig. bearing tree

A rotted stump, bears N. 40° E., 31 lks. dist.,

No evidence found of an oak, 10 ins. diam., bearing S. 32° E., 64 lks. dist., as called for in record.

At the cor. point

Set the iron post, 22 ins. in the ground, in a collar of stone, brass cap $\ensuremath{\mathsf{mkd}}\xspace.$

T9N | R15E | FAIR S35 | 15½M 1969

from which

A juniper, 5 ins. diam., bears N. 42° E., 30 lks. dist., mkd. $15\frac{1}{2}M$ FAIR BT.

A juniper, 10 ins. diam., bears N. 73° W., 77 lks. dist., mkd. $15\frac{1}{2}$ M BT.

Bury orig. cor. stone alongside the iron post.

Cor. is 8 1ks. E. of a fence bearing N. and S.

23.

Remonumentation, W. Bdy., Fort Apache Indian Reservation T. 8 N., R. 15 E.

CHAINS

Township 8 North, Range 15 East, G&SRM., Arizona

The west boundary of the Fort Apache Indian Reservation was surveyed in 1890 by J. C. Smith.

Remonumentation, W. Bdy., Fort Apache Indian Reservation, T. 8 N., R. 15 E., Arizona

The 16 mile cor., monumented by a sandstone, $18 \times 12 \times 9$ ins., firmly set 7 ins. in the ground, mkd. WMIR WB 16M on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T8N | R15E | FAIR S2 | 16M 1969

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is in an open area, 6 lks. E. of a fence bearing N. and S.

The $16\frac{1}{2}$ mile cor., monumented by a sandstone, $20 \times 12 \times 9$ ins., set 8 ins. in the ground, mkd. WMIR WB $16\frac{1}{2}$ M on E. face, with mound of stone to the W., from which the orig. bearing trees

An oak, 18 ins. diam., bears N. 73° W., 18 lks. dist., mkd. with an overgrown blaze.

An oak, 18 ins. diam., bears N. 38° W., 6 1ks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T8N R15E FAIR S2 16½M 1969

from which

A juniper, 16 ins. diam., bears N. 69° E., 44 lks. dist., mkd. $16\frac{1}{2}$ M FAIR BT.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is in scattered scrub oak and juniper, 2 lks. E. of a fence bearing N. and S. $\,$

CHAINS

The 17 mile cor., monumented by a sandstone, $18 \times 16 \times 8$ ins., set 4 ins. in the ground, mkd. WMIR WB 17M on E. face, with large mound of stone to the W., from which the remains of the orig. bearing trees

No evidence found of a pine, 21 ins. diam., bearing N. 57° E., 108 lks. dist., as called for in record.

A yellow pine, 25 ins. diam., bears S. 64° E., 57 lks. dist., mkd. with an overgrown blaze.

A stump hole, with a decayed log alongside, bears S. 32° W., 61 lks. dist.

No evidence found of a pine, 19 ins. diam., bearing N. 5° W., 102 lks. dist., as called for in record.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T8N | R15E | FAIR S11 | 17M 1969

from which

A juniper, 10 ins. diam., bears N. 39° E., 38 lks. dist., mkd. 17M FAIR BT.

A yellow pine, 8 ins. diam., bears S. 49° W., 32 1ks. dist., mkd. 17M BT.

A yellow pine, 20 ins. diam., bears N. 43° W., 101 lks. dist., mkd. 17M BT.

Bury orig. cor. stone alongside the iron post.

Cor. is 3 lks. E. of a fence bearing N. and S.

The $17\frac{1}{2}$ mile cor., monumented by a sandstone, $3 \times 2\frac{1}{2} \times 2$ ft., above ground, faintly mkd. with an X and scribe mks. WMIR WB $17\frac{1}{2}$ on top, with mound of stone to the W.

At the cor. point

Set the iron post, 22 ins. in the ground, brass cap mkd.

T8N | R15E | FAIR S11 | 17½M 1969

from which

A rock in place, $4 \times 3 \times 1$ ft., above ground, bears S. 65° W., 44 lks. dist., mkd. X BO on high point.

A rock in place, 12 x 6 x 6 ft., above ground, bears N. 32° W., 31 lks. dist., mkd. X BO on high point.

Leave the original mound of stone W. of the cor. and raise a mound of stone E. of the iron post.

Bury orig. cor. stone in the mound of stone ${\bf E}.$ of the iron post.

CHAINS

Cor. is on a N. slope in scattered scrub oak, about 6 chs. N. of a canyon draining NE., and 6 lks. E. of a fence bearing N. and S.

The 18 mile cor., monumented by a sandstone, 16 x 12 x 6 ins., firmly set 6 ins. in the ground, mkd. WMIR WB 18M on E. face, with large mound of stone to the W., from which the orig. bearing trees

An oak, 18 ins. diam., bears S. $70\frac{1}{2}^{\circ}$ E., 80 1ks. dist., mkd. with an overgrown blaze. (Note: record bearing S. $70\frac{1}{2}^{\circ}$ W.).

A dead oak, 19 ins. diam., bears S. 5° E., 71 lks. dist., mkd. with an overgrown blaze.

An oak, 15 ins. diam., bears S. 52° W., 44 1ks. dist., mkd. with an overgrown blaze.

A dead oak, 15 ins. diam., bears N. 20° W., 55 1ks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T8N | R15E | FAIR S14 | 18M 1969

from which

An alligator juniper, 8 ins. diam., bears N. 53° E., 20 lks. dist., mkd. 18M FAIR BT.

An alligator juniper, 7 ins. diam., bears West, 49 lks. dist., mkd. 18M BT.

Bury orig. cor. stone alongside the iron post.

Cor. is in dense juniper, 7 lks. E. of a fence bearing N. and S. $\,$

The $18\frac{1}{2}$ mile cor., monumented by a sandstone, 16 x 15 x 12 ins., firmly set 8 ins. in the ground, mkd. WMIR WB $18\frac{1}{2}$ M, with mound of stone to the W., from which the orig. bearing trees

An oak, 15 ins. diam., bears S. 5° W., 51 1ks. dist., mkd. with an overgrown blaze. (Note: record bearing S. 5° E.).

A juniper, 25 ins. diam., bears S. 75° W., 63 1ks. dist., mkd. with an overgrown blaze. (Note: record bearing S. 75° E.).

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T8N | R15E | FAIR S14 | 18½M 1969

CHAINS

No new bearing trees available.

Bury orig. cor. stone alongside the iron post.

The 19 mile cor., monumented by a sandstone, 20 x 20 x 8 ins., set 4 ins. in the ground, mkd. WMIR WB 19M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

An oak snag, 14 ins. diam., bears N. 77° E., 84 lks. dist., mkd. with an overgrown blaze.

A yellow pine, 22 ins. diam., bears S. $12\frac{1}{2}^{\circ}$ W., 80 lks. dist., mkd. with an overgrown blaze.

A yellow pine, 25 ins. diam., bears N. 87° W., 151 lks. dist., mkd. with an overgrown blaze.

A rotted stump, with a decayed log alongside, bears N. 3° W., 32 lks. dist., log mkd. WMIR WB 19M BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T8N | R15E | FAIR S23 | 19M 1969

from which

A yellow pine, 12 ins. diam., bears N. 75° E., 16 lks. dist., mkd. 19M FAIR BT.

An alligator juniper, 7 ins. diam., bears N. 13° W., 44 lks. dist., mkd. 17M BT.

Bury orig. cor. stone alongside the iron post.

Cor. is 3 lks. E. of a fence bearing irregularly N. and S.

The $19\frac{1}{2}$ mile cor., monumented by a sandstone, $26 \times 10 \times 8$ ins., lying loose on the ground, mkd. WMIR WB $19\frac{1}{2}$ M on top face, verified by record course and dist. from the orig. bearing tree

An alligator juniper, 28 ins. diam., bears N. 23° E., 20 lks. dist., mkd. WMIR WB $19\frac{1}{2}M$.

At the cor. point

Set the iron post, 20 ins. in the ground, brass cap mkd.

T8N R15E FAIR S23 19¹2M

1969

CHAINS

from which

An alligator juniper, 8 ins. diam., bears S. 32° E., $28\frac{1}{2}$ 1ks. dist., mkd. $19\frac{1}{2}$ M FAIR BT.

A juniper, 7 ins. diam., bears S. 44° W., $44\frac{1}{2}$ 1ks. dist., mkd. 19M BT.

Bury orig. cor. stone alongside the iron post. Set a steel post alongside the iron post. Cor. is 4 lks. W. of a fence bearing N. and S.

The 20 mile cor., monumented by a sandstone, $18 \times 17 \times 7$ ins., lying loose on the ground, mkd. WMIR WB 20M, with large mound of stone to the W., verified by record course and dist. from the remains of the orig. bearing trees

A stump, with a decayed oak snag, 16 ins. diam., alongside, bears S. 22° E., 90 lks. dist., no mks.

An oak, 12 ins. diam., bears S. 67° W., 50 1ks. dist., mkd. with an overgrown blaze.

A stump hole, with an uprooted dead oak tree, 8 ins. diam., lying alongside, bears N. 64° W., 98 lks. dist., tree mkd. with an overgrown blaze.

A stump hole, with an uprooted dead oak tree, 18 ins. diam., lying alongside, bears N. 33° W., 126 lks. dist., no mks.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T8N R15E FAIR S26 20M 1969

from which

An alligator juniper, 10 ins. diam., bears S. 65° E., 27 lks. dist., mkd. 20M FAIR BT.

An alligator juniper, 12 ins. diam., bears S. 85° W., 88 lks. dist., mkd. 20M BT.

Rebuild large mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 9 lks. W. of a fence bearing N. and S.

The $20\frac{1}{2}$ mile cor., monumented by a sandstone, $20 \times 10 \times 10$ ins., set 8 ins. in the ground, mkd. WMIR WB $20\frac{1}{2}$ M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

An oak, 15 ins. diam., bears N. 40° E., 9 lks. dist., mkd. with an overgrown blaze. (Note: record bearing N. 4° E.).

A stump hole, bears S. 14° W., 275 1ks. dist.

CHAINS

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T8N | R15E | FAIR S26 | 20½M 1969

from which

A pinon, 6 ins. diam., bears S. 48° E., 29 lks. dist., mkd. $20\frac{1}{2}M$ FAIR BT.

A pinon, 10 ins. diam., bears S. 45° W., 55 1ks. dist., mkd. $20\frac{1}{2}$ M BT.

Bury orig. cor. stone alongside the iron post.

Cor. is on a steep S. slope, 4 lks. W. of a fence bearing N. and S. $\,$

B00K 4886

Form 9180-8 (March 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
William Roach	Fire Control Aid
(U. S. Forest Service	employee)
	,
,	
	·

CERTIFICATE OF SURVEY

(I) (Wex). John H. Witmer , HEREBY

CERTIFY upon honor that, in pursuance of special instructions bearing date of the 1st day

of July , 1969 , (I) (Mex) have remonumented a portion of the cadastral survey corners of the West Boundary of the Fort Apache Indian Reservation in Townships 10, 9 and 8 North, Range 15 East, and a portion of the cadastral survey corners in Township 9 North, Range 15 East,

of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by (me), (MEX) and under (my) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

October 1, 1969
(Date)

(Cadastral Surveyor)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL

Date _____ FEB 1 8 1970

BUREAU OF LAND MANAGEMENT Washington, D.C.

The foregoing field notes of the remonumentation of a portion of the cadastral survey corners of the West Boundary of the Fort Apache Indian Reservation in Townships 10, 9 and 8 North, Range 15 East, and a portion of the cadastral survey corners in Township 9 North, Range 15 East, all of the Gila and Salt River Meridian, Arizona, executed by John H. Witmer, Cadastral Surveyor,

having been critically examined and found correct, are hereby approved.

JUN 2 1971

(Date)

(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIF: That the foregoing tran	script of the field notes of the above-described surveys in
	is a rive copy of the original field notes.
,	
(Date)	(Chief, Division of Cadastral Survey) GPO 849-626