B00K 4904

Form 9180-6 (April 1965) (formerly 4-679)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE
DEPENDENT RESURVEY
OF THE
SOUTH BOUNDARY
AND
SUBDIVISIONAL LINES
AND
SURVEY
OF
SUBDIVISIONS IN SECTION 31,
TOWNSHIP 12 SOUTH, RANGE 30 EAST
•
Of theGila and Salt RiverMeridian,
In the State of
EXECUTED BY
Gary T. Oviatt Cadastral Surveyor
·
VI 1 November 20
Under special instructions dated November 20 , 19 68 , which provided for the surveys
included under Group Number 465, approved November 21, 1968,
and assignment instructions dated <u>November 21</u> , 19 <u>68</u> .
Survey command December 11 10 69

Survey completed ____February 18 ____, 19 __69

B 0 0 K 4 9 0 4

INDEX DIAGRAM

Town	iship <u>12</u>	South	, Range _	30 East	· ,
6	46 5	36 4	29 8	22 2	14 1
46	45	36	29	21	13
7	44 8	35 9	28 10	20 11	12 12
44	43	34	27	19	11
18	43 17	34 16	27 15	19 14	10 ¹³
42	41	33	26	18	10
19	41 20	33 21	25 22	17 23	9 24
40	40	32	25	17	8
30	39 29	31 ²⁸	24 27	16 26	7 25
38	38	31	23	16	7
31	37 32	30 33	22 84	15 35	6 36
5	4	4	3	2	1

Subdivision Sec. 31 ---- Page 47

Township 12 South, Range 30 East Gila and Salt River Meridian, Arizona

CHAINS

The south boundary was surveyed in 1883 by R. C. Powers. The south boundary was retraced and the east, west and north boundaries were surveyed in 1884 by L. Wolfley. The subdivisional lines were surveyed in 1885 by J. C. Smith. The east boundary was resurveyed in 1922 by F. W. Chapin. The west boundary was resurveyed in 1963 by Paul Bauer.

The north boundary was resurveyed concurrently under this same group, by Oviatt. The record thereof is included in the field notes of T. 11 \mathbf{S} ., R. 30 \mathbf{E} .

The following notes are those of a dependent resurvey of the south boundary and the subdivisional lines, designed to restore the corners in their true original location according to the best available evidence, and a survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona.

This survey was executed in accordance with the Specifications as set forth in the Manual of Surveying Instructions, 1947, and Special Instructions dated November 20, 1968.

Only the true line bearings and horizontal distances for the surveyed lines are given in these field notes. Unless described, each corner was monumented with a standard iron post, 30 inches long, $2\frac{1}{2}$ inches in diameter, flanged at the base and with a brass cap riveted to the top.

The geographic position of the southeast corner of the township as determined by traverse from USFS Triangulation Station ORANGE BUTTE, located in section 1, is: Latitude 32°20'14" North and Longitude 109°13'39" W.

The mean magnetic declination was found to be: 13° East.

Dependent Resurvey, South Boundary Township 12 South, Range 30 East

Reestablishment of the **S**urvey executed by R. C. Powers in 1883

Beginning at the cor. of Tps. 12 and 13 S., Rs. 30 and 31 E., monumented by an iron post 3 ins. diam., projecting 11 ins. above the ground, brass cap mkd.

T12S R30E R31E S36 S31 S 1 S 6 T13S 1922

The cor. is located under a fence bearing N. and S.

N. 89°04' W., bet. secs. 1 and 36.

Over gently rolling land, through moderate undergrowth.

	Dep. Res., South Boundary, T. 12 S., R. 30 E.
CHAINS	
32.30	Wash, 40 1ks. wide, 2 ft. deep, drains SW.
40.02	Point for the ½ sec. cor. of secs. 1 and 36, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12 S R30E
	T13 S 1969
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
	The cor. is located 10 lks. N. of a wash, 5 lks. wide, l ft. deep, drains S W.
52.70	Wash, 10 lks. wide, 4 ft. deep, drains S. 30° W.
75.90	Wash, 20 lks. wide, 1 ft. deep, drains S W.
80.04	Point for the cor. of secs. 1, 2, 35 and 36, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12 S R30E S35 S36 S 2 S 1 T13S 1969
	Set a wooden post, 3 \times 4 ins. squared, 4 ft. long, alongside the iron post.
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cat claw and grass.
	N. 89°04' W., bet. secs. 2 and 35.
	Over gently rolling land, through moderate undergrowth.
2.80	Jeep road, bears N. and S.
17.20	Top of ridge, bears SE. and NW.
34.30	Wash, 7 lks. wide, 1 ft. deep, drains S.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 2 S35 T13S 1969

Dep.	Res.,	S outh	Boundary,	т.	12	S.,	R.	30	Ε.
------	-------	---------------	-----------	----	----	-----	----	----	----

	Dep. Res., South Boundary, 1. 12 S., R. 30 E.
CHAINS	
	Set a wooden post, 4 ins. square, 5 ft. long, alongside the iron post.
44.00	Wash, 15 lks. wide, 2 ft. deep, drains SE.
77.90	Center of San Simon River, 200 lks. wide, with 15 ft. banks, drains N. 5° W., from SE.
80.04	Point for the cor. of secs. 2, 3, 34 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E S34 S35 S 3 S 2 T13S 1968
	Set a wooden post, 2 x 4 ins. squared, 5 ft. long, along-side the iron post.
	Land, gently rolling to nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cat claw and grass.
	N. 89°04' W., bet. secs. 3 and 34.
	Over nearly level land, through moderate undergrowth.
40.02	Point for the ½ sec. cor. of secs. 3 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	$\frac{1}{4} \frac{\text{S}34}{\text{S}3}$
	T13 S
	1968
	Set a wooden post, 2 x 4 ins. squared, $4\frac{1}{2}$ ft. long, alongside the iron post.
79.15	Fence, bears N. and S.
80.04	Point for the cor. of secs. 3, 4, 33 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E S33 S34 S 4 S 3 T13S
	1968
	from which
	A fence cor., bears S. 20° E., 2.58 chs. dist.; fences bear N. and S. 60° E.

Dep. Res., South Boundary, T. 12 S., R. 30 E.

	·	Bep. Res., Bouth Boundary, 1. 1- B., R. 30 2.
	CHAINS	
		S et a wooden post, 4 ins. square, $3\frac{1}{2}$ ft. long, alongside the iron post.
		Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cat claw and grass.
		N. 89°04' W., bet. secs. 4 and 33.
		Over nearly level land, through moderate undergrowth.
i	38.74	Fence, bears N. and S.
	38.90	Track road, bears N. and S.
	40.02	Point for the ½ sec. cor. of secs. 4 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 22 ins. in the ground, brass cap mkd.
		T12S R30E
		½ <u>\$33</u> S 4
İ		T13S
İ		1968
		Set a wooden post, 3 ins. square, 4 ft. long, alongside the iron post.
		The cor. is located 128 lks. W. of a N. and S. fence.
	80.04	The cor. of secs. 4, 5, 32 and 33, monumented by an iron post $2\frac{1}{2}$ ins. diam., projecting 10 ins. above the ground, brass cap mkd.
		T12S R30E S32 S33 S 5 S 4 T13S 1963
		Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cat claw and grass.
		S. 89°47' W., bet. secs. 5 and 32.
		Over nearly level land, through moderate undergrowth.
	40.01	Point for the ½ sec. cor. of secs. 5 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 22 ins. in the ground, brass cap mkd.
		T12S R30E
		$\frac{1}{4} \frac{\text{S}32}{\text{S}.5}$
		T13S
		1968

Dep.	Res.,	South	Boundary,	т.	12	S.,	R.	30	Ε.
------	-------	-------	-----------	----	----	-----	----	----	----

	Dep. Res., South Boundary, T. 12 S., R. 30 E.
CHAINS	
,	Set a wooden post, 2×3 ins. squared, 4 ft. long , alongside the iron post.
80.01	Point for the cor. of secs. 5, 6, 31 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	<u>\$31</u> <u>\$32</u>
	S 6 S 5 T13S
	1968
	Set a wooden post, 4 ins. square, 5 ft. long, alongside the iron post.
	Land, nearly level.
	Soil, sandy clay loam.
	No timber; Undergrowth, cat claw and grass.
	S. 89°47' W., bet. secs. 6 and 31.
	Over nearly level land, through moderate undergrowth.
1.40	Wash, 15 lks. wide, 2 ft. deep, drains S. 60° W.
11.20	Wash, 30 lks. wide, 1 ft. deep, drains NW.
14.50	Track road, bears S. 60° E. and N. 60° W.
38.40	Track road, bears E. and N. 80° W.
40.01	Point for the ½ sec. cor. of secs. 6 and 31, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 表 <u>S31</u> S 6
	T13 S 1968
	Set a wooden post, 4 ins. square, 5 ft. long, alongside the iron post.
77.30	Center of a circular catch pond.
78.10	Dyke on W. side of pond, bears N. 10° E. and S. 10° W.
78.51	The cor. of Tps. 12 and 13 S., Rs. 29 and 30 E., monumented by an iron post $2\frac{1}{2}$ ins. diam., projecting 16 ins. above the ground, brass cap mkd.
	T12S R29E R30E <u>S36 S31</u> S 1 S 6 T13S 1963

Dep. Res., South Boundary, T. 12 S., R. 30 E.

	Dep. Rest, 200000
CHAINS	The cor. is located under a fence bearing N. and S.
	Land, nearly level.
	Soil, clay loam. No timber; Undergrowth, scattered cat claw and grass.
	No Elmber, ondergrowen, reasons as
*	Dependent Resurvey, S ubdivisional Lines
	Township 12 South, Range 30 East
	Reestablishment of the S urvey executed by J. C. S mith in 1885
	From the cor. of secs. 1, 2, 35 and 36, on the S . bdy. of the Tp.
	N. 0°21' W., bet. secs. 35 and 36.
	Over rolling land, through moderate undergrowth.
32.30	Wash, 10 1ks. wide, 2 ft. deep, drains SW.
38.61	The ½ sec. cor. of secs. 35 and 36, as determined from a wooden stake, 1 x 1 x 18 ins. long, projecting 12 ins. above the ground, orig. set in a pit 5½ ft. North of the cor.; there is no evidence of the mkd. stone.
	At the corner point
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12 S R30E
	\$35 \sum \frac{7}{836} 1969
?	Bury the wooden stake and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
	N. 0°34' E., beginning new measurement.
	Over rolling land.
25.70	Wash, 30 lks. wide, 2 ft. deep, drains S. 80° W.
30.80	Wash, 20 1ks. wide, 1 ft. deep, drains S. 70° W.
40.87	The cor. of secs. 25, 26, 35 and 36, monumented by a malpais stone, $10 \times 7 \times 5$ ins., set 3 ins. in the ground mkd. with 1 notch on E. and S. faces.
	At the corner point
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	\$26 \ \begin{aligned} \frac{\firec{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\firec{\frac{\frac{\firec{\frac{\frac{\frac{\frac{\firket{\frac{\fir}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}\f{\fir}}}}{\frac{\frac{\frac{\frac{\frac{\fin}{\frac{\frac{\frac{\f{\firki}}}}{\firan{\frac{\firac{\firket{\frac{\fir\f{\frac{\fir}{\f

	Dep.	Res	Subdivisional	Lines,	Т.	12	S.,	R.	30	Ε.
--	------	-----	---------------	--------	----	----	-----	----	----	----

	Bep. Res., Bushivisioner Brief, 1, 1- 8,, 11, 2-2,
CHAINS	
	Bury the orig. cor. stone and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
	Land, rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 25 and 36 only, on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., projecting 10 ins. above the ground, brass cap mkd.
	$T12S$ $R30E$ $R31E$ $\frac{S25}{S36}$ $S31$ 1922
	The cor. is located under a fence bearing N. and S.
	s . 89°19' W., bet. secs. 25 and 36.
	Over gently rolling land, through moderate undergrowth.
12.40	Wash, 30 lks. wide, 2 ft. deep, drains \mathbf{S} . 60° W.
38.91	The $\frac{1}{4}$ sec. cor. of secs. 25 and 36, monumented by a malpais stone, 8 x 6 x 4 ins., set 3 ins. in the ground, mkd. $\frac{1}{4}$ on N. face.
	At the corner point
	${f s}$ et the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 2 S25 S36 1969
	Bury the orig. cor. stone and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
	N. 88°41' W., beginning new measurement.
	Over gently rolling land.
18.50	Wash, 40 lks. wide, 2 ft. deep, drains S. 20° W.
41.47	The cor. of secs. 25, 26, 35 and 36.
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 0°30' E., bet. secs. 25 and 26.

Over nearly level land, through moderate undergrowth.

		20p. 2001, 011 11 11 11 11 11 11 11 11 11 11 11 11
	CHAINS	
	18.30	Wash, 30 lks. wide, 1 ft. deep, drains W.
	40.07	Point for the ½ sec. cor. of secs. 25 and 26, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S_R30E
		\$26 \$25 1969
		Set a wooden post, 3 ins. square, 4 ft. long, alongside the iron post.
	80.14	Point for the cor. of secs. 23, 24, 25 and 26, at proportionate dist.; there is no remaining evidence of the orig. cor.
		T12S R30E S23 S24 S26 S25 1969
		Set a wooden post, 4 ins. square, 5 ft. long, alongside the iron post.
		Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		From the cor. of secs. 24 and 25 only, on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., projecting 10 ins. above the ground, brass cap mkd.
		T12S T12S
		R30E R31E <u>S24</u> S25
		S25 1922
		The cor. is located under a fence bearing N. and S.
-		N. 89°43' W., bet. secs. 24 and 25.
		Over nearly level land, through moderate undergrowth.
	25.90	Wash, 30 1ks. wide, 1 ft. deep, drains SW.
	40.11	Point for the ½ sec. cor. of secs. 24 and 25, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E 2 S24 S25 1969

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

	bep. Res., Basarvisional Bines, 1. 12 5., R. 30 L.							
CHAINS								
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.							
80.22	The cor. of secs. 23, 24, 25 and 26.							
	Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.							
	N. 0°12' E., bet. secs. 23 and 24.							
,	Over nearly level land, through moderate undergrowth.							
40.07	The $\frac{1}{4}$ sec. cor. of secs. 23 and 24, monumented by a malpais stone, 12 x 6 x 5 ins., set 3 ins. in the ground, mkd. $\frac{1}{4}$ on W. face, mound of stone W.							
	At the corner point							
	Set the iron post 24 ins. in the ground, brass cap mkd.							
	T12S R30E							
	\$23 \$24 1969							
	Bury the orig. cor. stone alongside the iron post.							
	Raise a mound of stone W. of the corner.							
	N. 0°01' W., beginning new measurement.							
	Over nearly level land.							
40.11	The cor. of secs. 13, 14, 23 and 24, monumented by a malpais stone, $12 \times 9 \times 6$ ins., set 4 ins. in the ground, mkd. with 1 notch on E. and 3 notches on S. faces, mound of stone W.							
	At the corner point							
	Set the iron post 24 ins. in the ground, brass cap mkd.							
	T12S R30E							
	$\begin{array}{c c} \underline{\mathbf{S}14} & \underline{\mathbf{S}13} \\ \underline{\mathbf{S}23} & \underline{\mathbf{S}24} \end{array}$							
	1969							
	Bury the orig. cor. stone alongside the iron post.							
	Raise a mound of stone W. of the corner.							
	Land, nearly level. Soil, sandy and rocky clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.							

_										
	CHAINS									
		From the cor. of secs. 13 and 24 only, on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., projecting 10 ins. above the ground, brass cap mkd.								
		T12S T12S R30E R31E S13 S24 S19								
		1922								
		The cor. is located under a fence bearing N. and S.								
		N. 89°45' W , bet. secs. 13 and 24.								
		Over gently rolling land, through moderate undergrowth.								
	18.20	Track road, bears SE. and NW.								
	30.00	Fence, bears S. 62½° E. and N. 62½° W.								
	40.21	The $\frac{1}{4}$ sec. cor. of secs. 13 and 24, as determined from a wooden stake, 1 x 2 x 15 ins., set 12 ins. in the ground, orig. set in a pit $5\frac{1}{2}$ ft. East of the cor.; there is no evidence of the mkd. stone.								
		At the corner point								
		Set the iron post 24 ins. in the ground, brass cap mkd.								
		T12S R30E 2 S13 S24								
		1969								
		Bury the wooden stake and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.								
		N. 89°42' W., beginning new measurement.								
		Over gently rolling land.								
	40.35	The cor. of secs. 13, 14, 23 and 24.								
	10.33									
		Land, gently rolling. Soil, sandy and rocky clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.								
	•	N. 1°07' W., bet. secs. 13 and 14.								
		Over gently rolling land, through moderate undergrowth.								
	0.80	Wash, 60 1ks. wide, 2 ft. deep, drains SW.								
	40.72	The $\frac{1}{4}$ sec. cor. of secs. 13 and 14, monumented by a malpais stone, 10 x 10 x 5 ins., set 4 ins. in the ground, mkd. $\frac{1}{4}$ on W. face.								
		At the corner point								
	I	, I								

	Dep. Res., Subdivisional Lines, 1. 12 5., R. 30 E.							
CHAINS								
	Set the iron post 24 ins. in the ground, brass cap mkd.							
	T12S R30E							
	\$14 \$13 1969							
	Bury the orig. cor. stone and set a wooden post, 2×4 ins. squared, 3 ft. long, alongside the iron post.							
,	The cor. is located 134 lks. south of a fence bearing S. $62\frac{1}{2}^{\circ}$ E. and N. $62\frac{1}{2}^{\circ}$ W.							
	N. 0°11' E., beginning new measurement.							
	Over gently rolling land.							
1.34	Fence, bears S. $62\frac{1}{2}^{\circ}$ E. and N. $62\frac{1}{2}^{\circ}$ W.							
7.20	Wash, 20 1ks. wide, 1 ft. deep, drains W.							
29.00	Wash, 30 1ks. wide, 1 ft. deep, drains W.							
37.10	Track road, bears S . 50° E. and N. 50° W.							
40.25								
	At the corner point							
	Set the iron post 22 ins. in the ground, brass cap mkd.							
	T12S R30E S11 S12 S14 S13 1969							
	from which							
	center of a circular stock tank, bears S . 82°16' W., 18.57 chs. dist.							
	Bury the orig. cor. stone alongside the iron post.							
	Raise a mound of stone W. of the corner.							
	Land, gently rolling. Soil, rocky and sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.							
	From the cor. of secs. 12 and 13 only, on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., projecting 18 ins. above the ground in a mound of stone, brass cap mkd.							
	T12S T12S R30E R31E S12 S18 1922							

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

 	bep. Res., Subdivisional Lines, 1. 12 b., R. 30 L.								
CHAINS									
	N. 88°48' W., bet. secs. 12 and 13.								
	Over gently rolling land, through moderate undergrowth.								
11.60	Fence, bears N. 35° E. and S. 35° W.								
18.10	Jeep road, bears S. 60° E. and N. 60° W.								
23.10	Wash, 30 1ks. wide, 1 ft. deep, drains SW.								
31.50	Wash, 50 1ks. wide, 1 ft. deep, drains N. 70° W.								
34.60	Same wash, drains SW.								
41.61	The ½ sec. cor. of secs. 12 and 13, monumented by a malpais stone, 12 x 6 x 5 ins., set 3 ins. in the ground, mkd. ½ on N. face, mound of stone N.								
	At the corner point								
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.								
	T12S_R30E								
	$\frac{1}{4} \frac{\mathbf{S}12}{\mathbf{S}13}$								
	1969								
	Bury the orig. cor. stone alongside the iron post.								
	Raise a mound of stone N. of the corner.								
	N. 89°15' W., beginning new measurement.								
	Over gently rolling land.								
40.12	The cor. of secs. 11, 12, 13 and 14.								
	Land, gently rolling. Soil, rocky and sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.								
	N. 0°17' W., bet. secs. 11 and 12.								
	Over gently rolling land, through moderate undergrowth.								
8.50	Wash, 10 lks. wide, 1 ft. deep, drains W.								
25.30	Wash, 10 lks. wide, 1 ft. deep, drains S. 30° W.								
39.60	Jeep road, bears S. 60° E. and N. 60° W.								
40.15	The ½ sec. cor. of secs. 11 and 12, monumented by a malpais stone, 10 x 8 x 4 ins., set 4 ins. in the ground, mkd. ½ on W. face, mound of stone W.								
	At the corner point								
	Set the iron post 22 ins. in the ground, brass cap mkd.								
	T12S_R30E								
	\$11 \$12 1969								
	1								

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

	Dep. Res., Subdivisional Lines, 1. 12 S., R. 30 E.							
CHAINS								
	Bury the orig. cor. stone alongside the iron post.							
	Raise a mound of stone W. of the corner.							
,	N. 1°12' E., beginning new measurement.							
	Over gently rolling land.							
8.00	Ascend SW. slope of Orange Butte Mountain, bears SE. and NW.							
40.53	The cor. of secs. 1, 2, 11 and 12, monumented by a granite boulder in place, 4 x 3 x 3 ft. above the ground, mkd. with 1 notch on E. and 5 notches on S. faces, unable to locate cross. I accepted the center top of the rock in place, mk. an X on top; not remonumented.							
	from which							
	U.S.F.S. Triangulation Station ORANGE BUTTE, bears N. 50° 38' E., 27.78 chs. dist., monumented by a brass tablet 3 ins. diam., set in a drill hole in a rock in place, mkd. ORANGE BUTTE 19; this station is located on top of Orange Butte Mountain.							
	Raise a mound of stone W. of the orig. corner.							
	Land, gently rolling to mountainous. Soil, rocky clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.							
	, i gianti, iii gianti, ii gianti and cae cium							
	From the cor. of secs. 1 and 12 only, on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone, brass cap mkd.							
	T12S T12S R30E R31E							
	$\frac{\mathbf{S} \ 1}{\mathbf{S}12} \mathbf{S} \ 7$							
	S 12 1922							
	N. 89°02' W., bet. secs. 1 and 12.							
	Over mountainous land, by triangulation.							
4.00	Head of a draw, drains S.; asc. steep rocky E. slope.							
17.60	Spur, slopes N. 60° E.; continue asc.							
	End of triangulation.							
40.65	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12.							
	Set the iron post over an "X" chiseled on solid rock, mound of stone to top, brass cap mkd.							
	T12S R30E 2 S 1 S12 1969							

	Dep. Res., Subdivisional Lines, T. 12 S, R. 30 E.									
CHAINS										
	The cor. is located on top of a rocky ridge, bears SE. and NW.; desc. vertical cliffs.									
	By triangulation.									
43.90	Base of cliffs, bears S. 60° E. and N. 60° W.; a search was made at this point for the witness ½ sec. cor. of secs. 1 and 12 which was set on a random line 37.40 chs easterly from the cor. of secs. 1, 2, 11 and 12 in 1885 I was unable to locate this cor. End of triangulation.									
	Descend a rocky SW. slope.									
81.30	The cor. of secs. 1, 2, 11 and 12.									
	Land, mountainous. Soil, rocky. No timber; Undergrowth, scattered creosote bush and cacti.									
,										
	N. 0°59' E., bet. secs. 1 and 2.									
	Over mountainous land, through scattered undergrowth.									
14.20	Top of spur, slopes W.; desc. NW. slope.									
40.52	The $\frac{1}{2}$ sec. cor. of secs. 1 and 2, monumented by a malpais stone, 9 x 5 x 3 ins., set 3 ins. in the ground, mkd. $\frac{1}{2}$ on W. face, mound of stone E.									
	At the corner point									
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.									
	T12S_R30E									
	s 2 s 1 1969									
	from which									
	A bench mark, bears N. 72°50' W., 9.23 chs. dist., monumented by a brass tablet $3\frac{1}{2}$ ins. diam., set in a concrete post 6 x 6 ins., projecting 14 ins. above the ground, mkd. 3819 Feet 7LC 1947 Bench Mark.									
	Bury the orig. cor. stone alongside the iron post.									
	N. 0°40' E., beginning new measurement.									
,	Over rolling land.									
4.50	Base of mountain, bears NE. and SW.; enter moderate undergrowth.									
11.00	Track road, bears NE. and SW.									
20.10	Point for the N 1/16 sec. cor. of secs. 1 and 2, at proportionate dist.									

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

	Dep. Res., Bubary roronar 22 mes, 11 2 01, 11 12								
CHAINS									
	Set the iron post 24 ins. in the ground, brass cap mkd.								
	T12S R30E								
	N 1/16 S 2 S 1								
	1969								
	Raise a mound of stone W. of the corner.								
40.37	The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the field notes of the concurrent resurvey of T. 11 S., R. 30 E., under this same group.								
	Land, mountainous to rolling. Soil, rocky and sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.								
	From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp.								
	N. 0°05' W., bet. secs. 34 and 35.								
	Over gently rolling land, through moderate undergrowth.								
6.00	Left bank of San Simon River, bears S. 5° E. and N. 25° W.								
16.00	Right bank of S an S imon River, bears S . 5° E. and N. 30° W.								
22.70	Wash, 100 1ks. wide, 15 ft. banks, drains W.								
39.35	Point for the ½ sec. cor. of secs. 34 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.								
	Set the iron post 24 ins. in the ground, brass cap mkd.								
	T12S_R30E								
	\$34 S35 1969								
	Deposit glass at the base of the iron post.								
78.70	The cor. of secs. 26, 27, 34 and 35, monumented by a malpais stone, 8 x 6 x 6 ins., loosely set in a mound of stone, mkd. with 2 notches on E. and 1 notch on S. faces.								
	At the corner point								
	Set the iron post 24 ins. in the ground, brass cap mkd.								
	T12S R30E <u>S27 S26</u> S34 S35 1969								
	Bury the orig. cor. stone alongside the iron post.								

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

CHAI	NS										
į		Raise a mound of stone W. of the corner. Land, gently rolling. Soil, sandy and gravelly clay loam.									
		No timber; Undergrowth, creosote bush, cacti, cat claw and grass, scattered mesquite.									
		From the cor. of secs. 25, 26, 35 and 36.									
-		N. 89°36' W., bet. secs. 26 and 35.									
		Over gently rolling land, through moderate undergrowth.									
40.	16	Point for the ½ sec. cor. of secs. 26 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.									
		S et the iron post 22 ins. in the ground, brass cap mkd.									
		T12S R30E									
		½ <u>S26</u> S35									
		1969									
,		Set a wooden post 3 ins. diam., 4 ft. long, alongside the iron post.									
56.	10	Wash, 30 1ks. wide, 2 ft. deep, drains S W.									
80.	32	The cor. of secs. 26, 27, 34 and 35.									
		Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.									
		N. 0°13' E., bet. secs. 26 and 27.									
	Over gently rolling land, through moderate underg										
40.	25	The $\frac{1}{4}$ sec. cor. of secs. 26 and 27, monumented by a malpais stone, 12 x 9 x 7 ins., set 3 ins. in the ground, mkd. $\frac{1}{4}$ on W. face.									
		At the corner point									
		Set the iron post 24 ins. in the ground, brass cap mkd.									
		T12S_R30E									
		\$27 \$26 1969									
		Bury the orig. cor. stone and set a wooden post, 2 x 4 ins. squared, 4 ft. long, alongside the iron post.									
	N. 0°22' E., beginning new measurement.										
		Over rolling land.									

	Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.						
CHAINS							
40.12	The cor. of secs. 22, 23, 26 and 27, monumented by a malpais stone, $8 \times 8 \times 8$ ins., set 3 ins. in the ground, mkd. with 2 notches on E. and S. faces.						
	At the corner point						
	Set the iron post 24 ins. in the ground, brass cap mkd.						
	T12S R30E <u>S22 S23</u> S27 S26 1969						
	Bury the orig. cor. stone and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.						
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.						
	From the cor. of secs. 23, 24, 25 and 26.						
	N. 88°59' W., bet. secs. 23 and 26.						
	Over nearly level land, through moderate undergrowth.						
39.94	The $\frac{1}{4}$ sec. cor. of secs. 23 and 26, monumented by a malpais stone, 14 x 6 x 5 ins., loosely set in a mound of stone, mkd. $\frac{1}{4}$ on N. face.						
	At the corner point						
	Set the iron post 24 ins. in the ground, brass cap mkd.						
	T12S R30E $ \frac{S23}{S26} $ 1969						
	Bury the orig. cor. stone alongside the iron post.						
	Raise a mound of stone N. of the corner.						
	N. 89°48' W., beginning new measurement.						
	Over nearly level land.						
40.61	The cor. of secs. 22, 23, 26 and 27.						
	Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.						
	N. 0°041 II. hat one 22 and 22						
,	N. 0°04' W., bet. secs. 22 and 23.						
	Over gently rolling land, through moderate undergrowth.						

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

	bep. Res., babatvisional lines, 1. 12 b., R. 50 E.								
CHAINS									
40.48	Point for the ½ sec. cor. of secs. 22 and 23, at proportionate dist.; there is no remaining evidence of the orig. cor.								
	Set the iron post 24 ins. in the ground, brass cap mkd.								
	T12S_R30E								
:	\$22 \$23 1969								
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.								
46.10	Wash, 40 1ks. wide, 1 ft. deep, drains W.								
80.96	The cor. of secs. 14, 15, 22 and 23, monumented by a malpais stone, $12 \times 6 \times 5$ ins., set 4 ins. in the ground, mkd. with 2 notches on E. and 3 notches on S. faces.								
	At the corner point								
	Set the iron post 24 ins. in the ground, brass cap mkd.								
	T12S R30E								
	$\begin{array}{c c} \underline{\mathbf{S}15} & \underline{\mathbf{S}14} \\ \underline{\mathbf{S}22} & \underline{\mathbf{S}23} \end{array}$								
·	1969								
	Bury the orig. cor. stone and set a wooden post 2 x 4 ins. squared, 4 ft. long, alongside the iron post.								
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.								
	From the cor. of secs. 13, 14, 23 and 24.								
	N. 88°51' W., bet. secs. 14 and 23.								
	Over nearly level land, through moderate undergrowth.								
1.00	Wash, 60 lks. wide, 2 ft. deep, drains SW.								
40.21	The $\frac{1}{4}$ sec. cor. of secs. 14 and 23, monumented by a malpais stone, 10 x 6 x 4 ins., lying loose on the ground, mkd. $\frac{1}{4}$ on one face.								
	At the corner point								
	Set the iron post 24 ins. in the ground, brass cap mkd.								
	T12S R30E								
	$\frac{1}{4} \frac{\$14}{\$23}$								
	1969								
	Bury the orig. cor. stone and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.								

19.

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

G										
CHAINS										
	N. 88°51' W., beginning new measurement.									
	Over gently rolling land.									
1.10	Dim track road, bears SE. and NW.									
18.10	Dim track road, bears NE. and SW.	:								
40.58	The cor. of secs. 14, 15, 22 and 23.									
	Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.									
	N. 0°30' W., bet. secs. 14 and 15.									
	Over gently rolling land, through moderate undergrowth.									
11.90	Wash, 30 1ks. wide, 1 ft. deep, drains SW.									
40.43	Point for the ½ sec. cor. of secs. 14 and 15, at proportionate dist.; there is no remaining evidence of the orig. cor.									
	S et the iron post 24 ins. in the ground, brass cap mkd.									
T12S R30E										
	\$15 \$14 1969									
	Set a wooden post, 4 ins. square, 4 ft. long, alongside the iron post.									
80.86	The cor. of secs. 10, 11, 14 and 15, monumented by a malpais stone, 16 x 9 x 8 ins., set 2 ins. in the ground, mkd. with 2 notches on E. and 4 notches on $\bf S$. faces.									
	At the corner point									
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.									
	T12S R30E S10 S11 S15 S14 1969									
	Bury the orig. cor. stone alongside the iron post.									
	Raise a mound of stone W. of the corner.									
	Land, gently rolling. Soil, sandy and rocky clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.									
	From the cor. of secs. 11, 12, 13 and 14.									

Dep.	Res.,	Subdivisiona!	Lines,	Т.	12	S.,	R.	30	Ε.	•

CHAINS	
	N. 89°03' W., bet. secs. 11 and 14.
	Over gently rolling land, through moderate undergrowth.
3.55	Track road, bears SE. and NW.
13.00	Track road, bears NE. and SW.; ends at stock tank.
37.60	Wash, 10 1ks. wide, 1 ft. deep, drains S. 10° W.
40.59	The $\frac{1}{4}$ sec. cor. of secs. 11 and 14, monumented by a malpais stone, 12 x 9 x 6 ins., set 4 ins. in the ground, mkd. $\frac{1}{4}$ on N. face, mound of stone N.
	At the corner point
	Set the iron post 20 ins. in the ground, brass cap mkd.
,	T12S R30E 2 S11 S14 1969
	Bury the orig. cor. stone alongside the iron post.
	Raise a mound of stone N. of the corner.
	N. 88°46' W., beginning new measurement.
	Over nearly level land.
37.10	Fence, bears S . $62\frac{1}{2}^{\circ}$ E. and N. $62\frac{1}{2}^{\circ}$ W.
40.16	The cor. of secs. 10, 11, 14 and 15.
	Land, gently rolling to nearly level. Soil, rocky and sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 0°14' E., bet. secs. 10 and 11.
	Over nearly level land, through moderate undergrowth.
1.40	Fence, bears S. 62호 E. and N. 62호 W.
40.19	The $\frac{1}{4}$ sec. cor. of secs. 10 and 11, monumented by a malpais stone, 12 x 8 x 4 ins., lying loose on the ground, mkd. $\frac{1}{4}$ on one face, mound of stone W.
-	At the corner point
	S et the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.
	T12S_R30E
	\$10 \$11 1969
1	

Dep. Res.,	Subdivisional	Lines,	Τ.	12	S.,	R.	30	Ε.
------------	---------------	--------	----	----	-----	----	----	----

CHAINS	
Спана	Bury the orig. cor. stone alongside the iron post.
	N. 0°15' E., beginning new measurement.
	Over nearly level land.
40.16	The cor. of secs. 2, 3, 10 and 11, monumented by a malpais stone, 12 x 9 x 8 ins., set 4 ins. in the ground, mkd. with 2 notches on E. and 5 notches on S. faces, mound of stone NW.
	At the corner point
	S et the iron post 20 ins. in the ground, brass cap mkd.
	T12 S _R30E
	$\begin{array}{c c} \mathbf{\underline{s}} & 3 & \mathbf{\underline{s}} & \mathbf{\underline{2}} \\ \mathbf{\underline{s}} 10 & \mathbf{\underline{s}} 11 \end{array}$
	1969
	from which
	A windmill, bears N. 38° E., 23.67 chs. dist.
	Bury the orig. cor. stone alongside the iron post.
	Raise a mound of stone W. of the corner.
	Land, nearly level. Soil, rocky and sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 1, 2, 11 and 12.
	N. 89°18' W., bet. secs. 2 and 11.
	Over mountainous land; desc. SW. slope.
20.00	Base of mountain, bears SE . and NW.; enter nearly level land.
31.70	Track road, bears N. and S.
40.70	Track road, bears S. 60° E. and N. 60° W.
40.88	The $\frac{1}{4}$ sec. cor. of secs. 2 and 11, monumented by a malpais stone, 10 x 5 x 3 ins., set 4 ins. in the ground, mkd. $\frac{1}{4}$ on N. face, mound of stone NW.
	At the corner point
	Set the iron post 18 ins. in the ground in a collar of stone, brass cap mkd.
	T12 S R30E
	$\frac{1}{4} \frac{\mathbf{S} 2}{\mathbf{S} 1 1}$
	1969
ļ	

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

		Dep. Res., Subdivisional Lines, 1. 12 S., R. 30 E.
	CHAINS	
		from which
		A windmill, bears N. 53° W., 32.00 chs. dist.
		Bury the orig. cor. stone alongside the iron post.
		Raise a mound of stone N. of the corner.
		·
		N. 89°03' W., beginning new measurement.
		Over nearly level land.
	40.20	The cor. of secs. 2, 3, 10 and 11.
		Land, mountainous to nearly level. Soil, rocky and sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		2 1 2
		N. 0°29' W., bet. secs. 2 and 3.
	27 50	Over nearly level land, through moderate undergrowth.
	24.50 40.18	Track road, bears S. 60° E. and N. 60° W.
	40.16	The $\frac{1}{4}$ sec. cor. of secs. 2 and 3, monumented by a malpais stone, 12 x 6 x 3 ins., loosely set in a mound of stone, dimly mkd. $\frac{1}{4}$ on one face.
		At the corner point
		Set the iron post 22 ins. in the ground, brass cap mkd.
		T12S R30E
		s 3 s 2 1969
		Bury the orig. cor. stone alongside the iron post.
		Raise a mound of stone W. of the corner.
		N. 1°58' E., beginning new measurement.
		Over nearly level land.
	40.38	The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the field notes of the concurrent resurvey of T. 11 S., R. 30 E., under this same group.
		Land, nearly level. Soil, rocky and sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp.
- 1		1

Dep.	Res.,	Subdivisional	Lines,	Т.	12	S.,	R.	30	Ε.

	bep. Rest, but the second seco
CHAINS	
	N. 0°02' W., bet. secs. 33 and 34.
	Over nearly level land, through moderate undergrowth.
37.00	Fence, bears E. and W.
39.87	Point for the ½ sec. cor. of secs. 33 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T12 S R30E
	s 33 s 34 1969
	from which
	A fence cor., bears S. 27°17' E., 3.27 chs. dist.; fences bear W. and S.
	Set a wooden post, 3 ins. square, 4 ft. long, alongside the iron post.
79.74	Point for the cor. of secs. 27, 28, 33 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E <u>S28 S27</u> S33 S34 1969
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti, cat claw and grass.
	From the cor. of secs. 26, 27, 34 and 35.
	N. 88°17' W., bet. secs. 27 and 34.
	Over gently rolling land, through moderate undergrowth.
40.0	Point for the ½ sec. cor. of secs. 27 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 1/2 S27 S34 1969
	Set a wooden post, 4 ins. square, 4 ft. long, alongside the iron post.
1	

	Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.
CHAINS	
60.30	Right bank of San Simon River, bears S. 30° E. and N. 30° W.
63.10	Left bank of San Simon River, bears S. 30° E. and N. 30° W.
80.02	The cor. of secs. 27, 28, 33 and 34.
	Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 0°03' E., bet. secs. 27 and 28.
	Over gently rolling land, through moderate undergrowth.
19.30	Left bank of San Simon River, bears S. 60° E. and N. 60° W.
23.70	Right bank of San Simon River, bears S. 60° E. and N. 60° W.
39.87	Point for the ½ sec. cor. of secs. 27 and 28, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S_R30E
	\$28 \$\frac{3}{8}27\$ 1969
	Set a wooden post, 2 x 4 ins. squared, 3 ft. long, alongside the iron post.
57.30	Wash, 50 lks. wide, 10 ft. banks, drains W.
60.70	Wash, 120 lks. wide, 12 ft. banks, drains S. 80° W.
77.60	Dim track road, bears N. 60° E. and S. 60° W.
79.74	The cor. of secs. 21, 22, 27 and 28, monumented by a malpais stone, 12 x 8 x 8 ins., set 8 ins. in the ground, mkd. with 3 notches on E. and 2 notches on S. faces; (original cor. was a buried stone with a stake in the SE. pit) this position is accepted and is harmoniously related to existing orig. cors.
	At the corner point
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E S21 S22 S28 S27 1969
	Bury the orig. cor. stone and set a wooden post, 2 x 4 ins. squared, 4 ft. long, alongside the iron post.
1	

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

	Dep. Rest, Bandivisional Lines, 1. 12 S., R. 50 E.
CHAINS	
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 22, 23, 26 and 27.
	N. 88°42' W., bet. secs. 22 and 27.
	Over gently rolling land, through moderate undergrowth.
40.14	Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 27, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 2 S22 S27 1969
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
56.70	Wash, 40 1ks. wide, 2 ft. deep, drains S. 30° W.
62.20	Wash, 150 1ks. wide, 8 ft. banks, drains SW.
76.10	Dim track road, bears N. 60° E. and S. 60° W.
80.28	The cor. of secs. 21, 22, 27 and 28.
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 0°10' W., bet. secs. 21 and 22.
	Over gently rolling land, through moderate undergrowth.
40.19	The ½ sec. cor. of secs. 21 and 22, monumented by a malpais stone, 12 x 12 x 8 ins., lying loose on the ground, mkd. ½ on one face, mound of stone N.
	At the corner point
	Set the iron post 18 ins. in the ground in a collar of stone, brass cap mkd.
	T12S R30E
	\$21 \$ 22 1969
	Bury the orig. cor. stone and set a wooden post, 2×4 ins. squared, 5 ft. long, alongside the iron post.

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

	Dep. Res., Subdivisional Lines, 1. 12 S., R. 30 E.	
CHAINS		
	N. 0°12' W., beginning new measurement.	
	Over gently rolling land.	
5.40	Wash, 30 lks. wide, 1 ft. deep, drains S. 75° W.	
40.14	Point for the cor. of secs. 15, 16, 21 and 22, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 24 ins. in the ground, brass cap mkd.	1
	T12S R30E <u>S16 S15</u> <u>S21 S22</u> 1969	
	Set a wooden post, 3 ins. square, 4 ft. long, alongside the iron post.	
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.	
	From the cor. of secs. 14, 15, 22 and 23.	
	N. 88°15' W., bet. secs. 15 and 22.	
	Over nearly level land, through moderate undergrowth.	
20.50	Wash, 50 1ks. wide, 1 ft. deep, drains SW.	
40.12	The ½ sec. cor. of secs. 15 and 22, as determined from a wood stake, 1 x 1 x 20 ins., projecting 6 ins. above the ground, mkd. ½ S on S. face, originally set in a pit 5½ ft. east of the cor.; there is no evidence of the mkd. stone.	
	At the corner point	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	T12S R30E	
	½ <u>S15</u> S22 1969	
	Bury the wood stake and set a wooden post, 2 x 3 ins. squared, 3 ft. long, alongside the iron post.	
	S. 89°55' W., beginning new measurement.	
	Over nearly level land.	
40.33	The cor. of secs. 15, 16, 21 and 22.	
	Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.	
		_

Dep.	Res	S ubdivisional	Lines,	Т.	12	S.,	R.	30	Ε.

	zep. Rest, 20001120001 22000, 11 20 21, Rt 01 21
CHAINS	
	N. 0°17' W., bet. secs. 15 and 16.
	Over gently rolling land, through moderate undergrowth.
22.40	Dim track road, bears S. 80° E. and N. 80° W.
40.14	The ½ sec. cor. of secs. 15 and 16, as determined from a wood stake, 1 x 1 x 18 ins., projecting 12 ins. above the ground, originally set in a pit 5½ ft. North of the cor.; there is no evidence of the mkd. stone.
	At the corner point
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S_R30E
	\$16 \$15 1969
	Bury the wood stake and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
	N. 0°48' W., beginning new measurement.
	Over gently rolling land.
40.40	The cor. of secs. 9, 10, 15 and 16, monumented by a malpais stone, 14 x 10 x 10 ins., set 6 ins. in the ground, mkd. with 3 notches on E. and 4 notches on S. faces.
	At the corner point
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T12S R30E S 9 S10 S16 S15 1969
	Bury the orig. cor. stone and set a wooden post, 4 ins. square, 4 ft. long, alongside the iron post.
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 10, 11, 14 and 15.
	N. 88°50' W., bet. secs. 10 and 15.
	Over nearly level land, through moderate undergrowth.
40.19	The ½ sec. cor. of secs. 10 and 15, monumented by a malpais stone, 10 x 6 x 4 ins., set 3 ins. in the ground, mkd. ½ on N. face, mound of stone N.
	At the corner point

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

*	
CHAINS	
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T12 S R30E
	$\frac{1}{4} \frac{\text{S10}}{\text{S15}}$
	1969
	Bury the orig. cor. stone alongside the iron post.
	Raise a mound of stone N. of the corner.
	N. 89°55' W., beginning new measurement.
	Over nearly level land.
40.20	The cor. of secs. 9, 10, 15 and 16.
	Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 0°30' W., bet. secs. 9 and 10.
	Over nearly level land, through moderate undergrowth.
39.10	Wash, 20 lks. wide, 2 ft. deep, drains SW.
40.23	The $\frac{1}{4}$ sec. cor. of secs. 9 and 10, monumented by a malpais stone, $14 \times 10 \times 8$ ins., set 4 ins. in the ground, mkd. $\frac{1}{4}$ on W. face, set in a mound of stone.
	At the corner point
	Set the iron post 18 ins. in the ground in a collar of stone, brass cap mkd.
	T12S R30E
	s 9 s10 1969
	Bury the orig. cor. stone alongside the iron post.
	Raise a mound of stone W. of the corner.
	N. 1°03' E., beginning new measurement.
	Over gently rolling land.
1.70	Fence, bears S. $62\frac{1}{2}$ ° E. and N. $62\frac{1}{2}$ ° W.
31.90	Wash, 20 1ks. wide, 1 ft. deep, drains S. 65° W.
41.08	The cor. of secs. 3, 4, 9 and 10, monumented by a malpais stone, $16 \times 9 \times 8$ ins., set 7 ins. in the ground, mkd. with 3 notches on E. and 5 notches on S. faces, mound of stone W.
	At the corner point

CHAINS	
	S et the iron post 20 ins. in the ground, brass cap mkd.
	T12S R30E S 4 S 3
	s 9 si0 1969
	Bury the orig. cor. stone alongside the iron post.
	Raise a mound of stone W. of the corner.
	Land, nearly level to gently rolling. Soil, sandy and rocky clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 2, 3, 10 and 11.
	N. 88°57' W., bet. secs. 3 and 10.
	Over nearly level land, through moderate undergrowth.
40.21	The $\frac{1}{4}$ sec. cor. of secs. 3 and 10, monumented by a malpais stone, 10 x 6 x 3 ins., lying loose in a mound of stone, mkd. $\frac{1}{4}$ on one face.
	At the corner point
	Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.
	T12S R30E
	$\frac{1}{4} \frac{\text{S } 3}{\text{S}10}$
	1969
	Bury the orig. cor. stone alongside the iron post.
	N. 88°25' W., beginning new measurement.
	Over nearly level land.
19.70	Wash, 20 lks. wide, 1 ft. deep, drains S. 65° W.
40.13	The cor. of secs. 3, 4, 9 and 10.
	Land, nearly level. Soil, sandy and rocky clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 0°11' W., bet. secs. 3 and 4.
	Over rolling land, through moderate undergrowth.
28.00	Wash, 50 lks. wide, 2 ft. deep, drains W.
·	

Dep. Res., Subdivisional Lines, T. 12 S, R. 30	Den.	Res	Subdivisional	Lines.	Τ.	12	S	, R.	30	Ε
--	------	-----	---------------	--------	----	----	---	------	----	---

	Dep. Res., Subdivisional Lines, T. 12 S , R. 30 E
CHAINS	
40 34	The ½ sec. cor. of secs. 3 and 4, monumented by a malpais stone, 14 x 8 x 6 ins., set 6 ins. in the ground, mkd. ½ on W face, mound of stone W.
	At the corner point
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	s 4 s 3 1969
	Bury the orig. cor. stone alongside the iron post.
	Raise a mound of stone W. of the cor.
	N. 1°47' E , beginning new measurement.
	Over gently rolling land.
32.00	Track road, bears S. 60° E. and N. 60° W.
39.42	The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the field notes of the concurrent resurvey of T. 11 S., R. 30 E, under this same group.
	Land, gently rolling. Soil, sandy and rocky clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 4, 5, 32 and 33, on the S bdy. of the Tp.
	N. 0°08' W., bet. secs. 32 and 33.
	Over nearly level land, through moderate undergrowth.
39.96	Point for the $\frac{1}{4}$ sec. cor. of secs. 32 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T12S R30E
	s 32 s 33 1969
	Set a wooden post, 2 ins. square, 3 ft. long, alongside the iron post.
78.7	Fence, bears E. and W.
78.8	Track road, bears E., SE., W., and bears NW., 110 lks. dist., thence N.
79.9	Point for the cor. of secs. 28, 29, 32 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.

CHAINS		
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	T12S R30E	
	$\begin{array}{c c} \underline{\mathbf{S29}} & \underline{\mathbf{S28}} \\ \overline{\mathbf{S32}} & \overline{\mathbf{S33}} \end{array}$	
	1969	
	Set a wooden post, 4 ins. square, $3\frac{1}{2}$ ft. long, alongside the iron post.	
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and grass.	
	From the cor. of secs. 27, 28, 33 and 34.	
	N. 88°55' W , bet. secs. 28 and 33.	
	Over gently rolling land, through moderate undergrowth.	
40.10	Point for the ½ sec. cor. of secs. 28 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	S et the iron post 20 ins. in the ground, brass cap mkd.	
	T12S R30E	
	$\frac{528}{533}$	
	1969	
	from which	
	A fence cor., bears S. $71\frac{1}{2}^{\circ}$ E.; 240 lks. dist.; fences bear S. and W.	
	The cor. is located 68 lks. Nof a track road, bearing E. and W.	
	Set a wooden post, 2×4 ins. squared, 4 ft. long , alongside the iron post.	
80.20	The cor. of secs. 28, 29, 32 and 33.	
	Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.	
	N. 0°14' W., bet. secs. 28 and 29.	
	Over nearly level land, through moderate undergrowth.	
39.96	Point for the ½ sec. cor. of secs. 28 and 29, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	S et the iron post 22 ins. in the ground, brass cap mkd.	
	T12S R30E	
	s 29 s 28	
	1969	

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

7	G** A ****	
	CHAINS	
		The cor. is located 110 lks. E of a track road, bearing NE., S. and NW.
		Set a wooden post, 4 ins. square, 6 ft. long, alongside the iron post.
	41.20	Track road, bears NE. and SW.
	79.92	Point for the cor. of secs. 20, 21, 28 and 29, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E <u>S20 S21</u> S29 S28 1969
		Set a wooden post, 4 ins. square, 5 ft. long, alongside the iron post.
		Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		From the cor. of secs. 21, 22, 27 and 28.
		N. 88°47' W., bet. secs. 21 and 28.
		Over gently rolling land, through moderate undergrowth.
	40.32	Point for the ½ sec. cor. of secs. 21 and 28, at proportionate dist.; there is no remaining evidence of the orig. cor.
		S et the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E
		½ <u>S21</u> S28
		1969
		from which
		A windmill, (Yellow Hammer Mill), bears S. 7°35' W., 16.36 chs. dist.
	51.80	Left bank of a wash, 8 ft. banks, bears N. 25° E. and S 25° W.
	56.40	Right bank of a wash, 8 ft. banks, bears N. 25° E. and S. 25° W.
	75.00	Right bank of S an S imon River, bears SE . and NW .
	78.40	Left bank of San Simon River, bears SE. and NW.
	80.64	The cor. of secs. 20, 21, 28 and 29.
		Land, Gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.

Dep. Res., Subdivisional Lin	es, T. 12 S	S., R. 3	0 E.
------------------------------	-------------	----------	------

		Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.
	CHAINS	
		N. 0°07' W., bet. secs. 20 and 21.
		Over gently rolling land, through moderate undergrowth.
	1.60	Left bank of San Simon River, bears SE. and NW.
	4.80	Right bank of San Simon River, bears SE and NW.
	12.70	Wash, 100 lks. wide, 6 ft. banks, drains W.
	39.96	Point for the ½ sec. cor. of secs. 20 and 21, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S_R30E
		\$20 \$21 1969
		Set a wooden post, 2×4 ins. squared, 3 ft. long, alongside the iron post.
	79.92	The cor. of secs. 16, 17, 20 and 21, monumented by a granite stone, 12 x 8 x 7 ins., lying loose on the ground, mkd. with 4 notches on E. and 3 notches on S. faces. A steel fence post projects 4½ ft. above the ground alongside.
		At the corner point
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E <u>S17 S16</u> <u>S20 S21</u> 1969
		from which
		An aluminum pipe, 1 in. diam., with a cap, 3 ins. diam., bears S. 64½° W., 9 lks. dist., cap mkd. Photo line transect 2 l Sta 30 sec 16 17 20 21 T12S R30E North 1964.
		Bury the orig. cor. stone and reset the steel fence post alongside the iron post.
		Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		From the cor. of secs. 15, 16, 21 and 22.
		N. 89°06' W., bet. secs. 16 and 21.
		Over gently rolling land, through moderate undergrowth.
٠	40.26	Point for the ½ sec. cor. of secs. 16 and 21, at proportionate dist.; there is no remaining evidence of the orig. cor.

Dep. Res., Subdivisional Lines, T 12 S., R. 30 E.

r	2ep. Account 2000 2000 2000 2000 2000 2000 2000 20
CHAINS	
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 1/4 S16 S21 1969
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
80.52	The cor. of secs. 16, 17, 20 and 21.
	Land, gently rolling. Soil, sandy clay loam. No timber: Undergrowth, creosote bush, cacti and cat claw.
	N. 0°20' E., bet. secs. 16 and 17.
	Over rolling land, through moderate undergrowth.
40.29	Point for the ½ sec. cor. of secs. 16 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12S_R30E
	\$17 \$16 1969
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
80.58	Point for the cor. of secs. 8, 9, 16 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.
:	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E S 8 S 9 S17 S16 1969
	Set a wooden post, 2 x 4 ins. squared, 4 ft. long, along-side the iron post.
	Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 9, 10, 15 and 16.
	N. 89°03' W., bet. secs. 9 and 16.
	Over nearly level land, through moderate undergrowth.

Dep. R	les.,	S ubdivisional	Lines,	Т.	12	S.,	R.	30	Ε.
--------	-------	-----------------------	--------	----	----	-----	----	----	----

	bep. Res., Subdivisional Lines, 1. 12 S., R. 30 E.
CHAINS	
39.64	Point for the ½ sec. cor. of secs. 9 and 16, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 1/4 S 9 1/4 S16 1969
	Raise a mound of stone N. of the corner.
79.28	The cor. of secs. 8, 9, 16 and 17.
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 0°04' W., bet. secs. 8 and 9.
	Over gently rolling land, through moderate undergrowth.
31.90	Wash, 20 lks. wide, 1 ft. deep, drains S. 80° W.
40.29	Point for the ½ sec. cor. of secs. 8 and 9, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S_R30E
	s 8 s 9 1969
	Raise a mound of stone W. of the corner.
79.97	Fence, bears S. $62\frac{1}{2}$ ° E. and N. $62\frac{1}{2}$ ° W.
80.58	Point for the cor. of secs. 4, 5, 8 and 9, at proportionate dist.; the orig. cor., a malpais stone, 14 x 8 x 6 ins., mkd. with 4 nothces on one side and 5 notches on one side, was found tied to the before mentioned fence and was being used as a fence weight.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E S 5 S 4 S 8 S 9 1969
	from which
i	A fence cor., bears N. $85\frac{3}{4}$ ° W., 132 1ks. dist.; fences bear S . $62\frac{1}{2}$ ° E. and W.
	Bury the orig. cor. stone alongside the iron post.
	Set a wooden post, 4 ins. square, 4 ft. long, alongside the cor.

		Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.
Сн	AINS	
		Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		From the cor. of secs. 3, 4, 9 and 10.
		N. 89°43' W., bet. secs. 4 and 9.
		Over nearly level land, through moderate undergrowth.
40).31	The $\frac{1}{4}$ sec. cor. of secs. 4 and 9, monumented by a malpais stone, 12 x 9 x 9 ins., set 4 ins. in the ground, mkd. $\frac{1}{4}$ on N. face.
		At the corner point
		Set the iron post 24 ins. in the ground, brass cap mkd.
	:	T12S R30E
		½ S 4 S 9
		1969
		Bury the orig. cor. stone alongside the iron post.
		Set a wooden post, 4 ins. square, 5 ft. long, alongside the cor.
		N. 89°30' W., beginning new measurement.
		Over nearly level land.
3	9.51	The cor. of secs. 4, 5, 8 and 9.
		Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		N. 1°13' W., bet. secs. 4 and 5.
	:	Over nearly level land, through moderate undergrowth.
4	0.30	The $\frac{1}{4}$ sec. cor. of secs. 4 and 5, monumented by a malpais stone, 18 x 14 x 12 ins., set 8 ins. in the ground, mkd. $\frac{1}{4}$ on W. face.
		At the corner point
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E
		s 5 s 4
		1969
		Bury the orig. cor. stone alongside the iron post.

Dep. Res.,	Subdivisional	Lines,	Т.	12	S.,	R.	30	Ε.
------------	---------------	--------	----	----	-----	----	----	----

	Dep. Res., 200011101011111 2 1 1 1 1 1 1 1 1 1 1 1
CHAINS	
	Set a wooden post, 2 x 4 ins. squared, 4 ft. long, alongside the iron post.
	N. 2°32' E., beginning new measurement.
	Over nearly level land.
39.93	The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the field notes of the concurrent resurvey of T. 11 S., R. 30 E., under this same group.
	Land, nearly level. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 5, 6, 31 and 32, on the S . bdy. of the Tp.
	N. 0°13' W., bet. secs. 31 and 32.
	Over gently rolling land, through moderate undergrowth.
2.00	Wash, 15 lks. wide, 2 ft. deep, drains S. 60° W.
40.21	Point for the ½ sec. cor. of secs. 31 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	\$31 \$ 32 1969
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
79.50	Fence, bears E. and W.
80.00	Track road, bears E. and W.
80.42	Point for the cor. of secs. 29, 30, 31 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12 S R30 E S 30 S29
	S31 S32 1969
	Set a wooden post, 4 ins. square, 3½ ft. long, alongside the iron post.
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.

Dep. Res., Subdivisional Lines, T. 12 \mathbf{S} ., R. 30 \mathbf{E} .

	bep. Reb., bubatvibional lines, 1. 12 b., R. 50 E.
CHAINS	
	From the cor. of secs. 28, 29, 32 and 33.
-	N. 89°53' W., bet. secs. 29 and 32.
	Over nearly level land, through moderate undergrowth.
1.10	Track road, bears N. and SE.
40.07	Point for the ½ sec. cor. of secs. 29 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	\$29 \$32
	1969
	Set a wooden post, 4 ins. square, $3\frac{1}{2}$ ft. long, alongside the iron post.
	The cor. is located 54 lks. N. of a track road, bearing E. and W., and 110 lks. N. of a fence, bearing E. and W.
80.14	The cor. of secs. 29, 30, 31 and 32.
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	N. 88°59' W., bet. secs. 30 and 31.
	Over nearly level land, through moderate undergrowth.
10.30	Fence, bears N. and bears S., 105 1ks. dist. to a cor. of fences bearing N., E. and W.
31.00	Track road, bears NW. and SE., 100 lks. dist.; thence E.
40.05	Point for the ½ sec. cor. of secs. 30 and 31, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 表 <u>S 30</u> S 31 1969
	Set a wooden post, 2 x 4 ins. squared, 4 ft. long, along-side the iron post.
	The cor. is located 143 lks. N. of a fence, bearing E. and W.
48.00	Wash, 30 1ks. wide, 1 ft. deep, drains N. 5° W.
78.23	The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., monumented by an iron post 2½ ins. diam., projecting 10 ins. above the ground, with a wooden post, 4 ins. square, projecting 4 ft. above the ground alongside, brass cap mkd.

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

 	Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.	
CHAINS		
	T12S R29E R30E S25 S30 S36 S31 1963 Land, nearly level.	
	Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.	
	From the cor. of secs. 29, 30, 31 and 32.	
	N. 0°42' W., bet. secs. 29 and 30.	
	Over nearly level land, through moderate undergrowth.	
40.21	The $\frac{1}{4}$ sec. cor. of secs. 29 and 30, as determined from a weathered wood stake, 1 x 2 x 12 ins., set 4 ins. in the ground; originally set in a pit, $5\frac{1}{2}$ ft. North of the cor.; there is no evidence of the mkd. stone.	
	At the corner point	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	T12 S R30E	
	s 30 s 29 1969	
	Bury the wood stake and set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.	
	N. 0°15' W., beginning new measurement.	
	Over nearly level land.	
40.03	The cor. of secs. 19, 20, 29 and 30, as determined from a cedar stake, $1 \times 2 \times 7$ ins., set 3 ins. in the ground, dimly mkd., not legible; originally set in a pit $5\frac{1}{2}$ ft. SE. of the cor.; there is no evidence of the mkd. stone.	
	At the corner point	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	T12S R30E S19 S20 S30 S29 1969	
	Bury the wood stake and set a wooden post, 2 x 6 ins. squared, 4 ft. long, alongside the iron post.	
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.	

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

	CHAINS	
		From the cor. of secs. 20, 21, 28 and 29.
		N. 89°38' W., bet. secs. 20 and 29.
		Over gently rolling land, through moderate undergrowth.
,	38.10	Track road, bears SE. and NW.
	40.23	Point for the ½ sec. cor. of secs. 20 and 29, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E
		Set a wooden post, 3 \times 4 ins. squared, 5 ft. long, alongside the iron post.
	54.00	Wash, 20 1ks. wide, 2 ft. deep, drains N.
	80.46	The cor. of secs. 19, 20, 29 and 30.
		Land, gently rolling. Soil, sandy and gravelly clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		N. 87°34' W., bet. secs. 19 and 30.
		Over gently rolling land, through moderate undergrowth.
	10.70	Fence, bears N. and S.
	39.80	Point for the ½ sec. cor. of secs. 19 and 30, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E 1/4 S19 S30 1969
		Set a wooden post, 2×4 ins. squared, 3 ft. long, along-side the iron post.
	59.30	Wash, 30 lks. wide, 1 ft. deep, drains N. 25° W.
	77.64	The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., monumented by an iron post 2½ ins. diam., projecting 8 ins. above the ground, with a wooden post, 4 ins. square, projecting 4 ft. above the ground alongside, brass cap mkd.
		T12S R29E R30E S24 S19 S25 S30 1963
	1	1

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

_		Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.
	CHAINS	
		Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		From the cor. of secs. 19, 20, 29 and 30.
		N. 0°31' E., bet. secs. 19 and 20.
		Over nearly level land, through moderate undergrowth.
	40.22	Point for the ½ sec. cor. of secs. 19 and 20, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E
		\$19 \$2 0 1969
	·	S et a wooden post, 4 ins. square, 5 ft. long, alongside the iron post.
	42.30	Track road, bears SE. and NW.
	47.90	Left bank of S an S imon River, bears S E. and NW.
	60.90	Right bank of San Simon River, bears SE. and NW.
	80.44	Point for the cor. of secs. 17, 18, 19 and 20, at proportionate dist.; there is no remaining evidence of the orig. cor.
		S et the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E S18 S17 S19 S20 1969
		from which
		A windmill, (First National Well), bears N. 82°53' W., 13.20 chs. dist.
-		${f S}$ et a wooden post, 3 x 5 ins. squared, 5 ft. long, alongside the iron post.
		Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti, cat claw and scattered mesquite.
		From the cor. of secs. 16, 17, 20 and 21.
		N. 89°18' W., bet. secs. 17 and 20.
		Over gently rolling land, through moderate undergrowth.

Dep.	Res.,	S ubdivisional	Lines,	Т.	12	S.,	R.	30	Ε.
------	-------	-----------------------	--------	----	----	-----	----	----	----

	Dep. Res., Babaty Blond Lines, 1. 12 5., R. 55 2.
CHAINS	
39.77	Point for the ½ sec. cor. of secs. 17 and 20, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	$\frac{1}{4} \frac{\mathbf{S}17}{\mathbf{S}20}$
	1969
,	Set a wooden post, 2 x 6 ins. squared, 4 ft. long, along-side the iron post.
79.54	The cor. of secs. 17, 18, 19 and 20.
	Land, gently rolling.
	Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat
	claw.
	·
	N. 88°12' W., bet. secs. 18 and 19.
	Over nearly level land, through moderate undergrowth.
11.50	Fence cor.; fences bear N., S. and N. 30° W.
15.00	Track road, bears NE. and SW.
18.00	Right bank of San Simon River, bears SE. and NW.
20.50	Left bank of San Simon River, bears SE. and NW.
39.79	Point for the ½ sec. cor. of secs. 18 and 19, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	½ S18 S19
	1969
	Set a wooden post, 2 x 4 ins. squared, $3\frac{1}{2}$ ft. long, alongside the iron post.
51.50	Track road, bears SE. and NW.
72.00	Wash, 30 1ks. wide, 1 ft. deep, drains N. 10° E.
77.49	The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., projecting 10 ins. above the ground, with a wooden post, 4 ins. square, projecting 4 ft. above the ground, and a steel fence post, projecting 5 ft. above the ground, alongside the iron post, brass cap mkd.
•	T12S
	R29E R30E S13 S18
,	S24 S19
	1963

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

CHAINS	
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 17, 18, 19 and 20.
T	N. 0°25' E., bet. secs. 17 and 18.
	Over gently rolling land, through moderate undergrowth.
40.22	Point for the ½ sec. cor. of secs. 17 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	\$18 \$17 1969
	Set a wooden post, 4 ins. square, 5 ft. long, alongside the iron post.
80.44	Point for the cor. of secs. 7, 8, 17 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12 S _R30E
	$ \begin{array}{c cccc} $
	${f S}$ et a round wooden post, 4 ins. diam., 4 ft. long, alongside the iron post.
	Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 8, 9, 16 and 17.
	N. 89°24' W., bet. secs. 8 and 17.
	Over nearly level land, through moderate undergrowth.
39.68	Point for the ½ sec. cor. of secs. 8 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	½ S 8 S17
	1969

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

		Dep. Res., Subdivisional Lines, 1. 12 S., R. 30 E.
**	CHAINS	
		Set a wooden post, 4 x 6 ins. squared, $3\frac{1}{2}$ ft. long, alongside the iron post.
	79.36	The cor. of secs. 7, 8, 17 and 18.
		Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	:	N. 88°52' W., bet. secs. 7 and 18.
		Over gently rolling land, through moderate undergrowth.
,	14.10	Fence, bears N. and S.
	16.70	Wash, 20 1ks. wide, 1 ft. deep, drains S. 50° W.
	39.64	Point for the ½ sec. cor. of secs. 7 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T12S R30E
		½ <u>S 7</u> 518
		1969
		Set a wooden post, 2 x 4 ins. squared, 4 ft. long, alongside the iron post.
	77.14	The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., projecting 10 ins. above the ground, brass cap mkd.
		T12S R29E R30E S12 S 7 S13 S18 1963
		Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
		From the cor. of secs. 7, 8, 17 and 18.
		N. 0°19' E., bet. secs. 7 and 8.
		Over gently rolling land, through moderate undergrowth.
	4.40	Wash, 20 lks. wide, 1 ft. deep, drains W.
	40.22	Point for the ½ sec. cor. of secs. 7 and 8, at proportionate dist.; there is no remaining evidence of the orig. cor.
		S et the iron post 24 ins. in the ground, brass cap mkd.

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

CHAINS	
	T12S R30E
	s 7 s 8 1969
	Set a wooden post, 4 ins. square, 4 ft. long, alongside the iron post.
80.44	Point for the cor. of secs. 5, 6, 7 and 8, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E S 6 S 5 S 7 S 8 1969
	The cor. is located 8 lks. S. of an E. and W. fence.
	Set a wooden post, 2×3 ins. squared, $4 \text{ ft. long, along-side the iron post.}$
	Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 4, 5, 8 and 9.
	N. 89°33' W., bet. secs. 5 and 8.
	Over nearly level land, through moderate undergrowth.
1.10	Fence, bears S . 62½° E. and N. 62½° W., 20 1ks., thence W.
39.41	Point for the ½ sec. cor. of secs. 5 and 8, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E 2 S 5 S 8 1969
	The cor. is located 10 lks. S . of an E . and W . fence.
	Set a wooden post, 2×4 ins. squared, 4 ft. long , alongside the iron post.
78.82	The cor. of secs. 5, 6, 7 and 8.
	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.

Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.

CHAINS	
	N. 89°32' W., bet. secs. 6 and 7.
	Over gently rolling land, through moderate undergrowth.
15.50	Fence cor., bears N., 7 lks. dist.; fences bear E., S. and W.
27.00	Fence cor., bears N., 5 lks. dist.; fences bear N., E. and W.
39.45	Point for the ½ sec. cor. of secs. 6 and 7, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	½ <u>S 6</u> S 7
	1969
	The cor. is located 4 lks. S. of an E. and W. fence.
	Set a wooden post, 4 ins. square, 3 ft. long, alongside the iron post.
76.73	The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., projecting 8 ins. above the ground, brass cap mkd.
	T12S R29E R30E S 1 S 6 S12 S 7 1952
	The cor. is located 1 lk. W. of a fence cor.; fences bear N., E. and W.
	Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.
	From the cor. of secs. 5, 6, 7 and 8.
	N. 0°14' W., bet. secs. 5 and 6.
	Over gently rolling land, through moderate undergrowth.
0.10	Fence, bears E. and W.
40.22	Point for the ½ sec. cor. of secs. 5 and 6, at proportionate dist.; there is no remaining evidence of the orig. cor.
	S et the iron post 24 ins. in the ground, brass cap mkd.
	T12S R30E
	s 6 s 5
	1969

	Dep. Res., Subdivisional Lines, T. 12 S., R. 30 E.	
CHAINS		
·	Set a wooden post, 2 x 3 ins. squared, $3\frac{1}{2}$ ft. long, alongside the iron post.	
52.50	Wash, 30 lks. wide, 1 ft. deep, drains N. 60° W.	
80.53	The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., as described in the field notes of the concurrent resurvey of T. 11 S., R. 30 E., under this same group.	
	Land, gently rolling. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.	i i
·	Subdivision of Section 31	
	From the ½ sec. cor. of secs. 6 and 31, on the S. bdy. of the Tp.	
	N. 0°16' W., on the N. and S. center line of sec. 31.	
	Over nearly level land, through moderate undergrowth.	
0.30	Track road, bears irregularly E. and W.	
40.64	Point for the center ½ sec. cor. of sec. 31, at intersection with the E. and W. center line of sec. 31.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	C ½ + S31 1969	
	Set a wooden post, 3 ins. square, 3 ft. long, alongside the iron post.	
74.00	Wash, 30 lks. wide, 1 ft. deep, drains N. 60° W.	
79.85	Fence, bears E. and W.	
81.28	The 눛 sec. cor. of secs. 30 and 31.	
·	Land, nearly level. Soil, sandy clay loam. No timber; Undergrowth, creosote bush, cacti and cat claw.	
	From the ½ sec. cor. of secs. 31 and 32.	
	N. 89°38' W., on the E. and W. center line of sec. 31.	
	Over nearly level land, through moderate undergrowth.	
29.00	Wash, 30 lks. wide, 1 ft. deep, drains N. 10° W.	
40.04	The center ½ sec. cor. of sec. 31.	
78.37	The ½ sec. cor. of secs. 31 and 36, on the W bdy. of the Tp., monumented by an iron post 2½ ins. diam., projecting 14 ins. above the ground, brass cap mkd.	

Subdivision, Section 31, T 12 S., R. 30 E.

CHAINS

T12S R29E R30E \$\frac{1}{2}\$ S36 | S31 1963

Land, nearly level.
Soil, sandy clay loam.
No timber; Undergrowth, creosote bush, cacti and cat claw.

General Description

The general elevation of Township 12 South, Range 30 East is from 3,440 to 5,250 feet above sea level, being at its highest point on Orange Butte, located in section 1. The township is nearly level except in portions of sections 1 and 2, which is mountainous. The soil is sandy clay loam through most of the township except in the far east portion which is rocky. There is a moderate growth of creosote bush, cacti and cat claw and scattered mesquite with a fair growth of grass.

San Simon River enters the township near the corner of sections 2, 3, 34 and 35 on the south boundary, drains northwesterly and leaves the township at the west boundary of section 18. There are numerous track roads throughout the township.

The drainage is generally southwesterly. There are no known improvements and the primary use is for stock grazing.

Form 4-680 (June 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Howard H. Thomas	Supervisory Surveying Technician
Ira M. Thiessen	Supervisory Surveying Technician
Ronald G. Williams	Cadastral Surveyor
Martin W. Fuller	Surveying Aid
David G. Jaramillo	Surveying Aid

INTERIOR--PORTLAND, OREGON

B O O K 4 9 O 4

CERTIFICATE OF SURVEY

HEREBY CERTIFY upon honor that, an pursuance of special instructions bearing date of the 20 day of November , 1968 , have dependently resurveyed the south boundary and subdivisional lines and surveyed subdivisions in section 31, Township 12 South, Range 30 East of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizons executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 CERTIFICATE OF TRANSCRIPT	CERTITION	THE OF SORVE	
have dependently resurveyed the south boundary and subdivisional lines and surveyed subdivisions in section 31, Township 12 South, Range 30 East of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) (Date) (Cadastral Surveyor) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 (Cadastral Surveyor) Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 16 1971 (Chief, Division of Englancourse) Cadastral Surveyor) Cadastral Surveyor	Gary T. Oviatt	, HEREBY CERTIFY up	on honor that,
of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) (Cadastral Surveyor) CERTIFICATE OF APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 16 1971 (Date) Cadastral Surveyor) Cadastral Surveyor.	pursuance of special instructions bearing d	date of the 20 day of November	, 1968 ,
of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) (Date) (Cadastral Surveyor) (Cadastral Surveyor) CERTIFICATE OF APPROVAL BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizons executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 16 1971 (Cadastral Surveyor) Cadastral Surveyor) Cadastral Surveyor)	have dependently resurveyed the	south boundary and subdivision	nal lines
of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Data OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Date) Cadastral Surveyor) Cadastral Surveyor) Cadastral Surveyor) Cadastral Surveyor)			
are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engiaeoring) Cadastral Survey	·		
are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engiaeoring) Cadastral Survey			
are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engiaeoring) Cadastral Survey			
and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes. March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 & 1971 (Chief, Division of Engiaeoring) Cadastral Survey	f the Gila and Salt River Meric	dian, in the State of Arizona	, which
March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Date) Cadastral Surveyor) Cadastral Surveyor) Cadastral Surveyor) Cadastral Surveyor) Cadastral Surveyor)	re represented in the foregoing field notes a	s having been executed by me and unde	r my direction;
March 10, 1970 (Date) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 16 1971 (Date) Cadastral Surveyor) (Cadastral Surveyor) (Cadastral Surveyor) (Cadastral Surveyor) (Cadastral Surveyor)	and that said survey has been made in strict	conformity with said special instruction	ns, the Manual
March 10, 1970 (Date) (Date) (Cadastral Surveyor) (Cadastral Surveyor) (Cadastral Surveyor) (Cadastral Surveyor) CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizonal executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 16 1971 (Date) Cadastral Surveyor)	of Instructions for the Survey of the Public	c Lands of the United States, and in s	pecific manner
CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizonal executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engineering) Cadastral Survey	lescribed in the foregoing field notes.		
CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizonal executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engineering) Cadastral Survey		ومد الله الله الله الله الله الله الله الل	
CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engineering) Cadastral Surve		Sary J. Grad (Cadastral Surveyor)	
CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engiaeoring) Cadastral Surve	(2211)		
CERTIFICATE OF APPROVAL SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engiaeoring) Cadastral Surve		(Cadastral Surveyor)	
SUBMITTED FOR APPROVAL Date OCT 2 1970 BUREAU OF LAND MANAGEMENT, Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engineering) Cadastral Surve	(Date)	(0,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1	
Date OCT 2 1970 Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engineering) Cadastral Surve	CERTIFIC	CATE OF APPROVAL	
Date OCT 2 1970 Washington, D. C. The foregoing field notes of the dependent resurvey of the south boundary and subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Chief, Division of Engineering) Cadastral Surve	SUBMITTED FOR APPROVAL		
subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 16 1971 (Date) (Chief, Division of Engineering) Cadastral Surve	Date OCT 2 1970		IANAGEMENT,
subdivisional lines and the survey of subdivisions in section 31, Township 12 South, Range 30 East, Gila and Salt River Meridian, Arizona executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 16 1971 (Date) (Chief, Division of Engineering) Cadastral Surve	The foregoing field notes of the depende	ent resurvey of the south bour	ndary and
executed by Gary T. Oviatt having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Date) Cadastral Survey			
having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Date) (Chief, Division of Engineering) Cadastral Surve			
having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Date) (Chief, Division of Engineering) Cadastral Surve			
having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Date) (Chief, Division of Engineering) Cadastral Surve			
having been critically examined and found correct, are hereby approved. SEP 1 6 1971 (Date) (Chief, Division of Engineering) Cadastral Surve	evecuted by Cary T Oviatt		
SEP 1 6 1971 (Date) (Chief, Division of Engineering) Cadastral Surve		correct, are hereby approved.	
(Date) (Chief, Division of Engineering) Cadastral Surve	naving been critically examined and round	11211	
Cadastral Surve	SEP 1 6 1971	Elask - Sum	W
CERTIFICATE OF TRANSCRIPT	(Date)		
	CERTIFIC	CATE OF TRANSCRIPT	
	I-CERTIFY That the foregoing transcript of	of the field notes of the above described , is a true copy of the ori	

(Chief, Division of Engineering)

Cadastral Survey)