Form 9180-6 (April 1965) (formerly 4-679)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

## FIELD NOTES

	DEPENDENT RESURVEY	
	of a	
	PORTION OF THE WEST BOUNDARY	
	of	
	TOWNSHIP 35 NORTH, RANGE 14 WEST	1
	with	
	ESTABLISHMENT OF CERTAIN CORNERS	3
	OF MINIMUM CONTROL ALONG A	
	PORTION OF THE EAST BOUNDARY	
	of	
	TOWNSHIP 35 NORTH, RANGE 15 WEST	
	and	
	COMPLETION SURVEY	
	of the	
	SUBDIVISIONAL LINES	
	of	
	TOWNSHIP 35 NORTH, RANGE 15 WEST	
	•	
05.4	Gila and Salt River	M. At.
Of the Ariz		Meridian,
	EXECUTED BY	
Louis D. Gilbert	Cadastral Surve	yor
John H. Witmer	Cadastral Surve	yor
	,	
supplemental special included under Group Num supplemental special	July 24 , 19 69 I instructions dated December 29, ther 513 , approved July I instructions approved January 5, this dated August 26 , 1969 November 21 , 1969	1969 25, 1969 1970
Si	arvey commenced December 3	, 19 <u>69</u>
Si	urvey completed	_, 19 <u>70</u>

BOOK 4953

# INDEX DIAGRAM

	Townsl	hip _	35 1	North	<u></u>	, Range	15 Wes	st		,	
(97)ች	<b>6</b> 45	47	5 44	31	<b>4</b> 30	<b>3</b>	25	2 23	13	1 13	5
إ(9 <del>4</del> )	7 42	43	8 41	30	9	10 22	23	11 21	12	12 11	4
\$(43)	<b>18</b> 39	41	17 39		16	18 19	20	14 19	11	13 10	3
\$(40)	19 36	38	<b>20</b> 36	29	<b>21</b> 28	22 17	18	<b>28</b> 17	9	24 9	1
\$(37)	<b>30</b>	35	29 33	27	28 26	27 16	16	<b>26</b> 15	8	25 7	
<b>½(35)</b>	31	32	32	25	33	34	14	35	6	36	

Township 35 North, Range 15 West .Gila and Salt River Meridian, Arizona

CHAINS

The west boundary was surveyed in 1932 by B. J. Kinsey and W. E. Hiester.

The east boundary was surveyed in 1939-40 by H. M. Muscott.

The south and north boundaries and a portion of the subdivisional lines were surveyed in 1956 by G. M. Boofer.

Corners on the W. two miles of the S. bdy. were altered to function for T. 35 N., R. 15 W. and closing cors. established for T. 34 N., R. 15 W. during the concurrent completion survey of the subdivisional lines of T. 34 N., R. 15 W., by L. Gilbert and I. Thiessen. At the time of this survey, the cors. had not been altered and they are recorded as found.

The following notes are those of the dependent resurvey of a portion of the west boundary of Township 35 North, Range 14 West, with establishment of certain corners of minimum control along a portion of the east boundary of Township 35 North, Range 15 West, at regular intervals of 40.00 chain in northing from the corner of sections 19, 24, 25 and 30, Townships 35 North, Ranges 14 and 15 West, and a completion survey of the subdivisional lines of Township 35 North, Range 15 West, G&SRM, Arizona.

This survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, the Special Instructions dated July 24, 1969 and the Supplemental Special Instructions dated December 29, 1969. The direction of all lines were determined by solar observations and all lines refer to the true meridian.

Only the true line bearings and horizontal distances for the survey lines are given in these field notes. Unless described, each corner was monumented with a standard iron post, 30 inches long,  $2\frac{1}{2}$  ins. diameter, flanged at the base and with a brass cap riveted to the top.

The geographic position of the southeast corner of the township is: Latitude 36°22'58.1" North and Longitude 113°50'36.9" West, as determined by calculation from U.S.C.&G.S. triangulation station "Arroya" located in section 1 of the township.

The mean magnetic declination was found to be 15° East.

Dependent Resurvey of a Portion of the West Boundary of T. 35 N., R. 14 W., with establishment of certain corners of minimum control along a portion of the East Boundary of T. 35 N., R. 15 W., G&SRM, Arizona

Reestablishment of the Survey Executed by H. M. Muscott 1939-40

Beginning at the cor. of secs. 19, 24, 25 and 30, T. 35 N., Rs. 14 and 15 W., monumented by an iron post, 2 ins. diam., firmly set with 8 ins. projecting above the ground, brass cap mkd.

T35N R15W R14W <u>S24 S19</u> S25 S30 1939

Dep. Res., Portion W. Bdy., T. 35 N., R. 14 W.

_		
	CHAINS	Outsing 1 mound of stone W of the cor
		Original mound of stone W. of the cor.
	4	North, along the W. bdy. of sec. 19.
		Over gently rolling land, through scattered Joshua trees.
	16.30	Track road, bears S. 55° E. and N. 55° W.
	35.50	Wash, 20 1ks. wide, 1 ft. deep, drains N. 85° W.
	40.00	Point for the ½ sec. cor. of sec. 24 only, T. 35 N., R. 15 W.
		Set the iron post 18 ins, in the ground, collar of stone to top, brass cap mkd.
	٤	T35N 之 S24 R15W 1969
	40.14	The ½ sec. cor. of secs. 19 and 24, monumented by an iron post, 1 in. diam., firmly set in a mound of stone to top. This monument now functions as the ½ sec. cor. of sec. 19 only, remarked.
		T35N ½
		S19  R14W
		1969 1939
	•	North, beginning new measurement.
		Over gently rolling land, through scattered joshua trees.
	1.10	Wash, 30 1ks. wide, 2 ft. deep, drains W., 140 1ks. dist. thence N. 80° W.
	23.50	Wash, 15 1ks. wide, 2 ft. deep, drains N. 80° W.
	39.86	Point for the cor. of secs. 13 and 24 only, T. 35 N., R. 15 W.
	·	Set the iron post 22 ins. in the ground, brass cap mkd.
		T35N R15W R14W \frac{S13}{S24} S19 1969
	·	Raise a mound of stone W. of the cor.
	40.19	The cor. of secs. 13, 18, 19 and 24, monumented by an iron post, 2 ins. diam., firmly set with 4 ins. projecting above the ground. This monument now functions as the cor. of secs. 18 and 19 only, remarked.
		T35N R15W R14W S13 S18 S19 1969 1939
		Original mound of stone W. of the cor.

Dep. Res., Portion W. Bdy., T. 35 N., R. 14 W.

	bep. Res., Fortion w. Bdy., 1. 33 N., R. 14 W.
CHAINS	Land, gently rolling. Soil, rocky clay loam. Timber, joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
	North, along the W. bdy. of sec. 18.
	Over gently rolling land, through scattered joshua trees.
2.40	Wash, 15 1ks. wide, 2 ft. deep, drains N. 80° W.
8.30	Wash, 15 1ks. wide, 2 ft. deep, drains irregularly W.
11.90	Track road, bears S. 20° E. and N. 20° W.
17.90	Track road, bears NE. and SW., 20 1ks. dist., thence S.
20.00	Wash, 20 1ks. wide, 2 ft. deep, drains S. 70° W.
25.80	Wash, 30 1ks. wide, 3 ft. deep, drains S. 80° W.
39.67	Point for the ½ sec. cor. of sec. 13 only, T. 35 N., R. 15 W.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	т35м
ō	1/2 S13
	R15W   1969
40.10	The ½ sec. cor. of secs. 13 and 18, monumented by an iron post, 1 in. diam., firmly set in a mound of stone. This monument now functions as the ½ sec. cor. of sec. 18 only, remarked.
	T35N   ½   S18   R14W   1969   1939
	There is no remaining evidence of the original mound of stone W. of the cor.
	North, beginning new measurement.
۰	Over gently rolling land, through scattered joshua trees.
3.20	Track road, bears S. 80° E. and N. 80° W.
15.60	Wash, 10 1ks. wide, 2 ft. deep, drains S. 80° W.
34.80	Wash, 20 1ks. wide, 2 ft. deep, drains W.
38.00	Wash, 40 1ks. wide, 3 ft. deep, drains S. 85° W.
39.57	Point for the cor. of secs. 12 and 13 only, T. 35 N., R. 15 W.
	Set the iron post 20 ins. in the ground, brass cap mkd.

Dep. Res., Portion W. Bdy., T. 35 N., R. 14 W.

	Dep. Res., Portion W. Bdy., T. 35 N., R. 14 W.
CHAINS	
	T35N .
	R15W R14W S12 g10:
	$\frac{312}{$13}$ $$18$
	1969
	Raise a mound of stone W. of the cor.
39.91	The cor. of secs. 7, 12, 13 and 18, monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top. This monument now functions as the cor. of secs. 7
	and 18 only, remarked.
	T35N
	R15W R14W
ń	S12 S7
	S18
	1969 1939
	† · · · · · · · · · · · · · · · · · · ·
,	Land, gently rolling.
	Soil, rocky clay loam. Timber, joshua trees.
	Undergrowth, sagebrush, creosote bush and cacti.
	North, along the W. bdy. of sec. 7.
	Over gently rolling land, through scattered joshua trees.
5.60	Wash, 25 lks. wide, 1 ft. deep, drains S. 80° W.
18.80	Wash, 10 1ks. wide, 2 ft. deep, drains S. 75° W.
38.50	Track road, bears irregularly NE. and SW.
39.66	Point for the ½ sec. cor. of sec. 12 only, T. 35 N., R. 15 W.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N
	· · · · · · · · · · · · · · · · · · ·
	S12
	R15W   1969
40.10	The $\frac{1}{4}$ sec. cor. of secs. 7 and 12, monumented by an iron
1	post, 1 in. diam., firmly set in a mound of stone to top. This monument now functions as the ½ sec. cor. of sec. 7 only, remarked.
	T35N
	1351
	s <sup>7</sup> 7
	R14W
	1969
	1939
	,
	North, beginning new measurement.
a	Over gently rolling land, through scattered joshua trees.
2.20	Wash, 30 1ks. wide, 3 ft. deep, drains S. 70° W.
1	

Dep. Res., Portion W. Bdy., T. 35 N., R. 14 W.

	•	Dep. Res., Portion W. Bdy., T. 35 N., R. 14 W.
	CHAINS	
	18.20	Wash, 25 1ks. wide, 4 ft. deep, drains W., 3.00 chs. dist., thence SW.
	30.80	Wash, 50 lks. wide, 4 ft. deep, drains S. 30° W.
•	34.50	Wash, 120 1ks. wide, 5 ft. deep, drains S. 25° W.; leave gently rolling land, enter rocky mountainous land, bears N. 25° E. and S. 25° W.
	39.56	Point for the cor. of secs. 1 and 12 only, T. 35 N., R. 15 W.
		Set the iron post 18 ins. in the ground, large collar of stone to top, brass cap mkd.
		T35N
		R15W R14W S 1   S 7
		$\frac{31}{\text{S}12}$ S 7
	•	1969
		Raise a mound of stone W. of the cor.
		The cor. is located on a steep rocky SE. slope.
	39 <b>.</b> 85	The cor. of secs. 1, 6, 7 and 12, monumented by an iron post; 2 ins. diam., firmly set in a mound of stone to top. This monument now functions as the cor. of secs. 6 and 7 only, remarked.
		T35N R15W R14W S 1   S 6
		1969 1939
		Original mound of stone W. of the cor.
		Land, gently rolling and mountainous in N. 5.00 chs. Soil, rocky clay loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
•		North, along the W. bdy. of sec. 6.
		Over mountainous land, through widely scattered joshua trees.
	5.60	Rocky spur, slopes E., thence along steep rocky E. slope.
	31.40	Wash, 10 1ks. wide, 3 ft. deep, drains E.; asc. steep S. slope.
	39.40	Top of rocky ledge, bears SE. and NW.
	39.71	Point for the ½ sec. cor. of sec. 1 only, T. 35 N., R. 15 W.
		Set the iron post 22 ins. in the ground, brass cap mkd.
		T35N
		from which

T. 35 N., R. 14 W. Portion W. Bdy.

ė	Dep. Res., Portion W. Bdy., T. 35 N., R. 14 W.
CHAINS	
	U.S.C.&G.S. triangulation station "ARROYA", bears N. 59°43' W., 16.62 chs. dist., monumented by a standard bronze tablet mkd. ARROYA, 1953. Latitude, 36°27'50.698" N., and Longitude, 113°50'48.514" W.
	Raise a mound of stone W. of the cor.
40.10	The ½ sec. cor. of secs. 1 and 6, monumented by an iron post, 1 in. diam., firmly set with 8 ins. projecting above the ground. This monument now functions as the ½ sec. cor. of sec. 6 only, remarked.
	T35N   ½   S 6   R14W 1969 1939
	Removed the original mound of stone W. of the cor. and raised a mound of stone E. of the cor.
	North, beginning new measurement.
	Over mountainous land, along steep rocky W. slope.
7.90	Rim, bears NE. and SW., thence over rolling land.
31.60	Draw, drains NW.
35.80	Rocky spur, slopes W.
40.01	The cor. of Tps. 35 and 36 N., Rs. 14 and 15 W., monumented by an iron post 3 ins. diam., firmly set with 6 ins. projecting above the ground, brass cap mkd.
·	T36N R15W R14W S36   S31 S 1   S 6 T35N 1939
	Original mound of stone S. of the cor.
. ,	Land, mountainous. Soil, rocky clay loam. Timber, widely scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
•	Subdivision, T. 35 N., R. 15 W., G&SRM, Arizona
•	From the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set with 6 ins. projecting above the ground, brass cap mkd.
	T35N R15W S35   S36 S 2   S 1 T34N 1956

	CHAINS	
		Mound of stone W. of the cor.
		N. 0°01' W., bet. secs. 35 and 36.
		Over rolling land through scattered joshua trees.
	20.30	Wash, 50 lks. wide, l ft. deep, drains N. 70° W.
	38.00	<b>S</b> pur, slopes W.
	40.00	Point for the ½ sec. cor. of secs. 35 and 36.
		<b>S</b> et the iron post 18 ins. in the ground, small collar of stone to top, brass cap mkd.
		T35N R15W
		\$35   \$36 1969
	,	Raise a mound of stone W. of the cor.
	49.20	Wash, 30 1ks. wide, 1 ft. deep, drains <b>S</b> . 75° W.
	73.60	Wash, 30 lks. wide, 2 ft. deep, drains W.
	80.00	Point for the cor. of secs. 25, 26, 35 and 36.
		<b>S</b> et the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
ı		T35N R15W <b>S</b> 26  <b>S</b> 25
		\$35   \$36 1969
		Land, rolling.
		Soil, rocky clay loam. Timber, scattered joshua trees.
		Undergrowth, sage brush, creosote bush and cacti.
		From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set with 8 ins. projecting above the ground, brass cap mkd.
		T35N
		R15W R14W <u>S25   S30</u>
		\$36   \$31 1939
		Original mound of stone W. of the cor.
		<b>s</b> . 89°54' W., bet. secs. 25 and 36.
		Over rolling land through scattered joshua trees.
	1.30	Wash, 10 1ks. wide, 1 ft. deep, drains irregularly S. 20° W.
- 1		

## $\mathbf{S}$ ubdivision, T. 35 N., R. 15 W.

	Sabativision, 1. 35 N., R. 15 W.
CHAINS	
25.90	Draw, drains irregularly <b>S</b> . 55° W.
33.30	Rocky spur, slopes SW.
40.04	Point for the ½ sec. cor. of secs. 25 and 36.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  1/4 S25  536  1969
	The cor. is located on a W. slope.
46.30	Wash, 10 lks. wide, 1 ft. deep, drains S. 50° W., 50 lks. dist.; thence irregularly S. 20° W.
59.70	Wash, 10 1ks. wide, 1 ft. deep, drains <b>S</b> . 40° W., 2.00 chs. dist.; thence <b>S</b> . 70° W.
80.08	The cor. of secs. 25, 26, 35 and 36.
	Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	N. 0°01' W., bet. secs. 25 and 26.
	Over gently rolling land through scattered joshua trees.
5.90	Wash, 20 1ks. wide, 2 ft. deep, drains S. 60° W.
16.70	Wash, 25 lks. wide, 1 ft. deep, drains <b>S</b> . 20° W., 250 lks. dist.; thence W.
22.00	Track road, bears E. and W.
40.00	Point for the ½ sec. cor. of secs. 25 and 26.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T35N R15W
	\$26   \$25 1969
	Raise a mound of stone W. of the cor.
51.00	Wash, 20 lks. wide, 2 ft. deep, drains S. 70° W., 150 lks. dist.; thence W.
71.90	Dim track road, bears S. 80° E. and N. 80° W.
79.00	S. channel of Squaw Wash, 150 lks. wide with 8 ft. banks, drains N. 80° W.
80.00	Point for the cor. of secs. 23, 24, 25 and 26.

	Subdivision, 1. 33 N., R. 13 W.
CHAINS	
	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.
	T35N R15W <u>S23   S24</u> <u>S26   S25</u> 1969
	Raise a mound of stone W. of the cor.
	Land, gently rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the Tp.
	S. 89°49' W., bet. secs. 24 and 25.
	Over gently rolling land through scattered joshua trees.
21.10	Track road, bears irregularly N. 20° E. and S. 20° W.
39.97	Point for the ½ sec. cor. of secs. 24 and 25.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  2 S24 2 S25 1969
	Raise a mound of stone N. of the cor.
62.90	N. rim of <b>S</b> quaw Canyon, bears <b>S</b> . 55° E. and N. 55° W.; desc. over <b>S</b> W. slope.
71.20	Main channel of <b>S</b> quaw Wash, 170 1ks. wide, 3 ft. deep, drains N. 5° W., 2.00 chs. dist.; thence irregularly <b>S</b> . 80° W.
79.94	The cor. of secs. 23, 24, 25 and 26.
	Land, gently rolling. Soil, silty clay loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	N. 0°01' W., bet. secs. 23 and 24.
	Continue through <b>S</b> quaw Wash area.
4.40	Main channel of <b>S</b> quaw Wash, 120 1ks. wide with 5 ft. banks, drains <b>S</b> . 80° W.; asc. 40 ft. over vertical cliff.
5.80	N. rim of <b>S</b> quaw Wash, bears irregularly E. and W.
	<u> </u>

## $\mathbf{S}$ ubdivision, $\mathbf{T}$ . 35 N., $\mathbf{R}$ . 15 W.

	,
CHAINS	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 24.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	\$23   \$24 1969
61.90	Wash, 40 lks. wide, 3 ft. deep, drains W.
64.60	Wash, 40 lks. wide, 3 ft. deep, drains S. 80° W.
78.30	Wash, 80 lks. wide, 4 ft. deep, drains W.
80.00	Point for the cor. of secs. 13, 14, 23 and 24.
	Set the iron post over an X cut into solid rock, mound of stone to top, brass cap mkd.
	T35N R15W  S14   S13  S23   S24  1969
	The cor. is located on the N. bank of a wash.
	Land, gently rolling. Soil, sandy and rocky. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 13 and 24 only on the E. bdy. of the Tp.
	S. 89°45' W., bet. secs. 13 and 24.
	Over gently rolling land through scattered joshua trees.
3.60	Track road, bears N. and S.
39.94	Point for the ½ sec. cor. of secs. 13 and 24.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  2 S13 S24 1969
56.90	Wash, 40 lks. wide, 3 ft. deep, drains S. 55° W.
79.88	The cor. of secs. 13, 14, 23 and 24.
	Land, gently rolling. Soil, rocky and clay loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.

	Subdivision, T. 35 N., R. 15 W.
 CHAINS	
	N. 0°01' W., bet. secs. 13 and 14.
	Over gently rolling land through scattered joshua trees.
10.20	Wash, 100 1ks. wide, 3 ft. deep, drains S. 80° W.
40.00	Point for the ½ sec. cor. of secs. 13 and 14.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	\$14   \$13 1969
٠	Raise a mound of stone W. of the cor.
69.00	Track road, bears E. and W.
80.00	Point for the cor. of secs. 11, 12, 13 and 14.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
3	S11 S12 S14 S13 1969
	The cor. is located at the top of a steep NW. slope.
	Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
,	From the cor. of secs. 12 and 13 only on the E. bdy. of the Tp.
	s. 89°45' W., bet. secs. 12 and 13.
	Over gently rolling land through scattered joshua trees.
6.10	Wash, 15 lks. wide, 1 ft. deep, drains SW.
17.40	Wash, 30 lks. wide, 2 ft. deep, drains S. 5° W., 3.30 chs. dist.; thence SW.
27.20	Wash, 15 1ks. wide, 1 ft. deep, drains S. 10° W. about 8.00 chs. dist.; thence SW.
39.90	Point for the ½ sec. cor. of secs. 12 and 13.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  1/4 S12  1969

	Subdivision, T. 35 N., R. 15 W.
CHAINS	
46.30	Track road, bears N. 60° E. and S. 60° W.
70.50	Track road, bears S. 10° E. and N. 10° W.
79.80 .	The cor. of secs. 11, 12, 13 and 14.
	Land, gently rolling. Soil, gravelly loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
	N. 0°01' W., bet. secs. 11 and 12.
	Over broken land through scattered joshua trees.
0.10	Desc. 100 ft. over steep NW. slope.
7.70	Wash, 2.00 chs. wide, 4 ft. deep, drains SW.; asc. 70 ft. over steep SE. slope.
16.50	Spur, slopes SW.
28.10	Spur, slopes W.
40.00	Point for the ½ sec. cor. of secs. 11 and 12.
• ′	Set the iron post 15 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	\$11   \$12 1969
	Raise a mound of stone W. of the cor.
	The cor. is located on a steep N. slope.
41.20	Wash, 10 1ks. wide, 1 ft. deep, drains S. 75° W.
74.20	Wash, 40 lks. wide, 2 ft. deep, drains irregularly S. 75° W.
80.00	Point for the cor. of secs. 1, 2, 11 and 12.
	Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.
	T35N R15W  S 2   S 1  S11   S12  1969
	Raise a mound of stone W. of the cor.
	Land, broken. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.

.13.

Subdivision, T. 35 N., R. 15 W.

 	Subdivision, T. 35 N., K. 15 W.
CHAINS	
	From the cor. of secs. 1 and 12 only, on the E. bdy. of the Tp.
	S. 89°40' W., bet. secs. 1 and 12.
	Over rocky mountainous land through widely scattered joshua trees.
4.40	Spur, slopes S.; desc. steep SW. slope.
13.50	Wash, 20 lks. wide, 3 ft. deep, drains S. 60° E., 140 lks. dist.; thence S. 10° E.; asc. steep E. slope.
22.90	W. rim of wash; thence along steep S. slope.
38.10	Spur, slopes S.
39.88	Point for the ½ sec. cor. of secs. 1 and 12.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	$\frac{1}{4} = \frac{S}{S12}$
	1969
61.10	N. edge of a pronounced rocky knoll.
77.40	Wash, 50 1ks. wide, 3 ft. deep, drains S. 5° W., 3.00 chs. dist.; thence S. 50° W.
79.76	The cor. of secs. 1, 2, 11 and 12.
	Land, mountainous. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
	N. 0°16' W., bet. secs. 1 and 2.
	Over rolling, broken land through widely scattered joshua trees.
17.20 .	Top W. edge of a vertical rock cliff 40 ft. high, bears N. 20° W. and SE.
22.00	Desc. steep NW. slope.
28 <b>.</b> 50	Wash, 25 1ks. wide, 2 ft. deep, drains S. 40° W.; asc. steep S. slope.
40.00	Point for the ½ sec. cor. of secs. 1 and 2.
	Set the iron post 15 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	s 2 s 1
	1969
!	

teep  S.  the y set
S. the y set
S. the y set
the y set
the y set
the y set
y set
y set
-
-
-
-
-
-
-
-
-
•, brass
•
.00
•
one
• 0

Subdivision, T. 35 N., R. 15 W.

	Subdivision, 1. 33 M., R. 13 M.
CHAINS	
	Raise a mound of stone W. of the cor.
42.60	Spur, slopes W.
50.50	Wash, 80 lks. wide, 1 ft. deep, drains S. 80° W.
57.80	Wash, 25 lks. wide, 2 ft. deep, drains <b>S</b> . 75° W.
72.00	Track road, bears irregularly N. 50° E. and S. 60° W.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W <u>S27   S26</u> S34   S35 1969
!	Raise a mound of stone W. of the cor.
	Land, rolling. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 25, 26, 35 and 36.
	<b>s</b> . 89°58' W., bet. secs. 26 and 35.
	Over rolling land through scattered joshua trees.
15.50	Wash, 20 1ks. wide, 1 ft. deep, drains SW.
31.30	Wash, 25 1ks. wide, 1 ft. deep, drains S. 60° W., 150 1ks. dist., thence N. 75° W.
37.70	<b>S</b> ame wash, 25 1ks. wide, 1 ft. deep, drains N. 75° W.
40.04	Point for the ½ sec. cor. of secs. 26 and 35.
	<b>S</b> et the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  2 S26 2 S35 1969
42.00	Same wash, 25 lks. wide, 1 ft. deep, drains SW.
52.50	Wash, 15 lks. wide, 1 ft. deep, drains S. 30° W.
62.50	Track road, bears irregularly N. 60° E. and S. 60° W.
80.08	The cor. of secs. 26, 27, 34 and 35.
	Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush, cacti and scattered grasses.
1	

	3dbd1V1810ft, 1. 35 N., R. 15 W.
CHAINS	
	N. 89°59' W., bet. secs. 27 and 34.
	Over gently rolling land through scattered joshua trees.
20.60	Wash, 20 1ks. wide, 1 ft. deep, drains SW., 4.00 chs. dist.; thence S. 80° W.
40.07	Point for the ½ sec. cor. of secs. 27 and 34.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  1/4 S27  S34  1969
66.30	Enter rolling land, bears NE. and SW.
80.14	The cor. of secs. 27, 28, 33 and 34, monumented by an iron post 2½ ins. diam., firmly set with 8 ins. projecting above the ground, brass cap mkd.
	T35N R15W <u>S28   S27</u> S33   S34 1956
	Original mound of stone to West.
	Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 26, 27, 34 and 35.
	N. 0°01' W., bet. secs. 26 and 27.
	Over gently rolling land through scattered joshua trees.
31.90	Track road, bears S. 80° E. and N. 80° W.
40.00	Point for the ½ sec. cor. of secs. 26 and 27.
	Set the iron post 16 ins. in the ground, collar of stone to top, brass cap mkd.
	T35N R15W
	\$27 <b>\$</b> 26 1969
	Raise a mound of stone W. of the cor.
42.60	Wash, 20 1ks. wide, 1 ft. deep, drains N. 75° W., 100 lks. dist.; thence W.
52.70	Wash, 10 1ks. wide, 1 ft. deep, drains W.

Subdivision, T. 35 N., R. 15 W.

	Subdivision, 1. 35 M., M. 25 M.
CHAINS	
58.80	Wash, 50 1ks. wide, 1 ft. deep, drains N. 60° W., 70 lks. dist.; thence SW.
80.00	Point for the cor. of secs. 22, 23, 26 and 27.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	<u>\$22   \$23</u>
: :	\$27   <b>\$</b> 26 1969
	Raise a mound of stone W. of the cor.
	Land, gently rolling.
	Soil, rocky loam. Timber, scattered joshua trees.
	Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 23, 24, 25 and 26.
	<b>s</b> . 89°58' W., bet. secs. 23 and 26.
	Over <b>S</b> quaw Wash, through scattered joshua trees.
3.00	S. channel of Squaw Wash, 30 lks. wide with 6 ft. banks, drains N. 65° W.
3.90	Leave wash area, enter gently rolling land, bears S. 65° E. and N. 65° W.
20.35	Track road, bears S. 65° E. and N. 65° W.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 26.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	½ <u>\$23</u> \$26
	1969
75.00	Wash, 15 lks. wide, 2 ft. deep, drains N. 65° W.
80.04	The cor. of secs. 22, 23, 26 and 27.
	Land, gently rolling. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush, cacti and cat- claw.
	N. 89°54' W., bet. secs. 22 and 27.
	Over gently rolling land through scattered joshua trees.
	1

## $\mathbf{S}$ ubdivision, T. 35 N., R. 15 W.

	Babaty Islan, 1. 33 K., K. 13 W.
CHAINS	
40.11	Point for the ½ sec. cor. of secs. 22 and 27.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	$\frac{1}{4} \frac{S22}{S27}$
	1969
59.00	Wash, 30 lks. wide, 2 ft. deep, drains SE., 180 lks. dist.; thence S. 60° W.
68.00	Spur, slopes SW.; desc. 60 ft. over NW. slope.
71.60	Wash, 20 lks. wide, 3 ft. deep, drains S. 20° W., 250 lks. dist., thence S. 80° W.; asc. SE. slope.
74.80	Spur, slopes S.; desc. W. slope.
80.22	The cor. of secs. 21, 22, 27 and 28 monumented by an iron post, 2½ ins. diam., firmly set with 8 ins. projecting above the ground, brass cap mkd.
	T35N R15W
	$     \begin{array}{c c}         \underline{\mathbf{S}21} & \mathbf{S}22 \\         \underline{\mathbf{S}}28 & \mathbf{S}27     \end{array} $
	1956
	Original mound of stone W. of the cor.
	Land, gently rolling and rolling.  Soil, rocky and sandy loam.  Timber, scattered joshua trees.  Undergrowth, sage brush, creosote bush and cacti.
	7 22 22 26 1 27
	From the cor. of secs. 22, 23, 26 and 27.
	N. 0°01' W., bet. secs. 22 and 23.
	Over gently rolling land through scattered joshua trees.
1.70	Wash, 20 1ks. wide, 2 ft. deep, drains W.
22.90	Wash, 20 lks. wide, 2 ft. deep, drains N. 80° W.
31.90	Track road, bears SE. and NW.
39.00	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 22 and 23.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	\$22 <b>↑</b> \$23
	w C
	1969

Subdivision, T. 35 N., R. 15 W.

CHAINS	
40.00	True point for the ½ sec. cor. of secs. 22 and 23 falls on insecure ground in Squaw Wash.
40.40	Squaw Wash, 1.90 chs. wide with 4 ft. banks, drains W.; asc. S. slope.
55.00	Spur, slopes W.
75.00	Wash, 40 1ks. wide, 2 ft. deep, drains S. 60° W., 2.00 chs. dist., thence SW.
80.00	Point for the cor. of secs. 14, 15, 22 and 23.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  S15   S14  S22   S23  1969
	Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 13, 14, 23 and 24.
	S. 89°58' W., bet. secs. 14 and 23.
	Over gently rolling land through scattered joshua trees.
15.20	Wash, 50 1ks. wide, 3 ft. deep, drains S. 70° W.
40.02	Point for the ½ sec. cor. of secs. 14 and 23.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	$\frac{1}{2} \frac{S14}{S23}$
	1969
71.70	Wash, 20 1ks. wide, 2 ft. deep, drains S., 140 1ks. dist.; thence SW.
80.04	The cor. of secs. 14, 15, 22 and 23.
	Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	N. 89°51' W., bet. secs. 15 and 22.
	Over gently rolling land through scattered joshua trees.

	r	25521V1516M, 1. 55 N., R. 15 W.
	CHAINS	
	9.10	Track road, bears N. 40° E. and S. 40° W.
	16.80	Low rim, bears N. and S.; desc. rocky SW. slope.
	23.00	Desc. abruptly over rocky W. slope.
	25.30	Enter nearly level land, bears N. and S.
	30.80	E. bank of Grand Wash, 10 ft. high, bears N. 30° E. and S. 30° W.
	32.00	Main channel of Grand Wash, drains S. 25° W.
	33.00	W. bank of Grand Wash, 8 ft. high, bears N. 25° E. and S. 25° W.; thence asc. steep rocky S. slope.
	38.00	Spur, slopes S.
	40.17	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 22.
		<b>S</b> et the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W  1/4 S15  S22  1969
	43.90	Wash, 40 lks. wide with 5 ft. banks, drains S. 40° W., 190 lks. dist.; thence SE.; asc. SW. slope.
	49.40	Track road, bears N. and S.
	54.20	Track road, bears NE. and SW., 40 lks. dist., then curves Westerly.
	56.80	Same track road, bears S. 30° E. and N. 30° W.
	62.00	Low rim, bears N. and $\mathbf{S}$ .; thence over gently rolling land.
	77.70	Wash, 20 1ks. wide, 2 ft. deep, drains <b>S</b> .; thence asc. steep rocky E. slope.
	80.34	The cor. of secs. 15, 16, 21 and 22, monumented by an iron post $2\frac{1}{2}$ ins. diam., firmly set in a mound of stone to top, brass cap mkd.
		T35N R15W <u>S16   S15</u> <u>S21   S22</u> 1956
		Land, gently rolling and rolling.  Soil, rocky and sandy loam.  Timber, scattered joshua trees.  Undergrowth, sage brush, creosote bush, cacti and scattered grasses.
		From the cor. of secs. 14, 15, 22 and 23.
1		

Subdivision, T. 35 N., R. 15 W.

	Subdivision, 1. 33 N., K. 13 W.
 CHAINS	
	N. 0°01' W., bet. secs. 14 and 15.
	Over gently rolling land through scattered joshua trees.
24.20	Track road, bears NE. and SW.
28.60	Low rim, bears NE. and S. 25° W.; desc. NW. slope.
31.00	Bottom of steep slope; thence over nearly level land, bears NE. and <b>S</b> . 25° W.
40.00	Point for the ½ sec. cor. of secs. 14 and 15.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	<b>s</b> 15 <b> s</b> 14 1969
	Raise a mound of stone W. of the cor.
52.60	E. bank of Grand Wash, 10 ft. high, bears NE. and W.
54.40	Main channel of Grand Wash, drains W. 4.00 chs. dist.; then <b>S</b> W.
59.20	W. bank of Grand Wash, 10 ft. high, bears N. 80° E. and S. 80° W.
65.00	Asc. rocky SE. slope.
72.00	Low rim, bears NE. and SW.; thence over gently rolling land.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W S10 S11 S15 S14 1969
	Land, gently rolling and rolling.  Soil, rocky and silty loam.  Timber, scattered joshua trees.  Undergrowth, sage brush, creosote bush, cacti and scattered grasses.
	From the cor. of secs. 11, 12, 13 and 14.
	S. 89°58' W., bet. secs. 11 and 14.
	Over broken land through scattered joshua trees.
7.30	Wash, 150 lks. wide, 3 ft. deep, drains S. 30° W.
22.50	Same wash, 130 lks. wide, 3 ft. deep, drains N. 50° W.

Subdivision, T. 35 N., R. 15 W.

	CHAINS	
	31.30	Same wash, 130 lks. wide, 3 ft. deep, drains S. 50° W.
	38.10	Low spur, slopes S.
	39.10	Wash, 60 lks. wide with 5 ft. banks, drains S.
	40.04	Point for the ½ sec. cor. of secs. 11 and 14.
		Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W
		½ <u>\$11</u> \$14
		1969
		The cor. is located on a steep E. slope of a narrow spur sloping S.
	40.30	Spur, slopes S.; thence desc. W. slope into Grand Wash.
	49.10	E. bank of Grand Wash, 4 ft. high, bears S. 25° E. and N. 25° W.
	53.00	Main channel of Grand Wash, drains S. 10° E.
The same of the sa	56.60	W. bank of Grand Wash, 6 ft. high, bears S. 10° E. and N. 10° W.; thence asc. SE. slope.
	68.90	Low rim, bears N. and S.
	80.08	The cor. of secs. 10, 11, 14 and 15.
		Land, rolling and broken. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush, cacti and scattered grasses.
		N. 89°46' W., bet. secs. 10 and 15.
		Over rolling land through scattered joshua trees.
	5.70	Wash, 10 lks. wide, 1 ft. deep, drains <b>S</b> .
	11.60	Spur, slopes S. 10° W.
	27.50	Wash, 25 lks. wide, 2 ft. deep, drains <b>S</b> .
	40.20	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15.
		Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W
		½ <u>S10</u> 515 1969
	40.80	Wash, 15 lks. wide, 1 ft. deep, drains S. 20° W.
	l .	1

Subdivision, T. 35 N., R. 15 W.

CHAINS	
60.80	Wash, 10 1ks. wide, 1 ft. deep, drains ${f S}$ . 4.00 chs. dist. thence ${f SW}$ .
63.70	Track road, bears NE. and SW.
79.70	Nutter Road, an improved dirt road, bears N. 5° E. and S. 5° W.
80.40	The cor. of secs. 9, 10, 15 and 16 monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T35N R15W <u>S 9   S10</u> S16   S15  1956
	Land, rolling and gently rolling.  Soil, rocky and sandy loam.  Timber, scattered joshua trees.  Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 10, 11, 14 and 15.
	N. 0°01' W., bet. secs. 10 and 11.
	Over gently rolling land through scattered joshua trees.
40.00	Point for the ½ sec. cor. of secs. 10 and 11.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N_R15W
	\$10 \$11 1969
80.00	Point for the cor. of secs. 2, 3, 10 and 11.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W  S 3   S 2  S10   S11  1969
	Land, gently rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 1, 2, 11 and 12.
	N. 89°59' W., bet. secs. 2 and 11.
	Over rolling land through scattered joshua trees.
2.50	Wash, 20 1ks. wide, 2 ft. deep, drains S. 10° W.

٦		
	CHAINS	
	36.60	Ridge, bears N. 10° E. and S. 10° W.; thence over rolling land.
	40.02	Point for the ½ sec. cor. of secs. 2 and 11.
		Set the iron post 9 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W  1/2 S 2/S11  1969
		The cor. is located on a W. slope.
	46.24	E. bank of Grand Wash, 5 ft. high, bears N. 10° E. and S. 10° W.
	47.86	Main channel of Grand Wash, drains S.
	49.20	W. bank of Grand Wash, 5 ft. high, bears N. and S.
	55.60	Leave valley, asc. steep E. slope,
	60.60	Spur, slopes SE.
	72.50	Draw, drains S.
	77.40	Leave rolling land, enter gently rolling land, bears N. and S.
	80.04	The cor. of secs. 2, 3, 10 and 11.
		Land, rolling. Soil, rocky clay loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush, cacti and scattered grasses.
		N. 89°41' W., bet. secs. 3 and 10.
		Over rolling land through scattered joshua trees.
	10.50	Wash, 40 1ks. wide, 2 ft. deep, drains <b>S</b> .
	38.60	Wash, 15 lks. wide, 1 ft. deep, drains S.
	40.19	Point for the ½ sec. cor. of secs. 3 and 10.
		Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W
		$\frac{1}{4} \frac{S}{S10}$ 1969
	52.80	Nutter Road, an improved dirt road, bears N. 25° E. and S. 25° W.
	72.00	Desc. abruptly over 70 ft. high cliff, bears NE. and S. 70° W.

Subdivision, T. 35 N., R. 15 W.

CHAINS	
72.40	Wash, 80 lks. wide, 3 ft. deep, drains from N. to S. 80° W.; thence along S. slope.
80.38	The cor. of secs. 3, 4, 9 and 10 monumented by an iron post $2\frac{1}{2}$ ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T35N R15W
	$ \begin{array}{c c} \underline{\mathbf{s}} & 4 \mid \underline{\mathbf{s}} & 3 \\ \hline \mathbf{s} & 9 \mid \mathbf{s} & 10 \\ 1956 \end{array} $
	Land, rolling. Soil, rocky and silt loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 2, 3, 10 and 11.
	N. 0°17' W., bet. secs. 2 and 3.
	Over gently rolling land through scattered joshua trees.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3.
	Set the iron post 13 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	s 3 s 2 1969
	The cor. is located on a rocky NE. slope.
72.90	Nutter Road, an improved dirt road, bears N. 28° E. and S. 28° W.
81.53	The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T36N R15W
	Land, gently rolling. Soil, rocky and silty loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote and cacti.
	From the true point for the cor. of secs. 4, 5, 32 and 33 on the <b>S</b> . bdy. of the Tp., from which the witness cor. bears East, 5.00 chs. dist., monumented by an iron post 2 ins. diam., firmly set with 4 ins. projecting above the ground, brass cap mkd.

CHAINS	
	T35N R15W W S32 S33 C S 5 S 4 T34N 1956
	Original mound of stone W. of the cor.
	N. 0°03' W., bet. secs. 32 and 33.
	Over Grand Wash area through scattered joshua trees.
1.10	E. bank of main channel of Grand Wash, bears N. 30° E. and S. 30° W.
3.60	Main channel of Grand Wash, drains S. 35° W.
8.00	W. bank of the main channel of Grand Wash, bears NE. and SW.
19.70	E. bank of the W. channel of Grand Wash, bears N. 35° E. and S. 35° W.
26.00	W. channel of Grand Wash, drains S. 40° W.
32.20	W. bank of the W. channel of Grand Wash, bears N. 40° E. and S. 40° W.
40.00	Point for the ½ sec. cor. of secs. 32 and 33.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T35N R15W
	\$32   \$33 1969
	Raise a mound of stone W. of the cor.
43.00	Leave valley, asc. steep rocky SE. slope.
73.65	Low rim, bears N. 15° E. and S. 20° W., thence over rolling land.
80.00	Point for the cor. of secs. 28, 29, 32 and 33.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W <u>\$29   \$28</u> <u>\$32   \$33</u> 1969
	Land, broken and rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 27, 28, 33 and 34.
	<u> </u>

Subdivision, T. 35 N., R. 15 W.

	Subdivision, 1. 35 kV, kV 25 kV
CHAINS	
	<b>s</b> . 89°55' W., bet. secs. 28 and 33.
	Over rolling land through widely scattered joshua trees.
0.40	Wash, 20 1ks. wide, 1 ft. deep, drains SW., 60 1ks. dist.; thence N. 35° W.
1.90	Same wash, 20 1ks. wide, 1 ft. deep, drains N. 35° W.; asc. NE. slope.
7.40	NW. edge of mesa, bears S. 70° E. and S.; desc. W. slope.
10.70	Enter valley, bears S. 10° E. and N. 20° E.; thence over nearly level land.
25.50	Enter level land in wash area, bears S. 40° E. and N. 40° W.
28.70	E. bank of Grand Wash, 10 ft. high, bears N. 10° E. and S. 10° W.
30.30	Main channel of Grand Wash, drains S. 30° W.
37.90	W. bank of Grand Wash, 10 ft. high, bears N. 30° E. and S. 30° W.; thence over level land.
39.9	Point for the ½ sec. cor. of secs. 28 and 33.
,	<b>S</b> et the iron post 20 ins. in the ground, brass cap mkd.
	T35N R15W
	$\frac{1}{4} \frac{\text{S}28}{\text{S}33}$
	1969
	Raise a mound of stone N. of the cor.
49.0	O Leave valley, enter rolling land, bears N. and S. 35° W.
62.0	
68.7	Wash, 20 1ks. wide, 4 ft. deep, drains S. 25° E.; asc. steep E. slope.
77.5	O Low rim, bears N. and S. 20° E.
79.9	The cor. of secs. 28, 29, 32 and 33.
	Land, broken and rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	N. 0°03' W., bet. secs. 28 and 29.
	Over rolling land through scattered joshua trees.
10.	!
15.9	Draw, drains S. 75° E.; asc. S. slope.

۰,			
	CHAINS		-
	18.50	N. rim of a draw, bears E. and W.; thence over gently rolling land.	
	36.80	Track road, bears NE. and SW.	
	40.00	Point for the ½ sec. cor. of secs. 28 and 29.	
		Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.	
		T35N <sub>1</sub> R15W	
	·	\$29  \$28 1969	
	66.10	Nutter Road, an improved dirt road, bears N. 57° E. and S. 57° W.	
	66.50	Rim of mesa, bears NE. and SW.; desc. 70 ft. over steep NW. slope.	
	80.00	Point for the cor. of secs. 20, 21, 28 and 29.	
	·	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.	
		T35N R15W	
l		\$20 <b>\$</b> 21	
Ì	,	<b>s</b> 29 <b>s</b> 28	
		1969	
		Raise a mound of stone W. of the cor.	
		The cor. is located 20 lks. N. of a small wash draining W.	
		Land, rolling and gently rolling.	
		Soil, loam and sandy loam.	
		Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.	
		From the cor. of secs. 21, 22, 27 and 28.	
		S. 89°55' W., bet. secs. 21 and 28.	
		Over nearly level land in Grand Wash area, through scattered joshua trees.	
	3.20	E. bank of Grand Wash, 8 ft. high, bears N. and S.	
	7.50	Main channel of Grand Wash, drains S.	
	9.70	W. bank of Grand Wash, 10 ft. high, bears N. and S.; asc. SE. slope.	
	19.00	Top of knoll, desc. W. slope.	
	29.90	Draw, drains SE.	
	35.10	Low rim, bears N. and S.	
	39.93	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28.	

Subdivision, T. 35 N., R. 15 W.

	CHAINS	
		Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W
		½ <u>S21</u> S28
		1969
	53.80	Track road, bears S. 10° E. and N. 10° W.
	58.00	Nutter Road, an improved dirt road, bears N. 80° E. and S. 80° W.
	72.90	Rim of mesa, bears N. and S.; desc. steep W. slope.
	79.86	The cor. of secs. 20, 21, 28 and 29.
		Land, rolling and gently rolling.
	,	Soil, rocky and silt loam. Timber, scattered joshua trees.
		Undergrowth, sage brush, creosote bush and cacti.
		N. 0°20' W., bet. secs. 20 and 21.
		Over rolling land through scattered joshua trees.
	2.80	Spur, slopes N. 80° W.
	9.70	Wash, 30 lks. wide, 3 ft. deep, drains S., 50 lks. dist., thence W.; asc. steep S. slope.
	23.00	Rim of mesa, bears E. and W.; thence over gently rolling land.
	40.02	Point for the ½ sec. cor. of secs. 20 and 21.
		Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W
		   \$20   \$21
		1969
	58.90	Rim of mesa, bears E. and W.; desc. 70 ft. over vertical rock cliff.
	66.20	Base of steep N. slope, bears E. and SW.; thence over rolling land.
	75.20	Cottonwood Wash, 150 1ks. wide with 10 ft. banks, drains S. 50° W.
	80.04	The cor. of secs. 16, 17, 20 and 21, monumented by an
	80.04	iron post $2\frac{1}{2}$ ins. diam., firmly set in a mound of stone to top, brass cap mkd.
,		T35N R15W
		<u>S17 S16</u>
		\$20 \$21 1956

CHAINS	
	Land, gently rolling and rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.
	From the cor. of secs. 8, 9, 16 and 17, monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T35N R15W <u>S 8   S 9</u> S17   S16  1956
	N. 0°03' W., bet. secs. 8 and 9.
,	Over rolling land through scattered joshua trees.
22.60	Wash, 20 1ks. wide, 2 ft. deep, drains S. 40° E.
30.40	Same wash, 20 lks. wide, 2 ft. deep, drains S. 70° W., 90 lks. dist.; thence S.
39.20	Same wash, 20 lks. wide, 2 ft. deep, drains E., 60 lks. dist.; thence S.
40.00	Point for the ½ sec. cor. of secs. 8 and 9.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T35N R15W
	\$ 8   S 9 1969
	Raise a mound of stone W. of the cor.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.
	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.
	T35N R15W  S 5   S 4  S 8   S 9  1969
	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush, cacti and cheat grass.
	From the cor. of secs. 3, 4, 9 and 10 previously described.
	<b>S</b> . 89°45' W., bet. secs. 4 and 9.
	Over rolling land through scattered joshua trees.

Subdivision, T. 35 N., R. 15 W.

	Subdivision, T. 35 N., R. 15 W.
CHAINS	
16.70	Wash, 20 1ks. wide, 2 ft. deep, drains S. 10° W.
19.70	Rocky ridge, bears N. and S.
22.20	Wash, 20 1ks. wide, 2 ft. deep, drains S.
39.99	Point for the ½ sec. cor. of secs. 4 and 9.
	Set the iron post over an X cut into solid rock, mound of stone to top, brass cap mkd.
	T35N_R15W
	$\frac{1}{4} \cdot \frac{S}{S} \cdot \frac{4}{9}$ 1970
55.10	E. rim of Cottonwood Wash, bears N. and S.; thence desc. steep rocky W. slope.
67.00	Cottonwood Wash, 150 lks. wide, with 4 ft. banks, drains S. 35° E.; asc. steep rocky E. slope.
73.30	W. rim of Cottonwood Wash, bears N. and S.
79.98	The cor. of secs. 4, 5, 8 and 9.
	Land, rolling and broken. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush, cacti and cheat grass.
	N. 0°.05' W., bet. secs. 4 and 5.
	Over rolling land through scattered joshua trees.
3.70	Desc. steep NE. slope.
10.00	Vertical rock cliff, 20 ft. high, bears SE. and NW.; desc. steep NE. slope.
23.40	Enter valley, bears S. 20° E. and N. 20° W.; thence over gently rolling land.
32.60	Wash, 40 lks. wide, 3 ft. deep, drains S. 75° E.
40.00	Point for the 1/2 sec. cor. of secs. 4 and 5.
•	Set the iron post 16 ins. in the ground, collar of stone to top, brass cap mkd.
٠	T35N R15W
	S 5 S 4 1969
	Raise a mound of stone W. of the cor.
63.50	Main channel of Cottonwood Wash, 90 lks. wide with 5 ft. banks, drains S. 45° E.; thence along wash area.
74.50	E. fork of Cottonwood Wash, 40 1ks. wide, 3 ft. deep, drains S. 2° E.

	Subdivision, T. 35 N., R. 15 W.
CHAINS	
82.02	True point for the cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp., from which the witness cor. bears S. 89°46' E., 80 lks. dist., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T36N R15W W <u>S32   S33</u> C S 5   S 4 T35N 1956
	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush, cacti and grass.
Κ.	From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T35N R15W  S31   S32  S 5   S 6  T34N  1956
	N. 0°03' W., bet. secs. 31 and 32.
	Over rolling land through scattered joshua trees.
16.80	Wash, 20 1ks. wide, 1 ft. deep, drains SW.
39.00	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 31 and 32.
	Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.
÷	T35N R15W
	s31 <b>↑</b> s32
	w c 1969
	Raise a mound of stone W. of the cor.
40.00	True point for the % sec. cor. of secs. 31 and 32 falls at an insecure location in a wash 40 lks. wide, 2 ft. deep, draining SE., 2.00 chs. dist., thence S.
43.00	Same wash, 40 lks. wide, 2 ft. deep, drains S. 10° W.; asc. SE. slope.
74.70	Ridge, bears NE. and SW.
80.00	Point for the cor. of secs. 29, 30, 31 and 32.
•	
	,

CHAINS	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	S30 S29 S31 S32 1969
	from which
	USC&GS triangulation station NUGGET, bears N. 4°56' E., 18.74 chs. dist., monumented by a standard bronze tablet mkd. NUGGET 1953. Latitude, 36°24'02.198" N., Longitude, 113°55'58.373" W.
<b>.</b>	The cor. is located 66 lks. S. of Nutter Road, bearing NE. and SW.
	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
	From the cor. of secs. 28, 29, 32 and 33.
	S. 89°57' W., bet. secs. 29 and 32.
	Over rolling land, through scattered joshua trees.
32.00	Top of vertical rock cliff 30 ft. high, bears N. and S.; desc. W. slope.
40.00	Point for the ½ sec. cor. of secs. 29 and 32.
	Set the iron post 20 ins. in the ground, brass cap mkd.
•	T35N 'R15W
	½ <u>\$29</u> \$32
	1969
	Raise a mound of stone N. of the cor.
42.80	Intersection of two small draws, draining S. 15° W. from N. 5° W. and N. 30° E.
54.10°	Ridge, bears N. 30° E. and S. 30° W.
61.90	Rocky spur, slopes NW.; thence desc. rocky W. slope.
65.50	Wash, 25 1ks. wide, 2 ft. deep, drains S.
80.00	The cor. of secs. 29, 30, 31 and 32.
	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush and cacti.
	West, bet. secs. 30 and 31.
	Over gently rolling land, through scattered joshua trees.
	1

	CHAINS	
	0.90	Nutter Road, an improved dirt road, bears N. 60° E. and S. 60° W.
	1.80	Track road, bears NE. and SW.
	38.00	Point selected for the witness ½ sec. cor. of secs. 30 and 31.
		Set the iron post 23 ins. in the ground, brass cap mkd.
		T35N R15W
		½ € S30 W C S31 . 1969
		Raise a mound of stone N. of the cor.
	38.20	Top edge of vertical rock cliff 50 ft. high, bears N. 10° E. and S. 10° W.; thence desc. 100 ft. over rocky mountainous W. slope.
	40.00	True point for the ½ sec. cor. of secs. 30 and 31 falls on a steep rocky W. slope with large boulders where a monument cannot be perpetuated.
	59.10	Base of rocky mountainous W. slope, bears N. and S.
	60.90	Cedar Wash, 2.00 chs. wide with 4 ft. banks, drains S. 20° W.
	64.40	Wash, 40 1ks. wide, 3 ft. deep, drains S. 30° E., about 150 1ks. dist.; thence S.
	67 <b>.</b> 20	Wash, 50 lks. wide with 5 ft. banks, drains SE.
	77.20	Intersect the W. bdy. of the Tp.
	•	Point for the closing cor. of secs. 30 and 31.
		Set the iron post 24 ins. in the ground, brass cap mkd.
		T35N
		R16W R15W S36 S30 C
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	*	1970
		from which
	•	The cor. of secs. 25, 30, 31 and 36, T. 35 N., Rs. 15 and 16 W., bears North, 2.76 chs. dist., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This monument now functions as the cor. of secs. 25 and 36 only, T. 35 N., R. 16 W., remarked.
		T35N
		R16W R15W S25   G20
		· S36 S30
		1970 1932
		Raise a mound of stone E. of the cor.
-		Large a mound or brone H. or the core

r	
CHAINS	Land, gently rolling and mountainous. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush, cacti and cat claw.
	Point for the ½ sec. cor. of sec. 31 only, is on the W. bdy. of the Tp., at mid-point bet. the closing corners.
	Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N   ½   S31   R15W 1970
	from which
,	The ½ sec. cor. of secs. 31 and 36, T. 35 N., Rs. 15 and 16 W., bears North 2.82 chs. dist., monumented by an iron post 1 in. diam., firmly set in a mound of stone to top. This monument now functions as the ½ sec. cor. of sec. 36 only, T. 35 N., R. 16 W., remarked.
	T35N
	536 R16W
	1970 1932
	From the cor. of secs. 29, 30, 31 and 32.
٠	N. 0°03' W., bet. secs. 29 and 30.
	Over rolling land, through scattered joshua trees.
0.66	Nutter Road, an improved dirt road, bears NE. and SW.
2.60	Desc. NW. slope.
4.05	Fence, bears NE. about 6.00 chs. dist. to a rock cliff and SW. about 4.00 chs. dist. to a rock cliff.
18.60	Rocky spur, slopes W.
29.30	Rock cliff, 10 ft. high, bears NE. and SW.; thence desc. NW. slope.
40.00	Point for the ½ sec. cor. of secs. 29 and 30.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
	1, 4
	S30   S29 1970
9	

Subdivision, T. 35 N., R. 15 W.

	Subdivision, 1. 33 N., K. 13 W.	
CHAINS		
49.40	Wash, 30 lks. wide, 3 ft. deep, drains S. 70° W.	
57.20	Cedar Wash, 2.00 chs. wide with 4 ft. banks, drains irregularly S. 40° W.	
68.80	Wash, 30 lks. wide, 3 ft. deep, drains S. 80° W.	
76.60	Track road, bears NE. and SW.	
80.00	Point for the cor. of secs. 19, 20, 29 and 30.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	T35N R15W  S19 S20  S30 S29  1970	
	Raise a mound of stone W. of the cor.	
•	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua.trees. Undergrowth, sage brush, creosote bush and cacti.	
	From the cor. of secs. 20, 21, 28 and 29.	
	S. 89°57' W., bet. secs. 20 and 29.	
	Over gently rolling land, through scattered joshua trees and creosote bush.	
19.30	Wash, 15 lks. wide, 3 ft. deep, drains NW.	
40.01	Point for the ½ sec. cor. of secs. 20 and 29.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
•.	T35N R15W $ \frac{820}{829} $ 1970	
	Raise a mound of stone N. of the cor.	
41.70	Cedar Wash, 100 1ks. wide, with 8 ft. banks, drains SW.	
69.80	Track road, bears N. 30° E. and S. 30° W.	
76.50	Wash, 40 lks. wide, with 5 ft. banks, drains S. 30° W.	
80.02	The cor. of secs. 19, 20, 29 and 30.	
	Land, gently rolling. Soil, rocky and sandy loam. Timber, joshua trees. Undergrowth, sage brush, creosote bush, catclaw and cacti.	
	West, bet. secs. 19 and 30.	
	Over rolling land, through scattered joshua trees.	

Subdivision, T. 35 N., R. 15 W.		
 CHAINS		
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30.	
2	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.	
٠	T35N R15W  2 S19  S30  1970	
	Raise a mound of stone N. of the cor.	
40.50	Spur, slopes SW.; desc. NW. slope.	
77.02	Intersect the W. bdy. of the Tp.	
	Point for the closing cor. of secs. 19 and 30.	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
,	T35N R16W R15W S25 $\begin{vmatrix} \frac{\mathbf{S}19}{\mathbf{S}30} & \mathbf{C} \\ \mathbf{C} \end{vmatrix}$	
	from which	
	The cor. of secs. 19, 24, 25 and 30, T. 35 N., Rs. 15 and 16 W., bears North 2.73 chs. dist., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top. This monument now functions as the cor. of secs. 24 and 25 only, T. 35 N., R. 16 W., remarked.	
	T35N R16W R15W	
	Original mounds of stone located NE., SE., SW. and NW. of the cor. (There is no record of these mounds).	
	Raise a mound of stone E. of the cor.	
	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush, catclaw and cacti.	
	Point for the ½ sec. cor. of sec. 30 only, is on the W. bdy. of the Tp., at mid-point bet. the closing corners.	
	Set the iron post 24 ins. in the ground, brass cap mkd.  T35N    1/4   S30   R15W 1970	

	Subdivision, T. 35 N., R. 15 W.			
CHAINS	<b>;</b>			
	from which			
	The ½ sec. cor. of secs. 25 and 30, T. 35 N., Rs. 15 and 16 W., bears North 2.75 chs. dist., monumented by an iron post, 1 in. diam., firmly set in the ground, in a collar of stone to top. This monument now functions as the ½ sec. cor. of sec. only, T. 35 N., R. 16 W., remarked.			
	T35N    2     S25     R16W     1970   1932			
,	Raise a mound of stone E. of the cor.			
	From the cor. of secs. 19, 20, 29 and 30.			
	N. 0°03' W., bet. secs. 19 and 20.			
	Over rolling land, through scattered joshua trees.			
2.20	Enter wash area, bears S. 5° E. and N. 10° W.			
4.00	Center of wash, 50 lks. wide with 10 ft. banks, drains S. 5° E.			
6.50	Leave wash area, bears N. 20° E. and S. 5° E.			
30.70	Wash, 30 lks. wide, with 10 ft. banks, drains S. 60° E., 50 lks. dist., thence S.			
40.00	40.00 Point for the ½ sec. cor. of secs. 19 and 20.			
	Set the iron post 24 ins. in the ground, brass cap mkd.			
	T35N R15W			
7	\$19   \$20 1970			
	Raise a mound of stone W. of the cor.			
	The cor. is located on the E. slope of a knoll.			
45.00	Asc. steep rocky E. slope.			
50.90	Top of vertical cliff 30 ft. high, bears E. and W.; thence over gently rolling land.			
80.00	Point for the cor. of secs. 17, 18, 19 and 20.			
6	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.			
•	T35N R15W <u>\$18   \$17</u> \$19   \$20 1970			

 	200000000000000000000000000000000000000
CHAINS	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creesote bush and cacti.  From the cor. of secs. 16, 17, 20 and 21. S. 89°52' W., bet. secs. 17 and 20. Over rolling land, through scattered joshua trees.
9.60	Track road, bears N. 10° E. and S. 10° W.
37.00	Cedar Wash, 100 1ks. wide, with 6 ft. banks, drains S. 20° E.; asc. abruptly over steep E. slope.
39.81	Point for the ½ sec. cor. of secs. 17 and 20.
	Set the iron post 15 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W ½ <u>S17</u> 520 1970
42.60	Rim of mesa, bears S. 20° E. and N. 20° W.
79.62	The cor. of secs. 17, 18, 19 and 20.
	Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush, cacti and catclaw.
•	
	West, bet. secs. 18 and 19.  Over gently rolling land, through scattered joshua trees.
31.00	Rim of mesa, bears S. 30° E. and N. 30° W.; desc. steep rocky W. slope.
40.00	Point for the ½ sec. cor. of secs. 18 and 19.
	Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.
· ·	T35N R15W $\frac{$18}{$}$ $\frac{$19}{1970}$ The cor. is located on a steep W. slope.
43.40	Wash, 40 lks. wide, with 4 ft. banks, drains irregularly SW.
51.00	Asc. along a steep rocky S. slope.
76.78	Intersect the W. bdy. of the Tp.

#### CHAINS

Point for the closing cor. of secs. 18 and 19.

Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.

T35N R16W R15W S24  $\begin{vmatrix} S18 & C \\ S19 & C \end{vmatrix}$ 

from which

The cor. of secs. 13, 18, 19 and 24, T. 35 N., Rs. 15 and 16 W., bears North 2.69 chs. dist., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This monument now functions as the cor. of secs. 13 and 24 only, T. 35 N., R. 16 W., remarked.

T35N R16W R15W S13 S24 S18 1970 1933

Land, rolling.
Soil, rocky and sandy loam.
Timber, scattered joshua trees.
Undergrowth, sagebrush, creosote bush, cacti and grass.

Point for the  $\frac{1}{4}$  sec. cor. of sec. 19 only, is on the W. bdy. of the Tp., at mid-point bet. the closing corners.

Set the iron post over an X cut into solid rock, mound of stone to top, brass cap mkd.

from which

The ½ sec. cor. of secs. 19 and 24, T. 35 N., Rs. 15 and 16 W., bears North 2.71 chs. dist., monumented by an iron post, 1 in. diam., firmly set in a mound of stone to top. This monument now functions as the ½ sec. cor. of sec. 24 only, T. 35 N., R. 16 W., remarked.

· T35N

| | | |
| S24 |
| R16W |
| 1970
| 1932

	Subdivision, T. 35 N., R. 15 W.
CHAINS	
The cor. is located on a ridge sloping W., 1.00 ch. dist., S. of a sheer rock cliff.	
•	From the cor. of secs. 17, 18, 19 and 20.
	N. 0°03' W., bet. secs. 17 and 18.
	Over gently rolling land, through scattered joshua trees.
0.00	Point for the ½ sec. cor. of secs. 17 and 18.
٥	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N_R15W
	\$18   \$17 1970
30.00	Point for the cor. of secs. 7, 8, 17 and 18.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W .  S 7   S 8  S18   S17  1970 .
	Land, gently rolling. Soil, sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush, cacti and grass.
	From the cor. of secs. 8, 9, 16 and 17.
	S. 89°51' W., bet. secs. 8 and 17.
	Over rolling land, through scattered joshua trees.
L4.70	Track road, bears N. and S.
23.50	Draw, drains S. 30° W.
31.20	Ridge, bears N. and S.; desc. steep W. slope.
39.84	Point for the ½ sec. cor. of secs. 8 and 17.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T35N R15W
40.70	Bottom of desc. bears N. and S.; thence enter small valley,
46.60	Wash, 15 1ks. wide, 3 ft. deep, drains S. 60° W.
	1

Subdivision, T. 35 N., R. 15 W.

	<del></del>	
	CHAINS 55.90	Cedar Wash, 180 1ks. wide, with 6 ft. banks, drains S.
ζ	60.60	Leave valley, bears N. and S.; asc. steep rocky NE. slope.
	66.90	Top of vertical cliff, 50 ft. high, bears N. and S.
	68.50	Enter mesa, bears N. and S.; thence over rolling land.
	79.68	The cor. of secs. 7, 8, 17 and 18.
Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush, cacti and gr		Soil, rocky and sandy loam.
		West, bet. secs. 7 and 18.
		Over rolling land, through scattered joshua trees.
	27.10	Ravine, drains S.
	35.20	Ravine, drains S.
	40.00	Point for the ½ sec. cor. of secs. 7 and 18.
		Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
		T35N R15W  1/2 S 7  S18  1970
		The cor. is located on a SE. slope.
	46.00	Spur, slopes S., desc. W. slope.
	55.30	Ravine, drains S., asc. E. slope.
	73.00	Ridge, bears N. and S., desc. NW. slope.
	76.76	Intersect the W. bdy. of the Tp.
		Point for the closing cor. of secs. 7 and 18.
	·	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd:
		T35N R16W R15W $S13 \begin{vmatrix} \frac{S}{5} & C \\ \frac{S}{5} & C \\ 1970 \end{vmatrix}$
		from which
	,	The cor. of secs. 7, 12, 13 and 18, T. 35 N., Rs. 15 and 16 W., bears North 2.66 chs. dist., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This monument now functions as the cor. of secs. 12 and 13 only, T. 35 N., R. 16 W., remarked.
-		

43.

	Subdivision, 1. 35 N., K. 15 W.			
CHAINS				
	T35N			
	R16W R15W <u>S12</u> S7			
	S13			
	1970 1932			
	1734			
•	Mounds of stone are located SE. and SW. of the cor. (There is no record of these mounds).			
	Land, rolling.			
	Soil, rocky and sandy loam. Timber, scattered joshua trees.			
•	Undergrowth, sagebrush, creosote bush, cacti and grass.			
	Point for the k sec. cor. of sec. 18 only, is on the W. bdy. of the Tp., at mid-point bet. the closing corners.			
	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.			
	T35N			
	14.			
	·			
	1970			
	from which			
_	The ½ sec. cor. of secs. 13 and 18, T. 35 N., Rs. 15 and 16 W., bears North 2.68 chs. dist., monumented by an iron post 1 in. diam., firmly set in a mound of stone to top. This monument now functions as the ½ sec. cor. of sec. 13 only, T. 35 N., R. 16 W., remarked.			
	T35N			
	· · · · · · · · · · · · · · · · · · ·			
	S13 R16W			
	1970			
	1932			
	Raise a mound of stone E. of the cor.			
	From the cor. of secs. 7, 8, 17 and 18.			
,	N. 0°03' W., bet. secs. 7 and 8.			
	Over gently rolling land, through scattered joshua trees.			
15.00	Dim track road, bears SE. and NW.			
23.50	Vertical cliff 20 ft. high, bears SE. and NW.; desc. steep NE. slope.			
33.00	Enter valley, bears NE. and SW.; thence over nearly level land.			
40.00	Point for the ½ sec. cor. of secs. 7 and 8.			

Subdivision, T. 35 N., R. 15 W.

7		bublivision, 1. 33 N., N. 13 W.	
	CHAINS	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.	
		T35N R15W	
		s 7   s 8 1970	
	41.10	W. bank of Cedar Wash, 8 ft. high, bears S. 20° E. and N. 20° W.	
	42.20	Cedar Wash, drains S. 20° E.	
	43.00	E. bank of Cedar Wash, 4 ft. high, bears S. 20° E. and N. 20° W.; thence continue through dry wash area.	
	49.10	East branch of Cedar Wash, 15 1ks. wide, 3 ft. deep, drains S. 5° W., about 150 1ks. dist. and joins the main channel.	
	62.90	Wash, 25 1ks. wide, 3 ft. deep, drains SE.	
	75.50	Enter wash area, drains S. 15° E.	
	80.00	True point for the cor. of secs. 5, 6, 7 and 8 falls at an insecure point in the E. fork of Cedar Wash.	
		Land, gently rolling and broken. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sagebrush, creosote bush, cacti and cat- claw.	
		From the cor. of secs. 4, 5, 8 and 9.	
	-	S. 89°55' W., bet. secs. 5 and 8.	
		Over rolling land, through scattered joshua trees.	
	9.30	Wash, 20 1ks. wide, 2 ft. deep, drains S.	
	28.55	Track road, bears N. and S.	
	39.84	Point for the ½ sec. cor. of secs. 5 and 8.	
		Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.	
		T35N R15W	
	47.30	Wash, 30 lks. wide, 1 ft. deep, drains SW.	
	67 <b>.</b> 00	Vertical cliff, 70 ft. high, bears N. 20° E. and S. 20° W.; thence desc. steep rocky W. slope.	
	73.40	Enter valley, bears N. 20° E. and S. 20° W.	
	79.20	Cedar Wash, 130 1ks. wide, 2 ft. deep, drains S.	
	79.68	True point for the cor. of secs. 5, 6, 7 and 8.	

Subdivision, T. 35 N., R. 15 W.

 	bubarvision, 1. 35 N., K. 15 W.	
CHAINS	Land, rolling and broken. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, sage brush, creosote bush and cacti.	
	West, bet. secs. 6 and 7.	
*	Over gently rolling land, through scattered joshua trees.	
10.30	Leave valley, bears N. and S., thence asc. steep rocky E. slope.	
17.20	East rim of mesa at top of vertical cliff, 70 ft. high, bears N. and S.	
25.50	Dim track road, bears S. 10° E. and N. 10° W.	
36.50	Draw, drains S. 10° W.	
40.00	Point for the ½ sec. cor. of secs. 6 and 7.	
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.	
	T35N R15W  1/4 S 6  1970	
43.50	Ridge, bears N. and S.	
47.10	E. rim of small canyon, bears N. and S.; thence desc. steep W. slope.	
49.90	Wash, 30 lks. wide, 3 ft. deep, drains S. 10° W.; asc. E. slope.	
71.00	Ridge, bears N. and S.	
76.43	Intersect the W. bdy. of the Tp.	
	Point for the closing cor. of secs. 6 and 7.	
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.	
	T35N R16W R15W	
	$S12 \begin{vmatrix} S & 6 & C \\ S & 7 & C \end{vmatrix}$	
1	1970	
	from which	
-	The cor. of secs. 1, 6, 7 and 12, T. 35 N., Rs. 15 and 16 W., bears North 2.69 chs. dist., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This monument now functions as the cor. of secs. 1 and 12 only, T. 35 N., R. 16 W., remarked.	
	T35N R16W R15W S 1 S 6 1970 1933	

### CHAINS

Land, rolling.
Soil, rocky and sandy loam.
Timber, scattered joshua trees.
Undergrowth, sage brush, creosote bush, cacti and cheat grass.

Point for the  $\frac{1}{4}$  sec. cor. of sec. 7 only, is on the W. bdy. of the Tp., at mid-point bet. the closing corners.

Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.

The  $\frac{1}{4}$  sec. cor. of secs. 7 and 12, T. 35 N., Rs. 15 and 16 W., bears North 2.68 chs. dist., monumented by an iron post 1 in. diam., firmly set in a mound of stone to top. This monument now functions as the  $\frac{1}{4}$  sec. cor. of sec. 12 only, T. 35 N., R. 16 W., remarked.

The point for the  $\frac{1}{2}$  sec. cor. of sec. 6 only, is on the W. bdy. of the Tp., at 40.00 chs. in Northing from the closing cor. of secs. 6 and 7, T. 35 N., R. 15 W.

Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.

.T35N | ½ | ⋅S 6 |R15W

from which

The  $\frac{1}{4}$  sec. cor. of secs. 1 and 6, T. 35 N., Rs. 15 and 16 W., bears North 2.69 chs. dist., monumented by an iron post, 1 in. diam., firmly set in a mound of stone to top. This monument now functions as the  $\frac{1}{4}$  sec. cor. of sec. 1 only, T. 35 N., R. 16 W., remarked.

47.

Subdivision, T. 35 N., R. 15 W.

CHAINS				
	T35N			
	s 1			
	R16W			
	1970			
	1970			
From true point for the cor. of secs. 5, 6, 7 and 8.				
	N. 0°20' W., bet. secs. 5 and 6.			
	Over nearly level land through scattered joshua and cat-claw.			
1.00	Point selected for the witness cor. of secs. 5, 6, 7 and 8.			
	Set the iron post 24 ins. in the ground, brass cap mkd.			
	T35N R15W			
	W C			
	<u>s 6 s 5</u> s 7 s 8			
	5 / 5 °			
1970				
	Raise a mound of stone W. of the cor.			
	The cor. is located on a low spur 20 lks. west of the W. bank of Cedar Wash.			
36.80	Cedar Wash, 2.00 chs. wide with 6 ft. banks, drains E. 40 lks. dist., thence S. 10° E.; thence over nearly level land.			
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6.			
	Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.			
	T35N R15W			
	s 6   s 5 1970			
64.00	Wash, 15 lks. wide, 3 ft. deep, drains S. 30° E., thence continue through wash area.			
82.42	The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.			
	T36N R15W			
	\$31 \s32			
	S 6 S 5			
	T35N 1956			
	1750			
	·			
	·			

CHAINS

Land, nearly level.

Soil, rocky and sandy loam.

Timber, scattered joshua trees.

Undergrowth, sage brush, creosote bush, catclaw and cacti.

## General Description

The land in Township 35 North, Range 15 West is mostly rolling mesa cut by numerous canyons and gullies draining southerly. The Grand Wash and its tributaries drain the land in the east part of the township. Cottonwood Wash drains the north central portion; the extreme west and SW. is drained by Cedar Wash and its tributaries.

The township is primarily for limited grazing of livestock. There were no visible signs of an available water supply. Lava rock overlays portions of the township with a rocky sandy loam subsoil, which supports limited growth of grasses, with sage brush, creosote bush, cacti and joshua trees as the major vegetation.

The main road, "Nutter Road", leads northerly, enters the township in sec. 31 and leaves in sec. 2. There are numerous jeep roads throughout the township. One main jeep road extends easterly through the township from the Nutter Road to the east boundary of the township in sec. 12, with several jeep roads branching in various directions.

Form 9180-8 (March 1969)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

## FIELD ASSISTANTS

FIELD ASSISTANTS			
NAMES	CAPACITY		
Ronald G. Williams	Cadastral Surveyor		
Harry K. Smith	Survey Aid		
Woodrow Fields	Survey Aid		
Manuel E. Palma	Survey Aid		
Robbert DeMey	Survey Aid		
•			

## CERTIFICATE OF SURVEY

(We), Louis D. Gilbert and John H. Witmer

, HEREBY

CERTIFY upon honor that, in pursuance of special instructions bearing date of the 24th day and supplemental special instructions dated December 29, 1969 of July , 1969 XX (We) have dependently resurveyed a portion of the west boundary of Township 35 North, Range 14 West, with the establishment of certain corners of minimum control along a portion of the east boundary of Township 35 North, Range 15 West, and have made a completion survey of the subdivisional lines in Township 35 North, Range 15 West

of the Gila and Salt River Meridian, in the State of Arizona , which are represented in the foregoing field notes as having been executed by (MM), (us) and under (MM) (our) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

March 27, 1970

(Date)

Jaus Milkes
(Cadastral Surveyor)

March 27, 1970

(Date)

John A William (Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date SEP 2 8 1972

BUREAU OF LAND MANAGEMENT Washington, D.C.

The foregoing field notes of the dependent resurvey of a portion of the west boundary of

Township 35 North, Range 14 West, with the establishment of certain corners of

minimum control along a portion of the east boundary of Township 35 North, Range

15 West, and the completion survey of the subdivisional lines in Township 35 North,

executed by

Louis D. Gilbert and Range 15 West of the Gila and Salt River Meridian Arizona

JAN 3 1 1973

(Date)

(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

having been critically examined and found correct, are hereby approved.

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in

, is a true copy of the original field notes.