Form 9180-6 (March 1977)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

	OF THE
DEPENDENT	RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES
	AND
THE SURVEY OF	A PORTION OF THE SUBDIVISION LINES WITHIN SECTION 16
	AND
THE METE	S-AND-BOUNDS SURVEY OF PARCELS A, B, C, D, AND E
	WITHIN SECTION 16
	OF
	TOWNSHIP 9 SOUTH, RANGE 19 WEST
	·
Of the	GILA AND SALT RIVER Meridian
In the State of	ARIZONA
	EXECUTED BY
DOUGLAS A. CODY	CADASTRAL SURVEYOR
	SIBIBITAL BONVETON
:	
Under special instruction	s dated OCTOBER 14, 19 69, approved OCTOBER 27, 1969
AND SUPPLEMENTAL S	PECIAL INSTRUCTIONS DATED SEPTEMBER 5, 1979, APPROVED
SEPTEMBER 13, 1979	which are sided for the gurrous included under NYVYXXXVVC.
	, which provided for the surveys included under XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	Survey commenced APRIL 7 , 1970
	Survey completedSEPTEMBER 21, 1979

N

INDEX DIAGRAM

Township 9 SOUTH , Range 19 WEST ,					,
6	5	4	8	2	1
7	8	9 4	10	11	12
18	17	¹⁶ 1	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	84	35	36

Survey of the subdivision lines within section $16 \, \dots \, p. \, 4$

Survey of Parcel A, Section 16 . . . p. 7

Survey of Parcel B, Section 16 . . . p. 8

Survey of Parcel C, Section 16 . . . p. 10

Survey of Parcel D, Section 16 . . . p. 12

Survey of Parcel E, Section 16 . . . p. 13

Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the subdivisional lines; the survey of a portion of the subdivision lines within sec. 16, and the metes-and-bounds survey of Parcels A, B, C, D, and E all within section 16, Township 9 South, Range 19 West, of the Gila and Salt River Meridian, Arizona.

History of Previous Surveys: The exterior boundaries and subdivisional lines of this township were surveyed by John F. Hesse, U. S. Transitman, in 1910 and 1911, as shown upon the official plat examined and approved April 12, 1911.

The dependent resurvey and surveys were executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947 Edition, and the Special Instructions dated October 14, 1969, and Supplemental Special Instructions dated September 5, 1979.

The direction of all lines of these surveys were determined from direct altitude observations on the sun for azmiuth, and these directions refer to the true meridian. The lines were carried forward by normal transit traverse. Distances are expressed in chains.

The geographic position of the corner of secs. 15, 16, 21, and 22, determined by scaling from a U. S. Geological Survey Quadrangle Map, 7 1/2 minute series "Wellton, Arizona, 1965", is as follows: Latitude 32° 38.1' N. and Longitude 114° 12.6' W. The mean magnetic declination is 14° East.

Dependent Resurvey of a Portion of the Subdivisional Lines Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

Restoring the Survey Executed by John F. Hesse, U. S. Transitman in 1910 and 1911

The corner of secs. 15, 16, 21, and 22 is marked with an iron pipe, 2 ins. in diam., firmly set, projecting 7 ins. above the surface of the ground, with brass cap mkd.

BUREAU OF RECLAMATION

T9S R19W

S 16 | S 15

S 21 | S 22

1941

The above corner marker is accepted as the best available evidence of the position of the original corner. I did not remonument this corner.

Dependent Resurvey of a Portion of the Subdivisional Lines Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

	Gila and Salt River Meridian, Arizona
CHAINS	
	N. 0° 09' E., between secs. 15 and 16
	Over nearly level land.
20.06	The south 1/16 sec. cor. of secs. 15 and 16 is marked with an iron pipe, 1-inch in diam., firmly set, projecting 13 ins. above the surface of the ground, with brass cap mkd.
	BUREAU OF RECLAMATION S 1/16
	S 16 S 15
	1950
	The above corner marker is accepted as the position for the corner. I did not remonument this corner.
	N. 0° 09' E., beginning new measurement
19.54	The point for Corner No. 1, Parcel D and Corner No. 8, Parcel C of section 16
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., with brass cap 7 ins. below the surface of the roadway, mkd.
	T9S R19W S 16 S 15 PAR C COR 8 COR 1 PAR D
	1970
20.07	The 1/4 sec. cor. of secs. 15 and 16 is marked with the remains of an iron pipe, 19 ins. long, 1-inch in diam., with the top 5 ins. below the surface of the roadway, and is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set an iron post, 28 ins. long, 2½ ins. in diam., with brass cap 9 ins. below the surface of the roadway, mkd.
	T9S R19W 1/4
	S 16 S 15
	1970
	Deposit the corner marker alongside the iron post.

Dependent Resurvey of a Portion of the Subdivisional Lines Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

T 5	HAINS	
		There are no suitable accessories nor locations available for reference monuments.
		N. 0° 09' E., beginning new measurement
2	0.06	The point for the north 1/16 sec. cor. of secs. 15 and 16. I did not monument this corner point.
4	0.12	The corner of secs. 9, 10, 15, and 16 is marked with a brass tablet, 3 ins. in diam., seated in the concrete surface of a bridge of U. S. Interstate No. 8, mkd.
		9 10 16 15
·		The above corner marker is accepted as the best available evidence of the position of the original corner. I did not remonument this corner.
		This corner is located on a bridge over Avenue 25 East.
		Discontinue the regular order of survey at this corner.
		From the corner of secs. 15, 16, 21, and 22, heretofore described.
		N. 89° 49' W., between secs. 16 and 21
		Over nearly level land to along rolling north slope.
2	0.07	The point for the east 1/16 sec. cor. of secs. 16 and 21. I did not monument this corner point.
4	0.14	The true point for the 1/4 sec. cor. of secs. 16 and 21, is marked with an iron pipe, 1-inch in diam., firmly set, projecting 3 ins. above the surface of the ground, mkd.
		BUREAU OF RECLAMATION 1/4 S 16 S 21
		1941
		The above corner marker is accepted as the position of the cor.
		From which the witness 1/4 sec. cor. of secs. 16 and 21, bears N. 89° 49' W., 0.48-chain distant (record N. 89° 58' W., 0.48-chain distant); and is monumented with a General Land Office regulation iron post, 1-inch in diam., firmly set, projecting 11 ins. above the surface of the ground, with brass cap mkd.

Dependent Resurvey of a Portion of the Subdivisional Lines Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

	Gila and Salt River Meridian, Arizona
CHAINS	
	T9S R19W S 16 WC 1/4 S 21
	1910
	Discontinue the regular order of survey at this corner.
	From the corner of secs. 9, 10, 15, and 16, heretofore described.
	N. 89° 53' W., between secs. 9 and 16
	Along rolling north slope.
20.07	The point for the east 1/16 sec. cor. of secs. 9 and 16. I did not monument this corner point.
40.14	The 1/4 sec. cor. of secs. 9 and 16 is monumented with a General Land Office regulation iron post, 1-inch in diam. firmly set, projecting 5 ins. above the surface of the ground, with brass cap mkd.
	S 9 1/4 S 16
	1911
	This corner is located within a wide wash; wash drains to the north.
	Discontinue the dependent resurvey at this corner.
	Survey of a Portion of the Subdivision Lines Within Section 16 Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona
	From the 1/4 sec. cor. of secs. 16 and 21, heretofore described.
	N. 0° 09' E., on the north and south center line of sec. 16.
20.04	The point for the center-south 1/16 sec. cor. of sec. 16. I did not monument this corner point.
40.08	Intersect the east and west center line, the point for the center 1/4 sec. cor. of sec. 16. I did not monument this corner point.

Survey of a Portion of the Subdivision Lines Within Section 16 Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

		-
	CHAINS	
6	50.145	The point for the center-north 1/16 sec. cor. of sec. 16. I did not monument this corner point.
8	30.21	The 1/4 sec. cor. of secs. 9 and 16, heretofore described.
		<u> </u>
		From the 1/4 sec. cor. of secs. 15 and 16, heretofore described.
		N. 89° 54' W., on the east and west center line of sec.
1	L2.525	The point for Corner No. 5, Parcel B and Corner No. 2, Parcel C of sec. 16.
		Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., 25 ins. in the ground, with brass cap mkd.
		T9S R19W S 16 PAR B COR 5 COR 2 PARCEL C
		1970
		Continue on the east and west center line and on a blank line across Parcel C of section 16.
2	20.07	The point for the center-east 1/16 sec. cor. of sec. 16. I did not monument this corner point.
3	30.24	The point for Corner No. 4, Parcel A, Corner No. 4, Parcel C, and Corner No. 1, Parcel E of section 16.
		Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., 20 ins. in the ground, with brass cap mkd.
	~	T9S R19W S 16 PAR A COR 4 PAR C COR 1 PAR E
		1970
		Continue on the east and west center line of section 16.
4	40.14	Intersect the north and south center line, the point for the center 1/4 sec. cor. of sec. 16, heretofore described.
3	80.28	The 1/4 sec. cor. of secs. 16 and 17 is monumented with a General Land Office regulation iron post, 1-inch in diam., firmly set, projecting 5 ins. above the surface of the ground, with brass cap mkd.

Survey of a Portion of the Subdivision Lines Within Section 16 Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

	ä
CHAINS	
	1/4
	s 17 s 16
	1911
	From the point for center-east 1/16 sec. cor. of sec. 16, heretofore described.
	N. 0° 09' E., on the north and south center line of the northeast quarter of sec. 16. Thence, on a blank line across Parcel C of section 16.
4.62	Intersect line 3 - 4, Parcel C; the point for Corner No. 5, Parcel A and Corner No. 3, Parcel B of section 16. I did not monument this corner point.
	Continue with the above course and measurement on the north and south center line of the northeast quarter of section 16.
20.063	Intersect the east and west center line of the northeast quarter, the point for the northeast 1/16 sec. cor. of section 16. I did not monument this corner point.
40.125	The point for the east 1/16 sec. cor. of secs. 9 and 16, heretofore described.
	From the point for the north 1/16 sec. cor. of secs. 15 and 16, heretofore described.
	N. 89° 53.5' W., on the east and west center line of the northeast quarter of sec. 16.
20.07	Intersect the north and south center line of the north- east quarter, the point for the northeast 1/16 sec. cor. of sec. 16, heretofore described.
40.14	Intersect the north and south center line, the point for the center-north 1/16 sec. cor. of sec. 16, heretofore described.
	Discontinue the regular order of survey at this corner.
	From the point for the east 1/16 sec. cor. of secs. 16 and 21, heretofore described.
	N. 0° 09' E., on the north and south center line of the southeast quarter of sec. 16.
1	

Survey of a Portion of the Subdivision Lines Within Section 16 Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona

CHAINS	
20.05	Intersect the east and west center line of the southeast quarter, the point for the southeast 1/16 sec. cor. of sec. 16. I did not monument this corner point.
31.28	Intersect line 5 - 6, Parcel C; the point for Corner No. 4, Parcel D and Corner No. 5, Parcel E of section 16. I did not monument this corner point.
	Continue with the above course and measurement on the north and south center line of the southeast quarter of sec. 16, and on a blank line across Parcel C of sec. 16.
40.10	Intersect the east and west center line, the point for the center-east 1/16 sec. cor. of sec. 16, heretofore described.
	From the south 1/16 sec. cor. of secs. 15 and 16, hereto- fore described.
	N. 89° 51.5' W., on the east and west center line of the southeast quarter of sec. 16.
20.07	Intersect the north and south center line of the south- east quarter, the point for the southeast 1/16 sec. cor. of sec. 16, heretofore described.
40.14	Intersect the north and south center line, the point for the center-south 1/16 sec. cor. of sec. 16, heretofore described.
	Discontinue the survey of the subdivision lines at this corner point.
	The Metes-and-Bounds Survey of Parcels A, B, C, D, and E Within Section 16
·	Township 9 South, Range 19 West Gila and Salt River Meridian, Arizona
	Thence, with the survey of Parcel A of section 16.
	From the point for the northeast 1/16 sec. cor. of sec. 16, heretofore described; which is designated to function for Corner No. 1, Parcel A and Corner No. 2, Parcel B of section 16.
	N. 89° 53.5' W., on line 1 - 2, Parcel A of section 16, which is identical with the east and west center line of the northeast quarter of sec. 16.

	Gila and Salt River Meridian, Arizona
CHAINS	·
20.07	Intersect the north and south center line, the point for the center-north 1/16 sec. cor. of sec. 16, heretofore described; which is designated to function for Corner No. 2, Parcel A of section 16.
	S. 0° 09' W., on line 2 - 3, Parcel A of section 16, which is identical with the north and south center line of sec. 16.
20.065	Intersect the east and west center line, the point for the center 1/4 sec. cor. of sec. 16, heretofore described; which is designated to function for Corner No. 3, Parcel A and Corner No. 2, Parcel E of section 16.
	S. 89° 54' E., on line 3 - 4, Parcel A, which is identical with line 2 - 1, Parcel E of section 16, and is identical with the east and west center line of section 16.
9.90	Corner No. 4, Parcel A, identical with Corner No. 4, Parcel C, and Corner No. 1, Parcel E of section 16, heretofore described.
	N. 65° 41' E., on line 4 - 5, Parcel A, which is identical with line 4 - 3, Parcel C of section 16.
11.17	Intersect the north and south center line of the north- east quarter of sec. 16; the point for Corner No. 5, Parcel A and Corner No. 3, Parcel B of section 16, here- tofore described.
	N. 0° 09' E., on line 5 - 1, Parcel A, which is identical with line 3 - 2, Parcel B of section 16, and is identical with the north and south center line of the northeast quarter of section 16.
15.443	Intersect the east and west center line of the northeast quarter, the point for the northeast 1/16 sec. cor. of sec. 16; which is designated to function for Corner No. 1, Parcel A, and Corner No. 2, Parcel B of section 16, and the place of beginning.
	Thence, with the survey of Parcel B of section 16.
	From the point for the north 1/16 sec. cor. of secs. 15 and 16, heretofore described; which is designated to function for Corner No. 1, Parcel B of section 16.

		The same same same same same same same sam
T	CHAINS	
		N. 89° 53.5' W., on line 1 - 2, Parcel B of section 16, which is identical with the east and west center line of the northeast quarter of section 16.
	20.07	Intersect the north and south center line of the north-east quarter, the point for the northeast 1/16 sec. cor. of sec. 16; which is designated to function for Corner No. 2, Parcel B, and Corner No. 1, Parcel A of section 16, heretofore described.
		S. 0° 09' W., on line 2 - 3, Parcel B, which is identical with line 1 - 5, Parcel A of section 16, and is identical with the north and south center line of the northeast quarter of section 16.
	15.443	Intersect line 3 - 4, Parcel C; the point for Corner No. 3, Parcel B, and Corner No. 5, Parcel A of section 16, heretofore described.
١		
		N. 65° 41' E., on line 3 - 4, Parcel B, which is identical with line 4 - 3, Parcel C of section 16.
	2.18	The point for Corner No. 4, Parcel B and Corner No. 3, Parcel C of section 16.
		Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., 25 ins. in the ground, with brass cap mkd.
۱		T9S R19W
١		S 16
١		PAR B COR 4
١		COR 4
		COR 3
		PAR C
l		1970
	,	S. 45° 04' E., on line 4 - 5, Parcel B, which is identical with line 3 - 2, Parcel C of section 16.
***************************************	7.835	Corner No. 5, Parcel B, which is identical with Corner No. 2, Parcel C of section 16, heretofore described.
		S. 89° 54' E., on line 5 - 6, Parcel B, which is identical with line 2 - 1, Parcel C of section 16, and is identical with the east and west center line of section 16.
	12.525	The 1/4 sec. cor. of secs. 15 and 16, heretofore described, which is designated to function for Corner No. 6, Parcel B and Corner No. 1, Parcel C of section 16.

CHAINS	·
	N. 0° 09' E., on line 6 - 1, Parcel B of section 16, which is identical with the section line between secs. 15 and 16.
20.06	The point for the north 1/16 sec. cor. of secs. 15 and 16, which is designated to function for Corner No. 1, Parcel B of section 16, and the place of beginning.
	Thence, with the survey of Parcel C of section 16.
	From the 1/4 sec. cor. of secs. 15 and 16; which is designate to function for Corner No. 1, Parcel C and Corner No. 6, Parcel B of section 16, heretofore described.
	N. 89° 54' W., on line 1 - 2, Parcel C, which is identical with line 6 - 5, Parcel B of section 16, and is identical with the east and west center line of section 16.
12.525	Corner No. 2, Parcel C, which is identical with Corner No. 5, Parcel B of section 16, heretofore described.
	N. 45° 04' W., on line 2 - 3, Parcel C, which is identical with line 5 - 4, Parcel B of section 16.
7.835	Corner No. 3, Parcel C, which is identical with Corner No. 4, Parcel B of section 16, heretofore described.
	S. 65° 41' W., on line 3 - 4, Parcel C, which is identical with line 4 - 3, Parcel B of section 16.
2.18	Intersect the north and south center line of the north- east quarter of section 16; the point for Corner No. 5, Parcel A and Corner No. 3, Parcel B of section 16, here- tofore described.
	Continue with the above course and measurement on line 3 - 4, Parcel C, which is identical with line 5 - 4, Parcel A of section 16.
13.35	Corner No. 4, Parcel C, which is identical with Corner No. 4, Parcel A and Corner No. 1, Parcel E of section 16, heretofore described.
	S. 21° 54' E., on line 4 - 5, Parcel C, which is identical with line 1 - 6, Parcel E of section 16.
12.245	The point for Corner No. 5, Parcel C and Corner No. 6, Parcel E of section 16.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T9S R19W S 16 PAR C COR 5 COR 6 PAR E 1970
6.12	N. 65° 41' E., on line 5 - 6, Parcel C, which is identical with line 6 - 5, Parcel E of section 16.
0.12	Intersect the north and south center line of the south- east quarter of section 16; the point for Corner No. 5, Parcel E and Corner No. 4, Parcel D of section 16, here- tofore described.
	Continue with the above course and measurement on line 5 - 6, Parcel C, which is identical with line 4 - 3, Parcel D of section 16.
16.64	The point for Corner No. 6, Parcel C and Corner No. 3, Parcel D of section 16.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., 25 ins. in the ground, with brass cap mkd.
	T9S R19W S 16
	PAR C COR 6 COR 3 PAR D
	1970
	N. 24° 19' W., on line 6 - 7, Parcel C, which is identical with line 3 - 2, Parcel D of section 16.
4.33	The point for Corner No. 7, Parcel C and Corner No. 2, Parcel D of section 16.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. in diam., 25 ins. in the ground, with brass cap mkd.
	T9S R19W S 16 COR 7 PAR C COR 2 PAR D
	1970

D**yu k** 5 121

	Gila and Salt River Meridian, Arizona
CHAINS	·
	S. 89° 54' E., on line 7 - 8, Parcel C, which is identical with line 2 - 1, Parcel D of section 16.
12.285	Corner No. 8, Parcel C, which is identical with Corner No. 1, Parcel D of section 16, heretofore described.
	N. 0° 09' E., on line 8 - 1, Parcel C of section 16, which is identical with the section line between sec. 15 and 16.
0.53	The 1/4 sec. cor. of secs. 15 and 16; which is designated to function for Corner No. 1, Parcel C and Corner No. 6, Parcel B of section 16, and the place of beginning.
	Thence, with the survey of Parcel D of section 16.
	From Corner No. 1, Parcel D, which is identical with
	Corner No. 8, Parcel C, of section 16, heretofore described, and is located on the section line between secs. 15 and 16.
	N. 89° 54' W., on line 1 - 2, Parcel D, which is identical with line 8 - 7, Parcel C of section 16.
12.285	Corner No. 2, Parcel D, which is identical with Corner No. 7, Parcel C of section 16, heretofore described.
,	S. 24° 19' E., on line 2 - 3, Parcel D, which is identical with line 7 - 6, Parcel C of section 16.
4.33	Corner No. 3, Parcel D, which is identical with Corner No. 6, Parcel C of section 16, heretofore described.
	S. 65° 41' W., on line 3 - 4, Parcel D, which is identical with line 6 - 5, Parcel C of section 16.
10.525	Intersect the north and south center line of the south- east quarter of section 16, the point for Corner No. 4, Parcel D, which is identical with Corner No. 5, Parcel E of section 16, heretofore described.
	S. 0° 09' W., on line 4 - 5, Parcel D, which is identical with line 5 - 4, Parcel E of section 16, and is identical with the north and south center line of the southeast quarter of section 16.

	CHAINS	
•	11.23	Intersect the east and west center line of the southeast quarter, point for the southeast 1/16 sec. cor. of sec. 16, heretofore described, which is designated to function for Corner No. 5, Parcel D and Corner No. 4, Parcel E, of section 16.
		S. 89° 51.5' E., on line 5 - 6, Parcel D, of section 16, which is identical with the east and west center line of the southeast quarter of section 16.
	20.07	The south 1/16 sec. cor. of secs. 15 and 16, heretofore described, which is designated to function for Corner No. 6, of Parcel D of section 16.
	-	
		N. 0° 09' E., on line 6 - 1, Parcel D of section 16, which is identical with the section line between secs. 15 and 16.
	19.54	Corner No. 1, Parcel D, which is identical with Corner No. 8, Parcel C of section 16, and the place of beginning.
		Thence, with the survey of Parcel E of section 16.
		From Corner No. 1, Parcel E, which is identical with Corner No. 4, Parcel A, and Corner No. 4, Parcel C of section 16, heretofore described.
		N. 89° 54' W., on line 1 - 2, Parcel E, which is identical with line 4 - 3, Parcel A of section 16, and is identical with the east and west center line of section 16.
	9.90	Intersect the north and south center line, the point for the center 1/4 sec. cor. of sec. 16, which is designated to function for Corner No. 2, Parcel E and Corner No. 3, Parcel A of section 16, heretofore described.
		S. 0° 09' W., on line 2 - 3, Parcel E of section 16, which is identical with the north and south center line of section 16.
	20.04	The point for the center-south 1/16 sec. cor. of sec. 16, heretofore described; which is designated to function for Corner No. 3, Parcel E of section 16.
		S. 89° 51.5' E., on line 3 - 4, Parcel E of section 16, which is identical with the east and west center line of the southeast quarter of section 16.

	GIIA and Sait River Heridian, Arizona
CHAINS	·
20.07	Intersect the north and south center line of the south- east quarter, the point for the southeast 1/16 sec. cor. of sec. 16, which is designated to function for Corner No. 4, Parcel E and Corner No. 5, Parcel D of section 16, heretofore described.
	N. 0° 09' E., on line 4 - 5, Parcel E, which is identical with line 5 - 4, Parcel D of section 16, and is identical with the north and south center line of the southeast quarter of section 16.
11.23	Intersect line 5 - 6, Parcel C, the point for Corner No. 5, Parcel E, and Corner No. 4, Parcel D of section 16, heretofore described.
	S. 65° 41' W., on line 5 - 6, Parcel E, which is identical with line 6 - 5, Parcel C of section 16.
6.12	Corner No. 6, Parcel E, which is identical with Corner No. 5, Parcel C of section 16, heretofore described.
	N. 21° 54' W., on line 6 - 1, Parcel E, which is identical with line 5 - 4, Parcel C of section 16.
12.245	Corner No. 1, Parcel E, which is identical with Corner No. 4, Parcel A, and Corner No. 4, Parcel C of section 16, and the place of beginning.
	GENERAL DESCRIPTION
	The land area within these surveys is gently rolling. The soil consists of sandy clay loam.
	Improvements located throughout the area, are: Mohawk Pumping Station No. 3 is located within Parcel C; the Mohawk Canal meanders through the east half of section 16, flowing to the east. There are a number of unimproved roads within the area. Avenue 25 East is located on the section line between sections 15 and 16.

Form 9600-11 (August 1979)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Victor E. Templeton	Surveying Aid
Dale E. Phillips	Surveying Aid
	*

grant of the second

1 64

CERTIFICATE OF SURVEY

(I) XXXX Douglas A. Cody

, HEREBY

of the **Gila and Salt River** Meridian, in the State of **Arizona**, which are represented in the foregoing field notes as having been executed by (me), which and under (my) **KHXX** direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

November 15, 1979

(Date)

Ouglas d, Cody

(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT Denver, Colorado

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines; the survey of a portion of the subdivision lines within section 16, and the metes-and-bounds survey of Parcels A, B, C, D, and E all within section 16, Township 9 South, Range 19 West, of the Gila and Salt River Meridian, Arizona

executed by Douglas A. Cody, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

MAY	1 1980	D. OBBIRDES
	(Date)	(Chref, Cadastral Survey Examination and Approval Staff)
		CERTIFICATE OF TRANSCRIPT
I CERTIFY	That the fo	regoing transcript of the field notes of the above-described surveys in
		is a true copy of the original field notes.
	(Date)	(Chief, Cadastral Survey Examination and Approval Staff)